

Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Abbot Lake	8				25%	25%	50%											
Ackley Lake	161	7%	19%	5%	5%	3%	13%	7%	2%		6%					29%		3%
Aero Lake, Lower	2	50%					50%											
Ajax Lake	2						50%							50%				
Albino Lake	1	100%																
Albro Lake	1	100%																
Alder Creek	4						50%									50%		
Alder Creek	2															100%		
Alkali Creek	1															100%		
Alpine Lake	6	33%					67%											
Alvord Lake	6				17%	33%					50%							
AMC Wildlife Pond	1	100%																
American Creek	6															100%		
Anderson Creek	2	100%																
Anita Reservoir	1															100%		
Aquarius Lake	2	100%																
Arapoosh Pond	52		8%	10%	8%	19%	15%		8%							33%		
Armstrong Spring Creek	75	100%																
Arrow Creek	3															100%		
Ashley (Hidden) Lakes	7		29%	29%							43%							
Ashley Creek	2						100%											
Ashley Lake	106	4%	17%				30%	8%	5%		25%	1%		1%	8%			2%
Avalanche Creek	15						40%									60%		
Axolotl Lake or Axolotl Lake #1	13	31%					38%									31%		
Bacon Rind Creek	2	100%																
Badger Creek	21	48%				5%	48%											
Bailey Lake	2					100%												
Bailey Reservoir	32	6%				6%	16%		13%	6%	16%					28%		9%
Bair Reservoir	81	5%	22%	2%		1%	22%	1%			1%					44%		
Baker Lake	4	75%														25%		
Baker Lake	2															100%		
Barker Lake, Lower	1	100%																
Barker Lake, Upper	1	100%																
Basin Creek Lake	2	50%				50%												
Bass Creek	6	67%					33%											
Battle Creek	1															100%		
Battle Creek	6			50%						50%								
Bean Lake	6		33%				33%									33%		
Bear Creek	3	100%																
Bear Creek	1															100%		
Bear Creek	1	100%																
Bear Creek	1						100%											
Bear Creek	8	50%					50%											
Bear Gulch	1	100%																
Bear Lake	1	100%																
Beardsley Lake	5						100%											
Bearmouth Rest Area Pond	3	33%	33%				33%											
Bearpaw Lake	132	12%	18%		5%	11%	13%			1%	2%					36%		3%
Beauty Lake	1															100%		
Beaver Creek	2	100%																
Beaver Creek	2															100%		

Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms								
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Beaver Creek	1	100%																
Beaver Creek	1	100%																
Beaver Creek	2	100%																
Beaver Creek	2						50%										50%	
Beaver Creek	1																100%	
Beaver Creek Pond	5	20%					20%										40%	20%
Beaver Creek Reservoir	115	3%	11%	6%	10%	8%	16%			3%	3%		1%			32%		6%
Beaver Creek Sec 01	53	25%	4%				26%		6%		6%					30%		4%
Beaver Creek Sec 02	89	24%	10%		2%		16%									48%		
Beaver Creek Sec 03	51	37%	2%				20%									41%		
Beaver Creek Sec 04	7	14%					43%									43%		
Beaver Lake	43		23%	28%			14%				12%					23%		
Beaverhead River	551	76%	1%	1%		0%	10%	0%								12%		
Beavertail Hill Pond	82	12%	20%			6%	34%				12%					16%		
Beckwourth Lake	2	50%					50%											
Bell Lake	2	100%																
Belmont Creek	1						100%											
Belt Creek	151	40%	5%				23%	1%			1%		2%			26%		2%
Benchmark Creek	2						50%									50%		
Betts Lake	4		25%			25%					25%					25%		
Big Bear Creek Lake	2															100%		
Big Casino Creek Reservoir or Casino Creek Res	19		26%				21%									53%		
Big Creek	3	100%														100%		
Big Creek	1															100%		
Big Creek	4	100%																
Big Elk Creek	16	50%					50%											
Big Hawk Lake	6	67%					33%											
Big Hole River Drainage	8	63%	13%			13%	13%											
Big Hole River Sec 01	654	71%	3%	1%	0%	2%	14%				1%		0%	3%	4%			
Big Hole River Sec 02	410	65%	2%	3%		5%	16%				3%			1%	7%			
Big Hole River Sec 03	109	72%					12%								16%			
Big Moose Lake	2	50%					50%											
Big Rock Creek	2	100%																
Big Salmon Lake	3	100%																
Big Salmon River	2	100%																
Big Sheep Creek	18	33%	6%				28%									33%		
Big Sky Lake	9		22%				44%									33%		
Big Spring Creek Sec 01	3	67%					33%											
Big Spring Creek Sec 02	126	59%					23%									18%		
Big Timber Creek	4	100%																
Bighole River Drainage	2	100%																
Bighorn Lake	1															100%		
Bighorn Lake	156	4%	5%	8%	12%	9%	25%			1%		6%	5%		23%		1%	
Bighorn Reservoir	2	100%																
Bighorn River Sec 01	150	81%	3%		3%	1%	5%			1%		3%			4%			
Bighorn River Sec 02	630	83%	1%		0%	0%	11%	0%	0%						4%			
Bighorn River Sec 03	1,716	90%	1%	1%	0%	1%	5%	0%						0%	1%			
Birch Creek	6	33%														67%		
Birch Creek	2	50%														50%		
Birch Creek	1	100%																
Birch Creek	8						50%									50%		

Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms								
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Creston Lake	1						100%											
Crow Creek	6	33%					33%										33%	
Crystal Lake	3	100%																
Crystal Lake	4	100%																
Crystal Lake	23	4%	9%				39%				26%						22%	
Crystal Lake	1	100%																
Cut Bank Creek Sec 01	9	33%	33%				33%											
Dailey Lake	83	5%	1%		10%	6%	8%				2%			16%			52%	
Daly Creek	3	33%															67%	
Daly Lake	1	100%																
Danaher Creek	10	100%																
Danelson Reservoir	7						43%	29%									29%	
Davis Pond	2				50%	50%												
Dawson Lake	11	55%	18%								9%						9%	9%
Dead Man Lake	1						100%											
Dead Mans Lake	1						100%											
Deadmans Basin Reservoir	104	5%	14%	2%	5%	12%	25%	2%	1%				2%				33%	
Dearborn River	48	63%				2%	27%										8%	
Deep Creek	6																100%	
Deep Creek	2	100%																
Deep Lake	2						100%											
Deer Creek	3	100%																
Deer Lake	1	100%																
Delmo Lake	77	3%	16%	4%	5%	6%	10%				1%						55%	
Demijohn Creek	1																100%	
Diamond Lake	2	100%																
Diamond Lake	1	100%																
Dickey Lake	15					13%	40%										47%	
Dog Creek	10	20%	10%				60%										10%	
Dolus Lake #2	1	100%																
Doolittle Creek	1																100%	
Drag Creek Reservoir	3		33%				33%										33%	
Dredge Cut Trout Pond	32						25%		25%			25%					25%	
Druckmiller Lake	6	83%					17%											
Dry Blood Reservoir	2					100%												
Dry Bridge Slough	2						50%										50%	
Dry Creek	1																100%	
Dry Fork Milk River	2						50%										50%	
Dry Fork Reservoir	36	11%	19%			11%	22%	8%									25%	3%
Dry Fork Reservoir	1				100%													
Dry Fork Reservoir	30		3%						23%			23%					27%	23%
Dry Wolf Creek	15						47%										53%	
Duck Creek	10						50%										50%	
Duck Creek	4		50%														50%	
Duck Creek	11		18%				82%											
Duck Lake	1	100%																
Duck Lake	8	25%		13%			50%				13%							
Dude Lake	1						100%											
Dunham Creek	2	100%																
E Fk Big Spring Creek	1																100%	
E Fk Bitterroot River	146	66%	1%	1%			27%				1%				3%		1%	

Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
E Fk Blacktail Deer Creek	1	100%															
E Fk Rock Creek	4	75%					25%										
E Fk Spring Creek Reservoir	13		15%		15%	15%	8%			15%					31%		
Earthquake Lake	75	45%	3%	1%		3%	25%								16%		7%
East Boulder River	10	70%	20%												10%		
East Gallatin Recreation Pd or Glen Lake	11	9%	18%			9%	27%			27%							9%
East Gallatin River	202	61%	2%	1%	1%	0%	19%								15%		
East Rosebud Creek	41	54%	2%				20%								24%		
East Rosebud Lake	25	32%	4%				44%								20%		
Echo Lake	246	7%	7%	1%	7%	21%	33%			6%			1%		15%	2%	1%
Edith Lake	10	60%						40%									
Egan Slough	6								33%	33%							33%
Eightmile Creek	1														100%		
Elbow Lake	17				24%	24%	53%										
Elbow Lake	1		100%														
Elk Creek	4	75%					25%										
Elk Creek	2	100%															
Elk Creek Reservoir	5	40%					20%			20%					20%		
Elk Horn Lake	1	100%															
Elk Lake	27	56%					44%										
Elk Lake	6			50%			50%										
Elk Lake	4	25%					50%								25%		
Elkhorn Creek	1	100%															
Elsina Lake	1	100%															
Emerald Lake	57	46%		2%	4%	4%	9%					7%			30%		
Emerald Lake	2							50%							50%		
Ennis Lake	125	38%	5%			4%	26%	2%	7%	6%			1%		12%		
Estes Lake	1						100%										
Eureka Reservoir	6	17%	17%				17%								50%		
Eyraud Lake	6	33%							17%	17%					17%		17%
Faber Reservoir	20	35%	20%			10%	5%								25%		5%
Fairgrounds Pond	1														100%		
Fairy Lake	3	33%					33%								33%		
Fatty Lake	1	100%															
Fawn Lake	1						100%										
Fennon Slough	22		9%		18%	14%	59%										
Ferguson Lake	3	33%					33%			33%							
Finger Lake	1	100%															
Fish & Game Hdq Pond #1	76	20%	13%		11%	14%	3%	4%	3%						30%		3%
Fish Creek	2	50%	50%														
Fish Creek	37	89%					11%										
Fish Creek	3	100%															
Fish Creek	2						100%										
Fish Lake	4	25%					25%								50%		
Fish Lake	11	9%					18%	36%							36%		
Fish Lake	2	50%					50%										
Fisher River	21	57%					33%			5%					5%		
Fishtail Creek	1						100%										
Fishtrap Creek	3	67%													33%		
Fishtrap Lake	1						100%										
Flat Creek	6						50%								50%		

Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms								
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Homestead Reservoir	3		33%				33%										33%	
Hope Lake	1						100%											
Hopkins Lake	1	100%																
Horseshoe Lake	11				9%		73%	9%									9%	
Horseshoe Lake	30	10%			23%	30%	37%											
Horseshoe Lake	2	50%	50%															
Hoskin Lake	5						20%											80%
Hound Creek	2	100%																
Hound Creek Reservoir	3						100%											
Howard Lake	8	25%					50%											25%
Hubbart Reservoir	16		50%									6%						44%
Huckleberry Lake	1	100%																
Huckleberry Lake	5	60%					40%											
Hughes Creek	8	63%																38%
Hungry Horse Reservoir	136	19%	12%			8%	37%	8%	4%			1%						11%
Hyalite Creek Sec 01	42	67%	7%				5%											21%
Hyalite Creek Sec 02	7	43%					29%											29%
Hyalite Lake	9	44%					11%											44%
Hyalite Reservoir	139	18%	5%	1%		1%	37%					2%						35%
Indian Creek	8	100%																
Indian Road Pond	2						50%											50%
Island Lake	49	4%	4%			8%	27%		12%	4%		12%						20%
Island Lake	3	67%																33%
Ivanhoe Lake	1	100%																
Jack Creek	1	100%																
Jackson Creek	3																	100%
Jakes Reservoir	2											50%		50%				
Jasper Lake	4	25%					50%											25%
Jefferson Creek	5	60%	20%															20%
Jefferson River	231	37%	4%			3%	28%	6%	3%									19%
Jenny Lake	2		50%				50%											
Jensen Pond	3	100%																
Jerry Creek	2	100%																
Jessup Mill Pond	1						100%											
Jim Lake #16	2	50%					50%											
Job Corps Pond	2	100%																
Jocko River	22	82%	18%															
Johanna Lake	6	33%										33%						33%
Judith River Sec 01	1																	100%
Judith River Sec 02	19	21%					21%	11%										47%
Kalispell Kids Pond	3						100%											
Keeler Creek	1	100%																
Kelley Reservoir	7		14%				29%											57%
Kelly Pond	1						100%											
Kersey Lake	7	14%	29%			29%	14%											14%
Kicking Horse Reservoir	13	8%			38%	54%												
Kidney Lake	2		50%				50%											
Kilbrennan Lake	37	8%	16%	3%	5%		8%					19%						41%
Killen Reservoir	2		50%	50%														
Killenbeck Reservoir	2						100%											
Kipp Lake	12	8%	25%				8%					33%						25%

Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Madison Creek	2	100%															
Madison River Sec 01	506	72%	1%	0%	1%	2%	11%	0%			1%					13%	
Madison River Sec 02	1,481	89%	2%	0%	0%	1%	5%	0%		0%						2%	0%
Madison River Sec 03	271	82%	2%			2%	8%									4%	2%
Maney Lake	22	27%	27%													45%	
Marias River Sec 01	95	29%	3%		7%	16%	13%		4%				4%		22%		1%
Marias River Sec 02	1						100%										
Marker Lake	2	100%															
Marl Lake	10					20%	40%				20%					20%	
Marshal Creek Lake, Lower	1						100%										
Marten Creek	1															100%	
Martin Lake	2						100%										
Martin Lake, Lower	1						100%										
Martinsdale Reservoir	140	2%	14%		5%	11%	18%	4%	6%		1%		1%		39%		
Mary Ronan Creek	4		50%												50%		
May Creek	2														100%		
McCaffery Lake	2						100%										
McChesney Reservoir	3						100%										
McClellan Creek	2						50%									50%	
McCormick Creek	4			100%													
McCoy Creek	2	100%															
McDonald Creek	4	50%					50%										
McDonald Lake	2	50%					50%										
McGilvray Lake	10															100%	
McGregor Creek	15		40%		13%		7%								40%		
McGregor Lake	129	5%	1%		14%	13%	24%	2%	19%	3%	2%		6%		8%	3%	1%
McWenninger Slough	66	2%	2%	21%		14%	14%	2%	5%	2%	24%			3%	2%		12%
Meadow Creek	14	50%													50%		
Meadow Creek	1	100%															
Meadow Lake #3	1						100%										
Meadow Lake #6	4	50%					50%										
Meat Rock Basin	1	100%															
Medicine Lake	3	67%					33%										
Medicine Lake	53	40%	9%			9%	19%			21%		2%					
Middle Creek Reservoir	4	50%					50%										
Middle Fork Lake	2			50%		50%											
Middle Thompson Lake	177	10%	13%			5%	38%	2%		3%	12%				16%		2%
Milk River Sec 01 or Vandalia Dam	81		2%	4%	1%	4%	11%		10%		1%	2%	17%	1%	46%		
Milk River Sec 02	16		13%				13%		6%				25%		44%		
Milk River Sec 03 or Dodson Reservoir	31	3%	6%	3%	3%	29%						3%			52%		
Milk River Sec 04	76	5%	7%		8%	4%	16%					17%			39%		4%
Milk River Sec 05	15					13%	27%			20%					33%		7%
Milk River Sec 06	5	100%															
Mill Creek	5	40%													60%		
Mill Creek	4			100%													
Mill Creek	2														100%		
Mill Creek	13	38%	46%												15%		
Mill Creek	2	100%															
Mill Creek	8	25%			38%		38%										
Millers Creek Lake	2		50%			50%											
Mine Lake or Alpine Lake	4						50%								50%		

Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms								
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Red Rock River Sec 02	13	54%					23%										23%	
Redwater River	6										17%	67%					17%	
Reese Creek	1						100%											
Reser Reservoir	3				33%		33%										33%	
Reservoir Lake	11	36%	27%				36%											
Rest Reservoir	1																100%	
Rey Creek	1	100%																
Ripple Lake	2	100%																
Roaring Creek	2	100%																
Roaring Lion Creek	3	67%															33%	
Rock Creek	17	71%															29%	
Rock Creek	3		33%														67%	
Rock Creek	2	100%																
Rock Creek	6	67%															33%	
Rock Creek	2						50%										50%	
Rock Creek	3																100%	
Rock Creek	42			2%			7%					26%	31%				33%	
Rock Creek reservoir or East Fork Reservoir	73	29%				4%	26%				4%						37%	
Rock Creek Sec 01	241	50%	2%		1%	1%	17%				1%				5%		22%	
Rock Creek Sec 01	469	87%	4%	0%		1%	7%				1%							
Rock Creek Sec 02	457	85%	4%	1%	3%	1%	7%											
Rock Creek Sec 02	2																100%	
Rock Creek Sec 02	3	100%																
Rock Island Lake	3	67%					33%											
Rock Island Lakes	2	50%					50%											
Rock Lake	1	100%																
Rock Tree Lake	1	100%																
Rocky Creek	16	31%															69%	
Rogers Lake	21	52%				14%	5%				5%						10%	14%
Rosebud Creek	3	100%																
Round Lake	3	33%					33%										33%	
Round Lake	7	14%					29%										57%	
Ruby Creek	4	75%															25%	
Ruby Creek	3	100%																
Ruby River Reservoir	181	7%	15%	4%	3%	2%	12%	9%			6%						27%	15%
Ruby River Sec 01	168	83%				2%	14%										2%	
Ruby River Sec 02	12	100%																
Running Wolf Creek	4																100%	
Russell Lake	2						50%										50%	
S Fk Big Creek	1																	100%
S Fk Flathead River above reservoir	110	45%	1%	4%			25%	4%									22%	
S Fk Flathead River below reservoir	97	69%	4%	3%			8%	13%	2%									
S Fk Flatwillow Creek	2						100%											
S Fk Little Joe Creek	1																100%	
S Fk Lolo Creek	1	100%																
S Fk Madison River	28	46%					4%							39%			11%	
S Fk Musselshell River	6	33%	33%														33%	
S Fk Red Meadow Creek	1						100%											
S Fk Smith River	4	100%																
S Fk Spanish Creek	2	50%					50%											
S Fk Sun River	26	65%					12%								12%		12%	

