# LITERATURE CITED

- Adkins, R. J. 1991. An analysis of game damage and game damage complaints in Montana. Doctoral Dissertation, Montana State University, Bozeman.
- Almberg, E. S., P. C. Cross, C. J. Johnson, D. M. Heisey, and B. J. Richards. 2011. Modeling routes of chronic wasting disease transmission: environmental prion persistence promotes deer population decline and extinction. PloS one, 6(5), e19896.
- Ballard, W. B., Lutz, D., Keegan, T. W., Carpenter, L. H., and J. C. deVos Jr. 2001. Deer-predator relationships: a review of recent North American studies with emphasis on mule and black-tailed deer. Wildlife Society Bulletin 29:99–115.
- Barber-Meyer, S. M., D. L. Mech, and P. J. White. 2008. Elk calf survival and mortality following wolf restoration to Yellowstone National Park. Wildlife Monographs 169:1–30.
- Barker, K. J., M. S. Mitchell, and K. M. Proffitt. 2019b. Native forage mediates influence of irrigated agriculture on migratory behaviour of elk. Journal of Animal Ecology 88:1100–1110.
- Barker, K. J., M. S. Mitchell, K. M. Proffitt, and J. D. DeVoe. 2019a. Land management alters traditional nutritional benefits of migration for elk. The Journal of Wildlife Management 83:167–174.
- Beja-Pereira, A., B. Bricker, S. Chen, C. Almendra, P. J. White, and G. Luikart. 2009. DNA genotyping suggests that recent brucellosis outbreaks in the Greater Yellowstone Area originated from elk. Journal of Wildlife Diseases 45:1174–1177.
- Benavides, J. A., D. Caillaud, B. M. Scurlock, E. J. Maichak, W. H. Edwards, and P. C. Cross. 2017. Estimating loss of Brucella Abortus antibodies from age-specific serological data in elk. EcoHealth 14:234–243.
- Bender, L. C. 2006. Uses of herd composition and age ratios in ungulate management. Wildlife Society Bulletin, 34:1225–1230.
- Bender, L. C., and R. D. Spencer. 1999. Estimating elk population size by reconstruction from harvest data and herd ratios. Wildlife Society Bulletin 27:636–645.
- Bender, L. C., and P. J. Miller. 1999. Effects of elk harvest strategy on bull demographics and herd composition. Wildlife Society Bulletin 27:1032–1037.
- Bender, L., P. Fowler, J. Bernatowicz, J. Musser, and L. Stream. 2002. Effects of open-entry spike-bull, limited-entry branched-bull harvesting on elk composition in Washington. Wildlife Society Bulletin 30:1078–1084.
- Boertje, R. D., M. A. Keech, and T. F. Paragi. 2010. Science and values influencing predator control for Alaska moose management. Journal of Wildlife Management 74:917–928.
- Borkowski, J. J., P. J. White, R. A. Garrott, T. Davis, A. R. Hardy, and D. J. Reinhart. 2006. Behavioral responses of bison and elk in Yellowstone to snowmobiles and snow coaches. Ecological Applications 16:1911–1925.

- Boyce, M. S., J. S. Mao, E. H. Merrill, D. Fortin, M. G. Turner, J. Fryxell, and P. Turchin. 2003. Scale and heterogeneity in habitat selection by elk in Yellowstone National Park. Ecoscience 10:421–431.
- Brennan, A., P. C. Cross, M. D. Higgs, W. H. Edwards, B. M. Scurlock, and S. Creel. 2014. A multi-scale assessment of animal aggregation patterns to understand increasing pathogen seroprevalence. Ecosphere 5:1–25.
- Brodie, J., H. Johnson, M. Mitchell, P. Zager, K. Proffitt, M. Hebblewhite, M. Kauffman, B. Johnson, J. Bissonette,
   C. Bishop, and J. Gude. 2013. Relative influence of human harvest, carnivores, and weather on adult
   female elk survival across western North America. Journal of Applied Ecology 50:295–305.
- Bryant, L. D., and C. Maser. 1982. Classification and distribution. Pp. 1-59 *in*: J. W. Thomas and D. E. Toweill, eds. Elk of North America, Ecology and Management. Stackpole Books, Harrisburg, PA.
- Bunnell, S. D., M. L. Wolfe, M. W. Brunson, and D. R. Potter. 2002. Recreational use of elk. Pp 701–740 in D. E. Toweill and J. W. Thomas, eds., North American elk: ecology and management. Wildlife Management Institute, Washington, D.C., USA.
- Burcham, M., W. D. Edge, and C. L. Marcum. 1999. Elk use of private land refuges. Wildlife Society Bulletin 27:833–839.
- Carpenter, L. 1991. Elk Hunting Regulations, The Colorado Experience. Pp 16–22 *in* AG Christensen, LJ Lyon, and TN Lonner eds., Proceedings of the elk vulnerability symposium. Montana State University, Bozeman.
- Cassirer, E. F., D. J. Freddy, and E. D. Ables. 1992. Elk responses to disturbance by cross-country skiers in Yellowstone National Park. Wildlife Society Bulletin 20:375–381.
- Caughley, G. 1974. Bias in aerial survey. The Journal of Wildlife Management 38:921–933.
- Cheville, N. F., D. R. McCullough, and L. R. Paulson. 1998. Brucellosis in the Greater Yellowstone Area. National Academy Press, Washington, D.C., USA.
- Christensen, A. G., L. J. Lyon and J. W. Unsworth. 1993. Elk management in the Northern Region: considerations for forest plan updates or revisions. Intermountain Research Station General Technical Report INT-303.
   10 pp.
- Christianson, D. A., and S. Creel. 2007. A review of environmental factors affecting elk winter diets. The Journal of Wildlife Management 71:164–176.
- Christianson, D., and S. Creel. 2010. A nutritionally mediated risk effect of wolves on elk. Ecology 91:1184–1191.
- Cleveland, S. M., M. Hebblewhite, M. Thompson, and R. Henderson. 2012. Linking elk movement and resource selection to hunting pressure in a heterogeneous landscape. Wildlife Society Bulletin 36:658–668.
- Coe, P. K., B. K. Johnson, M. J. Wisdom, J. G. Cook, M. Vavra, and R. M. Nielson. 2011. Validation of elk resource selection models with spatially independent data. The Journal of Wildlife Management 75:159–170.

- Collins, W. B., and P. J. Urness. 1983. Feeding behavior and habitat selection of mule deer and elk on northern Utah summer range. Journal of Wildlife Management 47:646–663.
- Conner, M. M., G. C. White, and D. J. Freddy. 2001. Elk movement in response to early-season hunting in northwest Colorado. The Journal of Wildlife Management 65:926–940.
- Cook, J. G., B. K. Johnson, R. C. Cook, R. A. Riggs, T. I. M. Delcurto, L. D. Bryant, and L. L. Irwin. 2004. Effects of summer-autumn nutrition and parturition date on reproduction and survival of elk. Wildlife Monographs 155:1–61.
- Cook, J. G., L. J. Quinlan, L. L. Irwin, L. D. Bryant, R. A. Riggs, and J. W. Thomas. 1996. Nutrition-growth relations of elk calves during late summer and fall. The Journal of Wildlife Management 60:528–541.
- Cook, J. G., R. C. Cook, R. W. Davis, and L. L. Irwin. 2016. Nutritional ecology of elk during summer and autumn in the Pacific Northwest. Wildlife Monographs 195:1–326.
- Cook, R. C., J. G. Cook, D. J. Vales, B. K. Johnson, S. M. Mccorquodale, L. A. Shipley, R. A. Riggs, L. L. Irwin, S. L. Murphie, B. L. Murphie, K. A. Schoenecker, F. Geyer, P. B. Hall, R. D. Spencer, D. A. Immell, D. H. Jackson, B. L. Tiller, P. J. Miller, and L. Schmitz. 2013. Regional and seasonal patterns of nutritional condition and reproduction in elk. Wildlife Monographs 184:1–45.
- Cotterill, G. G., P. C. Cross, A. D. Middleton, J. D. Rogerson, B. M. Scurlock, and J. T. Du Toit. 2018. Hidden cost of disease in a free-ranging ungulate: brucellosis reduces mid-winter pregnancy in elk. Ecology and Evolution 8:10733–10742.
- Creel, S., and J. A. Winnie, Jr. 2005. Responses of elk herd size to fine-scale spatial and temporal variation in the risk of predation by wolves. Animal Behaviour 69:1181–1189.
- Creel, S., J. E. Fox, A. Hardy, J. Sands, B. Garrott, and R. O. Peterson. 2002. Snowmobile activity and glucocorticoid stress responses in wolves and elk. Conservation Biology 16:809–814.
- Creel, S., Jr. J. Winnie, B. Maxwell, K. Hamlin, and M. Creel. 2005. Elk alter habitat selection as an antipredator response to wolves. Ecology 86:3387–3397.
- Cross, P. C., D. Heisey, B. Scurlock, W. Edwards, M. Ebinger, and A. Brennan. 2010a. Mapping brucellosis increases relative to elk density using hierarchical Bayesian models. PLOSOne 5:1–9.
- Cross, P. C., E. K. Cole, A. P. Dobson, W. H. Edwards, K. L. Hamlin, G. Luikart, A. D. Middletown, B. M. Scurlock, and P. J. White. 2010b. Probable causes of increasing brucellosis in free-ranging elk of the Greater Yellowstone Ecosystem. Ecological Applications 20:278–288.
- Cunningham, J. A., K. L. Hamlin, and T. O. Lemke. 2009. Fetal sex ratios in southwestern Montana elk. The Journal of Wildlife Management 73:639–646.

- Decker, D. J., J. F. Organ, and C. A. Jacobson. 2009. Why should all Americans care about the North American model of wildlife conservation. Transactions of the North American Wildlife and Natural Resources Conference 74:32–36.
- DeVoe, J. D., K. M. Proffitt, M. S. Mitchell, C. S. Jourdonnais, and K. J. Barker. 2019. Elk forage and risk tradeoffs during the fall archery season. The Journal of Wildlife Management 83:801–816.
- Eacker, D. R., M. Hebblewhite, K. M. Proffitt, B. S. Jimenez, M. S. Mitchell, and H. S. Robinson. 2016. Annual elk calf survival in a multiple carnivore system. The Journal of Wildlife Management 80:1345–1359.
- Eacker, D. R., P. M. Lukacs, K. M. Proffitt, and M. Hebblewhite. 2017. Assessing the importance of demographic parameters for population dynamics using Bayesian integrated population modeling. Ecological Applications 27:1280–1293.
- Edmunds, D., M. Kauffman, B. Schumaker, F. Lindzey, W. Cook, T. Kreeger, R. Grogan, and T. Cornish. 2016. Chronic wasting disease drives population decline of white-tailed deer. PLOS ONE 11 (8):e0161127
- Eliason, S. L. 2008. A statewide examination of hunting and trophy nonhuman animals: perspectives of Montana hunters. Society and Animals 16:257–278.
- Ferguson, M. A., and L. B. Keith. 1982. Influence of Nordic skiing on distribution of moose and elk in Elk Island National Park, Alberta. Canadian Field-Naturalist 96:69–78.
- Fryxell, J. M., and A. R. E. Sinclair. 1988. Causes and consequences of migration by large herbivores. Trends in Ecology & Evolution 3:237–241.
- Gaillard, J.-M., M. Festa-Bianchet, N. G. Yoccoz, A. Loison, and C. Toigo. 2000. Temporal variation in fitness components and population dynamics of large herbivores. Annual Review of Ecology and Systematics 31:367–393.
- Garrott, R. A., J. A. Gude, E. J. Bergman, C. Gower, P. J. White, and K. L. Hamlin. 2005. Generalizing wolf effects across the Greater Yellowstone Area: a cautionary note. Wildlife Society Bulletin 33:1245–1255.
- Geremia, C., M. W. Miller, J. A. Hoeting, M. F. Antolin, and N. T. Hobbs. 2015. Bayesian modeling of prion disease dynamics in mule deer using population monitoring and capture recapture data. PloS one, 10(10), e0140687.
- Gower, C. N., R. A. Garrott, P. J. White, S. Cherry, and N. G. Yoccoz. 2009. Elk group size and wolf predation: a flexible strategy when faced with variable risk. Pp 401–422 *in* R. A. Garrott, P. J. White, and F. Watson, eds. The ecology of large mammals in Central Yellowstone-sixteen years of integrated field studies. Academic Press, San Diego, California, USA.
- Gross, J. E., and M. W. Miller. 2001. Chronic wasting disease in mule deer: disease dynamics and control. The Journal of Wildlife Management 65:205–215.

- Grover, K. E., and M. J. Thompson. 1986. Factors influencing spring feeding site selection by elk in the Elkhorn Mountains, Montana. The Journal of Wildlife Management 50:466–470.
- Gude, J. A., R. A. Garrott, J. J. Borkowski, and F. King. 2006. Prey risk allocation in a grazing ecosystem. Ecological Applications 16:285–298.
- Haggerty, J. H., and W. R. Travis. 2006. Out of administrative control: absentee owners, resident elk and the shifting nature of wildlife management in southwestern Montana. Geoforum 37:816–830.
- Hamlin, K. L. and M. S. Ross. 2002. Effects of hunting regulation changes on elk and hunters in the Gravelly-Snowcrest mountains, Montana. FWP, Helena.
- Hammond, G. R. 1980. Nutritional characteristics of the vegetation of clearcut and uncut sites on summer-fall elk range. Doctoral dissertation, Montana State University, Bozeman.
- Harris, N. C., M. J. Kauffman, L. S. Mills. 2008. Inferences about ungulate population dynamics derived from age ratios. The Journal of Wildlife Management 72:1143–1151.
- Hebblewhite, M., and E. H. Merrill. 2007. Multiscale wolf predation risk for elk: does migration reduce risk? Oecologia 152:377–387.
- Hernbrode, B. 1987. Elk Harvest Management- Meeting the challenges of quantity and quality. Transactions of the Western Association of Game and Fish Commissioners 67:88–93.
- Herrera, E., G. Palomares, and E. Díaz-Aparicio. 2008. Milk Production Increase in a Dairy Farm under a Six-Year Brucellosis Control Program. Annals of the New York Academy of Sciences 1149:296–299.
- Higgins, J., T. Stuber, C. Quance, W. H. Edwards, R. V. Tiller, T. Linfield, J. Rhyan, A. Berte, and B. Harris. 2012.
   Molecular epidemiology of Brucella abortus isolates from cattle, elk, and bison in the United States, 1998 to 2011. Applied Environmental Microbiology 78:3674–3684.
- Hillis, J. M., M. J. Thompson, J. E. Canfield, L. J. Lyon, C. L. Marcum, P. M. Dolan, and D. W. McCleerey. 1991.
   Defining elk security: the Hillis paradigm. Pp 38–43 *in* AG Christensen, LJ Lyon, and TN Lonner, eds.,
   Proceedings of the elk vulnerability symposium. Montana State University, Bozeman.
- Hines, W. H., J. C. Lemos, and N. A. Hartmann. 1985. Male breeding efficiency in Roosevelt elk of southwestern Oregon. Research and Development Section, Oregon Department of Fish and Wildlife. No. 15.
- Horne, J. S., M. A. Hurley, C. G. White, and J. Rachael. 2019. Effects of wolf pack size and winter conditions on elk mortality. The Journal of Wildlife Management 83:1103–1116.
- Irby, L. R., J. Saltiel, W. E. Zidack, and J. B. Johnson. 1997. Wild ungulate damage: perceptions of farmers and ranchers in Montana. Wildlife Society Bulletin 25:320–329.
- Irwin, L. L., and J. M. Peek. 1979. Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. Forest Science 25:415–426.

- Irwin, L. L., and J. M. Peek. 1983. Elk, Cervus elaphus foraging related to forest management and succession in Idaho. Canadian Field-Naturalist 97:443–447.
- Johnson, D. E. 1951. Biology of the elk calf, Cervus canadensis nelson. The Journal of Wildlife Management 15:396–410.
- Johnson, D. H. 1980. The comparison of usage and availability measurements for evaluating resource preference. Ecology 61:65–71.
- Jones, J. D., K. M. Proffitt, J. T. Paterson, E. S. Almberg, J. A. Cunningham, and K. M. Loveless. 2021. Elk Responses to Management Hunting and Hazing. *The Journal of Wildlife Management*, *85*:1721–1738.
- Kamath, P. L., J. T. Foster, K. P. Drees, G. Luikart, C. Quance, N. J. Anderson, P. R. Clarke, E. K. Cole, M. L. Drew,
  W. H. Edwards, J. C., Rhyan, J. J. Treanor, R. L. Wallen, P. J. White, S. Robbe-Austerman, and P. C. Cross.
  2016. Genomics reveals historic and contemporary transmission dynamics of a bacterial disease among wildlife and livestock. Nature Communications 7:11448.
- Keane, R. E., K. C. Ryan, T. T. Vehlen, C. D. Allen, J. Logan, and B. Hawkes. 2002. Cascading effects of fire exclusion in Rocky Mountain ecosystems: a literature review. USFS, Rocky Mountain Research Station, RMRS-GTR-91, Fort Collins, Colorado, USA.
- Keegan, T. W., and B. F. Wakeling. 2003. Elk and Deer Competition. Pages 139–150 in J. C. deVos, M. R. Conover and N. E. Headrick, editors. Mule Deer Conservation: Issues and Management Strategies. Berryman Institute Press, Utah State University, Logan.
- King, Z., and R. Brooks. 2001. Results of 1998 Montana elk hunter preference survey. FWP, Helena.
- Krausman, P. R., D. E. Naugle, M. R. Frisina, R. Northrup, V. C. Bleich, W. M. Block, M. C. Wallace, and J. D. Wright. 2009. Livestock grazing, wildlife habitat, and rangeland values. Rangelands 31:15–19.
- Lark, T., M. Bougie, S. Spawn, H. Gibbs. 2018. Cropland expansion in the United States, 2008-2016. University of Wisconsin Madison, Research Brief. Accessed 9/8/2020 at <u>www.gibbs-lab.com/US</u>
- Lewis, M. S. 2021. Statewide estimates of resident and nonresident hunter and angler expenditures in Montana (2021): HD Unit Research Summary No. 51. FWP, Helena.
- Lewis, M. S. 2019. Monitoring Elk Hunter & Private Landowner Human Dimensions Survey Measures for FWP's Elk Management Fundamental Objectives. FWP, Helena.
- Lewis, M. S., and J. Kool. 2021. Selected results of Block Management Landowner and Hunter Evaluation Surveys Conducted by FWP in 2020: Research Summary No. 50. FWP, Helena.
- Lewis, M. S., J. Gude, and A. Charles. 2014. Selected results from surveys of resident deer, elk, antelope and upland game bird hunters regarding hunting access in Montana: HD Unit Research Summary No. 38. FWP, Helena.

- Lewis, M. S., K. Podruzny, J. Gude, A. Charles, and A. Messer. 2015. Statewide Acreage Estimates of How Hunting Access is Managed on Privately Owned Lands in Montana: HD Unit Research Summary No. 40. FWP, Helena.
- Lewis, M. S., Q. Kujala, R. Aasheim, and J. Weigand. 2007. Selected results from 2007 surveys of elk hunters, elk outfitters, and private landowners concerning Montana's elk population: RMU Research Summary No. 22. FWP, Helena.
- Liley, S., and S. Creel. 2008. What best explains vigilance in elk: characteristics of prey, predators, or the environment? Behavioral Ecology 19:245–254.
- Lindzey, F. G., W. G. Hepworth, T. A. Mattson, and A. F. Reese. 1997. Potential for competitive interactions between mule deer and elk in the western United States and Canada: a review. Wyoming Cooperative Fisheries and Wildlife Research Unit, Laramie WY.
- Lipscomb, J. F. 1974. A modeling approach to harvest and trend data analysis. Proceedings of the Western Association State Game and Fish Commissioners.
- Long, R. A., J. L. Rachlow, J. G. Kie, and M. Vavra. 2008. Fuels reduction in a western coniferous forest: effects on quantity and quality of forage for elk. Rangeland Ecology & Management 61:302–313.
- Lowrey, B., J. Devoe, K. M. Proffitt, and R. A. Garrott. 2020. Hiding without cover? Defining elk security in a beetle-killed forest. The Journal of Wildlife Management 84:138–149.
- Lukacs, P. M., J. A. Gude, R. E. Russell, and B. B. Ackerman. 2011. Evaluating cost-efficiency and accuracy of hunter harvest survey designs. Wildlife Society Bulletin 35:430–437.
- Lukacs, P. M., M. S. Mitchell, M. Hebblewhite, B. K. Johnson, H. Johnson, M. Kauffman, K. M. Proffitt, P. Zager, J. Brodie, K. Hersey, A. A. Holland, M. Hersey, S. McCorquodale, A. Middleton, M. Nordhagen, J. J. Nowak, D. P. Walsh, and P. J. White. 2018. Factors influencing elk recruitment across ecotypes in the Western United States. The Journal of Wildlife Management 82:698–710.
- Lyon, L. J, and A. S. Christensen. 1992. A partial glossary of elk management terms. U.S. Forest Service, Intermountain Research Station, GTR INT-288.
- Mao, J. S., M. S. Boyce, D. W. Smith, F. J. Singer, D. J. Vales, J. M. Vore, and E. H. Merrill. 2005. Habitat selection by elk before and after wolf reintroduction in Yellowstone National Park. The Journal of Wildlife Management 69:1691–1707.
- Meagher, M., and M. E. Meyer. 1994. On the origin of brucellosis in bison of Yellowstone National Park: a review. Conservation Biology 8:645–653.
- Metcalf, A. L., E. C. Metcalf, K. Khumalo, J. Gude, Q. Kujala, and M. S. Lewis. 2017. Public Wildlife Management on Private Lands: Reciprocity, Population Status, and Stakeholders' Normative Beliefs. Human Dimensions of Wildlife 22:564–582.

- Middleton, A. D., M. J. Kauffman, D. E. McWhirter, J. G. Cook, R. C. Cook, A. A. Nelson, M. D. Jimenez, and R.
  W. Klaver. 2013. Animal migration amid shifting patterns of phenology and predation: lessons from a Yellowstone elk herd. Ecology 94:1245–1256.
- Miller, M. W., H. M. Swanson, L. L. Wolfe, F. G. Quartarone, S. L. Huwer, C. H. Southwick, and P. M. Lukacs. 2008. Lions and prions and deer demise. PLoS one, 3(12) e4019.
- Mills, L. S. 2012. Conservation of wildlife populations: demography, genetics, and management. John Wiley & Sons.
- Mitchell, M. S., H. Cooley, J. A. Gude, J. Kolbe, J. J. Nowak, K. M. Proffitt, S. N. Sells, and M. Thompson. 2018. Distinguishing values from science in decision making: setting harvest quotas for mountain lions in Montana. Wildlife Society Bulletin 42:13–21.
- Monello, R. J., J. G. Powers, N. T. Hobbs, T. R. Spraker, M. K. Watry, and M. A. Wild. 2014. Survival and population growth of a free-ranging elk population with a long history of exposure to chronic wasting disease. The Journal of Wildlife Management 78:214–223.
- Montana Fish, Wildlife & Parks. 1989. Effects of Archery Hunting on Elk Management in Montana. Report to the Fifty-first Montana Legislature, Natural Resources Appropriations Subcommittee.
- Montana Fish, Wildlife & Parks. 1990. Evaluation of three different hunting regulations in the Elkhorn Mountains from 1982–1989. Report to the Fish and Game Commission.
- Montana Fish, Wildlife & Parks. 2005. Montana Final Elk Management Plan. FWP, Helena.
- Montana Fish, Wildlife & Parks. 2013. Survey and Inventory Protocols for Big Game in Montana: Elk. FWP, Helena.
- Montana Fish, Wildlife & Parks. 2019a. Mountain Lion Monitoring and Management Strategy. FWP, Helena.
- Montana Fish, Wildlife & Parks. 2019b. Montana Bovine Tuberculosis Surveillance Plan. FWP, Helena.
- Montana Fish, Wildlife & Parks. 2020a. Elk Shoulder Season Assessment Report 2016-2018. FWP, Helena. https://fwp.mt.gov/binaries/content/assets/fwp/conservation/elk/2022-05-5-elk-shoulder-seasonassessment-report-final.pdf
- Montana Fish, Wildlife & Parks. 2020b. Enhancing Montana's Outdoor Recreation Legacy; Statewide Comprehensive Outdoor Recreation Plan. FWP, Helena, MT. <u>https://leg.mt.gov/content/Committees/</u> Interim/2019-2020/EQC/Meetings/Jan-2020/scorp-2020-2024.pdf
- Montana Fish, Wildlife & Parks. 2020c. Montana Action Plan 2020 for Implementation of Department of the Interior Secretarial Order 3362: "Improving Habitat Quality in Western Big-Game Winter Range and Migration Corridors." FWP, Helena.

- Montana Fish, Wildlife & Parks. 2022. Targeted Elk Brucellosis Surveillance Project; 2022 Annual Report. FWP, Helena.
- Morgantini, L. E., and R. J. Hudson. 1985. Changes in diets of wapiti during a hunting season. Journal of Range Management 38:77–79.
- Morris, L. R., K. M. Proffitt, V. Asher, and J. K. Blackburn. 2016. Elk resource selection and implications for anthrax management in Montana. The Journal of Wildlife Management 80:235–244.
- Mould, E. D., and C. T. Robbins. 1981. Nitrogen metabolism in elk. The Journal of Wildlife Management 45:323– 334.
- Naylor, L. M., M. J. Wisdom, and R. G. Anthony. 2009. Behavioral responses of North American elk to recreational activity. The Journal of Wildlife Management 73:328–338.
- Nolte, D. L. 1999. Behavioral approaches for limiting depredation by wild ungulates. Grazing Behavior of Livestock and Wildlife 60–69.
- Noyes, J. H., B. K. Johnson, B. L. Dick, and J. G. Kie. 2002. Effects of male age and female nutritional condition on elk reproduction. The Journal of Wildlife Management 66:1301–1307.
- Noyes, J. H., B. K. Johnson, L. D. Bryant, S. L. Findholt, J. W. Thomas. 1996. Effects of bull age on conception dates and pregnancy rates of cow elk. The Journal of Wildlife Management 60:508–517.
- Paterson, J. T., K. Proffitt, J. Rotella, and R. Garrott. 2019. An improved understanding of ungulate population dynamics using count data: Insights from western Montana. PLoS ONE12 e0226492.
- Paterson, J. T., K. M. Proffitt, N. J. DeCesare, J. A. Gude, and M. Hebblewhite. 2022b. Evaluating the summer landscapes of predation risk and forage quality for elk (Cervus canadensis). Ecology and Evolution 12: e9201.
- Paterson, J. T., K. M. Proffitt, and J. J. Rotella. 2022a. Incorporating vital rates and harvest into stochastic population models to forecast elk population dynamics. The Journal of Wildlife Management, 86:e22189.
- Peek, J. M., J. J. Korol, D. Gay, and T. Hershey. 2001. Overstory-understory biomass changes over a 35-year period in southcentral Oregon. Forest Ecology and Management 150:267–277.
- Picton, H. D. 1991. A brief history of elk: The hunt, research, and management. Pp. 10-15 in A. G. Christensen,
   L. J. Lyon, and T. N. Lonner, comps., Proceedings of the elk vulnerability symposium, Montana State
   University, Bozeman.
- Picton, H. D., and T. N. Lonner. 2008. Montana's wildlife legacy: decimation to restoration. Media Works, Bozeman, Montana, USA.
- Phillips, G. E., and A. W. Alldredge. 2000. Reproductive success of elk following disturbance during calving season. The Journal of Wildlife Management 64:521–530.

- Pierce, B. M., R. T. Bowyer, and V. C. Bleich. 2004. Habitat selection by mule deer: forage benefits or risk of predation? The Journal of Wildlife Management 68:533–541.
- Proffitt, K. M., J. A. Cunningham, K. L. Hamlin, and R. A. Garrott. 2014. Bottom-up and top-down influences on pregnancy rates and recruitment of northern Yellowstone elk. The Journal of Wildlife Management 78:1383–1393.
- Proffitt, K. M., J. A. Gude, K. L. Hamlin, and M. A. Messer. 2013. Effects of hunter access and habitat security on elk habitat selection in landscapes with a public and private land matrix. The Journal of Wildlife Management 77:514–524.
- Proffitt, K. M., J. L. Grigg, K. L. Hamlin, and R. A. Garrott. 2009. Contrasting effects of wolves and human hunters on elk behavioral responses to predation risk. The Journal of Wildlife Management 73:345–356.
- Proffitt, K. M., J. L. Grigg, R. A. Garrott, K. L. Hamlin, J. Cunningham, J. A. Gude, and C. Jourdonnais. 2010. Changes in elk resource selection and distributions associated with a late-season elk hunt. The Journal of Wildlife Management 74:210–218.
- Proffitt, K. M., M. Hebblewhite, W. Peters, N. Hupp, and J. Shamhart. 2016b. Linking landscape-scale differences in forage to ungulate nutritional ecology. Ecological Applications 26:2156–2174.
- Proffitt, K. M., N. Anderson, P. Lukacs, M. M. Riordan, J. A. Gude, and J. Shamhart. 2015. Effects of elk density on elk aggregation patterns and exposure to brucellosis. The Journal of Wildlife Management 79:373– 383.
- Proffitt, K. M., R. Garrott, J. A. Gude, M. Hebblewhite, B. Jimenez, J. T. Paterson, and J. Rotella. 2020. Integrated carnivore-ungulate management: A case study in west-Central Montana. Wildlife Monographs 206:1– 28.
- Proffitt, K. M., S. Thompson, D. Henry, B. Jimenez, and J. A. Gude. 2016a. Hunter access affects elk resource selection in the Missouri breaks, Montana. The Journal of Wildlife Management 80:1167–1176.
- Ragan, V. E. 2002. The animal and plant health inspection service (APHIS) brucellosis eradication program in the United States. Veterinary microbiology 90:11–18.
- Raithel, J. D. 2005. Impact of calf survival on elk population dynamics in west-central Montana. Thesis, University of Montana, Missoula.
- Raithel, J. D., M. J. Kauffman, D. H. Pletscher. 2007. Impact of spatial and temporal variation in calf survival on the growth of elk populations. The Journal of Wildlife Management 71:795–803.
- Ranglack, D. H., K. M. Proffitt, J. E. Canfield, J. A. Gude, J. Rotella, and R. A. Garrott. 2017. Security areas for elk during archery and rifle hunting seasons. The Journal of Wildlife Management 81:778–791.

- Ranglack, D. H., K. M. Proffitt, J. E. Canfield, J. A. Gude, J. Rotella, and R. A. Garrott. 2022 Modeling broad-scale patterns of elk summer resource selection in Montana using regional and population-specific models. Ecosphere 13:e4311.
- Ranglack, D. H., K. M. Proffitt, J. Gude, J. Canfield, J. Rotella, and R. A. Garrott. 2016. Evaluating elk summer resource selection and applications to summer range habitat management. Intermountain Journal of Sciences 22:114–115.
- Rayl, N. D., K. M. Proffitt, E. S. Almberg, J. D. Jones, J. A. Merkle, J. A. Gude, and P. C. Cross. 2019. Modeling elk-to-livestock transmission risk to predict hotspots of brucellosis spillover. The Journal of Wildlife Management 83:817–829.
- Rayl, N. D., J. A. Merkle, K. M. Proffitt, E. S. Almberg, J. D. Jones, J. A. Gude, and P. C. Cross. 2021. Elk migration influences the risk of disease spillover in the Greater Yellowstone Ecosystem. Journal of Animal Ecology 90:1264-1275.
- Raymer, R. G. 1930. Montana The land and the people. Vol. I., The Lewis Publishing Co., Chicago and New York.
- Rhyan, J.C., P. Nol, C. Quance, A. Gertonson, J. Belfrage, L. Harris, K. Straka, and S. Robbe-Austerman. 2013.
   Transmission of brucellosis from elk to cattle and bison, Greater Yellowstone Area, USA, 2002–2012. Emerging Infectious Diseases 19:1992–1995.
- Riggs, R. A., S. C. Bunting, and S. E. Daniels. 1996. Prescribed fire. Pp 295–319 *in* P. R. Krausman, ed. Rangeland Wildlife. Society for Range Management, Denver, Colorado, USA.
- Rumble, M. A., L. Benkobi, and R. S. Gamo. 2005. Elk responses to humans in a densely roaded area. Intermountain Journal of Sciences 11:10–22.
- Samuel, M. D., and D. J. Storm. 2016. Chronic wasting disease in white-tailed deer: infection, mortality, and implications for heterogeneous transmission. Ecology 97:3195–3205.
- Sergeyev, M., B. R. McMillan, L. K. Hall, K. R. Hersey, C. D. Jones, R. T. Larsen. 2022. Reducing the refuge effect: using private-land hunting to mitigate issues with hunter access. The Journal of Wildlife Management 86:e22148.
- Shamhart, J., F. King, and K. M. Proffitt. 2012. Effects of a Rest–Rotation Grazing System on Wintering Elk Distributions at Wall Creek, Montana. Rangeland Ecology & Management 65:129–136.
- Shively, K. J., A. W. Alldredge, and G. E. Phillips. 2005. Elk reproductive response to removal of calving season disturbance by humans. The Journal of Wildlife Management 69:1073–1080.
- Smith, J. T., J. S. Evans, B. H. Martin, S. Baruch-Mordo, J. M. Kiesecker, and D. E. Naugle. 2016. Reducing cultivation risk for at-risk species: Predicting outcomes of conservation easements for sagegrouse. Biological Conservation 201:10–19.

- Snobl, L. A. 2022. Feeling the burn: Assessing the effects of fire severity on elk nutritional resources and resource selection. Thesis, University of Montana, Missoula.
- Snobl, L. A., K. M. Proffitt, J. J. Millspaugh. 2022. Wildfire extends the shelf life of elk nutritional resources regardless of fire severity. Ecosphere 12:e4178.
- Squibb, R. C. 1985. Mating success of yearling and older bull elk. The Journal of Wildlife Management 49:744– 750.
- Sweeney, J. M., and J. R. Sweeney. 1984. Snow depths influencing winter movements of elk. Journal of Mammalogy, 65:524–526.
- Teel, T. L., and M. J. Manfredo. 2010. Understanding the diversity of public interests in wildlife conservation. Conservation Biology 24:128–139.
- Thomas, J. W. And L. J. Lyon. 1987. Elk: Rocky Mountain majesty. Pp 145-159 *in* H. Kallman et al. eds., Resoring America's wildlife: 1937-1987. USDI, FWS, Washington, D. C.
- Thompson, M. J., and R. E. Henderson. 1998. Elk habituation as a credibility challenge for wildlife professionals. Wildlife Society Bulletin 26:477–483.
- Thorne, E. T., J. K. Morton, F. M. Blunt and H. A. Dawson. 1978. Brucellosis in elk. II. Clinical effects and means of transmission as determined through artificial infections. Journal of Wildlife Diseases 14:280–291.

Treves, A. 2009. Hunting for large carnivore conservation. Journal of Applied Ecology 46:1350–1356.

- U.S. Fish & Wildlife Service and U.S. Census Bureau. 2016 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation. USFWS. <u>https://www.census.gov/library/publications/2018/demo/fhw-16-nat.</u> <u>html</u>
- Unsworth, J. W., L. Kuck, E. O. Garton, and B. R. Butterfield. 1998. Elk habitat selection on the Clearwater National Forest, Idaho. Journal of Wildlife Management 62:1255–1263.
- Vales, D. J., M. P. Middleton, M. McDaniel. 2017. A nutrition-based approach for elk habitat management on intensively managed forestlands. Journal of Forestry 115:406–415.
- Van Dyke, F., and J. A. Darragh, J. A. 2007. Response of elk to changes in plant production and nutrition following prescribed burning. The Journal of Wildlife Management 71:23-29.
- Van Tassell, L. W., C. Phillips, and B. Yang. 1999. Depredation claim settlements in Wyoming. Wildlife Society Bulletin 27:479–487
- Vieira, M. E., M. M. Conner, G. C. White, and D. J. Freddy. 2003. Effects of archery hunter numbers and opening dates on elk movement. Journal of Wildlife Management 67:717–728.

- Vore, J. 2012. Big Game Winter Range Recommendations for Subdivision Development in Montana: Justification and Rationale. FWP, Helena. <u>http://fwp.mt.gov/fwpDoc.html?id=55323</u>
- Vore, J., and R Desimone. 1991. Effects of an innovative hunting regulation on elk populations and hunter attitudes. In A.G. Christensen, L.J. Lyon, and T.N. Lonner, eds. Proceedings of the elk vulnerability symposium. Montana State University, Bozeman.
- Walter, W. D., M. J. Lavelle, J. W. Fischer, T. L. Johnson, S. E. Hygnstrom, and K. C. VerCauteren. 2011.
   Management of damage by elk (Cervus elaphus) in North America: a review. Wildlife Research 37:630–646.
- Wasserberg, G., E. E. Osnas, R. E. Rolley, and M. D. Samuel. 2009. Host culling as an adaptive management tool for chronic wasting disease in white-tailed deer: a modelling study. Journal of Applied Ecology 46:457–466.
- West, R. M. 1941. Elk of the northern Rocky Mountain Region. Field notes on wildlife–Northern Rocky Mountain Region. Volume II, No. 9. U.S. Forest Service.
- White, C. G., P. Zager, and M. W. Gratson. 2010. Influences of predator harvest, biological factors, and landscape on elk calf survival in Idaho. Journal of Wildlife Management 74:355–369.
- White, G. C., D. J. Freddy, R. B. Gill and J. H. Ellenberger. 2001. Effect of adult sex ratio on mule deer and elk productivity in Colorado. Journal of Wildlife Management 65:543–551.
- White, P. J., R. A. Garrott, K. L. Hamlin, R. C. Cook, J. G. Cook, and J. A. Cunningham. 2011. Body condition and pregnancy in northern Yellowstone elk: Evidence for predation risk effects? Ecological Applications 21:3–8.
- Wickstrom, M. L., C. T. Robbins, T. A. Hanley, D. E. Spalinger, and S. M. Parish. 1984. Food intake and foraging energetics of elk and mule deer. Journal of Wildlife Management 48: 1285–1301.
- Winnie, Jr., J., and S. Creel. 2007. Sex-specific behavioural responses of elk to spatial and temporal variation in the threat of wolf predation. Animal Behaviour 73:215–225.
- Wisdom, M. J., H. K. Preisler, L. M. Naylor, R. G. Anthony, B. K. Johnson and M. M. Rowland. 2018. Elk responses to trail-based recreation on public forests. Forest Ecology and Management 411:223–233.
- Xavier, M. N., T. A. Paixão, F. P. Poester, A. P. Lage, R. L. Santos. 2009. Pathology, immunohistochemistry, and bacteriology of tissues and milk of cows and fetuses experimentally infected with Brucella abortus. Journal of Comparative Pathology 140:149–157

# Appendix A. Elk Management Plan Initial Guidance Citizens Group Information

#### Background

The Elk Management Plan that currently guides elk management for Montana Fish, Wildlife & Parks (FWP) was adopted in 2005. Since adoption, elk population changes, detection of chronic wasting disease in freeranging populations, increased prevalence and distribution of brucellosis in elk, increased information on elk migrations, changes in predator populations, changes in conflicts with humans, and several other considerations demand development of an updated plan. In April 2020, the Montana Fish and Wildlife Commission endorsed FWP beginning the process to develop a new Elk Management Plan. The first step was to assemble a citizens group to provide initial guidance to identify relevant issues and identify durable principles to be used in the plan development. The citizens group was to be diverse and independent yet represent multiple stakeholder perspectives.

#### **Group Charter**

The Elk Management Plan Initial Guidance Citizens Group will provide initial guidance for the revision of the Elk Management Plan drafted in 2005. Specifically, the group is tasked with identifying and articulating issues with current elk management and defining durable and overarching principles regarding the future of elk management in Montana.

#### **Group Member Selection**

FWP solicited applications for the Elk Management Plan Initial Guidance Citizens Group over a 30-day period and received 59 applications. FWP deliberated extensively before recommending a subset that could provide a diversity of perspectives including that of landowners, hunters, outfitters and guides, backcountry users, wildlife enthusiasts, and interested members of the public. Membership was selected from various regions across Montana with differing elk management challenges. Members were chosen to serve based on demonstrated ability to respectfully express an important perspective, to respectfully listen to and consider other perspectives, and to think independently. Of the 59 applicants, FWP Director Martha Williams selected the following 14 individuals to serve on the citizens group:

Karie Decker, Missoula	Joel LaLiberty, Belgrade
Ed Fryer, Melstone	Ali Morgan, Choteau
Ren Gardner, Miles City	Patrick Roth, Rexburg
Casey Hackathorn, Missoula	Justin Schaaf, Fort Peck
Everett Headley, Stevensville	Mark Schwomeyer, Lewiston
Druska Kinkie, Pray	Marcus Strange, Helena
Kevin Koss, Malta	Dan Vermillion, Livingston

# Meetings

The group met using a virtual platform for five days (November 19, December 2, 3, 16, and 17). Meetings were facilitated by Mike Mitchell and Sarah Sells from the University of Montana.

Members participated virtually during each day's 7-8 hours of discussion then worked independently after hours to develop and review products. Meetings were live streamed to the FWP webpage, and recordings were available on the FWP YouTube channel after the meetings. Based on the number of YouTube views, meetings were viewed by 100–300 people. Real-time public comment opportunities were offered during two meetings. FWP received three public comments during these opportunities.

The entire first meeting and the beginning of the second meeting were devoted to providing information regarding elk and elk management. Informational presentations included:

- Social Science Related to Elk in Montana (presented by Mike Lewis; FWP)
- Elk Harvest Surveys and Trends (presented by Kevin Podruzny; FWP)
- Elk Population Surveys and Trends (presented by Dave Messmer; FWP)
- Elk Competition with Mule Deer and Other Ungulates (presented by Chad Bishop; University of Montana)
- Brucellosis in Elk; Livestock Impacts (presented by Eric Liska; Montana Dept. of Livestock)
- Elk Habitat, Access and Distribution (presented by Kelly Proffitt; FWP)
- Carnivore Impacts on Elk and Integrated Carnivore-Elk Management (presented by Justin Gude; FWP)
- Elk Management in Idaho (presented by Rick Ward: Idaho Fish and Game)
- Elk Management in Wyoming (presented by Doug Brimeyer; Wyoming Game and Fish)
- Current Laws and Policies Influencing Elk Management in Montana (presented by Lindsey Parsons; FWP)

# **FWP Staff Involved in Meetings**

Staff that provided technical advice to the group included; Justin Gude, Lindsey Parsons, Ken McDonald, and Brian Wakeling. Occasionally, Director Martha Williams and Chief of Staff Quentin Kujala attended meetings. Administrative assistants that helped with taking public comment and recording breakout sessions included; Kammi McClain and Emily Moran. Technology support was provided by Pat Lucchetti and Missy Erving.

# **Structured Process**

The structured process began by identifying and defining problems with current elk management. Specifically, the group was asked to consider what about these issues makes it difficult to manage elk. The group spent most of their time incorporating the identified issues into an Issue Statement (see **Products: Issue Statement**).

Next, the group developed Guiding Principles. Each Guiding Principle states how a single problem in the Issue Statement can be successfully addressed or resolved. In other words, each Guiding Principle states what success would look like if the issue was resolved perfectly. The group developed 19 Guiding Principles to address the six categories of issues from the Issue Statement (see **Products: Guiding Principles**). Additionally, the group identified several overarching principles categorized as Strategic Principles. These principles do not refer to any individual elk management issue, but rather refer to "things that FWP should do, no matter what." These overarching Strategic Principles can be found at the end of the Guiding Principles document.

#### **Products: Issue Statement**

Elk are an iconic species that are part of Montana's cultural history which are managed by the FWP as a Public Trust for the benefit of all Montanans. FWP is accountable to all Montanans for responsibly managing sustainable elk populations and maintaining Montana's hunting heritage.

The Montana Elk Management Plan has not been updated since 2005. Given the changes that have occurred in Montana since then, updating the plan is necessary to provide a framework for FWP to effectively manage elk populations on a changing landscape. Management challenges are different throughout the state and the plan needs to provide the flexibility for wildlife managers to address site specific challenges.

To succeed in developing and implementing the Montana Elk Management Plan, FWP must collaborate with the diverse stakeholders of elk management in Montana. There are many commonalities among stakeholders regarding:

- The value of elk somewhere on the landscape
- The need to work across landownerships (federal, state, tribal, and private)
- The recognition that elk are a natural resource held in public trust
- The need to update the management plan regularly to adapt to changing conditions on the landscape
- The emotions elk can incite
- The concerns about disease, including CWD, bovine TB, and brucellosis

There are conflicts among stakeholders regarding management prescriptions to sustainably manage elk on Montana's landscape, including:

- 1. Disagreement about population objectives and how they are set and implemented
- 2. Conflict concentrations, distributions, and behavior of elk, such as:
  - a) Separation from livestock during the critical abortive time period
  - b) Poor distribution of elk on public lands
  - c) Elk impact on agricultural production
  - d) Inaccessible elk to hunters (elk on private land without public access, and on landlocked public lands)
  - e) Role commercial use potentially plays in elk distribution
  - f) Differing landowner interests regarding distributions and concentrations of elk
  - g) Disagreement about how predators are managed with respect to elk populations
- 3. Implementing measures to mitigate disease risk between wildlife, livestock, and people, including:
  - a) CWD and its impact on the health of hunters and wildlife herds
  - b) Brucellosis and its impact on the health of people, livestock, and wildlife herds
  - c) Others, including bovine TB, elk hoof rot, and anthrax

- 4. Season length and structure (tradeoffs between hunting opportunity and quality):
  - a) Widespread opportunities to hunt
  - b) Quality hunts (trophy bulls, number of encounters, lack of crowding, etc.)
  - c) Use of shoulder seasons and resulting stress on elk from long hunting seasons
  - d) Impacts of changing technology available to hunters
- 5. Recognizing landowners for providing elk habitat, such as:
  - a) The potential for private sale of landowner tags
  - b) The potential for direct compensation
- 6. Hunter behaviors (good or bad) have a significant impact on the effectiveness of FWP elk management on the landscape.

Stakeholders are eager to work with FWP on addressing these challenges.

# **Products: Guiding Principles**

Each Guiding Principle states how a single problem in the Issue Statement can be successfully addressed or resolved. In other words, each Guiding Principle states what success would look like if the issue was resolved perfectly. Guiding Principles are structured with the issue listed, followed by successful resolutions.

# Guiding principles:

#1: Disagreement about population objectives and how they are set and implemented

- Maximize public input in setting elk objectives
- Maximize local grassroot input

#2: Conflicts in concentrations, distributions, and behavior of elk

- Maintain hunting as a primary tool for elk population management
- Maximize partnerships between private landowners, land management agencies, and FWP
- Maximize hunter access to elk
- Maximize satisfaction with elk distribution in Montana for:
  - o Hunters
  - o Landowners
  - Wildlife enthusiasts
  - Outfitters
  - Agricultural producers
- Minimize prevalence and spread of CWD in Montana
- # 3: Impact on agriculture
  - Minimize impacts on agricultural production, private rangeland, and infrastructure
  - Minimize transmission of brucellosis to livestock

#4: Season Length and Structure (tradeoffs between hunting opportunity and quality)

- Maintain over-the-counter opportunity to hunt elk
- Minimize impacts of crowding on hunter experience
- Maintain limited-draw permit areas for hunting mature bulls
- Maximize the use of the general rifle season as a primary management tool, reducing the need for additional hunts
- Maintain the availability of a variety of hunting tools for addressing elk conflicts

#5: Recognizing landowners for providing elk habitat

- Incentivize collaboration among stakeholders
- Maximize landowner-hunter cooperation with elements of the Elk Management Plan
- Maximize opportunity for FWP to improve hunter-landowner relations

#6: Hunter behaviors (good or bad) have a significant impact on the effectiveness of FWP elk management on the landscape

- Maximize internal and external programs that promote ethical hunter behaviors
- Maintain the fair chase principles in the management of hunting and regulation of hunting technology

Strategic principles: not in reference to any individual elk management issue, but rather to "things that FWP should do, no matter what."

- Maximize collaborative opportunities for stakeholders to be involved in the decision-making process both in transparently formulating and implementing the Elk Management Plan
- Maximize the integration of the best available peer-reviewed scientific data into the elk management decision-making processes
- Maximize coordination between predator and elk management plans
- Maintain public trust management of elk
- Maintain FWP's primary role in the management of elk
- Ensure regular review and update of management and population objectives

# Background

In light of some elk populations being chronically over objective, new disease concerns, continuing calls for more access, reports of crowded public lands, and more people than ever coming to the state, Montana needs new ways to manage elk, and the people most directly affected must be involved in developing solutions. The advisory group represents a variety of stakeholders who are interested in moving past old debates that have not significantly improved elk circumstances for hunters or landowners, and revisiting old issues with fresh eyes to identify new solutions.

#### **Group Charter**

To forge new relationships among stakeholders and collaboratively develop new and creative ideas and recommendations for issues surrounding elk management in Montana to balance hunter and landowner interests.

#### **Group Member Selection**

After reviewing 243 applications, FWP selected 12 individuals to serve on a citizens advisory group to address the future of elk management. The 12-member group will help craft a new future for elk management and elk hunting in Montana. This group represents a broad range of viewpoints and experience and will use that diversity to focus on two broad tasks – developing a set of recommendations to address elk management issues and improving relationships between stakeholders. The members were selected for the diversity of viewpoints they represent and their expressed eagerness to make progress on the complex challenges facing elk management in Montana. The members were selected irrespective of group affiliation. Group members were:

Aaron Iverson, Conrad Heath Hansen, Whitehall Staci Ketchum, Miles City Race King, Dillon Druska Kinkie, Pray Stephanie Prater, Lewistown Brent Race D.M.V, Corvallis Chuck Rein, Big Timber Scott Tinklenburg, Highwood Scott Van Dyken, Great Falls Ian Wargo, Kalispell Matt Wickens, Winifred

# Meetings

The Elk Management Citizen Advisory Group met 10 times to develop a suite of recommendations on improving elk management in Montana (15 recommendation total).

# **Recommendations:**

Access Plus Program: The intent of the program would be to incentivize landowners to allow public hunting by addressing major concerns regarding allowing public access. This program would produce a pool of hunters that have an elevated skill set and intimate knowledge of landowner operations and concerns through required training.

**Choose Your Weapon/Season:** The intent of the recommendation is to reduce pressure on elk on public land by easing the crowding on public land. This proposal would make hunters choose which weapon they want to hunt with, therefore limiting the number of people in the field at any given time.

**Collaboration between FWP, USFS, BLM & DNRC and Any Other Pertinent Local, State, or Federal Land Management Agencies:** The intent of this recommendation is to reaffirm the relationships FWP has with these organizations/agencies including communicating their collaborations to the public.

**Create an A9 Tag Bundle:** The intent of this recommendation is to increase harvest and lower populations in hunting districts that are over objective. The reduction of elk populations in over-objective districts will also reduce disease risk associated with overpopulation.

**Develop User Friendly and Effective Methods to Collect Data:** The intent of this recommendation is to demonstrate transparency on the part of the agency as to data collection methods. It would create ways for the general public to receive, contribute to and find data. This improves stakeholder relationships as everyone feels part of the process.

**Establish (where possible) Localized Elk Working Groups:** This recommendation encourages communication between landowners, hunters, outfitters, and local FWP biologists. Citizen science would be heard concerning elk movement, and together the group would address redistribution of elk, objectives, access and other related issues. Season structure and number of permits could also be topics.

**Expanded Hunter Education:** The intent of this recommendation is to improve hunter/landowner relationships with programs similar to the Master Hunter Program. This would improve hunter quality and, with certification possibilities, a potential way for program graduates to access private land to hunt.

**Promote Focused Damage Hunts:** This recommendation would allow landowners and biologists to have a list of willing, local participants to choose from. This is a harvest tool to help landowners strategically redistribute elk, mitigate disease and improve stakeholder relationships.

**Improve Accessibility to the FWP Videos, Programs, PSAs, etc. that Promote the Desired Behaviors between Landowners and Hunters:** This recommendation would make existing communication pieces readily available or easy to find.

**FWP Landowner Liaison:** This recommendation creates a liaison position to work with landowners and creates a communication pathway between community partners. This could improve stakeholder relationships and mitigate disease.

We have to Manage Elk Where They Are Not: The intent of this recommendation is to restore historic elk numbers in northwest Montana to alleviate the excessive elk hunting pressure that is experienced in the rest of the state. This proposal also is intended to strategically redistribute hunters, improve quality access to harvest and encourage better data collection by the department.

**Understand and Mitigate the Disease of Brucellosis in Elk:** This recommendation recognizes the impacts on livestock producers within the designated surveillance area who deal with the risk of disease transmission from elk to cattle and improve stakeholder relationships.

**Use of Shoulder Seasons:** The intent would be to assess the benefits of shoulder seasons, redistribute elk, and reduce landowner hunting fatigue, thereby improving relationships between landowners and hunters.

**Stakeholder Meetings:** This recommendation fulfills one of the key components of the group's intended purpose – "to forge new relationships among stakeholders."

**Enforce Stricter Penalties for Trespassing and Other Bad Behaviors by Hunters and Landowners:** The intent of tougher laws is to discourage trespassing and other unethical behaviors that occur, including landowners illegally blocking or detouring access to public lands. The intent is to improve stakeholder relationships and address quality access to harvest.

A summary of public comment on the above recommendations can be found here: <u>https://fwp.mt.gov/binaries/</u> <u>content/assets/fwp/aboutfwp/councils--committees/elk-management-citizen-advisory-group/public-comment-</u> <u>on-emcag-recommendations.pdf</u>