

Angler Satisfaction by Region, Drainage and Season (Summer and Winter) for 2020

| Region | Drainage | Summer Avg | Summer 1 (poor) | Summer 2 | Summer 3 | Summer 4 | Summer 5 (excellent) | Winter Avg | Winter 1 (poor) | Winter 2 | Winter 3 | Winter 4 | Winter 5 (excellent) |
|--------|---------------------------|------------|-----------------|----------|----------|----------|----------------------|------------|-----------------|----------|----------|----------|----------------------|
| 1 | Flathead River | 2.8 | 163 | 114 | 147 | 107 | 100 | 3 | 32 | 23 | 34 | 26 | 27 |
| | Kootenai River | 2.6 | 63 | 40 | 64 | 30 | 24 | 2.6 | 18 | 11 | 16 | 8 | 8 |
| | Lower Clark Fork River | 2.5 | 72 | 40 | 74 | 35 | 16 | 2.4 | 22 | 7 | 17 | 13 | 2 |
| | NA | 2.7 | 9 | 1 | 5 | 8 | 2 | 2.5 | 4 | 1 | 4 | | 2 |
| | South Fork Flathead River | 3.3 | 13 | 13 | 27 | 28 | 19 | 2.5 | 1 | | | 1 | |
| | Swan River | 2.4 | 33 | 8 | 18 | 12 | 7 | 2.6 | 1 | 1 | 2 | 1 | |
| | Undesignated R1 | 3 | | | 1 | | | 3.8 | | | 2 | 1 | 1 |
| | | | | | | | | | | | | | |
| 2 | Bitterroot River | 3.1 | 62 | 79 | 120 | 98 | 67 | 2.9 | 25 | 21 | 40 | 28 | 18 |

| Region | Drainage | Summer Avg | Summer 1 (poor) | Summer 2 | Summer 3 | Summer 4 | Summer 5 (excellent) | Winter Avg | Winter 1 (poor) | Winter 2 | Winter 3 | Winter 4 | Winter 5 (excellent) |
|--------|---------------------------------|------------|-----------------|----------|----------|----------|----------------------|------------|-----------------|----------|----------|----------|----------------------|
| | Blackfoot River | 2.9 | 100 | 88 | 183 | 95 | 64 | 2.7 | 26 | 13 | 25 | 12 | 12 |
| | Clark Fork River - Flint / Rock | 3.2 | 56 | 60 | 129 | 98 | 71 | 3.1 | 25 | 21 | 28 | 32 | 29 |
| | Middle Clark Fork River | 2.8 | 47 | 37 | 75 | 46 | 20 | 2.9 | 12 | 14 | 18 | 20 | 7 |
| | Undesignated R2 | 2.5 | | 1 | 1 | | | 1.8 | 3 | | | 1 | |
| | Upper Clark Fork River | 2.9 | 24 | 20 | 32 | 20 | 19 | 2.8 | 10 | | 6 | 4 | 5 |
| 3 | | | | | | | | | | | | | |
| | Beaverhead River | 3.3 | 17 | 16 | 39 | 35 | 24 | 3.4 | 2 | 5 | 5 | 3 | 8 |
| | Big Hole River | 2.9 | 71 | 69 | 120 | 67 | 49 | 3.1 | 4 | 6 | 19 | 12 | 3 |
| | Boulder River | 3 | 8 | 3 | 9 | 6 | 7 | 2 | | 1 | | | |
| | Gallatin River | 3 | 78 | 75 | 119 | 95 | 66 | 3 | 37 | 29 | 50 | 33 | 36 |
| | Jefferson River | 2.8 | 25 | 14 | 19 | 16 | 14 | 2.5 | 10 | 4 | 6 | 7 | 1 |

| Region | Drainage | Summer Avg | Summer 1 (poor) | Summer 2 | Summer 3 | Summer 4 | Summer 5 (excellent) | Winter Avg | Winter 1 (poor) | Winter 2 | Winter 3 | Winter 4 | Winter 5 (excellent) |
|--------|---------------------------|------------|-----------------|----------|----------|----------|----------------------|------------|-----------------|----------|----------|----------|----------------------|
| | Madison River | 3.1 | 128 | 145 | 235 | 201 | 162 | 3.1 | 46 | 39 | 66 | 62 | 50 |
| | Red Rock River | 2.8 | 22 | 11 | 14 | 16 | 13 | 2.6 | 13 | 5 | 13 | 7 | 3 |
| | Ruby River | 3.2 | 9 | 9 | 14 | 14 | 13 | 2.9 | 8 | 2 | 8 | 5 | 5 |
| | Undesignated R3 | 2.8 | | 2 | 2 | 1 | | 4.5 | | | | 1 | 1 |
| | Upper Missouri River | 2.9 | 16 | 10 | 20 | 21 | 7 | 2.4 | 5 | 3 | 3 | 2 | 1 |
| | Upper Yellowstone River | 3.1 | 63 | 72 | 103 | 95 | 71 | 3 | 16 | 18 | 45 | 36 | 8 |
| 4 | | | | | | | | | | | | | |
| | Belt Creek | 3.2 | 4 | 5 | 4 | 8 | 5 | 3.3 | 1 | 1 | | 3 | 1 |
| | Marias River | 2.7 | 22 | 19 | 25 | 17 | 8 | 2.8 | 7 | 4 | 6 | 3 | 5 |
| | Missouri River - Dearborn | 3.3 | 64 | 43 | 91 | 99 | 96 | 3 | 24 | 17 | 44 | 27 | 20 |
| | Missouri River - Judith | 2.9 | 28 | 16 | 32 | 32 | 16 | 3 | 7 | 3 | 6 | 7 | 5 |

| Region | Drainage | Summer Avg | Summer 1 (poor) | Summer 2 | Summer 3 | Summer 4 | Summer 5 (excellent) | Winter Avg | Winter 1 (poor) | Winter 2 | Winter 3 | Winter 4 | Winter 5 (excellent) |
|--------|--------------------------------|------------|-----------------|----------|----------|----------|----------------------|------------|-----------------|----------|----------|----------|----------------------|
| | Musselshell River | 2.6 | 26 | 7 | 18 | 15 | 7 | 2.7 | 1 | 3 | 4 | | 1 |
| | NA - St. Mary and Belly Rivers | 4 | | | 1 | | 1 | 5 | | | | | 1 |
| | Smith River | 2.9 | 36 | 27 | 37 | 32 | 23 | 3.1 | 2 | 2 | 5 | 1 | 3 |
| | Sun River | 3.3 | 17 | 15 | 26 | 16 | 31 | 3.1 | 6 | 2 | 6 | 8 | 5 |
| | Teton River | 2 | 14 | 5 | 2 | 2 | 3 | 2.5 | 4 | 2 | 4 | | 2 |
| | Undesignated R4 | 2.4 | 2 | 1 | | 2 | | 4 | | | | 1 | |
| | Upper Milk River | 2.5 | 1 | | | 1 | | 1.5 | 1 | 1 | | | |
| | Upper Missouri River | 2.5 | 215 | 111 | 161 | 75 | 66 | 2.6 | 63 | 41 | 43 | 33 | 23 |
| 5 | Bighorn River | 3.1 | 30 | 21 | 45 | 37 | 29 | 3.2 | 18 | 20 | 25 | 22 | 26 |
| | Middle Yellowstone River | 2.8 | 27 | 28 | 34 | 21 | 16 | 2.4 | 13 | 3 | 7 | 8 | 1 |

| Region | Drainage | Summer Avg | Summer 1 (poor) | Summer 2 | Summer 3 | Summer 4 | Summer 5 (excellent) | Winter Avg | Winter 1 (poor) | Winter 2 | Winter 3 | Winter 4 | Winter 5 (excellent) |
|--------|-------------------------|------------|-----------------|----------|----------|----------|----------------------|------------|-----------------|----------|----------|----------|----------------------|
| | Musselshell River | 3.1 | 9 | 3 | 6 | 6 | 9 | 2.9 | 3 | 2 | 1 | 1 | 3 |
| | Undesignated R5 | 3 | | | 1 | | | 3 | | | 2 | | |
| | Upper Yellowstone River | 2.9 | 130 | 118 | 186 | 145 | 87 | 2.5 | 38 | 25 | 33 | 20 | 7 |
| 6 | | | | | | | | | | | | | |
| | Fort Peck Reservoir | 3.1 | 49 | 51 | 83 | 78 | 58 | 2.9 | 21 | 11 | 27 | 15 | 15 |
| | Lower Milk River | 2.6 | 1 | 3 | 3 | | 1 | 3 | 1 | | 1 | | 1 |
| | Lower Missouri River | 3 | 4 | 1 | 3 | 3 | 3 | 3.2 | | 1 | 4 | | 1 |
| | Middle Milk River | 2.8 | 20 | 11 | 33 | 20 | 8 | 2.6 | 7 | 7 | 3 | 4 | 4 |
| | Missouri River - Judith | 3.7 | | | 2 | | 1 | 3 | | | 1 | | |
| | Missouri River - Poplar | 2.6 | 8 | 7 | 12 | 4 | 3 | 2.3 | 3 | | 6 | | |
| | Upper Milk River | 1.9 | 16 | 12 | 4 | 2 | 2 | 2.5 | 3 | 2 | 3 | 1 | 1 |

| Region | Drainage | Summer Avg | Summer 1 (poor) | Summer 2 | Summer 3 | Summer 4 | Summer 5 (excellent) | Winter Avg | Winter 1 (poor) | Winter 2 | Winter 3 | Winter 4 | Winter 5 (excellent) |
|--------|-------------------------|---------------|-----------------------|-------------|-------------|-------------|----------------------------|---------------|-----------------------|-------------|-------------|-------------|----------------------------|
| 7 | Little Missouri River | 2.4 | 1 | 1 | 3 | | | 4.5 | | | | 1 | 1 |
| | Lower Yellowstone River | 3.1 | 15 | 21 | 34 | 18 | 20 | 2.9 | 7 | 7 | 12 | 6 | 6 |
| | Powder River | 3.4 | 1 | | 1 | 2 | 1 | 3 | | | 1 | | |
| | Tongue River | 2.1 | 36 | 10 | 23 | 10 | 1 | 2.3 | 8 | 3 | 10 | 3 | |

Angler Crowding Ratings by Region, Drainage and Season (Summer and Winter) 2020

| Region | Drainage | Summer Avg | Summer 1 sparse | Summer 2 | Summer 3 | Summer 4 | Summer 5 crowded | Summer Avg People Seen | Winter Avg | Winter 1 sparse | Winter 2 | Winter 3 | Winter 4 | Winter 5 crowded | Winter Avg People Seen |
|--------|---------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|
| 1 | | | | | | | | | | | | | | | |
| | Flathead River | 2.00 | 318 | 123 | 103 | 55 | 36 | 18.10 | 1.70 | 89 | 23 | 19 | 6 | 6 | 14.00 |
| | Kootenai River | 1.60 | 152 | 39 | 19 | 6 | 7 | 10.80 | 1.20 | 50 | 5 | 4 | | | 5.10 |
| | Lower Clark Fork River | 1.70 | 139 | 47 | 32 | 12 | 6 | 15.40 | 1.40 | 43 | 13 | 2 | 1 | 1 | 8.60 |
| | NA | 1.40 | 18 | 6 | | 1 | | 4.40 | 2.00 | 5 | 3 | 2 | | 1 | 6.30 |
| | South Fork Flathead River | 1.90 | 50 | 20 | 22 | 4 | 3 | 10.50 | 1.00 | 2 | | | | | 3.00 |
| | Swan River | 1.70 | 52 | 13 | 7 | 7 | 1 | 8.30 | 1.60 | 2 | 3 | | | | 4.40 |
| | Undesignated R1 | 1.00 | 1 | | | | | 1.00 | 1.50 | 3 | | 1 | | | 5.70 |
| 2 | | | | | | | | | | | | | | | |
| | Bitterroot River | 2.00 | 206 | 95 | 67 | 30 | 27 | 9.80 | 1.70 | 75 | 27 | 22 | 6 | 2 | 5.50 |

| Region | Drainage | Summer Avg | Summer 1 sparse | Summer 2 | Summer 3 | Summer 4 | Summer 5 crowded | Summer Avg People Seen | Winter Avg | Winter 1 sparse | Winter 2 | Winter 3 | Winter 4 | Winter 5 crowded | Winter Avg People Seen |
|--------|-------------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|
| | Blackfoot River | 2.20 | 233 | 109 | 83 | 47 | 59 | 15.30 | 1.70 | 58 | 14 | 6 | 7 | 3 | 7.80 |
| | Clark Fork River - Flint / Ro | 2.30 | 141 | 108 | 89 | 39 | 38 | 14.20 | 1.90 | 70 | 32 | 16 | 10 | 8 | 20.10 |
| | Middle Clark Fork River | 2.10 | 102 | 53 | 28 | 29 | 12 | 11.30 | 1.50 | 50 | 11 | 8 | 1 | 1 | 6.10 |
| | Undesignated R2 | 1.00 | 2 | | | | | 0.00 | 1.00 | 4 | | | | | 1.00 |
| | Upper Clark Fork River | 1.30 | 91 | 15 | 5 | 3 | 1 | 3.60 | 1.50 | 16 | 6 | 3 | | | 3.60 |
| 3 | | | | | | | | | | | | | | | |
| | Beaverhead River | 2.40 | 52 | 19 | 31 | 17 | 13 | 11.80 | 1.10 | 21 | 2 | | | | 2.30 |
| | Big Hole River | 2.10 | 180 | 65 | 67 | 33 | 32 | 12.20 | 1.40 | 30 | 11 | 3 | | | 3.70 |
| | Boulder River | 1.30 | 26 | 5 | 2 | | | 2.10 | 1.00 | 1 | | | | | 0.00 |
| | Gallatin River | 2.10 | 194 | 95 | 76 | 40 | 29 | 13.70 | 1.70 | 114 | 33 | 28 | 5 | 4 | 171.00 |
| | Jefferson River | 1.80 | 55 | 13 | 11 | 5 | 4 | 8.40 | 1.40 | 19 | 6 | 3 | | | 5.50 |

| Region | Drainage | Summer Avg | Summer 1 sparse | Summer 2 | Summer 3 | Summer 4 | Summer 5 crowded | Summer Avg People Seen | Winter Avg | Winter 1 sparse | Winter 2 | Winter 3 | Winter 4 | Winter 5 crowded | Winter Avg People Seen |
|--------|---------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|
| | Madison River | 2.40 | 309 | 166 | 184 | 120 | 88 | 20.40 | 2.10 | 128 | 47 | 43 | 23 | 21 | 10.50 |
| | Red Rock River | 1.70 | 50 | 13 | 6 | 6 | 2 | 10.90 | 1.40 | 27 | 12 | 1 | | 1 | 9.90 |
| | Ruby River | 1.50 | 41 | 12 | 5 | | 2 | 3.80 | 1.50 | 18 | 7 | 2 | 1 | | 5.30 |
| | Undesignated R3 | 1.20 | 4 | 1 | | | | 5.00 | 1.00 | 2 | | | | | 1.50 |
| | Upper Missouri River | 1.70 | 46 | 10 | 10 | 3 | 3 | 9.00 | 1.10 | 12 | 1 | | | | 2.40 |
| | Upper Yellowstone River | 2.30 | 162 | 79 | 73 | 60 | 28 | 17.70 | 1.60 | 83 | 22 | 13 | 2 | 4 | 5.80 |
| 4 | | | | | | | | | | | | | | | |
| | Belt Creek | 1.80 | 16 | 5 | 1 | 3 | 1 | 3.50 | 1.00 | 6 | | | | | 0.80 |
| | Marias River | 1.70 | 55 | 19 | 12 | 3 | 4 | 17.80 | 1.60 | 18 | 2 | 4 | | 1 | 11.50 |
| | Missouri River - Dearborn | 2.80 | 92 | 72 | 102 | 68 | 58 | 31.50 | 2.20 | 55 | 27 | 31 | 8 | 11 | 16.20 |
| | Missouri River - Judith | 1.80 | 79 | 16 | 13 | 9 | 8 | 10.60 | 1.60 | 20 | 3 | 2 | 2 | 1 | 4.10 |

| Region | Drainage | Summer Avg | Summer 1 sparse | Summer 2 | Summer 3 | Summer 4 | Summer 5 crowded | Summer Avg People Seen | Winter Avg | Winter 1 sparse | Winter 2 | Winter 3 | Winter 4 | Winter 5 crowded | Winter Avg People Seen |
|--------|-----------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|
| | Musselshell River | 1.60 | 50 | 6 | 14 | 2 | 2 | 9.50 | 1.70 | 5 | 3 | | 1 | | 7.80 |
| | NA - St. Mary and Belly Riv | 1.50 | 1 | 1 | | | | 1.00 | 1.00 | 1 | | | | | 3.00 |
| | Smith River | 2.00 | 79 | 30 | 28 | 10 | 8 | 16.00 | 1.80 | 9 | 1 | 1 | | 2 | 8.20 |
| | Sun River | 1.70 | 62 | 24 | 13 | 3 | 3 | 9.10 | 1.70 | 17 | 3 | 4 | 3 | | 8.20 |
| | Teton River | 1.30 | 23 | 1 | | | 2 | 4.40 | 1.30 | 11 | | | 1 | | 6.30 |
| | Undesignated R4 | 1.20 | 4 | 1 | | | | 11.60 | 1.50 | 1 | 1 | | | | 14.00 |
| | Upper Milk River | 1.00 | 2 | | | | | 4.00 | 1.00 | 2 | | | | | 10.50 |
| | Upper Missouri River | 2.50 | 201 | 130 | 146 | 77 | 66 | 30.40 | 2.10 | 90 | 42 | 38 | 16 | 15 | 17.70 |
| 5 | | | | | | | | | | | | | | | |
| | Bighorn River | 2.40 | 48 | 44 | 36 | 21 | 14 | 22.20 | 1.70 | 64 | 26 | 10 | 9 | 2 | 12.50 |
| | Middle Yellowstone River | 2.30 | 51 | 27 | 24 | 11 | 13 | 12.10 | 1.80 | 20 | 4 | 5 | 2 | 1 | 5.50 |

| Region | Drainage | Summer Avg | Summer 1 sparse | Summer 2 | Summer 3 | Summer 4 | Summer 5 crowded | Summer Avg People Seen | Winter Avg | Winter 1 sparse | Winter 2 | Winter 3 | Winter 4 | Winter 5 crowded | Winter Avg People Seen |
|--------|-------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|
| | Musselshell River | 1.50 | 23 | 5 | 4 | | 1 | 6.80 | 1.30 | 8 | 1 | 1 | | | 11.70 |
| | Undesignated R5 | 2.00 | | 1 | | | | 3.00 | 1.00 | 2 | | | | | 0.00 |
| | Upper Yellowstone River | 2.00 | 340 | 148 | 85 | 59 | 37 | 11.60 | 1.60 | 85 | 19 | 11 | 4 | 7 | 5.10 |
| 6 | | | | | | | | | | | | | | | |
| | Fort Peck Reservoir | 1.90 | 159 | 74 | 51 | 19 | 15 | 29.10 | 1.70 | 51 | 24 | 9 | 2 | 3 | 21.90 |
| | Lower Milk River | 1.40 | 5 | 3 | | | | 2.60 | 1.00 | 3 | | | | | 3.70 |
| | Lower Missouri River | 1.90 | 8 | 3 | 1 | 1 | 1 | 7.50 | 1.30 | 5 | | 1 | | | 11.30 |
| | Middle Milk River | 1.90 | 49 | 18 | 19 | 6 | 2 | 9.20 | 1.60 | 17 | 1 | 6 | 1 | | 15.90 |
| | Missouri River - Judith | 3.70 | | 1 | | 1 | 1 | 28.70 | 1.00 | 1 | | | | | 0.00 |
| | Missouri River - Poplar | 1.70 | 17 | 12 | 4 | | 1 | 12.40 | 1.40 | 6 | 2 | 1 | | | 5.30 |
| | Upper Milk River | 1.90 | 19 | 6 | 6 | 4 | 1 | 11.90 | 1.50 | 7 | 1 | 2 | | | 4.30 |

| Region | Drainage | Summer Avg | Summer 1 sparse | Summer 2 | Summer 3 | Summer 4 | Summer 5 crowded | Summer Avg People Seen | Winter Avg | Winter 1 sparse | Winter 2 | Winter 3 | Winter 4 | Winter 5 crowded | Winter Avg People Seen |
|--------|-------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|------------|-----------------|----------|----------|----------|------------------|------------------------|
| 7 | Little Missouri River | 1.00 | 5 | | | | | 0.60 | 1.00 | 2 | | | | | 1.00 |
| | Lower Yellowstone River | 1.80 | 59 | 22 | 14 | 8 | 4 | 10.30 | 1.50 | 26 | 7 | 3 | 2 | | 5.30 |
| | Powder River | 1.00 | 5 | | | | | 0.60 | 1.00 | 1 | | | | | 2.00 |
| | Tongue River | 2.20 | 32 | 20 | 13 | 8 | 7 | 27.90 | 1.90 | 12 | 7 | 1 | 3 | 1 | 16.60 |