Deer Hunting and Harvest Estimates, License Year 2005

Research and Technical Services Bureau
Wildlife Division
Montana Department of Fish, Wildlife, and Parks
1400 East 6th Avenue
Helena, Montana 59620

Justin Gude, Biometrician
Candy Hinz, Survey Coordinator
Jenny Dykstra, Statistical Technician
Barry Beardslee, Programmer/Analyst
Keith Aune, Research and Technical Services Supervisor

Introduction

Since 1941, the State of Montana has used post-season surveys of hunting license and permit (LPT) holders to estimate wildlife harvest (Thompson 1947). Results of these surveys are used to develop hunting season regulations, evaluate and develop wildlife management strategies, for wildlife research, for hunt planning by the public, as well as other applications.

Over the years, methods used to conduct the surveys have gone through several changes. Some of these changes have resulted from major program reviews (Gooch 1971, Cada 1983, Cada et al. 1986), and some have resulted from the increasing complexity of hunting regulations (ex. Gooch 1971 vs. Martin 2005). Several program changes have also resulted from changes in staff responsible for conducting the harvest surveys.

License years 2004 and 2005 mark the beginning of a change in staffing as well as a reorganization of the harvest survey team and program. For the previous 20+ years, the survey team has consisted of staff from the Research and Technical Services Section (RTS) in the Wildlife Division. This staff included the Bureau supervisor, a programmer/ analyst, and a survey coordinator to oversee a staff of approximately 60-80 survey interviewers that collected the data. The team has often had additional database programming support, and in recent years this support has come from non-agency contractors. Beginning in license year 2004, the RTS programmer/ analyst position was vacated and then eliminated. Duties related to data entry and data management, previously a responsibility of this position, have been transferred to the new Application Development Bureau in the Information Services Division. This permits increased focus on these activities and will lead to substantial program development in coming years. Subsequently, RTS created a biometrician position, which will have significant time devoted to the harvest surveys program. This position will focus on procedures for sampling LPT holders and estimating hunting and harvest-related quantities, which will add increased focus on these areas. This will lead to program development related to statistical issues in coming years. Additionally, lead survey interviewer positions were created to add more structure to the team of interviewers and to share some of the supervisory responsibilities held by the survey coordinator. Finally, a working group was formed to oversee and influence the direction of the harvest surveys program. This working group consists of approximately 15 biologists, researchers, and other FWP personnel that make use of the harvest surveys estimates and represent various regions and divisions of the agency. The scope of the group is broad, but includes program directions as well as estimation methods.

This reorganization has resulted in several changes that affect estimates of hunting- and harvest- related quantities. As this is the first year these changes were implemented, methods are described with some detail in this report. Despite these changes, tables of estimates generated from the survey data look similar to those received by FWP staff in previous years. Those tables are presented in the results section.

Methods

Parameters estimated

In an effort to define the parameters of the LPT holder population that need to be estimated during the annual hunting and harvest survey, an effort was made to explicitly identify what quantities related to deer hunting and harvest are necessary for annual use by FWP staff and the public.

Hunting-related parameters

Hunter success. Based on recommendations of the working group, it was determined that this quantity is useful primarily at the statewide level for public interest. It is not usually necessary for hunting season regulation changes at the hunting district or regional levels. It is defined as the ratio of the number of LPT holders that harvested at least one deer during the hunting season to the number of LPT holders that actively participated in hunting. Estimates for both residents and nonresidents are required.

Number of hunters. This quantity is estimated at the hunting district, regional, and statewide levels. It is often useful for hunting season regulation changes, for example changes in total harvest may be due to fewer or more hunters rather than changes in animal population sizes. Further, it is required to estimate the economic impact of hunting in different areas, as these calculations rely on the number of hunters and hunter days. This quantity is defined as the number of LPT holders that spent at least a portion of one day hunting in the area of interest. Note that because each LPT holder can hunt in more than one hunting district, summing the total number of hunters in each hunting district will sum to more than the actual number of hunters in a given region or statewide. If a LPT holder hunts in more than one hunting district in a region, that LPT holder will count for only one hunter at the regional level. Estimates of hunters at the statewide level are based on asking LPT holders whether or not they hunted at all during the license year. Further, because LPT holders commonly possess and simultaneously hunt with more than one valid LPT at the same time in a given hunting district, it is not possible to make estimates of the number of hunters with a given LPT type. An LPT holder that hunts with more than one valid LPT at the same time is only one hunter; they are not counted as a one hunter for each LPT they possess at the time they are hunting. Because hunters cannot be both residents and nonresidents, however, it is possible to estimate the number of resident and non-resident hunters at the hunting district, regional, and statewide levels.

Hunter days. This quantity is also estimated at the hunting district, regional, and statewide level for the same reasons that the number of hunters is estimated at these levels. A hunter day is defined as an LPT holder spending at least a portion of a day hunting in a particular hunting district. Therefore, this quantity is defined as the number of days that LPT holders spent hunting in a particular hunting district, in hunting districts that fall within a given region, or in all hunting districts in the state. Note that it is possible and relatively common to hunt in more than one hunting district on one day, and FWP has traditionally questioned hunters about the number of days they spent hunting in each hunting district during the license year rather than each region or statewide. For this reason, estimates of the total number of hunter days in a region or statewide will be more than the number of

days that LPT holders actually spent hunting in the region or in the state. This quantity might be more aptly termed hunter-district-days. Also, for the same reasons described above for estimates of the number of hunters, it is not possible to estimate the number of hunter days for each LPT that FWP issues. Estimates of hunter days are made for residents and nonresidents at the hunting district, regional, and statewide levels.

Days per hunter ratio. This quantity is estimated at the hunting district, regional, and statewide levels. It is used to monitor changes in hunter effort as an index of the density and distribution of animals with a given area. The quantity is defined as the ratio of the number of days hunted to the number of hunters for a given area, and thus requires no additional questions beyond those already asked of LPT holders during the survey interview. Because the number of hunter days and the number of hunters are estimated for residents and nonresidents, estimates of the days per hunter ratio are also estimated for residents and nonresidents only (i.e. not for each LPT).

Harvest-related parameters

Total harvest. This quantity is fundamental to wildlife management decisions at the hunting district, regional, and statewide levels. It is defined as the total number of animals harvested by LPT holders during the license year.

Management success. This quantity is estimated at the hunting district, regional, and statewide levels. It is useful for making changes to quotas of licenses and permits at these levels. It is defined as the total harvest estimate divided by the total number issued of a given LPT.

Harvest by age-sex classes. This quantity is also fundamental to wildlife management in Montana. Estimates of the total number of bucks, does, and fawns are needed at the hunting district, regional, and statewide levels on an annual basis to determine if adjustments to hunting season regulations or quotas need to be made in order to meet management goals.

Harvest by antler length classes. This quantity is also fundamental to wildlife management in Montana. An antlered deer is defined as a deer with at least one antler greater than or equal to four inches in length, and an antlerless deer is defined as a deer without antlers or with antlers less than four inches in length. Thus, antlered deer may be does, and bucks may in fact be antlerless deer. License and permit regulations often specify rules for harvesting antlered or antlerless deer, rather than harvest of particular age-sex classes. Estimates of the harvest of antlered, antlerless, and unknown antler class deer are needed at the hunting district, regional, and statewide levels on an annual basis to determine if adjustments to hunting season regulations or quotas need to be made in order to meet management goals.

Harvest by method. This quantity is sometimes useful as issues related to total harvest by archery and rifle hunters arise. In these cases, the information may be useful at the hunting district, regional, or statewide levels in order to make changes to hunting season regulations, specifically method of take regulations.

Buck harvest by antler point class. This quantity is sometimes useful for hunting regulation decisions at the hunting district, regional, and statewide levels. The public also uses it to plan hunting trips. In previous years, this quantity was estimated for seven antler classes, including a maximum number of antler points on either side of one through six and an unknown number of antler points class. For this report, the categories were lumped into

three classes, including greater or less than a maximum of four antler points on one side and an unknown number of antler points. This will give us a greater ability to have precise estimates of harvest at the hunting district level for relatively small numbers of harvest in each of these categories.

Harvest by time period. This quantity is sometimes useful for creating hunting regulations to ensure desired distribution of harvest across time during the hunting season at the hunting district, regional, or statewide levels. In previous years, this quantity was defined as the total harvest in each of eight time periods, including prior to the general rifle season, during each week of the five-week general rifle season, after the general rifle season, and an unknown category for reported kills with missing data for time period of kill. For this report, the categories were lumped into four classes, including prior to the general rifle season, during the general rifle season, after the general rifle season, and an unknown category for reported kills with missing data for the time period in which animals were harvested. Again, this will give us a greater ability to have precise estimates of harvest at the hunting district level for relatively small numbers of harvest in each of these categories.

Sampling

Strata formation and sampling rates

Because harvest-related statistics are desired and can be estimated by residency for each LPT, residency and LPT were used to define sampling strata. Additionally, the FWP Automated Licensing System (ALS) stores all LPT and residency information as subcategories of a variable called Item Type, which indicates how certain opportunities were sold to the public. Because ALS is the source of information about the LPT holder population, and Item Type is difficult to remove from descriptions of opportunities for different combinations LPT and residency within the ALS system, Item Type was also included in the formation of sampling strata. Thus, sampling strata were defined as distinct combinations of residency, LPT type, and Item Type. This resulted in formation of 541 sampling strata.

Sampling rates for these strata were determined in large part using methods from previous years. Although rationale was not given in previous years for sampling rates of particular LPT's, the harvest survey team decided not to make large changes to the program prior to the hiring of a biometrician. However, the team did seek consultation from a Montana State University graduate student in Statistics to conduct the sampling. The contract statistician noted that in order to use the normal approximation to construct confidence intervals around point estimates of hunting and harvest statistics, the following assumptions are made:

(1) $n\hat{p} \geq 10$

(2) $n(1-\hat{p}) \geq 10$

(3) $20n \leq N$,

where n = stratum sample size,

N = stratum population size, and

$\hat{p}$ = the estimated proportion of LPT holders with a particular trait (for example hunters that harvested a deer within a particular hunting district).

Based on these assumptions, as well as methods used in previous years, the following rules were used to determine sample sizes for each stratum:

(1) For strata with up to 375 LPT holders, all LPT holders were sampled.
(2) For strata with 1000 or more LPT holders, 55% of the LPT holders were sampled.
(3) For strata of sizes between 375 and 1000 LPT holders, the percent of LPT holders sampled was determined based on a linear decrease between 100% and 55% of LPT holders sampled.

The accuracy and precision goals for these sampling rates were not articulated.

Sampling design

A random sample of size specified by sampling rate rules was drawn from each sampling stratum. However, owners of one LPT can also own other LPT's, meaning that the sampling frames for the various strata were not mutually exclusive. For example, every special permit holder also owns a Deer A license as a prerequisite. Survey protocol requires that interviewers ask LPT holders about all deer hunting and harvest activities regardless of which LPT they were sampled for. This implies that when a LPT holder was drawn into the sample for a particular LPT, they were also included in the sample for every other LPT that they owned. If each LPT owned by a LPT holder is considered part of a network that is defined by the ID number of a particular LPT holder, then this sampling procedure can be termed "stratified network sampling." Because of this sampling procedure, it is difficult to sample exactly at the pre-determined sampling rates. The size of the sample for each stratum depends on the LPT's owned by the LPT holders in that stratum and the sampling rates for those other strata. Thus, this procedure usually results in over-sampling of strata.

Data collection

A team of approximately 65 telephone interviewers that were supervised by the survey coordinator collected the hunting and harvest data. Interviewers were hired and trained during November and December of 2005. The majority of interviewers were hired in Bozeman, and a survey calling center was developed in the Bozeman FWP Regional office. Five lead interviewers were hired in Bozeman to structure the interviewing staff at the call center. Additionally, approximately a third of the interviewers were hired in other areas of the state to call resident LPT holders residing in their local calling areas.

Calls were made to the sample of deer LPT holders during January through March of 2006. Calls were made primarily from cell phones to avoid long-distance charges, though calls in local calling areas were made from landline phones to avoid cell phone minute charges. Sampled LPT holders were called up to three times in attempt to conduct the interview. If no contact was made at this point, uncontacted LPT holders were treated as non-respondents to the survey. When a contact was established with an LPT holder, interviewers asked license holders a set of pre-defined questions about deer hunting and harvest activities during the 2005 license year (Appendix 1). Answers to these questions were recorded on paper datasheets. During and

following the calling period, lead interviewers and the survey coordinator edited completed datasheets in an effort to monitor the quality of data and to correct obvious mistakes.

After the data were collected from LPT holders, datasheets were bundled and delivered to a data entry contractor. The contractor entered the data into a centralized Oracle database using data entry forms developed by FWP programmer analysts using Oracle Forms.

Data quality control and management

Quality control

Once data were entered to the database, additional quality control was performed using SQL in the Oracle database. This included eliminating duplicate records and enforcing data integrity constraints (e.g. only allowing valid hunting districts, not allowing does with branch antlers, etc.). In many cases this involved the creation of unknown categories for analysis and estimation, for example an unknown age-sex class, unknown hunting districts with regions and statewide, and others. While these categories may not be of direct interest, these data are useful for estimating hunting and harvest parameters at higher levels, for example total harvest including the unknown age-sex class and regional and statewide hunting and harvest statistics in the case of unknown hunting districts.

Analysis table creation

Because hunting effort statistics can be estimated by residency status, while harvest statistics can be estimated by residency and LPT, two tables were needed for analyses. A table to estimate hunting effort statistics was created containing a record for every resident and non-resident license holder that responded to the deer survey. Each record captures information on whether a license holder hunted, the districts in which they hunted, the number of days they hunted in those districts, and whether or not they harvested a deer.

A table to estimate harvest statistics was created containing a record for every LPT owned by every license holder that was selected for the deer survey. Each record includes information on the Item Type of the LPT, which hunter owned the LPT, the residency of that hunter, the total number of that type of LPT issued, whether the hunter that owned that LPT responded to the survey or not, as well as the following information for hunters that responded to the survey: whether a deer was harvested with each LPT owned by the hunter, as well as details about deer that were harvested including the hunting district where the deer was harvested, the age-sex class, the number of antler points for harvested bucks, the time period when the animal was harvested, and whether the animal was harvested with a bow or a rifle.

A major issue in the creation of the table for estimation of harvest statistics is that we did not consistently ask LPT holders which LPT was used to harvest a deer when hunters were successful. Therefore assigning harvested deer to LPT's owned by a successful hunter required additional programming work. The basic algorithm used to assign harvested deer to particular LPT's relied on the regulations database. Considering the legal definitions for each LPT owned by responding LPT holders, such as allowable age-sex classes, allowable methods of take, etc., each reported deer that was harvested was assigned to an LPT owned by the LPT holder.

It was not uncommon for a harvested animal reported by a hunter to fit within the legal definitions of more than one LPT, for example some hunting districts allow hunters to harvest

antlerless deer with a Deer A or Deer B license. When hunters harvested an animal that fit within the legal definitions of more than one LPT owned by the hunter, we assumed that hunters harvested deer with LPT's in order of most restrictive to least restrictive hunting opportunities. This implies that hunters made use of special permits or special drawing Deer B licenses before over-the-counter Deer B licenses, and that they used Deer A licenses last. The primary reason for making this assumption is that if hunters own more than one license, using LPT's to harvest animals in this order allows hunters maximum flexibility in remaining hunting opportunities following use of a particular LPT. Bias introduced into estimates of harvest by making this assumption would be an over-estimate of harvest with more restrictive LPT's and an underestimate of harvest with less restrictive LPT's. This method differs from previous years, when a reported kill would be split equally between all LPT's that may have been used to harvest the animal. For example, if a hunter owned a Deer A and a a regional white-tailed Deer B license, and reported harvesting one white-tailed doe, the reported kill would count as half a kill for each license. We chose not to split reported deer kills between licenses.

Another uncertainty that arose during the process of assigning harvested deer to LPT's owned by successful hunters occurred when the characteristics of harvested animals did not fit within the legal definitions of any LPT(s) owned by the hunter. The most common of these situations were when a hunter only owned a Deer A license and reported harvesting a class of deer that was not legal to harvest with a Deer A license, when a hunter owned a Deer A and a Deer B license and reported harvesting two deer that would be legal only with two Deer A licenses, and when a hunter reported harvesting two deer and owned a Deer A license and a special permit. In all of these situations (and many others), after assigning reported kills to LPT's for which those kills were clearly legal, we assigned the remaining reported kills to the remaining LPT's regardless of whether it was legal for a hunter to harvest the animals with those LPT's. For example if a person reports killing 2 mule deer and owns a Deer A and a regional white-tailed Deer B license, we assigned one kill to each license. This differs from methods used in previous years, where one of the mule deer kills would be assigned to the Deer A, and the other would be assigned to an "unknown" LPT (while the regional white-tailed Deer B license would remain unused). We chose not to create a class of LPT named "unknown."

The final issue that arose while assigning reported deer kills to LPT's owned by a successful hunter was the case where people reported harvesting more deer than they had LPT records for in the ALS system. In these cases, these extra reported kills were assigned to a "none" LPT, signifying that they were unlicensed deer kills made by hunters that had at least one deer license. Estimates of total unlicensed deer harvest were then accordingly made for residents and nonresidents. In previous years, this extra deer would be assigned to the "unknown" LPT category described above.

Data analysis

Response rate

Non-response can bias estimates of hunting effort and harvest parameters. The potential for bias increases with the amount of non-response, and therefore higher response rates protect against non-response bias. In an effort to be clear about the potential for non-response bias in estimates of hunting effort and harvest statistics, response rates were calculated. Because hunting effort statistics were calculated for residents and nonresidents only, while harvest-related

statistics were calculated for each stratum, response rates were calculated at these levels as the number of respondents divided by the number of LPT holders sampled at each of these levels.

Sampling design issues

Analyzing the data collected from each stratum as though it were a simple random sample could lead to biased estimates due to the stratified network sampling design. For example, a substantial fraction of the resident Deer A license holder population is composed of deer special permit holders, because the Deer A is a prerequisite license for special permits. As several of the deer special permit holder populations are less than 375 individuals, these populations are sampled at 100%. Thus, these special permit holder populations have a 100% chance of being included in the resident Deer A license holder sample because of the stratified network sampling design. By contrast, residents that only have a Deer A license have a <100% chance of being included in the sample of the resident Deer A license holder population. If a relationship exists between the probability of an LPT holder harvesting an deer with a Deer A license and whether or not that LPT holder also owns a deer special permit, the estimate of total harvest for the resident Deer A license sample will be biased if analyzed as though it were a simple random sample. This bias will be proportional to the covariance between the harvest rate with special permits and the harvest rate with the Deer A license for hunters that have both types of LPT's. Specifically,

$$bias(\hat{H}_{gen}) \approx \frac{Cov(\overline{H}_{perm}, \overline{H}_{gen})}{\overline{H}_{perm}} \tag{1}$$

where $\hat{H}_{gen}$ = the estimated total harvest with the resident Deer A license,

$\overline{H}_{perm}$ = the true harvest rate for resident deer special permits, and

$\overline{H}_{gen}$ = the true harvest rate for the resident Deer A license (*sensu* Bethlehem 2002).

To protect against this source of bias, estimators for hunting effort and harvest must be adjusted to account for variable probabilities of inclusion into the sample for different sample networks. These inclusion probabilities can be defined as the probability that any LPT attached to a particular network was selected in any stratum:

$$\pi_k = 1 - \prod_{h=1}^{L} \frac{\binom{M_h - m_{hk}^*}{n_h}}{\binom{M_h}{n_h}} \tag{2}$$

where π_k = the inclusion probability for LPT's in the network owned by LPT holder *k*,

h = stratum number 1 to L,

M_h = the number of LPT's issued in stratum *h*,

m^*_{hk} = the number of LPT's attached to the kth network in stratum *h*, and

n_h = the sample size in stratum *h* (Thompson 2002).

Inclusion probabilities were calculated only for responding LPT holders, and thus we implicitly assume that non-respondents were missing at random (MAR) from the sample (Lohr 1999). For this method to produce unbiased estimates, there must be little or no relationship between the probability that an LPT holder responded to the survey and the hunting effort and harvest statistics being estimated. For example, if non-respondents were less likely to harvest a deer than respondents, then estimates of deer total harvest will be biased high.

Inclusion probabilities were applied to each responding LPT holder in the case of hunting effort related statistics and to every LPT owned by an LPT holder in the case of harvest related statistics (Thompson 2002).

Estimation of hunting effort and harvest parameters

To estimate hunting effort statistics, a sampling weight was calculated for each responding LPT holder as:

$$w_k = \frac{1}{\pi_k} \tag{3}$$

where w_k = the sampling weight for the LPT holder that owns network *k*, and

π_k = the inclusion probability for network *k*.

To use these weights to make estimates of population parameters, they should reflect the characteristics of the population of interest (Horvitz and Thompson 1952, Lohr 1999). In this case, this implies that the weights for responding resident LPT holders should sum to the total number of resident LPT holders and the weights for responding nonresident LPT holders should sum to the total number of nonresident LPT holders. Weights were therefore "grossed up" to the populations of resident and nonresident LPT holders using:

$$ws_k = w_k \frac{N_h}{\sum_{k=1}^{n_h} w_k} \tag{4}$$

where ws_k = the grossed up weight for the LPT holder that owns network *k*,

w_k = the sampling weight for the LPT holder that owns network *k*,

N_h = the total number of LPT holders in residency *h*, and

n_h = the number of responding LPT holders in residency *h* (Raab et al. 2006).

Because of this weighting scheme, calculations to estimate hunting effort statistics implicitly assume that non-responding LPT holders are MAR within each residency. Using grossed up weights, hunter success was estimated at the statewide level as a weighted mean success rate for the subpopulation of LPT holders that reported hunting:

$$\hat{s}_h = \frac{\sum_{k=1}^{n_h^*} y_k ws_k}{\sum_{k=1}^{n_h^*} ws_k} \tag{5}$$

where $\hat{s}_h$ = the estimated hunter success rate for residency *h*,

n_h^* = the number of responding LPT holders in residency *h* that reported hunting,

y_k = an indicator variable indicating whether LPT holder *k* harvested one or more deer, and

ws_k = the grossed up weight for the LPT holder that owns network *k*.

The number of hunters was estimated at the statewide, regional, and hunting district levels using the Horvitz-Thompson estimator:

$$\hat{H}_h = \sum_{k=1}^{n_h} \frac{y_k}{\left(\frac{1}{ws_k}\right)} \tag{6}$$

where $\hat{H}_h$ = the estimated number of hunters of residency *h* in the area of interest,

n_h = the number of responding LPT holders in residency *h*,

y_k = a variable indicating whether LPT holder *k* hunted in the area of interest, and

ws_k = the grossed up weight for the LPT holder that owns network *k* (Horvitz and Thompson 1952).

To estimate the number of hunter days and the days:hunter ratio at the statewide, regional, and hunting district levels, we first had to deal with the issue of item non-response for the number of days reported hunting. That is, 4 hunters reported hunting in particular district in license year 2005 without reporting the number of days that they hunted in that district. In order to use the full sample to estimate the number of hunter days and the days:hunter ratio, we decided to impute data for the number of days hunted by those 4 hunters that did not report the number of days that they hunted. In order to eliminate effects on the estimated total number of days hunted and the days:hunter ratio, we could set the value of the missing data equal to the mean for residents and nonresidents. This “cell mean imputation” would effectively not use the imputed data values in estimating the total number of days or the days:hunter ratio. However, this would lead to underestimation of our uncertainty in those estimates because these 4 hunters would be assigned days hunted values that did not deviate from the mean. In order to minimize effects on estimates of the total number of days hunted and the days:hunter ratio, as well as the associated estimates of uncertainty, we therefore use a “cell mean model” to impute these missing values (Lohr 1999). We assumed that these hunters had days hunted values that fell along a normal distribution with mean equal to the weighted mean for residents or nonresidents, and variance equal to the weighted variance for residents or nonresidents:

$$d^*_{hk} \sim N(\mu_h, \sigma_h^2) \tag{7}$$

where d^*_{hk} = the missing value for days hunted for the LPT of residency *h* that owns network *k*,

μ_h = the weighted mean number of days hunted for residency *h*, and

σ_h^2 = the weighted variance of the mean number of days hunted for residency *h*.

Once these 4 values were imputed, the number of days hunted for residency *h* ($\hat{D}_h$) was estimated using the Horvitz-Thompson estimator in equation (6) above, with y_k set equal to the number of days hunted for LPT holder *k* in the hunting district of interest (or the number of days hunted in hunting districts falling within the region of interested or the total number of days hunted in hunting districts within the state at the higher levels). The days:hunter ratio for each area of interest was then estimated using a ratio estimator:

$$\hat{R}_h = \frac{\hat{D}_h}{\hat{H}_h} \tag{8}$$

where $\hat{R}_h$ = the estimated days:hunter ratio in the area of interest for residency *h*,

$\hat{D}_h$ = the estimated number of hunter days in the area of interest for residency *h*, and

$\hat{H}_h$ = the estimated number of hunters in the area of interest for residency *h*.

All variances for hunter effort statistics were estimated using Taylor Series linearization (Woodruff 1971) and corrected for large sampling fractions using a finite population correction (fpc) factor (Thompson 2002). Combined residency hunter effort statistics were estimated using equations for stratified sampling, treating residency as the stratifying variable (Thompson 2002). To estimate the combined residency days:hunter ratio in a particular area, estimates for residents and nonresidents were weighted by the estimated number of hunters in that area rather than the total number of resident and nonresident LPT holders. This was done in order to avoid down-weighting estimates of the ratio in the cases where only residents or nonresidents reported hunting in an area. Therefore, combined residency estimates of the days:hunter ratio are conditioned on the LPT holders that reported hunting in a particular area, and can be interpreted as the expected number of days that an LPT holder hunted in a particular area, given that they hunted in the area.

Confidence intervals around hunter effort statistics were calculated using the normal distribution approximation:

$$\hat{y} \pm z^* \sqrt{\hat{\text{var}}(\hat{y})} \tag{9}$$

where $\hat{y}$ = the point estimate for the population quantity of interest,

z^* = the 90th percentile value from the normal distribution (1.2816), and

$\hat{\text{var}}(\hat{y})$ = the fpc-corrected sample variance of the point estimate for the population quantity of interest.

The absolute lower boundary of confidence intervals was set to the number of LPT holders in the sample with the population characteristic of interest, as this is the minimum number of LPT holders known to have the characteristic. Confidence intervals were not adjusted for multiple comparisons, and therefore cannot be interpreted as simultaneous confidence intervals. Thus we expect 20% of the intervals around point estimates not to contain the true population value.

To estimate deer harvest statistics, the sampling weight for each responding LPT holder was applied to every LPT owned by that LPT holder (Thompson 2002). These LPT sampling weights were then grossed up to sum to the number of LPT's issued within each sampling stratum using formula (4) above. This weighting scheme assumes that LPT's owned by non-responding LPT holders were MAR within each sampling stratum.

Deer harvest statistics were estimated as totals for hunting districts, regions, and the state by residency and LPT or residency and LPT types (ex. Deer A, Deer B, Permit, etc.). Total harvest, as well as harvest by age-sex classes, antler length classes, method, buck antler point class, and time period within each stratum in the area of interest were estimated with the Horvitz-Thompson estimator in equation (6) above. Estimates were generated for each sampling stratum, and then combined into estimates for residency and LPT, by LPT across residency, and/or by type of LPT using estimators for stratified sampling (Thompson 2002).

To estimate harvest made without LPT's, a separate table was created for reported harvest linked to the "none" LPT for hunters that reported harvesting more deer than the number of LPT's they owned. A record was then entered in this table for every resident and nonresident that responded to the survey and did not report harvesting more deer than the number of LPT's they owned. Sampling weights for each hunter in the table were then grossed up to sum to the number of LPT's issued within each residency using formula (4) above. This new table was then used to estimate total unlicensed harvest and harvest by age-sex classes, antler length classes, method, buck antler point class, and time period for residents and non-residents that purchased at least one license. These estimates were then combined with estimates of harvest for deer legally harvested with LPT's using formulas for stratified sampling (Thompson 2002).

Following tradition from the previous decade, the only harvest statistic for which an 80% confidence interval was estimated was total harvest. The variance of total harvest estimates was estimated using Taylor Series linearization (Woodruff 1971) and was fpc corrected (Thompson 2002). However, the responding sample size for some strata was only one individual. In these cases, the stratum contribution to the variance is taken to be the average of all the strata with a responding sample size of more than one individual. This adjustment results in a conservative estimate of the total variance (Lumley 2004). Estimates of population parameters and associated variances were not made for strata in which there were no respondents; all statistics for these strata were set equal to zero.

The 80% confidence interval on total harvest was estimated using the normal approximation in equation (9) above. The absolute lower boundary of the total harvest confidence intervals were set to the number of LPT holders that reported harvesting a deer in the area of interest, as we know that this is the minimum number of deer harvested in each area of interest.

All data analyses were conducted using the R statistical software program (R Development Core Team 2006). Extensive use was made of the survey analysis package written for R (Lumley 2004).

Results

Response rates were generated for each LPT that was issued for deer hunting privileges, as well as by residency (Table 1). Estimates of hunter success were generated only at the statewide level (Table 2). Following requests from the harvest survey working group, the remaining hunter effort statistics were included in the same table containing estimates of total harvest, harvest by age-sex classes, and harvest by antler length classes (Table 3). Estimates of deer harvest by method, time period, and buck antler point classes are contained in a separate table (Table 4).

Table 1. Response rates for deer hunting and harvest survey strata, license year 2005.

residency	LPT	number_issued	number_sampled	responses	response_rate
N	002-10	67	66	39	0.59
N	003-12	777	429	253	0.59
N	007-12	1566	690	449	0.65
N	100-00	16	16	14	0.88
N	101-00	15	15	13	0.87
N	102-00	6	6	4	0.67
N	103-00	3	3	2	0.67
N	103-60	6	6	5	0.83
N	104-00	4	4	2	0.5
N	109-00	8	8	8	1
N	120-00	4	4	3	0.75
N	121-00	31	31	25	0.81
N	122-00	1	1	1	1
N	123-00	5	5	4	0.8
N	124-00	1	1	0	0
N	130-00	18	18	9	0.5
N	132-00	4	4	3	0.75
N	170-10	58	58	30	0.52
N	200-00	19	19	11	0.58
N	200-01	6	6	2	0.33
N	201-00	10	10	8	0.8
N	201-01	4	4	3	0.75
N	202-00	5	5	4	0.8
N	202-01	2	2	2	1
N	202-02	2	2	0	0
N	202-50	20	21	12	0.57
N	204-00	1	2	1	0.5
N	204-40	15	15	10	0.67
N	210-00	6	6	2	0.33
N	210-50	10	10	7	0.7
N	212-00	4	4	1	0.25
N	212-01	15	15	6	0.4
N	212-10	11	11	9	0.82
N	213-00	3	3	2	0.67
N	215-00	3	3	1	0.33
N	216-00	2	2	1	0.5
N	240-00	1	1	1	1
N	240-40	73	73	42	0.58
N	250-40	230	230	152	0.66
N	260-10	81	83	48	0.58
N	260-20	6	6	5	0.83
N	261-00	1	1	0	0
N	261-50	1	1	1	1
N	270-00	6	6	5	0.83
N	270-01	7	7	6	0.86

Table 1. Response rates for deer hunting and harvest survey strata, license year 2005.

residency	LPT	number_issued	number_sampled	responses	response_rate
N	270-02	4	4	1	0.25
N	270-50	14	14	9	0.64
N	281-00	3	3	2	0.67
N	281-40	42	42	26	0.62
N	284-10	8	8	5	0.62
N	285-00	9	9	7	0.78
N	285-01	2	2	0	0
N	290-10	6	6	2	0.33
N	290-20	5	5	4	0.8
N	291-00	1	1	1	1
N	291-50	6	6	4	0.67
N	292-00	1	1	1	1
N	292-40	51	51	30	0.59
N	293-00	3	3	3	1
N	300-00	13	13	6	0.46
N	300-50	2	2	1	0.5
N	301-00	1	1	1	1
N	302-00	20	20	11	0.55
N	309-01	3	3	2	0.67
N	310-00	2	2	2	1
N	311-00	2	2	0	0
N	311-02	12	12	8	0.67
N	312-00	6	6	4	0.67
N	312-01	1	1	1	1
N	312-50	1	1	1	1
N	313-00	6	6	6	1
N	313-01	1	1	1	1
N	313-02	1	1	0	0
N	314-00	16	16	4	0.25
N	315-00	31	31	18	0.58
N	315-01	20	20	16	0.8
N	317-00	5	5	4	0.8
N	318-40	5	5	2	0.4
N	319-00	8	8	4	0.5
N	319-40	61	61	45	0.74
N	320-00	2	2	2	1
N	320-01	21	21	11	0.52
N	320-02	14	14	5	0.36
N	321-00	1	1	0	0
N	322-00	19	19	9	0.47
N	322-01	23	23	19	0.83
N	322-02	36	36	17	0.47
N	323-00	8	8	7	0.88
N	324-00	5	5	5	1
N	324-01	14	14	10	0.71

Table 1. Response rates for deer hunting and harvest survey strata, license year 2005.

residency	LPT	number_issued	number_sampled	responses	response_rate
N	324-50	5	5	3	0.6
N	325-00	45	45	28	0.62
N	325-01	10	10	6	0.6
N	326-00	60	60	42	0.7
N	326-01	24	24	14	0.58
N	328-00	1	1	1	1
N	329-00	5	5	3	0.6
N	330-00	35	35	23	0.66
N	330-01	12	12	11	0.92
N	331-01	11	11	10	0.91
N	331-02	2	2	1	0.5
N	332-00	5	5	5	1
N	333-00	4	4	2	0.5
N	333-01	15	15	10	0.67
N	333-02	6	6	6	1
N	333-03	37	37	22	0.59
N	335-00	2	2	2	1
N	335-40	8	8	6	0.75
N	339-40	12	12	10	0.83
N	340-00	1	1	1	1
N	340-01	4	4	1	0.25
N	340-02	12	12	6	0.5
N	343-00	1	1	1	1
N	343-40	31	31	17	0.55
N	360-00	2	2	1	0.5
N	360-01	23	23	11	0.48
N	361-00	2	2	1	0.5
N	362-00	2	2	1	0.5
N	380-00	2	2	1	0.5
N	380-02	5	5	3	0.6
N	380-40	51	51	38	0.75
N	390-00	2	2	2	1
N	390-40	18	18	10	0.56
N	391-40	53	53	39	0.74
N	392-00	1	1	1	1
N	392-40	52	52	42	0.81
N	393-00	9	9	5	0.56
N	400-00	40	40	31	0.78
N	401-00	42	42	34	0.81
N	404-00	43	43	27	0.63
N	404-10	12	8	5	0.62
N	405-00	13	13	10	0.77
N	406-00	42	42	34	0.81
N	411-00	89	89	68	0.76
N	412-00	113	113	66	0.58

Table 1. Response rates for deer hunting and harvest survey strata, license year 2005.

residency	LPT	number_issued	number_sampled	responses	response_rate
N	413-00	19	19	12	0.63
N	416-00	1	1	1	1
N	417-00	57	58	45	0.78
N	418-00	68	68	38	0.56
N	419-00	17	17	10	0.59
N	421-00	20	20	13	0.65
N	423-00	3	3	3	1
N	426-00	98	98	72	0.73
N	432-00	13	13	9	0.69
N	441-00	8	8	5	0.62
N	441-50	1	1	1	1
N	444-00	18	18	15	0.83
N	445-00	61	61	44	0.72
N	447-00	44	44	33	0.75
N	448-00	7	7	6	0.86
N	450-00	23	23	14	0.61
N	455-70	5	5	3	0.6
N	471-00	12	12	11	0.92
N	498-00	300	300	214	0.71
N	500-00	6	6	5	0.83
N	502-00	2	2	1	0.5
N	510-00	7	7	5	0.71
N	510-40	11	11	5	0.45
N	511-00	25	25	17	0.68
N	520-00	20	20	10	0.5
N	530-00	27	27	16	0.59
N	530-01	15	15	13	0.87
N	530-50	88	88	59	0.67
N	560-00	68	68	38	0.56
N	570-00	10	10	9	0.9
N	575-00	51	52	35	0.67
N	580-00	37	37	22	0.59
N	590-00	35	35	24	0.69
N	597-00	27	27	18	0.67
N	598-00	236	236	159	0.67
N	599-00	73	73	45	0.62
N	600-00	20	20	13	0.65
N	610-00	2	2	2	1
N	611-00	16	16	10	0.62
N	620-00	38	38	30	0.79
N	630-00	150	150	96	0.64
N	630-01	1	1	1	1
N	640-00	74	77	53	0.69
N	650-00	10	10	6	0.6
N	651-00	45	45	38	0.84

Table 1. Response rates for deer hunting and harvest survey strata, license year 2005.

residency	LPT	number_issued	number_sampled	responses	response_rate
N	652-00	3	3	2	0.67
N	652-50	10	10	7	0.7
N	670-00	132	132	93	0.7
N	680-00	23	23	16	0.7
N	690-00	10	10	8	0.8
N	698-00	799	579	375	0.65
N	797-00	1495	608	408	0.67
N	Deer_A	24214	11523	7461	0.65
N	Deer_B	5662	4559	3044	0.67
N	Permit	883	883	587	0.66
N	SRAWTB	2410	1185	741	0.63
N	SUM	33168	18150	11833	0.65
R	002-10	1152	707	465	0.66
R	003-10	7329	4275	2682	0.63
R	004-10	7610	4273	2767	0.65
R	006-10	2581	1321	844	0.64
R	007-10	3970	2016	1290	0.64
R	007-11	996	675	433	0.64
R	007-13	5452	2748	1783	0.65
R	007-14	100	100	70	0.7
R	100-00	184	184	119	0.65
R	101-00	385	374	284	0.76
R	102-00	394	373	263	0.71
R	103-00	197	197	141	0.72
R	103-60	63	63	40	0.63
R	104-00	196	196	129	0.66
R	109-00	142	142	94	0.66
R	120-00	295	295	203	0.69
R	121-00	368	368	263	0.71
R	122-00	49	49	38	0.78
R	123-00	45	45	32	0.71
R	124-00	99	99	74	0.75
R	130-00	482	370	258	0.7
R	130-50	10	10	8	0.8
R	132-00	296	296	203	0.69
R	170-10	1946	1026	638	0.62
R	200-00	181	181	130	0.72
R	200-01	94	94	65	0.69
R	201-00	340	340	226	0.66
R	201-01	37	37	25	0.68
R	202-00	245	245	167	0.68
R	202-01	98	98	67	0.68
R	202-02	36	36	26	0.72
R	202-50	180	178	121	0.68
R	204-00	48	48	30	0.62

Table 1. Response rates for deer hunting and harvest survey strata, license year 2005.

residency	LPT	number_issued	number_sampled	responses	response_rate
R	204-40	462	366	273	0.75
R	210-00	194	194	146	0.75
R	210-50	90	90	58	0.64
R	212-00	46	46	32	0.7
R	212-01	135	135	86	0.64
R	212-10	194	194	118	0.61
R	213-00	47	47	29	0.62
R	215-00	47	47	30	0.64
R	216-00	18	18	13	0.72
R	240-00	50	50	33	0.66
R	240-40	508	360	264	0.73
R	250-40	753	424	287	0.68
R	260-10	4029	2586	1705	0.66
R	260-20	294	294	202	0.69
R	260-60	500	365	263	0.72
R	261-00	49	49	34	0.69
R	261-01	74	74	63	0.85
R	261-50	49	49	40	0.82
R	270-00	344	344	250	0.73
R	270-01	342	342	239	0.7
R	270-02	46	46	35	0.76
R	270-50	136	136	97	0.71
R	281-00	97	97	66	0.68
R	281-40	355	355	242	0.68
R	282-00	50	50	40	0.8
R	284-10	109	109	68	0.62
R	285-00	291	291	206	0.71
R	285-01	23	23	18	0.78
R	290-10	192	192	129	0.67
R	290-20	45	45	26	0.58
R	291-00	49	49	41	0.84
R	291-50	95	95	67	0.71
R	291-51	25	25	19	0.76
R	292-00	49	49	31	0.63
R	292-40	881	504	365	0.72
R	293-00	46	46	36	0.78
R	300-00	137	137	87	0.64
R	300-50	38	38	21	0.55
R	301-00	24	24	11	0.46
R	301-01	16	16	12	0.75
R	302-00	130	130	94	0.72
R	309-00	15	15	12	0.8
R	309-01	497	390	259	0.66
R	310-00	23	23	17	0.74
R	311-00	48	48	32	0.67

Table 1. Response rates for deer hunting and harvest survey strata, license year 2005.

residency	LPT	number_issued	number_sampled	responses	response_rate
R	311-01	50	50	30	0.6
R	311-02	288	288	191	0.66
R	312-00	237	237	169	0.71
R	312-01	74	74	52	0.7
R	312-50	124	124	80	0.65
R	313-00	95	95	66	0.69
R	313-01	38	38	34	0.89
R	313-02	24	24	17	0.71
R	314-00	209	209	142	0.68
R	315-00	269	269	182	0.68
R	315-01	230	230	158	0.69
R	317-00	70	70	53	0.76
R	318-00	50	50	39	0.78
R	318-40	204	204	149	0.73
R	319-00	142	142	113	0.8
R	319-40	204	204	154	0.75
R	320-00	147	147	114	0.78
R	320-01	279	279	170	0.61
R	320-02	136	136	89	0.65
R	321-00	23	23	18	0.78
R	322-00	581	551	406	0.74
R	322-01	277	277	196	0.71
R	322-02	446	381	201	0.53
R	323-00	31	31	23	0.74
R	324-00	45	45	32	0.71
R	324-01	36	36	23	0.64
R	324-50	45	45	34	0.76
R	325-00	405	405	312	0.77
R	325-01	140	140	71	0.51
R	326-00	440	440	276	0.63
R	326-01	155	155	81	0.52
R	328-00	24	24	16	0.67
R	329-00	45	45	33	0.73
R	330-00	215	215	148	0.69
R	330-01	88	88	65	0.74
R	331-00	25	25	21	0.84
R	331-01	138	138	99	0.72
R	331-02	8	8	4	0.5
R	332-00	45	45	34	0.76
R	333-00	171	171	124	0.73
R	333-01	285	285	191	0.67
R	333-02	218	218	159	0.73
R	333-03	299	299	196	0.66
R	335-00	148	148	100	0.68
R	335-40	322	322	224	0.7

Table 1. Response rates for deer hunting and harvest survey strata, license year 2005.

residency	LPT	number_issued	number_sampled	responses	response_rate
R	339-00	150	150	93	0.62
R	339-01	50	50	40	0.8
R	339-40	340	340	244	0.72
R	340-00	49	49	30	0.61
R	340-01	146	146	109	0.75
R	340-02	78	78	54	0.69
R	341-00	75	75	54	0.72
R	343-00	149	149	96	0.64
R	343-40	396	372	254	0.68
R	350-00	75	75	56	0.75
R	360-00	23	23	17	0.74
R	360-01	177	177	99	0.56
R	361-00	23	23	14	0.61
R	362-00	23	23	18	0.78
R	370-00	50	50	28	0.56
R	380-00	98	98	65	0.66
R	380-01	50	50	36	0.72
R	380-02	195	195	136	0.7
R	380-40	1176	643	435	0.68
R	390-00	33	33	24	0.73
R	390-40	55	55	38	0.69
R	391-00	50	50	34	0.68
R	391-40	376	374	256	0.68
R	392-00	49	49	28	0.57
R	392-40	725	374	257	0.69
R	393-00	182	182	127	0.7
R	400-00	654	654	466	0.71
R	401-00	358	358	258	0.72
R	404-00	754	748	499	0.67
R	404-10	824	488	332	0.68
R	405-00	286	286	202	0.71
R	406-00	358	358	259	0.72
R	411-00	509	509	330	0.65
R	412-00	487	487	354	0.73
R	413-00	282	282	201	0.71
R	416-00	14	14	7	0.5
R	417-00	243	243	167	0.69
R	418-00	182	182	102	0.56
R	419-00	108	108	84	0.78
R	421-00	230	230	144	0.63
R	423-00	72	72	53	0.74
R	426-00	439	439	305	0.69
R	432-00	80	80	57	0.71
R	441-00	142	142	98	0.69
R	441-50	49	49	40	0.82

Table 1. Response rates for deer hunting and harvest survey strata, license year 2005.

residency	LPT	number_issued	number_sampled	responses	response_rate
R	444-00	232	232	151	0.65
R	445-00	439	439	325	0.74
R	447-00	356	356	254	0.71
R	448-00	68	68	45	0.66
R	450-00	127	127	92	0.72
R	455-70	45	45	31	0.69
R	471-00	88	88	63	0.72
R	500-00	94	94	74	0.79
R	502-00	198	198	148	0.75
R	510-00	143	143	95	0.66
R	510-40	304	304	199	0.65
R	511-00	125	125	97	0.78
R	520-00	284	284	206	0.73
R	530-00	223	223	160	0.72
R	530-01	110	110	77	0.7
R	530-50	561	355	247	0.7
R	560-00	282	282	195	0.69
R	570-00	90	90	62	0.69
R	575-00	448	393	289	0.74
R	580-00	213	213	142	0.67
R	590-00	313	314	220	0.7
R	597-00	574	386	288	0.75
R	598-00	2014	1144	819	0.72
R	599-00	1926	1009	750	0.74
R	600-00	180	180	128	0.71
R	610-00	48	48	38	0.79
R	611-00	83	83	55	0.66
R	620-00	162	162	100	0.62
R	630-00	348	348	219	0.63
R	630-01	13	13	9	0.69
R	630-20	6	6	5	0.83
R	640-00	223	223	144	0.65
R	650-00	90	90	70	0.78
R	651-00	55	55	42	0.76
R	652-00	22	22	11	0.5
R	652-50	90	90	70	0.78
R	670-00	268	267	166	0.62
R	680-00	177	177	133	0.75
R	690-00	90	90	62	0.69
R	699-00	1248	786	520	0.66
R	Deer_A	150577	76502	50171	0.66
R	Deer_B	45092	36845	25236	0.68
R	Permit	9161	6958	4877	0.7
R	SRAMDB	100	100	70	0.7
R	SRAWTB	23638	13267	8481	0.64

Table 1. Response rates for deer hunting and harvest survey strata, license year 2005.

residency	LPT	number_issued	number_sampled	responses	response_rate
R	SUM	228568	133672	88835	0.66
SUM	SUM	261736	151822	100668	0.66

Table 2. Deer hunting success estimates for residents and nonresidents, license year 2005.

district	Res	pct_success	pct_succ_LCI80	pct_succ_UCI80
State	N	64.66	64.08	65.25
State	R	59.4	59.12	59.67

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
State	all_deer	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	13297	13137.1	13456.9	54.9	0	21.2	516.4	12759.4	12699.5	597.6	0
State	all_deer	N	Deer_B	5662	.	.	.	.	.	.	.	.	.	3608.8	3553.8	3663.7	63.7	0	95.9	3390	122.9	105	3503.8	0
State	all_deer	N	Permit	882	.	.	.	.	.	.	.	.	.	278.6	266	291.2	31.6	0	0	1.7	276.9	276.9	1.7	0
State	all_deer	N	SRAWTB	2410	.	.	.	.	.	.	.	.	.	1220.2	1168.1	1272.3	50.6	0	72.8	1112.2	35.2	31.1	1189.1	0
State	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	70.7	54.3	87.2	.	0	7.8	49	13.9	13.9	56.9	0
State	all_deer	N	SUM	33168	25915	25776.6	26053.4	159116	157530.7	160701.3	6.1	6	6.2	18475.4	18297.2	18653.5	55.7	0	197.7	5069.3	13208.3	13126.3	5349	0
State	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	65375.3	64996.1	65754.4	43.4	24	460.3	9534.7	55356.2	54304.7	10973.2	97.3
State	all_deer	R	Deer_B	45092	.	.	.	.	.	.	.	.	.	19313	19181.3	19444.6	42.8	10.6	391.1	18384	527.2	480.6	18814	18.4
State	all_deer	R	Permit	9161	.	.	.	.	.	.	.	.	.	3292.3	3233.6	3351	35.9	0	10.4	155.2	3126.7	3124.6	167.7	0
State	all_deer	R	SRAMDB	100	.	.	.	.	.	.	.	.	.	71.5	67.6	75.3	71.5	0	0	71.5	0	0	71.5	0
State	all_deer	R	SRAWTB	23638	.	.	.	.	.	.	.	.	.	8282.4	8155	8409.8	35	5.8	270	7798.8	207.8	187.9	8083.2	11.2
State	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	427.9	387.8	468	.	0	0	353.5	74.4	72.9	355	0
State	all_deer	R	SUM	228568	124582.3	124230.4	124934.2	860344.7	855045.5	865643.9	6.9	6.9	6.9	96762.3	96335.2	97189.4	42.3	40.4	1131.8	36297.7	59292.4	58170.8	38464.5	126.9
State	all_deer	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	78672.3	78260.8	79083.8	45	24	481.5	10051.1	68115.7	67004.2	11570.7	97.3
State	all_deer	SUM	Deer_B	50754	.	.	.	.	.	.	.	.	.	22921.8	22779.1	23064.4	45.2	10.6	487	21774	650.1	585.6	22317.8	18.4
State	all_deer	SUM	Permit	10043	.	.	.	.	.	.	.	.	.	3570.9	3510.8	3630.9	35.6	0	10.4	156.9	3403.5	3401.5	169.4	0
State	all_deer	SUM	SRAMDB	100	.	.	.	.	.	.	.	.	.	71.5	67.6	75.3	71.5	0	0	71.5	0	0	71.5	0
State	all_deer	SUM	SRAWTB	26048	.	.	.	.	.	.	.	.	.	9502.6	9364.9	9640.3	36.5	5.8	342.8	8910.9	243	219.1	9272.3	11.2
State	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	498.6	455.3	542	.	0	7.8	402.5	88.3	86.8	411.9	0
State	all_deer	SUM	SUM	261736	150497.3	150119.1	150875.5	1019460.7	1013929.5	1024991.9	6.8	6.8	6.8	115237.6	114774.9	115700.4	44	40.4	1329.5	41367	72500.7	71297.1	43813.6	126.9
State	md	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	9788.4	9632.6	9944.3	40.4	0	8.7	308.9	9470.9	9436.2	352.2	0
State	md	N	Deer_B	5495	.	.	.	.	.	.	.	.	.	2411.2	2362.1	2460.3	43.9	0	58.3	2300.6	52.3	48.1	2363.1	0
State	md	N	Permit	882	.	.	.	.	.	.	.	.	.	278.6	266	291.2	31.6	0	0	1.7	276.9	276.9	1.7	0
State	md	N	SRAWTB	2343	.	.	.	.	.	.	.	.	.	86	66.2	105.9	3.7	0	0	62.8	23.2	23.2	62.8	0
State	md	N	none	.	.	.	.	.	.	.	.	.	.	39.9	27.6	52.2	.	0	0	27.6	12.3	12.3	27.6	0
State	md	N	SUM	32934	.	.	.	.	.	.	.	.	.	12604.2	12438.6	12769.7	38.3	0	67	2701.6	9835.6	9796.7	2807.5	0
State	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	31506.8	31203.7	31810	20.9	1.5	132.8	3137.5	28235	27806.5	3670.7	29.7
State	md	R	Deer_B	41516	.	.	.	.	.	.	.	.	.	10309.1	10217.9	10400.2	24.8	3.1	176.9	9929.7	199.4	185.2	10119.3	4.5
State	md	R	Permit	8661	.	.	.	.	.	.	.	.	.	3164.5	3106.6	3222.3	36.5	0	1.2	52	3111.3	3109.2	55.3	0
State	md	R	SRAMDB	100	.	.	.	.	.	.	.	.	.	70	66.1	73.9	70	0	0	70	0	0	70	0
State	md	R	SRAWTB	22486	.	.	.	.	.	.	.	.	.	299.4	269.3	329.5	1.3	0	2	215.3	82.1	74.6	222.8	2.1
State	md	R	none	.	.	.	.	.	.	.	.	.	.	158	133.8	182.1	.	0	0	124.8	33.2	33.2	124.8	0
State	md	R	SUM	223340	.	.	.	.	.	.	.	.	.	45507.8	45183.7	45831.9	20.4	4.6	312.9	13529.4	31660.8	31208.6	14262.9	36.2
State	md	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	41295.3	40954.4	41636.1	23.6	1.5	141.5	3446.4	37705.9	37242.7	4022.9	29.7

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
State	md	SUM	Deer_B	47011	.	.	.	.	.	.	.	.	.	12720.2	12616.7	12823.8	27.1	3.1	235.2	12230.3	251.6	233.3	12482.4	4.5
State	md	SUM	Permit	9543	.	.	.	.	.	.	.	.	.	3443.1	3383.9	3502.3	36.1	0	1.2	53.7	3388.1	3386.1	57	0
State	md	SUM	SRAMDB	100	.	.	.	.	.	.	.	.	.	70	66.1	73.9	70	0	0	70	0	0	70	0
State	md	SUM	SRAWTB	24829	.	.	.	.	.	.	.	.	.	385.4	349.4	421.5	1.6	0	2	278.1	105.3	97.8	285.6	2.1
State	md	SUM	none	.	.	.	.	.	.	.	.	.	.	197.9	170.8	225	.	0	0	152.4	45.5	45.5	152.4	0
State	md	SUM	SUM	256274	.	.	.	.	.	.	.	.	.	58111.9	57748	58475.9	22.7	4.6	379.9	16231	41496.4	41005.3	17070.4	36.2
State	wt	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	3493.5	3385.3	3601.6	14.4	0	12.6	207.5	3273.4	3248.1	245.4	0
State	wt	N	Deer_B	5411	.	.	.	.	.	.	.	.	.	1190.3	1160.1	1220.4	22	0	36.2	1083.5	70.6	56.9	1133.4	0
State	wt	N	Permit	391	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
State	wt	N	SRAWTB	2410	.	.	.	.	.	.	.	.	.	1132	1080.3	1183.8	47	0	72.8	1047.2	12	7.9	1124.1	0
State	wt	N	none	.	.	.	.	.	.	.	.	.	.	30.8	19.9	41.7	.	0	7.8	21.4	1.6	1.6	29.3	0
State	wt	N	SUM	32426	.	.	.	.	.	.	.	.	.	5846.6	5722.4	5970.7	18	0	129.4	2359.7	3357.6	3314.5	2532.1	0
State	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	33767.4	33454	34080.8	22.4	3.8	316.9	6380.2	27066.5	26449.9	7268.5	49
State	wt	R	Deer_B	41888	.	.	.	.	.	.	.	.	.	8957.7	8859.8	9055.6	21.4	7.5	205.9	8419.3	324.9	292.4	8651.4	13.9
State	wt	R	Permit	5634	.	.	.	.	.	.	.	.	.	124.9	113.1	136.8	2.2	0	9.2	100.3	15.4	15.4	109.5	0
State	wt	R	SRAMDB	100	.	.	.	.	.	.	.	.	.	1.5	1	2.5	1.5	0	0	1.5	0	0	1.5	0
State	wt	R	SRAWTB	23638	.	.	.	.	.	.	.	.	.	7954.3	7828.1	8080.4	33.7	2.2	265.7	7560.7	125.7	113.4	7835.4	5.5
State	wt	R	none	.	.	.	.	.	.	.	.	.	.	269.9	237.9	301.9	.	0	0	228.6	41.3	39.7	230.2	0
State	wt	R	SUM	221837	.	.	.	.	.	.	.	.	.	51075.7	50722.3	51429.1	23	13.5	797.8	22690.6	27573.8	26910.8	24096.5	68.4
State	wt	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	37260.9	36929.3	37592.4	21.3	3.8	329.5	6587.7	30339.9	29698	7513.9	49
State	wt	SUM	Deer_B	47299	.	.	.	.	.	.	.	.	.	10148	10045.5	10250.4	21.5	7.5	242.1	9502.8	395.5	349.3	9784.7	13.9
State	wt	SUM	Permit	6025	.	.	.	.	.	.	.	.	.	124.9	113.1	136.8	2.1	0	9.2	100.3	15.4	15.4	109.5	0
State	wt	SUM	SRAMDB	100	.	.	.	.	.	.	.	.	.	1.5	1	2.5	1.5	0	0	1.5	0	0	1.5	0
State	wt	SUM	SRAWTB	26048	.	.	.	.	.	.	.	.	.	9086.3	8949.9	9222.7	34.9	2.2	338.5	8607.9	137.7	121.3	8959.5	5.5
State	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	300.8	266.9	334.6	.	0	7.8	250.1	42.9	41.3	259.5	0
State	wt	SUM	SUM	254263	.	.	.	.	.	.	.	.	.	56922.3	56547.7	57296.9	22.4	13.5	927.1	25050.3	30931.4	30225.3	26628.6	68.4
Reg_1	all_deer	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	935.1	874.2	996.1	3.9	0	3.7	59.5	871.9	866.9	68.2	0
Reg_1	all_deer	N	Deer_B	490	.	.	.	.	.	.	.	.	.	111.6	105.3	118	22.8	0	4.3	99.5	7.8	4.5	107.1	0
Reg_1	all_deer	N	SUM	24777	2269.9	2178	2361.8	16577.6	15798.9	17356.3	7.3	7.1	7.5	1046.7	985.5	1108	4.2	0	8	159	879.7	871.4	175.3	0
Reg_1	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	13413.1	13193.7	13632.5	8.9	12.2	108.4	2787.5	10505.1	10309.7	3068.5	34.9
Reg_1	all_deer	R	Deer_B	16122	.	.	.	.	.	.	.	.	.	2267.8	2220.3	2315.4	14.1	0	36.1	2183.4	48.4	39.4	2226.4	2
Reg_1	all_deer	R	Permit	73	.	.	.	.	.	.	.	.	.	13.2	10.2	16.3	18.1	0	0	10.7	2.5	2.5	10.7	0
Reg_1	all_deer	R	SRAWTB	18672	.	.	.	.	.	.	.	.	.	25.7	17.2	34.2	0.1	0	0	14.2	11.5	11.5	14.2	0
Reg_1	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	42.6	30.2	55	.	0	0	33.2	9.4	7.8	34.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_1	all_deer	R	SUM	185444	25668.1	25373.3	25962.9	209425.1	205892.6	212957.6	8.2	8.1	8.3	15762.4	15537.4	15987.5	8.5	12.2	144.4	5029	10576.8	10370.9	5354.6	36.9
Reg_1	all_deer	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	14348.2	14120.5	14575.9	8.2	12.2	112.1	2847	11377	11176.6	3136.8	34.9
Reg_1	all_deer	SUM	Deer_B	16612	.	.	.	.	.	.	.	.	.	2379.4	2331.5	2427.4	14.3	0	40.4	2282.9	56.2	44	2333.5	2
Reg_1	all_deer	SUM	Permit	79	.	.	.	.	.	.	.	.	.	13.2	10.2	16.3	16.7	0	0	10.7	2.5	2.5	10.7	0
Reg_1	all_deer	SUM	SRAWTB	18739	.	.	.	.	.	.	.	.	.	25.7	17.2	34.2	0.1	0	0	14.2	11.5	11.5	14.2	0
Reg_1	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	42.6	30.2	55	.	0	0	33.2	9.4	7.8	34.8	0
Reg_1	all_deer	SUM	SUM	210221	27938	27629.3	28246.7	226002.7	222385.5	229619.9	8.1	8	8.2	16809.2	16576	17042.4	8	12.2	152.4	5188	11456.5	11242.4	5529.9	36.9
Reg_1	md	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	355.8	317.5	394.1	1.5	0	0	2.3	353.5	353.5	2.3	0
Reg_1	md	N	Deer_B	307	.	.	.	.	.	.	.	.	.	7.5	5	10.1	2.4	0	0	4.3	3.2	3.2	4.3	0
Reg_1	md	N	SUM	24527	.	.	.	.	.	.	.	.	.	363.3	325	401.7	1.5	0	0	6.6	356.7	356.7	6.6	0
Reg_1	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1917.1	1831.1	2003.1	1.3	0	0	47.9	1869.2	1859.4	57.6	0
Reg_1	md	R	Deer_B	4295	.	.	.	.	.	.	.	.	.	24.4	18	30.8	0.6	0	1.4	12.1	10.9	10.9	13.4	0
Reg_1	md	R	Permit	73	.	.	.	.	.	.	.	.	.	13.2	10.2	16.3	18.1	0	0	10.7	2.5	2.5	10.7	0
Reg_1	md	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
Reg_1	md	R	SUM	154945	.	.	.	.	.	.	.	.	.	1956.4	1870.1	2042.8	1.3	0	1.4	72.4	1882.6	1872.9	83.5	0
Reg_1	md	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	2272.9	2178.7	2367	1.3	0	0	50.2	2222.7	2212.9	59.9	0
Reg_1	md	SUM	Deer_B	4602	.	.	.	.	.	.	.	.	.	31.9	25	38.8	0.7	0	1.4	16.4	14.2	14.2	17.7	0
Reg_1	md	SUM	Permit	79	.	.	.	.	.	.	.	.	.	13.2	10.2	16.3	16.7	0	0	10.7	2.5	2.5	10.7	0
Reg_1	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
Reg_1	md	SUM	SUM	179472	.	.	.	.	.	.	.	.	.	2319.8	2225.3	2414.2	1.3	0	1.4	79	2239.4	2229.6	90.1	0
Reg_1	wt	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	579.3	531.3	627.4	2.4	0	3.7	57.2	518.4	513.4	65.9	0
Reg_1	wt	N	Deer_B	470	.	.	.	.	.	.	.	.	.	104.1	97.5	110.6	22.1	0	4.3	95.2	4.6	1.3	102.8	0
Reg_1	wt	N	SUM	24751	.	.	.	.	.	.	.	.	.	683.4	634.9	731.9	2.8	0	8	152.4	523	514.7	168.7	0
Reg_1	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	11438.9	11235.2	11642.6	7.6	0	100.3	2729.6	8609.1	8423.4	2992.8	22.7
Reg_1	wt	R	Deer_B	15992	.	.	.	.	.	.	.	.	.	2228.5	2181.2	2275.9	13.9	0	33.5	2157.6	37.4	28.5	2198.1	2
Reg_1	wt	R	SRAWTB	18672	.	.	.	.	.	.	.	.	.	25.7	17.2	34.2	0.1	0	0	14.2	11.5	11.5	14.2	0
Reg_1	wt	R	none	.	.	.	.	.	.	.	.	.	.	40.8	28.6	53.1	.	0	0	31.5	9.4	7.8	29	0
Reg_1	wt	R	SUM	185241	.	.	.	.	.	.	.	.	.	13734	13524.3	13943.6	7.4	0	133.7	4932.8	8667.4	8471.2	5234	24.7
Reg_1	wt	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	12018.3	11809	12227.6	6.9	0	104	2786.8	9127.5	8936.8	3058.7	22.7
Reg_1	wt	SUM	Deer_B	16462	.	.	.	.	.	.	.	.	.	2332.6	2284.8	2380.4	14.2	0	37.8	2252.8	42	29.8	2300.9	2
Reg_1	wt	SUM	SRAWTB	18739	.	.	.	.	.	.	.	.	.	25.7	17.2	34.2	0.1	0	0	14.2	11.5	11.5	14.2	0
Reg_1	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	40.8	28.6	53.1	.	0	0	31.5	9.4	7.8	29	0
Reg_1	wt	SUM	SUM	209992	.	.	.	.	.	.	.	.	.	14417.4	14202.2	14632.6	6.9	0	141.8	5085.2	9190.4	8985.9	5402.7	24.7
Reg_2	all_deer	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	615.9	568.9	663	2.5	0	3.7	29.7	582.5	573.1	42.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_2	all_deer	N	Deer_B	1757	.	.	.	.	.	.	.	.	.	105.3	94.3	116.2	6	0	1.4	85.2	18.7	18.7	86.5	0
Reg_2	all_deer	N	Permit	562	.	.	.	.	.	.	.	.	.	119.8	111.1	128.6	21.3	0	0	1.7	118.1	118.1	1.7	0
Reg_2	all_deer	N	SRAWTB	844	.	.	.	.	.	.	.	.	.	14.3	8.9	19.7	1.7	0	0	13.1	1.2	1.2	13.1	0
Reg_2	all_deer	N	SUM	27377	2102.4	2020.1	2184.7	15349.4	14631	16067.8	7.3	7.1	7.5	855.3	805.9	904.7	3.1	0	5.1	129.7	720.5	711.1	144.2	0
Reg_2	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	8393.1	8222.9	8563.4	5.6	0	50.3	1190.4	7152.5	7025.9	1365.8	1.4
Reg_2	all_deer	R	Deer_B	18735	.	.	.	.	.	.	.	.	.	2941	2890.2	2991.8	15.7	0	78.3	2731.9	130.8	123	2818	0
Reg_2	all_deer	R	Permit	4935	.	.	.	.	.	.	.	.	.	1228.2	1191.7	1264.6	24.9	0	9.2	103.4	1115.6	1115.6	112.6	0
Reg_2	all_deer	R	SRAWTB	8481	.	.	.	.	.	.	.	.	.	215.1	195	235.2	2.5	0	2	210.9	2.3	2.3	212.9	0
Reg_2	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	38.5	26.5	50.6	.	0	0	28.8	9.7	9.7	28.8	0
Reg_2	all_deer	R	SUM	182728	22569.9	22304.2	22835.6	179821.2	176904.1	182738.3	8	7.9	8.1	12815.9	12633	12998.8	7	0	139.7	4265.4	8410.8	8276.4	4538.1	1.4
Reg_2	all_deer	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	9009.1	8832.4	9185.7	5.2	0	54	1220	7735	7599	1408.6	1.4
Reg_2	all_deer	SUM	Deer_B	20492	.	.	.	.	.	.	.	.	.	3046.2	2994.3	3098.2	14.9	0	79.6	2817.1	149.5	141.7	2904.5	0
Reg_2	all_deer	SUM	Permit	5497	.	.	.	.	.	.	.	.	.	1348	1310.5	1385.5	24.5	0	9.2	105.1	1233.7	1233.7	114.3	0
Reg_2	all_deer	SUM	SRAWTB	9325	.	.	.	.	.	.	.	.	.	229.4	208.6	250.2	2.5	0	2	224	3.4	3.4	226	0
Reg_2	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	38.5	26.5	50.6	.	0	0	28.8	9.7	9.7	28.8	0
Reg_2	all_deer	SUM	SUM	210105	24672.3	24394.2	24950.4	195170.6	192166.4	198174.8	7.9	7.8	8	13671.2	13481.8	13860.7	6.5	0	144.8	4395.1	9131.3	8987.6	4682.3	1.4
Reg_2	md	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	279.3	247.3	311.4	1.2	0	0	3.7	275.6	273.6	5.7	0
Reg_2	md	N	Deer_B	706	.	.	.	.	.	.	.	.	.	16.3	8.9	23.6	2.3	0	0	11.3	5	5	11.3	0
Reg_2	md	N	Permit	474	.	.	.	.	.	.	.	.	.	119.8	111.1	128.6	25.3	0	0	1.7	118.1	118.1	1.7	0
Reg_2	md	N	SUM	25394	.	.	.	.	.	.	.	.	.	415.4	381.4	449.5	1.6	0	0	16.7	398.7	396.7	18.7	0
Reg_2	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1797.3	1716	1878.7	1.2	0	0	60.7	1736.6	1723.2	74.1	0
Reg_2	md	R	Deer_B	9524	.	.	.	.	.	.	.	.	.	403.7	391.4	416	4.2	0	5.4	385.3	13	13	390.8	0
Reg_2	md	R	Permit	3874	.	.	.	.	.	.	.	.	.	1120	1085.1	1155	28.9	0	0	12.6	1107.4	1107.4	12.6	0
Reg_2	md	R	SRAWTB	7329	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
Reg_2	md	R	SUM	171304	.	.	.	.	.	.	.	.	.	3323.3	3233.9	3412.7	1.9	0	5.4	460.8	2857	2843.6	479.7	0
Reg_2	md	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	2076.6	1989.2	2164.1	1.2	0	0	64.4	2012.3	1996.8	79.8	0
Reg_2	md	SUM	Deer_B	10230	.	.	.	.	.	.	.	.	.	420	405.7	434.3	4.1	0	5.4	396.6	18	18	402	0
Reg_2	md	SUM	Permit	4348	.	.	.	.	.	.	.	.	.	1239.9	1203.8	1275.9	28.5	0	0	14.4	1225.5	1225.5	14.4	0
Reg_2	md	SUM	SRAWTB	7329	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
Reg_2	md	SUM	SUM	196698	.	.	.	.	.	.	.	.	.	3738.7	3643	3834.4	1.9	0	5.4	477.6	3255.7	3240.3	498.4	0
Reg_2	wt	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	336.6	301.8	371.5	1.4	0	3.7	25.9	306.9	299.5	37.1	0
Reg_2	wt	N	Deer_B	1238	.	.	.	.	.	.	.	.	.	89	80.9	97.1	7.2	0	1.4	73.9	13.7	13.7	75.3	0
Reg_2	wt	N	SRAWTB	844	.	.	.	.	.	.	.	.	.	14.3	8.9	19.7	1.7	0	0	13.1	1.2	1.2	13.1	0
Reg_2	wt	N	SUM	26528	.	.	.	.	.	.	.	.	.	439.9	403.7	476.1	1.7	0	5.1	113	321.8	314.4	125.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_2	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	6594.1	6442.9	6745.4	4.4	0	50.3	1129.7	5414.2	5301.1	1291.7	1.4
Reg_2	wt	R	Deer_B	15838	.	.	.	.	.	.	.	.	.	2535.8	2486.3	2585.2	16	0	72.9	2346.6	116.3	108.5	2427.2	0
Reg_2	wt	R	Permit	2630	.	.	.	.	.	.	.	.	.	108.2	97	119.3	4.1	0	9.2	90.8	8.2	8.2	100	0
Reg_2	wt	R	SRAWTB	1152	.	.	.	.	.	.	.	.	.	210.6	190.7	230.5	18.3	0	2	206.3	2.3	2.3	208.3	0
Reg_2	wt	R	none	.	.	.	.	.	.	.	.	.	.	38.5	26.5	50.6	.	0	0	28.8	9.7	9.7	24.8	0
Reg_2	wt	R	SUM	170197	.	.	.	.	.	.	.	.	.	9487.2	9325.9	9648.4	5.6	0	134.3	3802.2	5550.6	5429.7	4052	1.4
Reg_2	wt	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	6930.8	6775.5	7086	4	0	54	1155.6	5721.1	5600.6	1328.8	1.4
Reg_2	wt	SUM	Deer_B	17076	.	.	.	.	.	.	.	.	.	2624.8	2574.7	2674.8	15.4	0	74.2	2420.5	130	122.2	2502.5	0
Reg_2	wt	SUM	Permit	2862	.	.	.	.	.	.	.	.	.	108.2	97	119.3	3.8	0	9.2	90.8	8.2	8.2	100	0
Reg_2	wt	SUM	SRAWTB	1996	.	.	.	.	.	.	.	.	.	224.9	204.3	245.5	11.3	0	2	219.5	3.4	3.4	221.4	0
Reg_2	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	38.5	26.5	50.6	.	0	0	28.8	9.7	9.7	24.8	0
Reg_2	wt	SUM	SUM	196725	.	.	.	.	.	.	.	.	.	9927	9761.8	10092.3	5	0	139.4	3915.2	5872.4	5744.1	4177.5	1.4
Reg_3	all_deer	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	1771.7	1690.8	1852.6	7.3	0	3.7	158.8	1609.1	1587.6	184.1	0
Reg_3	all_deer	N	Deer_B	1075	.	.	.	.	.	.	.	.	.	348.5	333.9	363.1	32.4	0	7.9	329.1	11.5	11.5	337	0
Reg_3	all_deer	N	Permit	299	.	.	.	.	.	.	.	.	.	106.8	99.6	114.1	35.7	0	0	0	106.8	106.8	0	0
Reg_3	all_deer	N	SRAWTB	844	.	.	.	.	.	.	.	.	.	275.4	250.1	300.7	32.6	0	7.9	263.5	4.1	4.1	271.3	0
Reg_3	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	7.5	2	13.2	.	0	0	7.5	0	0	7.5	0
Reg_3	all_deer	N	SUM	26432	5405.7	5275	5536.4	37989.4	36770.6	39208.2	7	6.9	7.1	2510	2423.6	2596.5	9.5	0	19.5	759	1731.6	1710	800	0
Reg_3	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	9081.2	8913	9249.4	6	1.5	57	1182.2	7840.6	7685.1	1380.6	15.4
Reg_3	all_deer	R	Deer_B	18914	.	.	.	.	.	.	.	.	.	3875.5	3831.4	3919.6	20.5	6.3	57.9	3720.1	91.3	78.4	3787.9	9.3
Reg_3	all_deer	R	Permit	4005	.	.	.	.	.	.	.	.	.	1610	1568.3	1651.7	40.2	0	1.2	30	1578.8	1576.7	33.3	0
Reg_3	all_deer	R	SRAWTB	22642	.	.	.	.	.	.	.	.	.	2638.8	2568	2709.7	11.7	2.2	86	2504.6	46.1	40.6	2594	4.2
Reg_3	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	62.2	48	76.4	.	0	0	48.6	13.5	13.5	48.6	0
Reg_3	all_deer	R	SUM	196138	24207.1	23946.8	24467.4	160566.6	158051.3	163081.9	6.6	6.5	6.7	17267.7	17074.8	17460.5	8.8	9.9	202	7485.5	9570.2	9394.3	7844.5	28.9
Reg_3	all_deer	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	10852.9	10666.2	11039.5	6.2	1.5	60.7	1341	9449.7	9272.7	1564.8	15.4
Reg_3	all_deer	SUM	Deer_B	19989	.	.	.	.	.	.	.	.	.	4224	4177.6	4270.5	21.1	6.3	65.8	4049.2	102.8	89.9	4124.9	9.3
Reg_3	all_deer	SUM	Permit	4304	.	.	.	.	.	.	.	.	.	1716.8	1674.5	1759.1	39.9	0	1.2	30	1685.6	1683.5	33.3	0
Reg_3	all_deer	SUM	SRAWTB	23486	.	.	.	.	.	.	.	.	.	2914.2	2839	2989.5	12.4	2.2	93.8	2768.1	50.2	44.7	2865.4	4.2
Reg_3	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	69.7	54.4	85	.	0	0	56.2	13.5	13.5	56.2	0
Reg_3	all_deer	SUM	SUM	222570	29612.8	29321.5	29904.1	198556	195761.1	201350.9	6.7	6.6	6.8	19777.7	19566.3	19989.1	8.9	9.9	221.5	8244.5	11301.8	11104.3	8644.5	28.9
Reg_3	md	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	1218.6	1150.2	1287	5	0	3.7	91.7	1123.1	1106.7	111.8	0
Reg_3	md	N	Deer_B	775	.	.	.	.	.	.	.	.	.	222.3	210.6	234	28.7	0	3	212.4	6.9	6.9	215.4	0
Reg_3	md	N	Permit	299	.	.	.	.	.	.	.	.	.	106.8	99.6	114.1	35.7	0	0	0	106.8	106.8	0	0
Reg_3	md	N	SRAWTB	777	.	.	.	.	.	.	.	.	.	1.8	1	3.7	0.2	0	0	1.8	0	0	1.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_3	md	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
Reg_3	md	N	SUM	26065	.	.	.	.	.	.	.	.	.	1553.3	1483.4	1623.2	6	0	6.7	309.8	1236.8	1220.5	332.8	0
Reg_3	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4455.6	4334.6	4576.5	3	0	5.1	330.5	4119.9	4072.6	381.5	1.4
Reg_3	md	R	Deer_B	15895	.	.	.	.	.	.	.	.	.	2552.9	2519.4	2586.4	16.1	3.1	27.2	2490.3	32.3	25.3	2524.5	3.1
Reg_3	md	R	Permit	4005	.	.	.	.	.	.	.	.	.	1602.5	1560.8	1644.2	40	0	1.2	22.5	1578.8	1576.7	25.8	0
Reg_3	md	R	SRAWTB	7329	.	.	.	.	.	.	.	.	.	40.6	30.4	50.8	0.6	0	0	27.2	13.4	7.9	30.7	2.1
Reg_3	md	R	none	.	.	.	.	.	.	.	.	.	.	21.7	14.5	29	.	0	0	10.2	11.5	11.5	10.2	0
Reg_3	md	R	SUM	177806	.	.	.	.	.	.	.	.	.	8673.3	8540.4	8806.1	4.9	3.1	33.6	2880.7	5755.9	5694.1	2972.7	6.5
Reg_3	md	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	5674.1	5535.2	5813.1	3.2	0	8.8	422.3	5243	5179.4	493.3	1.4
Reg_3	md	SUM	Deer_B	16670	.	.	.	.	.	.	.	.	.	2775.2	2739.7	2810.7	16.6	3.1	30.2	2702.7	39.2	32.2	2739.9	3.1
Reg_3	md	SUM	Permit	4304	.	.	.	.	.	.	.	.	.	1709.3	1667	1751.6	39.7	0	1.2	22.5	1685.6	1683.5	25.8	0
Reg_3	md	SUM	SRAWTB	8106	.	.	.	.	.	.	.	.	.	42.4	32.1	52.8	0.5	0	0	29	13.4	7.9	32.5	2.1
Reg_3	md	SUM	none	.	.	.	.	.	.	.	.	.	.	25.5	17.2	33.7	.	0	0	14	11.5	11.5	14	0
Reg_3	md	SUM	SUM	203871	.	.	.	.	.	.	.	.	.	10226.5	10076.4	10376.6	5	3.1	40.3	3190.5	6992.7	6914.6	3305.5	6.5
Reg_3	wt	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	551.8	506.4	597.3	2.3	0	0	67.1	484.7	479.5	72.3	0
Reg_3	wt	N	Deer_B	784	.	.	.	.	.	.	.	.	.	123.2	113.8	132.6	15.7	0	3.5	115.1	4.6	4.6	118.6	0
Reg_3	wt	N	SRAWTB	844	.	.	.	.	.	.	.	.	.	273.6	248.3	298.9	32.4	0	7.9	261.7	4.1	4.1	269.5	0
Reg_3	wt	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
Reg_3	wt	N	SUM	25944	.	.	.	.	.	.	.	.	.	952.4	899.4	1005.5	3.7	0	11.4	447.6	493.4	488.2	464.2	0
Reg_3	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4620.2	4499.6	4740.8	3.1	1.5	51.8	850.1	3716.8	3611	995.2	14
Reg_3	wt	R	Deer_B	9801	.	.	.	.	.	.	.	.	.	1317.4	1287.5	1347.3	13.4	3.2	29.3	1226	58.9	53	1258.2	6.2
Reg_3	wt	R	Permit	2234	.	.	.	.	.	.	.	.	.	6.3	4	9	0.3	0	0	6.3	0	0	6.3	0
Reg_3	wt	R	SRAWTB	22642	.	.	.	.	.	.	.	.	.	2588	2517.3	2658.7	11.4	2.2	83.7	2469.5	32.7	32.7	2553.2	2.2
Reg_3	wt	R	none	.	.	.	.	.	.	.	.	.	.	40.5	28.2	52.7	.	0	0	38.4	2	2	38.4	0
Reg_3	wt	R	SUM	185254	.	.	.	.	.	.	.	.	.	8572.3	8428.8	8715.9	4.6	6.9	164.8	4590.3	3810.4	3698.7	4851.3	22.4
Reg_3	wt	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	5172	5043.1	5301	3	1.5	51.8	917.2	4201.5	4090.5	1067.5	14
Reg_3	wt	SUM	Deer_B	10585	.	.	.	.	.	.	.	.	.	1440.6	1409.2	1472	13.6	3.2	32.8	1341	63.5	57.6	1376.8	6.2
Reg_3	wt	SUM	Permit	2336	.	.	.	.	.	.	.	.	.	6.3	4	9	0.3	0	0	6.3	0	0	6.3	0
Reg_3	wt	SUM	SRAWTB	23486	.	.	.	.	.	.	.	.	.	2861.6	2786.6	2936.7	12.2	2.2	91.6	2731.1	36.7	36.7	2822.7	2.2
Reg_3	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	44.2	31.4	57.1	.	0	0	42.2	2	2	42.2	0
Reg_3	wt	SUM	SUM	211198	.	.	.	.	.	.	.	.	.	9524.8	9371.8	9677.8	4.5	6.9	176.2	5037.9	4303.8	4186.9	5315.5	22.4
Reg_4	all_deer	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	2395.4	2303.9	2486.9	9.9	0	1.4	98.2	2295.8	2286.7	108.7	0
Reg_4	all_deer	N	Deer_B	2467	.	.	.	.	.	.	.	.	.	766.6	752.2	781.1	31.1	0	10.9	729	26.8	25	741.7	0
Reg_4	all_deer	N	Permit	70	.	.	.	.	.	.	.	.	.	3.3	2	4.7	4.7	0	0	0	3.3	3.3	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_4	all_deer	N	SRAWTB	844	.	.	.	.	.	.	.	.	.	7.2	3	11.9	0.9	0	0	7.2	0	0	7.2	0
Reg_4	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	4.3	3	6.9	.	0	0	1.2	3.1	3.1	1.2	0
Reg_4	all_deer	N	SUM	27595	4309.9	4194.3	4425.5	25239.3	24416.3	26062.3	5.9	5.8	6	3176.8	3084	3269.7	11.5	0	12.3	835.6	2329	2318.1	858.7	0
Reg_4	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	13396.9	13189.5	13604.4	8.9	3.9	69.6	1932	11391.4	11159.7	2218.3	18.9
Reg_4	all_deer	R	Deer_B	18368	.	.	.	.	.	.	.	.	.	3248.5	3207.5	3289.5	17.7	0	50.7	3066.6	131.2	115.7	3129.9	2.8
Reg_4	all_deer	R	Permit	1159	.	.	.	.	.	.	.	.	.	39.2	36	42.3	3.4	0	0	3.3	35.9	35.9	3.3	0
Reg_4	all_deer	R	SRAWTB	18672	.	.	.	.	.	.	.	.	.	3022.1	2948.2	3096.1	16.2	0	70.7	2854.7	96.7	82.4	2936.4	3.4
Reg_4	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	121.4	99.5	143.3	.	0	0	107.3	14.2	14.2	107.3	0
Reg_4	all_deer	R	SUM	188776	23734.3	23464	24004.6	120808.6	118699.6	122917.6	5.1	5	5.2	19828.2	19603	20053.3	10.5	3.9	191	7963.8	11669.4	11407.8	8395.2	25.1
Reg_4	all_deer	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	15792.3	15565.6	16019.1	9	3.9	70.9	2030.3	13687.2	13446.4	2327	18.9
Reg_4	all_deer	SUM	Deer_B	20835	.	.	.	.	.	.	.	.	.	4015.1	3971.6	4058.6	19.3	0	61.6	3795.6	157.9	140.7	3871.6	2.8
Reg_4	all_deer	SUM	Permit	1229	.	.	.	.	.	.	.	.	.	42.5	39.1	46	3.5	0	0	3.3	39.2	39.2	3.3	0
Reg_4	all_deer	SUM	SRAWTB	19516	.	.	.	.	.	.	.	.	.	3029.3	2955.2	3103.4	15.5	0	70.7	2861.9	96.7	82.4	2943.6	3.4
Reg_4	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	125.7	103.7	147.8	.	0	0	108.5	17.3	17.3	108.5	0
Reg_4	all_deer	SUM	SUM	216371	28044.2	27750.2	28338.2	146047.8	143783.9	148311.7	5.2	5.1	5.3	23005	22761.5	23248.5	10.6	3.9	203.3	8799.4	13998.4	13726	9253.9	25.1
Reg_4	md	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	1884.1	1801.9	1966.4	7.8	0	0	78.8	1805.3	1797.8	86.3	0
Reg_4	md	N	Deer_B	2185	.	.	.	.	.	.	.	.	.	556.1	544	568.2	25.5	0	4.3	541.7	10.1	10.1	546	0
Reg_4	md	N	Permit	6	.	.	.	.	.	.	.	.	.	3.3	2	4.7	55	0	0	0	3.3	3.3	0	0
Reg_4	md	N	SRAWTB	777	.	.	.	.	.	.	.	.	.	1.6	1	3.2	0.2	0	0	1.6	0	0	1.6	0
Reg_4	md	N	none	.	.	.	.	.	.	.	.	.	.	2.7	2	4.8	.	0	0	1.2	1.5	1.5	1.2	0
Reg_4	md	N	SUM	27182	.	.	.	.	.	.	.	.	.	2447.8	2364.6	2531	9	0	4.3	623.3	1820.2	1812.8	635	0
Reg_4	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	9180	9005.9	9354.1	6.1	1.5	28.6	1343.5	7806.3	7666.9	1501.2	11.9
Reg_4	md	R	Deer_B	15550	.	.	.	.	.	.	.	.	.	2911.7	2876.1	2947.3	18.7	0	42.7	2796.2	72.8	67.2	2843.1	1.4
Reg_4	md	R	Permit	94	.	.	.	.	.	.	.	.	.	28.7	25.9	31.5	30.5	0	0	0	28.7	28.7	0	0
Reg_4	md	R	SRAWTB	14939	.	.	.	.	.	.	.	.	.	133.1	113.5	152.7	0.9	0	2	94.8	36.3	34.3	98.8	0
Reg_4	md	R	none	.	.	.	.	.	.	.	.	.	.	50.4	36.4	64.5	.	0	0	42.7	7.8	7.8	42.7	0
Reg_4	md	R	SUM	181160	.	.	.	.	.	.	.	.	.	12303.9	12124.5	12483.3	6.8	1.5	73.3	4277.2	7951.8	7804.8	4485.8	13.3
Reg_4	md	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	11064.1	10871.6	11256.7	6.3	1.5	28.6	1422.4	9611.6	9464.7	1587.5	11.9
Reg_4	md	SUM	Deer_B	17735	.	.	.	.	.	.	.	.	.	3467.8	3430.1	3505.4	19.6	0	47	3338	82.8	77.2	3389.1	1.4
Reg_4	md	SUM	Permit	100	.	.	.	.	.	.	.	.	.	32	28.9	35.1	32	0	0	0	32	32	0	0
Reg_4	md	SUM	SRAWTB	15716	.	.	.	.	.	.	.	.	.	134.6	114.9	154.3	0.9	0	2	96.3	36.3	34.3	100.4	0
Reg_4	md	SUM	none	.	.	.	.	.	.	.	.	.	.	53.2	38.9	67.4	.	0	0	43.9	9.3	9.3	43.9	0
Reg_4	md	SUM	SUM	208342	.	.	.	.	.	.	.	.	.	14751.7	14554	14949.5	7.1	1.5	77.6	4900.5	9772.1	9617.6	5120.8	13.3
Reg_4	wt	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	510.1	466.5	553.8	2.1	0	1.4	19.4	489.4	487.8	22.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_4	wt	N	Deer_B	2218	.	.	.	.	.	.	.	.	.	209.1	199.3	218.8	9.4	0	6.6	185.7	16.7	14.9	194.2	0
Reg_4	wt	N	SRAWTB	844	.	.	.	.	.	.	.	.	.	5.6	2	10.1	0.7	0	0	5.6	0	0	5.6	0
Reg_4	wt	N	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.2	.	0	0	0	1.6	1.6	0	0
Reg_4	wt	N	SUM	27345	.	.	.	.	.	.	.	.	.	726.4	681.3	771.4	2.7	0	8	210.8	507.6	504.2	222.2	0
Reg_4	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4215.5	4095.4	4335.5	2.8	2.3	40.9	588.5	3583.7	3491.4	717.1	7
Reg_4	wt	R	Deer_B	9761	.	.	.	.	.	.	.	.	.	328.5	305.6	351.3	3.4	0	5.4	266.1	57	47.1	279.9	1.4
Reg_4	wt	R	Permit	1110	.	.	.	.	.	.	.	.	.	10.5	7.5	13.5	0.9	0	0	3.3	7.2	7.2	3.3	0
Reg_4	wt	R	SRAWTB	18672	.	.	.	.	.	.	.	.	.	2886.8	2813.6	2960.1	15.5	0	68.7	2757.7	60.4	48.1	2835.4	3.4
Reg_4	wt	R	none	.	.	.	.	.	.	.	.	.	.	71	54.2	87.8	.	0	0	64.6	6.4	6.4	64.6	0
Reg_4	wt	R	SUM	180120	.	.	.	.	.	.	.	.	.	7512.3	7368.8	7655.8	4.2	2.3	115	3680.1	3714.7	3600.2	3900.3	11.8
Reg_4	wt	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	4725.6	4597.9	4853.4	2.7	2.3	42.3	607.9	4073.1	3979.1	739.5	7
Reg_4	wt	SUM	Deer_B	11979	.	.	.	.	.	.	.	.	.	537.5	512.6	562.4	4.5	0	12	451.9	73.6	62	474.1	1.4
Reg_4	wt	SUM	Permit	1179	.	.	.	.	.	.	.	.	.	10.5	7.5	13.5	0.9	0	0	3.3	7.2	7.2	3.3	0
Reg_4	wt	SUM	SRAWTB	19516	.	.	.	.	.	.	.	.	.	2892.4	2819.1	2965.8	14.8	0	68.7	2763.3	60.4	48.1	2841	3.4
Reg_4	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	72.6	55.7	89.4	.	0	0	64.6	8	8	64.6	0
Reg_4	wt	SUM	SUM	207465	.	.	.	.	.	.	.	.	.	8238.6	8088.3	8389	4	2.3	123.1	3890.9	4222.3	4104.4	4122.4	11.8
Reg_5	all_deer	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	1167.4	1101.6	1233.2	4.8	0	3.7	11.2	1152.5	1147.3	20.1	0
Reg_5	all_deer	N	Deer_B	2717	.	.	.	.	.	.	.	.	.	366.9	354.1	379.8	13.5	0	3.6	343.9	19.4	13.2	353.7	0
Reg_5	all_deer	N	Permit	99	.	.	.	.	.	.	.	.	.	41.5	36.5	46.5	41.9	0	0	0	41.5	41.5	0	0
Reg_5	all_deer	N	SRAWTB	2343	.	.	.	.	.	.	.	.	.	20.6	11.1	30.1	0.9	0	0	20.6	0	0	20.6	0
Reg_5	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	17.8	9.6	26	.	0	0	16.3	1.5	1.5	16.3	0
Reg_5	all_deer	N	SUM	29373	2006.9	1925	2088.8	10552.3	10028.9	11075.7	5.3	5.2	5.4	1614.2	1545.8	1682.6	5.5	0	7.3	392	1214.9	1203.5	410.8	0
Reg_5	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	7934.4	7765.4	8103.5	5.3	4.1	89	1184.4	6657	6580.5	1341.9	12
Reg_5	all_deer	R	Deer_B	15711	.	.	.	.	.	.	.	.	.	3265.3	3208.8	3321.9	20.8	4.3	67.3	3155.7	38.1	38.1	3222.9	4.3
Reg_5	all_deer	R	Permit	865	.	.	.	.	.	.	.	.	.	356.9	337.9	375.8	41.3	0	0	7.8	349.1	349.1	7.8	0
Reg_5	all_deer	R	SRAWTB	18909	.	.	.	.	.	.	.	.	.	26.5	17.1	36	0.1	0	0	21.9	4.6	4.6	21.9	0
Reg_5	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	46.1	32.7	59.5	.	0	0	36.3	9.8	9.8	36.3	0
Reg_5	all_deer	R	SUM	186062	14845.1	14620.2	15070	72562.1	70802.4	74321.8	4.9	4.8	5	11629.3	11449.3	11809.3	6.3	8.3	156.3	4406	7058.7	6982.2	4630.8	16.3
Reg_5	all_deer	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	9101.9	8920.4	9283.3	5.2	4.1	92.7	1195.6	7809.5	7727.8	1362	12
Reg_5	all_deer	SUM	Deer_B	18428	.	.	.	.	.	.	.	.	.	3632.2	3574.2	3690.3	19.7	4.3	70.9	3499.6	57.5	51.3	3576.7	4.3
Reg_5	all_deer	SUM	Permit	964	.	.	.	.	.	.	.	.	.	398.4	378.8	418	41.3	0	0	7.8	390.6	390.6	7.8	0
Reg_5	all_deer	SUM	SRAWTB	21252	.	.	.	.	.	.	.	.	.	47.2	33.8	60.5	0.2	0	0	42.5	4.6	4.6	42.5	0
Reg_5	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	63.9	48.2	79.6	.	0	0	52.6	11.3	11.3	52.6	0
Reg_5	all_deer	SUM	SUM	215435	16852	16612.6	17091.4	83114.3	81278.3	84950.3	4.9	4.8	5	13243.5	13050.9	13436.1	6.1	8.3	163.6	4798	8273.6	8185.6	5041.6	16.3

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_5	md	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	842.6	786.1	899.2	3.5	0	0	4.9	837.7	836.2	6.4	0
Reg_5	md	N	Deer_B	2301	.	.	.	.	.	.	.	.	.	195.1	185.2	205	8.5	0	3.6	184.8	6.7	4	191.1	0
Reg_5	md	N	Permit	99	.	.	.	.	.	.	.	.	.	41.5	36.5	46.5	41.9	0	0	0	41.5	41.5	0	0
Reg_5	md	N	SRAWTB	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	4.7	0	0	4.7	0
Reg_5	md	N	none	.	.	.	.	.	.	.	.	.	.	5.3	2	9.5	.	0	0	3.8	1.5	1.5	3.8	0
Reg_5	md	N	SUM	28180	.	.	.	.	.	.	.	.	.	1089.2	1031.2	1147.2	3.9	0	3.6	198.2	887.4	883.2	206	0
Reg_5	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4845.3	4710.8	4979.7	3.2	0	45.5	467.8	4331.9	4303.1	536.6	5.5
Reg_5	md	R	Deer_B	13347	.	.	.	.	.	.	.	.	.	1271.5	1246.8	1296.3	9.5	0	15.5	1239.9	16.1	16.1	1255.4	0
Reg_5	md	R	Permit	865	.	.	.	.	.	.	.	.	.	355.3	336.3	374.2	41.1	0	0	6.1	349.1	349.1	6.1	0
Reg_5	md	R	none	.	.	.	.	.	.	.	.	.	.	27.9	17.2	38.6	.	0	0	18	9.8	9.8	18	0
Reg_5	md	R	SUM	164789	.	.	.	.	.	.	.	.	.	6499.9	6361.5	6638.3	3.9	0	61	1732	4706.9	4678.2	1816.2	5.5
Reg_5	md	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	5687.9	5542.1	5833.7	3.3	0	45.5	472.8	5169.6	5139.4	543	5.5
Reg_5	md	SUM	Deer_B	15648	.	.	.	.	.	.	.	.	.	1466.6	1439.9	1493.3	9.4	0	19.1	1424.7	22.8	20	1446.6	0
Reg_5	md	SUM	Permit	964	.	.	.	.	.	.	.	.	.	396.7	377.2	416.3	41.2	0	0	6.1	390.6	390.6	6.1	0
Reg_5	md	SUM	SRAWTB	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	4.7	0	0	4.7	0
Reg_5	md	SUM	none	.	.	.	.	.	.	.	.	.	.	33.1	21.6	44.7	.	0	0	21.8	11.3	11.3	21.8	0
Reg_5	md	SUM	SUM	192969	.	.	.	.	.	.	.	.	.	7589.1	7439	7739.2	3.9	0	64.6	1930.2	5594.3	5561.4	2022.2	5.5
Reg_5	wt	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	324.8	289.8	359.7	1.3	0	3.7	6.2	314.8	311.1	13.7	0
Reg_5	wt	N	Deer_B	1120	.	.	.	.	.	.	.	.	.	171.8	162.6	181.1	15.3	0	0	159.2	12.7	9.2	162.6	0
Reg_5	wt	N	SRAWTB	2343	.	.	.	.	.	.	.	.	.	15.9	7.9	23.9	0.7	0	0	15.9	0	0	15.9	0
Reg_5	wt	N	none	.	.	.	.	.	.	.	.	.	.	12.5	5.5	19.5	.	0	0	12.5	0	0	5	0
Reg_5	wt	N	SUM	27677	.	.	.	.	.	.	.	.	.	525	487.3	562.7	1.9	0	3.7	193.8	327.5	320.3	197.2	0
Reg_5	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	3074.6	2969.2	3180	2	0	41	716.5	2317	2269.3	802.9	2.4
Reg_5	wt	R	Deer_B	14913	.	.	.	.	.	.	.	.	.	1985.2	1933.1	2037.3	13.3	4.3	51.8	1907.1	22	22	1958.9	4.3
Reg_5	wt	R	SRAWTB	18909	.	.	.	.	.	.	.	.	.	26.5	17.1	36	0.1	0	0	21.9	4.6	4.6	21.9	0
Reg_5	wt	R	none	.	.	.	.	.	.	.	.	.	.	18.2	10.2	26.3	.	0	0	18.2	0	0	18.2	0
Reg_5	wt	R	SUM	184399	.	.	.	.	.	.	.	.	.	5104.6	4986.4	5222.7	2.8	4.3	92.8	2663.8	2343.7	2295.9	2801.9	6.7
Reg_5	wt	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	3399.4	3288.3	3510.4	1.9	0	44.8	722.8	2631.8	2580.3	816.6	2.4
Reg_5	wt	SUM	Deer_B	16033	.	.	.	.	.	.	.	.	.	2157	2104.2	2209.9	13.5	4.3	51.8	2066.3	34.7	31.2	2121.5	4.3
Reg_5	wt	SUM	SRAWTB	21252	.	.	.	.	.	.	.	.	.	42.4	30.1	54.8	0.2	0	0	37.8	4.6	4.6	37.8	0
Reg_5	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	30.8	20.1	41.4	.	0	0	30.8	0	0	23.2	0
Reg_5	wt	SUM	SUM	212076	.	.	.	.	.	.	.	.	.	5629.6	5505.5	5753.6	2.7	4.3	96.5	2857.6	2671.2	2616.2	2999.1	6.7
Reg_6	all_deer	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	1720.6	1641.7	1799.4	7.1	0	4.9	62.8	1652.9	1645.4	75.1	0
Reg_6	all_deer	N	Deer_B	3289	.	.	.	.	.	.	.	.	.	811.6	787.7	835.6	24.7	0	26.7	754.9	30	23.4	788.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_6	all_deer	N	Permit	10	.	.	.	.	.	.	.	.	.	7.1	5.8	8.4	71	0	0	0	7.1	7.1	0	0
Reg_6	all_deer	N	SRAWTB	1633	.	.	.	.	.	.	.	.	.	20.3	11.6	28.9	1.2	0	0	16.3	4	2.7	17.6	0
Reg_6	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	6.9	3	11.5	.	0	0	1.4	5.5	5.5	1.4	0
Reg_6	all_deer	N	SUM	29146	3153.7	3053.6	3253.8	17185.9	16503.6	17868.2	5.4	5.3	5.5	2566.5	2483.5	2649.5	8.8	0	31.7	835.3	1699.5	1684.1	882.4	0
Reg_6	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	6014.3	5869	6159.6	4	0	28.2	682.2	5303.9	5107.5	905.4	1.4
Reg_6	all_deer	R	Deer_B	13181	.	.	.	.	.	.	.	.	.	1285	1251.9	1318.1	9.7	0	18.2	1209.6	57.3	55.8	1229.2	0
Reg_6	all_deer	R	Permit	90	.	.	.	.	.	.	.	.	.	44.8	41.5	48.1	49.8	0	0	0	44.8	44.8	0	0
Reg_6	all_deer	R	SRAWTB	23638	.	.	.	.	.	.	.	.	.	762.4	718.4	806.5	3.2	3.7	27.8	714.8	16.2	16.2	742.6	3.7
Reg_6	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	45.2	31.8	58.6	.	0	0	31.5	13.8	13.8	31.5	0
Reg_6	all_deer	R	SUM	187486	10806.6	10612.6	11000.6	55909.5	54475.6	57343.4	5.2	5.1	5.3	8151.8	7995.7	8307.8	4.3	3.7	74.2	2638.1	5435.9	5238	2908.7	5.1
Reg_6	all_deer	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	7734.9	7569.5	7900.2	4.4	0	33.2	745	6956.7	6753	980.5	1.4
Reg_6	all_deer	SUM	Deer_B	16470	.	.	.	.	.	.	.	.	.	2096.7	2055.8	2137.5	12.7	0	44.9	1964.5	87.3	79.1	2017.5	0
Reg_6	all_deer	SUM	Permit	100	.	.	.	.	.	.	.	.	.	51.9	48.4	55.4	51.9	0	0	0	51.9	51.9	0	0
Reg_6	all_deer	SUM	SRAWTB	25271	.	.	.	.	.	.	.	.	.	782.7	737.9	827.6	3.1	3.7	27.8	731.1	20.1	18.8	760.2	3.7
Reg_6	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	52.1	38	66.3	.	0	0	32.8	19.3	19.3	32.8	0
Reg_6	all_deer	SUM	SUM	216632	13960.3	13742.1	14178.5	73095.4	71507.3	74683.5	5.2	5.1	5.3	10718.3	10541.5	10895	4.9	3.7	105.8	3473.4	7135.4	6922.1	3791.1	5.1
Reg_6	md	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	1173.8	1107.8	1239.7	4.8	0	4.9	54.4	1114.4	1106.9	66.8	0
Reg_6	md	N	Deer_B	3142	.	.	.	.	.	.	.	.	.	355.8	342.9	368.7	11.3	0	7.9	335.2	12.6	11.2	344.6	0
Reg_6	md	N	Permit	10	.	.	.	.	.	.	.	.	.	7.1	5.8	8.4	71	0	0	0	7.1	7.1	0	0
Reg_6	md	N	SRAWTB	1566	.	.	.	.	.	.	.	.	.	1.5	1	3.2	0.1	0	0	1.5	0	0	1.5	0
Reg_6	md	N	none	.	.	.	.	.	.	.	.	.	.	5.5	2	9.9	.	0	0	0	5.5	5.5	0	0
Reg_6	md	N	SUM	28932	.	.	.	.	.	.	.	.	.	1543.7	1476.3	1611	5.3	0	12.9	391.2	1139.7	1130.7	413	0
Reg_6	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	3962.3	3843.8	4080.9	2.6	0	20.1	498.8	3443.4	3306.4	655.9	0
Reg_6	md	R	Deer_B	10720	.	.	.	.	.	.	.	.	.	761.1	740.9	781.4	7.1	0	7.1	721.6	32.5	31	730.2	0
Reg_6	md	R	Permit	90	.	.	.	.	.	.	.	.	.	44.8	41.5	48.1	49.8	0	0	0	44.8	44.8	0	0
Reg_6	md	R	SRAWTB	10191	.	.	.	.	.	.	.	.	.	37.8	26.6	49	0.4	0	0	26.4	11.4	11.4	26.4	0
Reg_6	md	R	none	.	.	.	.	.	.	.	.	.	.	9.5	3.3	15.7	.	0	0	9.5	0	0	9.5	0
Reg_6	md	R	SUM	171578	.	.	.	.	.	.	.	.	.	4815.6	4694.6	4936.6	2.8	0	27.2	1256.3	3532	3393.6	1422	0
Reg_6	md	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	5136.1	5000.4	5271.7	2.9	0	25.1	553.3	4557.7	4413.3	722.7	0
Reg_6	md	SUM	Deer_B	13862	.	.	.	.	.	.	.	.	.	1116.9	1092.9	1140.9	8.1	0	15.1	1056.8	45.1	42.1	1074.8	0
Reg_6	md	SUM	Permit	100	.	.	.	.	.	.	.	.	.	51.9	48.4	55.4	51.9	0	0	0	51.9	51.9	0	0
Reg_6	md	SUM	SRAWTB	11757	.	.	.	.	.	.	.	.	.	39.3	28	50.7	0.3	0	0	27.9	11.4	11.4	27.9	0
Reg_6	md	SUM	none	.	.	.	.	.	.	.	.	.	.	15	7.4	22.6	.	0	0	9.5	5.5	5.5	9.5	0
Reg_6	md	SUM	SUM	200510	.	.	.	.	.	.	.	.	.	6359.2	6220.8	6497.7	3.2	0	40.1	1647.5	4671.7	4524.3	1835	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_6	wt	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	537.9	492.7	583	2.2	0	0	8.3	529.5	529.5	8.3	0
Reg_6	wt	N	Deer_B	2912	.	.	.	.	.	.	.	.	.	455.9	434.3	477.5	15.7	0	18.8	419.7	17.4	12.2	443.7	0
Reg_6	wt	N	SRAWTB	1633	.	.	.	.	.	.	.	.	.	18.7	10.3	27.2	1.1	0	0	14.8	4	2.7	16.1	0
Reg_6	wt	N	none	.	.	.	.	.	.	.	.	.	.	1.4	1	2.8	.	0	0	1.4	0	0	1.4	0
Reg_6	wt	N	SUM	28759	.	.	.	.	.	.	.	.	.	1013.9	963.1	1064.6	3.5	0	18.8	444.2	550.9	544.4	469.5	0
Reg_6	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	2050.3	1964.2	2136.4	1.4	0	8.1	183.4	1858.8	1799.5	249.4	1.4
Reg_6	wt	R	Deer_B	10598	.	.	.	.	.	.	.	.	.	522.4	495.3	549.4	4.9	0	11	486.5	24.8	24.8	497.5	0
Reg_6	wt	R	SRAWTB	16028	.	.	.	.	.	.	.	.	.	718.6	675.4	761.7	4.5	0	27.8	686	4.8	4.8	713.8	0
Reg_6	wt	R	none	.	.	.	.	.	.	.	.	.	.	35.7	23.8	47.6	.	0	0	22	13.8	13.8	22	0
Reg_6	wt	R	SUM	177203	.	.	.	.	.	.	.	.	.	3327	3226.2	3427.7	1.9	0	46.9	1377.8	1902.2	1842.8	1482.7	1.4
Reg_6	wt	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	2588.2	2490.9	2685.4	1.5	0	8.1	191.7	2388.4	2329	257.8	1.4
Reg_6	wt	SUM	Deer_B	13510	.	.	.	.	.	.	.	.	.	978.2	943.6	1012.9	7.2	0	29.8	906.2	42.2	37	941.2	0
Reg_6	wt	SUM	SRAWTB	17661	.	.	.	.	.	.	.	.	.	737.3	693.3	781.3	4.2	0	27.8	700.8	8.7	7.4	729.9	0
Reg_6	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	37.1	25.1	49.1	.	0	0	23.3	13.8	13.8	23.3	0
Reg_6	wt	SUM	SUM	205962	.	.	.	.	.	.	.	.	.	4340.8	4228	4453.7	2.1	0	65.7	1822	2453.1	2387.2	1952.2	1.4
Reg_7	all_deer	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	4629.7	4505.7	4753.7	19.1	0	0	96.2	4533.5	4531.2	98.5	0
Reg_7	all_deer	N	Deer_B	3527	.	.	.	.	.	.	.	.	.	1096.6	1053.2	1140	31.1	0	39.6	1048.4	8.7	8.7	1087.9	0
Reg_7	all_deer	N	SRAWTB	2343	.	.	.	.	.	.	.	.	.	874.3	829	919.6	37.3	0	64.9	783.4	26	23.2	851.1	0
Reg_7	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	34.2	22.2	46.2	.	0	7.8	22.6	3.8	3.8	30.5	0
Reg_7	all_deer	N	SUM	30084	7356.4	7203.1	7509.7	35736.9	34852.8	36621	4.9	4.8	5	6634.8	6495.4	6774.3	22.1	0	112.3	1950.5	4572	4566.9	2067.9	0
Reg_7	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	7076.1	6920.4	7231.8	4.7	2.5	57.9	564.8	6450.9	6383	681.4	11.7
Reg_7	all_deer	R	Deer_B	14377	.	.	.	.	.	.	.	.	.	2410.9	2341.5	2480.3	16.8	0	82.7	2297.9	30.2	30.2	2380.6	0
Reg_7	all_deer	R	SRAMDB	100	.	.	.	.	.	.	.	.	.	71.5	67.6	75.3	71.5	0	0	71.5	0	0	71.5	0
Reg_7	all_deer	R	SRAWTB	22486	.	.	.	.	.	.	.	.	.	1586.6	1527	1646.3	7.1	0	83.5	1472.7	30.4	30.4	1556.2	0
Reg_7	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	71.9	55.4	88.3	.	0	0	67.8	4.1	4.1	67.8	0
Reg_7	all_deer	R	SUM	187540	12455.9	12250.1	12661.7	60751.8	59298.9	62204.7	4.9	4.8	5	11216.9	11035.5	11398.3	6	2.5	224.2	4474.7	6515.6	6447.7	4757.5	11.7
Reg_7	all_deer	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	11705.7	11506.7	11904.8	6.7	2.5	57.9	661	10984.4	10914.2	779.8	11.7
Reg_7	all_deer	SUM	Deer_B	17904	.	.	.	.	.	.	.	.	.	3507.5	3425.6	3589.3	19.6	0	122.3	3346.3	39	39	3468.5	0
Reg_7	all_deer	SUM	SRAMDB	100	.	.	.	.	.	.	.	.	.	71.5	67.6	75.3	71.5	0	0	71.5	0	0	71.5	0
Reg_7	all_deer	SUM	SRAWTB	24829	.	.	.	.	.	.	.	.	.	2461	2386.1	2535.8	9.9	0	148.5	2256	56.4	53.6	2407.3	0
Reg_7	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	106.1	85.7	126.5	.	0	7.8	90.4	7.8	7.8	98.3	0
Reg_7	all_deer	SUM	SUM	217624	19812.2	19555.5	20068.9	96488.6	94787.9	98189.3	4.9	4.8	5	17851.7	17622.9	18080.5	8.2	2.5	336.5	6425.2	11087.6	11014.7	6825.4	11.7
Reg_7	md	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	3993.2	3876.2	4110.3	16.5	0	0	72.9	3920.4	3920.4	72.9	0
Reg_7	md	N	Deer_B	2323	.	.	.	.	.	.	.	.	.	1058.2	1014.8	1101.5	45.6	0	39.6	1010.9	7.7	7.7	1050.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_7	md	N	SRAWTB	2343	.	.	.	.	.	.	.	.	.	76.4	57.4	95.5	3.3	0	0	53.2	23.2	23.2	53.2	0
Reg_7	md	N	none	.	.	.	.	.	.	.	.	.	.	22.6	12.9	32.4	.	0	0	18.9	3.8	3.8	18.9	0
Reg_7	md	N	SUM	28880	.	.	.	.	.	.	.	.	.	5150.5	5023.9	5277.1	17.8	0	39.6	1155.8	3955.1	3955.1	1195.4	0
Reg_7	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	5311.2	5175.4	5447	3.5	0	33.4	382.7	4895.1	4843.7	458.2	9.2
Reg_7	md	R	Deer_B	12045	.	.	.	.	.	.	.	.	.	2371.4	2302.2	2440.6	19.7	0	77.5	2272.1	21.8	21.8	2349.6	0
Reg_7	md	R	SRAMDB	100	.	.	.	.	.	.	.	.	.	70	66.1	73.9	70	0	0	70	0	0	70	0
Reg_7	md	R	SRAWTB	14876	.	.	.	.	.	.	.	.	.	85.7	68.7	102.7	0.6	0	0	64.7	21	21	64.7	0
Reg_7	md	R	none	.	.	.	.	.	.	.	.	.	.	46.7	33.4	60	.	0	0	42.6	4.1	4.1	42.6	0
Reg_7	md	R	SUM	177598	.	.	.	.	.	.	.	.	.	7885	7731	8038.9	4.4	0	110.9	2832.1	4941.9	4890.6	2985.2	9.2
Reg_7	md	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	9304.5	9125.2	9483.7	5.3	0	33.4	455.6	8815.4	8764.1	531.1	9.2
Reg_7	md	SUM	Deer_B	14368	.	.	.	.	.	.	.	.	.	3429.6	3347.9	3511.2	23.9	0	117.1	3282.9	29.5	29.5	3400	0
Reg_7	md	SUM	SRAMDB	100	.	.	.	.	.	.	.	.	.	70	66.1	73.9	70	0	0	70	0	0	70	0
Reg_7	md	SUM	SRAWTB	17219	.	.	.	.	.	.	.	.	.	162.1	136.6	187.6	0.9	0	0	117.9	44.2	44.2	117.9	0
Reg_7	md	SUM	none	.	.	.	.	.	.	.	.	.	.	69.3	52.8	85.8	.	0	0	61.5	7.8	7.8	61.5	0
Reg_7	md	SUM	SUM	206478	.	.	.	.	.	.	.	.	.	13035.4	12836.1	13234.8	6.3	0	150.5	3988	8897	8845.6	4180.6	9.2
Reg_7	wt	N	Deer_A	24214	.	.	.	.	.	.	.	.	.	632.7	583.3	682.1	2.6	0	0	23.3	609.4	607.1	25.6	0
Reg_7	wt	N	Deer_B	2714	.	.	.	.	.	.	.	.	.	35.7	24.5	46.8	1.3	0	0	34.7	1	1	34.7	0
Reg_7	wt	N	SRAWTB	2343	.	.	.	.	.	.	.	.	.	795.8	751.1	840.4	34	0	64.9	728	2.8	0	795.8	0
Reg_7	wt	N	none	.	.	.	.	.	.	.	.	.	.	11.6	4.5	18.7	.	0	7.8	3.8	0	0	11.6	0
Reg_7	wt	N	SUM	29271	.	.	.	.	.	.	.	.	.	1475.7	1407.8	1543.6	5	0	72.7	789.8	613.2	608.1	867.6	0
Reg_7	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1747.1	1668.7	1825.5	1.2	0	24.5	178	1544.6	1532.1	215	0
Reg_7	wt	R	Deer_B	9317	.	.	.	.	.	.	.	.	.	36.4	25.9	46.9	0.4	0	2.1	25.8	8.4	8.4	28	0
Reg_7	wt	R	SRAMDB	100	.	.	.	.	.	.	.	.	.	1.5	1	2.5	1.5	0	0	1.5	0	0	1.5	0
Reg_7	wt	R	SRAWTB	22486	.	.	.	.	.	.	.	.	.	1493.1	1434.8	1551.3	6.6	0	83.5	1400.1	9.5	9.5	1483.6	0
Reg_7	wt	R	none	.	.	.	.	.	.	.	.	.	.	25.2	15.5	34.9	.	0	0	25.2	0	0	25.2	0
Reg_7	wt	R	SUM	182480	.	.	.	.	.	.	.	.	.	3303.1	3204.4	3401.9	1.8	0	110.2	1630.5	1562.4	1549.9	1753.2	0
Reg_7	wt	SUM	Deer_A	174791	.	.	.	.	.	.	.	.	.	2379.8	2287.1	2472.4	1.4	0	24.5	201.3	2154	2139.2	240.6	0
Reg_7	wt	SUM	Deer_B	12031	.	.	.	.	.	.	.	.	.	72.1	56.8	87.3	0.6	0	2.1	60.5	9.4	9.4	62.6	0
Reg_7	wt	SUM	SRAMDB	100	.	.	.	.	.	.	.	.	.	1.5	1	2.5	1.5	0	0	1.5	0	0	1.5	0
Reg_7	wt	SUM	SRAWTB	24829	.	.	.	.	.	.	.	.	.	2288.8	2215.4	2362.2	9.2	0	148.5	2128.1	12.3	9.5	2279.4	0
Reg_7	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	36.8	24.8	48.8	.	0	7.8	28.9	0	0	36.8	0
Reg_7	wt	SUM	SUM	211751	.	.	.	.	.	.	.	.	.	4778.9	4659	4898.7	2.3	0	182.9	2420.3	2175.7	2158.1	2620.8	0
Reg_X	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	61.2	45.2	77.1	0.3	0	0	0	61.2	61.2	0	0
Reg_X	all_deer	N	Deer_B	27	.	.	.	.	.	.	.	.	.	1.6	1	2.7	5.9	0	1.6	0	0	0	1.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
Reg_X	all_deer	N	SRAWTB	777	.	.	.	.	.	.	.	.	.	8.1	2.1	14.2	1	0	0	8.1	0	0	8.1	0
Reg_X	all_deer	N	SUM	25017	104.9	84.1	125.7	485.3	384.4	586.2	4.6	4.3	4.9	70.9	53.8	88	0.3	0	1.6	8.1	61.2	61.2	9.7	0
Reg_X	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	66.2	51.3	81	0	0	0	11.2	54.9	53.3	11.2	1.6
Reg_X	all_deer	R	Deer_B	11972	.	.	.	.	.	.	.	.	.	18.9	13.2	24.6	0.2	0	0	18.9	0	0	18.9	0
Reg_X	all_deer	R	SRAWTB	7610	.	.	.	.	.	.	.	.	.	5	2	8.7	0.1	0	0	5	0	0	5	0
Reg_X	all_deer	R	SUM	170159	104.1	83.6	124.6	499.9	379	620.8	4.8	4	5.6	90.1	73.8	106.4	0.1	0	0	35.2	54.9	53.3	35.2	1.6
Reg_X	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	127.3	105.5	149.1	0.1	0	0	11.2	116.1	114.5	11.2	1.6
Reg_X	all_deer	SUM	Deer_B	11999	.	.	.	.	.	.	.	.	.	20.5	14.7	26.3	0.2	0	1.6	18.9	0	0	20.5	0
Reg_X	all_deer	SUM	SRAWTB	8387	.	.	.	.	.	.	.	.	.	13.2	6.1	20.2	0.2	0	0	13.2	0	0	13.2	0
Reg_X	all_deer	SUM	SUM	195176	209	179.9	238.1	985.2	827.8	1142.6	4.7	4.3	5.1	161	137.3	184.6	0.1	0	1.6	43.3	116.1	114.5	44.9	1.6
Reg_X	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	41	27.8	54.1	0.2	0	0	0	41	41	0	0
Reg_X	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	41	27.8	54.1	0.2	0	0	0	41	41	0	0
Reg_X	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	38.1	26.9	49.3	0	0	0	5.5	32.6	31	5.5	1.6
Reg_X	md	R	Deer_B	11042	.	.	.	.	.	.	.	.	.	12.3	7.3	17.3	0.1	0	0	12.3	0	0	12.3	0
Reg_X	md	R	SUM	161619	.	.	.	.	.	.	.	.	.	50.4	38.1	62.7	0	0	0	17.8	32.6	31	17.8	1.6
Reg_X	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	79.1	61.8	96.4	0	0	0	5.5	73.6	72	5.5	1.6
Reg_X	md	SUM	Deer_B	11042	.	.	.	.	.	.	.	.	.	12.3	7.3	17.3	0.1	0	0	12.3	0	0	12.3	0
Reg_X	md	SUM	SUM	185832	.	.	.	.	.	.	.	.	.	91.4	73.4	109.4	0	0	0	17.8	73.6	72	17.8	1.6
Reg_X	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	20.2	11.2	29.2	0.1	0	0	0	20.2	20.2	0	0
Reg_X	wt	N	Deer_B	27	.	.	.	.	.	.	.	.	.	1.6	1	2.7	5.9	0	1.6	0	0	0	1.6	0
Reg_X	wt	N	SRAWTB	777	.	.	.	.	.	.	.	.	.	8.1	2.1	14.2	1	0	0	8.1	0	0	8.1	0
Reg_X	wt	N	SUM	25017	.	.	.	.	.	.	.	.	.	29.9	19	40.8	0.1	0	1.6	8.1	20.2	20.2	9.7	0
Reg_X	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	26.7	17.1	36.3	0	0	0	4.4	22.3	22.3	4.4	0
Reg_X	wt	R	Deer_B	651	.	.	.	.	.	.	.	.	.	3.6	2	5.7	0.6	0	0	3.6	0	0	3.6	0
Reg_X	wt	R	SRAWTB	7610	.	.	.	.	.	.	.	.	.	5	2	8.7	0.1	0	0	5	0	0	5	0
Reg_X	wt	R	SUM	158838	.	.	.	.	.	.	.	.	.	35.3	24.8	45.8	0	0	0	13	22.3	22.3	13	0
Reg_X	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	46.9	33.7	60.1	0	0	0	4.4	42.5	42.5	4.4	0
Reg_X	wt	SUM	Deer_B	678	.	.	.	.	.	.	.	.	.	5.1	3	7.6	0.8	0	1.6	3.6	0	0	5.1	0
Reg_X	wt	SUM	SRAWTB	8387	.	.	.	.	.	.	.	.	.	13.2	6.1	20.2	0.2	0	0	13.2	0	0	13.2	0
Reg_X	wt	SUM	SUM	183855	.	.	.	.	.	.	.	.	.	65.2	50	80.4	0	0	1.6	21.1	42.5	42.5	22.7	0
100	all_deer	N	100-00	16	.	.	.	.	.	.	.	.	.	11.5	10.6	12.4	71.9	0	0	10.3	1.2	0	11.5	0
100	all_deer	N	101-00	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
100	all_deer	N	102-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
100	all_deer	N	104-00	4	.	.	.	.	.	.	.	.	.	2	1	3.8	50	0	0	2	0	0	2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
100	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
100	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	142.6	118.6	166.6	0.6	0	3.7	14.9	123.9	123.9	18.6	0
100	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
100	all_deer	N	SUM	24335	260.4	228.5	292.3	2022.5	1729.5	2315.5	7.8	7.2	8.4	156.1	132	180.2	0.6	0	3.7	27.2	125.1	123.9	32.2	0
100	all_deer	R	100-00	184	.	.	.	.	.	.	.	.	.	100.4	94	106.8	54.6	0	3.1	95.8	1.6	0	100.4	0
100	all_deer	R	101-00	385	.	.	.	.	.	.	.	.	.	6.7	5	8.6	1.7	0	0	6.7	0	0	6.7	0
100	all_deer	R	102-00	394	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	1.5	0	0	1.5	0
100	all_deer	R	104-00	196	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
100	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	2.4	1	4.8	0.1	0	0	0	2.4	2.4	0	0
100	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1348.5	1275.1	1421.8	0.9	4.1	4.1	272.6	1067.8	1057.2	287.2	4.1
100	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
100	all_deer	R	SUM	155765	2917.6	2809.9	3025.3	21817.5	20743.9	22891.1	7.5	7.3	7.7	1463.5	1389.7	1537.4	0.9	4.1	7.2	376.5	1075.8	1063.7	395.8	4.1
100	all_deer	SUM	100-00	200	.	.	.	.	.	.	.	.	.	111.9	105.4	118.4	56	0	3.1	106.1	2.7	0	111.9	0
100	all_deer	SUM	101-00	400	.	.	.	.	.	.	.	.	.	6.7	5	8.6	1.7	0	0	6.7	0	0	6.7	0
100	all_deer	SUM	102-00	400	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	1.5	0	0	1.5	0
100	all_deer	SUM	104-00	200	.	.	.	.	.	.	.	.	.	2	1	3.8	1	0	0	2	0	0	2	0
100	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	2.4	1	4.8	0.1	0	0	0	2.4	2.4	0	0
100	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1491	1413.8	1568.2	0.9	4.1	7.8	287.5	1191.7	1181.1	305.8	4.1
100	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
100	all_deer	SUM	SUM	180100	3178	3065.7	3290.3	23840	22727.2	24952.8	7.5	7.3	7.7	1619.6	1541.9	1697.3	0.9	4.1	10.9	403.8	1200.9	1187.6	427.9	4.1
100	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	21	12	30.1	0.1	0	0	0	21	21	0	0
100	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
100	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	21	12	30.1	0.1	0	0	0	21	21	0	0
100	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	237.1	206.6	267.7	0.2	0	0	5.8	231.3	231.3	5.8	0
100	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
100	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	237.1	206.6	267.7	0.2	0	0	5.8	231.3	231.3	5.8	0
100	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	258.2	226.3	290	0.1	0	0	5.8	252.3	252.3	5.8	0
100	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
100	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	258.2	226.3	290	0.1	0	0	5.8	252.3	252.3	5.8	0
100	wt	N	100-00	16	.	.	.	.	.	.	.	.	.	11.5	10.6	12.4	71.9	0	0	10.3	1.2	0	11.5	0
100	wt	N	101-00	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
100	wt	N	102-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
100	wt	N	104-00	4	.	.	.	.	.	.	.	.	.	2	1	3.8	50	0	0	2	0	0	2	0
100	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
100	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	121.5	99.3	143.8	0.5	0	3.7	14.9	102.9	102.9	18.6	0
100	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
100	wt	N	SUM	24335	.	.	.	.	.	.	.	.	.	135	112.7	157.4	0.6	0	3.7	27.2	104.1	102.9	32.2	0
100	wt	R	100-00	184	.	.	.	.	.	.	.	.	.	100.4	94	106.8	54.6	0	3.1	95.8	1.6	0	100.4	0
100	wt	R	101-00	385	.	.	.	.	.	.	.	.	.	6.7	5	8.6	1.7	0	0	6.7	0	0	6.7	0
100	wt	R	102-00	394	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	1.5	0	0	1.5	0
100	wt	R	104-00	196	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
100	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	2.4	1	4.8	0.1	0	0	0	2.4	2.4	0	0
100	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1107.3	1040.6	1174	0.7	0	4.1	266.7	836.5	825.9	281.4	0
100	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
100	wt	R	SUM	155765	.	.	.	.	.	.	.	.	.	1222.4	1155.2	1289.6	0.8	0	7.2	370.7	844.5	832.4	390	0
100	wt	SUM	100-00	200	.	.	.	.	.	.	.	.	.	111.9	105.4	118.4	56	0	3.1	106.1	2.7	0	111.9	0
100	wt	SUM	101-00	400	.	.	.	.	.	.	.	.	.	6.7	5	8.6	1.7	0	0	6.7	0	0	6.7	0
100	wt	SUM	102-00	400	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	1.5	0	0	1.5	0
100	wt	SUM	104-00	200	.	.	.	.	.	.	.	.	.	2	1	3.8	1	0	0	2	0	0	2	0
100	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	2.4	1	4.8	0.1	0	0	0	2.4	2.4	0	0
100	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1228.8	1158.5	1299.1	0.7	0	7.8	281.6	939.4	928.8	300	0
100	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
100	wt	SUM	SUM	180100	.	.	.	.	.	.	.	.	.	1357.4	1286.6	1428.2	0.8	0	10.9	397.9	948.6	935.3	422.1	0
101	all_deer	N	100-00	16	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	101-00	15	.	.	.	.	.	.	.	.	.	9.2	8.2	10.2	61.3	0	0	8.1	1.2	1.2	8.1	0
101	all_deer	N	102-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	103-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	109-00	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	41	27.8	54.1	0.2	0	0	3.7	37.3	37.3	3.7	0
101	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
101	all_deer	N	SUM	24361	100.5	81.1	119.9	711.5	541.3	881.7	7.1	6.2	8	50.2	37	63.4	0.2	0	0	11.8	38.4	38.4	11.8	0
101	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	0	2.3	2.3	0	0
101	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	3.7	1	7.5	0.1	0	0	0	3.7	3.7	0	0
101	all_deer	R	100-00	184	.	.	.	.	.	.	.	.	.	4.7	3	6.7	2.6	0	0	4.7	0	0	4.7	0
101	all_deer	R	101-00	385	.	.	.	.	.	.	.	.	.	202.8	195.3	210.3	52.7	0	2.7	197.3	2.7	2.7	200.1	0
101	all_deer	R	102-00	394	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	0	1.5	1.5	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
101	all_deer	R	103-00	197	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	1.4	0	0	1.4	0
101	all_deer	R	109-00	142	.	.	.	.	.	.	.	.	.	6.1	4	8.2	4.3	0	0	4.5	1.5	1.5	4.5	0
101	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	3.6	0	0	3.6	0
101	all_deer	R	401-00	358	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.4	0	0	0	1.6	1.6	0	0
101	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1336.3	1265.1	1407.4	0.9	0	33.4	293.9	1009	993.6	337	5.7
101	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	6.2	2	10.9	.	0	0	4.1	2.1	2.1	4.1	0
101	all_deer	R	SUM	164374	2895.1	2790	3000.2	21156.7	20066.5	22246.9	7.3	7	7.6	1570.1	1498	1642.1	1	0	36.1	509.5	1024.4	1009	555.4	5.7
101	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	0	2.3	2.3	0	0
101	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	3.7	1	7.5	0.1	0	0	0	3.7	3.7	0	0
101	all_deer	SUM	100-00	200	.	.	.	.	.	.	.	.	.	4.7	3	6.7	2.4	0	0	4.7	0	0	4.7	0
101	all_deer	SUM	101-00	400	.	.	.	.	.	.	.	.	.	212	204.5	219.6	53	0	2.7	205.4	3.9	3.9	208.1	0
101	all_deer	SUM	102-00	400	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	0	1.5	1.5	0	0
101	all_deer	SUM	103-00	200	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	1.4	0	0	1.4	0
101	all_deer	SUM	109-00	150	.	.	.	.	.	.	.	.	.	6.1	4	8.2	4.1	0	0	4.5	1.5	1.5	4.5	0
101	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	3.6	0	0	3.6	0
101	all_deer	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.4	0	0	0	1.6	1.6	0	0
101	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1377.2	1304.9	1449.6	0.8	0	33.4	297.6	1046.3	1030.8	340.7	5.7
101	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	6.2	2	10.9	.	0	0	4.1	2.1	2.1	4.1	0
101	all_deer	SUM	SUM	188735	2995.7	2888.9	3102.5	21868.2	20764.8	22971.6	7.3	7	7.6	1620.3	1547	1693.5	0.9	0	36.1	521.3	1062.8	1047.4	567.2	5.7
101	md	N	101-00	15	.	.	.	.	.	.	.	.	.	1.2	1	1.7	8	0	0	0	1.2	1.2	0	0
101	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
101	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
101	md	N	SUM	24228	.	.	.	.	.	.	.	.	.	8.6	3	14.3	0	0	0	0	8.6	8.6	0	0
101	md	R	101-00	385	.	.	.	.	.	.	.	.	.	4.1	3	5.6	1.1	0	1.4	2.7	0	0	4.1	0
101	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	190.6	163.6	217.6	0.1	0	0	5.7	184.9	184.9	5.7	0
101	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
101	md	R	SUM	150962	.	.	.	.	.	.	.	.	.	194.7	167.6	221.7	0.1	0	1.4	8.4	184.9	184.9	9.8	0
101	md	SUM	101-00	400	.	.	.	.	.	.	.	.	.	5.3	4	6.9	1.3	0	1.4	2.7	1.2	1.2	4.1	0
101	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	198	170.5	225.6	0.1	0	0	5.7	192.3	192.3	5.7	0
101	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
101	md	SUM	SUM	175190	.	.	.	.	.	.	.	.	.	203.3	175.7	230.9	0.1	0	1.4	8.4	193.5	193.5	9.8	0
101	wt	N	100-00	16	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	wt	N	101-00	15	.	.	.	.	.	.	.	.	.	8.1	7.1	9.1	54	0	0	8.1	0	0	8.1	0
101	wt	N	102-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
101	wt	N	103-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	wt	N	109-00	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	wt	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	wt	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
101	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	33.5	21.6	45.4	0.1	0	0	3.7	29.8	29.8	3.7	0
101	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
101	wt	N	SUM	24361	.	.	.	.	.	.	.	.	.	41.6	29.6	53.5	0.2	0	0	11.8	29.8	29.8	11.8	0
101	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	0	2.3	2.3	0	0
101	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	3.7	1	7.5	0.1	0	0	0	3.7	3.7	0	0
101	wt	R	100-00	184	.	.	.	.	.	.	.	.	.	4.7	3	6.7	2.6	0	0	4.7	0	0	4.7	0
101	wt	R	101-00	385	.	.	.	.	.	.	.	.	.	198.7	191.2	206.2	51.6	0	1.4	194.6	2.7	2.7	196	0
101	wt	R	102-00	394	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	0	1.5	1.5	0	0
101	wt	R	103-00	197	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	1.4	0	0	1.4	0
101	wt	R	109-00	142	.	.	.	.	.	.	.	.	.	6.1	4	8.2	4.3	0	0	4.5	1.5	1.5	4.5	0
101	wt	R	170-10	1946	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	3.6	0	0	3.6	0
101	wt	R	401-00	358	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.4	0	0	0	1.6	1.6	0	0
101	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1141.6	1075.9	1207.4	0.8	0	33.4	288.2	820.1	804.6	331.3	5.7
101	wt	R	none	.	.	.	.	.	.	.	.	.	.	6.2	2	10.9	.	0	0	4.1	2.1	2.1	4.1	0
101	wt	R	SUM	164374	.	.	.	.	.	.	.	.	.	1371.3	1304.6	1438	0.8	0	34.8	501.1	835.5	820.1	545.6	5.7
101	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	0	2.3	2.3	0	0
101	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	3.7	1	7.5	0.1	0	0	0	3.7	3.7	0	0
101	wt	SUM	100-00	200	.	.	.	.	.	.	.	.	.	4.7	3	6.7	2.4	0	0	4.7	0	0	4.7	0
101	wt	SUM	101-00	400	.	.	.	.	.	.	.	.	.	206.7	199.2	214.3	51.7	0	1.4	202.6	2.7	2.7	204	0
101	wt	SUM	102-00	400	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	0	1.5	1.5	0	0
101	wt	SUM	103-00	200	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	1.4	0	0	1.4	0
101	wt	SUM	109-00	150	.	.	.	.	.	.	.	.	.	6.1	4	8.2	4.1	0	0	4.5	1.5	1.5	4.5	0
101	wt	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	3.6	0	0	3.6	0
101	wt	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.4	0	0	0	1.6	1.6	0	0
101	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1175.2	1108.3	1242	0.7	0	33.4	291.9	849.9	834.4	335	5.7
101	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	6.2	2	10.9	.	0	0	4.1	2.1	2.1	4.1	0
101	wt	SUM	SUM	188735	.	.	.	.	.	.	.	.	.	1412.9	1345.1	1480.7	0.7	0	34.8	512.9	865.3	849.9	557.4	5.7
102	all_deer	N	101-00	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
102	all_deer	N	102-00	6	.	.	.	.	.	.	.	.	.	4.6	3.5	5.8	76.7	0	0	4.6	0	0	4.6	0
102	all_deer	N	104-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
102	all_deer	N	132-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
102	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	1.3	1	2.4	2.2	0	0	1.3	0	0	1.3	0
102	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	25.2	15.3	35.2	0.1	0	0	0	25.2	25.2	0	0
102	all_deer	N	SUM	24300	81.5	63.9	99.1	518.6	389.8	647.4	6.4	5.6	7.2	31.2	21.1	41.3	0.1	0	0	5.9	25.2	25.2	5.9	0
102	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	1.9	1	3.9	0	0	0	1.9	0	0	1.9	0
102	all_deer	R	101-00	385	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
102	all_deer	R	102-00	394	.	.	.	.	.	.	.	.	.	141.1	132.5	149.8	35.8	0	1.5	138	1.5	1.5	139.6	0
102	all_deer	R	104-00	196	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	1.5	0	0	1.5	0
102	all_deer	R	132-00	296	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
102	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	106.3	88.2	124.4	5.5	0	0	106.3	0	0	106.3	0
102	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1314.2	1242.8	1385.6	0.9	0	8.1	329.7	976.4	965.1	347.6	1.5
102	all_deer	R	SUM	161404	3549.8	3433.4	3666.2	19531.1	18590.4	20471.8	5.5	5.3	5.7	1567.9	1493.7	1642.1	1	0	9.6	580.3	977.9	966.6	599.8	1.5
102	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	1.9	1	3.9	0	0	0	1.9	0	0	1.9	0
102	all_deer	SUM	101-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
102	all_deer	SUM	102-00	400	.	.	.	.	.	.	.	.	.	145.8	137	154.5	36.5	0	1.5	142.7	1.5	1.5	144.2	0
102	all_deer	SUM	104-00	200	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	1.5	0	0	1.5	0
102	all_deer	SUM	132-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
102	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	107.6	89.4	125.8	5.4	0	0	107.6	0	0	107.6	0
102	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1339.4	1267.3	1411.5	0.8	0	8.1	329.7	1001.6	990.3	347.6	1.5
102	all_deer	SUM	SUM	185704	3631.3	3513.7	3748.9	20049.7	19100.3	20999.1	5.5	5.3	5.7	1599.1	1524.2	1674	0.9	0	9.6	586.3	1003.2	991.9	605.8	1.5
102	md	N	102-00	6	.	.	.	.	.	.	.	.	.	1.5	1	2.6	25	0	0	1.5	0	0	1.5	0
102	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
102	md	N	SUM	24219	.	.	.	.	.	.	.	.	.	8.9	3.2	14.6	0	0	0	1.5	7.5	7.5	1.5	0
102	md	R	102-00	394	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	1.5	0	0	1.5	0
102	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	126.6	103.9	149.4	0.1	0	0	7.1	119.5	119.5	7.1	0
102	md	R	SUM	150971	.	.	.	.	.	.	.	.	.	128.2	105.4	151	0.1	0	0	8.7	119.5	119.5	8.7	0
102	md	SUM	102-00	400	.	.	.	.	.	.	.	.	.	3	2	4.6	0.8	0	0	3	0	0	3	0
102	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	134.1	110.6	157.5	0.1	0	0	7.1	126.9	126.9	7.1	0
102	md	SUM	SUM	175190	.	.	.	.	.	.	.	.	.	137.1	113.6	160.6	0.1	0	0	10.1	126.9	126.9	10.1	0
102	wt	N	101-00	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
102	wt	N	102-00	6	.	.	.	.	.	.	.	.	.	3.2	2	4.5	53.3	0	0	3.2	0	0	3.2	0
102	wt	N	104-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
102	wt	N	132-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
102	wt	N	170-10	58	.	.	.	.	.	.	.	.	.	1.3	1	2.4	2.2	0	0	1.3	0	0	1.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
102	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	17.8	9.6	26	0.1	0	0	0	17.8	17.8	0	0
102	wt	N	SUM	24300	.	.	.	.	.	.	.	.	.	22.2	13.8	30.7	0.1	0	0	4.5	17.8	17.8	4.5	0
102	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	1.9	1	3.9	0	0	0	1.9	0	0	1.9	0
102	wt	R	101-00	385	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
102	wt	R	102-00	394	.	.	.	.	.	.	.	.	.	138.2	129.6	146.8	35.1	0	1.5	135.1	1.5	1.5	136.6	0
102	wt	R	104-00	196	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	1.5	0	0	1.5	0
102	wt	R	132-00	296	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
102	wt	R	170-10	1946	.	.	.	.	.	.	.	.	.	106.3	88.2	124.4	5.5	0	0	106.3	0	0	106.3	0
102	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1187.6	1119.8	1255.3	0.8	0	8.1	322.5	856.9	845.6	340.5	1.5
102	wt	R	SUM	161404	.	.	.	.	.	.	.	.	.	1438.4	1367.7	1509	0.9	0	9.6	570.3	858.4	847.1	589.7	1.5
102	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	1.9	1	3.9	0	0	0	1.9	0	0	1.9	0
102	wt	SUM	101-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
102	wt	SUM	102-00	400	.	.	.	.	.	.	.	.	.	141.4	132.6	150.1	35.4	0	1.5	138.3	1.5	1.5	139.8	0
102	wt	SUM	104-00	200	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	1.5	0	0	1.5	0
102	wt	SUM	132-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
102	wt	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	107.6	89.4	125.8	5.4	0	0	107.6	0	0	107.6	0
102	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1205.4	1137.1	1273.6	0.7	0	8.1	322.5	874.7	863.4	340.5	1.5
102	wt	SUM	SUM	185704	.	.	.	.	.	.	.	.	.	1460.6	1389.4	1531.8	0.8	0	9.6	574.7	876.2	864.9	594.2	1.5
103	all_deer	N	102-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
103	all_deer	N	103-00	3	.	.	.	.	.	.	.	.	.	3	3	3	100	0	0	3	0	0	3	0
103	all_deer	N	103-60	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
103	all_deer	N	104-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
103	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	2.1	1	3.9	3.6	0	0	0	2.1	2.1	0	0
103	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	27.3	16.8	37.9	0.1	0	0	0	27.3	23.6	3.7	0
103	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
103	all_deer	N	SUM	24290	84.4	66.3	102.5	669.5	505.7	833.3	7.9	7	8.8	32.4	21.7	43.2	0.1	0	0	3	29.4	25.7	6.7	0
103	all_deer	R	102-00	394	.	.	.	.	.	.	.	.	.	3.1	2	4.7	0.8	0	0	1.5	1.5	1.5	1.5	0
103	all_deer	R	103-00	197	.	.	.	.	.	.	.	.	.	107	101.3	112.6	54.3	0	0	107	0	0	107	0
103	all_deer	R	103-60	63	.	.	.	.	.	.	.	.	.	10.7	7.8	13.6	17	0	0	10.7	0	0	10.7	0
103	all_deer	R	104-00	196	.	.	.	.	.	.	.	.	.	4.9	3	6.9	2.5	0	0	1.5	3.3	3.3	1.5	0
103	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
103	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1385.4	1311.3	1459.5	0.9	0	12.2	268.1	1105.2	1078.2	307.2	0
103	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	5.4	3	8.7	.	0	0	3.7	1.7	1.7	3.7	0
103	all_deer	R	SUM	153373	3616.8	3497.6	3736	24634.7	23531.7	25737.7	6.8	6.6	7	1516.5	1442	1591	1	0	12.2	392.6	1111.8	1084.7	431.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
103	all_deer	SUM	102-00	400	.	.	.	.	.	.	.	.	.	3.1	2	4.7	0.8	0	0	1.5	1.5	1.5	1.5	0
103	all_deer	SUM	103-00	200	.	.	.	.	.	.	.	.	.	110	104.3	115.6	55	0	0	110	0	0	110	0
103	all_deer	SUM	103-60	69	.	.	.	.	.	.	.	.	.	10.7	7.8	13.6	15.5	0	0	10.7	0	0	10.7	0
103	all_deer	SUM	104-00	200	.	.	.	.	.	.	.	.	.	4.9	3	6.9	2.5	0	0	1.5	3.3	3.3	1.5	0
103	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	2.1	1	3.9	0.1	0	0	0	2.1	2.1	0	0
103	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1412.8	1337.9	1487.6	0.8	0	12.2	268.1	1132.6	1101.8	311	0
103	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	5.4	3	8.7	.	0	0	3.7	1.7	1.7	3.7	0
103	all_deer	SUM	SUM	177663	3701.2	3580.6	3821.8	25304.1	24188.9	26419.3	6.8	6.6	7	1548.9	1473.7	1624.2	0.9	0	12.2	395.6	1141.2	1110.4	438.5	0
103	md	N	103-00	3	.	.	.	.	.	.	.	.	.	1.5	1	2.6	50	0	0	1.5	0	0	1.5	0
103	md	N	103-60	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
103	md	N	170-10	58	.	.	.	.	.	.	.	.	.	2.1	1	3.9	3.6	0	0	0	2.1	2.1	0	0
103	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
103	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
103	md	N	SUM	24280	.	.	.	.	.	.	.	.	.	18.5	10.2	26.7	0.1	0	0	1.5	17	17	1.5	0
103	md	R	103-00	197	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.6	0	0	1.2	0	0	1.2	0
103	md	R	103-60	63	.	.	.	.	.	.	.	.	.	10.7	7.8	13.6	17	0	0	10.7	0	0	10.7	0
103	md	R	170-10	1946	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
103	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	289.3	254.9	323.6	0.2	0	0	0	289.3	287.5	1.8	0
103	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
103	md	R	SUM	152783	.	.	.	.	.	.	.	.	.	301.2	266.8	335.7	0.2	0	0	12	289.3	287.5	13.7	0
103	md	SUM	103-00	200	.	.	.	.	.	.	.	.	.	2.7	2	4.1	1.4	0	0	2.7	0	0	2.7	0
103	md	SUM	103-60	69	.	.	.	.	.	.	.	.	.	10.7	7.8	13.6	15.5	0	0	10.7	0	0	10.7	0
103	md	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	2.1	1	3.9	0.1	0	0	0	2.1	2.1	0	0
103	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	304.2	268.9	339.4	0.2	0	0	0	304.2	302.4	1.8	0
103	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
103	md	SUM	SUM	177063	.	.	.	.	.	.	.	.	.	319.7	284.3	355.1	0.2	0	0	13.5	306.2	304.5	15.2	0
103	wt	N	102-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
103	wt	N	103-00	3	.	.	.	.	.	.	.	.	.	1.5	1	2.6	50	0	0	1.5	0	0	1.5	0
103	wt	N	104-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
103	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	12.4	5.4	19.4	0.1	0	0	0	12.4	8.7	3.7	0
103	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
103	wt	N	SUM	24226	.	.	.	.	.	.	.	.	.	13.9	6.8	21	0.1	0	0	1.5	12.4	8.7	5.2	0
103	wt	R	102-00	394	.	.	.	.	.	.	.	.	.	3.1	2	4.7	0.8	0	0	1.5	1.5	1.5	1.5	0
103	wt	R	103-00	197	.	.	.	.	.	.	.	.	.	105.8	100.1	111.4	53.7	0	0	105.8	0	0	105.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
103	wt	R	104-00	196	.	.	.	.	.	.	.	.	.	4.9	3	6.9	2.5	0	0	1.5	3.3	3.3	1.5	0
103	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1094.5	1028.7	1160.2	0.7	0	12.2	268.1	814.2	789	305.5	0
103	wt	R	none	.	.	.	.	.	.	.	.	.	.	5.4	3	8.7	.	0	0	3.7	1.7	1.7	3.7	0
103	wt	R	SUM	151364	.	.	.	.	.	.	.	.	.	1213.5	1147.4	1279.7	0.8	0	12.2	380.6	820.8	795.5	418	0
103	wt	SUM	102-00	400	.	.	.	.	.	.	.	.	.	3.1	2	4.7	0.8	0	0	1.5	1.5	1.5	1.5	0
103	wt	SUM	103-00	200	.	.	.	.	.	.	.	.	.	107.3	101.5	113	53.6	0	0	107.3	0	0	107.3	0
103	wt	SUM	104-00	200	.	.	.	.	.	.	.	.	.	4.9	3	6.9	2.5	0	0	1.5	3.3	3.3	1.5	0
103	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1106.9	1040.8	1173	0.6	0	12.2	268.1	826.7	797.7	309.2	0
103	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	5.4	3	8.7	.	0	0	3.7	1.7	1.7	3.7	0
103	wt	SUM	SUM	175590	.	.	.	.	.	.	.	.	.	1227.5	1161	1294	0.7	0	12.2	382.1	833.2	804.2	423.2	0
104	all_deer	N	103-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
104	all_deer	N	104-00	4	.	.	.	.	.	.	.	.	.	2	1	3.8	50	0	0	2	0	0	2	0
104	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	44.7	31	58.4	0.2	0	0	7.5	37.3	37.3	7.5	0
104	all_deer	N	SUM	24220	113.5	92	135	709.9	563.5	856.3	6.3	5.8	6.8	46.7	32.8	60.6	0.2	0	0	9.5	37.3	37.3	9.5	0
104	all_deer	R	103-00	197	.	.	.	.	.	.	.	.	.	2.9	2	4.2	1.5	0	0	2.9	0	0	2.9	0
104	all_deer	R	104-00	196	.	.	.	.	.	.	.	.	.	86.8	80.3	93.2	44.3	0	1.5	85.2	0	0	86.8	0
104	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	836.4	778.2	894.6	0.6	0	4.1	231.3	601.1	583.7	252.7	0
104	all_deer	R	SUM	150970	2010.2	1920.5	2099.9	15577.6	14673.3	16481.9	7.7	7.4	8	926.1	867.5	984.6	0.6	0	5.6	319.4	601.1	583.7	342.3	0
104	all_deer	SUM	103-00	200	.	.	.	.	.	.	.	.	.	2.9	2	4.2	1.4	0	0	2.9	0	0	2.9	0
104	all_deer	SUM	104-00	200	.	.	.	.	.	.	.	.	.	88.8	82.1	95.5	44.4	0	1.5	87.2	0	0	88.8	0
104	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	881.1	821.4	940.9	0.5	0	4.1	238.7	638.4	621	260.2	0
104	all_deer	SUM	SUM	175190	2123.7	2031.4	2216	16287.6	15371.7	17203.5	7.7	7.4	8	972.8	912.6	1032.9	0.6	0	5.6	328.8	638.4	621	351.8	0
104	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	18.6	9.7	27.5	0.1	0	0	0	18.6	18.6	0	0
104	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	18.6	9.7	27.5	0.1	0	0	0	18.6	18.6	0	0
104	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	147	123.1	170.8	0.1	0	0	7.6	139.4	139.4	7.6	0
104	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	147	123.1	170.8	0.1	0	0	7.6	139.4	139.4	7.6	0
104	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	165.6	140.1	191	0.1	0	0	7.6	158	158	7.6	0
104	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	165.6	140.1	191	0.1	0	0	7.6	158	158	7.6	0
104	wt	N	103-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
104	wt	N	104-00	4	.	.	.	.	.	.	.	.	.	2	1	3.8	50	0	0	2	0	0	2	0
104	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26.1	15.6	36.6	0.1	0	0	7.5	18.6	18.6	7.5	0
104	wt	N	SUM	24220	.	.	.	.	.	.	.	.	.	28.1	17.4	38.7	0.1	0	0	9.5	18.6	18.6	9.5	0
104	wt	R	103-00	197	.	.	.	.	.	.	.	.	.	2.9	2	4.2	1.5	0	0	2.9	0	0	2.9	0
104	wt	R	104-00	196	.	.	.	.	.	.	.	.	.	85.2	78.8	91.7	43.5	0	1.5	83.7	0	0	85.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
104	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	685.4	632.5	738.4	0.5	0	4.1	219.6	461.8	444.4	241.1	0
104	wt	R	SUM	150970	.	.	.	.	.	.	.	.	.	773.5	720.1	826.9	0.5	0	5.6	306.2	461.8	444.4	329.2	0
104	wt	SUM	103-00	200	.	.	.	.	.	.	.	.	.	2.9	2	4.2	1.4	0	0	2.9	0	0	2.9	0
104	wt	SUM	104-00	200	.	.	.	.	.	.	.	.	.	87.2	80.5	93.9	43.6	0	1.5	85.7	0	0	87.2	0
104	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	711.5	657.5	765.5	0.4	0	4.1	227.1	480.4	463	248.5	0
104	wt	SUM	SUM	175190	.	.	.	.	.	.	.	.	.	801.6	747.2	856	0.5	0	5.6	315.6	480.4	463	338.6	0
109	all_deer	N	101-00	15	.	.	.	.	.	.	.	.	.	1.2	1	1.7	8	0	0	1.2	0	0	1.2	0
109	all_deer	N	109-00	8	.	.	.	.	.	.	.	.	.	5	5	5	62.5	0	0	5	0	0	5	0
109	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.3	2	5.9	0	0	0	0	3.3	3.3	0	0
109	all_deer	N	SUM	24236	34.3	23.7	44.9	193.8	123.7	263.9	5.7	4.8	6.6	9.5	8	12.1	0	0	0	6.2	3.3	3.3	6.2	0
109	all_deer	R	101-00	385	.	.	.	.	.	.	.	.	.	8.2	6	10.4	2.1	0	0	5.5	2.7	2.7	5.5	0
109	all_deer	R	109-00	142	.	.	.	.	.	.	.	.	.	53.1	47.9	58.3	37.4	0	3	50.1	0	0	53.1	0
109	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	283	251.2	314.8	0.2	0	0	37.5	245.5	243.8	39.2	0
109	all_deer	R	SUM	151104	610.1	562.6	657.6	3328.7	2977.9	3679.5	5.5	5.1	5.9	344.3	312	376.6	0.2	0	3	93.1	248.2	246.5	97.8	0
109	all_deer	SUM	101-00	400	.	.	.	.	.	.	.	.	.	9.4	7.1	11.6	2.4	0	0	6.6	2.7	2.7	6.6	0
109	all_deer	SUM	109-00	150	.	.	.	.	.	.	.	.	.	58.1	52.9	63.3	38.7	0	3	55.1	0	0	58.1	0
109	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	286.3	254.4	318.2	0.2	0	0	37.5	248.8	247.1	39.2	0
109	all_deer	SUM	SUM	175340	644.4	595.7	693.1	3522.5	3164.7	3880.3	5.5	5.1	5.9	353.8	321.4	386.2	0.2	0	3	99.3	251.5	249.8	104	0
109	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.3	2	5.9	0	0	0	0	3.3	3.3	0	0
109	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	3.3	2	5.9	0	0	0	0	3.3	3.3	0	0
109	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	83.8	66.6	101.1	0.1	0	0	4.1	79.8	78.1	5.7	0
109	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	83.8	66.6	101.1	0.1	0	0	4.1	79.8	78.1	5.7	0
109	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	87.1	69.7	104.6	0	0	0	4.1	83.1	81.4	5.7	0
109	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	87.1	69.7	104.6	0	0	0	4.1	83.1	81.4	5.7	0
109	wt	N	101-00	15	.	.	.	.	.	.	.	.	.	1.2	1	1.7	8	0	0	1.2	0	0	1.2	0
109	wt	N	109-00	8	.	.	.	.	.	.	.	.	.	5	5	5	62.5	0	0	5	0	0	5	0
109	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
109	wt	N	SUM	24236	.	.	.	.	.	.	.	.	.	6.2	6	6.7	0	0	0	6.2	0	0	6.2	0
109	wt	R	101-00	385	.	.	.	.	.	.	.	.	.	8.2	6	10.4	2.1	0	0	5.5	2.7	2.7	5.5	0
109	wt	R	109-00	142	.	.	.	.	.	.	.	.	.	53.1	47.9	58.3	37.4	0	3	50.1	0	0	53.1	0
109	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	199.2	172.5	225.9	0.1	0	0	33.5	165.7	165.7	33.5	0
109	wt	R	SUM	151104	.	.	.	.	.	.	.	.	.	260.5	233.2	287.8	0.2	0	3	89	168.4	168.4	92.1	0
109	wt	SUM	101-00	400	.	.	.	.	.	.	.	.	.	9.4	7.1	11.6	2.4	0	0	6.6	2.7	2.7	6.6	0
109	wt	SUM	109-00	150	.	.	.	.	.	.	.	.	.	58.1	52.9	63.3	38.7	0	3	55.1	0	0	58.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
109	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	199.2	172.5	225.9	0.1	0	0	33.5	165.7	165.7	33.5	0
109	wt	SUM	SUM	175340	.	.	.	.	.	.	.	.	.	266.7	239.4	294	0.2	0	3	95.2	168.4	168.4	98.2	0
110	all_deer	N	101-00	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
110	all_deer	N	109-00	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
110	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
110	all_deer	N	302-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
110	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	28.7	18.1	39.4	0.1	0	0	0	28.7	28.7	0	0
110	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
110	all_deer	N	SUM	24314	55.5	40.5	70.5	495.2	344.7	645.7	8.9	7.5	10.3	28.7	18.1	39.4	0.1	0	0	0	28.7	28.7	0	0
110	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0	0	0	0	2.2	2.2	0	0
110	all_deer	R	101-00	385	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
110	all_deer	R	109-00	142	.	.	.	.	.	.	.	.	.	1.8	1	3	1.3	0	0	0	1.8	1.8	0	0
110	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	3.6	0	0	3.6	0
110	all_deer	R	302-00	130	.	.	.	.	.	.	.	.	.	1.3	1	2	1	0	0	0	1.3	1.3	0	0
110	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	892.8	833.4	952.2	0.6	0	4.1	149.9	738.9	733.1	159.7	0
110	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
110	all_deer	R	SUM	160790	2186.6	2093.2	2280	12315.2	11579.8	13050.6	5.6	5.4	5.8	907.1	847.3	966.8	0.6	0	4.1	158.9	744.1	738.3	168.8	0
110	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0	0	0	0	2.2	2.2	0	0
110	all_deer	SUM	101-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
110	all_deer	SUM	109-00	150	.	.	.	.	.	.	.	.	.	1.8	1	3	1.2	0	0	0	1.8	1.8	0	0
110	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	3.6	0	0	3.6	0
110	all_deer	SUM	302-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2	0.9	0	0	0	1.3	1.3	0	0
110	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	921.6	861.2	981.9	0.5	0	4.1	149.9	767.6	761.8	159.7	0
110	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
110	all_deer	SUM	SUM	185104	2242.2	2147.6	2336.8	12810.4	12059.8	13561	5.7	5.5	5.9	935.8	875.1	996.5	0.5	0	4.1	158.9	772.8	767	168.8	0
110	md	N	302-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
110	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
110	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
110	md	N	SUM	24233	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
110	md	R	302-00	130	.	.	.	.	.	.	.	.	.	1.3	1	2	1	0	0	0	1.3	1.3	0	0
110	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	173.3	147.9	198.6	0.1	0	0	0	173.3	173.3	0	0
110	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
110	md	R	SUM	150707	.	.	.	.	.	.	.	.	.	174.5	149.1	199.9	0.1	0	0	0	174.5	174.5	0	0
110	md	SUM	302-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2	0.9	0	0	0	1.3	1.3	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
110	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	180.7	154.7	206.7	0.1	0	0	0	180.7	180.7	0	0
110	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
110	md	SUM	SUM	174940	.	.	.	.	.	.	.	.	.	182	156	208	0.1	0	0	0	182	182	0	0
110	wt	N	101-00	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
110	wt	N	109-00	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
110	wt	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
110	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	21.3	12.2	30.4	0.1	0	0	0	21.3	21.3	0	0
110	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
110	wt	N	SUM	24294	.	.	.	.	.	.	.	.	.	21.3	12.2	30.4	0.1	0	0	0	21.3	21.3	0	0
110	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0	0	0	0	2.2	2.2	0	0
110	wt	R	101-00	385	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
110	wt	R	109-00	142	.	.	.	.	.	.	.	.	.	1.8	1	3	1.3	0	0	0	1.8	1.8	0	0
110	wt	R	170-10	1946	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	3.6	0	0	3.6	0
110	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	719.5	665.8	773.3	0.5	0	4.1	149.9	565.6	559.8	159.7	0
110	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
110	wt	R	SUM	160660	.	.	.	.	.	.	.	.	.	732.5	678.4	786.7	0.5	0	4.1	158.9	569.6	563.8	168.8	0
110	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0	0	0	0	2.2	2.2	0	0
110	wt	SUM	101-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
110	wt	SUM	109-00	150	.	.	.	.	.	.	.	.	.	1.8	1	3	1.2	0	0	0	1.8	1.8	0	0
110	wt	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	3.6	0	0	3.6	0
110	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	740.8	686.3	795.4	0.4	0	4.1	149.9	586.9	581.1	159.7	0
110	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
110	wt	SUM	SUM	184954	.	.	.	.	.	.	.	.	.	753.8	698.9	808.8	0.4	0	4.1	158.9	590.9	585.1	168.8	0
120	all_deer	N	120-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
120	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
120	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
120	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	37.3	24.7	49.8	0.2	0	0	0	37.3	37.3	0	0
120	all_deer	N	SUM	24425	71	54	88	500.7	360.9	640.5	7.1	6.1	8.1	37.3	24.7	49.8	0.2	0	0	0	37.3	37.3	0	0
120	all_deer	R	120-00	295	.	.	.	.	.	.	.	.	.	122.1	114.7	129.4	41.4	0	1.5	120.6	0	0	122.1	0
120	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	9.6	3.7	15.5	0.5	0	0	9.6	0	0	9.6	0
120	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.4	0	0	0	1.5	1.5	0	0
120	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1226.7	1158	1295.4	0.8	4.1	4.1	331.8	886.8	867.8	346.7	12.2
120	all_deer	R	SUM	153166	2842.5	2737.7	2947.3	15516.5	14762.6	16270.4	5.5	5.3	5.7	1359.9	1290.5	1429.3	0.9	4.1	5.5	462	888.3	869.3	478.4	12.2
120	all_deer	SUM	120-00	299	.	.	.	.	.	.	.	.	.	122.1	114.7	129.4	40.8	0	1.5	120.6	0	0	122.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
120	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	9.6	3.7	15.5	0.5	0	0	9.6	0	0	9.6	0
120	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	0	1.5	1.5	0	0
120	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1264	1194.1	1333.8	0.7	4.1	4.1	331.8	924	905.1	346.7	12.2
120	all_deer	SUM	SUM	177591	2913.5	2807.4	3019.6	16017.1	15250.3	16783.9	5.5	5.3	5.7	1397.1	1326.6	1467.6	0.8	4.1	5.5	462	925.6	906.6	478.4	12.2
120	md	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
120	md	N	630-00	150	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
120	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26.1	15.6	36.6	0.1	0	0	0	26.1	26.1	0	0
120	md	N	SUM	24421	.	.	.	.	.	.	.	.	.	26.1	15.6	36.6	0.1	0	0	0	26.1	26.1	0	0
120	md	R	170-10	1946	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	3.6	0	0	3.6	0
120	md	R	630-00	348	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.4	0	0	0	1.5	1.5	0	0
120	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	61.8	46.6	77	0	0	0	2.4	59.4	59.4	2.4	0
120	md	R	SUM	152871	.	.	.	.	.	.	.	.	.	67	51.3	82.7	0	0	0	6.1	60.9	60.9	6.1	0
120	md	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	3.6	0	0	3.6	0
120	md	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	0	1.5	1.5	0	0
120	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	87.9	69.4	106.4	0.1	0	0	2.4	85.5	85.5	2.4	0
120	md	SUM	SUM	177292	.	.	.	.	.	.	.	.	.	93.1	74.2	112	0.1	0	0	6.1	87	87	6.1	0
120	wt	N	120-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
120	wt	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
120	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
120	wt	N	SUM	24275	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
120	wt	R	120-00	295	.	.	.	.	.	.	.	.	.	120.6	113.3	127.9	40.9	0	1.5	119.1	0	0	120.6	0
120	wt	R	170-10	1946	.	.	.	.	.	.	.	.	.	6	2	10.5	0.3	0	0	6	0	0	6	0
120	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1160.8	1093.9	1227.7	0.8	0	4.1	329.4	827.4	808.4	344.3	8.1
120	wt	R	SUM	152818	.	.	.	.	.	.	.	.	.	1287.4	1219.9	1354.8	0.8	0	5.5	454.4	827.4	808.4	470.8	8.1
120	wt	SUM	120-00	299	.	.	.	.	.	.	.	.	.	120.6	113.3	127.9	40.3	0	1.5	119.1	0	0	120.6	0
120	wt	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	6	2	10.5	0.3	0	0	6	0	0	6	0
120	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1172	1104.7	1239.2	0.7	0	4.1	329.4	838.6	819.6	344.3	8.1
120	wt	SUM	SUM	177093	.	.	.	.	.	.	.	.	.	1298.5	1230.7	1366.3	0.7	0	5.5	454.4	838.6	819.6	470.8	8.1
121	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
121	all_deer	N	104-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
121	all_deer	N	121-00	31	.	.	.	.	.	.	.	.	.	22.7	21	24.3	73.2	0	0	21.4	1.3	1.3	21.4	0
121	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	246.3	214.7	278	1	0	0	11.2	235.2	235.2	11.2	0
121	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
121	all_deer	N	SUM	24315	635.3	585.2	685.4	4246.5	3871.5	4621.5	6.7	6.4	7	269	237.3	300.8	1.1	0	0	32.6	236.5	236.5	32.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
121	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0.2	0	0	2.2	0	0	2.2	0
121	all_deer	R	104-00	196	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	0	1.5	1.5	0	0
121	all_deer	R	121-00	368	.	.	.	.	.	.	.	.	.	194.5	186.7	202.3	52.9	0	2.6	189	2.8	1.4	193.1	0
121	all_deer	R	124-00	99	.	.	.	.	.	.	.	.	.	1.4	1	2.2	1.4	0	0	1.4	0	0	1.4	0
121	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1305.3	1235.2	1375.3	0.9	0	13.1	252.7	1039.4	1028	275.6	1.7
121	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
121	all_deer	R	SUM	152392	2776.4	2673.7	2879.1	22733.6	21628.8	23838.4	8.2	7.9	8.5	1508.9	1438.3	1579.6	1	0	15.7	449.4	1043.8	1030.9	476.3	1.7
121	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0.2	0	0	2.2	0	0	2.2	0
121	all_deer	SUM	104-00	200	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	0	1.5	1.5	0	0
121	all_deer	SUM	121-00	399	.	.	.	.	.	.	.	.	.	217.1	209.2	225.1	54.4	0	2.6	210.4	4.1	2.7	214.4	0
121	all_deer	SUM	124-00	99	.	.	.	.	.	.	.	.	.	1.4	1	2.2	1.4	0	0	1.4	0	0	1.4	0
121	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1551.6	1474.7	1628.5	0.9	0	13.1	263.9	1274.6	1263.1	286.8	1.7
121	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
121	all_deer	SUM	SUM	176707	3411.7	3297.4	3526	26980.1	25813.2	28147	7.9	7.7	8.1	1777.9	1700.5	1855.4	1	0	15.7	482	1280.2	1267.4	508.9	1.7
121	md	N	104-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
121	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	101.9	81.3	122.5	0.4	0	0	0	101.9	101.9	0	0
121	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
121	md	N	SUM	24217	.	.	.	.	.	.	.	.	.	101.9	81.3	122.5	0.4	0	0	0	101.9	101.9	0	0
121	md	R	104-00	196	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	0	1.5	1.5	0	0
121	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	152.9	128.5	177.4	0.1	0	0	4.1	148.9	148.9	4.1	0
121	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
121	md	R	SUM	150773	.	.	.	.	.	.	.	.	.	154.5	130	178.9	0.1	0	0	4.1	150.4	150.4	4.1	0
121	md	SUM	104-00	200	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	0	1.5	1.5	0	0
121	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	254.8	222.9	286.8	0.1	0	0	4.1	250.8	250.8	4.1	0
121	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
121	md	SUM	SUM	174990	.	.	.	.	.	.	.	.	.	256.4	224.4	288.4	0.1	0	0	4.1	252.3	252.3	4.1	0
121	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
121	wt	N	121-00	31	.	.	.	.	.	.	.	.	.	22.7	21	24.3	73.2	0	0	21.4	1.3	1.3	21.4	0
121	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	144.4	120.3	168.6	0.6	0	0	11.2	133.3	133.3	11.2	0
121	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
121	wt	N	SUM	24311	.	.	.	.	.	.	.	.	.	167.1	142.9	191.3	0.7	0	0	32.6	134.6	134.6	32.6	0
121	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0.2	0	0	2.2	0	0	2.2	0
121	wt	R	121-00	368	.	.	.	.	.	.	.	.	.	193.1	185.3	200.8	52.5	0	2.6	187.6	2.8	1.4	191.6	0
121	wt	R	124-00	99	.	.	.	.	.	.	.	.	.	1.4	1	2.2	1.4	0	0	1.4	0	0	1.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
121	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1146.6	1081	1212.1	0.8	0	13.1	248.7	884.8	873.4	271.6	1.7
121	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
121	wt	R	SUM	152196	.	.	.	.	.	.	.	.	.	1347.3	1281.1	1413.5	0.9	0	15.7	443.9	887.6	874.8	470.9	1.7
121	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0.2	0	0	2.2	0	0	2.2	0
121	wt	SUM	121-00	399	.	.	.	.	.	.	.	.	.	215.7	207.8	223.7	54.1	0	2.6	209	4.1	2.7	213	0
121	wt	SUM	124-00	99	.	.	.	.	.	.	.	.	.	1.4	1	2.2	1.4	0	0	1.4	0	0	1.4	0
121	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1291	1221.2	1360.9	0.7	0	13.1	259.9	1018.1	1006.6	282.7	1.7
121	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
121	wt	SUM	SUM	176507	.	.	.	.	.	.	.	.	.	1514.4	1443.9	1584.9	0.9	0	15.7	476.5	1022.2	1009.3	503.4	1.7
122	all_deer	N	103-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
122	all_deer	N	122-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
122	all_deer	N	200-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
122	all_deer	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
122	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	60.9	45	76.8	0.3	0	0	3.7	57.2	55.9	5	0
122	all_deer	N	SUM	24239	119.4	97.2	141.6	777.8	614.5	941.1	6.5	5.9	7.1	61.9	46	77.8	0.3	0	0	4.7	57.2	55.9	6	0
122	all_deer	R	103-00	197	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	0	1.4	1.4	0	0
122	all_deer	R	122-00	49	.	.	.	.	.	.	.	.	.	22	19.6	24.5	44.9	0	0	22	0	0	22	0
122	all_deer	R	124-00	99	.	.	.	.	.	.	.	.	.	1.4	1	2.2	1.4	0	0	1.4	0	0	1.4	0
122	all_deer	R	200-00	181	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.8	0	0	1.4	0	0	1.4	0
122	all_deer	R	309-01	497	.	.	.	.	.	.	.	.	.	2	1	3.8	0.4	0	0	0	2	2	0	0
122	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	864.1	805.6	922.6	0.6	4.1	5.7	171	683.4	669	191.1	4.1
122	all_deer	R	SUM	151600	2252.9	2157.9	2347.9	13330.9	12554.4	14107.4	5.9	5.7	6.1	892.3	833.8	950.9	0.6	4.1	5.7	195.8	686.8	672.4	215.9	4.1
122	all_deer	SUM	103-00	200	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	0	1.4	1.4	0	0
122	all_deer	SUM	122-00	50	.	.	.	.	.	.	.	.	.	23	20.6	25.5	46	0	0	23	0	0	23	0
122	all_deer	SUM	124-00	99	.	.	.	.	.	.	.	.	.	1.4	1	2.2	1.4	0	0	1.4	0	0	1.4	0
122	all_deer	SUM	200-00	200	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	1.4	0	0	1.4	0
122	all_deer	SUM	309-01	500	.	.	.	.	.	.	.	.	.	2	1	3.8	0.4	0	0	0	2	2	0	0
122	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	925	864.4	985.6	0.5	4.1	5.7	174.7	740.5	724.8	196.1	4.1
122	all_deer	SUM	SUM	175839	2372.3	2274.8	2469.8	14108.7	13315.2	14902.2	5.9	5.7	6.1	954.2	893.5	1014.9	0.5	4.1	5.7	200.5	744	728.3	221.9	4.1
122	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	0	29.8	29.8	0	0
122	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	0	29.8	29.8	0	0
122	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	171.5	145.2	197.7	0.1	0	0	4.1	167.4	161.1	10.3	0
122	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	171.5	145.2	197.7	0.1	0	0	4.1	167.4	161.1	10.3	0
122	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	201.3	172.7	229.8	0.1	0	0	4.1	197.2	190.9	10.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
122	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	201.3	172.7	229.8	0.1	0	0	4.1	197.2	190.9	10.3	0
122	wt	N	103-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
122	wt	N	122-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
122	wt	N	200-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
122	wt	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
122	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	31.1	19.8	42.4	0.1	0	0	3.7	27.3	26.1	5	0
122	wt	N	SUM	24239	.	.	.	.	.	.	.	.	.	32.1	20.8	43.4	0.1	0	0	4.7	27.3	26.1	6	0
122	wt	R	103-00	197	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	0	1.4	1.4	0	0
122	wt	R	122-00	49	.	.	.	.	.	.	.	.	.	22	19.6	24.5	44.9	0	0	22	0	0	22	0
122	wt	R	124-00	99	.	.	.	.	.	.	.	.	.	1.4	1	2.2	1.4	0	0	1.4	0	0	1.4	0
122	wt	R	200-00	181	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.8	0	0	1.4	0	0	1.4	0
122	wt	R	309-01	497	.	.	.	.	.	.	.	.	.	2	1	3.8	0.4	0	0	0	2	2	0	0
122	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	687	634.9	739.1	0.5	0	5.7	166.9	514.4	506.3	180.7	0
122	wt	R	SUM	151600	.	.	.	.	.	.	.	.	.	715.3	663	767.5	0.5	0	5.7	191.7	517.8	509.7	205.5	0
122	wt	SUM	103-00	200	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	0	1.4	1.4	0	0
122	wt	SUM	122-00	50	.	.	.	.	.	.	.	.	.	23	20.6	25.5	46	0	0	23	0	0	23	0
122	wt	SUM	124-00	99	.	.	.	.	.	.	.	.	.	1.4	1	2.2	1.4	0	0	1.4	0	0	1.4	0
122	wt	SUM	200-00	200	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	1.4	0	0	1.4	0
122	wt	SUM	309-01	500	.	.	.	.	.	.	.	.	.	2	1	3.8	0.4	0	0	0	2	2	0	0
122	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	718.1	664.8	771.4	0.4	0	5.7	170.6	541.7	532.4	185.7	0
122	wt	SUM	SUM	175839	.	.	.	.	.	.	.	.	.	747.3	693.9	800.8	0.4	0	5.7	196.4	545.2	535.8	211.5	0
123	all_deer	N	104-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
123	all_deer	N	121-00	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
123	all_deer	N	123-00	5	.	.	.	.	.	.	.	.	.	3.8	3.1	4.5	76	0	0	3.8	0	0	3.8	0
123	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	25	15.1	34.9	0.1	0	0	1.3	23.7	23.7	1.3	0
123	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
123	all_deer	N	SUM	24253	66.1	50.2	82	378.8	281.3	476.3	5.7	5.2	6.2	28.8	18.8	38.7	0.1	0	0	5.1	23.7	23.7	5.1	0
123	all_deer	R	104-00	196	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	1.5	0	0	1.5	0
123	all_deer	R	121-00	368	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.8	0	0	1.4	1.4	1.4	1.4	0
123	all_deer	R	123-00	45	.	.	.	.	.	.	.	.	.	19.5	16.8	22.3	43.3	0	0	19.5	0	0	19.5	0
123	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	228.4	198.5	258.3	0.2	0	0	42.1	186.3	184.7	42.1	1.7
123	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
123	all_deer	R	SUM	151186	679.8	628.2	731.4	4500.1	4041.7	4958.5	6.6	6.2	7	254	223.9	284.2	0.2	0	0	66.3	187.7	186.1	66.3	1.7
123	all_deer	SUM	104-00	200	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	1.5	0	0	1.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
123	all_deer	SUM	121-00	399	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.7	0	0	1.4	1.4	1.4	1.4	0
123	all_deer	SUM	123-00	50	.	.	.	.	.	.	.	.	.	23.3	20.5	26.1	46.6	0	0	23.3	0	0	23.3	0
123	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	253.4	221.9	284.9	0.1	0	0	43.4	210	208.3	43.4	1.7
123	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
123	all_deer	SUM	SUM	175439	745.9	691.9	799.9	4878.9	4410.2	5347.6	6.5	6.1	6.9	282.8	251.1	314.6	0.2	0	0	71.4	211.4	209.8	71.4	1.7
123	md	N	104-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
123	md	N	123-00	5	.	.	.	.	.	.	.	.	.	1.3	1	2.1	26	0	0	1.3	0	0	1.3	0
123	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
123	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
123	md	N	SUM	24222	.	.	.	.	.	.	.	.	.	8.8	3.1	14.4	0	0	0	1.3	7.5	7.5	1.3	0
123	md	R	104-00	196	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	1.5	0	0	1.5	0
123	md	R	123-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
123	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	38.9	26.5	51.4	0	0	0	0	38.9	38.9	0	0
123	md	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
123	md	R	SUM	150818	.	.	.	.	.	.	.	.	.	42.2	29.5	54.9	0	0	0	3.3	38.9	38.9	3.3	0
123	md	SUM	104-00	200	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	1.5	0	0	1.5	0
123	md	SUM	123-00	50	.	.	.	.	.	.	.	.	.	1.3	1	2.1	2.6	0	0	1.3	0	0	1.3	0
123	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	46.4	32.7	60	0	0	0	0	46.4	46.4	0	0
123	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
123	md	SUM	SUM	175040	.	.	.	.	.	.	.	.	.	51	37.1	64.8	0	0	0	4.6	46.4	46.4	4.6	0
123	wt	N	121-00	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
123	wt	N	123-00	5	.	.	.	.	.	.	.	.	.	2.5	2	3.3	50	0	0	2.5	0	0	2.5	0
123	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	17.6	9.4	25.7	0.1	0	0	1.3	16.2	16.2	1.3	0
123	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
123	wt	N	SUM	24249	.	.	.	.	.	.	.	.	.	20	11.8	28.2	0.1	0	0	3.8	16.2	16.2	3.8	0
123	wt	R	121-00	368	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.8	0	0	1.4	1.4	1.4	1.4	0
123	wt	R	123-00	45	.	.	.	.	.	.	.	.	.	19.5	16.8	22.3	43.3	0	0	19.5	0	0	19.5	0
123	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	189.5	162.3	216.7	0.1	0	0	42.1	147.4	145.7	42.1	1.7
123	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
123	wt	R	SUM	150990	.	.	.	.	.	.	.	.	.	211.8	184.5	239.2	0.1	0	0	63	148.8	147.2	63	1.7
123	wt	SUM	121-00	399	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.7	0	0	1.4	1.4	1.4	1.4	0
123	wt	SUM	123-00	50	.	.	.	.	.	.	.	.	.	22	19.1	24.8	44	0	0	22	0	0	22	0
123	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	207	178.6	235.4	0.1	0	0	43.4	163.6	162	43.4	1.7
123	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
123	wt	SUM	SUM	175239	.	.	.	.	.	.	.	.	.	231.8	203.3	260.4	0.1	0	0	66.8	165.1	163.4	66.8	1.7
124	all_deer	N	124-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
124	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
124	all_deer	N	SUM	24214	60.4	44.5	76.3	332	243.1	420.9	5.5	5.2	5.8	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
124	all_deer	R	124-00	99	.	.	.	.	.	.	.	.	.	42.8	39.1	46.5	43.2	0	1.4	41.4	0	0	42.8	0
124	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	170.7	145.5	195.9	0.1	0	0	52	118.7	117	53.6	0
124	all_deer	R	SUM	150676	375.4	338.1	412.7	2483.1	2142.5	2823.7	6.6	6	7.2	213.5	188	239	0.1	0	1.4	93.5	118.7	117	96.4	0
124	all_deer	SUM	124-00	100	.	.	.	.	.	.	.	.	.	42.8	39.1	46.5	42.8	0	1.4	41.4	0	0	42.8	0
124	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	185.6	159.1	212	0.1	0	0	52	133.6	131.9	53.6	0
124	all_deer	SUM	SUM	174890	435.7	395.1	476.3	2815.1	2463.1	3167.1	6.5	6	7	228.4	201.7	255.1	0.1	0	1.4	93.5	133.6	131.9	96.4	0
124	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
124	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
124	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	35.4	24.1	46.7	0	0	0	0	35.4	35.4	0	0
124	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	35.4	24.1	46.7	0	0	0	0	35.4	35.4	0	0
124	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	46.6	33.4	59.8	0	0	0	0	46.6	46.6	0	0
124	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	46.6	33.4	59.8	0	0	0	0	46.6	46.6	0	0
124	wt	N	124-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
124	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
124	wt	N	SUM	24214	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
124	wt	R	124-00	99	.	.	.	.	.	.	.	.	.	42.8	39.1	46.5	43.2	0	1.4	41.4	0	0	42.8	0
124	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	135.3	112.7	157.8	0.1	0	0	52	83.2	81.6	53.6	0
124	wt	R	SUM	150676	.	.	.	.	.	.	.	.	.	178	155.2	200.9	0.1	0	1.4	93.5	83.2	81.6	96.4	0
124	wt	SUM	124-00	100	.	.	.	.	.	.	.	.	.	42.8	39.1	46.5	42.8	0	1.4	41.4	0	0	42.8	0
124	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	139	116.1	161.9	0.1	0	0	52	87	85.3	53.6	0
124	wt	SUM	SUM	174890	.	.	.	.	.	.	.	.	.	181.8	158.6	205	0.1	0	1.4	93.5	87	85.3	96.4	0
130	all_deer	N	130-00	18	.	.	.	.	.	.	.	.	.	7.9	5	10.8	43.9	0	2.2	5.6	0	0	7.9	0
130	all_deer	N	132-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
130	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
130	all_deer	N	292-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
130	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	76	58.5	93.6	0.3	0	0	0	76	76	0	0
130	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
130	all_deer	N	SUM	24294	136.3	113	159.6	932.1	761.5	1102.7	6.8	6.4	7.2	83.9	66.1	101.7	0.3	0	2.2	5.6	76	76	7.9	0
130	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	2.3	0	0	2.3	0
130	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
130	all_deer	R	130-00	482	.	.	.	.	.	.	.	.	.	250	236.9	263.1	51.9	0	1.4	246.6	2	0	248	2
130	all_deer	R	130-50	10	.	.	.	.	.	.	.	.	.	2.5	2	3.5	25	0	0	0	2.5	2.5	0	0
130	all_deer	R	132-00	296	.	.	.	.	.	.	.	.	.	4.3	3	6	1.5	0	0	2.8	1.5	1.5	2.8	0
130	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0.1	0	0	2.3	0	0	2.3	0
130	all_deer	R	292-00	49	.	.	.	.	.	.	.	.	.	1.7	1	3.1	3.5	0	0	1.7	0	0	1.7	0
130	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1078.4	1014.9	1141.8	0.7	0	15.6	209.4	853.4	837.6	240.7	0
130	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
130	all_deer	R	SUM	168299	2634.3	2535.5	2733.1	13912.9	13189.8	14636	5.3	5.1	5.5	1348.9	1283.8	1414.1	0.8	0	17	472.6	859.4	841.6	505.4	2
130	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	2.3	0	0	2.3	0
130	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
130	all_deer	SUM	130-00	500	.	.	.	.	.	.	.	.	.	257.9	244.4	271.3	51.6	0	3.6	252.3	2	0	255.9	2
130	all_deer	SUM	130-50	10	.	.	.	.	.	.	.	.	.	2.5	2	3.5	25	0	0	0	2.5	2.5	0	0
130	all_deer	SUM	132-00	300	.	.	.	.	.	.	.	.	.	4.3	3	6	1.4	0	0	2.8	1.5	1.5	2.8	0
130	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0.1	0	0	2.3	0	0	2.3	0
130	all_deer	SUM	292-00	50	.	.	.	.	.	.	.	.	.	1.7	1	3.1	3.4	0	0	1.7	0	0	1.7	0
130	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1154.4	1088.6	1220.3	0.7	0	15.6	209.4	929.5	913.7	240.7	0
130	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
130	all_deer	SUM	SUM	192593	2770.5	2669	2872	14845	14102.1	15587.9	5.4	5.2	5.6	1432.9	1365.3	1500.4	0.7	0	19.2	478.2	935.4	917.7	513.2	2
130	md	N	132-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
130	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
130	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
130	md	N	SUM	24217	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
130	md	R	130-50	10	.	.	.	.	.	.	.	.	.	2.5	2	3.5	25	0	0	0	2.5	2.5	0	0
130	md	R	132-00	296	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	0	1.5	1.5	0	0
130	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	40.1	28.2	52.1	0	0	0	1.4	38.8	38.8	1.4	0
130	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
130	md	R	SUM	150883	.	.	.	.	.	.	.	.	.	44.1	32.1	56.2	0	0	0	1.4	42.7	42.7	1.4	0
130	md	SUM	130-50	10	.	.	.	.	.	.	.	.	.	2.5	2	3.5	25	0	0	0	2.5	2.5	0	0
130	md	SUM	132-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	0	1.5	1.5	0	0
130	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	47.6	34.4	60.8	0	0	0	1.4	46.2	46.2	1.4	0
130	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
130	md	SUM	SUM	175100	.	.	.	.	.	.	.	.	.	51.6	38.3	64.9	0	0	0	1.4	50.2	50.2	1.4	0
130	wt	N	130-00	18	.	.	.	.	.	.	.	.	.	7.9	5	10.8	43.9	0	2.2	5.6	0	0	7.9	0
130	wt	N	132-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
130	wt	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
130	wt	N	292-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
130	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	68.6	51.9	85.3	0.3	0	0	0	68.6	68.6	0	0
130	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
130	wt	N	SUM	24294	.	.	.	.	.	.	.	.	.	76.5	59.6	93.4	0.3	0	2.2	5.6	68.6	68.6	7.9	0
130	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	2.3	0	0	2.3	0
130	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
130	wt	R	130-00	482	.	.	.	.	.	.	.	.	.	242.1	229	255.2	50.2	0	1.4	238.8	2	0	240.2	2
130	wt	R	132-00	296	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.9	0	0	2.8	0	0	2.8	0
130	wt	R	170-10	1946	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0.1	0	0	2.3	0	0	2.3	0
130	wt	R	292-00	49	.	.	.	.	.	.	.	.	.	1.7	1	3.1	3.5	0	0	1.7	0	0	1.7	0
130	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1012	950.5	1073.4	0.7	0	7.5	201.9	802.5	786.7	225.2	0
130	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
130	wt	R	SUM	168289	.	.	.	.	.	.	.	.	.	1270.7	1207.5	1333.8	0.8	0	8.9	457.3	804.5	786.7	482	2
130	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	2.3	0	0	2.3	0
130	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
130	wt	SUM	130-00	500	.	.	.	.	.	.	.	.	.	250	236.6	263.4	50	0	3.6	244.4	2	0	248	2
130	wt	SUM	132-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.9	0	0	2.8	0	0	2.8	0
130	wt	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0.1	0	0	2.3	0	0	2.3	0
130	wt	SUM	292-00	50	.	.	.	.	.	.	.	.	.	1.7	1	3.1	3.4	0	0	1.7	0	0	1.7	0
130	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1080.5	1016.9	1144.2	0.6	0	7.5	201.9	871.1	855.3	225.2	0
130	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
130	wt	SUM	SUM	192583	.	.	.	.	.	.	.	.	.	1347.2	1281.8	1412.5	0.7	0	11.1	463	873.1	855.3	489.9	2
132	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
132	all_deer	N	130-00	18	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
132	all_deer	N	132-00	4	.	.	.	.	.	.	.	.	.	1.6	1	2.8	40	0	0	1.6	0	0	1.6	0
132	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	4.1	2	6.7	7.1	0	0	4.1	0	0	4.1	0
132	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	18	9.7	26.2	0.1	0	0	3.7	14.2	14.2	3.7	0
132	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
132	all_deer	N	SUM	24360	44.5	32.1	56.9	190.4	130	250.8	4.3	3.8	4.8	23.7	15	32.5	0.1	0	0	9.5	14.2	14.2	9.5	0
132	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	4.3	2	7.3	0.4	0	0	4.3	0	0	4.3	0
132	all_deer	R	130-00	482	.	.	.	.	.	.	.	.	.	2	1	3.7	0.4	0	0	2	0	0	2	0
132	all_deer	R	132-00	296	.	.	.	.	.	.	.	.	.	105.2	98.2	112.3	35.5	0	4.2	98	3	1.5	103.7	0
132	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	200.1	174.9	225.3	10.3	0	5.8	194.3	0	0	200.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
132	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	492.7	450.8	534.7	0.3	0	0	51.6	441.1	412.8	79.9	0
132	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	11.4	4.9	17.9	.	0	0	9.8	1.6	0	11.4	0
132	all_deer	R	SUM	154453	1240.5	1174.6	1306.4	7664.6	7063.4	8265.8	6.2	5.8	6.6	815.7	765.7	865.7	0.5	0	10	360	445.7	414.3	401.4	0
132	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	4.3	2	7.3	0.4	0	0	4.3	0	0	4.3	0
132	all_deer	SUM	130-00	500	.	.	.	.	.	.	.	.	.	2	1	3.7	0.4	0	0	2	0	0	2	0
132	all_deer	SUM	132-00	300	.	.	.	.	.	.	.	.	.	106.8	99.7	114	35.6	0	4.2	99.6	3	1.5	105.3	0
132	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	204.2	178.9	229.5	10.2	0	5.8	198.4	0	0	204.2	0
132	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	510.7	467.9	553.5	0.3	0	0	55.3	455.4	427.1	83.6	0
132	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	11.4	4.9	17.9	.	0	0	9.8	1.6	0	11.4	0
132	all_deer	SUM	SUM	178813	1285	1217.8	1352.2	7855	7250.7	8459.3	6.1	5.7	6.5	839.4	788.7	890.2	0.5	0	10	369.5	459.9	428.6	410.9	0
132	md	N	132-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
132	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
132	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
132	md	N	SUM	24217	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
132	md	R	132-00	296	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	0	1.5	1.5	0	0
132	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	18.3	10.3	26.3	0	0	0	4.1	14.3	14.3	4.1	0
132	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
132	md	R	SUM	150873	.	.	.	.	.	.	.	.	.	19.8	11.7	27.9	0	0	0	4.1	15.8	15.8	4.1	0
132	md	SUM	132-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	0	1.5	1.5	0	0
132	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	22	13.1	31	0	0	0	4.1	18	18	4.1	0
132	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
132	md	SUM	SUM	175090	.	.	.	.	.	.	.	.	.	23.6	14.5	32.6	0	0	0	4.1	19.5	19.5	4.1	0
132	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
132	wt	N	130-00	18	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
132	wt	N	132-00	4	.	.	.	.	.	.	.	.	.	1.6	1	2.8	40	0	0	1.6	0	0	1.6	0
132	wt	N	170-10	58	.	.	.	.	.	.	.	.	.	4.1	2	6.7	7.1	0	0	4.1	0	0	4.1	0
132	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.2	7	21.5	0.1	0	0	3.7	10.5	10.5	3.7	0
132	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
132	wt	N	SUM	24360	.	.	.	.	.	.	.	.	.	20	12.2	27.8	0.1	0	0	9.5	10.5	10.5	9.5	0
132	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	4.3	2	7.3	0.4	0	0	4.3	0	0	4.3	0
132	wt	R	130-00	482	.	.	.	.	.	.	.	.	.	2	1	3.7	0.4	0	0	2	0	0	2	0
132	wt	R	132-00	296	.	.	.	.	.	.	.	.	.	102.5	95.5	109.5	34.6	0	3	98	1.5	0	102.5	0
132	wt	R	170-10	1946	.	.	.	.	.	.	.	.	.	200.1	174.9	225.3	10.3	0	5.8	194.3	0	0	200.1	0
132	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	472.9	431.7	514	0.3	0	0	47.5	425.3	397	75.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
132	wt	R	none	.	.	.	.	.	.	.	.	.	.	11.4	4.9	17.9	.	0	0	9.8	1.6	0	11.4	0
132	wt	R	SUM	154453	.	.	.	.	.	.	.	.	.	793.1	743.8	842.4	0.5	0	8.8	355.9	428.3	397	396.1	0
132	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	4.3	2	7.3	0.4	0	0	4.3	0	0	4.3	0
132	wt	SUM	130-00	500	.	.	.	.	.	.	.	.	.	2	1	3.7	0.4	0	0	2	0	0	2	0
132	wt	SUM	132-00	300	.	.	.	.	.	.	.	.	.	104.1	97	111.2	34.7	0	3	99.6	1.5	0	104.1	0
132	wt	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	204.2	178.9	229.5	10.2	0	5.8	198.4	0	0	204.2	0
132	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	487.1	445.3	528.9	0.3	0	0	51.3	435.8	407.5	79.6	0
132	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	11.4	4.9	17.9	.	0	0	9.8	1.6	0	11.4	0
132	wt	SUM	SUM	178813	.	.	.	.	.	.	.	.	.	813.1	763.2	863	0.5	0	8.8	365.4	438.9	407.5	405.6	0
140	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	7.5	3.7	3.7	7.5	0
140	all_deer	N	SUM	24213	45.3	31.6	59	320.7	217.8	423.6	7.1	6.4	7.8	11.2	4.3	18.1	0	0	0	7.5	3.7	3.7	7.5	0
140	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	164.1	138.4	189.8	0.1	0	4.1	31.7	128.4	124.3	39.8	0
140	all_deer	R	SUM	150577	583	534.3	631.7	3199	2842.3	3555.7	5.5	5.1	5.9	164.1	138.4	189.8	0.1	0	4.1	31.7	128.4	124.3	39.8	0
140	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	175.3	148.6	201.9	0.1	0	4.1	39.1	132.1	128	47.2	0
140	all_deer	SUM	SUM	174790	628.3	577.8	678.8	3519.7	3148.4	3891	5.6	5.2	6	175.3	148.6	201.9	0.1	0	4.1	39.1	132.1	128	47.2	0
140	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
140	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
140	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	49.2	35.5	62.9	0	0	0	0	49.2	49.2	0	0
140	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	49.2	35.5	62.9	0	0	0	0	49.2	49.2	0	0
140	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	52.9	38.7	67.2	0	0	0	0	52.9	52.9	0	0
140	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	52.9	38.7	67.2	0	0	0	0	52.9	52.9	0	0
140	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	7.5	0	0	7.5	0
140	wt	N	SUM	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	7.5	0	0	7.5	0
140	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	114.9	93.1	136.7	0.1	0	4.1	31.7	79.1	75.1	39.8	0
140	wt	R	SUM	150577	.	.	.	.	.	.	.	.	.	114.9	93.1	136.7	0.1	0	4.1	31.7	79.1	75.1	39.8	0
140	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	122.3	99.8	144.8	0.1	0	4.1	39.1	79.1	75.1	47.2	0
140	wt	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	122.3	99.8	144.8	0.1	0	4.1	39.1	79.1	75.1	47.2	0
141	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
141	all_deer	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
141	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
141	all_deer	N	SUM	24313	22.6	12.9	32.3	139.6	78.5	200.7	6.2	5.7	6.7	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
141	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	0	3.6	3.6	0	0
141	all_deer	R	401-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
141	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	48.1	34.1	62.1	0	0	0	6.5	41.6	41.6	6.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
141	all_deer	R	SUM	152881	172.7	146.4	199	1171.5	951.6	1391.4	6.8	6	7.6	53.1	38.6	67.6	0	0	0	7.9	45.2	45.2	7.9	0
141	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	0	3.6	3.6	0	0
141	all_deer	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
141	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	59.2	43.7	74.8	0	0	0	6.5	52.8	52.8	6.5	0
141	all_deer	SUM	SUM	177194	195.3	167.2	223.4	1311.1	1082.9	1539.3	6.7	6	7.4	64.3	48.2	80.4	0	0	0	7.9	56.4	56.4	7.9	0
141	md	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
141	md	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
141	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
141	md	N	SUM	24313	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
141	md	R	170-10	1946	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	0	3.6	3.6	0	0
141	md	R	401-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
141	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	25.9	15.4	36.5	0	0	0	0	25.9	25.9	0	0
141	md	R	SUM	152881	.	.	.	.	.	.	.	.	.	31	19.7	42.2	0	0	0	1.4	29.6	29.6	1.4	0
141	md	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	3.6	1	7.4	0.2	0	0	0	3.6	3.6	0	0
141	md	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
141	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	33.4	21.5	45.3	0	0	0	0	33.4	33.4	0	0
141	md	SUM	SUM	177194	.	.	.	.	.	.	.	.	.	38.4	25.9	51	0	0	0	1.4	37	37	1.4	0
141	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
141	wt	N	SUM	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
141	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	22.1	12.9	31.4	0	0	0	6.5	15.6	15.6	6.5	0
141	wt	R	SUM	150577	.	.	.	.	.	.	.	.	.	22.1	12.9	31.4	0	0	0	6.5	15.6	15.6	6.5	0
141	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	25.9	15.8	35.9	0	0	0	6.5	19.4	19.4	6.5	0
141	wt	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	25.9	15.8	35.9	0	0	0	6.5	19.4	19.4	6.5	0
150	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	100.6	80	121.2	0.4	0	0	0	100.6	100.6	0	0
150	all_deer	N	SUM	24213	391	350.8	431.2	2849.9	2545	3154.8	7.3	7.1	7.5	100.6	80	121.2	0.4	0	0	0	100.6	100.6	0	0
150	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	49.7	35.9	63.5	0	0	0	0	49.7	47.9	1.8	0
150	all_deer	R	SUM	150577	114.5	93	136	732.5	558.7	906.3	6.4	5.5	7.3	49.7	35.9	63.5	0	0	0	0	49.7	47.9	1.8	0
150	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	150.3	125.5	175.1	0.1	0	0	0	150.3	148.5	1.8	0
150	all_deer	SUM	SUM	174790	505.5	459.9	551.1	3582.4	3231.5	3933.3	7.1	6.8	7.4	150.3	125.5	175.1	0.1	0	0	0	150.3	148.5	1.8	0
150	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	70.8	53.5	88.1	0.3	0	0	0	70.8	70.8	0	0
150	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	70.8	53.5	88.1	0.3	0	0	0	70.8	70.8	0	0
150	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	25.9	15.8	36	0	0	0	0	25.9	25.9	0	0
150	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	25.9	15.8	36	0	0	0	0	25.9	25.9	0	0
150	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	96.7	76.6	116.7	0.1	0	0	0	96.7	96.7	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
150	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	96.7	76.6	116.7	0.1	0	0	0	96.7	96.7	0	0
150	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	0	29.8	29.8	0	0
150	wt	N	SUM	24213	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	0	29.8	29.8	0	0
150	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	23.8	14.4	33.2	0	0	0	0	23.8	22.1	1.8	0
150	wt	R	SUM	150577	.	.	.	.	.	.	.	.	.	23.8	14.4	33.2	0	0	0	0	23.8	22.1	1.8	0
150	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	53.6	39	68.3	0	0	0	0	53.6	51.9	1.8	0
150	wt	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	53.6	39	68.3	0	0	0	0	53.6	51.9	1.8	0
151	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
151	all_deer	N	SUM	24213	22.6	12.9	32.3	173.6	97.2	250	7.7	7	8.4	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
151	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	9.6	3.4	15.8	0	0	0	0	9.6	9.6	0	0
151	all_deer	R	SUM	150577	19.2	11	27.4	108.8	59.2	158.4	5.7	5	6.4	9.6	3.4	15.8	0	0	0	0	9.6	9.6	0	0
151	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	13.3	5.9	20.7	0	0	0	0	13.3	13.3	0	0
151	all_deer	SUM	SUM	174790	41.9	29.1	54.7	282.3	191.2	373.4	6.7	6.2	7.2	13.3	5.9	20.7	0	0	0	0	13.3	13.3	0	0
151	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
151	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
151	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	9.6	3.4	15.8	0	0	0	0	9.6	9.6	0	0
151	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	9.6	3.4	15.8	0	0	0	0	9.6	9.6	0	0
151	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	13.3	5.9	20.7	0	0	0	0	13.3	13.3	0	0
151	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	13.3	5.9	20.7	0	0	0	0	13.3	13.3	0	0
170	all_deer	N	102-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
170	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	28.6	23.5	33.7	49.3	0	2.1	24.4	2.1	0	28.6	0
170	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
170	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	17.2	8.9	25.5	0.1	0	0	6	11.2	11.2	6	0
170	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
170	all_deer	N	SUM	24427	88.3	71.3	105.3	350.4	269.9	430.9	4	3.5	4.5	45.8	36.1	55.5	0.2	0	2.1	30.5	13.3	11.2	34.6	0
170	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
170	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
170	all_deer	R	102-00	394	.	.	.	.	.	.	.	.	.	2.9	2	4.5	0.7	0	0	1.4	1.5	1.5	1.4	0
170	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	397.5	364.4	430.5	20.4	0	7.3	387.7	2.5	0	397.5	0
170	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	1.6	1	3	0.5	0	0	1.6	0	0	1.6	0
170	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	337.2	302.9	371.5	0.2	0	0	40.4	296.8	290.3	44.4	2.4
170	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.4	.	0	0	1.6	0	0	1.6	0
170	all_deer	R	SUM	166327	886	832.9	939.1	5268.8	4747.6	5790	5.9	5.4	6.4	748.1	700.1	796.1	0.4	0	7.3	436.6	304.3	295.2	450.4	2.4
170	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
170	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
170	all_deer	SUM	102-00	400	.	.	.	.	.	.	.	.	.	2.9	2	4.5	0.7	0	0	1.4	1.5	1.5	1.4	0
170	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	426	392.6	459.4	21.3	0	9.3	412.1	4.6	0	426	0
170	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.6	1	3	0.3	0	0	1.6	0	0	1.6	0
170	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	354.4	319.1	389.7	0.2	0	0	46.4	308	301.5	50.5	2.4
170	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.4	.	0	0	1.6	0	0	1.6	0
170	all_deer	SUM	SUM	190754	974.3	918.6	1030	5619.2	5091.8	6146.6	5.8	5.4	6.2	793.9	744.9	842.9	0.4	0	9.3	467.1	317.5	306.4	485.1	2.4
170	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	2.3	1	4.8	0	0	0	2.3	0	0	2.3	0
170	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
170	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	2.3	1	4.8	0	0	0	2.3	0	0	2.3	0
170	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	20.4	11.3	29.4	0	0	0	0	20.4	20.4	0	0
170	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
170	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	20.4	11.3	29.4	0	0	0	0	20.4	20.4	0	0
170	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	22.7	13.3	32	0	0	0	2.3	20.4	20.4	2.3	0
170	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
170	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	22.7	13.3	32	0	0	0	2.3	20.4	20.4	2.3	0
170	wt	N	102-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
170	wt	N	170-10	58	.	.	.	.	.	.	.	.	.	28.6	23.5	33.7	49.3	0	2.1	24.4	2.1	0	28.6	0
170	wt	N	630-00	150	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
170	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	3.7	11.2	11.2	3.7	0
170	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
170	wt	N	SUM	24427	.	.	.	.	.	.	.	.	.	43.5	34.1	52.9	0.2	0	2.1	28.2	13.3	11.2	32.3	0
170	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
170	wt	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
170	wt	R	102-00	394	.	.	.	.	.	.	.	.	.	2.9	2	4.5	0.7	0	0	1.4	1.5	1.5	1.4	0
170	wt	R	170-10	1946	.	.	.	.	.	.	.	.	.	397.5	364.4	430.5	20.4	0	7.3	387.7	2.5	0	397.5	0
170	wt	R	630-00	348	.	.	.	.	.	.	.	.	.	1.6	1	3	0.5	0	0	1.6	0	0	1.6	0
170	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	316.8	283.7	350	0.2	0	0	40.4	276.4	270	44.4	2.4
170	wt	R	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.4	.	0	0	1.6	0	0	1.6	0
170	wt	R	SUM	166327	.	.	.	.	.	.	.	.	.	727.8	680.6	774.9	0.4	0	7.3	436.6	283.9	274.9	450.4	2.4
170	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
170	wt	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
170	wt	SUM	102-00	400	.	.	.	.	.	.	.	.	.	2.9	2	4.5	0.7	0	0	1.4	1.5	1.5	1.4	0
170	wt	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	426	392.6	459.4	21.3	0	9.3	412.1	4.6	0	426	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
170	wt	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.6	1	3	0.3	0	0	1.6	0	0	1.6	0
170	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	331.7	297.7	365.8	0.2	0	0	44.1	287.6	281.1	48.2	2.4
170	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.4	.	0	0	1.6	0	0	1.6	0
170	wt	SUM	SUM	190754	.	.	.	.	.	.	.	.	.	771.2	723.2	819.3	0.4	0	9.3	464.8	297.1	286	482.8	2.4
1XX	all_deer	R	100-00	184	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.9	0	0	1.6	0	0	1.6	0
1XX	all_deer	R	102-00	394	.	.	.	.	.	.	.	.	.	3.1	2	4.7	0.8	0	0	3.1	0	0	3.1	0
1XX	all_deer	R	103-00	197	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	1.4	0	0	1.4	0
1XX	all_deer	R	121-00	368	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.4	0	0	1.4	0	0	1.4	0
1XX	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	41.6	29.2	54.1	0	0	0	15.6	26	24.4	15.6	1.7
1XX	all_deer	R	SUM	151720	79.1	61.3	96.9	441.3	328.8	553.8	5.6	4.8	6.4	49.1	36.4	61.8	0	0	0	23.1	26	24.4	23.1	1.7
1XX	all_deer	SUM	100-00	184	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.9	0	0	1.6	0	0	1.6	0
1XX	all_deer	SUM	102-00	394	.	.	.	.	.	.	.	.	.	3.1	2	4.7	0.8	0	0	3.1	0	0	3.1	0
1XX	all_deer	SUM	103-00	197	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	1.4	0	0	1.4	0
1XX	all_deer	SUM	121-00	368	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.4	0	0	1.4	0	0	1.4	0
1XX	all_deer	SUM	Deer_A	150577	.	.	.	.	.	.	.	.	.	41.6	29.2	54.1	0	0	0	15.6	26	24.4	15.6	1.7
1XX	all_deer	SUM	SUM	151720	90.4	71.3	109.5	505.4	386.2	624.6	5.6	4.9	6.3	49.1	36.4	61.8	0	0	0	23.1	26	24.4	23.1	1.7
1XX	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	19.4	10.6	28.3	0	0	0	1.6	17.9	17.9	1.6	0
1XX	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	19.4	10.6	28.3	0	0	0	1.6	17.9	17.9	1.6	0
1XX	md	SUM	Deer_A	150577	.	.	.	.	.	.	.	.	.	19.4	10.6	28.3	0	0	0	1.6	17.9	17.9	1.6	0
1XX	md	SUM	SUM	150577	.	.	.	.	.	.	.	.	.	19.4	10.6	28.3	0	0	0	1.6	17.9	17.9	1.6	0
1XX	wt	R	100-00	184	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.9	0	0	1.6	0	0	1.6	0
1XX	wt	R	102-00	394	.	.	.	.	.	.	.	.	.	3.1	2	4.7	0.8	0	0	3.1	0	0	3.1	0
1XX	wt	R	103-00	197	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	1.4	0	0	1.4	0
1XX	wt	R	121-00	368	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.4	0	0	1.4	0	0	1.4	0
1XX	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	22.2	13.4	30.9	0	0	0	14	8.2	6.5	14	1.7
1XX	wt	R	SUM	151720	.	.	.	.	.	.	.	.	.	29.7	20.6	38.7	0	0	0	21.5	8.2	6.5	21.5	1.7
1XX	wt	SUM	100-00	184	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.9	0	0	1.6	0	0	1.6	0
1XX	wt	SUM	102-00	394	.	.	.	.	.	.	.	.	.	3.1	2	4.7	0.8	0	0	3.1	0	0	3.1	0
1XX	wt	SUM	103-00	197	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.7	0	0	1.4	0	0	1.4	0
1XX	wt	SUM	121-00	368	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.4	0	0	1.4	0	0	1.4	0
1XX	wt	SUM	Deer_A	150577	.	.	.	.	.	.	.	.	.	22.2	13.4	30.9	0	0	0	14	8.2	6.5	14	1.7
1XX	wt	SUM	SUM	151720	.	.	.	.	.	.	.	.	.	29.7	20.6	38.7	0	0	0	21.5	8.2	6.5	21.5	1.7
200	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
200	all_deer	N	200-00	19	.	.	.	.	.	.	.	.	.	8.5	6.1	11	44.7	0	0	6.6	1.9	1.9	6.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
200	all_deer	N	200-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
200	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	25.1	15.6	34.6	0.1	0	0	0	25.1	25.1	0	0
200	all_deer	N	SUM	24302	59	44.9	73.1	451.1	311.5	590.7	7.6	6.1	9.1	33.6	23.8	43.5	0.1	0	0	6.6	27	27	6.6	0
200	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	4.5	2	7.6	0.4	0	0	4.5	0	0	4.5	0
200	all_deer	R	200-00	181	.	.	.	.	.	.	.	.	.	79.4	74	84.8	43.9	0	0	76.8	2.7	2.7	76.8	0
200	all_deer	R	200-01	94	.	.	.	.	.	.	.	.	.	35.8	31.7	39.8	38.1	0	1.3	33.1	1.4	1.4	34.4	0
200	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	271.4	240.4	302.4	0.2	0	0	17.4	254	252.3	19	0
200	all_deer	R	SUM	152004	789.6	737.8	841.4	5463.2	4994.8	5931.6	6.9	6.5	7.3	391.1	359.2	422.9	0.3	0	1.3	131.6	258.1	256.4	134.7	0
200	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	4.5	2	7.6	0.4	0	0	4.5	0	0	4.5	0
200	all_deer	SUM	200-00	200	.	.	.	.	.	.	.	.	.	88	82	93.9	44	0	0	83.4	4.6	4.6	83.4	0
200	all_deer	SUM	200-01	97	.	.	.	.	.	.	.	.	.	35.8	31.7	39.8	36.9	0	1.3	33.1	1.4	1.4	34.4	0
200	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	296.5	264.1	328.9	0.2	0	0	17.4	279.1	277.4	19	0
200	all_deer	SUM	SUM	176306	848.5	794.8	902.2	5914.3	5425.5	6403.1	7	6.6	7.4	424.7	391.3	458.1	0.2	0	1.3	138.3	285.1	283.4	141.3	0
200	md	N	200-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
200	md	N	200-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
200	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
200	md	N	SUM	24235	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
200	md	R	200-00	181	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.7	0	0	0	1.2	1.2	0	0
200	md	R	200-01	94	.	.	.	.	.	.	.	.	.	1.4	1	2.3	1.5	0	0	0	1.4	1.4	0	0
200	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	51.5	37.3	65.7	0	0	0	0	51.5	51.5	0	0
200	md	R	SUM	150852	.	.	.	.	.	.	.	.	.	54.1	39.8	68.4	0	0	0	0	54.1	54.1	0	0
200	md	SUM	200-00	200	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.6	0	0	0	1.2	1.2	0	0
200	md	SUM	200-01	97	.	.	.	.	.	.	.	.	.	1.4	1	2.3	1.4	0	0	0	1.4	1.4	0	0
200	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	55.2	40.4	70	0	0	0	0	55.2	55.2	0	0
200	md	SUM	SUM	175087	.	.	.	.	.	.	.	.	.	57.8	43	72.7	0	0	0	0	57.8	57.8	0	0
200	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
200	wt	N	200-00	19	.	.	.	.	.	.	.	.	.	8.5	6.1	11	44.7	0	0	6.6	1.9	1.9	6.6	0
200	wt	N	200-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
200	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	21.4	12.7	30	0.1	0	0	0	21.4	21.4	0	0
200	wt	N	SUM	24302	.	.	.	.	.	.	.	.	.	29.9	20.9	38.9	0.1	0	0	6.6	23.3	23.3	6.6	0
200	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	4.5	2	7.6	0.4	0	0	4.5	0	0	4.5	0
200	wt	R	200-00	181	.	.	.	.	.	.	.	.	.	78.2	72.8	83.6	43.2	0	0	76.8	1.4	1.4	76.8	0
200	wt	R	200-01	94	.	.	.	.	.	.	.	.	.	34.4	30.4	38.4	36.6	0	1.3	33.1	0	0	34.4	0
200	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	219.9	192.3	247.4	0.1	0	0	17.4	202.5	200.9	19	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
200	wt	R	SUM	152004	.	.	.	.	.	.	.	.	.	336.9	308.4	365.5	0.2	0	1.3	131.6	204	202.3	134.7	0
200	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	4.5	2	7.6	0.4	0	0	4.5	0	0	4.5	0
200	wt	SUM	200-00	200	.	.	.	.	.	.	.	.	.	86.7	80.8	92.7	43.4	0	0	83.4	3.4	3.4	83.4	0
200	wt	SUM	200-01	97	.	.	.	.	.	.	.	.	.	34.4	30.4	38.4	35.5	0	1.3	33.1	0	0	34.4	0
200	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	241.3	212.4	270.2	0.1	0	0	17.4	223.9	222.2	19	0
200	wt	SUM	SUM	176306	.	.	.	.	.	.	.	.	.	366.9	336.9	396.8	0.2	0	1.3	138.3	227.3	225.6	141.3	0
201	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	200-00	19	.	.	.	.	.	.	.	.	.	1.9	1	3.5	10	0	0	1.9	0	0	1.9	0
201	all_deer	N	200-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	201-00	10	.	.	.	.	.	.	.	.	.	2.5	2	3.5	25	0	0	2.5	0	0	2.5	0
201	all_deer	N	201-01	4	.	.	.	.	.	.	.	.	.	4	3.9	4	100	0	0	4	0	0	4	0
201	all_deer	N	202-00	5	.	.	.	.	.	.	.	.	.	1.2	1	2	24	0	0	1.2	0	0	1.2	0
201	all_deer	N	202-50	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	2.7	2	4.3	3.3	0	0	2.7	0	0	2.7	0
201	all_deer	N	260-20	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	39.5	27.6	51.3	0.2	0	0	0	39.5	39.5	0	0
201	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
201	all_deer	N	SUM	24451	125.1	103.8	146.4	788.4	640.8	936	6.3	5.8	6.8	51.9	39.7	64	0.2	0	0	12.4	39.5	39.5	12.4	0
201	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	24.2	16.9	31.4	2.1	0	2	22.2	0	0	24.2	0
201	all_deer	R	200-00	181	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	all_deer	R	200-01	94	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.6	0	0	1.5	0	0	1.5	0
201	all_deer	R	201-00	340	.	.	.	.	.	.	.	.	.	199.6	191.3	208	58.7	0	4.5	190.1	5	3.4	196.2	0
201	all_deer	R	201-01	37	.	.	.	.	.	.	.	.	.	7.2	5	9.3	19.5	0	1.5	5.7	0	0	7.2	0
201	all_deer	R	202-00	245	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	all_deer	R	202-50	180	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.7	0	0	0	1.3	1.3	0	0
201	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	126.4	110.1	142.6	3.1	0	0	126.4	0	0	126.4	0
201	all_deer	R	260-20	294	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	0	1.5	1.5	0	0
201	all_deer	R	322-01	277	.	.	.	.	.	.	.	.	.	1.8	1	3	0.6	0	0	0	1.8	1.8	0	0
201	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	704.8	655.4	754.2	0.5	0	3.5	65.4	635.9	627.9	76.8	0
201	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
201	all_deer	R	SUM	157406	2123.3	2036.2	2210.4	13162.6	12471.5	13853.7	6.2	6	6.4	1076.3	1022.7	1129.9	0.7	0	11.5	419.3	645.5	635.9	440.4	0
201	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	24.2	16.9	31.4	2	0	2	22.2	0	0	24.2	0
201	all_deer	SUM	200-00	200	.	.	.	.	.	.	.	.	.	1.9	1	3.5	0.9	0	0	1.9	0	0	1.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
201	all_deer	SUM	200-01	97	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.5	0	0	1.5	0	0	1.5	0
201	all_deer	SUM	201-00	350	.	.	.	.	.	.	.	.	.	202.2	193.8	210.5	57.8	0	4.5	192.7	5	3.4	198.7	0
201	all_deer	SUM	201-01	41	.	.	.	.	.	.	.	.	.	11.2	9	13.3	27.3	0	1.5	9.7	0	0	11.2	0
201	all_deer	SUM	202-00	250	.	.	.	.	.	.	.	.	.	1.2	1	2	0.5	0	0	1.2	0	0	1.2	0
201	all_deer	SUM	202-50	200	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.7	0	0	0	1.3	1.3	0	0
201	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	129.1	112.7	145.4	3.1	0	0	129.1	0	0	129.1	0
201	all_deer	SUM	260-20	300	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	0	1.5	1.5	0	0
201	all_deer	SUM	322-01	300	.	.	.	.	.	.	.	.	.	1.8	1	3	0.6	0	0	0	1.8	1.8	0	0
201	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	744.2	693.4	795	0.4	0	3.5	65.4	675.4	667.4	76.8	0
201	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
201	all_deer	SUM	SUM	181857	2248.4	2158.7	2338.1	13951	13244.2	14657.8	6.2	6	6.4	1128.1	1073.2	1183.1	0.6	0	11.5	431.7	684.9	675.4	452.8	0
201	md	N	201-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	15.4	8.1	22.8	0.1	0	0	0	15.4	15.4	0	0
201	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
201	md	N	SUM	24223	.	.	.	.	.	.	.	.	.	15.4	8.1	22.8	0.1	0	0	0	15.4	15.4	0	0
201	md	R	201-00	340	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.4	0	0	1.4	0	0	1.4	0
201	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	87.2	69.8	104.5	0.1	0	0	0	87.2	87.2	0	0
201	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
201	md	R	SUM	150917	.	.	.	.	.	.	.	.	.	88.6	71.2	105.9	0.1	0	0	1.4	87.2	87.2	1.4	0
201	md	SUM	201-00	350	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.4	0	0	1.4	0	0	1.4	0
201	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	102.6	83.8	121.4	0.1	0	0	0	102.6	102.6	0	0
201	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
201	md	SUM	SUM	175140	.	.	.	.	.	.	.	.	.	104	85.1	122.9	0.1	0	0	1.4	102.6	102.6	1.4	0
201	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	wt	N	200-00	19	.	.	.	.	.	.	.	.	.	1.9	1	3.5	10	0	0	1.9	0	0	1.9	0
201	wt	N	200-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	wt	N	201-00	10	.	.	.	.	.	.	.	.	.	2.5	2	3.5	25	0	0	2.5	0	0	2.5	0
201	wt	N	201-01	4	.	.	.	.	.	.	.	.	.	4	3.9	4	100	0	0	4	0	0	4	0
201	wt	N	202-00	5	.	.	.	.	.	.	.	.	.	1.2	1	2	24	0	0	1.2	0	0	1.2	0
201	wt	N	202-50	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	2.7	2	4.3	3.3	0	0	2.7	0	0	2.7	0
201	wt	N	260-20	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	wt	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	24	14.7	33.3	0.1	0	0	0	24	24	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
201	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
201	wt	N	SUM	24451	.	.	.	.	.	.	.	.	.	36.4	26.7	46.1	0.1	0	0	12.4	24	24	12.4	0
201	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	21.9	15	28.7	1.9	0	2	19.9	0	0	21.9	0
201	wt	R	200-00	181	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	wt	R	200-01	94	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.6	0	0	1.5	0	0	1.5	0
201	wt	R	201-00	340	.	.	.	.	.	.	.	.	.	198.2	189.9	206.6	58.3	0	4.5	188.7	5	3.4	194.8	0
201	wt	R	201-01	37	.	.	.	.	.	.	.	.	.	7.2	5	9.3	19.5	0	1.5	5.7	0	0	7.2	0
201	wt	R	202-00	245	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
201	wt	R	202-50	180	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.7	0	0	0	1.3	1.3	0	0
201	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	126.4	110.1	142.6	3.1	0	0	126.4	0	0	126.4	0
201	wt	R	260-20	294	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	0	1.5	1.5	0	0
201	wt	R	322-01	277	.	.	.	.	.	.	.	.	.	1.8	1	3	0.6	0	0	0	1.8	1.8	0	0
201	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	617.6	571.3	663.9	0.4	0	3.5	65.4	548.8	540.8	76.8	0
201	wt	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
201	wt	R	SUM	157406	.	.	.	.	.	.	.	.	.	985.4	934.7	1036.1	0.6	0	11.5	415.6	558.3	548.8	436.7	0
201	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	21.9	15	28.7	1.8	0	2	19.9	0	0	21.9	0
201	wt	SUM	200-00	200	.	.	.	.	.	.	.	.	.	1.9	1	3.5	0.9	0	0	1.9	0	0	1.9	0
201	wt	SUM	200-01	97	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.5	0	0	1.5	0	0	1.5	0
201	wt	SUM	201-00	350	.	.	.	.	.	.	.	.	.	200.7	192.3	209.1	57.3	0	4.5	191.3	5	3.4	197.3	0
201	wt	SUM	201-01	41	.	.	.	.	.	.	.	.	.	11.2	9	13.3	27.3	0	1.5	9.7	0	0	11.2	0
201	wt	SUM	202-00	250	.	.	.	.	.	.	.	.	.	1.2	1	2	0.5	0	0	1.2	0	0	1.2	0
201	wt	SUM	202-50	200	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.7	0	0	0	1.3	1.3	0	0
201	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	129.1	112.7	145.4	3.1	0	0	129.1	0	0	129.1	0
201	wt	SUM	260-20	300	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	0	1.5	1.5	0	0
201	wt	SUM	322-01	300	.	.	.	.	.	.	.	.	.	1.8	1	3	0.6	0	0	0	1.8	1.8	0	0
201	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	641.6	594.4	688.8	0.4	0	3.5	65.4	572.8	564.8	76.8	0
201	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
201	wt	SUM	SUM	181857	.	.	.	.	.	.	.	.	.	1021.8	970.2	1073.4	0.6	0	11.5	428	582.3	572.8	449.1	0
202	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	200-00	19	.	.	.	.	.	.	.	.	.	1.6	1	2.9	8.4	0	0	0	1.6	1.6	0	0
202	all_deer	N	200-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	201-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	202-00	5	.	.	.	.	.	.	.	.	.	1.2	1	2	24	0	0	1.2	0	0	1.2	0
202	all_deer	N	202-01	2	.	.	.	.	.	.	.	.	.	1	1	1	50	0	0	1	0	0	1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
202	all_deer	N	202-02	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	202-50	20	.	.	.	.	.	.	.	.	.	5	3	7.1	25	0	0	0	5	5	0	0
202	all_deer	N	284-10	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	25.6	15.5	35.6	0.1	0	0	5.3	20.2	20.2	5.3	0
202	all_deer	N	SUM	24409	133.1	110.9	155.3	880.1	720.9	1039.3	6.6	6.2	7	34.4	24	44.7	0.1	0	0	7.6	26.8	26.8	7.6	0
202	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	10.1	5	15.1	0.9	0	0	10.1	0	0	10.1	0
202	all_deer	R	200-00	181	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	all_deer	R	200-01	94	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.4	0	0	1.3	0	0	1.3	0
202	all_deer	R	201-00	340	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
202	all_deer	R	202-00	245	.	.	.	.	.	.	.	.	.	125.3	118.4	132.2	51.1	0	8.6	116.7	0	0	125.3	0
202	all_deer	R	202-01	98	.	.	.	.	.	.	.	.	.	52.8	48.4	57.1	53.9	0	0	52.8	0	0	52.8	0
202	all_deer	R	202-02	36	.	.	.	.	.	.	.	.	.	18.1	15.6	20.5	50.3	0	1.5	16.6	0	0	18.1	0
202	all_deer	R	202-50	180	.	.	.	.	.	.	.	.	.	62.8	57	68.6	34.9	0	0	0	62.8	62.8	0	0
202	all_deer	R	284-10	109	.	.	.	.	.	.	.	.	.	1.6	1	2.9	1.5	0	0	1.6	0	0	1.6	0
202	all_deer	R	326-00	440	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	0	1.5	1.5	0	0
202	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	450.2	411.3	489.1	0.3	0	0	58.4	391.8	382	68.2	0
202	all_deer	R	SUM	153452	1721.8	1645.5	1798.1	10897.4	10254.6	11540.2	6.3	6	6.6	725.2	684.6	765.8	0.5	0	10.1	259	456.1	446.3	278.9	0
202	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	10.1	5	15.1	0.8	0	0	10.1	0	0	10.1	0
202	all_deer	SUM	200-00	200	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.8	0	0	0	1.6	1.6	0	0
202	all_deer	SUM	200-01	97	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.3	0	0	1.3	0	0	1.3	0
202	all_deer	SUM	201-00	350	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
202	all_deer	SUM	202-00	250	.	.	.	.	.	.	.	.	.	126.6	119.7	133.5	50.6	0	8.6	117.9	0	0	126.6	0
202	all_deer	SUM	202-01	100	.	.	.	.	.	.	.	.	.	53.8	49.4	58.1	53.8	0	0	53.8	0	0	53.8	0
202	all_deer	SUM	202-02	38	.	.	.	.	.	.	.	.	.	18.1	15.6	20.5	47.6	0	1.5	16.6	0	0	18.1	0
202	all_deer	SUM	202-50	200	.	.	.	.	.	.	.	.	.	67.8	61.6	74	33.9	0	0	0	67.8	67.8	0	0
202	all_deer	SUM	284-10	117	.	.	.	.	.	.	.	.	.	1.6	1	2.9	1.4	0	0	1.6	0	0	1.6	0
202	all_deer	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	0	1.5	1.5	0	0
202	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	475.7	435.6	515.9	0.3	0	0	63.7	412	402.2	73.5	0
202	all_deer	SUM	SUM	177861	1854.9	1775.6	1934.2	11777.5	11115.3	12439.7	6.3	6.1	6.5	759.6	717.7	801.5	0.4	0	10.1	266.6	482.9	473.1	286.5	0
202	md	N	202-01	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	md	N	202-50	20	.	.	.	.	.	.	.	.	.	5	3	7.1	25	0	0	0	5	5	0	0
202	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
202	md	N	SUM	24235	.	.	.	.	.	.	.	.	.	16.2	9	23.4	0.1	0	0	0	16.2	16.2	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
202	md	R	202-01	98	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.5	0	0	1.5	0	0	1.5	0
202	md	R	202-50	180	.	.	.	.	.	.	.	.	.	62.8	57	68.6	34.9	0	0	0	62.8	62.8	0	0
202	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	17	9.1	25	0	0	0	4.1	13	13	4.1	0
202	md	R	SUM	150855	.	.	.	.	.	.	.	.	.	81.4	71.5	91.2	0.1	0	0	5.6	75.8	75.8	5.6	0
202	md	SUM	202-01	100	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.5	0	0	1.5	0	0	1.5	0
202	md	SUM	202-50	200	.	.	.	.	.	.	.	.	.	67.8	61.6	74	33.9	0	0	0	67.8	67.8	0	0
202	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	28.2	17.7	38.7	0	0	0	4.1	24.2	24.2	4.1	0
202	md	SUM	SUM	175090	.	.	.	.	.	.	.	.	.	97.5	85.3	109.8	0.1	0	0	5.6	91.9	91.9	5.6	0
202	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	wt	N	200-00	19	.	.	.	.	.	.	.	.	.	1.6	1	2.9	8.4	0	0	0	1.6	1.6	0	0
202	wt	N	200-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	wt	N	201-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	wt	N	202-00	5	.	.	.	.	.	.	.	.	.	1.2	1	2	24	0	0	1.2	0	0	1.2	0
202	wt	N	202-01	2	.	.	.	.	.	.	.	.	.	1	1	1	50	0	0	1	0	0	1	0
202	wt	N	202-02	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	wt	N	284-10	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	wt	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.4	7.1	21.7	0.1	0	0	5.3	9	9	5.3	0
202	wt	N	SUM	24389	.	.	.	.	.	.	.	.	.	18.2	10.8	25.6	0.1	0	0	7.6	10.6	10.6	7.6	0
202	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	10.1	5	15.1	0.9	0	0	10.1	0	0	10.1	0
202	wt	R	200-00	181	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
202	wt	R	200-01	94	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.4	0	0	1.3	0	0	1.3	0
202	wt	R	201-00	340	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
202	wt	R	202-00	245	.	.	.	.	.	.	.	.	.	125.3	118.4	132.2	51.1	0	8.6	116.7	0	0	125.3	0
202	wt	R	202-01	98	.	.	.	.	.	.	.	.	.	51.2	46.9	55.6	52.2	0	0	51.2	0	0	51.2	0
202	wt	R	202-02	36	.	.	.	.	.	.	.	.	.	18.1	15.6	20.5	50.3	0	1.5	16.6	0	0	18.1	0
202	wt	R	284-10	109	.	.	.	.	.	.	.	.	.	1.6	1	2.9	1.5	0	0	1.6	0	0	1.6	0
202	wt	R	326-00	440	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	0	1.5	1.5	0	0
202	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	433.2	395.1	471.2	0.3	0	0	54.3	378.8	369	64.1	0
202	wt	R	SUM	153272	.	.	.	.	.	.	.	.	.	643.8	604.4	683.2	0.4	0	10.1	253.4	380.3	370.5	273.3	0
202	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	10.1	5	15.1	0.8	0	0	10.1	0	0	10.1	0
202	wt	SUM	200-00	200	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.8	0	0	0	1.6	1.6	0	0
202	wt	SUM	200-01	97	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.3	0	0	1.3	0	0	1.3	0
202	wt	SUM	201-00	350	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
202	wt	SUM	202-00	250	.	.	.	.	.	.	.	.	.	126.6	119.7	133.5	50.6	0	8.6	117.9	0	0	126.6	0
202	wt	SUM	202-01	100	.	.	.	.	.	.	.	.	.	52.2	47.9	56.6	52.2	0	0	52.2	0	0	52.2	0
202	wt	SUM	202-02	38	.	.	.	.	.	.	.	.	.	18.1	15.6	20.5	47.6	0	1.5	16.6	0	0	18.1	0
202	wt	SUM	284-10	117	.	.	.	.	.	.	.	.	.	1.6	1	2.9	1.4	0	0	1.6	0	0	1.6	0
202	wt	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	0	1.5	1.5	0	0
202	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	447.5	408.8	486.3	0.3	0	0	59.7	387.9	378.1	69.5	0
202	wt	SUM	SUM	177661	.	.	.	.	.	.	.	.	.	662	621.9	702.1	0.4	0	10.1	261	390.9	381.1	280.9	0
203	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	all_deer	N	292-40	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	0	3.7	0
203	all_deer	N	SUM	24385	31.6	20.6	42.6	198.6	121.5	275.7	6.3	5.4	7.2	3.7	1	7.7	0	0	0	0	3.7	0	3.7	0
203	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	7.9	3.4	12.5	0.2	0	0	7.9	0	0	7.9	0
203	all_deer	R	292-40	881	.	.	.	.	.	.	.	.	.	1.8	1	3.5	0.2	0	0	0	1.8	1.8	0	0
203	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.2	0	0	1.6	0	0	1.6	0
203	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	471.7	429.7	513.8	0.3	0	0	41.6	430.1	423.9	47.9	0
203	all_deer	R	SUM	156141	1446.8	1372.3	1521.3	7530.3	7011.4	8049.2	5.2	5	5.4	483.1	440.7	525.5	0.3	0	0	51.2	431.9	425.6	57.5	0
203	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	7.9	3.4	12.5	0.2	0	0	7.9	0	0	7.9	0
203	all_deer	SUM	292-40	932	.	.	.	.	.	.	.	.	.	1.8	1	3.5	0.2	0	0	0	1.8	1.8	0	0
203	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.2	0	0	1.6	0	0	1.6	0
203	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	475.5	433.2	517.7	0.3	0	0	41.6	433.8	423.9	51.6	0
203	all_deer	SUM	SUM	180526	1478.3	1403.1	1553.5	7728.9	7204.2	8253.6	5.2	5	5.4	486.8	444.3	529.4	0.3	0	0	51.2	435.6	425.6	61.2	0
203	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	128.1	106.2	150.1	0.1	0	0	0	128.1	128.1	0	0
203	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	128.1	106.2	150.1	0.1	0	0	0	128.1	128.1	0	0
203	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	128.1	106.2	150.1	0.1	0	0	0	128.1	128.1	0	0
203	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	128.1	106.2	150.1	0.1	0	0	0	128.1	128.1	0	0
203	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	wt	N	292-40	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	wt	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	0	3.7	0
203	wt	N	SUM	24452	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	0	3.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
203	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	7.9	3.4	12.5	0.2	0	0	7.9	0	0	7.9	0
203	wt	R	292-40	881	.	.	.	.	.	.	.	.	.	1.8	1	3.5	0.2	0	0	0	1.8	1.8	0	0
203	wt	R	400-00	654	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.2	0	0	1.6	0	0	1.6	0
203	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	343.6	307.7	379.5	0.2	0	0	41.6	302	295.7	47.9	0
203	wt	R	SUM	157293	.	.	.	.	.	.	.	.	.	355	318.7	391.2	0.2	0	0	51.2	303.7	297.5	57.5	0
203	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
203	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	7.9	3.4	12.5	0.2	0	0	7.9	0	0	7.9	0
203	wt	SUM	292-40	932	.	.	.	.	.	.	.	.	.	1.8	1	3.5	0.2	0	0	0	1.8	1.8	0	0
203	wt	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.2	0	0	1.6	0	0	1.6	0
203	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	347.3	311.2	383.5	0.2	0	0	41.6	305.7	295.7	51.6	0
203	wt	SUM	SUM	181745	.	.	.	.	.	.	.	.	.	358.7	322.2	395.2	0.2	0	0	51.2	307.5	297.5	61.2	0
204	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
204	all_deer	N	204-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
204	all_deer	N	204-40	15	.	.	.	.	.	.	.	.	.	4	3	5.5	26.7	0	0	0	4	4	0	0
204	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
204	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
204	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.4	6	16.7	0	0	0	0	11.4	11.4	0	0
204	all_deer	N	SUM	24420	40.1	29.3	50.9	185.6	132.2	239	4.6	3.9	5.3	15.4	9.8	21	0.1	0	0	0	15.4	15.4	0	0
204	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	4.3	2	7.3	0.4	0	0	4.3	0	0	4.3	0
204	all_deer	R	204-00	48	.	.	.	.	.	.	.	.	.	9.7	6.8	12.5	20.2	0	0	9.7	0	0	9.7	0
204	all_deer	R	204-40	462	.	.	.	.	.	.	.	.	.	97.7	88.2	107.2	21.1	0	0	1.4	96.4	96.4	1.4	0
204	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	52	40.8	63.2	1.3	0	0	49.3	2.7	2.7	49.3	0
204	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
204	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	474	432.6	515.3	0.3	0	4.1	105.1	364.8	354	118.6	1.4
204	all_deer	R	SUM	157022	1959.4	1876	2042.8	10545.1	9929.2	11161	5.4	5.2	5.6	639.1	595	683.2	0.4	0	4.1	171.1	463.9	453.1	184.7	1.4
204	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	4.3	2	7.3	0.4	0	0	4.3	0	0	4.3	0
204	all_deer	SUM	204-00	49	.	.	.	.	.	.	.	.	.	9.7	6.8	12.5	19.8	0	0	9.7	0	0	9.7	0
204	all_deer	SUM	204-40	477	.	.	.	.	.	.	.	.	.	101.7	92.1	111.3	21.3	0	0	1.4	100.4	100.4	1.4	0
204	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	52	40.8	63.2	1.3	0	0	49.3	2.7	2.7	49.3	0
204	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
204	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	485.3	443.6	527	0.3	0	4.1	105.1	376.2	365.3	118.6	1.4
204	all_deer	SUM	SUM	181442	1999.4	1915.2	2083.6	10730.7	10112.5	11348.9	5.4	5.2	5.6	654.4	610	698.9	0.4	0	4.1	171.1	479.2	468.4	184.7	1.4
204	md	N	204-40	15	.	.	.	.	.	.	.	.	.	4	3	5.5	26.7	0	0	0	4	4	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
204	md	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
204	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	2.9	2	5.1	0	0	0	0	2.9	2.9	0	0
204	md	N	SUM	24271	.	.	.	.	.	.	.	.	.	6.9	5	9.5	0	0	0	0	6.9	6.9	0	0
204	md	R	204-40	462	.	.	.	.	.	.	.	.	.	97.7	88.2	107.2	21.1	0	0	1.4	96.4	96.4	1.4	0
204	md	R	404-00	754	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
204	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	30.7	21.3	40.1	0	0	0	5	25.7	25.7	5	0
204	md	R	SUM	151793	.	.	.	.	.	.	.	.	.	129.9	116.5	143.3	0.1	0	0	7.8	122.1	122.1	7.8	0
204	md	SUM	204-40	477	.	.	.	.	.	.	.	.	.	101.7	92.1	111.3	21.3	0	0	1.4	100.4	100.4	1.4	0
204	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
204	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	33.6	23.9	43.3	0	0	0	5	28.6	28.6	5	0
204	md	SUM	SUM	176064	.	.	.	.	.	.	.	.	.	136.8	123.1	150.4	0.1	0	0	7.8	128.9	128.9	7.8	0
204	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
204	wt	N	204-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
204	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
204	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	8.5	4	13.4	0	0	0	0	8.5	8.5	0	0
204	wt	N	SUM	24362	.	.	.	.	.	.	.	.	.	8.5	4	13.4	0	0	0	0	8.5	8.5	0	0
204	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	4.3	2	7.3	0.4	0	0	4.3	0	0	4.3	0
204	wt	R	204-00	48	.	.	.	.	.	.	.	.	.	9.7	6.8	12.5	20.2	0	0	9.7	0	0	9.7	0
204	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	52	40.8	63.2	1.3	0	0	49.3	2.7	2.7	49.3	0
204	wt	R	260-60	500	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
204	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	443.3	403	483.5	0.3	0	4.1	100.1	339.1	328.3	113.6	1.4
204	wt	R	SUM	156306	.	.	.	.	.	.	.	.	.	509.2	467.2	551.2	0.3	0	4.1	163.3	341.8	331	176.8	1.4
204	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	4.3	2	7.3	0.4	0	0	4.3	0	0	4.3	0
204	wt	SUM	204-00	49	.	.	.	.	.	.	.	.	.	9.7	6.8	12.5	19.8	0	0	9.7	0	0	9.7	0
204	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	52	40.8	63.2	1.3	0	0	49.3	2.7	2.7	49.3	0
204	wt	SUM	260-60	500	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
204	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	451.7	411.2	492.3	0.3	0	4.1	100.1	347.6	336.7	113.6	1.4
204	wt	SUM	SUM	180668	.	.	.	.	.	.	.	.	.	517.7	475.4	560	0.3	0	4.1	163.3	350.3	339.5	176.8	1.4
210	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
210	all_deer	N	200-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
210	all_deer	N	210-00	6	.	.	.	.	.	.	.	.	.	1	1	1	16.7	0	0	1	0	0	1	0
210	all_deer	N	210-50	10	.	.	.	.	.	.	.	.	.	1.4	1	2.4	14	0	0	0	1.4	1.4	0	0
210	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
210	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
210	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	25.4	15.4	35.4	0.1	0	0	3.7	21.7	21.7	3.7	0
210	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
210	all_deer	N	SUM	24530	120.1	98.7	141.5	797.7	640.1	955.3	6.6	6	7.2	27.8	17.8	37.9	0.1	0	0	4.7	23.1	23.1	4.7	0
210	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	2	1	4	0.2	0	0	2	0	0	2	0
210	all_deer	R	200-01	94	.	.	.	.	.	.	.	.	.	1.3	1	2.3	1.4	0	0	1.3	0	0	1.3	0
210	all_deer	R	210-00	194	.	.	.	.	.	.	.	.	.	44.5	40.1	48.9	22.9	0	3.9	40.6	0	0	44.5	0
210	all_deer	R	210-50	90	.	.	.	.	.	.	.	.	.	55.4	50.8	60	61.6	0	0	0	55.4	55.4	0	0
210	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	2.3	1	4.5	0.1	0	0	2.3	0	0	2.3	0
210	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.4	0	0	1.5	0	0	1.5	0
210	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	192.7	167.4	218	0.1	0	1.5	19.4	171.8	163.7	29	0
210	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.7	.	0	0	0	1.8	1.8	0	0
210	all_deer	R	SUM	156484	788.3	736.8	839.8	4379.3	3996	4762.6	5.6	5.3	5.9	301.6	275.2	327.9	0.2	0	5.4	67.1	229.1	221	80.6	0
210	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2	1	4	0.2	0	0	2	0	0	2	0
210	all_deer	SUM	200-01	97	.	.	.	.	.	.	.	.	.	1.3	1	2.3	1.3	0	0	1.3	0	0	1.3	0
210	all_deer	SUM	210-00	200	.	.	.	.	.	.	.	.	.	45.5	41.1	49.9	22.8	0	3.9	41.6	0	0	45.5	0
210	all_deer	SUM	210-50	100	.	.	.	.	.	.	.	.	.	56.8	52.1	61.5	56.8	0	0	0	56.8	56.8	0	0
210	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	2.3	1	4.5	0.1	0	0	2.3	0	0	2.3	0
210	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
210	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	218.1	190.9	245.3	0.1	0	1.5	23.1	193.5	185.4	32.7	0
210	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.7	.	0	0	0	1.8	1.8	0	0
210	all_deer	SUM	SUM	181014	908.3	852.4	964.2	5177	4762.5	5591.5	5.7	5.4	6	329.4	301.2	357.6	0.2	0	5.4	71.8	252.2	244.1	85.3	0
210	md	N	210-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
210	md	N	210-50	10	.	.	.	.	.	.	.	.	.	1.4	1	2.4	14	0	0	0	1.4	1.4	0	0
210	md	N	630-00	150	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
210	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
210	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
210	md	N	SUM	24379	.	.	.	.	.	.	.	.	.	16.3	8.3	24.3	0.1	0	0	0	16.3	16.3	0	0
210	md	R	210-00	194	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.6	0	0	1.2	0	0	1.2	0
210	md	R	210-50	90	.	.	.	.	.	.	.	.	.	55.4	50.8	60	61.6	0	0	0	55.4	55.4	0	0
210	md	R	630-00	348	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.4	0	0	1.5	0	0	1.5	0
210	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	37.1	24.8	49.4	0	0	0	0	37.1	33	4.1	0
210	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
210	md	R	SUM	151209	.	.	.	.	.	.	.	.	.	95.3	82	108.5	0.1	0	0	2.8	92.5	88.4	6.8	0
210	md	SUM	210-00	200	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.6	0	0	1.2	0	0	1.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
210	md	SUM	210-50	100	.	.	.	.	.	.	.	.	.	56.8	52.1	61.5	56.8	0	0	0	56.8	56.8	0	0
210	md	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
210	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	52	37.3	66.6	0	0	0	0	52	47.9	4.1	0
210	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
210	md	SUM	SUM	175588	.	.	.	.	.	.	.	.	.	111.6	96.1	127	0.1	0	0	2.8	108.8	104.8	6.8	0
210	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
210	wt	N	200-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
210	wt	N	210-00	6	.	.	.	.	.	.	.	.	.	1	1	1	16.7	0	0	1	0	0	1	0
210	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
210	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	10.5	4.4	16.6	0	0	0	3.7	6.8	6.8	3.7	0
210	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
210	wt	N	SUM	24370	.	.	.	.	.	.	.	.	.	11.5	5.4	17.6	0	0	0	4.7	6.8	6.8	4.7	0
210	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	2	1	4	0.2	0	0	2	0	0	2	0
210	wt	R	200-01	94	.	.	.	.	.	.	.	.	.	1.3	1	2.3	1.4	0	0	1.3	0	0	1.3	0
210	wt	R	210-00	194	.	.	.	.	.	.	.	.	.	43.3	38.9	47.6	22.3	0	3.9	39.3	0	0	43.3	0
210	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	2.3	1	4.5	0.1	0	0	2.3	0	0	2.3	0
210	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	155.6	133.5	177.7	0.1	0	1.5	19.4	134.8	130.7	24.9	0
210	wt	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.7	.	0	0	0	1.8	1.8	0	0
210	wt	R	SUM	156046	.	.	.	.	.	.	.	.	.	206.3	183.5	229.1	0.1	0	5.4	64.3	136.6	132.5	73.8	0
210	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2	1	4	0.2	0	0	2	0	0	2	0
210	wt	SUM	200-01	97	.	.	.	.	.	.	.	.	.	1.3	1	2.3	1.3	0	0	1.3	0	0	1.3	0
210	wt	SUM	210-00	200	.	.	.	.	.	.	.	.	.	44.3	39.9	48.6	22.1	0	3.9	40.3	0	0	44.3	0
210	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	2.3	1	4.5	0.1	0	0	2.3	0	0	2.3	0
210	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	166.1	143.2	189	0.1	0	1.5	23.1	141.5	137.5	28.6	0
210	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.7	.	0	0	0	1.8	1.8	0	0
210	wt	SUM	SUM	180416	.	.	.	.	.	.	.	.	.	217.8	194.2	241.4	0.1	0	5.4	69.1	143.4	139.3	78.5	0
211	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
211	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	8.9	3.1	14.7	0	0	0	0	8.9	8.9	0	0
211	all_deer	N	SUM	24280	29.3	18.5	40.1	147.6	85.4	209.8	5	4	6	8.9	3.1	14.7	0	0	0	0	8.9	8.9	0	0
211	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	5.5	2	9.4	0.5	0	0	5.5	0	0	5.5	0
211	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	43	30.2	55.9	0	0	0	4.1	39	34.9	8.1	0
211	all_deer	R	SUM	151729	207.1	178.9	235.3	1757.1	1369.7	2144.5	8.5	7	10	48.5	35.1	62	0	0	0	9.6	39	34.9	13.6	0
211	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	5.5	2	9.4	0.5	0	0	5.5	0	0	5.5	0
211	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	51.9	37.8	66	0	0	0	4.1	47.9	43.8	8.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
211	all_deer	SUM	SUM	176009	236.4	206.3	266.5	1904.7	1512.3	2297.1	8.1	6.8	9.4	57.4	42.8	72.1	0	0	0	9.6	47.9	43.8	13.6	0
211	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	8.9	3.1	14.7	0	0	0	0	8.9	8.9	0	0
211	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	8.9	3.1	14.7	0	0	0	0	8.9	8.9	0	0
211	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	27.7	17.4	37.9	0	0	0	0	27.7	27.7	0	0
211	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	27.7	17.4	37.9	0	0	0	0	27.7	27.7	0	0
211	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	36.6	24.8	48.4	0	0	0	0	36.6	36.6	0	0
211	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	36.6	24.8	48.4	0	0	0	0	36.6	36.6	0	0
211	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
211	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
211	wt	N	SUM	24280	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
211	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	5.5	2	9.4	0.5	0	0	5.5	0	0	5.5	0
211	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	15.4	7.6	23.1	0	0	0	4.1	11.3	7.3	8.1	0
211	wt	R	SUM	151729	.	.	.	.	.	.	.	.	.	20.9	12.2	29.5	0	0	0	9.6	11.3	7.3	13.6	0
211	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	5.5	2	9.4	0.5	0	0	5.5	0	0	5.5	0
211	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	15.4	7.6	23.1	0	0	0	4.1	11.3	7.3	8.1	0
211	wt	SUM	SUM	176009	.	.	.	.	.	.	.	.	.	20.9	12.2	29.5	0	0	0	9.6	11.3	7.3	13.6	0
212	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
212	all_deer	N	210-00	6	.	.	.	.	.	.	.	.	.	5	1	6	83.3	0	0	0	5	5	0	0
212	all_deer	N	212-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
212	all_deer	N	212-01	15	.	.	.	.	.	.	.	.	.	5.2	2	8.6	34.7	0	0	5.2	0	0	5.2	0
212	all_deer	N	212-10	11	.	.	.	.	.	.	.	.	.	4.6	4	5.5	41.8	0	0	0	4.6	4.6	0	0
212	all_deer	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
212	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	46	32.9	59.1	0.2	0	0	2.6	43.4	41.4	4.5	0
212	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
212	all_deer	N	SUM	24335	148.3	124.5	172.1	1070	873.2	1266.8	7.2	6.5	7.9	60.7	46	75.5	0.2	0	0	7.8	53	51	9.7	0
212	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	7.7	3.2	12.1	0.7	0	0	7.7	0	0	7.7	0
212	all_deer	R	210-00	194	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
212	all_deer	R	212-00	46	.	.	.	.	.	.	.	.	.	31.7	28.9	34.4	68.9	0	1.5	30.2	0	0	31.7	0
212	all_deer	R	212-01	135	.	.	.	.	.	.	.	.	.	32.9	28	37.8	24.4	0	0	31.3	1.6	1.6	31.3	0
212	all_deer	R	212-10	194	.	.	.	.	.	.	.	.	.	17.3	13.1	21.5	8.9	0	0	5.8	11.5	11.5	5.8	0
212	all_deer	R	322-00	581	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	0	1.6	1.6	0	0
212	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	374	337.1	410.8	0.2	0	1.7	30.3	342	339.7	34.2	0
212	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
212	all_deer	R	SUM	152879	1152.1	1087.4	1216.8	7704.7	7106.5	8302.9	6.7	6.3	7.1	469.1	431.1	507.2	0.3	0	3.2	109.3	356.7	354.5	114.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
212	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	7.7	3.2	12.1	0.6	0	0	7.7	0	0	7.7	0
212	all_deer	SUM	210-00	200	.	.	.	.	.	.	.	.	.	5	1	10.7	2.5	0	0	0	5	5	0	0
212	all_deer	SUM	212-00	50	.	.	.	.	.	.	.	.	.	31.7	28.9	34.4	63.4	0	1.5	30.2	0	0	31.7	0
212	all_deer	SUM	212-01	150	.	.	.	.	.	.	.	.	.	38.1	32.2	44	25.4	0	0	36.5	1.6	1.6	36.5	0
212	all_deer	SUM	212-10	205	.	.	.	.	.	.	.	.	.	21.9	17.5	26.2	10.7	0	0	5.8	16.1	16.1	5.8	0
212	all_deer	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	0	1.6	1.6	0	0
212	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	419.9	380.8	459.1	0.2	0	1.7	32.9	385.4	381.2	38.8	0
212	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
212	all_deer	SUM	SUM	177214	1300.4	1231.5	1369.3	8774.7	8144.8	9404.6	6.7	6.4	7	529.9	489.1	570.7	0.3	0	3.2	117.1	409.7	405.5	124.4	0
212	md	N	210-00	6	.	.	.	.	.	.	.	.	.	5	1	6	83.3	0	0	0	5	5	0	0
212	md	N	212-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
212	md	N	212-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
212	md	N	212-10	11	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
212	md	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
212	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	32.4	21.2	43.6	0.1	0	0	0	32.4	30.4	2	0
212	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
212	md	N	SUM	24268	.	.	.	.	.	.	.	.	.	37.4	24.8	50	0.2	0	0	0	37.4	35.4	2	0
212	md	R	210-00	194	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
212	md	R	212-00	46	.	.	.	.	.	.	.	.	.	31.7	28.9	34.4	68.9	0	1.5	30.2	0	0	31.7	0
212	md	R	212-01	135	.	.	.	.	.	.	.	.	.	1.6	1	2.9	1.2	0	0	0	1.6	1.6	0	0
212	md	R	212-10	194	.	.	.	.	.	.	.	.	.	2	1	3.6	1	0	0	0	2	2	0	0
212	md	R	322-00	581	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	0	1.6	1.6	0	0
212	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	258.2	227.4	288.9	0.2	0	0	12.4	245.7	245.7	12.4	0
212	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
212	md	R	SUM	151727	.	.	.	.	.	.	.	.	.	295	264.1	326	0.2	0	1.5	42.6	251	251	44.1	0
212	md	SUM	210-00	200	.	.	.	.	.	.	.	.	.	5	1	10.7	2.5	0	0	0	5	5	0	0
212	md	SUM	212-00	50	.	.	.	.	.	.	.	.	.	31.7	28.9	34.4	63.4	0	1.5	30.2	0	0	31.7	0
212	md	SUM	212-01	150	.	.	.	.	.	.	.	.	.	1.6	1	2.9	1.1	0	0	0	1.6	1.6	0	0
212	md	SUM	212-10	205	.	.	.	.	.	.	.	.	.	2	1	3.6	1	0	0	0	2	2	0	0
212	md	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	0	1.6	1.6	0	0
212	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	290.5	257.8	323.3	0.2	0	0	12.4	278.1	276.2	14.4	0
212	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
212	md	SUM	SUM	175995	.	.	.	.	.	.	.	.	.	332.4	299	365.8	0.2	0	1.5	42.6	288.3	286.4	46	0
212	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
212	wt	N	212-01	15	.	.	.	.	.	.	.	.	.	5.2	2	8.6	34.7	0	0	5.2	0	0	5.2	0
212	wt	N	212-10	11	.	.	.	.	.	.	.	.	.	4.6	4	5.5	41.8	0	0	0	4.6	4.6	0	0
212	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	13.6	6.8	20.4	0.1	0	0	2.6	11	11	2.6	0
212	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
212	wt	N	SUM	24306	.	.	.	.	.	.	.	.	.	23.3	15.7	31	0.1	0	0	7.8	15.6	15.6	7.8	0
212	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	7.7	3.2	12.1	0.7	0	0	7.7	0	0	7.7	0
212	wt	R	212-01	135	.	.	.	.	.	.	.	.	.	31.3	26.5	36.1	23.2	0	0	31.3	0	0	31.3	0
212	wt	R	212-10	194	.	.	.	.	.	.	.	.	.	15.3	11.3	19.3	7.9	0	0	5.8	9.5	9.5	5.8	0
212	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	115.8	95.4	136.2	0.1	0	1.7	17.9	96.2	94	21.8	0
212	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
212	wt	R	SUM	152058	.	.	.	.	.	.	.	.	.	174.1	151.9	196.3	0.1	0	1.7	66.7	105.7	103.5	70.6	0
212	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	7.7	3.2	12.1	0.6	0	0	7.7	0	0	7.7	0
212	wt	SUM	212-01	150	.	.	.	.	.	.	.	.	.	36.5	30.7	42.4	24.3	0	0	36.5	0	0	36.5	0
212	wt	SUM	212-10	205	.	.	.	.	.	.	.	.	.	19.8	15.8	23.9	9.7	0	0	5.8	14.1	14.1	5.8	0
212	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	129.4	107.8	150.9	0.1	0	1.7	20.5	107.2	105	24.4	0
212	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
212	wt	SUM	SUM	176364	.	.	.	.	.	.	.	.	.	197.5	174	221	0.1	0	1.7	74.5	121.3	119.1	78.4	0
213	all_deer	N	213-00	3	.	.	.	.	.	.	.	.	.	1.5	1	2.6	50	0	0	1.5	0	0	1.5	0
213	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	3.7	11.2	11.2	3.7	0
213	all_deer	N	SUM	24216	20.4	11.4	29.4	137.4	65.9	208.9	6.7	4.9	8.5	16.4	8.4	24.4	0.1	0	0	5.2	11.2	11.2	5.2	0
213	all_deer	R	213-00	47	.	.	.	.	.	.	.	.	.	9.3	6.6	12.1	19.8	0	0	9.3	0	0	9.3	0
213	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	120.1	99.2	140.9	0.1	0	0	16.2	103.8	103.8	16.2	0
213	all_deer	R	SUM	150624	326.6	292	361.2	2555.5	2207.9	2903.1	7.8	7.1	8.5	129.4	108.3	150.5	0.1	0	0	25.5	103.8	103.8	25.5	0
213	all_deer	SUM	213-00	50	.	.	.	.	.	.	.	.	.	10.8	7.9	13.8	21.6	0	0	10.8	0	0	10.8	0
213	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	135	112.6	157.3	0.1	0	0	19.9	115	115	19.9	0
213	all_deer	SUM	SUM	174840	346.9	311.1	382.7	2692.8	2338.1	3047.5	7.8	7.2	8.4	145.8	123.2	168.3	0.1	0	0	30.8	115	115	30.8	0
213	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	3.7	11.2	11.2	3.7	0
213	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	3.7	11.2	11.2	3.7	0
213	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	80.4	63.2	97.6	0.1	0	0	0	80.4	80.4	0	0
213	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	80.4	63.2	97.6	0.1	0	0	0	80.4	80.4	0	0
213	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	95.3	76.4	114.2	0.1	0	0	3.7	91.6	91.6	3.7	0
213	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	95.3	76.4	114.2	0.1	0	0	3.7	91.6	91.6	3.7	0
213	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
213	wt	N	213-00	3	.	.	.	.	.	.	.	.	.	1.5	1	2.6	50	0	0	1.5	0	0	1.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
213	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
213	wt	N	SUM	24283	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0	0	0	1.5	0	0	1.5	0
213	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
213	wt	R	213-00	47	.	.	.	.	.	.	.	.	.	9.3	6.6	12.1	19.8	0	0	9.3	0	0	9.3	0
213	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	39.7	27.8	51.5	0	0	0	16.2	23.4	23.4	16.2	0
213	wt	R	SUM	151776	.	.	.	.	.	.	.	.	.	49	36.8	61.2	0	0	0	25.5	23.4	23.4	25.5	0
213	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
213	wt	SUM	213-00	50	.	.	.	.	.	.	.	.	.	10.8	7.9	13.8	21.6	0	0	10.8	0	0	10.8	0
213	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	39.7	27.8	51.5	0	0	0	16.2	23.4	23.4	16.2	0
213	wt	SUM	SUM	176059	.	.	.	.	.	.	.	.	.	50.5	38.3	62.7	0	0	0	27	23.4	23.4	27	0
214	all_deer	N	326-01	24	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
214	all_deer	N	640-00	74	.	.	.	.	.	.	.	.	.	1.5	1	2.5	2	0	0	1.5	0	0	1.5	0
214	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	8.9	3.1	14.8	0	0	0	0	8.9	8.9	0	0
214	all_deer	N	SUM	24311	18.2	9.9	26.5	167	67.2	266.8	9.2	6	12.4	10.5	4.5	16.4	0	0	0	1.5	8.9	8.9	1.5	0
214	all_deer	R	326-01	155	.	.	.	.	.	.	.	.	.	2.1	1	4	1.4	0	0	2.1	0	0	2.1	0
214	all_deer	R	640-00	223	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
214	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	109.9	88.9	130.8	0.1	0	0	2.3	107.5	107.5	2.3	0
214	all_deer	R	SUM	150955	398.9	358.9	438.9	2929.6	2496.6	3362.6	7.3	6.5	8.1	112	90.9	133	0.1	0	0	4.5	107.5	107.5	4.5	0
214	all_deer	SUM	326-01	179	.	.	.	.	.	.	.	.	.	2.1	1	4	1.2	0	0	2.1	0	0	2.1	0
214	all_deer	SUM	640-00	297	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
214	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	118.8	97	140.6	0.1	0	0	2.3	116.5	116.5	2.3	0
214	all_deer	SUM	SUM	175266	417.1	376.2	458	3096.5	2652.1	3540.9	7.4	6.6	8.2	122.5	100.6	144.3	0.1	0	0	6	116.5	116.5	6	0
214	md	N	640-00	74	.	.	.	.	.	.	.	.	.	1.5	1	2.5	2	0	0	1.5	0	0	1.5	0
214	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	8.9	3.1	14.8	0	0	0	0	8.9	8.9	0	0
214	md	N	SUM	24287	.	.	.	.	.	.	.	.	.	10.5	4.5	16.4	0	0	0	1.5	8.9	8.9	1.5	0
214	md	R	640-00	223	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
214	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	96	76.5	115.6	0.1	0	0	2.3	93.7	93.7	2.3	0
214	md	R	SUM	150800	.	.	.	.	.	.	.	.	.	96	76.5	115.6	0.1	0	0	2.3	93.7	93.7	2.3	0
214	md	SUM	640-00	297	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
214	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	105	84.5	125.4	0.1	0	0	2.3	102.6	102.6	2.3	0
214	md	SUM	SUM	175087	.	.	.	.	.	.	.	.	.	106.5	86	126.9	0.1	0	0	3.9	102.6	102.6	3.9	0
214	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
214	wt	N	326-01	24	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
214	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
214	wt	N	SUM	24304	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
214	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
214	wt	R	326-01	155	.	.	.	.	.	.	.	.	.	2.1	1	4	1.4	0	0	2.1	0	0	2.1	0
214	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	13.9	6.3	21.4	0	0	0	0	13.9	13.9	0	0
214	wt	R	SUM	151884	.	.	.	.	.	.	.	.	.	16	8.2	23.8	0	0	0	2.1	13.9	13.9	2.1	0
214	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
214	wt	SUM	326-01	179	.	.	.	.	.	.	.	.	.	2.1	1	4	1.2	0	0	2.1	0	0	2.1	0
214	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	13.9	6.3	21.4	0	0	0	0	13.9	13.9	0	0
214	wt	SUM	SUM	176188	.	.	.	.	.	.	.	.	.	16	8.2	23.8	0	0	0	2.1	13.9	13.9	2.1	0
215	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
215	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
215	all_deer	N	212-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
215	all_deer	N	212-10	11	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
215	all_deer	N	215-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
215	all_deer	N	315-00	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
215	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	20.8	11.6	29.9	0.1	0	0	3.7	17.1	17.1	3.7	0
215	all_deer	N	SUM	25117	79.1	61.2	97	621.4	444	798.8	7.9	6.6	9.2	24.8	14.7	35	0.1	0	0	7.8	17.1	17.1	7.8	0
215	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	3.3	1	6.6	0.3	0	0	3.3	0	0	3.3	0
215	all_deer	R	212-01	135	.	.	.	.	.	.	.	.	.	1.9	1	3.4	1.4	0	0	1.9	0	0	1.9	0
215	all_deer	R	212-10	194	.	.	.	.	.	.	.	.	.	4.5	3	6.6	2.3	0	0	3.1	1.5	1.5	3.1	0
215	all_deer	R	215-00	47	.	.	.	.	.	.	.	.	.	22	18.6	25.4	46.8	0	0	22	0	0	22	0
215	all_deer	R	315-00	269	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.6	0	0	1.6	0	0	1.6	0
215	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	351.5	314.1	388.9	0.2	0	0	46.1	305.4	299	52.5	0
215	all_deer	R	SUM	152374	976.2	914.3	1038.1	7322.9	6719.9	7925.9	7.5	7.1	7.9	384.9	347.1	422.7	0.3	0	0	78	306.9	300.5	84.4	0
215	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	3.3	1	6.6	0.3	0	0	3.3	0	0	3.3	0
215	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
215	all_deer	SUM	212-01	150	.	.	.	.	.	.	.	.	.	1.9	1	3.4	1.3	0	0	1.9	0	0	1.9	0
215	all_deer	SUM	212-10	205	.	.	.	.	.	.	.	.	.	4.5	3	6.6	2.2	0	0	3.1	1.5	1.5	3.1	0
215	all_deer	SUM	215-00	50	.	.	.	.	.	.	.	.	.	22	18.6	25.4	44	0	0	22	0	0	22	0
215	all_deer	SUM	315-00	300	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
215	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	372.3	333.7	410.8	0.2	0	0	49.8	322.5	316.1	56.2	0
215	all_deer	SUM	SUM	177491	1055.3	990.8	1119.8	7944.3	7315.8	8572.8	7.5	7.1	7.9	409.7	370.6	448.9	0.2	0	0	85.8	324	317.6	92.2	0
215	md	N	315-00	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
215	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	17.1	8.8	25.3	0.1	0	0	0	17.1	17.1	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
215	md	N	SUM	24244	.	.	.	.	.	.	.	.	.	17.1	8.8	25.3	0.1	0	0	0	17.1	17.1	0	0
215	md	R	315-00	269	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.6	0	0	1.6	0	0	1.6	0
215	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	202	173.3	230.8	0.1	0	0	4.1	198	195.6	6.4	0
215	md	R	SUM	150846	.	.	.	.	.	.	.	.	.	203.6	174.8	232.4	0.1	0	0	5.7	198	195.6	8	0
215	md	SUM	315-00	300	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
215	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	219.1	189.1	249	0.1	0	0	4.1	215	212.7	6.4	0
215	md	SUM	SUM	175090	.	.	.	.	.	.	.	.	.	220.7	190.7	250.6	0.1	0	0	5.7	215	212.7	8	0
215	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
215	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
215	wt	N	212-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
215	wt	N	212-10	11	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
215	wt	N	215-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
215	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	3.7	0	0	3.7	0
215	wt	N	SUM	25086	.	.	.	.	.	.	.	.	.	7.8	2	13.6	0	0	0	7.8	0	0	7.8	0
215	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	3.3	1	6.6	0.3	0	0	3.3	0	0	3.3	0
215	wt	R	212-01	135	.	.	.	.	.	.	.	.	.	1.9	1	3.4	1.4	0	0	1.9	0	0	1.9	0
215	wt	R	212-10	194	.	.	.	.	.	.	.	.	.	3.1	2	4.8	1.6	0	0	3.1	0	0	3.1	0
215	wt	R	215-00	47	.	.	.	.	.	.	.	.	.	22	18.6	25.4	46.8	0	0	22	0	0	22	0
215	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	149.5	125.5	173.5	0.1	0	0	42	107.5	103.4	46.1	0
215	wt	R	SUM	152105	.	.	.	.	.	.	.	.	.	179.8	155.2	204.4	0.1	0	0	72.3	107.5	103.4	76.4	0
215	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	3.3	1	6.6	0.3	0	0	3.3	0	0	3.3	0
215	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
215	wt	SUM	212-01	150	.	.	.	.	.	.	.	.	.	1.9	1	3.4	1.3	0	0	1.9	0	0	1.9	0
215	wt	SUM	212-10	205	.	.	.	.	.	.	.	.	.	3.1	2	4.8	1.5	0	0	3.1	0	0	3.1	0
215	wt	SUM	215-00	50	.	.	.	.	.	.	.	.	.	22	18.6	25.4	44	0	0	22	0	0	22	0
215	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	153.2	128.9	177.5	0.1	0	0	45.8	107.5	103.4	49.8	0
215	wt	SUM	SUM	177191	.	.	.	.	.	.	.	.	.	187.6	162.3	212.8	0.1	0	0	80.1	107.5	103.4	84.2	0
216	all_deer	N	216-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
216	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.5	5.1	17.9	0	0	0	0	11.5	11.5	0	0
216	all_deer	N	SUM	24215	23	13.6	32.4	159.6	88.6	230.6	6.9	5.5	8.3	11.5	5.1	17.9	0	0	0	0	11.5	11.5	0	0
216	all_deer	R	216-00	18	.	.	.	.	.	.	.	.	.	4.2	3	5.6	23.3	0	0	4.2	0	0	4.2	0
216	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	143.9	120.9	166.9	0.1	0	0	17.2	126.7	126.7	17.2	0
216	all_deer	R	SUM	150595	362.9	325.9	399.9	1857.2	1629.1	2085.3	5.1	4.7	5.5	148	125	171.1	0.1	0	0	21.4	126.7	126.7	21.4	0
216	all_deer	SUM	216-00	20	.	.	.	.	.	.	.	.	.	4.2	3	5.6	21	0	0	4.2	0	0	4.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
216	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	155.4	131.5	179.3	0.1	0	0	17.2	138.2	138.2	17.2	0
216	all_deer	SUM	SUM	174810	385.9	347.7	424.1	2016.7	1777.8	2255.6	5.2	4.8	5.6	159.6	135.6	183.5	0.1	0	0	21.4	138.2	138.2	21.4	0
216	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.5	5.1	17.9	0	0	0	0	11.5	11.5	0	0
216	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	11.5	5.1	17.9	0	0	0	0	11.5	11.5	0	0
216	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	80.1	62.4	97.9	0.1	0	0	4.1	76.1	76.1	4.1	0
216	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	80.1	62.4	97.9	0.1	0	0	4.1	76.1	76.1	4.1	0
216	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	91.7	72.8	110.6	0.1	0	0	4.1	87.6	87.6	4.1	0
216	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	91.7	72.8	110.6	0.1	0	0	4.1	87.6	87.6	4.1	0
216	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
216	wt	N	216-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
216	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
216	wt	N	SUM	24282	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
216	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
216	wt	R	216-00	18	.	.	.	.	.	.	.	.	.	4.2	3	5.6	23.3	0	0	4.2	0	0	4.2	0
216	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	63.7	49.1	78.3	0	0	0	13.1	50.6	50.6	13.1	0
216	wt	R	SUM	151747	.	.	.	.	.	.	.	.	.	67.9	53.2	82.6	0	0	0	17.3	50.6	50.6	17.3	0
216	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
216	wt	SUM	216-00	20	.	.	.	.	.	.	.	.	.	4.2	3	5.6	21	0	0	4.2	0	0	4.2	0
216	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	63.7	49.1	78.3	0	0	0	13.1	50.6	50.6	13.1	0
216	wt	SUM	SUM	176029	.	.	.	.	.	.	.	.	.	67.9	53.2	82.6	0	0	0	17.3	50.6	50.6	17.3	0
240	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
240	all_deer	N	240-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
240	all_deer	N	240-40	73	.	.	.	.	.	.	.	.	.	10.4	7.1	13.8	14.2	0	0	1.7	8.7	8.7	1.7	0
240	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
240	all_deer	N	260-20	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
240	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	40.9	30	51.7	0.2	0	0	5.4	35.5	31.8	9.1	0
240	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
240	all_deer	N	SUM	24441	158.5	136.2	180.8	897.8	758.4	1037.2	5.7	5.4	6	52.3	40.9	63.7	0.2	0	0	8.1	44.2	40.5	11.8	0
240	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	8.2	4.2	12.3	0.7	0	0	8.2	0	0	8.2	0
240	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
240	all_deer	R	240-00	49	.	.	.	.	.	.	.	.	.	19.1	16	22.2	39	0	0	19.1	0	0	19.1	0
240	all_deer	R	240-40	508	.	.	.	.	.	.	.	.	.	91.2	80.3	102.1	18	0	0	0	91.2	91.2	0	0
240	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	147.6	129.9	165.4	3.7	0	7.1	138.4	2.1	2.1	145.5	0
240	all_deer	R	260-20	294	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
240	all_deer	R	260-60	500	.	.	.	.	.	.	.	.	.	10.4	6.7	14.2	2.1	0	1.9	8.6	0	0	10.4	0
240	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	830.6	774.8	886.4	0.6	0	13.7	163.5	653.5	649.4	181.2	0
240	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	5.5	2	10	.	0	0	1.5	4.1	4.1	1.5	0
240	all_deer	R	SUM	162561	2284.5	2193.5	2375.5	12943.5	12237	13650	5.7	5.5	5.9	1118	1057.8	1178.2	0.7	0	22.6	343.1	752.3	748.2	369.8	0
240	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	8.2	4.2	12.3	0.7	0	0	8.2	0	0	8.2	0
240	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
240	all_deer	SUM	240-00	50	.	.	.	.	.	.	.	.	.	20.1	17	23.2	40.2	0	0	20.1	0	0	20.1	0
240	all_deer	SUM	240-40	581	.	.	.	.	.	.	.	.	.	101.6	90.3	113	17.5	0	0	1.7	99.9	99.9	1.7	0
240	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	147.6	129.9	165.4	3.6	0	7.1	138.4	2.1	2.1	145.5	0
240	all_deer	SUM	260-20	300	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
240	all_deer	SUM	260-60	500	.	.	.	.	.	.	.	.	.	10.4	6.7	14.2	2.1	0	1.9	8.6	0	0	10.4	0
240	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	871.4	814.6	928.3	0.5	0	13.7	168.8	689	681.2	190.2	0
240	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	5.5	2	10	.	0	0	1.5	4.1	4.1	1.5	0
240	all_deer	SUM	SUM	187002	2443.1	2349.4	2536.8	13841.3	13121.2	14561.4	5.7	5.5	5.9	1170.3	1109	1231.6	0.6	0	22.6	351.2	796.5	788.7	381.6	0
240	md	N	240-40	73	.	.	.	.	.	.	.	.	.	10.4	7.1	13.8	14.2	0	0	1.7	8.7	8.7	1.7	0
240	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.3	6	16.7	0	0	0	0	11.3	11.3	0	0
240	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
240	md	N	SUM	24286	.	.	.	.	.	.	.	.	.	21.8	15.4	28.1	0.1	0	0	1.7	20	20	1.7	0
240	md	R	240-40	508	.	.	.	.	.	.	.	.	.	88.1	77.3	98.8	17.3	0	0	0	88.1	88.1	0	0
240	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	45.2	35.4	55.1	0	0	0	0	45.2	45.2	0	0
240	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
240	md	R	SUM	151085	.	.	.	.	.	.	.	.	.	133.3	118.7	147.9	0.1	0	0	0	133.3	133.3	0	0
240	md	SUM	240-40	581	.	.	.	.	.	.	.	.	.	98.5	87.2	109.7	17	0	0	1.7	96.7	96.7	1.7	0
240	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	56.6	45.4	67.8	0	0	0	0	56.6	56.6	0	0
240	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
240	md	SUM	SUM	175371	.	.	.	.	.	.	.	.	.	155.1	139.2	171	0.1	0	0	1.7	153.3	153.3	1.7	0
240	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
240	wt	N	240-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
240	wt	N	240-40	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
240	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
240	wt	N	260-20	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
240	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.5	20	39	0.1	0	0	5.4	24.2	20.4	9.1	0
240	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
240	wt	N	SUM	24441	.	.	.	.	.	.	.	.	.	30.5	21	40	0.1	0	0	6.4	24.2	20.4	10.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
240	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	8.2	4.2	12.3	0.7	0	0	8.2	0	0	8.2	0
240	wt	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
240	wt	R	240-00	49	.	.	.	.	.	.	.	.	.	19.1	16	22.2	39	0	0	19.1	0	0	19.1	0
240	wt	R	240-40	508	.	.	.	.	.	.	.	.	.	3.1	2	5.1	0.6	0	0	0	3.1	3.1	0	0
240	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	147.6	129.9	165.4	3.7	0	7.1	138.4	2.1	2.1	145.5	0
240	wt	R	260-20	294	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
240	wt	R	260-60	500	.	.	.	.	.	.	.	.	.	10.4	6.7	14.2	2.1	0	1.9	8.6	0	0	10.4	0
240	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	785.3	730.4	840.3	0.5	0	13.7	163.5	608.2	604.2	181.2	0
240	wt	R	none	.	.	.	.	.	.	.	.	.	.	5.5	2	10	.	0	0	1.5	4.1	4.1	1.5	0
240	wt	R	SUM	162561	.	.	.	.	.	.	.	.	.	984.7	926.2	1043.1	0.6	0	22.6	343.1	619	614.9	369.8	0
240	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	8.2	4.2	12.3	0.7	0	0	8.2	0	0	8.2	0
240	wt	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
240	wt	SUM	240-00	50	.	.	.	.	.	.	.	.	.	20.1	17	23.2	40.2	0	0	20.1	0	0	20.1	0
240	wt	SUM	240-40	581	.	.	.	.	.	.	.	.	.	3.1	2	5.1	0.5	0	0	0	3.1	3.1	0	0
240	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	147.6	129.9	165.4	3.6	0	7.1	138.4	2.1	2.1	145.5	0
240	wt	SUM	260-20	300	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
240	wt	SUM	260-60	500	.	.	.	.	.	.	.	.	.	10.4	6.7	14.2	2.1	0	1.9	8.6	0	0	10.4	0
240	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	814.8	759.1	870.6	0.5	0	13.7	168.8	632.4	624.6	190.2	0
240	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	5.5	2	10	.	0	0	1.5	4.1	4.1	1.5	0
240	wt	SUM	SUM	187002	.	.	.	.	.	.	.	.	.	1015.2	956	1074.4	0.5	0	22.6	349.4	643.1	635.4	379.8	0
250	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	1.2	1	2.1	1.8	0	0	0	1.2	1.2	0	0
250	all_deer	N	250-40	230	.	.	.	.	.	.	.	.	.	55.5	49.6	61.5	24.1	0	0	0	55.5	55.5	0	0
250	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
250	all_deer	N	260-20	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
250	all_deer	N	620-00	38	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
250	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	32	22.9	41.1	0.1	0	0	1.5	30.5	30.5	1.5	0
250	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
250	all_deer	N	SUM	24635	257.3	232.7	281.9	1624.7	1441.2	1808.2	6.3	5.9	6.7	88.7	77.8	99.6	0.4	0	0	1.5	87.2	87.2	1.5	0
250	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
250	all_deer	R	250-40	753	.	.	.	.	.	.	.	.	.	164.4	146	182.8	21.8	0	0	2.2	162.2	162.2	2.2	0
250	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	31	22.5	39.5	0.8	0	3.4	27.6	0	0	31	0
250	all_deer	R	260-20	294	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	0	1.7	1.7	0	0
250	all_deer	R	620-00	162	.	.	.	.	.	.	.	.	.	1.8	1	3.2	1.1	0	0	0	1.8	1.8	0	0
250	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	316.6	282.5	350.6	0.2	0	10.5	65.4	240.7	230.7	85.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
250	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.7	.	0	0	0	1.8	1.8	0	0
250	all_deer	R	SUM	156967	1220.6	1155.9	1285.3	8083.3	7510.2	8656.4	6.6	6.3	6.9	517.3	477.5	557	0.3	0	13.9	95.2	408.2	398.2	119	0
250	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.1	0	0	0	1.2	1.2	0	0
250	all_deer	SUM	250-40	983	.	.	.	.	.	.	.	.	.	219.9	200.6	239.3	22.4	0	0	2.2	217.7	217.7	2.2	0
250	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	31	22.5	39.5	0.8	0	3.4	27.6	0	0	31	0
250	all_deer	SUM	260-20	300	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	0	1.7	1.7	0	0
250	all_deer	SUM	620-00	200	.	.	.	.	.	.	.	.	.	1.8	1	3.2	0.9	0	0	0	1.8	1.8	0	0
250	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	348.6	313.3	383.9	0.2	0	10.5	66.9	271.2	261.2	87.3	0
250	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.7	.	0	0	0	1.8	1.8	0	0
250	all_deer	SUM	SUM	181602	1477.8	1408.6	1547	9707.9	9106.2	10309.6	6.6	6.3	6.9	606	564.8	647.2	0.3	0	13.9	96.7	495.4	485.4	120.5	0
250	md	N	250-40	230	.	.	.	.	.	.	.	.	.	55.5	49.6	61.5	24.1	0	0	0	55.5	55.5	0	0
250	md	N	620-00	38	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
250	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	13.5	9	18.3	0.1	0	0	0	13.5	13.5	0	0
250	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
250	md	N	SUM	24481	.	.	.	.	.	.	.	.	.	69	61.4	76.7	0.3	0	0	0	69	69	0	0
250	md	R	250-40	753	.	.	.	.	.	.	.	.	.	164.4	146	182.8	21.8	0	0	2.2	162.2	162.2	2.2	0
250	md	R	620-00	162	.	.	.	.	.	.	.	.	.	1.8	1	3.2	1.1	0	0	0	1.8	1.8	0	0
250	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	29	21.4	36.5	0	0	0	0	29	29	0	0
250	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
250	md	R	SUM	151492	.	.	.	.	.	.	.	.	.	195.2	175.3	215.1	0.1	0	0	2.2	193	193	2.2	0
250	md	SUM	250-40	983	.	.	.	.	.	.	.	.	.	219.9	200.6	239.3	22.4	0	0	2.2	217.7	217.7	2.2	0
250	md	SUM	620-00	200	.	.	.	.	.	.	.	.	.	1.8	1	3.2	0.9	0	0	0	1.8	1.8	0	0
250	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	42.4	33.5	51.4	0	0	0	0	42.4	42.4	0	0
250	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
250	md	SUM	SUM	175973	.	.	.	.	.	.	.	.	.	264.2	242.9	285.6	0.2	0	0	2.2	262	262	2.2	0
250	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	1.2	1	2.1	1.8	0	0	0	1.2	1.2	0	0
250	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
250	wt	N	260-20	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
250	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	18.5	10.8	26.3	0.1	0	0	1.5	17	17	1.5	0
250	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
250	wt	N	SUM	24367	.	.	.	.	.	.	.	.	.	19.7	11.9	27.5	0.1	0	0	1.5	18.2	18.2	1.5	0
250	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
250	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	31	22.5	39.5	0.8	0	3.4	27.6	0	0	31	0
250	wt	R	260-20	294	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	0	1.7	1.7	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
250	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	287.6	254.4	320.9	0.2	0	10.5	65.4	211.7	201.8	85.8	0
250	wt	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.7	.	0	0	0	1.8	1.8	0	0
250	wt	R	SUM	156052	.	.	.	.	.	.	.	.	.	322.1	287.7	356.4	0.2	0	13.9	93	215.2	205.2	116.8	0
250	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.1	0	0	0	1.2	1.2	0	0
250	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	31	22.5	39.5	0.8	0	3.4	27.6	0	0	31	0
250	wt	SUM	260-20	300	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	0	1.7	1.7	0	0
250	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	306.1	272	340.3	0.2	0	10.5	66.9	228.8	218.8	87.3	0
250	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.7	.	0	0	0	1.8	1.8	0	0
250	wt	SUM	SUM	180419	.	.	.	.	.	.	.	.	.	341.8	306.5	377	0.2	0	13.9	94.5	233.4	223.4	118.3	0
260	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	1.9	1	3.4	2.8	0	0	1.9	0	0	1.9	0
260	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	23.9	19.3	28.4	29.5	0	1.4	20.6	1.9	1.9	21.9	0
260	all_deer	N	260-20	6	.	.	.	.	.	.	.	.	.	2.5	2	3.3	41.7	0	0	0	2.5	2.5	0	0
260	all_deer	N	270-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
260	all_deer	N	530-50	88	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
260	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1.1	1	2.4	0	0	0	0	1.1	1.1	0	0
260	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
260	all_deer	N	SUM	24461	72.7	60	85.4	435.3	339.3	531.3	6	5.2	6.8	29.4	24.4	34.4	0.1	0	1.4	22.5	5.5	5.5	23.8	0
260	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	58.6	47.9	69.2	5.1	0	0	58.6	0	0	58.6	0
260	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	858.1	820.1	896	21.3	0	24.7	813.6	19.8	14.9	843.1	0
260	all_deer	R	260-20	294	.	.	.	.	.	.	.	.	.	111.3	104.3	118.3	37.9	0	2.7	63	45.6	44.2	67.1	0
260	all_deer	R	260-60	500	.	.	.	.	.	.	.	.	.	80.4	70.9	89.9	16.1	0	7.3	73.1	0	0	80.4	0
260	all_deer	R	270-00	344	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
260	all_deer	R	530-50	561	.	.	.	.	.	.	.	.	.	1.8	1	3.6	0.3	0	0	1.8	0	0	1.8	0
260	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	175.6	155	196.2	0.1	0	4.1	37.4	134.2	123.9	51.7	0
260	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	15.2	7.5	22.9	.	0	0	15.2	0	0	15.2	0
260	all_deer	R	SUM	157457	1004.9	958.4	1051.4	10813.7	10116.7	11510.7	10.8	10.3	11.3	1302.3	1255.6	1349	0.8	0	38.8	1064	199.5	183.1	1119.2	0
260	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	60.4	49.7	71.2	5	0	0	60.4	0	0	60.4	0
260	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	881.9	843.7	920.2	21.5	0	26	834.2	21.7	16.9	865.1	0
260	all_deer	SUM	260-20	300	.	.	.	.	.	.	.	.	.	113.8	106.8	120.8	37.9	0	2.7	63	48	46.7	67.1	0
260	all_deer	SUM	260-60	500	.	.	.	.	.	.	.	.	.	80.4	70.9	89.9	16.1	0	7.3	73.1	0	0	80.4	0
260	all_deer	SUM	270-00	350	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
260	all_deer	SUM	530-50	649	.	.	.	.	.	.	.	.	.	1.8	1	3.6	0.3	0	0	1.8	0	0	1.8	0
260	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	176.8	156.1	197.4	0.1	0	4.1	37.4	135.4	125.1	51.7	0
260	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	15.2	7.5	22.9	.	0	0	15.2	0	0	15.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
260	all_deer	SUM	SUM	181918	1077.6	1029.4	1125.8	11248.9	10545.3	11952.5	10.4	9.9	10.9	1331.7	1284.7	1378.6	0.7	0	40.2	1086.4	205.1	188.6	1143	0
260	md	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
260	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1.1	1	2.4	0	0	0	0	1.1	1.1	0	0
260	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
260	md	N	SUM	24294	.	.	.	.	.	.	.	.	.	1.1	1	2.4	0	0	0	0	1.1	1.1	0	0
260	md	R	260-10	4029	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0.1	0	0	2.1	0	0	2.1	0
260	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	3.9	2	6.9	0	0	0	0	3.9	3.9	0	0
260	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
260	md	R	SUM	154606	.	.	.	.	.	.	.	.	.	6	3	9.6	0	0	0	2.1	3.9	3.9	2.1	0
260	md	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0.1	0	0	2.1	0	0	2.1	0
260	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	5	3	8.2	0	0	0	0	5	5	0	0
260	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
260	md	SUM	SUM	178900	.	.	.	.	.	.	.	.	.	7.2	4	11	0	0	0	2.1	5	5	2.1	0
260	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	1.9	1	3.4	2.8	0	0	1.9	0	0	1.9	0
260	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	23.9	19.3	28.4	29.5	0	1.4	20.6	1.9	1.9	21.9	0
260	wt	N	260-20	6	.	.	.	.	.	.	.	.	.	2.5	2	3.3	41.7	0	0	0	2.5	2.5	0	0
260	wt	N	270-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
260	wt	N	530-50	88	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
260	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
260	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
260	wt	N	SUM	24461	.	.	.	.	.	.	.	.	.	28.2	23.4	33.1	0.1	0	1.4	22.5	4.4	4.4	23.8	0
260	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	58.6	47.9	69.2	5.1	0	0	58.6	0	0	58.6	0
260	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	855.9	818	893.9	21.2	0	24.7	811.5	19.8	14.9	841	0
260	wt	R	260-20	294	.	.	.	.	.	.	.	.	.	111.3	104.3	118.3	37.9	0	2.7	63	45.6	44.2	67.1	0
260	wt	R	260-60	500	.	.	.	.	.	.	.	.	.	80.4	70.9	89.9	16.1	0	7.3	73.1	0	0	80.4	0
260	wt	R	270-00	344	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
260	wt	R	530-50	561	.	.	.	.	.	.	.	.	.	1.8	1	3.6	0.3	0	0	1.8	0	0	1.8	0
260	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	171.7	151.3	192.1	0.1	0	4.1	37.4	130.3	120.1	51.7	0
260	wt	R	none	.	.	.	.	.	.	.	.	.	.	15.2	7.5	22.9	.	0	0	15.2	0	0	15.2	0
260	wt	R	SUM	157457	.	.	.	.	.	.	.	.	.	1296.3	1249.7	1342.9	0.8	0	38.8	1061.8	195.7	179.2	1117.1	0
260	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	60.4	49.7	71.2	5	0	0	60.4	0	0	60.4	0
260	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	879.8	841.6	918	21.4	0	26	832.1	21.7	16.9	862.9	0
260	wt	SUM	260-20	300	.	.	.	.	.	.	.	.	.	113.8	106.8	120.8	37.9	0	2.7	63	48	46.7	67.1	0
260	wt	SUM	260-60	500	.	.	.	.	.	.	.	.	.	80.4	70.9	89.9	16.1	0	7.3	73.1	0	0	80.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
260	wt	SUM	270-00	350	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
260	wt	SUM	530-50	649	.	.	.	.	.	.	.	.	.	1.8	1	3.6	0.3	0	0	1.8	0	0	1.8	0
260	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	171.7	151.3	192.1	0.1	0	4.1	37.4	130.3	120.1	51.7	0
260	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	15.2	7.5	22.9	.	0	0	15.2	0	0	15.2	0
260	wt	SUM	SUM	181918	.	.	.	.	.	.	.	.	.	1324.5	1277.7	1371.3	0.7	0	40.2	1084.3	200.1	183.6	1140.9	0
261	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	1.9	1	3.5	2.3	0	0	1.9	0	0	1.9	0
261	all_deer	N	261-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
261	all_deer	N	261-50	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
261	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.2	2	5.7	0	0	0	0	3.2	3.2	0	0
261	all_deer	N	SUM	24296	54.8	40.7	68.9	376.5	271.2	481.8	6.9	6.2	7.6	5.1	3	8	0	0	0	1.9	3.2	3.2	1.9	0
261	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	21.8	15.1	28.5	0.5	0	2.1	17.5	2.2	2.2	19.6	0
261	all_deer	R	260-60	500	.	.	.	.	.	.	.	.	.	1.7	1	3.2	0.3	0	0	1.7	0	0	1.7	0
261	all_deer	R	261-00	49	.	.	.	.	.	.	.	.	.	8.7	6.3	11	17.8	0	0	8.7	0	0	8.7	0
261	all_deer	R	261-01	74	.	.	.	.	.	.	.	.	.	48.2	45.9	50.4	65.1	0	1.2	47	0	0	48.2	0
261	all_deer	R	261-50	49	.	.	.	.	.	.	.	.	.	36.5	34.6	38.3	74.5	0	0	0	36.5	36.5	0	0
261	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	159.3	135.9	182.6	0.1	0	0	17.2	142.1	142.1	17.2	0
261	all_deer	R	SUM	155278	778.9	727.3	830.5	3885.8	3541.1	4230.5	5	4.7	5.3	276	251.4	300.6	0.2	0	3.3	92	180.7	180.7	95.3	0
261	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	23.7	16.8	30.6	0.6	0	2.1	19.4	2.2	2.2	21.5	0
261	all_deer	SUM	260-60	500	.	.	.	.	.	.	.	.	.	1.7	1	3.2	0.3	0	0	1.7	0	0	1.7	0
261	all_deer	SUM	261-00	50	.	.	.	.	.	.	.	.	.	8.7	6.3	11	17.4	0	0	8.7	0	0	8.7	0
261	all_deer	SUM	261-01	74	.	.	.	.	.	.	.	.	.	48.2	45.9	50.4	65.1	0	1.2	47	0	0	48.2	0
261	all_deer	SUM	261-50	50	.	.	.	.	.	.	.	.	.	36.5	34.6	38.3	73	0	0	0	36.5	36.5	0	0
261	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	162.5	139	186	0.1	0	0	17.2	145.3	145.3	17.2	0
261	all_deer	SUM	SUM	179574	833.8	780.2	887.4	4262.4	3901.9	4622.9	5.1	4.8	5.4	281.1	256.4	305.9	0.2	0	3.3	93.9	183.9	183.9	97.2	0
261	md	N	261-50	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
261	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1.6	1	3.4	0	0	0	0	1.6	1.6	0	0
261	md	N	SUM	24214	.	.	.	.	.	.	.	.	.	1.6	1	3.4	0	0	0	0	1.6	1.6	0	0
261	md	R	261-01	74	.	.	.	.	.	.	.	.	.	48.2	45.9	50.4	65.1	0	1.2	47	0	0	48.2	0
261	md	R	261-50	49	.	.	.	.	.	.	.	.	.	36.5	34.6	38.3	74.5	0	0	0	36.5	36.5	0	0
261	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	7.2	3	12	0	0	0	1.7	5.5	5.5	1.7	0
261	md	R	SUM	150700	.	.	.	.	.	.	.	.	.	91.8	86.2	97.4	0.1	0	1.2	48.7	41.9	41.9	49.9	0
261	md	SUM	261-01	74	.	.	.	.	.	.	.	.	.	48.2	45.9	50.4	65.1	0	1.2	47	0	0	48.2	0
261	md	SUM	261-50	50	.	.	.	.	.	.	.	.	.	36.5	34.6	38.3	73	0	0	0	36.5	36.5	0	0
261	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	8.8	4	13.9	0	0	0	1.7	7.1	7.1	1.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
261	md	SUM	SUM	174914	.	.	.	.	.	.	.	.	.	93.4	87.5	99.3	0.1	0	1.2	48.7	43.6	43.6	49.9	0
261	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
261	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	1.9	1	3.5	2.3	0	0	1.9	0	0	1.9	0
261	wt	N	261-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
261	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1.6	1	3.3	0	0	0	0	1.6	1.6	0	0
261	wt	N	SUM	24362	.	.	.	.	.	.	.	.	.	3.5	2	5.8	0	0	0	1.9	1.6	1.6	1.9	0
261	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
261	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	21.8	15.1	28.5	0.5	0	2.1	17.5	2.2	2.2	19.6	0
261	wt	R	260-60	500	.	.	.	.	.	.	.	.	.	1.7	1	3.2	0.3	0	0	1.7	0	0	1.7	0
261	wt	R	261-00	49	.	.	.	.	.	.	.	.	.	8.7	6.3	11	17.8	0	0	8.7	0	0	8.7	0
261	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	152.1	129.3	175	0.1	0	0	15.5	136.6	136.6	15.5	0
261	wt	R	SUM	156307	.	.	.	.	.	.	.	.	.	184.2	160.2	208.2	0.1	0	2.1	43.3	138.8	138.8	45.4	0
261	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
261	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	23.7	16.8	30.6	0.6	0	2.1	19.4	2.2	2.2	21.5	0
261	wt	SUM	260-60	500	.	.	.	.	.	.	.	.	.	1.7	1	3.2	0.3	0	0	1.7	0	0	1.7	0
261	wt	SUM	261-00	50	.	.	.	.	.	.	.	.	.	8.7	6.3	11	17.4	0	0	8.7	0	0	8.7	0
261	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	153.7	130.8	176.6	0.1	0	0	15.5	138.2	138.2	15.5	0
261	wt	SUM	SUM	180669	.	.	.	.	.	.	.	.	.	187.7	163.6	211.8	0.1	0	2.1	45.2	140.4	140.4	47.4	0
270	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	1.5	1	2.8	2.2	0	0	1.5	0	0	1.5	0
270	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	1.4	1	2.5	1.7	0	0	1.4	0	0	1.4	0
270	all_deer	N	270-00	6	.	.	.	.	.	.	.	.	.	4.7	4.1	5.4	78.3	0	0	4.7	0	0	4.7	0
270	all_deer	N	270-01	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
270	all_deer	N	270-02	4	.	.	.	.	.	.	.	.	.	4	1	4	100	0	0	4	0	0	4	0
270	all_deer	N	270-50	14	.	.	.	.	.	.	.	.	.	14	14	14	100	0	0	0	14	14	0	0
270	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	15.7	8.3	23.1	0.1	0	3.7	3.7	8.2	8.2	7.5	0
270	all_deer	N	SUM	24391	183.6	158.7	208.5	1022	871	1173	5.6	5.2	6	41.3	32.5	50.1	0.2	0	3.7	15.3	22.2	22.2	19.1	0
270	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.3	1	4.5	0.2	0	0	2.3	0	0	2.3	0
270	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
270	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	22.9	15.8	29.9	0.6	0	4.3	18.6	0	0	22.9	0
270	all_deer	R	270-00	344	.	.	.	.	.	.	.	.	.	138.1	131	145.2	40.1	0	2.8	135.3	0	0	138.1	0
270	all_deer	R	270-01	342	.	.	.	.	.	.	.	.	.	110.1	102.8	117.5	32.2	0	0	110.1	0	0	110.1	0
270	all_deer	R	270-02	46	.	.	.	.	.	.	.	.	.	27.6	25.2	30	60	0	0	27.6	0	0	27.6	0
270	all_deer	R	270-50	136	.	.	.	.	.	.	.	.	.	113.3	109.7	116.8	83.3	0	0	2.7	110.5	110.5	2.7	0
270	all_deer	R	282-00	50	.	.	.	.	.	.	.	.	.	1.3	1	2	2.6	0	0	0	1.3	1.3	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
270	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	322.2	288.3	356.2	0.2	0	1.7	113.4	207.2	205.8	116.4	0
270	all_deer	R	SUM	164005	2055.9	1973	2138.8	12135.6	11478.7	12792.5	5.9	5.7	6.1	740	703.4	776.5	0.5	0	8.8	412.2	319	317.6	422.3	0
270	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	3.8	2	6.4	0.3	0	0	3.8	0	0	3.8	0
270	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
270	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	24.2	17.1	31.4	0.6	0	4.3	19.9	0	0	24.2	0
270	all_deer	SUM	270-00	350	.	.	.	.	.	.	.	.	.	142.8	135.7	149.9	40.8	0	2.8	140	0	0	142.8	0
270	all_deer	SUM	270-01	348	.	.	.	.	.	.	.	.	.	110.1	102.8	117.5	31.6	0	0	110.1	0	0	110.1	0
270	all_deer	SUM	270-02	50	.	.	.	.	.	.	.	.	.	31.6	26.5	36.7	63.2	0	0	31.6	0	0	31.6	0
270	all_deer	SUM	270-50	150	.	.	.	.	.	.	.	.	.	127.3	123.7	130.8	84.9	0	0	2.7	124.5	124.5	2.7	0
270	all_deer	SUM	282-00	50	.	.	.	.	.	.	.	.	.	1.3	1	2	2.6	0	0	0	1.3	1.3	0	0
270	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	337.9	303.1	372.6	0.2	0	5.4	117.1	215.4	214	123.8	0
270	all_deer	SUM	SUM	188396	2239.5	2152.9	2326.1	13157.6	12483.6	13831.6	5.9	5.7	6.1	781.2	743.6	818.9	0.4	0	12.5	427.5	341.2	339.8	441.4	0
270	md	N	270-00	6	.	.	.	.	.	.	.	.	.	4.7	4.1	5.4	78.3	0	0	4.7	0	0	4.7	0
270	md	N	270-01	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
270	md	N	270-02	4	.	.	.	.	.	.	.	.	.	4	1	4	100	0	0	4	0	0	4	0
270	md	N	270-50	14	.	.	.	.	.	.	.	.	.	14	14	14	100	0	0	0	14	14	0	0
270	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3	2	5.3	0	0	0	0	3	3	0	0
270	md	N	SUM	24243	.	.	.	.	.	.	.	.	.	25.7	20.7	30.8	0.1	0	0	8.7	17	17	8.7	0
270	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
270	md	R	270-00	344	.	.	.	.	.	.	.	.	.	138.1	131	145.2	40.1	0	2.8	135.3	0	0	138.1	0
270	md	R	270-01	342	.	.	.	.	.	.	.	.	.	108.7	101.4	116	31.8	0	0	108.7	0	0	108.7	0
270	md	R	270-02	46	.	.	.	.	.	.	.	.	.	27.6	25.2	30	60	0	0	27.6	0	0	27.6	0
270	md	R	270-50	136	.	.	.	.	.	.	.	.	.	113.3	109.7	116.8	83.3	0	0	2.7	110.5	110.5	2.7	0
270	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	21.7	13.2	30.1	0	0	0	3.1	18.5	17.2	4.5	0
270	md	R	SUM	158774	.	.	.	.	.	.	.	.	.	411.5	397.4	425.5	0.3	0	2.8	279.6	129	127.7	283.8	0
270	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
270	md	SUM	270-00	350	.	.	.	.	.	.	.	.	.	142.8	135.7	149.9	40.8	0	2.8	140	0	0	142.8	0
270	md	SUM	270-01	348	.	.	.	.	.	.	.	.	.	108.7	101.4	116	31.2	0	0	108.7	0	0	108.7	0
270	md	SUM	270-02	50	.	.	.	.	.	.	.	.	.	31.6	26.5	36.7	63.2	0	0	31.6	0	0	31.6	0
270	md	SUM	270-50	150	.	.	.	.	.	.	.	.	.	127.3	123.7	130.8	84.9	0	0	2.7	124.5	124.5	2.7	0
270	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	24.7	15.9	33.4	0	0	0	3.1	21.5	20.2	4.5	0
270	md	SUM	SUM	183017	.	.	.	.	.	.	.	.	.	437.2	422.2	452.1	0.2	0	2.8	288.3	146	144.7	292.5	0
270	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	1.5	1	2.8	2.2	0	0	1.5	0	0	1.5	0
270	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	1.4	1	2.5	1.7	0	0	1.4	0	0	1.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
270	wt	N	270-01	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
270	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	12.7	5.6	19.7	0.1	0	3.7	3.7	5.2	5.2	7.5	0
270	wt	N	SUM	24367	.	.	.	.	.	.	.	.	.	15.6	8.3	22.8	0.1	0	3.7	6.6	5.2	5.2	10.3	0
270	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.3	1	4.5	0.2	0	0	2.3	0	0	2.3	0
270	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	22.9	15.8	29.9	0.6	0	4.3	18.6	0	0	22.9	0
270	wt	R	260-60	500	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
270	wt	R	270-01	342	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
270	wt	R	282-00	50	.	.	.	.	.	.	.	.	.	1.3	1	2	2.6	0	0	0	1.3	1.3	0	0
270	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	300.6	267.7	333.5	0.2	0	1.7	110.3	188.7	188.7	111.9	0
270	wt	R	SUM	156650	.	.	.	.	.	.	.	.	.	328.5	294.7	362.2	0.2	0	6	132.6	189.9	189.9	138.6	0
270	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	3.8	2	6.4	0.3	0	0	3.8	0	0	3.8	0
270	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	24.2	17.1	31.4	0.6	0	4.3	19.9	0	0	24.2	0
270	wt	SUM	260-60	500	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
270	wt	SUM	270-01	348	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
270	wt	SUM	282-00	50	.	.	.	.	.	.	.	.	.	1.3	1	2	2.6	0	0	0	1.3	1.3	0	0
270	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	313.2	279.6	346.9	0.2	0	5.4	114	193.9	193.9	119.4	0
270	wt	SUM	SUM	181017	.	.	.	.	.	.	.	.	.	344.1	309.5	378.6	0.2	0	9.7	139.2	195.2	195.2	148.9	0
280	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	37.3	24.7	49.8	0.2	0	0	0	37.3	37.3	0	0
280	all_deer	N	SUM	24213	113.2	91.4	135	724.4	576.9	871.9	6.4	6	6.8	37.3	24.7	49.8	0.2	0	0	0	37.3	37.3	0	0
280	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	42.6	29.8	55.4	0	0	0	7.4	35.2	35.2	7.4	0
280	all_deer	R	SUM	150577	183.2	157.2	209.2	756.5	631.3	881.7	4.1	3.7	4.5	42.6	29.8	55.4	0	0	0	7.4	35.2	35.2	7.4	0
280	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	79.8	61.9	97.8	0	0	0	7.4	72.4	72.4	7.4	0
280	all_deer	SUM	SUM	174790	296.4	262.4	330.4	1481	1287.5	1674.5	5	4.7	5.3	79.8	61.9	97.8	0	0	0	7.4	72.4	72.4	7.4	0
280	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	37.3	24.7	49.8	0.2	0	0	0	37.3	37.3	0	0
280	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	37.3	24.7	49.8	0.2	0	0	0	37.3	37.3	0	0
280	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	27.1	16.5	37.7	0	0	0	0	27.1	27.1	0	0
280	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	27.1	16.5	37.7	0	0	0	0	27.1	27.1	0	0
280	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	64.3	47.9	80.8	0	0	0	0	64.3	64.3	0	0
280	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	64.3	47.9	80.8	0	0	0	0	64.3	64.3	0	0
280	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
280	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
280	wt	N	SUM	24280	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
280	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
280	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	15.5	8.3	22.7	0	0	0	7.4	8.1	8.1	7.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
280	wt	R	SUM	151729	.	.	.	.	.	.	.	.	.	15.5	8.3	22.7	0	0	0	7.4	8.1	8.1	7.4	0
280	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
280	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	15.5	8.3	22.7	0	0	0	7.4	8.1	8.1	7.4	0
280	wt	SUM	SUM	176009	.	.	.	.	.	.	.	.	.	15.5	8.3	22.7	0	0	0	7.4	8.1	8.1	7.4	0
281	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	1.9	1	3.4	2.8	0	0	1.9	0	0	1.9	0
281	all_deer	N	281-00	3	.	.	.	.	.	.	.	.	.	3	2.8	3	100	0	0	3	0	0	3	0
281	all_deer	N	281-40	42	.	.	.	.	.	.	.	.	.	14.7	11.4	17.9	35	0	0	0	14.7	14.7	0	0
281	all_deer	N	285-00	9	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
281	all_deer	N	339-40	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
281	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
281	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	47.2	34.7	59.6	0.2	0	0	0	47.2	47.2	0	0
281	all_deer	N	SUM	24407	142.7	121.4	164	1121.2	937.8	1304.6	7.9	7.3	8.5	66.7	53.8	79.6	0.3	0	0	4.9	61.8	61.8	4.9	0
281	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	4.6	2	7.7	0.4	0	0	4.6	0	0	4.6	0
281	all_deer	R	281-00	97	.	.	.	.	.	.	.	.	.	44	39.6	48.3	45.4	0	1.6	42.4	0	0	44	0
281	all_deer	R	281-40	355	.	.	.	.	.	.	.	.	.	83.2	76.1	90.2	23.4	0	0	0	83.2	83.2	0	0
281	all_deer	R	285-00	291	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
281	all_deer	R	339-40	340	.	.	.	.	.	.	.	.	.	2.6	2	3.9	0.8	0	0	2.6	0	0	2.6	0
281	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.3	0	0	1.3	0	0	1.3	0
281	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	451.8	411.2	492.3	0.3	0	0	66.7	385.1	381.3	70.5	0
281	all_deer	R	SUM	153251	1525.5	1452.6	1598.4	8756.2	8199.6	9312.8	5.7	5.4	6	588.8	547.2	630.4	0.4	0	1.6	119	468.2	464.4	124.4	0
281	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	6.4	3	10	0.5	0	0	6.4	0	0	6.4	0
281	all_deer	SUM	281-00	100	.	.	.	.	.	.	.	.	.	47	42.6	51.3	47	0	1.6	45.4	0	0	47	0
281	all_deer	SUM	281-40	397	.	.	.	.	.	.	.	.	.	97.8	90.1	105.5	24.6	0	0	0	97.8	97.8	0	0
281	all_deer	SUM	285-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
281	all_deer	SUM	339-40	352	.	.	.	.	.	.	.	.	.	2.6	2	3.9	0.7	0	0	2.6	0	0	2.6	0
281	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.3	0	0	1.3	0	0	1.3	0
281	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	498.9	456.5	541.4	0.3	0	0	66.7	432.2	428.4	70.5	0
281	all_deer	SUM	SUM	177658	1668.2	1592.2	1744.2	9877.4	9291.5	10463.3	5.9	5.7	6.1	655.5	612	699	0.4	0	1.6	123.9	530	526.2	129.3	0
281	md	N	281-40	42	.	.	.	.	.	.	.	.	.	14.7	11.4	17.9	35	0	0	0	14.7	14.7	0	0
281	md	N	339-40	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
281	md	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
281	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	19.1	10.7	27.4	0.1	0	0	0	19.1	19.1	0	0
281	md	N	SUM	24328	.	.	.	.	.	.	.	.	.	33.7	24.8	42.7	0.1	0	0	0	33.7	33.7	0	0
281	md	R	281-40	355	.	.	.	.	.	.	.	.	.	83.2	76.1	90.2	23.4	0	0	0	83.2	83.2	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
281	md	R	339-40	340	.	.	.	.	.	.	.	.	.	2.6	2	3.9	0.8	0	0	2.6	0	0	2.6	0
281	md	R	445-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.3	0	0	1.3	0	0	1.3	0
281	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	48.4	34.8	62	0	0	0	8.1	40.3	40.3	8.1	0
281	md	R	SUM	151711	.	.	.	.	.	.	.	.	.	135.4	120	150.8	0.1	0	0	12	123.4	123.4	12	0
281	md	SUM	281-40	397	.	.	.	.	.	.	.	.	.	97.8	90.1	105.5	24.6	0	0	0	97.8	97.8	0	0
281	md	SUM	339-40	352	.	.	.	.	.	.	.	.	.	2.6	2	3.9	0.7	0	0	2.6	0	0	2.6	0
281	md	SUM	445-00	500	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.3	0	0	1.3	0	0	1.3	0
281	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	67.5	51.5	83.4	0	0	0	8.1	59.4	59.4	8.1	0
281	md	SUM	SUM	176039	.	.	.	.	.	.	.	.	.	169.1	151.4	186.9	0.1	0	0	12	157.2	157.2	12	0
281	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	1.9	1	3.4	2.8	0	0	1.9	0	0	1.9	0
281	wt	N	281-00	3	.	.	.	.	.	.	.	.	.	3	2.8	3	100	0	0	3	0	0	3	0
281	wt	N	285-00	9	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
281	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	28.1	18.9	37.3	0.1	0	0	0	28.1	28.1	0	0
281	wt	N	SUM	24292	.	.	.	.	.	.	.	.	.	33	23.6	42.3	0.1	0	0	4.9	28.1	28.1	4.9	0
281	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	4.6	2	7.7	0.4	0	0	4.6	0	0	4.6	0
281	wt	R	281-00	97	.	.	.	.	.	.	.	.	.	44	39.6	48.3	45.4	0	1.6	42.4	0	0	44	0
281	wt	R	285-00	291	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
281	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	403.4	365.1	441.6	0.3	0	0	58.6	344.8	341	62.4	0
281	wt	R	SUM	152117	.	.	.	.	.	.	.	.	.	453.4	414.8	492	0.3	0	1.6	107	344.8	341	112.4	0
281	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	6.4	3	10	0.5	0	0	6.4	0	0	6.4	0
281	wt	SUM	281-00	100	.	.	.	.	.	.	.	.	.	47	42.6	51.3	47	0	1.6	45.4	0	0	47	0
281	wt	SUM	285-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
281	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	431.5	392.1	470.8	0.2	0	0	58.6	372.9	369.1	62.4	0
281	wt	SUM	SUM	176409	.	.	.	.	.	.	.	.	.	486.4	446.6	526.1	0.3	0	1.6	111.9	372.9	369.1	117.3	0
282	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	all_deer	N	201-01	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	all_deer	N	SUM	24284	3.8	1	7.8	41.5	11	85.2	11	11	11	0	0	0	0	0	0	0	0	0	0	0
282	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.6	1	5.1	0.2	0	0	2.6	0	0	2.6	0
282	all_deer	R	201-01	37	.	.	.	.	.	.	.	.	.	1.5	1	2.7	4.1	0	0	1.5	0	0	1.5	0
282	all_deer	R	282-00	50	.	.	.	.	.	.	.	.	.	13.8	11.7	15.9	27.6	0	0	11.4	2.4	2.4	11.4	0
282	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	75.9	61	90.8	0.1	0	0	11.9	64	59.2	16.7	0
282	all_deer	R	SUM	151816	206.9	180.9	232.9	1203.5	976	1431	5.8	5	6.6	93.8	78.6	109.1	0.1	0	0	27.4	66.5	61.6	32.2	0
282	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2.6	1	5.1	0.2	0	0	2.6	0	0	2.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
282	all_deer	SUM	201-01	41	.	.	.	.	.	.	.	.	.	1.5	1	2.7	3.7	0	0	1.5	0	0	1.5	0
282	all_deer	SUM	282-00	50	.	.	.	.	.	.	.	.	.	13.8	11.7	15.9	27.6	0	0	11.4	2.4	2.4	11.4	0
282	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	75.9	61	90.8	0	0	0	11.9	64	59.2	16.7	0
282	all_deer	SUM	SUM	176100	210.7	184.4	237	1245	1013.3	1476.7	5.9	5.1	6.7	93.8	78.6	109.1	0.1	0	0	27.4	66.5	61.6	32.2	0
282	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	md	R	282-00	50	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	15.2	9.1	21.4	0	0	0	6.3	9	9	6.3	0
282	md	R	SUM	150627	.	.	.	.	.	.	.	.	.	15.2	9.1	21.4	0	0	0	6.3	9	9	6.3	0
282	md	SUM	282-00	50	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	15.2	9.1	21.4	0	0	0	6.3	9	9	6.3	0
282	md	SUM	SUM	174840	.	.	.	.	.	.	.	.	.	15.2	9.1	21.4	0	0	0	6.3	9	9	6.3	0
282	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	wt	N	201-01	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	wt	N	SUM	24284	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
282	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.6	1	5.1	0.2	0	0	2.6	0	0	2.6	0
282	wt	R	201-01	37	.	.	.	.	.	.	.	.	.	1.5	1	2.7	4.1	0	0	1.5	0	0	1.5	0
282	wt	R	282-00	50	.	.	.	.	.	.	.	.	.	13.8	11.7	15.9	27.6	0	0	11.4	2.4	2.4	11.4	0
282	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	60.7	47.1	74.2	0	0	0	5.6	55.1	50.2	10.4	0
282	wt	R	SUM	151816	.	.	.	.	.	.	.	.	.	78.6	64.6	92.6	0.1	0	0	21.1	57.5	52.7	25.9	0
282	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2.6	1	5.1	0.2	0	0	2.6	0	0	2.6	0
282	wt	SUM	201-01	41	.	.	.	.	.	.	.	.	.	1.5	1	2.7	3.7	0	0	1.5	0	0	1.5	0
282	wt	SUM	282-00	50	.	.	.	.	.	.	.	.	.	13.8	11.7	15.9	27.6	0	0	11.4	2.4	2.4	11.4	0
282	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	60.7	47.1	74.2	0	0	0	5.6	55.1	50.2	10.4	0
282	wt	SUM	SUM	176100	.	.	.	.	.	.	.	.	.	78.6	64.6	92.6	0	0	0	21.1	57.5	52.7	25.9	0
283	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	1.9	1	3.4	2.8	0	0	1.9	0	0	1.9	0
283	all_deer	N	201-01	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
283	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
283	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	30.9	20	41.9	0.1	0	0	0	30.9	30.9	0	0
283	all_deer	N	SUM	24365	77.2	60.4	94	465.1	333.7	596.5	6	4.9	7.1	32.8	21.8	43.9	0.1	0	0	1.9	30.9	30.9	1.9	0
283	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	4.2	2	7.1	0.4	0	0	4.2	0	0	4.2	0
283	all_deer	R	201-01	37	.	.	.	.	.	.	.	.	.	1.5	1	2.7	4.1	0	0	0	1.5	1.5	0	0
283	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	32	23.7	40.3	0.8	0	0	32	0	0	32	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
283	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	439.8	398.9	480.8	0.3	0	4.1	31.1	404.6	400.6	39.2	0
283	all_deer	R	SUM	155795	1495.1	1419.1	1571.1	7490	6992.8	7987.2	5	4.8	5.2	477.5	435.6	519.4	0.3	0	4.1	67.3	406.2	402.1	75.4	0
283	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	6	3	9.3	0.5	0	0	6	0	0	6	0
283	all_deer	SUM	201-01	41	.	.	.	.	.	.	.	.	.	1.5	1	2.7	3.7	0	0	0	1.5	1.5	0	0
283	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	32	23.7	40.3	0.8	0	0	32	0	0	32	0
283	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	470.8	428.4	513.1	0.3	0	4.1	31.1	435.6	431.5	39.2	0
283	all_deer	SUM	SUM	180160	1572.2	1494.4	1650	7955.1	7440.8	8469.4	5.1	4.9	5.3	510.3	467	553.6	0.3	0	4.1	69.2	437.1	433.1	77.3	0
283	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
283	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
283	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	140.8	117.4	164.2	0.1	0	0	4.1	136.8	136.8	4.1	0
283	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	140.8	117.4	164.2	0.1	0	0	4.1	136.8	136.8	4.1	0
283	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	144.5	120.8	168.2	0.1	0	0	4.1	140.5	140.5	4.1	0
283	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	144.5	120.8	168.2	0.1	0	0	4.1	140.5	140.5	4.1	0
283	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	1.9	1	3.4	2.8	0	0	1.9	0	0	1.9	0
283	wt	N	201-01	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
283	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
283	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	27.2	17	37.4	0.1	0	0	0	27.2	27.2	0	0
283	wt	N	SUM	24365	.	.	.	.	.	.	.	.	.	29.1	18.8	39.4	0.1	0	0	1.9	27.2	27.2	1.9	0
283	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	4.2	2	7.1	0.4	0	0	4.2	0	0	4.2	0
283	wt	R	201-01	37	.	.	.	.	.	.	.	.	.	1.5	1	2.7	4.1	0	0	0	1.5	1.5	0	0
283	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	32	23.7	40.3	0.8	0	0	32	0	0	32	0
283	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	299	265.4	332.6	0.2	0	4.1	27.1	267.9	263.8	35.2	0
283	wt	R	SUM	155795	.	.	.	.	.	.	.	.	.	336.7	301.9	371.5	0.2	0	4.1	63.2	269.4	265.4	71.3	0
283	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	6	3	9.3	0.5	0	0	6	0	0	6	0
283	wt	SUM	201-01	41	.	.	.	.	.	.	.	.	.	1.5	1	2.7	3.7	0	0	0	1.5	1.5	0	0
283	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	32	23.7	40.3	0.8	0	0	32	0	0	32	0
283	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	326.2	291.1	361.4	0.2	0	4.1	27.1	295.1	291	35.2	0
283	wt	SUM	SUM	180160	.	.	.	.	.	.	.	.	.	365.8	329.5	402.1	0.2	0	4.1	65.1	296.6	292.6	73.2	0
284	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
284	all_deer	N	281-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
284	all_deer	N	284-10	8	.	.	.	.	.	.	.	.	.	5	3.4	6.6	62.5	0	0	5	0	0	5	0
284	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
284	all_deer	N	SUM	24291	15.6	8.3	22.9	196.6	90	303.2	12.6	8.9	16.3	8.7	4.4	13	0	0	0	5	3.7	3.7	5	0
284	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	5.4	2	9.2	0.5	0	0	5.4	0	0	5.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
284	all_deer	R	281-00	97	.	.	.	.	.	.	.	.	.	1.4	1	2.3	1.4	0	0	1.4	0	0	1.4	0
284	all_deer	R	284-10	109	.	.	.	.	.	.	.	.	.	33.2	28.4	37.9	30.5	0	0	33.2	0	0	33.2	0
284	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	48.7	37.2	60.1	0	0	0	4.1	44.6	44.6	4.1	0
284	all_deer	R	SUM	151935	153.1	130.7	175.5	1069	865	1273	7	6	8	88.5	75.5	101.6	0.1	0	0	43.9	44.6	44.6	43.9	0
284	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	5.4	2	9.2	0.4	0	0	5.4	0	0	5.4	0
284	all_deer	SUM	281-00	100	.	.	.	.	.	.	.	.	.	1.4	1	2.3	1.4	0	0	1.4	0	0	1.4	0
284	all_deer	SUM	284-10	117	.	.	.	.	.	.	.	.	.	38.1	33.1	43.2	32.6	0	0	38.1	0	0	38.1	0
284	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	52.4	40.3	64.5	0	0	0	4.1	48.3	48.3	4.1	0
284	all_deer	SUM	SUM	176226	168.7	145.1	192.3	1265.5	1035.3	1495.7	7.5	6.5	8.5	97.2	83.5	110.9	0.1	0	0	48.9	48.3	48.3	48.9	0
284	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
284	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
284	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	7.1	4	11	0	0	0	0	7.1	7.1	0	0
284	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	7.1	4	11	0	0	0	0	7.1	7.1	0	0
284	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	10.9	5.4	16.4	0	0	0	0	10.9	10.9	0	0
284	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	10.9	5.4	16.4	0	0	0	0	10.9	10.9	0	0
284	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
284	wt	N	281-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
284	wt	N	284-10	8	.	.	.	.	.	.	.	.	.	5	3.4	6.6	62.5	0	0	5	0	0	5	0
284	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
284	wt	N	SUM	24291	.	.	.	.	.	.	.	.	.	5	3.4	6.6	0	0	0	5	0	0	5	0
284	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	5.4	2	9.2	0.5	0	0	5.4	0	0	5.4	0
284	wt	R	281-00	97	.	.	.	.	.	.	.	.	.	1.4	1	2.3	1.4	0	0	1.4	0	0	1.4	0
284	wt	R	284-10	109	.	.	.	.	.	.	.	.	.	33.2	28.4	37.9	30.5	0	0	33.2	0	0	33.2	0
284	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	41.5	30.7	52.3	0	0	0	4.1	37.5	37.5	4.1	0
284	wt	R	SUM	151935	.	.	.	.	.	.	.	.	.	81.4	68.9	93.8	0.1	0	0	43.9	37.5	37.5	43.9	0
284	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	5.4	2	9.2	0.4	0	0	5.4	0	0	5.4	0
284	wt	SUM	281-00	100	.	.	.	.	.	.	.	.	.	1.4	1	2.3	1.4	0	0	1.4	0	0	1.4	0
284	wt	SUM	284-10	117	.	.	.	.	.	.	.	.	.	38.1	33.1	43.2	32.6	0	0	38.1	0	0	38.1	0
284	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	41.5	30.7	52.3	0	0	0	4.1	37.5	37.5	4.1	0
284	wt	SUM	SUM	176226	.	.	.	.	.	.	.	.	.	86.3	73.8	98.9	0	0	0	48.9	37.5	37.5	48.9	0
285	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	1.9	1	3.4	2.8	0	0	1.9	0	0	1.9	0
285	all_deer	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	281-40	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	285-00	9	.	.	.	.	.	.	.	.	.	5.1	4	6.2	56.7	0	0	5.1	0	0	5.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
285	all_deer	N	285-01	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	292-40	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	81.2	62.9	99.5	0.3	0	0	0	81.2	81.2	0	0
285	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
285	all_deer	N	SUM	24510	152.3	128	176.6	1106	896.6	1315.4	7.3	6.6	8	88.2	69.8	106.6	0.4	0	0	7	81.2	81.2	7	0
285	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	46.9	36.2	57.6	4.1	0	0	44.7	2.3	2.3	44.7	0
285	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0.1	0	0	2.2	0	0	2.2	0
285	all_deer	R	260-60	500	.	.	.	.	.	.	.	.	.	1.7	1	3.3	0.3	0	0	1.7	0	0	1.7	0
285	all_deer	R	281-40	355	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.3	0	0	0	1.2	1.2	0	0
285	all_deer	R	285-00	291	.	.	.	.	.	.	.	.	.	170	163.1	177	58.4	0	4.3	165.7	0	0	170	0
285	all_deer	R	285-01	23	.	.	.	.	.	.	.	.	.	9.8	8.2	11.4	42.6	0	1.2	8.6	0	0	9.8	0
285	all_deer	R	292-40	881	.	.	.	.	.	.	.	.	.	1.7	1	3.5	0.2	0	0	1.7	0	0	1.7	0
285	all_deer	R	325-00	405	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	0	1.4	1.4	0	0
285	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	976.4	915.7	1037.1	0.6	0	1.7	152.4	822.3	802.7	173.7	0
285	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	2	1	4.1	.	0	0	0	2	2	0	0
285	all_deer	R	SUM	158213	2533.6	2436.1	2631.1	15103.7	14266.1	15941.3	6	5.8	6.2	1213.5	1151.4	1275.6	0.8	0	7.2	377.2	829.2	809.6	403.9	0
285	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	48.8	38	59.6	4	0	0	46.5	2.3	2.3	46.5	0
285	all_deer	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0.1	0	0	2.2	0	0	2.2	0
285	all_deer	SUM	260-60	500	.	.	.	.	.	.	.	.	.	1.7	1	3.3	0.3	0	0	1.7	0	0	1.7	0
285	all_deer	SUM	281-40	397	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.3	0	0	0	1.2	1.2	0	0
285	all_deer	SUM	285-00	300	.	.	.	.	.	.	.	.	.	175.1	168.1	182.2	58.4	0	4.3	170.9	0	0	175.1	0
285	all_deer	SUM	285-01	25	.	.	.	.	.	.	.	.	.	9.8	8.2	11.4	39.2	0	1.2	8.6	0	0	9.8	0
285	all_deer	SUM	292-40	932	.	.	.	.	.	.	.	.	.	1.7	1	3.5	0.2	0	0	1.7	0	0	1.7	0
285	all_deer	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	0	1.4	1.4	0	0
285	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1057.6	994.2	1121	0.6	0	1.7	152.4	903.5	883.9	173.7	0
285	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	2	1	4.1	.	0	0	0	2	2	0	0
285	all_deer	SUM	SUM	182723	2686	2585.5	2786.5	16209.7	15346.3	17073.1	6	5.8	6.2	1301.7	1236.9	1366.5	0.7	0	7.2	384.2	910.4	890.8	410.9	0
285	md	N	281-40	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
285	md	N	292-40	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
285	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	20.2	11.2	29.3	0.1	0	0	0	20.2	20.2	0	0
285	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
285	md	N	SUM	24306	.	.	.	.	.	.	.	.	.	20.2	11.2	29.3	0.1	0	0	0	20.2	20.2	0	0
285	md	R	281-40	355	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.3	0	0	0	1.2	1.2	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
285	md	R	292-40	881	.	.	.	.	.	.	.	.	.	1.7	1	3.5	0.2	0	0	1.7	0	0	1.7	0
285	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	118.3	96.8	139.7	0.1	0	0	0	118.3	114.2	4.1	0
285	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
285	md	R	SUM	151813	.	.	.	.	.	.	.	.	.	121.2	99.7	142.8	0.1	0	0	1.7	119.5	115.5	5.8	0
285	md	SUM	281-40	397	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.3	0	0	0	1.2	1.2	0	0
285	md	SUM	292-40	932	.	.	.	.	.	.	.	.	.	1.7	1	3.5	0.2	0	0	1.7	0	0	1.7	0
285	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	138.5	115.2	161.8	0.1	0	0	0	138.5	134.5	4.1	0
285	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
285	md	SUM	SUM	176119	.	.	.	.	.	.	.	.	.	141.5	118.1	164.8	0.1	0	0	1.7	139.7	135.7	5.8	0
285	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	1.9	1	3.4	2.8	0	0	1.9	0	0	1.9	0
285	wt	N	260-10	81	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
285	wt	N	285-00	9	.	.	.	.	.	.	.	.	.	5.1	4	6.2	56.7	0	0	5.1	0	0	5.1	0
285	wt	N	285-01	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
285	wt	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
285	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	61	45	76.9	0.3	0	0	0	61	61	0	0
285	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
285	wt	N	SUM	24417	.	.	.	.	.	.	.	.	.	68	51.9	84	0.3	0	0	7	61	61	7	0
285	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	46.9	36.2	57.6	4.1	0	0	44.7	2.3	2.3	44.7	0
285	wt	R	260-10	4029	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0.1	0	0	2.2	0	0	2.2	0
285	wt	R	260-60	500	.	.	.	.	.	.	.	.	.	1.7	1	3.3	0.3	0	0	1.7	0	0	1.7	0
285	wt	R	285-00	291	.	.	.	.	.	.	.	.	.	170	163.1	177	58.4	0	4.3	165.7	0	0	170	0
285	wt	R	285-01	23	.	.	.	.	.	.	.	.	.	9.8	8.2	11.4	42.6	0	1.2	8.6	0	0	9.8	0
285	wt	R	325-00	405	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	0	1.4	1.4	0	0
285	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	858.1	801.3	914.9	0.6	0	1.7	152.4	704	688.5	169.6	0
285	wt	R	none	.	.	.	.	.	.	.	.	.	.	2	1	4.1	.	0	0	0	2	2	0	0
285	wt	R	SUM	156977	.	.	.	.	.	.	.	.	.	1092.3	1033.9	1150.6	0.7	0	7.2	375.4	709.7	694.2	398.1	0
285	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	48.8	38	59.6	4	0	0	46.5	2.3	2.3	46.5	0
285	wt	SUM	260-10	4110	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0.1	0	0	2.2	0	0	2.2	0
285	wt	SUM	260-60	500	.	.	.	.	.	.	.	.	.	1.7	1	3.3	0.3	0	0	1.7	0	0	1.7	0
285	wt	SUM	285-00	300	.	.	.	.	.	.	.	.	.	175.1	168.1	182.2	58.4	0	4.3	170.9	0	0	175.1	0
285	wt	SUM	285-01	25	.	.	.	.	.	.	.	.	.	9.8	8.2	11.4	39.2	0	1.2	8.6	0	0	9.8	0
285	wt	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	0	1.4	1.4	0	0
285	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	919.1	860.1	978.1	0.5	0	1.7	152.4	765	749.5	169.6	0
285	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	2	1	4.1	.	0	0	0	2	2	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
285	wt	SUM	SUM	181394	.	.	.	.	.	.	.	.	.	1160.2	1099.7	1220.7	0.6	0	7.2	382.4	770.6	755.1	405.1	0
290	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
290	all_deer	N	212-10	11	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
290	all_deer	N	290-10	6	.	.	.	.	.	.	.	.	.	3	1	6	50	0	0	3	0	0	3	0
290	all_deer	N	290-20	5	.	.	.	.	.	.	.	.	.	1.3	1	2	26	0	0	0	1.3	1.3	0	0
290	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
290	all_deer	N	SUM	24302	36.4	25.1	47.7	297.2	200.1	394.3	8.2	7	9.4	15.5	7.9	23	0.1	0	0	3	12.5	12.5	3	0
290	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	4	2	6.8	0.3	0	0	4	0	0	4	0
290	all_deer	R	212-10	194	.	.	.	.	.	.	.	.	.	1.5	1	2.8	0.8	0	0	1.5	0	0	1.5	0
290	all_deer	R	290-10	192	.	.	.	.	.	.	.	.	.	64.1	58.3	69.9	33.4	0	0	64.1	0	0	64.1	0
290	all_deer	R	290-20	45	.	.	.	.	.	.	.	.	.	16.3	12.8	19.7	36.2	0	0	4.8	11.4	11.4	4.8	0
290	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	60.2	46.4	74.1	0	0	0	8.1	52.1	52.1	8.1	0
290	all_deer	R	SUM	152160	189.8	166.3	213.3	1260	1080.7	1439.3	6.6	5.9	7.3	146.2	130.4	161.9	0.1	0	0	82.6	63.5	63.5	82.6	0
290	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	4	2	6.8	0.3	0	0	4	0	0	4	0
290	all_deer	SUM	212-10	205	.	.	.	.	.	.	.	.	.	1.5	1	2.8	0.7	0	0	1.5	0	0	1.5	0
290	all_deer	SUM	290-10	198	.	.	.	.	.	.	.	.	.	67.1	60.5	73.7	33.9	0	0	67.1	0	0	67.1	0
290	all_deer	SUM	290-20	50	.	.	.	.	.	.	.	.	.	17.5	14	21.1	35	0	0	4.8	12.7	12.7	4.8	0
290	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	71.4	55.9	86.8	0	0	0	8.1	63.3	63.3	8.1	0
290	all_deer	SUM	SUM	176462	226.2	200.2	252.2	1557.3	1353.4	1761.2	6.9	6.3	7.5	161.6	144.2	179.1	0.1	0	0	85.6	76	76	85.6	0
290	md	N	290-20	5	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
290	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
290	md	N	SUM	24218	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
290	md	R	290-20	45	.	.	.	.	.	.	.	.	.	1.5	1	2.8	3.3	0	0	0	1.5	1.5	0	0
290	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4.2	3	6.7	0	0	0	0	4.2	4.2	0	0
290	md	R	SUM	150622	.	.	.	.	.	.	.	.	.	5.7	4	8.5	0	0	0	0	5.7	5.7	0	0
290	md	SUM	290-20	50	.	.	.	.	.	.	.	.	.	1.5	1	2.8	3	0	0	0	1.5	1.5	0	0
290	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	4.2	3	6.7	0	0	0	0	4.2	4.2	0	0
290	md	SUM	SUM	174840	.	.	.	.	.	.	.	.	.	5.7	4	8.5	0	0	0	0	5.7	5.7	0	0
290	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
290	wt	N	212-10	11	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
290	wt	N	290-10	6	.	.	.	.	.	.	.	.	.	3	1	6	50	0	0	3	0	0	3	0
290	wt	N	290-20	5	.	.	.	.	.	.	.	.	.	1.3	1	2	26	0	0	0	1.3	1.3	0	0
290	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
290	wt	N	SUM	24302	.	.	.	.	.	.	.	.	.	15.5	7.9	23	0.1	0	0	3	12.5	12.5	3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
290	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	4	2	6.8	0.3	0	0	4	0	0	4	0
290	wt	R	212-10	194	.	.	.	.	.	.	.	.	.	1.5	1	2.8	0.8	0	0	1.5	0	0	1.5	0
290	wt	R	290-10	192	.	.	.	.	.	.	.	.	.	64.1	58.3	69.9	33.4	0	0	64.1	0	0	64.1	0
290	wt	R	290-20	45	.	.	.	.	.	.	.	.	.	14.7	11.3	18.1	32.7	0	0	4.8	9.9	9.9	4.8	0
290	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	56	42.4	69.6	0	0	0	8.1	47.9	47.9	8.1	0
290	wt	R	SUM	152160	.	.	.	.	.	.	.	.	.	140.4	125	155.9	0.1	0	0	82.6	57.8	57.8	82.6	0
290	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	4	2	6.8	0.3	0	0	4	0	0	4	0
290	wt	SUM	212-10	205	.	.	.	.	.	.	.	.	.	1.5	1	2.8	0.7	0	0	1.5	0	0	1.5	0
290	wt	SUM	290-10	198	.	.	.	.	.	.	.	.	.	67.1	60.5	73.7	33.9	0	0	67.1	0	0	67.1	0
290	wt	SUM	290-20	50	.	.	.	.	.	.	.	.	.	16	12.5	19.5	32	0	0	4.8	11.2	11.2	4.8	0
290	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	67.2	51.9	82.5	0	0	0	8.1	59.1	59.1	8.1	0
290	wt	SUM	SUM	176462	.	.	.	.	.	.	.	.	.	155.9	138.6	173.2	0.1	0	0	85.6	70.3	70.3	85.6	0
291	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
291	all_deer	N	201-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
291	all_deer	N	212-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
291	all_deer	N	291-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
291	all_deer	N	291-50	6	.	.	.	.	.	.	.	.	.	3	2	4.3	50	0	0	0	3	3	0	0
291	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	8.8	3	14.5	0	0	0	0	8.8	8.8	0	0
291	all_deer	N	SUM	24312	45.2	32.1	58.3	228.8	160.1	297.5	5.1	4.5	5.7	12.8	6.8	18.7	0.1	0	0	1	11.8	11.8	1	0
291	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.1	1	4.1	0.2	0	0	2.1	0	0	2.1	0
291	all_deer	R	201-00	340	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
291	all_deer	R	212-01	135	.	.	.	.	.	.	.	.	.	1.6	1	2.9	1.2	0	0	1.6	0	0	1.6	0
291	all_deer	R	291-00	49	.	.	.	.	.	.	.	.	.	21.5	19.5	23.5	43.9	0	0	21.5	0	0	21.5	0
291	all_deer	R	291-50	94	.	.	.	.	.	.	.	.	.	58.2	54.4	62	61.9	0	0	0	58.2	58.2	0	0
291	all_deer	R	291-51	25	.	.	.	.	.	.	.	.	.	12.8	11	14.6	51.2	0	0	0	12.8	12.8	0	0
291	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	62.5	47.6	77.3	0	0	0	12.7	49.8	48.1	14.4	0
291	all_deer	R	SUM	152372	397.3	362.3	432.3	2538.8	2259.4	2818.2	6.4	5.9	6.9	160.2	144.4	176	0.1	0	0	39.5	120.7	119.1	41.1	0
291	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2.1	1	4.1	0.2	0	0	2.1	0	0	2.1	0
291	all_deer	SUM	201-00	350	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
291	all_deer	SUM	212-01	150	.	.	.	.	.	.	.	.	.	1.6	1	2.9	1.1	0	0	1.6	0	0	1.6	0
291	all_deer	SUM	291-00	50	.	.	.	.	.	.	.	.	.	22.5	20.5	24.5	45	0	0	22.5	0	0	22.5	0
291	all_deer	SUM	291-50	100	.	.	.	.	.	.	.	.	.	61.2	57.2	65.2	61.2	0	0	0	61.2	61.2	0	0
291	all_deer	SUM	291-51	25	.	.	.	.	.	.	.	.	.	12.8	11	14.6	51.2	0	0	0	12.8	12.8	0	0
291	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	71.2	55.3	87.2	0	0	0	12.7	58.5	56.9	14.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
291	all_deer	SUM	SUM	176684	442.5	405.1	479.9	2767.6	2479.9	3055.3	6.3	5.9	6.7	173	156.1	189.8	0.1	0	0	40.5	132.5	130.8	42.1	0
291	md	N	212-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
291	md	N	291-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
291	md	N	291-50	6	.	.	.	.	.	.	.	.	.	3	2	4.3	50	0	0	0	3	3	0	0
291	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
291	md	N	SUM	24235	.	.	.	.	.	.	.	.	.	7.7	4	11.9	0	0	0	1	6.7	6.7	1	0
291	md	R	212-01	135	.	.	.	.	.	.	.	.	.	1.6	1	2.9	1.2	0	0	1.6	0	0	1.6	0
291	md	R	291-00	49	.	.	.	.	.	.	.	.	.	21.5	19.5	23.5	43.9	0	0	21.5	0	0	21.5	0
291	md	R	291-50	94	.	.	.	.	.	.	.	.	.	58.2	54.4	62	61.9	0	0	0	58.2	58.2	0	0
291	md	R	291-51	25	.	.	.	.	.	.	.	.	.	12.8	11	14.6	51.2	0	0	0	12.8	12.8	0	0
291	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	16.6	9.4	23.8	0	0	0	1.5	15.1	13.4	3.1	0
291	md	R	SUM	150880	.	.	.	.	.	.	.	.	.	110.7	102	119.3	0.1	0	0	24.6	86.1	84.4	26.3	0
291	md	SUM	212-01	150	.	.	.	.	.	.	.	.	.	1.6	1	2.9	1.1	0	0	1.6	0	0	1.6	0
291	md	SUM	291-00	50	.	.	.	.	.	.	.	.	.	22.5	20.5	24.5	45	0	0	22.5	0	0	22.5	0
291	md	SUM	291-50	100	.	.	.	.	.	.	.	.	.	61.2	57.2	65.2	61.2	0	0	0	61.2	61.2	0	0
291	md	SUM	291-51	25	.	.	.	.	.	.	.	.	.	12.8	11	14.6	51.2	0	0	0	12.8	12.8	0	0
291	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	20.3	12.1	28.5	0	0	0	1.5	18.8	17.2	3.1	0
291	md	SUM	SUM	175115	.	.	.	.	.	.	.	.	.	118.4	108.8	128	0.1	0	0	25.6	92.8	91.1	27.3	0
291	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
291	wt	N	201-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
291	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	5	2	9.2	0	0	0	0	5	5	0	0
291	wt	N	SUM	24290	.	.	.	.	.	.	.	.	.	5	2	9.2	0	0	0	0	5	5	0	0
291	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.1	1	4.1	0.2	0	0	2.1	0	0	2.1	0
291	wt	R	201-00	340	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
291	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	44.2	31.3	57.1	0	0	0	11.2	33	33	11.2	0
291	wt	R	SUM	152069	.	.	.	.	.	.	.	.	.	47.9	34.8	61	0	0	0	14.9	33	33	14.9	0
291	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2.1	1	4.1	0.2	0	0	2.1	0	0	2.1	0
291	wt	SUM	201-00	350	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
291	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	49.3	35.7	62.8	0	0	0	11.2	38	38	11.2	0
291	wt	SUM	SUM	176359	.	.	.	.	.	.	.	.	.	52.9	39.1	66.7	0	0	0	14.9	38	38	14.9	0
292	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
292	all_deer	N	292-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
292	all_deer	N	292-40	51	.	.	.	.	.	.	.	.	.	11.8	8.5	15.1	23.1	0	0	0	11.8	11.8	0	0
292	all_deer	N	412-00	113	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
292	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26.5	16.9	36.1	0.1	0	0	0	26.5	26.5	0	0
292	all_deer	N	SUM	24445	74	59.1	88.9	461.1	361.8	560.4	6.2	5.5	6.9	38.3	28.1	48.5	0.2	0	0	0	38.3	38.3	0	0
292	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	10.7	5.3	16	0.9	0	0	10.7	0	0	10.7	0
292	all_deer	R	292-00	49	.	.	.	.	.	.	.	.	.	26.9	23.4	30.4	54.9	0	0	26.9	0	0	26.9	0
292	all_deer	R	292-40	881	.	.	.	.	.	.	.	.	.	348.1	324.9	371.2	39.5	0	0	5.9	342.2	342.2	5.9	0
292	all_deer	R	412-00	487	.	.	.	.	.	.	.	.	.	1.8	1	3	0.4	0	0	0	1.8	1.8	0	0
292	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	368.3	331.9	404.8	0.2	0	4.1	38.8	325.5	315.8	52.5	0
292	all_deer	R	SUM	153146	1819.1	1740.4	1897.8	10802.7	10182.3	11423.1	5.9	5.7	6.1	755.8	712.1	799.5	0.5	0	4.1	82.2	669.5	659.8	96	0
292	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	10.7	5.3	16	0.9	0	0	10.7	0	0	10.7	0
292	all_deer	SUM	292-00	50	.	.	.	.	.	.	.	.	.	26.9	23.4	30.4	53.8	0	0	26.9	0	0	26.9	0
292	all_deer	SUM	292-40	932	.	.	.	.	.	.	.	.	.	359.9	336.5	383.3	38.6	0	0	5.9	354	354	5.9	0
292	all_deer	SUM	412-00	600	.	.	.	.	.	.	.	.	.	1.8	1	3	0.3	0	0	0	1.8	1.8	0	0
292	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	394.9	357.1	432.6	0.2	0	4.1	38.8	352	342.3	52.5	0
292	all_deer	SUM	SUM	177591	1893.1	1813	1973.2	11263.9	10635.6	11892.2	5.9	5.7	6.1	794.1	749.2	838.9	0.4	0	4.1	82.2	707.8	698.1	96	0
292	md	N	292-40	51	.	.	.	.	.	.	.	.	.	11.8	8.5	15.1	23.1	0	0	0	11.8	11.8	0	0
292	md	N	412-00	113	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
292	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	6.8	3	11.4	0	0	0	0	6.8	6.8	0	0
292	md	N	SUM	24377	.	.	.	.	.	.	.	.	.	18.6	13	24.3	0.1	0	0	0	18.6	18.6	0	0
292	md	R	292-40	881	.	.	.	.	.	.	.	.	.	342.2	319.1	365.4	38.8	0	0	2	340.2	340.2	2	0
292	md	R	412-00	487	.	.	.	.	.	.	.	.	.	1.8	1	3	0.4	0	0	0	1.8	1.8	0	0
292	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	19.8	12.2	27.4	0	0	0	0	19.8	19.8	0	0
292	md	R	SUM	151945	.	.	.	.	.	.	.	.	.	363.8	339.4	388.2	0.2	0	0	2	361.8	361.8	2	0
292	md	SUM	292-40	932	.	.	.	.	.	.	.	.	.	354	330.6	377.4	38	0	0	2	352	352	2	0
292	md	SUM	412-00	600	.	.	.	.	.	.	.	.	.	1.8	1	3	0.3	0	0	0	1.8	1.8	0	0
292	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	26.6	17.7	35.5	0	0	0	0	26.6	26.6	0	0
292	md	SUM	SUM	176322	.	.	.	.	.	.	.	.	.	382.4	357.4	407.5	0.2	0	0	2	380.4	380.4	2	0
292	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
292	wt	N	292-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
292	wt	N	292-40	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
292	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	19.7	11.2	28.2	0.1	0	0	0	19.7	19.7	0	0
292	wt	N	SUM	24332	.	.	.	.	.	.	.	.	.	19.7	11.2	28.2	0.1	0	0	0	19.7	19.7	0	0
292	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	10.7	5.3	16	0.9	0	0	10.7	0	0	10.7	0
292	wt	R	292-00	49	.	.	.	.	.	.	.	.	.	26.9	23.4	30.4	54.9	0	0	26.9	0	0	26.9	0
292	wt	R	292-40	881	.	.	.	.	.	.	.	.	.	5.9	3	9.2	0.7	0	0	3.9	2	2	3.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
292	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	348.5	312.9	384.2	0.2	0	4.1	38.8	305.7	296	52.5	0
292	wt	R	SUM	152659	.	.	.	.	.	.	.	.	.	392	355.6	428.4	0.3	0	4.1	80.3	307.7	298	94	0
292	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	10.7	5.3	16	0.9	0	0	10.7	0	0	10.7	0
292	wt	SUM	292-00	50	.	.	.	.	.	.	.	.	.	26.9	23.4	30.4	53.8	0	0	26.9	0	0	26.9	0
292	wt	SUM	292-40	932	.	.	.	.	.	.	.	.	.	5.9	3	9.2	0.6	0	0	3.9	2	2	3.9	0
292	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	368.2	331.6	404.9	0.2	0	4.1	38.8	325.4	315.7	52.5	0
292	wt	SUM	SUM	176991	.	.	.	.	.	.	.	.	.	411.7	374.3	449	0.2	0	4.1	80.3	327.3	317.7	94	0
293	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
293	all_deer	N	212-10	11	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
293	all_deer	N	260-20	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
293	all_deer	N	293-00	3	.	.	.	.	.	.	.	.	.	1	1	1	33.3	0	0	1	0	0	1	0
293	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	30.9	19.7	42.2	0.1	0	0	0	30.9	30.9	0	0
293	all_deer	N	SUM	24300	82.2	64.1	100.3	686	513.4	858.6	8.4	7.4	9.4	31.9	20.7	43.2	0.1	0	0	1	30.9	30.9	1	0
293	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0.2	0	0	2.1	0	0	2.1	0
293	all_deer	R	212-10	194	.	.	.	.	.	.	.	.	.	3.1	2	4.9	1.6	0	0	3.1	0	0	3.1	0
293	all_deer	R	260-20	294	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	0	1.7	1.7	0	0
293	all_deer	R	293-00	46	.	.	.	.	.	.	.	.	.	18.9	16.6	21.2	41.1	0	0	18.9	0	0	18.9	0
293	all_deer	R	339-00	150	.	.	.	.	.	.	.	.	.	1.9	1	3.5	1.3	0	0	0	1.9	1.9	0	0
293	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	338.2	301.4	374.9	0.2	0	0	36.9	301.2	301.2	36.9	0
293	all_deer	R	SUM	152413	1039.1	974.9	1103.3	6366.3	5836.1	6896.5	6.1	5.7	6.5	365.9	328.9	402.8	0.2	0	0	61.1	304.8	304.8	61.1	0
293	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0.2	0	0	2.1	0	0	2.1	0
293	all_deer	SUM	212-10	205	.	.	.	.	.	.	.	.	.	3.1	2	4.9	1.5	0	0	3.1	0	0	3.1	0
293	all_deer	SUM	260-20	300	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	0	1.7	1.7	0	0
293	all_deer	SUM	293-00	49	.	.	.	.	.	.	.	.	.	19.9	17.6	22.2	40.6	0	0	19.9	0	0	19.9	0
293	all_deer	SUM	339-00	150	.	.	.	.	.	.	.	.	.	1.9	1	3.5	1.3	0	0	0	1.9	1.9	0	0
293	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	369.1	330.7	407.5	0.2	0	0	36.9	332.2	332.2	36.9	0
293	all_deer	SUM	SUM	176713	1121.3	1054.5	1188.1	7052.3	6494.7	7609.9	6.3	6	6.6	397.8	359.2	436.5	0.2	0	0	62.1	335.8	335.8	62.1	0
293	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	12.3	5.3	19.3	0.1	0	0	0	12.3	12.3	0	0
293	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	12.3	5.3	19.3	0.1	0	0	0	12.3	12.3	0	0
293	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	187.2	159.7	214.7	0.1	0	0	4.1	183.1	183.1	4.1	0
293	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	187.2	159.7	214.7	0.1	0	0	4.1	183.1	183.1	4.1	0
293	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	199.5	171.1	227.9	0.1	0	0	4.1	195.4	195.4	4.1	0
293	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	199.5	171.1	227.9	0.1	0	0	4.1	195.4	195.4	4.1	0
293	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
293	wt	N	212-10	11	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
293	wt	N	260-20	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
293	wt	N	293-00	3	.	.	.	.	.	.	.	.	.	1	1	1	33.3	0	0	1	0	0	1	0
293	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	18.6	9.7	27.5	0.1	0	0	0	18.6	18.6	0	0
293	wt	N	SUM	24300	.	.	.	.	.	.	.	.	.	19.6	10.7	28.5	0.1	0	0	1	18.6	18.6	1	0
293	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0.2	0	0	2.1	0	0	2.1	0
293	wt	R	212-10	194	.	.	.	.	.	.	.	.	.	3.1	2	4.9	1.6	0	0	3.1	0	0	3.1	0
293	wt	R	260-20	294	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	0	1.7	1.7	0	0
293	wt	R	293-00	46	.	.	.	.	.	.	.	.	.	18.9	16.6	21.2	41.1	0	0	18.9	0	0	18.9	0
293	wt	R	339-00	150	.	.	.	.	.	.	.	.	.	1.9	1	3.5	1.3	0	0	0	1.9	1.9	0	0
293	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	151	126.6	175.3	0.1	0	0	32.9	118.1	118.1	32.9	0
293	wt	R	SUM	152413	.	.	.	.	.	.	.	.	.	178.7	154	203.4	0.1	0	0	57	121.7	121.7	57	0
293	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0.2	0	0	2.1	0	0	2.1	0
293	wt	SUM	212-10	205	.	.	.	.	.	.	.	.	.	3.1	2	4.9	1.5	0	0	3.1	0	0	3.1	0
293	wt	SUM	260-20	300	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	0	1.7	1.7	0	0
293	wt	SUM	293-00	49	.	.	.	.	.	.	.	.	.	19.9	17.6	22.2	40.6	0	0	19.9	0	0	19.9	0
293	wt	SUM	339-00	150	.	.	.	.	.	.	.	.	.	1.9	1	3.5	1.3	0	0	0	1.9	1.9	0	0
293	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	169.6	143.7	195.5	0.1	0	0	32.9	136.7	136.7	32.9	0
293	wt	SUM	SUM	176713	.	.	.	.	.	.	.	.	.	198.3	172.1	224.6	0.1	0	0	58	140.3	140.3	58	0
2XX	all_deer	N	698-00	712	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
2XX	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
2XX	all_deer	N	SUM	24925	10.2	3.9	16.5	61	18	104.8	6	3.8	8.2	6.7	2	11.6	0	0	0	3	3.7	3.7	3	0
2XX	all_deer	R	210-00	18	.	.	.	.	.	.	.	.	.	1.1	1	1.6	6.1	0	0	1.1	0	0	1.1	0
2XX	all_deer	R	270-01	132	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1	0	0	1.3	0	0	1.3	0
2XX	all_deer	R	322-00	173	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.8	0	0	1.3	0	0	1.3	0
2XX	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	17.6	9.5	25.6	0	0	0	0	17.6	17.6	0	0
2XX	all_deer	R	SUM	150900	79.7	62	97.4	507.6	350.1	665.1	6.4	5.1	7.7	21.4	13.2	29.5	0	0	0	3.8	17.6	17.6	3.8	0
2XX	all_deer	SUM	210-00	18	.	.	.	.	.	.	.	.	.	1.1	1	1.6	6.1	0	0	1.1	0	0	1.1	0
2XX	all_deer	SUM	270-01	132	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1	0	0	1.3	0	0	1.3	0
2XX	all_deer	SUM	322-00	173	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.8	0	0	1.3	0	0	1.3	0
2XX	all_deer	SUM	698-00	712	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
2XX	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	21.3	12.3	30.3	0	0	0	0	21.3	21.3	0	0
2XX	all_deer	SUM	SUM	175825	89.9	71.2	108.6	568.6	405.2	732	6.3	5.1	7.5	28.1	18.6	37.6	0	0	0	6.8	21.3	21.3	6.8	0
2XX	md	R	270-01	132	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1	0	0	1.3	0	0	1.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
2XX	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	9.8	3.5	16	0	0	0	0	9.8	9.8	0	0
2XX	md	R	SUM	150709	.	.	.	.	.	.	.	.	.	11.1	4.8	17.4	0	0	0	1.3	9.8	9.8	1.3	0
2XX	md	SUM	270-01	132	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1	0	0	1.3	0	0	1.3	0
2XX	md	SUM	Deer_A	150577	.	.	.	.	.	.	.	.	.	9.8	3.5	16	0	0	0	0	9.8	9.8	0	0
2XX	md	SUM	SUM	150709	.	.	.	.	.	.	.	.	.	11.1	4.8	17.4	0	0	0	1.3	9.8	9.8	1.3	0
2XX	wt	N	698-00	712	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
2XX	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
2XX	wt	N	SUM	24925	.	.	.	.	.	.	.	.	.	6.7	2	11.6	0	0	0	3	3.7	3.7	3	0
2XX	wt	R	210-00	18	.	.	.	.	.	.	.	.	.	1.1	1	1.6	6.1	0	0	1.1	0	0	1.1	0
2XX	wt	R	322-00	173	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.8	0	0	1.3	0	0	1.3	0
2XX	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	7.8	3	12.9	0	0	0	0	7.8	7.8	0	0
2XX	wt	R	SUM	150768	.	.	.	.	.	.	.	.	.	10.3	5.1	15.5	0	0	0	2.4	7.8	7.8	2.4	0
2XX	wt	SUM	210-00	18	.	.	.	.	.	.	.	.	.	1.1	1	1.6	6.1	0	0	1.1	0	0	1.1	0
2XX	wt	SUM	322-00	173	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.8	0	0	1.3	0	0	1.3	0
2XX	wt	SUM	698-00	712	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
2XX	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	11.5	5.1	18	0	0	0	0	11.5	11.5	0	0
2XX	wt	SUM	SUM	175693	.	.	.	.	.	.	.	.	.	17	9.9	24.1	0	0	0	5.5	11.5	11.5	5.5	0
300	all_deer	N	300-00	13	.	.	.	.	.	.	.	.	.	3.8	2	5.9	29.2	0	0	3.8	0	0	3.8	0
300	all_deer	N	300-50	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
300	all_deer	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
300	all_deer	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
300	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	24	14.1	33.9	0.1	0	0	7.5	16.6	16.6	7.5	0
300	all_deer	N	SUM	24291	122.5	100.6	144.4	878	681.9	1074.1	7.2	6.3	8.1	27.8	17.7	37.9	0.1	0	0	11.2	16.6	16.6	11.2	0
300	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	14.3	7.6	21.1	0.2	0	0	14.3	0	0	14.3	0
300	all_deer	R	300-00	137	.	.	.	.	.	.	.	.	.	41.3	36.1	46.6	30.1	0	0	41.3	0	0	41.3	0
300	all_deer	R	300-50	38	.	.	.	.	.	.	.	.	.	21.2	17.6	24.8	55.8	0	0	0	21.2	21.2	0	0
300	all_deer	R	309-01	497	.	.	.	.	.	.	.	.	.	1.6	1	3	0.3	0	0	0	1.6	1.6	0	0
300	all_deer	R	326-00	440	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
300	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	30	20.3	39.7	0	0	0	4.8	25.2	25.2	4.8	0
300	all_deer	R	SUM	159018	235.7	209.2	262.2	1357.4	1130.1	1584.7	5.8	5.1	6.5	109.9	96.4	123.4	0.1	0	0	61.9	48	48	61.9	0
300	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	14.3	7.6	21.1	0.2	0	0	14.3	0	0	14.3	0
300	all_deer	SUM	300-00	150	.	.	.	.	.	.	.	.	.	45.1	39.5	50.7	30.1	0	0	45.1	0	0	45.1	0
300	all_deer	SUM	300-50	40	.	.	.	.	.	.	.	.	.	21.2	17.6	24.8	53	0	0	0	21.2	21.2	0	0
300	all_deer	SUM	309-01	500	.	.	.	.	.	.	.	.	.	1.6	1	3	0.3	0	0	0	1.6	1.6	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
300	all_deer	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
300	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	54	40.1	67.8	0	0	0	12.2	41.8	41.8	12.2	0
300	all_deer	SUM	SUM	183309	358.2	323.7	392.7	2235.4	1935.1	2535.7	6.2	5.6	6.8	137.7	120.8	154.6	0.1	0	0	73.1	64.6	64.6	73.1	0
300	md	N	300-00	13	.	.	.	.	.	.	.	.	.	3.8	2	5.9	29.2	0	0	3.8	0	0	3.8	0
300	md	N	300-50	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
300	md	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
300	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	24	14.1	33.9	0.1	0	0	7.5	16.6	16.6	7.5	0
300	md	N	SUM	24288	.	.	.	.	.	.	.	.	.	27.8	17.7	37.9	0.1	0	0	11.2	16.6	16.6	11.2	0
300	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4.1	0	0	0	2	0	0	2	0
300	md	R	300-00	137	.	.	.	.	.	.	.	.	.	41.3	36.1	46.6	30.1	0	0	41.3	0	0	41.3	0
300	md	R	300-50	38	.	.	.	.	.	.	.	.	.	21.2	17.6	24.8	55.8	0	0	0	21.2	21.2	0	0
300	md	R	326-00	440	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
300	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	9.5	3.3	15.7	0	0	0	1.4	8.1	8.1	1.4	0
300	md	R	SUM	158521	.	.	.	.	.	.	.	.	.	75.5	66.3	84.7	0	0	0	46.2	29.3	29.3	46.2	0
300	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4.1	0	0	0	2	0	0	2	0
300	md	SUM	300-00	150	.	.	.	.	.	.	.	.	.	45.1	39.5	50.7	30.1	0	0	45.1	0	0	45.1	0
300	md	SUM	300-50	40	.	.	.	.	.	.	.	.	.	21.2	17.6	24.8	53	0	0	0	21.2	21.2	0	0
300	md	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
300	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	33.5	21.9	45.2	0	0	0	8.9	24.7	24.7	8.9	0
300	md	SUM	SUM	182809	.	.	.	.	.	.	.	.	.	103.3	89.6	116.9	0.1	0	0	57.4	45.9	45.9	57.4	0
300	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
300	wt	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
300	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
300	wt	N	SUM	24993	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
300	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	12.3	5.9	18.7	0.2	0	0	12.3	0	0	12.3	0
300	wt	R	309-01	497	.	.	.	.	.	.	.	.	.	1.6	1	3	0.3	0	0	0	1.6	1.6	0	0
300	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	20.5	13	28	0	0	0	3.3	17.1	17.1	3.3	0
300	wt	R	SUM	158403	.	.	.	.	.	.	.	.	.	34.4	24.4	44.4	0	0	0	15.7	18.7	18.7	15.7	0
300	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	12.3	5.9	18.7	0.2	0	0	12.3	0	0	12.3	0
300	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
300	wt	SUM	309-01	500	.	.	.	.	.	.	.	.	.	1.6	1	3	0.3	0	0	0	1.6	1.6	0	0
300	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	20.5	13	28	0	0	0	3.3	17.1	17.1	3.3	0
300	wt	SUM	SUM	183396	.	.	.	.	.	.	.	.	.	34.4	24.4	44.4	0	0	0	15.7	18.7	18.7	15.7	0
301	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	7.9	3	13.1	1	0	1.3	6.6	0	0	7.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
301	all_deer	N	301-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	1	0	0	0	1	0
301	all_deer	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
301	all_deer	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
301	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	1.3	1	2	0.6	0	0	1.3	0	0	1.3	0
301	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11	4.7	17.2	0	0	0	0	11	11	0	0
301	all_deer	N	SUM	25250	40.7	28.3	53.1	304.9	200.3	409.5	7.5	6.3	8.7	21.1	12.9	29.2	0.1	0	2.3	7.8	11	11	10.1	0
301	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	72.9	58.3	87.5	1	0	0	69.4	3.4	0	72.9	0
301	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	4	1	8.2	0.1	0	0	0	4	4	0	0
301	all_deer	R	301-00	24	.	.	.	.	.	.	.	.	.	8.2	4.9	11.5	34.2	0	0	8.2	0	0	8.2	0
301	all_deer	R	301-01	16	.	.	.	.	.	.	.	.	.	7.8	6.3	9.3	48.8	0	1.2	6.5	0	0	7.8	0
301	all_deer	R	309-01	497	.	.	.	.	.	.	.	.	.	1.7	1	3.2	0.3	0	0	0	1.7	1.7	0	0
301	all_deer	R	315-01	230	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.6	0	0	1.3	0	0	1.3	0
301	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
301	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	216.7	189	244.5	0.1	0	1.4	24.3	191.1	180.6	36.1	0
301	all_deer	R	SUM	164657	724.6	672.2	777	3837.6	3437.8	4237.4	5.3	4.9	5.7	312.6	280.7	344.5	0.2	0	2.6	109.8	200.2	186.3	126.3	0
301	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	72.9	58.3	87.5	1	0	0	69.4	3.4	0	72.9	0
301	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	7.9	3	13.1	1	0	1.3	6.6	0	0	7.9	0
301	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	4	1	8.2	0.1	0	0	0	4	4	0	0
301	all_deer	SUM	301-00	25	.	.	.	.	.	.	.	.	.	9.2	5.9	12.5	36.8	0	1	8.2	0	0	9.2	0
301	all_deer	SUM	301-01	16	.	.	.	.	.	.	.	.	.	7.8	6.3	9.3	48.8	0	1.2	6.5	0	0	7.8	0
301	all_deer	SUM	309-01	500	.	.	.	.	.	.	.	.	.	1.7	1	3.2	0.3	0	0	0	1.7	1.7	0	0
301	all_deer	SUM	315-01	250	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.5	0	0	1.3	0	0	1.3	0
301	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.3	1	2	0.1	0	0	1.3	0	0	1.3	0
301	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	227.7	199.2	256.1	0.1	0	1.4	24.3	202	191.6	36.1	0
301	all_deer	SUM	SUM	189907	765.3	711.5	819.1	4142.5	3729.2	4555.8	5.4	5	5.8	333.7	300.8	366.6	0.2	0	4.9	117.6	211.1	197.2	136.4	0
301	md	N	301-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	1	0	0	0	1	0
301	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11	4.7	17.2	0	0	0	0	11	11	0	0
301	md	N	SUM	24214	.	.	.	.	.	.	.	.	.	12	5.7	18.2	0	0	1	0	11	11	1	0
301	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	5.6	2	9.7	0.1	0	0	2.1	3.4	0	5.6	0
301	md	R	301-00	24	.	.	.	.	.	.	.	.	.	8.2	4.9	11.5	34.2	0	0	8.2	0	0	8.2	0
301	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	87.9	70	105.8	0.1	0	0	6.4	81.5	77.4	10.4	0
301	md	R	SUM	157930	.	.	.	.	.	.	.	.	.	101.6	83	120.3	0.1	0	0	16.7	84.9	77.4	24.2	0
301	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	5.6	2	9.7	0.1	0	0	2.1	3.4	0	5.6	0
301	md	SUM	301-00	25	.	.	.	.	.	.	.	.	.	9.2	5.9	12.5	36.8	0	1	8.2	0	0	9.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
301	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	98.8	79.9	117.8	0.1	0	0	6.4	92.5	88.4	10.4	0
301	md	SUM	SUM	182144	.	.	.	.	.	.	.	.	.	113.6	93.9	133.3	0.1	0	1	16.7	95.9	88.4	25.2	0
301	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	7.9	3	13.1	1	0	1.3	6.6	0	0	7.9	0
301	wt	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
301	wt	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
301	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	1.3	1	2	0.6	0	0	1.3	0	0	1.3	0
301	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
301	wt	N	SUM	25249	.	.	.	.	.	.	.	.	.	9.1	4	14.4	0	0	1.3	7.8	0	0	9.1	0
301	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	63.9	50.3	77.4	0.9	0	0	63.9	0	0	63.9	0
301	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	4	1	8.2	0.1	0	0	0	4	4	0	0
301	wt	R	301-01	16	.	.	.	.	.	.	.	.	.	7.8	6.3	9.3	48.8	0	1.2	6.5	0	0	7.8	0
301	wt	R	309-01	497	.	.	.	.	.	.	.	.	.	1.7	1	3.2	0.3	0	0	0	1.7	1.7	0	0
301	wt	R	315-01	230	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.6	0	0	1.3	0	0	1.3	0
301	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
301	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	128.9	107.6	150.1	0.1	0	1.4	17.9	109.6	103.2	25.7	0
301	wt	R	SUM	164633	.	.	.	.	.	.	.	.	.	207.5	181.9	233.2	0.1	0	2.6	89.7	115.2	108.8	98.7	0
301	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	63.9	50.3	77.4	0.9	0	0	63.9	0	0	63.9	0
301	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	7.9	3	13.1	1	0	1.3	6.6	0	0	7.9	0
301	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	4	1	8.2	0.1	0	0	0	4	4	0	0
301	wt	SUM	301-01	16	.	.	.	.	.	.	.	.	.	7.8	6.3	9.3	48.8	0	1.2	6.5	0	0	7.8	0
301	wt	SUM	309-01	500	.	.	.	.	.	.	.	.	.	1.7	1	3.2	0.3	0	0	0	1.7	1.7	0	0
301	wt	SUM	315-01	250	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.5	0	0	1.3	0	0	1.3	0
301	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.3	1	2	0.1	0	0	1.3	0	0	1.3	0
301	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	128.9	107.6	150.1	0.1	0	1.4	17.9	109.6	103.2	25.7	0
301	wt	SUM	SUM	189882	.	.	.	.	.	.	.	.	.	216.6	190.5	242.8	0.1	0	3.9	97.5	115.2	108.8	107.8	0
302	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
302	all_deer	N	302-00	20	.	.	.	.	.	.	.	.	.	10.4	8.1	12.8	52	0	0	8.5	2	2	8.5	0
302	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	47.9	34	61.9	0.2	0	0	3.7	44.2	36.7	11.2	0
302	all_deer	N	SUM	25010	123.2	101.3	145.1	842.7	669.6	1015.8	6.8	6.1	7.5	62.4	47.6	77.2	0.2	0	0	16.3	46.2	38.7	23.7	0
302	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	17.1	9.8	24.3	0.2	0	0	17.1	0	0	17.1	0
302	all_deer	R	302-00	130	.	.	.	.	.	.	.	.	.	40.1	35.7	44.5	30.8	0	1.5	38.6	0	0	40.1	0
302	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	71.6	57	86.2	0	0	0	7.3	64.3	64.3	7.3	0
302	all_deer	R	SUM	158036	262	233.5	290.5	1357.1	1174.1	1540.1	5.2	4.8	5.6	128.8	111.9	145.7	0.1	0	1.5	62.9	64.3	64.3	64.5	0
302	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	17.1	9.8	24.3	0.2	0	0	17.1	0	0	17.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
302	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
302	all_deer	SUM	302-00	150	.	.	.	.	.	.	.	.	.	50.5	45.6	55.5	33.7	0	1.5	47	2	2	48.6	0
302	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	119.5	99.3	139.7	0.1	0	0	11	108.5	101	18.4	0
302	all_deer	SUM	SUM	183046	385.2	349.3	421.1	2199.8	1947.8	2451.8	5.7	5.3	6.1	191.2	168.7	213.6	0.1	0	1.5	79.2	110.5	103	88.2	0
302	md	N	302-00	20	.	.	.	.	.	.	.	.	.	8.8	6.4	11.2	44	0	0	6.8	2	2	6.8	0
302	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	47.9	34	61.9	0.2	0	0	3.7	44.2	36.7	11.2	0
302	md	N	SUM	24233	.	.	.	.	.	.	.	.	.	56.7	42.6	70.9	0.2	0	0	10.6	46.2	38.7	18	0
302	md	R	302-00	130	.	.	.	.	.	.	.	.	.	40.1	35.7	44.5	30.8	0	1.5	38.6	0	0	40.1	0
302	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	50.7	38.4	63	0	0	0	1.5	49.2	49.2	1.5	0
302	md	R	SUM	150707	.	.	.	.	.	.	.	.	.	90.8	77.8	103.9	0.1	0	1.5	40.1	49.2	49.2	41.6	0
302	md	SUM	302-00	150	.	.	.	.	.	.	.	.	.	48.9	43.9	53.9	32.6	0	1.5	45.4	2	2	46.9	0
302	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	98.6	80	117.2	0.1	0	0	5.2	93.4	85.9	12.7	0
302	md	SUM	SUM	174940	.	.	.	.	.	.	.	.	.	147.5	128.3	166.8	0.1	0	1.5	50.7	95.4	87.9	59.6	0
302	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
302	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
302	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	4.1	0	0	4.1	0
302	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	17.1	9.8	24.3	0.2	0	0	17.1	0	0	17.1	0
302	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	20.9	13	28.8	0	0	0	5.8	15.1	15.1	5.8	0
302	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	37.9	27.2	48.7	0	0	0	22.8	15.1	15.1	22.8	0
302	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	17.1	9.8	24.3	0.2	0	0	17.1	0	0	17.1	0
302	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
302	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	20.9	13	28.8	0	0	0	5.8	15.1	15.1	5.8	0
302	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	42	30.5	53.6	0	0	0	26.9	15.1	15.1	26.9	0
309	all_deer	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
309	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
309	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
309	all_deer	N	SUM	24216	11.1	4.3	17.9	59.8	21.5	98.1	5.4	4.4	6.4	0	0	0	0	0	0	0	0	0	0	0
309	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	123.2	104.4	141.9	1.7	0	8	109.3	5.9	5.9	117.2	0
309	all_deer	R	309-00	15	.	.	.	.	.	.	.	.	.	2.4	2	3.3	16	0	0	2.4	0	0	2.4	0
309	all_deer	R	309-01	497	.	.	.	.	.	.	.	.	.	189.1	175.7	202.5	38	0	3.7	181.3	4.1	4.1	185	0
309	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	229.4	204	254.7	0.2	0	2.3	47.2	179.8	177.8	51.5	0
309	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
309	all_deer	R	SUM	158418	568.1	529	607.2	3499.1	3140.8	3857.4	6.2	5.7	6.7	548.1	513.5	582.6	0.3	0	14	344.3	189.9	187.9	360.2	0
309	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	123.2	104.4	141.9	1.7	0	8	109.3	5.9	5.9	117.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
309	all_deer	SUM	309-00	15	.	.	.	.	.	.	.	.	.	2.4	2	3.3	16	0	0	2.4	0	0	2.4	0
309	all_deer	SUM	309-01	500	.	.	.	.	.	.	.	.	.	189.1	175.7	202.5	37.8	0	3.7	181.3	4.1	4.1	185	0
309	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	229.4	204	254.7	0.1	0	2.3	47.2	179.8	177.8	51.5	0
309	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
309	all_deer	SUM	SUM	182634	579.2	539.5	618.9	3558.9	3198.5	3919.3	6.1	5.6	6.6	548.1	513.5	582.6	0.3	0	14	344.3	189.9	187.9	360.2	0
309	md	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
309	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
309	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
309	md	N	SUM	24216	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
309	md	R	309-00	15	.	.	.	.	.	.	.	.	.	1.2	1	1.9	8	0	0	1.2	0	0	1.2	0
309	md	R	309-01	497	.	.	.	.	.	.	.	.	.	3.8	2	6.2	0.8	0	0	3.8	0	0	3.8	0
309	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	19.7	11.8	27.5	0	0	0	0	19.7	19.7	0	0
309	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
309	md	R	SUM	151089	.	.	.	.	.	.	.	.	.	24.7	16.4	32.9	0	0	0	5	19.7	19.7	5	0
309	md	SUM	309-00	15	.	.	.	.	.	.	.	.	.	1.2	1	1.9	8	0	0	1.2	0	0	1.2	0
309	md	SUM	309-01	500	.	.	.	.	.	.	.	.	.	3.8	2	6.2	0.8	0	0	3.8	0	0	3.8	0
309	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	19.7	11.8	27.5	0	0	0	0	19.7	19.7	0	0
309	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
309	md	SUM	SUM	175305	.	.	.	.	.	.	.	.	.	24.7	16.4	32.9	0	0	0	5	19.7	19.7	5	0
309	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
309	wt	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
309	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
309	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
309	wt	N	SUM	24993	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
309	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	123.2	104.4	141.9	1.7	0	8	109.3	5.9	5.9	117.2	0
309	wt	R	309-00	15	.	.	.	.	.	.	.	.	.	1.2	1	1.9	8	0	0	1.2	0	0	1.2	0
309	wt	R	309-01	497	.	.	.	.	.	.	.	.	.	185.3	171.9	198.7	37.3	0	3.7	177.5	4.1	4.1	181.2	0
309	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	209.7	185.6	233.8	0.1	0	2.3	47.2	160.2	158.2	51.5	0
309	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
309	wt	R	SUM	158418	.	.	.	.	.	.	.	.	.	523.4	489.8	557	0.3	0	14	339.3	170.2	168.2	355.2	0
309	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	123.2	104.4	141.9	1.7	0	8	109.3	5.9	5.9	117.2	0
309	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
309	wt	SUM	309-00	15	.	.	.	.	.	.	.	.	.	1.2	1	1.9	8	0	0	1.2	0	0	1.2	0
309	wt	SUM	309-01	500	.	.	.	.	.	.	.	.	.	185.3	171.9	198.7	37.1	0	3.7	177.5	4.1	4.1	181.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
309	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	209.7	185.6	233.8	0.1	0	2.3	47.2	160.2	158.2	51.5	0
309	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
309	wt	SUM	SUM	183411	.	.	.	.	.	.	.	.	.	523.4	489.8	557	0.3	0	14	339.3	170.2	168.2	355.2	0
310	all_deer	N	310-00	2	.	.	.	.	.	.	.	.	.	2	2	2	100	0	0	2	0	0	2	0
310	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1.1	1	2.4	0	0	0	0	1.1	1.1	0	0
310	all_deer	N	SUM	24215	66.5	50.1	82.9	383.2	282.3	484.1	5.8	5.1	6.5	3.1	3	4.4	0	0	0	2	1.1	1.1	2	0
310	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	9.1	3.7	14.6	0.1	0	0	9.1	0	0	9.1	0
310	all_deer	R	310-00	23	.	.	.	.	.	.	.	.	.	5.2	4	6.8	22.6	0	0	5.2	0	0	5.2	0
310	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	47.3	34.1	60.6	0	0	0	5.6	41.7	41.7	5.6	0
310	all_deer	R	SUM	157929	189.5	163.4	215.6	952.5	781.3	1123.7	5	4.4	5.6	61.7	47.2	76.1	0	0	0	19.9	41.7	41.7	19.9	0
310	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	9.1	3.7	14.6	0.1	0	0	9.1	0	0	9.1	0
310	all_deer	SUM	310-00	25	.	.	.	.	.	.	.	.	.	7.2	6	8.8	28.8	0	0	7.2	0	0	7.2	0
310	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	48.5	35.2	61.8	0	0	0	5.6	42.9	42.9	5.6	0
310	all_deer	SUM	SUM	182144	256	225.1	286.9	1335.6	1137	1534.2	5.2	4.7	5.7	64.8	50.3	79.3	0	0	0	21.9	42.9	42.9	21.9	0
310	md	N	310-00	2	.	.	.	.	.	.	.	.	.	2	2	2	100	0	0	2	0	0	2	0
310	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1.1	1	2.4	0	0	0	0	1.1	1.1	0	0
310	md	N	SUM	24215	.	.	.	.	.	.	.	.	.	3.1	3	4.4	0	0	0	2	1.1	1.1	2	0
310	md	R	310-00	23	.	.	.	.	.	.	.	.	.	5.2	4	6.8	22.6	0	0	5.2	0	0	5.2	0
310	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	38.6	26.5	50.7	0	0	0	5.6	33	33	5.6	0
310	md	R	SUM	150600	.	.	.	.	.	.	.	.	.	43.8	31.6	56	0	0	0	10.8	33	33	10.8	0
310	md	SUM	310-00	25	.	.	.	.	.	.	.	.	.	7.2	6	8.8	28.8	0	0	7.2	0	0	7.2	0
310	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	39.7	27.6	51.9	0	0	0	5.6	34.2	34.2	5.6	0
310	md	SUM	SUM	174815	.	.	.	.	.	.	.	.	.	47	34.7	59.2	0	0	0	12.8	34.2	34.2	12.8	0
310	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
310	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
310	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
310	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	9.1	3.7	14.6	0.1	0	0	9.1	0	0	9.1	0
310	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	8.7	3.3	14.2	0	0	0	0	8.7	8.7	0	0
310	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	17.9	10.1	25.6	0	0	0	9.1	8.7	8.7	9.1	0
310	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	9.1	3.7	14.6	0.1	0	0	9.1	0	0	9.1	0
310	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
310	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	8.7	3.3	14.2	0	0	0	0	8.7	8.7	0	0
310	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	17.9	10.1	25.6	0	0	0	9.1	8.7	8.7	9.1	0
311	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	14	6.4	21.7	1.8	0	0	14	0	0	14	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
311	all_deer	N	301-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	all_deer	N	311-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	all_deer	N	311-02	12	.	.	.	.	.	.	.	.	.	7.7	6	9.4	64.2	0	0	7.7	0	0	7.7	0
311	all_deer	N	312-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	all_deer	N	330-00	35	.	.	.	.	.	.	.	.	.	2.7	1	5.1	7.7	0	0	2.7	0	0	2.7	0
311	all_deer	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	all_deer	N	333-02	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	all_deer	N	333-03	37	.	.	.	.	.	.	.	.	.	1.4	1	2.6	3.8	0	0	1.4	0	0	1.4	0
311	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	17.1	8.8	25.3	0.1	0	0	0	17.1	17.1	0	0
311	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
311	all_deer	N	SUM	25099	116.1	95.2	137	562.5	449.2	675.8	4.8	4.4	5.2	42.9	31.3	54.6	0.2	0	0	25.9	17.1	17.1	25.9	0
311	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	278.6	250.6	306.6	3.8	0	17.8	255.2	5.7	5.7	273	0
311	all_deer	R	301-00	24	.	.	.	.	.	.	.	.	.	1.7	1	3.3	7.1	0	0	1.7	0	0	1.7	0
311	all_deer	R	311-00	48	.	.	.	.	.	.	.	.	.	29.8	26.7	32.9	62.1	0	2.9	26.9	0	0	29.8	0
311	all_deer	R	311-01	50	.	.	.	.	.	.	.	.	.	15.8	12.4	19.2	31.6	0	0	15.8	0	0	15.8	0
311	all_deer	R	311-02	288	.	.	.	.	.	.	.	.	.	129.2	121.5	137	44.9	0	1.6	126.1	1.5	1.5	127.7	0
311	all_deer	R	312-01	74	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1.8	0	0	1.3	0	0	1.3	0
311	all_deer	R	330-00	215	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	all_deer	R	333-01	285	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	1.5	0	0	1.5	0
311	all_deer	R	333-02	218	.	.	.	.	.	.	.	.	.	4.1	3	5.5	1.9	0	0	1.3	2.8	2.8	1.3	0
311	all_deer	R	333-03	299	.	.	.	.	.	.	.	.	.	4.5	3	6.5	1.5	0	0	4.5	0	0	4.5	0
311	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	681.1	632.8	729.5	0.5	0	9.3	90.7	581.1	577	104.1	0
311	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
311	all_deer	R	SUM	159407	1513.1	1441.7	1584.5	6883.7	6425.7	7341.7	4.5	4.3	4.7	1155.8	1098.8	1212.8	0.7	0	31.7	533.1	591	587	568.8	0
311	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	278.6	250.6	306.6	3.8	0	17.8	255.2	5.7	5.7	273	0
311	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	14	6.4	21.7	1.8	0	0	14	0	0	14	0
311	all_deer	SUM	301-00	25	.	.	.	.	.	.	.	.	.	1.7	1	3.3	6.8	0	0	1.7	0	0	1.7	0
311	all_deer	SUM	311-00	50	.	.	.	.	.	.	.	.	.	29.8	26.7	32.9	59.6	0	2.9	26.9	0	0	29.8	0
311	all_deer	SUM	311-01	50	.	.	.	.	.	.	.	.	.	15.8	12.4	19.2	31.6	0	0	15.8	0	0	15.8	0
311	all_deer	SUM	311-02	300	.	.	.	.	.	.	.	.	.	136.9	129	144.9	45.6	0	1.6	133.8	1.5	1.5	135.4	0
311	all_deer	SUM	312-01	75	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1.7	0	0	1.3	0	0	1.3	0
311	all_deer	SUM	330-00	250	.	.	.	.	.	.	.	.	.	2.7	1	5.1	1.1	0	0	2.7	0	0	2.7	0
311	all_deer	SUM	333-01	300	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	1.5	0	0	1.5	0
311	all_deer	SUM	333-02	224	.	.	.	.	.	.	.	.	.	4.1	3	5.5	1.8	0	0	1.3	2.8	2.8	1.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
311	all_deer	SUM	333-03	336	.	.	.	.	.	.	.	.	.	5.9	4	8.2	1.8	0	0	5.9	0	0	5.9	0
311	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	698.2	649.1	747.3	0.4	0	9.3	90.7	598.1	594.1	104.1	0
311	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
311	all_deer	SUM	SUM	184506	1629.2	1554.7	1703.7	7446.2	6974.3	7918.1	4.6	4.4	4.8	1198.7	1140.6	1256.9	0.6	0	31.7	559	608.1	604	594.7	0
311	md	N	301-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	md	N	311-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	md	N	311-02	12	.	.	.	.	.	.	.	.	.	7.7	6	9.4	64.2	0	0	7.7	0	0	7.7	0
311	md	N	330-00	35	.	.	.	.	.	.	.	.	.	2.7	1	5.1	7.7	0	0	2.7	0	0	2.7	0
311	md	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	md	N	333-02	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	md	N	333-03	37	.	.	.	.	.	.	.	.	.	1.4	1	2.6	3.8	0	0	1.4	0	0	1.4	0
311	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
311	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
311	md	N	SUM	24321	.	.	.	.	.	.	.	.	.	23	15.4	30.6	0.1	0	0	11.8	11.2	11.2	11.8	0
311	md	R	301-00	24	.	.	.	.	.	.	.	.	.	1.7	1	3.3	7.1	0	0	1.7	0	0	1.7	0
311	md	R	311-00	48	.	.	.	.	.	.	.	.	.	28	24.9	31.1	58.3	0	2.9	25	0	0	28	0
311	md	R	311-02	288	.	.	.	.	.	.	.	.	.	127.9	120.2	135.7	44.4	0	1.6	124.8	1.5	1.5	126.4	0
311	md	R	330-00	215	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	md	R	333-01	285	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	1.5	0	0	1.5	0
311	md	R	333-02	218	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.7	0	0	0	1.5	1.5	0	0
311	md	R	333-03	299	.	.	.	.	.	.	.	.	.	2.8	2	4.4	0.9	0	0	2.8	0	0	2.8	0
311	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	250.3	220.7	279.9	0.2	0	1.4	10.1	238.8	234.8	15.6	0
311	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
311	md	R	SUM	151954	.	.	.	.	.	.	.	.	.	413.8	382.9	444.6	0.3	0	6	166	241.8	237.7	176	0
311	md	SUM	301-00	25	.	.	.	.	.	.	.	.	.	1.7	1	3.3	6.8	0	0	1.7	0	0	1.7	0
311	md	SUM	311-00	50	.	.	.	.	.	.	.	.	.	28	24.9	31.1	56	0	2.9	25	0	0	28	0
311	md	SUM	311-02	300	.	.	.	.	.	.	.	.	.	135.6	127.7	143.5	45.2	0	1.6	132.5	1.5	1.5	134.1	0
311	md	SUM	330-00	250	.	.	.	.	.	.	.	.	.	2.7	1	5.1	1.1	0	0	2.7	0	0	2.7	0
311	md	SUM	333-01	300	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	1.5	0	0	1.5	0
311	md	SUM	333-02	224	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.7	0	0	0	1.5	1.5	0	0
311	md	SUM	333-03	336	.	.	.	.	.	.	.	.	.	4.3	3	6.2	1.3	0	0	4.3	0	0	4.3	0
311	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	261.5	231.1	291.9	0.1	0	1.4	10.1	250	245.9	15.6	0
311	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
311	md	SUM	SUM	176275	.	.	.	.	.	.	.	.	.	436.8	405	468.6	0.2	0	6	177.8	253	248.9	187.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
311	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	14	6.4	21.7	1.8	0	0	14	0	0	14	0
311	wt	N	311-02	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	wt	N	312-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	wt	N	333-02	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	wt	N	333-03	37	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
311	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	5.9	2	10.5	0	0	0	0	5.9	5.9	0	0
311	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
311	wt	N	SUM	25046	.	.	.	.	.	.	.	.	.	19.9	11	28.8	0.1	0	0	14	5.9	5.9	14	0
311	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	278.6	250.6	306.6	3.8	0	17.8	255.2	5.7	5.7	273	0
311	wt	R	311-00	48	.	.	.	.	.	.	.	.	.	1.9	1	3.2	4	0	0	1.9	0	0	1.9	0
311	wt	R	311-01	50	.	.	.	.	.	.	.	.	.	15.8	12.4	19.2	31.6	0	0	15.8	0	0	15.8	0
311	wt	R	311-02	288	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.5	0	0	1.3	0	0	1.3	0
311	wt	R	312-01	74	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1.8	0	0	1.3	0	0	1.3	0
311	wt	R	333-02	218	.	.	.	.	.	.	.	.	.	2.6	2	3.7	1.2	0	0	1.3	1.3	1.3	1.3	0
311	wt	R	333-03	299	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.5	0	0	1.6	0	0	1.6	0
311	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	430.8	392.5	469.1	0.3	0	7.9	80.7	342.3	342.3	88.6	0
311	wt	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
311	wt	R	SUM	158883	.	.	.	.	.	.	.	.	.	742.1	694.1	790.1	0.5	0	25.7	367.2	349.2	349.2	392.8	0
311	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	278.6	250.6	306.6	3.8	0	17.8	255.2	5.7	5.7	273	0
311	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	14	6.4	21.7	1.8	0	0	14	0	0	14	0
311	wt	SUM	311-00	48	.	.	.	.	.	.	.	.	.	1.9	1	3.2	4	0	0	1.9	0	0	1.9	0
311	wt	SUM	311-01	50	.	.	.	.	.	.	.	.	.	15.8	12.4	19.2	31.6	0	0	15.8	0	0	15.8	0
311	wt	SUM	311-02	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
311	wt	SUM	312-01	75	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1.7	0	0	1.3	0	0	1.3	0
311	wt	SUM	333-02	224	.	.	.	.	.	.	.	.	.	2.6	2	3.7	1.2	0	0	1.3	1.3	1.3	1.3	0
311	wt	SUM	333-03	336	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.5	0	0	1.6	0	0	1.6	0
311	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	436.7	398.1	475.3	0.2	0	7.9	80.7	348.1	348.1	88.6	0
311	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
311	wt	SUM	SUM	183929	.	.	.	.	.	.	.	.	.	762	713.2	810.8	0.4	0	25.7	381.2	355.1	355.1	406.9	0
312	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	11.6	6.2	17.1	1.5	0	2.5	9.2	0	0	11.6	0
312	all_deer	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	311-02	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	312-00	6	.	.	.	.	.	.	.	.	.	3.1	2	4.5	51.7	0	0	3.1	0	0	3.1	0
312	all_deer	N	312-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
312	all_deer	N	312-50	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	0	1	1	0	0
312	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	391-40	53	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	393-00	9	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	82	63.4	100.6	0.3	0	0	0	82	82	0	0
312	all_deer	N	SUM	25111	169.8	144.4	195.2	935.3	776.3	1094.3	5.5	5.1	5.9	97.7	78.3	117.1	0.4	0	2.5	12.3	83	83	14.8	0
312	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	255.8	228.1	283.5	3.5	0	2.1	250.3	3.4	3.4	252.4	0
312	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	6.7	2	11.6	0.1	0	0	3.4	3.4	3.4	3.4	0
312	all_deer	R	309-01	497	.	.	.	.	.	.	.	.	.	2.4	1	4.4	0.5	0	0	0	2.4	2.4	0	0
312	all_deer	R	311-02	288	.	.	.	.	.	.	.	.	.	2.9	2	4.5	1	0	0	2.9	0	0	2.9	0
312	all_deer	R	312-00	237	.	.	.	.	.	.	.	.	.	81.9	76	87.9	34.6	0	1.4	79.1	1.5	0	81.9	0
312	all_deer	R	312-01	74	.	.	.	.	.	.	.	.	.	32.7	29.1	36.3	44.2	0	1.6	31.2	0	0	32.7	0
312	all_deer	R	312-50	124	.	.	.	.	.	.	.	.	.	37.3	32.5	42.1	30.1	0	0	0	37.3	37.3	0	0
312	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	3.9	1	7.6	0.9	0	0	3.9	0	0	3.9	0
312	all_deer	R	391-40	376	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.4	0	0	1.4	0	0	1.4	0
312	all_deer	R	393-00	182	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.8	0	0	1.5	0	0	1.5	0
312	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	585.9	540.9	630.8	0.4	0	11.4	81.5	492.9	477	107.4	1.4
312	all_deer	R	SUM	167740	1496.6	1426.8	1566.4	7776.9	7264.4	8289.4	5.2	4.9	5.5	1012.4	958.5	1066.2	0.6	0	16.5	455.1	540.8	523.5	487.5	1.4
312	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	255.8	228.1	283.5	3.5	0	2.1	250.3	3.4	3.4	252.4	0
312	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	11.6	6.2	17.1	1.5	0	2.5	9.2	0	0	11.6	0
312	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	6.7	2	11.6	0.1	0	0	3.4	3.4	3.4	3.4	0
312	all_deer	SUM	309-01	500	.	.	.	.	.	.	.	.	.	2.4	1	4.4	0.5	0	0	0	2.4	2.4	0	0
312	all_deer	SUM	311-02	300	.	.	.	.	.	.	.	.	.	2.9	2	4.5	1	0	0	2.9	0	0	2.9	0
312	all_deer	SUM	312-00	243	.	.	.	.	.	.	.	.	.	85	78.9	91.1	35	0	1.4	82.2	1.5	0	85	0
312	all_deer	SUM	312-01	75	.	.	.	.	.	.	.	.	.	32.7	29.1	36.3	43.6	0	1.6	31.2	0	0	32.7	0
312	all_deer	SUM	312-50	125	.	.	.	.	.	.	.	.	.	38.3	33.5	43.1	30.6	0	0	0	38.3	38.3	0	0
312	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	3.9	1	7.6	0.8	0	0	3.9	0	0	3.9	0
312	all_deer	SUM	391-40	429	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
312	all_deer	SUM	393-00	191	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.8	0	0	1.5	0	0	1.5	0
312	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	667.8	619.2	716.4	0.4	0	11.4	81.5	574.9	559	107.4	1.4
312	all_deer	SUM	SUM	192851	1666.4	1592.1	1740.7	8712.2	8175.6	9248.8	5.2	5	5.4	1110.1	1052.8	1167.3	0.6	0	18.9	467.3	623.8	606.4	502.3	1.4
312	md	N	311-02	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	md	N	312-00	6	.	.	.	.	.	.	.	.	.	3.1	2	4.5	51.7	0	0	3.1	0	0	3.1	0
312	md	N	312-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
312	md	N	312-50	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	0	1	1	0	0
312	md	N	391-40	53	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	md	N	393-00	9	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	55.9	40.5	71.2	0.2	0	0	0	55.9	55.9	0	0
312	md	N	SUM	24295	.	.	.	.	.	.	.	.	.	60	44.6	75.4	0.2	0	0	3.1	56.9	56.9	3.1	0
312	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0	0	0	2.1	0	0	2.1	0
312	md	R	311-02	288	.	.	.	.	.	.	.	.	.	2.9	2	4.5	1	0	0	2.9	0	0	2.9	0
312	md	R	312-00	237	.	.	.	.	.	.	.	.	.	81.9	76	87.9	34.6	0	1.4	79.1	1.5	0	81.9	0
312	md	R	312-01	74	.	.	.	.	.	.	.	.	.	1.3	1	2.3	1.8	0	0	1.3	0	0	1.3	0
312	md	R	312-50	124	.	.	.	.	.	.	.	.	.	37.3	32.5	42.1	30.1	0	0	0	37.3	37.3	0	0
312	md	R	391-40	376	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.4	0	0	1.4	0	0	1.4	0
312	md	R	393-00	182	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.8	0	0	1.5	0	0	1.5	0
312	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	174.2	149	199.4	0.1	0	0	8.8	165.5	165.5	8.8	0
312	md	R	SUM	159187	.	.	.	.	.	.	.	.	.	302.6	276.1	329.1	0.2	0	1.4	97.1	204.2	202.7	99.9	0
312	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0	0	0	2.1	0	0	2.1	0
312	md	SUM	311-02	300	.	.	.	.	.	.	.	.	.	2.9	2	4.5	1	0	0	2.9	0	0	2.9	0
312	md	SUM	312-00	243	.	.	.	.	.	.	.	.	.	85	78.9	91.1	35	0	1.4	82.2	1.5	0	85	0
312	md	SUM	312-01	75	.	.	.	.	.	.	.	.	.	1.3	1	2.3	1.7	0	0	1.3	0	0	1.3	0
312	md	SUM	312-50	125	.	.	.	.	.	.	.	.	.	38.3	33.5	43.1	30.6	0	0	0	38.3	38.3	0	0
312	md	SUM	391-40	429	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
312	md	SUM	393-00	191	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.8	0	0	1.5	0	0	1.5	0
312	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	230.1	200.6	259.6	0.1	0	0	8.8	221.3	221.3	8.8	0
312	md	SUM	SUM	183482	.	.	.	.	.	.	.	.	.	362.6	331.9	393.3	0.2	0	1.4	100.2	261.1	259.6	103	0
312	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	11.6	6.2	17.1	1.5	0	2.5	9.2	0	0	11.6	0
312	wt	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	wt	N	312-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
312	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26.1	15.6	36.6	0.1	0	0	0	26.1	26.1	0	0
312	wt	N	SUM	25030	.	.	.	.	.	.	.	.	.	37.7	25.9	49.6	0.2	0	2.5	9.2	26.1	26.1	11.6	0
312	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	253.7	226.1	281.3	3.5	0	2.1	248.2	3.4	3.4	250.3	0
312	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	6.7	2	11.6	0.1	0	0	3.4	3.4	3.4	3.4	0
312	wt	R	309-01	497	.	.	.	.	.	.	.	.	.	2.4	1	4.4	0.5	0	0	0	2.4	2.4	0	0
312	wt	R	312-01	74	.	.	.	.	.	.	.	.	.	31.4	27.8	35	42.4	0	1.6	29.8	0	0	31.4	0
312	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	3.9	1	7.6	0.9	0	0	3.9	0	0	3.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
312	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	411.6	374.4	448.9	0.3	0	11.4	72.7	327.5	311.6	98.7	1.4
312	wt	R	SUM	166533	.	.	.	.	.	.	.	.	.	709.7	662.8	756.7	0.4	0	15.1	358	336.6	320.7	387.6	1.4
312	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	253.7	226.1	281.3	3.5	0	2.1	248.2	3.4	3.4	250.3	0
312	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	11.6	6.2	17.1	1.5	0	2.5	9.2	0	0	11.6	0
312	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	6.7	2	11.6	0.1	0	0	3.4	3.4	3.4	3.4	0
312	wt	SUM	309-01	500	.	.	.	.	.	.	.	.	.	2.4	1	4.4	0.5	0	0	0	2.4	2.4	0	0
312	wt	SUM	312-01	75	.	.	.	.	.	.	.	.	.	31.4	27.8	35	41.9	0	1.6	29.8	0	0	31.4	0
312	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	3.9	1	7.6	0.8	0	0	3.9	0	0	3.9	0
312	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	437.7	399	476.4	0.3	0	11.4	72.7	353.5	337.6	98.7	1.4
312	wt	SUM	SUM	191563	.	.	.	.	.	.	.	.	.	747.5	699	795.9	0.4	0	17.6	367.2	362.7	346.8	399.2	1.4
313	all_deer	N	312-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
313	all_deer	N	313-00	6	.	.	.	.	.	.	.	.	.	2	2	2	33.3	0	0	2	0	0	2	0
313	all_deer	N	313-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
313	all_deer	N	313-02	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
313	all_deer	N	314-00	16	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
313	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	98	77.8	118.3	0.4	0	0	4.9	93.1	93.1	4.9	0
313	all_deer	N	SUM	24243	293.9	259.3	328.5	1632.5	1428	1837	5.6	5.4	5.8	100	79.8	120.3	0.4	0	0	6.9	93.1	93.1	6.9	0
313	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	6.2	3	9.9	0.1	0	0	6.2	0	0	6.2	0
313	all_deer	R	312-00	237	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	0	1.5	1.5	0	0
313	all_deer	R	313-00	95	.	.	.	.	.	.	.	.	.	26.7	22.8	30.6	28.1	0	0	26.7	0	0	26.7	0
313	all_deer	R	313-01	38	.	.	.	.	.	.	.	.	.	26.9	25.6	28.1	70.8	0	1.1	25.8	0	0	26.9	0
313	all_deer	R	313-02	24	.	.	.	.	.	.	.	.	.	18.1	16.3	19.9	75.4	0	3	15.1	0	0	18.1	0
313	all_deer	R	314-00	209	.	.	.	.	.	.	.	.	.	4.2	3	6	2	0	0	4.2	0	0	4.2	0
313	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	164.1	139.9	188.3	0.1	0	0	5.7	158.4	158.4	5.7	0
313	all_deer	R	SUM	158509	390.6	353.9	427.3	2050.2	1775.2	2325.2	5.2	4.7	5.7	247.7	222.8	272.6	0.2	0	4.1	83.7	159.8	159.8	87.8	0
313	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	6.2	3	9.9	0.1	0	0	6.2	0	0	6.2	0
313	all_deer	SUM	312-00	243	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	0	1.5	1.5	0	0
313	all_deer	SUM	313-00	101	.	.	.	.	.	.	.	.	.	28.7	24.8	32.6	28.4	0	0	28.7	0	0	28.7	0
313	all_deer	SUM	313-01	39	.	.	.	.	.	.	.	.	.	26.9	25.6	28.1	69	0	1.1	25.8	0	0	26.9	0
313	all_deer	SUM	313-02	25	.	.	.	.	.	.	.	.	.	18.1	16.3	19.9	72.4	0	3	15.1	0	0	18.1	0
313	all_deer	SUM	314-00	225	.	.	.	.	.	.	.	.	.	4.2	3	6	1.9	0	0	4.2	0	0	4.2	0
313	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	262.1	230.6	293.6	0.1	0	0	10.6	251.5	251.5	10.6	0
313	all_deer	SUM	SUM	182752	684.5	634	735	3682.7	3339.9	4025.5	5.4	5.1	5.7	347.7	315.6	379.8	0.2	0	4.1	90.6	253	253	94.7	0
313	md	N	312-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
313	md	N	313-00	6	.	.	.	.	.	.	.	.	.	2	2	2	33.3	0	0	2	0	0	2	0
313	md	N	313-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
313	md	N	313-02	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
313	md	N	314-00	16	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
313	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	96.9	76.6	117.1	0.4	0	0	3.7	93.1	93.1	3.7	0
313	md	N	SUM	24243	.	.	.	.	.	.	.	.	.	98.9	78.6	119.1	0.4	0	0	5.7	93.1	93.1	5.7	0
313	md	R	312-00	237	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	0	1.5	1.5	0	0
313	md	R	313-00	95	.	.	.	.	.	.	.	.	.	26.7	22.8	30.6	28.1	0	0	26.7	0	0	26.7	0
313	md	R	313-01	38	.	.	.	.	.	.	.	.	.	26.9	25.6	28.1	70.8	0	1.1	25.8	0	0	26.9	0
313	md	R	313-02	24	.	.	.	.	.	.	.	.	.	18.1	16.3	19.9	75.4	0	3	15.1	0	0	18.1	0
313	md	R	314-00	209	.	.	.	.	.	.	.	.	.	4.2	3	6	2	0	0	4.2	0	0	4.2	0
313	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	159.2	135.3	183.2	0.1	0	0	5.7	153.5	153.5	5.7	0
313	md	R	SUM	151180	.	.	.	.	.	.	.	.	.	236.6	212.1	261.1	0.2	0	4.1	77.5	155	155	81.6	0
313	md	SUM	312-00	243	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	0	1.5	1.5	0	0
313	md	SUM	313-00	101	.	.	.	.	.	.	.	.	.	28.7	24.8	32.6	28.4	0	0	28.7	0	0	28.7	0
313	md	SUM	313-01	39	.	.	.	.	.	.	.	.	.	26.9	25.6	28.1	69	0	1.1	25.8	0	0	26.9	0
313	md	SUM	313-02	25	.	.	.	.	.	.	.	.	.	18.1	16.3	19.9	72.4	0	3	15.1	0	0	18.1	0
313	md	SUM	314-00	225	.	.	.	.	.	.	.	.	.	4.2	3	6	1.9	0	0	4.2	0	0	4.2	0
313	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	256.1	224.7	287.5	0.1	0	0	9.5	246.6	246.6	9.5	0
313	md	SUM	SUM	175423	.	.	.	.	.	.	.	.	.	335.5	303.7	367.2	0.2	0	4.1	83.2	248.1	248.1	87.3	0
313	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
313	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1.1	1	2.4	0	0	0	1.1	0	0	1.1	0
313	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	1.1	1	2.4	0	0	0	1.1	0	0	1.1	0
313	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	6.2	3	9.9	0.1	0	0	6.2	0	0	6.2	0
313	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4.9	3	7.8	0	0	0	0	4.9	4.9	0	0
313	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	11.1	6.4	15.8	0	0	0	6.2	4.9	4.9	6.2	0
313	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	6.2	3	9.9	0.1	0	0	6.2	0	0	6.2	0
313	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
313	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	6	4	9.2	0	0	0	1.1	4.9	4.9	1.1	0
313	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	12.2	7.4	17.1	0	0	0	7.4	4.9	4.9	7.4	0
314	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	7.8	3.1	12.5	1	0	0	7.8	0	0	7.8	0
314	all_deer	N	314-00	16	.	.	.	.	.	.	.	.	.	4.6	2	8.3	28.7	0	0	4.6	0	0	4.6	0
314	all_deer	N	315-00	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
314	all_deer	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
314	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	76.7	58.8	94.5	0.3	0	0	0	76.7	76.7	0	0
314	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
314	all_deer	N	SUM	25057	201.3	172.6	230	1329.2	1106.9	1551.5	6.6	6.1	7.1	89	70.1	107.9	0.4	0	0	12.3	76.7	76.7	12.3	0
314	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	55.1	42.3	67.9	0.8	0	2.3	52.7	0	0	55.1	0
314	all_deer	R	314-00	209	.	.	.	.	.	.	.	.	.	80.4	74.2	86.6	38.5	0	0	80.4	0	0	80.4	0
314	all_deer	R	315-00	269	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0.7	0	0	0	1.9	1.9	0	0
314	all_deer	R	315-01	230	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.7	0	0	1.6	0	0	1.6	0
314	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	352	317.5	386.4	0.2	0	0	34.3	317.6	313.6	38.4	0
314	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
314	all_deer	R	SUM	158614	936.5	879	994	4816	4393.9	5238.1	5.1	4.8	5.4	499.1	461.3	536.9	0.3	0	2.3	173.2	323.6	319.5	179.5	0
314	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	55.1	42.3	67.9	0.8	0	2.3	52.7	0	0	55.1	0
314	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	7.8	3.1	12.5	1	0	0	7.8	0	0	7.8	0
314	all_deer	SUM	314-00	225	.	.	.	.	.	.	.	.	.	85	77.7	92.3	37.8	0	0	85	0	0	85	0
314	all_deer	SUM	315-00	300	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0.6	0	0	0	1.9	1.9	0	0
314	all_deer	SUM	315-01	250	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.6	0	0	1.6	0	0	1.6	0
314	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	428.6	389.8	467.4	0.2	0	0	34.3	394.3	390.2	38.4	0
314	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
314	all_deer	SUM	SUM	183671	1137.9	1073.6	1202.2	6145.2	5668.1	6622.3	5.4	5.1	5.7	588.1	545.8	630.3	0.3	0	2.3	185.5	400.2	396.2	191.9	0
314	md	N	314-00	16	.	.	.	.	.	.	.	.	.	4.6	2	8.3	28.7	0	0	4.6	0	0	4.6	0
314	md	N	315-00	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
314	md	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
314	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	58	42.5	73.6	0.2	0	0	0	58	58	0	0
314	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
314	md	N	SUM	24280	.	.	.	.	.	.	.	.	.	62.6	46.6	78.6	0.3	0	0	4.6	58	58	4.6	0
314	md	R	314-00	209	.	.	.	.	.	.	.	.	.	80.4	74.2	86.6	38.5	0	0	80.4	0	0	80.4	0
314	md	R	315-00	269	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0.7	0	0	0	1.9	1.9	0	0
314	md	R	315-01	230	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.7	0	0	1.6	0	0	1.6	0
314	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	229.7	202.1	257.3	0.2	0	0	4.1	225.6	225.6	4.1	0
314	md	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
314	md	R	SUM	151285	.	.	.	.	.	.	.	.	.	317.6	289	346.3	0.2	0	0	86.1	231.5	231.5	86.1	0
314	md	SUM	314-00	225	.	.	.	.	.	.	.	.	.	85	77.7	92.3	37.8	0	0	85	0	0	85	0
314	md	SUM	315-00	300	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0.6	0	0	0	1.9	1.9	0	0
314	md	SUM	315-01	250	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.6	0	0	1.6	0	0	1.6	0
314	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	287.7	256	319.4	0.2	0	0	4.1	283.6	283.6	4.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
314	md	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
314	md	SUM	SUM	175565	.	.	.	.	.	.	.	.	.	380.3	347.4	413.1	0.2	0	0	90.7	289.6	289.6	90.7	0
314	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	7.8	3.1	12.5	1	0	0	7.8	0	0	7.8	0
314	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	18.6	9.7	27.5	0.1	0	0	0	18.6	18.6	0	0
314	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
314	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	26.4	16.3	36.4	0.1	0	0	7.8	18.6	18.6	7.8	0
314	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	55.1	42.3	67.9	0.8	0	2.3	52.7	0	0	55.1	0
314	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	122.3	101.7	142.9	0.1	0	0	30.3	92	88	34.3	0
314	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
314	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	181.4	156.8	206.1	0.1	0	2.3	87.1	92	88	93.4	0
314	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	55.1	42.3	67.9	0.8	0	2.3	52.7	0	0	55.1	0
314	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	7.8	3.1	12.5	1	0	0	7.8	0	0	7.8	0
314	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	140.9	118.5	163.4	0.1	0	0	30.3	110.7	106.6	34.3	0
314	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
314	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	207.8	181.2	234.4	0.1	0	2.3	94.8	110.7	106.6	101.2	0
315	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	20.6	12.5	28.6	2.7	0	0	20.6	0	0	20.6	0
315	all_deer	N	315-00	31	.	.	.	.	.	.	.	.	.	26	23.6	28.5	83.9	0	2	24.1	0	0	26	0
315	all_deer	N	315-01	20	.	.	.	.	.	.	.	.	.	10	8.5	11.6	50	0	0	10	0	0	10	0
315	all_deer	N	339-40	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
315	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.6	0	0	0	1.4	1.4	0	0
315	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	127	105.2	148.8	0.5	0	0	20.8	106.2	104.8	22.2	0
315	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
315	all_deer	N	SUM	25289	290.5	257.8	323.2	1528.1	1332.9	1723.3	5.3	5	5.6	185	161.6	208.4	0.7	0	2	75.4	107.6	106.1	78.9	0
315	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	167.9	145.8	189.9	2.3	0	11.5	154.3	2.1	2.1	165.7	0
315	all_deer	R	315-00	269	.	.	.	.	.	.	.	.	.	149	141.8	156.2	55.4	0	1.2	147.7	0	0	149	0
315	all_deer	R	315-01	230	.	.	.	.	.	.	.	.	.	84.6	78.3	90.9	36.8	0	1.3	83.2	0	0	84.6	0
315	all_deer	R	339-40	340	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
315	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
315	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	654.8	608.2	701.5	0.4	0	2.3	177.4	475.1	468.4	185	1.4
315	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.4	2	7.7	.	0	0	2.3	2.1	2.1	2.3	0
315	all_deer	R	SUM	160759	1469.3	1399.1	1539.5	6246.9	5832.4	6661.4	4.3	4.1	4.5	1062.2	1009.6	1114.8	0.7	0	16.4	566.5	479.3	472.7	588.2	1.4
315	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	167.9	145.8	189.9	2.3	0	11.5	154.3	2.1	2.1	165.7	0
315	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	20.6	12.5	28.6	2.7	0	0	20.6	0	0	20.6	0
315	all_deer	SUM	315-00	300	.	.	.	.	.	.	.	.	.	175	167.4	182.6	58.3	0	3.2	171.8	0	0	175	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
315	all_deer	SUM	315-01	250	.	.	.	.	.	.	.	.	.	94.6	88.2	101.1	37.8	0	1.3	93.3	0	0	94.6	0
315	all_deer	SUM	339-40	352	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
315	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.1	0	0	0	1.4	1.4	0	0
315	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	781.8	730.3	833.3	0.4	0	2.3	198.2	581.3	573.2	207.3	1.4
315	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.4	2	7.7	.	0	0	2.3	2.1	2.1	2.3	0
315	all_deer	SUM	SUM	186048	1759.8	1682.4	1837.2	7775.1	7316.9	8233.3	4.4	4.2	4.6	1247.2	1189.6	1304.8	0.7	0	18.4	641.9	586.9	578.8	667.1	1.4
315	md	N	315-00	31	.	.	.	.	.	.	.	.	.	24.4	21.7	27.2	78.7	0	2	22.5	0	0	24.4	0
315	md	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
315	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	73.1	56.2	90	0.3	0	0	13.3	59.8	58.3	14.8	0
315	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
315	md	N	SUM	24264	.	.	.	.	.	.	.	.	.	97.5	80.4	114.7	0.4	0	2	35.8	59.8	58.3	39.2	0
315	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.1	1	4.3	0	0	0	0	2.1	2.1	0	0
315	md	R	315-00	269	.	.	.	.	.	.	.	.	.	144.6	137.4	151.7	53.8	0	1.2	143.3	0	0	144.6	0
315	md	R	315-01	230	.	.	.	.	.	.	.	.	.	6.6	4.2	9.1	2.9	0	0	6.6	0	0	6.6	0
315	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	358.6	323.9	393.4	0.2	0	2.3	100.3	256	256	102.7	0
315	md	R	none	.	.	.	.	.	.	.	.	.	.	2.1	1	4.3	.	0	0	0	2.1	2.1	0	0
315	md	R	SUM	158405	.	.	.	.	.	.	.	.	.	514.1	478.4	549.8	0.3	0	3.6	250.3	260.2	260.2	253.8	0
315	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.1	1	4.3	0	0	0	0	2.1	2.1	0	0
315	md	SUM	315-00	300	.	.	.	.	.	.	.	.	.	169	161.3	176.7	56.3	0	3.2	165.8	0	0	169	0
315	md	SUM	315-01	250	.	.	.	.	.	.	.	.	.	6.6	4.2	9.1	2.6	0	0	6.6	0	0	6.6	0
315	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	431.7	393.1	470.4	0.2	0	2.3	113.6	315.8	314.3	117.4	0
315	md	SUM	none	.	.	.	.	.	.	.	.	.	.	2.1	1	4.3	.	0	0	0	2.1	2.1	0	0
315	md	SUM	SUM	182669	.	.	.	.	.	.	.	.	.	611.6	572	651.2	0.3	0	5.6	286.1	320	318.5	293.1	0
315	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	20.6	12.5	28.6	2.7	0	0	20.6	0	0	20.6	0
315	wt	N	315-00	31	.	.	.	.	.	.	.	.	.	1.6	1	2.9	5.2	0	0	1.6	0	0	1.6	0
315	wt	N	315-01	20	.	.	.	.	.	.	.	.	.	10	8.5	11.6	50	0	0	10	0	0	10	0
315	wt	N	339-40	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
315	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.6	0	0	0	1.4	1.4	0	0
315	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	53.9	40.1	67.7	0.2	0	0	7.5	46.5	46.5	7.5	0
315	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
315	wt	N	SUM	25289	.	.	.	.	.	.	.	.	.	87.5	71.3	103.6	0.3	0	0	39.7	47.8	47.8	39.7	0
315	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	165.7	143.8	187.7	2.3	0	11.5	154.3	0	0	165.7	0
315	wt	R	315-00	269	.	.	.	.	.	.	.	.	.	4.4	3	6.3	1.6	0	0	4.4	0	0	4.4	0
315	wt	R	315-01	230	.	.	.	.	.	.	.	.	.	77.9	71.8	84.1	33.9	0	1.3	76.6	0	0	77.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
315	wt	R	339-40	340	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
315	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
315	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	296.2	265	327.4	0.2	0	0	77.1	219.1	212.5	82.4	1.4
315	wt	R	none	.	.	.	.	.	.	.	.	.	.	2.3	1	4.8	.	0	0	2.3	0	0	2.3	0
315	wt	R	SUM	160759	.	.	.	.	.	.	.	.	.	548.2	509.3	587	0.3	0	12.8	316.2	219.1	212.5	334.3	1.4
315	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	165.7	143.8	187.7	2.3	0	11.5	154.3	0	0	165.7	0
315	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	20.6	12.5	28.6	2.7	0	0	20.6	0	0	20.6	0
315	wt	SUM	315-00	300	.	.	.	.	.	.	.	.	.	6	4	8.4	2	0	0	6	0	0	6	0
315	wt	SUM	315-01	250	.	.	.	.	.	.	.	.	.	88	81.7	94.3	35.2	0	1.3	86.6	0	0	88	0
315	wt	SUM	339-40	352	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
315	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.1	0	0	0	1.4	1.4	0	0
315	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	350.1	315.9	384.3	0.2	0	0	84.6	265.5	258.9	89.8	1.4
315	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	2.3	1	4.8	.	0	0	2.3	0	0	2.3	0
315	wt	SUM	SUM	186048	.	.	.	.	.	.	.	.	.	635.6	593.6	677.7	0.3	0	12.8	355.9	266.9	260.3	374	1.4
316	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	22.4	12.6	32.1	0.1	0	0	0	22.4	22.4	0	0
316	all_deer	N	SUM	24213	39.4	26.7	52.1	277.3	171.8	382.8	7	5.5	8.5	22.4	12.6	32.1	0.1	0	0	0	22.4	22.4	0	0
316	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	16.2	7.7	24.7	0	0	0	0	16.2	16.2	0	0
316	all_deer	R	SUM	150577	36.4	24	48.8	142.1	87.4	196.8	3.9	3.1	4.7	16.2	7.7	24.7	0	0	0	0	16.2	16.2	0	0
316	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	38.6	25.7	51.5	0	0	0	0	38.6	38.6	0	0
316	all_deer	SUM	SUM	174790	75.8	58.1	93.5	419.3	300.5	538.1	5.5	4.7	6.3	38.6	25.7	51.5	0	0	0	0	38.6	38.6	0	0
316	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	22.4	12.6	32.1	0.1	0	0	0	22.4	22.4	0	0
316	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	22.4	12.6	32.1	0.1	0	0	0	22.4	22.4	0	0
316	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	12.2	4.8	19.5	0	0	0	0	12.2	12.2	0	0
316	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	12.2	4.8	19.5	0	0	0	0	12.2	12.2	0	0
316	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	34.5	22.3	46.7	0	0	0	0	34.5	34.5	0	0
316	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	34.5	22.3	46.7	0	0	0	0	34.5	34.5	0	0
316	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
316	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
316	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
316	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
316	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
316	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
316	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
316	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
316	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
316	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
317	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	1.1	1	2.1	1.6	0	0	1.1	0	0	1.1	0
317	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	1.8	1	3.8	0.2	0	0	1.8	0	0	1.8	0
317	all_deer	N	284-10	8	.	.	.	.	.	.	.	.	.	1.5	1	2.7	18.8	0	0	1.5	0	0	1.5	0
317	all_deer	N	314-00	16	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
317	all_deer	N	317-00	5	.	.	.	.	.	.	.	.	.	2.6	2	3.4	52	0	0	2.6	0	0	2.6	0
317	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.1	18.4	39.9	0.1	0	0	7.5	21.7	21.7	7.5	0
317	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
317	all_deer	N	SUM	25086	98.9	79.2	118.6	440.5	344.6	536.4	4.5	4.1	4.9	36.2	25.1	47.3	0.1	0	0	14.5	21.7	21.7	14.5	0
317	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
317	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	94	77.5	110.5	1.3	0	0	91.7	2.3	2.3	91.7	0
317	all_deer	R	284-10	109	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
317	all_deer	R	314-00	209	.	.	.	.	.	.	.	.	.	2.7	2	3.9	1.3	0	0	2.7	0	0	2.7	0
317	all_deer	R	317-00	70	.	.	.	.	.	.	.	.	.	40.2	37.2	43.2	57.4	0	0	37.3	2.9	1.5	38.7	0
317	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	311.4	277.9	345	0.2	0	0	29.1	282.3	282.3	29.1	0
317	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
317	all_deer	R	SUM	159446	655.3	606.7	703.9	2990.7	2673.9	3307.5	4.6	4.2	5	452.4	414.6	490.2	0.3	0	0	164.9	287.5	286.2	166.2	0
317	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	1.1	1	2.1	0.1	0	0	1.1	0	0	1.1	0
317	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	94	77.5	110.5	1.3	0	0	91.7	2.3	2.3	91.7	0
317	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	1.8	1	3.8	0.2	0	0	1.8	0	0	1.8	0
317	all_deer	SUM	284-10	117	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.3	0	0	1.5	0	0	1.5	0
317	all_deer	SUM	314-00	225	.	.	.	.	.	.	.	.	.	2.7	2	3.9	1.2	0	0	2.7	0	0	2.7	0
317	all_deer	SUM	317-00	75	.	.	.	.	.	.	.	.	.	42.8	39.7	45.9	57.1	0	0	39.8	2.9	1.5	41.2	0
317	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	340.6	305.3	375.8	0.2	0	0	36.6	304	304	36.6	0
317	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
317	all_deer	SUM	SUM	184532	754.2	701.8	806.6	3431.2	3100.2	3762.2	4.5	4.2	4.8	488.6	449.2	528	0.3	0	0	179.4	309.2	307.9	180.7	0
317	md	N	314-00	16	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
317	md	N	317-00	5	.	.	.	.	.	.	.	.	.	2.6	2	3.4	52	0	0	2.6	0	0	2.6	0
317	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	19.9	10.9	28.9	0.1	0	0	0	19.9	19.9	0	0
317	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
317	md	N	SUM	24234	.	.	.	.	.	.	.	.	.	22.5	13.5	31.5	0.1	0	0	2.6	19.9	19.9	2.6	0
317	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	0	2.3	2.3	0	0
317	md	R	314-00	209	.	.	.	.	.	.	.	.	.	2.7	2	3.9	1.3	0	0	2.7	0	0	2.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
317	md	R	317-00	70	.	.	.	.	.	.	.	.	.	40.2	37.2	43.2	57.4	0	0	37.3	2.9	1.5	38.7	0
317	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	143.9	121.4	166.4	0.1	0	0	3.9	139.9	139.9	3.9	0
317	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
317	md	R	SUM	158185	.	.	.	.	.	.	.	.	.	189.1	166.3	211.9	0.1	0	0	43.9	145.2	143.8	45.3	0
317	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	0	2.3	2.3	0	0
317	md	SUM	314-00	225	.	.	.	.	.	.	.	.	.	2.7	2	3.9	1.2	0	0	2.7	0	0	2.7	0
317	md	SUM	317-00	75	.	.	.	.	.	.	.	.	.	42.8	39.7	45.9	57.1	0	0	39.8	2.9	1.5	41.2	0
317	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	163.8	139.6	188	0.1	0	0	3.9	159.9	159.9	3.9	0
317	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
317	md	SUM	SUM	182419	.	.	.	.	.	.	.	.	.	211.6	187	236.2	0.1	0	0	46.5	165.1	163.7	47.9	0
317	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	1.1	1	2.1	1.6	0	0	1.1	0	0	1.1	0
317	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	1.8	1	3.8	0.2	0	0	1.8	0	0	1.8	0
317	wt	N	284-10	8	.	.	.	.	.	.	.	.	.	1.5	1	2.7	18.8	0	0	1.5	0	0	1.5	0
317	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	9.2	3.3	15.1	0	0	0	7.5	1.8	1.8	7.5	0
317	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
317	wt	N	SUM	25065	.	.	.	.	.	.	.	.	.	13.7	7.3	20.1	0.1	0	0	12	1.8	1.8	12	0
317	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
317	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	91.7	75.3	108	1.3	0	0	91.7	0	0	91.7	0
317	wt	R	284-10	109	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
317	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	167.6	142.6	192.5	0.1	0	0	25.2	142.4	142.4	25.2	0
317	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
317	wt	R	SUM	159167	.	.	.	.	.	.	.	.	.	263.3	233.2	293.4	0.2	0	0	120.9	142.4	142.4	120.9	0
317	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	1.1	1	2.1	0.1	0	0	1.1	0	0	1.1	0
317	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	91.7	75.3	108	1.3	0	0	91.7	0	0	91.7	0
317	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	1.8	1	3.8	0.2	0	0	1.8	0	0	1.8	0
317	wt	SUM	284-10	117	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.3	0	0	1.5	0	0	1.5	0
317	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	176.8	151.1	202.4	0.1	0	0	32.6	144.1	144.1	32.6	0
317	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
317	wt	SUM	SUM	184232	.	.	.	.	.	.	.	.	.	277	246.2	307.8	0.2	0	0	132.9	144.1	144.1	132.9	0
318	all_deer	N	318-40	5	.	.	.	.	.	.	.	.	.	2.5	1	5	50	0	0	0	2.5	2.5	0	0
318	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
318	all_deer	N	SUM	24218	9.5	3.5	15.5	96.7	28	166.9	10.1	7.1	13.1	6.2	2	10.9	0	0	0	0	6.2	6.2	0	0
318	all_deer	R	318-00	50	.	.	.	.	.	.	.	.	.	24	21.6	26.4	48	0	0	24	0	0	24	0
318	all_deer	R	318-40	204	.	.	.	.	.	.	.	.	.	88.4	83	93.9	43.3	0	1.2	2.7	84.5	84.5	3.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
318	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	21.5	12.4	30.6	0	0	0	7	14.5	10.4	11.1	0
318	all_deer	R	SUM	150831	344.6	313.3	375.9	2939.4	2602	3276.8	8.5	7.8	9.2	133.9	123.1	144.8	0.1	0	1.2	33.7	99	95	39	0
318	all_deer	SUM	318-00	50	.	.	.	.	.	.	.	.	.	24	21.6	26.4	48	0	0	24	0	0	24	0
318	all_deer	SUM	318-40	209	.	.	.	.	.	.	.	.	.	90.9	84.9	96.9	43.5	0	1.2	2.7	87	87	3.9	0
318	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	25.2	15.3	35.1	0	0	0	7	18.2	14.2	11.1	0
318	all_deer	SUM	SUM	175049	354.1	322.3	385.9	3036.1	2691.4	3380.8	8.6	7.9	9.3	140.2	128.3	152	0.1	0	1.2	33.7	105.3	101.2	39	0
318	md	N	318-40	5	.	.	.	.	.	.	.	.	.	2.5	1	5	50	0	0	0	2.5	2.5	0	0
318	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
318	md	N	SUM	24218	.	.	.	.	.	.	.	.	.	2.5	1	5	0	0	0	0	2.5	2.5	0	0
318	md	R	318-00	50	.	.	.	.	.	.	.	.	.	22.7	20.3	25.1	45.4	0	0	22.7	0	0	22.7	0
318	md	R	318-40	204	.	.	.	.	.	.	.	.	.	87.2	81.8	92.7	42.7	0	1.2	1.4	84.5	84.5	2.7	0
318	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	9.7	3.4	15.9	0	0	0	5.6	4.1	4.1	5.6	0
318	md	R	SUM	150831	.	.	.	.	.	.	.	.	.	119.6	111	128.2	0.1	0	1.2	29.8	88.6	88.6	31	0
318	md	SUM	318-00	50	.	.	.	.	.	.	.	.	.	22.7	20.3	25.1	45.4	0	0	22.7	0	0	22.7	0
318	md	SUM	318-40	209	.	.	.	.	.	.	.	.	.	89.7	83.7	95.7	42.9	0	1.2	1.4	87	87	2.7	0
318	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	9.7	3.4	15.9	0	0	0	5.6	4.1	4.1	5.6	0
318	md	SUM	SUM	175049	.	.	.	.	.	.	.	.	.	122.1	113.2	131.1	0.1	0	1.2	29.8	91.1	91.1	31	0
318	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
318	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
318	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
318	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
318	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	11.8	5.2	18.5	0	0	0	1.4	10.4	6.4	5.5	0
318	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	11.8	5.2	18.5	0	0	0	1.4	10.4	6.4	5.5	0
318	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
318	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
318	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	15.6	7.8	23.3	0	0	0	1.4	14.2	10.1	5.5	0
318	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	15.6	7.8	23.3	0	0	0	1.4	14.2	10.1	5.5	0
319	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	8.1	2.1	14.2	1	0	0	8.1	0	0	8.1	0
319	all_deer	N	319-00	8	.	.	.	.	.	.	.	.	.	3	2	4.6	37.5	0	0	3	0	0	3	0
319	all_deer	N	319-40	61	.	.	.	.	.	.	.	.	.	14.6	12.1	17.1	23.9	0	0	0	14.6	14.6	0	0
319	all_deer	N	332-00	5	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
319	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
319	all_deer	N	SUM	25064	125	104.8	145.2	973.9	765	1182.8	7.8	6.7	8.9	40.7	30.3	51.1	0.2	0	0	11.2	29.5	29.5	11.2	0
319	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	9.2	3.7	14.8	0.1	0	0	9.2	0	0	9.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
319	all_deer	R	319-00	142	.	.	.	.	.	.	.	.	.	71.3	67.4	75.1	50.2	0	1.2	70.1	0	0	71.3	0
319	all_deer	R	319-40	204	.	.	.	.	.	.	.	.	.	79.5	74.5	84.6	39	0	0	0	79.5	79.5	0	0
319	all_deer	R	332-00	45	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.9	0	0	1.3	0	0	1.3	0
319	all_deer	R	341-00	75	.	.	.	.	.	.	.	.	.	1.4	1	2.4	1.9	0	0	1.4	0	0	1.4	0
319	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	64.5	49.2	79.9	0	0	0	8.7	55.8	55.8	8.7	0
319	all_deer	R	SUM	158372	701.3	654	748.6	4618.6	4223.6	5013.6	6.6	6.2	7	227.3	209.7	244.9	0.1	0	1.2	90.8	135.3	135.3	91.9	0
319	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	9.2	3.7	14.8	0.1	0	0	9.2	0	0	9.2	0
319	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	8.1	2.1	14.2	1	0	0	8.1	0	0	8.1	0
319	all_deer	SUM	319-00	150	.	.	.	.	.	.	.	.	.	74.3	70.1	78.5	49.5	0	1.2	73.1	0	0	74.3	0
319	all_deer	SUM	319-40	265	.	.	.	.	.	.	.	.	.	94.1	88.5	99.8	35.5	0	0	0	94.1	94.1	0	0
319	all_deer	SUM	332-00	50	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.6	0	0	1.3	0	0	1.3	0
319	all_deer	SUM	341-00	75	.	.	.	.	.	.	.	.	.	1.4	1	2.4	1.9	0	0	1.4	0	0	1.4	0
319	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	79.4	62.1	96.7	0	0	0	8.7	70.7	70.7	8.7	0
319	all_deer	SUM	SUM	183436	826.3	774.9	877.7	5592.5	5145.8	6039.2	6.8	6.4	7.2	268	247.6	288.4	0.1	0	1.2	101.9	164.9	164.9	103.1	0
319	md	N	319-00	8	.	.	.	.	.	.	.	.	.	3	2	4.6	37.5	0	0	3	0	0	3	0
319	md	N	319-40	61	.	.	.	.	.	.	.	.	.	14.6	12.1	17.1	23.9	0	0	0	14.6	14.6	0	0
319	md	N	332-00	5	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
319	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
319	md	N	SUM	24287	.	.	.	.	.	.	.	.	.	28.8	21.3	36.3	0.1	0	0	3	25.8	25.8	3	0
319	md	R	319-00	142	.	.	.	.	.	.	.	.	.	71.3	67.4	75.1	50.2	0	1.2	70.1	0	0	71.3	0
319	md	R	319-40	204	.	.	.	.	.	.	.	.	.	79.5	74.5	84.6	39	0	0	0	79.5	79.5	0	0
319	md	R	332-00	45	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.9	0	0	1.3	0	0	1.3	0
319	md	R	341-00	75	.	.	.	.	.	.	.	.	.	1.4	1	2.4	1.9	0	0	1.4	0	0	1.4	0
319	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	43	29.8	56.2	0	0	0	7.3	35.7	35.7	7.3	0
319	md	R	SUM	151043	.	.	.	.	.	.	.	.	.	196.5	181.8	211.2	0.1	0	1.2	80.1	115.2	115.2	81.3	0
319	md	SUM	319-00	150	.	.	.	.	.	.	.	.	.	74.3	70.1	78.5	49.5	0	1.2	73.1	0	0	74.3	0
319	md	SUM	319-40	265	.	.	.	.	.	.	.	.	.	94.1	88.5	99.8	35.5	0	0	0	94.1	94.1	0	0
319	md	SUM	332-00	50	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.6	0	0	1.3	0	0	1.3	0
319	md	SUM	341-00	75	.	.	.	.	.	.	.	.	.	1.4	1	2.4	1.9	0	0	1.4	0	0	1.4	0
319	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	54.2	39.3	69	0	0	0	7.3	46.9	46.9	7.3	0
319	md	SUM	SUM	175330	.	.	.	.	.	.	.	.	.	225.3	208.9	241.8	0.1	0	1.2	83.2	141	141	84.4	0
319	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	8.1	2.1	14.2	1	0	0	8.1	0	0	8.1	0
319	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
319	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	11.9	4.6	19.1	0	0	0	8.1	3.7	3.7	8.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
319	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	9.2	3.7	14.8	0.1	0	0	9.2	0	0	9.2	0
319	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	21.5	13.7	29.4	0	0	0	1.4	20.1	20.1	1.4	0
319	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	30.8	21.2	40.4	0	0	0	10.6	20.1	20.1	10.6	0
319	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	9.2	3.7	14.8	0.1	0	0	9.2	0	0	9.2	0
319	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	8.1	2.1	14.2	1	0	0	8.1	0	0	8.1	0
319	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	25.3	16.4	34.1	0	0	0	1.4	23.9	23.9	1.4	0
319	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	42.6	30.6	54.7	0	0	0	18.8	23.9	23.9	18.8	0
320	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	13.7	6.8	20.7	1.8	0	0	9.6	4.1	4.1	9.6	0
320	all_deer	N	320-00	2	.	.	.	.	.	.	.	.	.	2	2	2	100	0	0	1	1	1	1	0
320	all_deer	N	320-01	21	.	.	.	.	.	.	.	.	.	14	10.7	17.2	66.7	0	0	14	0	0	14	0
320	all_deer	N	320-02	14	.	.	.	.	.	.	.	.	.	8.2	4.1	12.3	58.6	0	0	8.2	0	0	8.2	0
320	all_deer	N	322-00	19	.	.	.	.	.	.	.	.	.	1.4	1	2.4	7.4	0	0	1.4	0	0	1.4	0
320	all_deer	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	1.3	1	2.5	3.6	0	0	1.3	0	0	1.3	0
320	all_deer	N	325-00	45	.	.	.	.	.	.	.	.	.	1.3	1	2.1	2.9	0	0	1.3	0	0	1.3	0
320	all_deer	N	325-01	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	330-01	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	333-03	37	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	335-40	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	76.6	59.3	94	0.3	0	0	5.9	70.8	67	9.6	0
320	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
320	all_deer	N	SUM	25217	223.2	194.4	252	1370.6	1143.6	1597.6	6.1	5.5	6.7	118.5	99	138	0.5	0	0	42.7	75.8	72.1	46.4	0
320	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	157	136.5	177.6	2.1	0	0	157	0	0	157	0
320	all_deer	R	320-00	147	.	.	.	.	.	.	.	.	.	52.4	48.4	56.4	35.6	0	1.2	47.4	3.8	3.8	48.6	0
320	all_deer	R	320-01	279	.	.	.	.	.	.	.	.	.	100.7	92.4	109	36.1	0	0	99	1.7	1.7	99	0
320	all_deer	R	320-02	136	.	.	.	.	.	.	.	.	.	57.2	51.8	62.6	42.1	0	0	54.1	3.1	3.1	54.1	0
320	all_deer	R	322-00	581	.	.	.	.	.	.	.	.	.	3.2	2	4.8	0.6	0	0	1.6	1.6	1.6	1.6	0
320	all_deer	R	322-01	277	.	.	.	.	.	.	.	.	.	4	3	5.5	1.4	0	0	2.8	1.1	1.1	2.8	0
320	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	8.8	4.6	13	2	0	0	6	2.8	2.8	6	0
320	all_deer	R	325-00	405	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	all_deer	R	325-01	140	.	.	.	.	.	.	.	.	.	2	1	3.8	1.4	0	0	0	2	2	0	0
320	all_deer	R	330-01	88	.	.	.	.	.	.	.	.	.	2.6	2	3.7	3	0	0	2.6	0	0	2.6	0
320	all_deer	R	333-03	299	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	1.5	0	0	1.5	0
320	all_deer	R	335-40	322	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	1.2	0	0	1.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
320	all_deer	R	370-00	50	.	.	.	.	.	.	.	.	.	1.6	1	3	3.2	0	0	1.6	0	0	1.6	0
320	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	483.2	443.2	523.3	0.3	0	4.1	55.8	423.3	420.3	63	0
320	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	5.1	3	8.3	.	0	0	1.4	3.8	3.8	1.4	0
320	all_deer	R	SUM	161076	1106.6	1046.9	1166.3	6038	5599.8	6476.2	5.5	5.2	5.8	880.4	833.7	927.2	0.5	0	5.3	432	443.1	440	440.4	0
320	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	157	136.5	177.6	2.1	0	0	157	0	0	157	0
320	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	13.7	6.8	20.7	1.8	0	0	9.6	4.1	4.1	9.6	0
320	all_deer	SUM	320-00	149	.	.	.	.	.	.	.	.	.	54.4	50.4	58.4	36.5	0	1.2	48.4	4.8	4.8	49.6	0
320	all_deer	SUM	320-01	300	.	.	.	.	.	.	.	.	.	114.6	105.7	123.5	38.2	0	0	112.9	1.7	1.7	112.9	0
320	all_deer	SUM	320-02	150	.	.	.	.	.	.	.	.	.	65.4	58.6	72.2	43.6	0	0	62.3	3.1	3.1	62.3	0
320	all_deer	SUM	322-00	600	.	.	.	.	.	.	.	.	.	4.6	3	6.5	0.8	0	0	3	1.6	1.6	3	0
320	all_deer	SUM	322-01	300	.	.	.	.	.	.	.	.	.	4	3	5.5	1.3	0	0	2.8	1.1	1.1	2.8	0
320	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	10.1	5.7	14.4	2.1	0	0	7.3	2.8	2.8	7.3	0
320	all_deer	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.3	0	0	1.3	0	0	1.3	0
320	all_deer	SUM	325-01	150	.	.	.	.	.	.	.	.	.	2	1	3.8	1.3	0	0	0	2	2	0	0
320	all_deer	SUM	330-01	100	.	.	.	.	.	.	.	.	.	2.6	2	3.7	2.6	0	0	2.6	0	0	2.6	0
320	all_deer	SUM	333-03	336	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.4	0	0	1.5	0	0	1.5	0
320	all_deer	SUM	335-40	330	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	1.2	0	0	1.2	0
320	all_deer	SUM	370-00	50	.	.	.	.	.	.	.	.	.	1.6	1	3	3.2	0	0	1.6	0	0	1.6	0
320	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	559.9	516.2	603.5	0.3	0	4.1	61.7	494.1	487.3	72.6	0
320	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	5.1	3	8.3	.	0	0	1.4	3.8	3.8	1.4	0
320	all_deer	SUM	SUM	186293	1329.8	1263.5	1396.1	7408.6	6915.1	7902.1	5.6	5.4	5.8	998.9	948.3	1049.6	0.5	0	5.3	474.7	519	512.1	486.8	0
320	md	N	320-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	md	N	320-01	21	.	.	.	.	.	.	.	.	.	11.2	7.9	14.5	53.3	0	0	11.2	0	0	11.2	0
320	md	N	320-02	14	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	md	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	md	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	md	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	md	N	325-00	45	.	.	.	.	.	.	.	.	.	1.3	1	2.1	2.9	0	0	1.3	0	0	1.3	0
320	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	41.9	29.1	54.8	0.2	0	0	0	41.9	38.2	3.7	0
320	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
320	md	N	SUM	24373	.	.	.	.	.	.	.	.	.	54.4	41.1	67.8	0.2	0	0	12.5	41.9	38.2	16.2	0
320	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	5.2	2	8.9	0.1	0	0	5.2	0	0	5.2	0
320	md	R	320-00	147	.	.	.	.	.	.	.	.	.	1.4	1	2.2	1	0	0	0	1.4	1.4	0	0
320	md	R	320-01	279	.	.	.	.	.	.	.	.	.	95.6	87.4	103.8	34.3	0	0	95.6	0	0	95.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
320	md	R	320-02	136	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.1	0	0	0	1.5	1.5	0	0
320	md	R	322-00	581	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	0	1.6	1.6	0	0
320	md	R	322-01	277	.	.	.	.	.	.	.	.	.	2.5	2	3.8	0.9	0	0	1.4	1.1	1.1	1.4	0
320	md	R	322-02	446	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	2.3	0	0	2.3	0
320	md	R	325-00	405	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	md	R	370-00	50	.	.	.	.	.	.	.	.	.	1.6	1	3	3.2	0	0	1.6	0	0	1.6	0
320	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	137.9	116.9	158.9	0.1	0	0	3.4	134.4	133	4.9	0
320	md	R	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.5	.	0	0	0	1.7	1.7	0	0
320	md	R	SUM	160227	.	.	.	.	.	.	.	.	.	251.3	228.2	274.5	0.2	0	0	109.5	141.8	140.3	111	0
320	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	5.2	2	8.9	0.1	0	0	5.2	0	0	5.2	0
320	md	SUM	320-00	149	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.9	0	0	0	1.4	1.4	0	0
320	md	SUM	320-01	300	.	.	.	.	.	.	.	.	.	106.8	98	115.6	35.6	0	0	106.8	0	0	106.8	0
320	md	SUM	320-02	150	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1	0	0	0	1.5	1.5	0	0
320	md	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	0	1.6	1.6	0	0
320	md	SUM	322-01	300	.	.	.	.	.	.	.	.	.	2.5	2	3.8	0.8	0	0	1.4	1.1	1.1	1.4	0
320	md	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	2.3	0	0	2.3	0
320	md	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.3	0	0	1.3	0	0	1.3	0
320	md	SUM	370-00	50	.	.	.	.	.	.	.	.	.	1.6	1	3	3.2	0	0	1.6	0	0	1.6	0
320	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	179.8	155.2	204.4	0.1	0	0	3.4	176.4	171.2	8.6	0
320	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.5	.	0	0	0	1.7	1.7	0	0
320	md	SUM	SUM	184600	.	.	.	.	.	.	.	.	.	305.8	279.1	332.5	0.2	0	0	122	183.7	178.5	127.2	0
320	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	13.7	6.8	20.7	1.8	0	0	9.6	4.1	4.1	9.6	0
320	wt	N	320-00	2	.	.	.	.	.	.	.	.	.	2	2	2	100	0	0	1	1	1	1	0
320	wt	N	320-01	21	.	.	.	.	.	.	.	.	.	2.7	2	4.1	12.9	0	0	2.7	0	0	2.7	0
320	wt	N	320-02	14	.	.	.	.	.	.	.	.	.	8.2	4.1	12.3	58.6	0	0	8.2	0	0	8.2	0
320	wt	N	322-00	19	.	.	.	.	.	.	.	.	.	1.4	1	2.4	7.4	0	0	1.4	0	0	1.4	0
320	wt	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	1.3	1	2.5	3.6	0	0	1.3	0	0	1.3	0
320	wt	N	325-01	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	wt	N	330-01	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	wt	N	333-03	37	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	wt	N	335-40	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
320	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	34.7	23.1	46.3	0.1	0	0	5.9	28.8	28.8	5.9	0
320	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
320	wt	N	SUM	25172	.	.	.	.	.	.	.	.	.	64.1	49.7	78.4	0.3	0	0	30.2	33.9	33.9	30.2	0
320	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	151.8	131.6	172.1	2.1	0	0	151.8	0	0	151.8	0
320	wt	R	320-00	147	.	.	.	.	.	.	.	.	.	51	47	55	34.7	0	1.2	47.4	2.4	2.4	48.6	0
320	wt	R	320-01	279	.	.	.	.	.	.	.	.	.	5	3	7.4	1.8	0	0	3.4	1.7	1.7	3.4	0
320	wt	R	320-02	136	.	.	.	.	.	.	.	.	.	55.7	50.3	61	41	0	0	54.1	1.5	1.5	54.1	0
320	wt	R	322-00	581	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	1.6	0	0	1.6	0
320	wt	R	322-01	277	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	1.4	0	0	1.4	0
320	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	6.5	3	10.1	1.5	0	0	3.7	2.8	2.8	3.7	0
320	wt	R	325-01	140	.	.	.	.	.	.	.	.	.	2	1	3.8	1.4	0	0	0	2	2	0	0
320	wt	R	330-01	88	.	.	.	.	.	.	.	.	.	2.6	2	3.7	3	0	0	2.6	0	0	2.6	0
320	wt	R	333-03	299	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	1.5	0	0	1.5	0
320	wt	R	335-40	322	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	1.2	0	0	1.2	0
320	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	345.4	311.2	379.5	0.2	0	4.1	52.4	288.9	287.3	58.1	0
320	wt	R	none	.	.	.	.	.	.	.	.	.	.	3.4	2	6	.	0	0	1.4	2	2	1.4	0
320	wt	R	SUM	160621	.	.	.	.	.	.	.	.	.	629.1	588.4	669.8	0.4	0	5.3	322.5	301.3	299.7	329.4	0
320	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	151.8	131.6	172.1	2.1	0	0	151.8	0	0	151.8	0
320	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	13.7	6.8	20.7	1.8	0	0	9.6	4.1	4.1	9.6	0
320	wt	SUM	320-00	149	.	.	.	.	.	.	.	.	.	53	49	57	35.6	0	1.2	48.4	3.4	3.4	49.6	0
320	wt	SUM	320-01	300	.	.	.	.	.	.	.	.	.	7.8	5.1	10.5	2.6	0	0	6.1	1.7	1.7	6.1	0
320	wt	SUM	320-02	150	.	.	.	.	.	.	.	.	.	63.9	57.1	70.7	42.6	0	0	62.3	1.5	1.5	62.3	0
320	wt	SUM	322-00	600	.	.	.	.	.	.	.	.	.	3	2	4.5	0.5	0	0	3	0	0	3	0
320	wt	SUM	322-01	300	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	1.4	0	0	1.4	0
320	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	7.8	4	11.6	1.6	0	0	5	2.8	2.8	5	0
320	wt	SUM	325-01	150	.	.	.	.	.	.	.	.	.	2	1	3.8	1.3	0	0	0	2	2	0	0
320	wt	SUM	330-01	100	.	.	.	.	.	.	.	.	.	2.6	2	3.7	2.6	0	0	2.6	0	0	2.6	0
320	wt	SUM	333-03	336	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.4	0	0	1.5	0	0	1.5	0
320	wt	SUM	335-40	330	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	1.2	0	0	1.2	0
320	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	380.1	344	416.2	0.2	0	4.1	58.3	317.7	316.1	63.9	0
320	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	3.4	2	6	.	0	0	1.4	2	2	1.4	0
320	wt	SUM	SUM	185793	.	.	.	.	.	.	.	.	.	693.2	650	736.3	0.4	0	5.3	352.7	335.2	333.6	359.5	0
321	all_deer	N	291-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	all_deer	N	321-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	all_deer	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	all_deer	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
321	all_deer	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.1	6.9	21.3	0.1	0	0	0	14.1	14.1	0	0
321	all_deer	N	SUM	24302	111.2	90.2	132.2	849.4	652.4	1046.4	7.6	6.6	8.6	14.1	6.9	21.3	0.1	0	0	0	14.1	14.1	0	0
321	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	13.2	7	19.4	0.2	0	0	13.2	0	0	13.2	0
321	all_deer	R	291-00	49	.	.	.	.	.	.	.	.	.	1.1	1	1.7	2.2	0	0	1.1	0	0	1.1	0
321	all_deer	R	321-00	23	.	.	.	.	.	.	.	.	.	1.3	1	2.1	5.7	0	0	1.3	0	0	1.3	0
321	all_deer	R	322-00	581	.	.	.	.	.	.	.	.	.	2.6	2	3.7	0.4	0	0	2.6	0	0	2.6	0
321	all_deer	R	322-01	277	.	.	.	.	.	.	.	.	.	1.3	1	2	0.5	0	0	1.3	0	0	1.3	0
321	all_deer	R	325-00	405	.	.	.	.	.	.	.	.	.	3.7	3	5	0.9	0	0	3.7	0	0	3.7	0
321	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	58.1	44.5	71.7	0	0	1.4	8.3	48.4	48.4	9.6	0
321	all_deer	R	SUM	159241	425.6	386	465.2	2896.9	2490.5	3303.3	6.8	6.1	7.5	81.3	66.2	96.4	0.1	0	1.4	31.5	48.4	48.4	32.9	0
321	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	13.2	7	19.4	0.2	0	0	13.2	0	0	13.2	0
321	all_deer	SUM	291-00	50	.	.	.	.	.	.	.	.	.	1.1	1	1.7	2.2	0	0	1.1	0	0	1.1	0
321	all_deer	SUM	321-00	24	.	.	.	.	.	.	.	.	.	1.3	1	2.1	5.4	0	0	1.3	0	0	1.3	0
321	all_deer	SUM	322-00	600	.	.	.	.	.	.	.	.	.	2.6	2	3.7	0.4	0	0	2.6	0	0	2.6	0
321	all_deer	SUM	322-01	300	.	.	.	.	.	.	.	.	.	1.3	1	2	0.4	0	0	1.3	0	0	1.3	0
321	all_deer	SUM	325-00	450	.	.	.	.	.	.	.	.	.	3.7	3	5	0.8	0	0	3.7	0	0	3.7	0
321	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	72.1	56.7	87.6	0	0	1.4	8.3	62.5	62.5	9.6	0
321	all_deer	SUM	SUM	183543	536.8	491.9	581.7	3746.4	3294.8	4198	7	6.4	7.6	95.4	78.6	112.1	0.1	0	1.4	31.5	62.5	62.5	32.9	0
321	md	N	291-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	md	N	321-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	md	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	md	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.1	6.9	21.3	0.1	0	0	0	14.1	14.1	0	0
321	md	N	SUM	24283	.	.	.	.	.	.	.	.	.	14.1	6.9	21.3	0.1	0	0	0	14.1	14.1	0	0
321	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	2.3	0	0	2.3	0
321	md	R	291-00	49	.	.	.	.	.	.	.	.	.	1.1	1	1.7	2.2	0	0	1.1	0	0	1.1	0
321	md	R	321-00	23	.	.	.	.	.	.	.	.	.	1.3	1	2.1	5.7	0	0	1.3	0	0	1.3	0
321	md	R	322-01	277	.	.	.	.	.	.	.	.	.	1.3	1	2	0.5	0	0	1.3	0	0	1.3	0
321	md	R	325-00	405	.	.	.	.	.	.	.	.	.	3.7	3	5	0.9	0	0	3.7	0	0	3.7	0
321	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	34.4	23.9	44.9	0	0	0	3.6	30.8	30.8	3.6	0
321	md	R	SUM	158660	.	.	.	.	.	.	.	.	.	44.2	33.3	55	0	0	0	13.3	30.8	30.8	13.3	0
321	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	2.3	0	0	2.3	0
321	md	SUM	291-00	50	.	.	.	.	.	.	.	.	.	1.1	1	1.7	2.2	0	0	1.1	0	0	1.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
321	md	SUM	321-00	24	.	.	.	.	.	.	.	.	.	1.3	1	2.1	5.4	0	0	1.3	0	0	1.3	0
321	md	SUM	322-01	300	.	.	.	.	.	.	.	.	.	1.3	1	2	0.4	0	0	1.3	0	0	1.3	0
321	md	SUM	325-00	450	.	.	.	.	.	.	.	.	.	3.7	3	5	0.8	0	0	3.7	0	0	3.7	0
321	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	48.5	35.8	61.2	0	0	0	3.6	44.9	44.9	3.6	0
321	md	SUM	SUM	182943	.	.	.	.	.	.	.	.	.	58.2	45.2	71.3	0	0	0	13.3	44.9	44.9	13.3	0
321	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	wt	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	wt	N	SUM	25009	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	10.9	5.2	16.7	0.1	0	0	10.9	0	0	10.9	0
321	wt	R	322-00	581	.	.	.	.	.	.	.	.	.	2.6	2	3.7	0.4	0	0	2.6	0	0	2.6	0
321	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	23.7	15	32.4	0	0	1.4	4.7	17.6	17.6	6.1	0
321	wt	R	SUM	158487	.	.	.	.	.	.	.	.	.	37.1	26.7	47.6	0	0	1.4	18.2	17.6	17.6	19.5	0
321	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	10.9	5.2	16.7	0.1	0	0	10.9	0	0	10.9	0
321	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
321	wt	SUM	322-00	600	.	.	.	.	.	.	.	.	.	2.6	2	3.7	0.4	0	0	2.6	0	0	2.6	0
321	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	23.7	15	32.4	0	0	1.4	4.7	17.6	17.6	6.1	0
321	wt	SUM	SUM	183496	.	.	.	.	.	.	.	.	.	37.1	26.7	47.6	0	0	1.4	18.2	17.6	17.6	19.5	0
322	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	38.5	26.9	50	5	0	0	38.5	0	0	38.5	0
322	all_deer	N	320-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	all_deer	N	320-01	21	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	all_deer	N	320-02	14	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	all_deer	N	322-00	19	.	.	.	.	.	.	.	.	.	8.8	4.7	12.8	46.3	0	3.5	5.2	0	0	8.8	0
322	all_deer	N	322-01	23	.	.	.	.	.	.	.	.	.	13.6	12.1	15.1	59.1	0	0	12.4	1.3	1.3	12.4	0
322	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	16.3	12	20.5	45.3	0	0	16.3	0	0	16.3	0
322	all_deer	N	326-01	24	.	.	.	.	.	.	.	.	.	1.8	1	3.2	7.5	0	0	1.8	0	0	1.8	0
322	all_deer	N	340-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	75.7	58.8	92.6	0.3	0	0	0	75.7	75.7	0	0
322	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
322	all_deer	N	SUM	25130	217.8	190.2	245.4	1112.4	933.9	1290.9	5.1	4.6	5.6	158.4	136.7	180.2	0.6	0	3.5	77.9	77	77	81.5	0
322	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	167.5	146.2	188.9	2.3	2.2	8.9	156.5	0	0	165.4	2.2
322	all_deer	R	320-00	147	.	.	.	.	.	.	.	.	.	3.5	3	4.8	2.4	0	0	1.2	2.3	2.3	1.2	0
322	all_deer	R	320-01	279	.	.	.	.	.	.	.	.	.	2.9	2	4.5	1	0	0	1.6	1.3	1.3	1.6	0
322	all_deer	R	320-02	136	.	.	.	.	.	.	.	.	.	3	2	4.6	2.2	0	0	3	0	0	3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
322	all_deer	R	322-00	581	.	.	.	.	.	.	.	.	.	252.5	242.3	262.6	43.5	1.3	4.1	243.1	3.9	3.9	247.2	1.3
322	all_deer	R	322-01	277	.	.	.	.	.	.	.	.	.	104.7	98	111.5	37.8	0	1.5	103.3	0	0	104.7	0
322	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	134.5	120.9	148.1	30.2	1.9	5	127.6	0	0	132.6	1.9
322	all_deer	R	326-01	155	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	all_deer	R	340-00	49	.	.	.	.	.	.	.	.	.	2	1	3.7	4.1	0	0	2	0	0	2	0
322	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	542.7	502.8	582.7	0.4	1.5	1.7	77.6	461.9	455	82.2	5.5
322	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
322	all_deer	R	SUM	159976	1240.6	1181.8	1299.4	5851.6	5466.9	6236.3	4.7	4.5	4.9	1213.4	1164.4	1262.3	0.8	6.9	21.1	716	469.5	462.5	739.9	10.9
322	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	167.5	146.2	188.9	2.3	2.2	8.9	156.5	0	0	165.4	2.2
322	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	38.5	26.9	50	5	0	0	38.5	0	0	38.5	0
322	all_deer	SUM	320-00	149	.	.	.	.	.	.	.	.	.	3.5	3	4.8	2.3	0	0	1.2	2.3	2.3	1.2	0
322	all_deer	SUM	320-01	300	.	.	.	.	.	.	.	.	.	2.9	2	4.5	1	0	0	1.6	1.3	1.3	1.6	0
322	all_deer	SUM	320-02	150	.	.	.	.	.	.	.	.	.	3	2	4.6	2	0	0	3	0	0	3	0
322	all_deer	SUM	322-00	600	.	.	.	.	.	.	.	.	.	261.2	250.3	272.1	43.5	1.3	7.6	248.4	3.9	3.9	256	1.3
322	all_deer	SUM	322-01	300	.	.	.	.	.	.	.	.	.	118.4	111.4	125.3	39.5	0	1.5	115.6	1.3	1.3	117.1	0
322	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	150.8	136.5	165	31.3	1.9	5	143.9	0	0	148.9	1.9
322	all_deer	SUM	326-01	179	.	.	.	.	.	.	.	.	.	1.8	1	3.2	1	0	0	1.8	0	0	1.8	0
322	all_deer	SUM	340-00	50	.	.	.	.	.	.	.	.	.	2	1	3.7	4	0	0	2	0	0	2	0
322	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	618.4	575	661.8	0.4	1.5	1.7	77.6	537.6	530.7	82.2	5.5
322	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
322	all_deer	SUM	SUM	185106	1458.4	1393.4	1523.4	6964	6539.9	7388.1	4.8	4.6	5	1371.8	1318.2	1425.3	0.7	6.9	24.6	793.9	546.4	539.5	821.4	10.9
322	md	N	320-01	21	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	md	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	md	N	322-01	23	.	.	.	.	.	.	.	.	.	13.6	12.1	15.1	59.1	0	0	12.4	1.3	1.3	12.4	0
322	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	27.5	16.9	38.1	0.1	0	0	0	27.5	27.5	0	0
322	md	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
322	md	N	SUM	24276	.	.	.	.	.	.	.	.	.	44.9	33.5	56.3	0.2	0	0	16.1	28.8	28.8	16.1	0
322	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	2.3	0	0	2.3	0
322	md	R	320-01	279	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.6	0	0	1.6	0	0	1.6	0
322	md	R	322-00	581	.	.	.	.	.	.	.	.	.	7.4	5	9.8	1.3	0	0	7.4	0	0	7.4	0
322	md	R	322-01	277	.	.	.	.	.	.	.	.	.	101.9	95.2	108.6	36.8	0	1.5	100.5	0	0	101.9	0
322	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	192.6	168.4	216.8	0.1	0	0	5.8	186.8	183.9	8.7	0
322	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
322	md	R	SUM	159043	.	.	.	.	.	.	.	.	.	305.8	280.4	331.2	0.2	0	1.5	117.5	186.8	183.9	121.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
322	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	2.3	0	0	2.3	0
322	md	SUM	320-01	300	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.5	0	0	1.6	0	0	1.6	0
322	md	SUM	322-00	600	.	.	.	.	.	.	.	.	.	7.4	5	9.8	1.2	0	0	7.4	0	0	7.4	0
322	md	SUM	322-01	300	.	.	.	.	.	.	.	.	.	115.5	108.6	122.4	38.5	0	1.5	112.8	1.3	1.3	114.3	0
322	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	220.1	193.7	246.5	0.1	0	0	5.8	214.3	211.4	8.7	0
322	md	SUM	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
322	md	SUM	SUM	183319	.	.	.	.	.	.	.	.	.	350.7	322.9	378.5	0.2	0	1.5	133.7	215.6	212.7	138	0
322	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	38.5	26.9	50	5	0	0	38.5	0	0	38.5	0
322	wt	N	320-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	wt	N	320-01	21	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	wt	N	320-02	14	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	wt	N	322-00	19	.	.	.	.	.	.	.	.	.	8.8	4.7	12.8	46.3	0	3.5	5.2	0	0	8.8	0
322	wt	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	16.3	12	20.5	45.3	0	0	16.3	0	0	16.3	0
322	wt	N	326-01	24	.	.	.	.	.	.	.	.	.	1.8	1	3.2	7.5	0	0	1.8	0	0	1.8	0
322	wt	N	340-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	48.2	35	61.4	0.2	0	0	0	48.2	48.2	0	0
322	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
322	wt	N	SUM	25130	.	.	.	.	.	.	.	.	.	113.5	95	132	0.5	0	3.5	61.8	48.2	48.2	65.3	0
322	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	165.2	143.9	186.4	2.3	2.2	8.9	154.1	0	0	163	2.2
322	wt	R	320-00	147	.	.	.	.	.	.	.	.	.	2.3	2	3.3	1.6	0	0	0	2.3	2.3	0	0
322	wt	R	320-01	279	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.5	0	0	0	1.3	1.3	0	0
322	wt	R	320-02	136	.	.	.	.	.	.	.	.	.	3	2	4.6	2.2	0	0	3	0	0	3	0
322	wt	R	322-00	581	.	.	.	.	.	.	.	.	.	245.1	235	255.2	42.2	1.3	4.1	235.8	3.9	3.9	239.9	1.3
322	wt	R	322-01	277	.	.	.	.	.	.	.	.	.	2.8	2	4.2	1	0	0	2.8	0	0	2.8	0
322	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	134.5	120.9	148.1	30.2	1.9	5	127.6	0	0	132.6	1.9
322	wt	R	326-01	155	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
322	wt	R	340-00	49	.	.	.	.	.	.	.	.	.	2	1	3.7	4.1	0	0	2	0	0	2	0
322	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	350.1	318.3	382	0.2	1.5	1.7	71.8	275.1	271.1	73.5	5.5
322	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
322	wt	R	SUM	159976	.	.	.	.	.	.	.	.	.	906.4	864.4	948.3	0.6	6.9	19.6	597.2	282.7	278.6	616.9	10.9
322	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	165.2	143.9	186.4	2.3	2.2	8.9	154.1	0	0	163	2.2
322	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	38.5	26.9	50	5	0	0	38.5	0	0	38.5	0
322	wt	SUM	320-00	149	.	.	.	.	.	.	.	.	.	2.3	2	3.3	1.5	0	0	0	2.3	2.3	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
322	wt	SUM	320-01	300	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.4	0	0	0	1.3	1.3	0	0
322	wt	SUM	320-02	150	.	.	.	.	.	.	.	.	.	3	2	4.6	2	0	0	3	0	0	3	0
322	wt	SUM	322-00	600	.	.	.	.	.	.	.	.	.	253.9	243	264.7	42.3	1.3	7.6	241	3.9	3.9	248.6	1.3
322	wt	SUM	322-01	300	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.9	0	0	2.8	0	0	2.8	0
322	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	150.8	136.5	165	31.3	1.9	5	143.9	0	0	148.9	1.9
322	wt	SUM	326-01	179	.	.	.	.	.	.	.	.	.	1.8	1	3.2	1	0	0	1.8	0	0	1.8	0
322	wt	SUM	340-00	50	.	.	.	.	.	.	.	.	.	2	1	3.7	4	0	0	2	0	0	2	0
322	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	398.3	363.9	432.8	0.2	1.5	1.7	71.8	323.3	319.3	73.5	5.5
322	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
322	wt	SUM	SUM	185106	.	.	.	.	.	.	.	.	.	1019.9	974.1	1065.8	0.6	6.9	23.2	659	330.9	326.8	682.2	10.9
323	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	1.3	1	2.7	0.2	0	0	1.3	0	0	1.3	0
323	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
323	all_deer	N	323-00	8	.	.	.	.	.	.	.	.	.	2.3	2	2.9	28.7	0	0	2.3	0	0	2.3	0
323	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	16.2	8.1	24.2	0.1	0	0	0	16.2	16.2	0	0
323	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
323	all_deer	N	SUM	25034	88.3	69.7	106.9	595.8	457.3	734.3	6.7	6	7.4	19.7	11.5	27.9	0.1	0	0	3.6	16.2	16.2	3.6	0
323	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	18.4	11.1	25.6	0.3	0	4.5	13.8	0	0	18.4	0
323	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	2.3	0	0	2.3	0
323	all_deer	R	323-00	31	.	.	.	.	.	.	.	.	.	7.8	6	9.6	25.2	0	0	7.8	0	0	7.8	0
323	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	56.5	42.9	70.1	0	0	0	8.3	48.2	48.2	8.3	0
323	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.5	.	0	0	1.7	0	0	1.7	0
323	all_deer	R	SUM	158383	237.2	207.9	266.5	1252	1063.7	1440.3	5.3	4.8	5.8	86.6	70.8	102.4	0.1	0	4.5	33.9	48.2	48.2	38.5	0
323	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	18.4	11.1	25.6	0.3	0	4.5	13.8	0	0	18.4	0
323	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	1.3	1	2.7	0.2	0	0	1.3	0	0	1.3	0
323	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	2.3	0	0	2.3	0
323	all_deer	SUM	323-00	39	.	.	.	.	.	.	.	.	.	10.1	8.1	12	25.9	0	0	10.1	0	0	10.1	0
323	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	72.6	56.8	88.5	0	0	0	8.3	64.3	64.3	8.3	0
323	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.5	.	0	0	1.7	0	0	1.7	0
323	all_deer	SUM	SUM	183417	325.5	290.8	360.2	1847.7	1613.9	2081.5	5.7	5.3	6.1	106.4	88.6	124.1	0.1	0	4.5	37.5	64.3	64.3	42	0
323	md	N	323-00	8	.	.	.	.	.	.	.	.	.	2.3	2	2.9	28.7	0	0	2.3	0	0	2.3	0
323	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	12.4	5.4	19.4	0.1	0	0	0	12.4	12.4	0	0
323	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
323	md	N	SUM	24221	.	.	.	.	.	.	.	.	.	14.7	7.7	21.7	0.1	0	0	2.3	12.4	12.4	2.3	0
323	md	R	323-00	31	.	.	.	.	.	.	.	.	.	7.8	6	9.6	25.2	0	0	7.8	0	0	7.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
323	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	35.3	24.7	46	0	0	0	6	29.3	29.3	6	0
323	md	R	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.5	.	0	0	1.7	0	0	1.7	0
323	md	R	SUM	150608	.	.	.	.	.	.	.	.	.	44.8	33.9	55.8	0	0	0	15.5	29.3	29.3	15.5	0
323	md	SUM	323-00	39	.	.	.	.	.	.	.	.	.	10.1	8.1	12	25.9	0	0	10.1	0	0	10.1	0
323	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	47.8	35	60.5	0	0	0	6	41.8	41.8	6	0
323	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.5	.	0	0	1.7	0	0	1.7	0
323	md	SUM	SUM	174829	.	.	.	.	.	.	.	.	.	59.5	46.5	72.5	0	0	0	17.8	41.8	41.8	17.8	0
323	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	1.3	1	2.7	0.2	0	0	1.3	0	0	1.3	0
323	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
323	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
323	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
323	wt	N	SUM	25026	.	.	.	.	.	.	.	.	.	5	2	9.3	0	0	0	1.3	3.7	3.7	1.3	0
323	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	16.1	9.3	22.9	0.2	0	2.3	13.8	0	0	16.1	0
323	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	2.3	0	0	2.3	0
323	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	21.2	12.7	29.7	0	0	0	2.3	18.8	18.8	2.3	0
323	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
323	wt	R	SUM	158352	.	.	.	.	.	.	.	.	.	39.5	28.4	50.7	0	0	2.3	18.4	18.8	18.8	20.7	0
323	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	16.1	9.3	22.9	0.2	0	2.3	13.8	0	0	16.1	0
323	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	1.3	1	2.7	0.2	0	0	1.3	0	0	1.3	0
323	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	2.3	0	0	2.3	0
323	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	24.9	15.5	34.3	0	0	0	2.3	22.5	22.5	2.3	0
323	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
323	wt	SUM	SUM	183378	.	.	.	.	.	.	.	.	.	44.6	32.7	56.5	0	0	2.3	19.8	22.5	22.5	22	0
324	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	4.1	0	0	0	4.1	0
324	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
324	all_deer	N	324-00	5	.	.	.	.	.	.	.	.	.	3	3	3	60	0	0	3	0	0	3	0
324	all_deer	N	324-01	14	.	.	.	.	.	.	.	.	.	8.1	7.6	8.6	57.9	0	0	8.1	0	0	8.1	0
324	all_deer	N	324-50	5	.	.	.	.	.	.	.	.	.	1.7	1	3	34	0	0	0	1.7	1.7	0	0
324	all_deer	N	326-00	60	.	.	.	.	.	.	.	.	.	1.7	1	2.9	2.8	0	0	1.7	0	0	1.7	0
324	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	9.1	3.2	15	0	0	0	3.7	5.4	5.4	3.7	0
324	all_deer	N	SUM	25110	177.7	152.2	203.2	1107.7	931.5	1283.9	6.2	5.7	6.7	27.6	20.1	35.1	0.1	0	4.1	16.5	7	7	20.6	0
324	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	16.9	9.7	24.2	0.2	0	0	16.9	0	0	16.9	0
324	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	2.8	0	0	2.8	0
324	all_deer	R	324-00	45	.	.	.	.	.	.	.	.	.	18.4	15.6	21.1	40.9	0	0	18.4	0	0	18.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
324	all_deer	R	324-01	36	.	.	.	.	.	.	.	.	.	5.3	4	6.8	14.7	0	0	5.3	0	0	5.3	0
324	all_deer	R	324-50	45	.	.	.	.	.	.	.	.	.	12.1	9.8	14.3	26.9	0	0	0	12.1	12.1	0	0
324	all_deer	R	326-00	440	.	.	.	.	.	.	.	.	.	2.9	2	4.4	0.7	0	0	2.9	0	0	2.9	0
324	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	37.4	26.5	48.3	0	0	0	8.2	29.3	29.3	8.2	0
324	all_deer	R	SUM	158918	335.8	303.1	368.5	1801.1	1589	2013.2	5.4	5	5.8	95.7	81.7	109.7	0.1	0	0	54.4	41.3	41.3	54.4	0
324	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	16.9	9.7	24.2	0.2	0	0	16.9	0	0	16.9	0
324	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	4.1	0	0	0	4.1	0
324	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	2.8	0	0	2.8	0
324	all_deer	SUM	324-00	50	.	.	.	.	.	.	.	.	.	21.4	18.6	24.1	42.8	0	0	21.4	0	0	21.4	0
324	all_deer	SUM	324-01	50	.	.	.	.	.	.	.	.	.	13.4	11.8	15	26.8	0	0	13.4	0	0	13.4	0
324	all_deer	SUM	324-50	50	.	.	.	.	.	.	.	.	.	13.7	11.1	16.3	27.4	0	0	0	13.7	13.7	0	0
324	all_deer	SUM	326-00	500	.	.	.	.	.	.	.	.	.	4.6	3	6.5	0.9	0	0	4.6	0	0	4.6	0
324	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	46.5	34.1	58.9	0	0	0	11.9	34.6	34.6	11.9	0
324	all_deer	SUM	SUM	184028	513.5	472.1	554.9	2908.9	2633.2	3184.6	5.7	5.4	6	123.3	107.5	139.2	0.1	0	4.1	70.9	48.3	48.3	75	0
324	md	N	324-00	5	.	.	.	.	.	.	.	.	.	3	3	3	60	0	0	3	0	0	3	0
324	md	N	324-50	5	.	.	.	.	.	.	.	.	.	1.7	1	3	34	0	0	0	1.7	1.7	0	0
324	md	N	326-00	60	.	.	.	.	.	.	.	.	.	1.7	1	2.9	2.8	0	0	1.7	0	0	1.7	0
324	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
324	md	N	SUM	24283	.	.	.	.	.	.	.	.	.	10.1	6	14.4	0	0	0	4.7	5.4	5.4	4.7	0
324	md	R	324-00	45	.	.	.	.	.	.	.	.	.	18.4	15.6	21.1	40.9	0	0	18.4	0	0	18.4	0
324	md	R	324-50	45	.	.	.	.	.	.	.	.	.	12.1	9.8	14.3	26.9	0	0	0	12.1	12.1	0	0
324	md	R	326-00	440	.	.	.	.	.	.	.	.	.	2.9	2	4.4	0.7	0	0	2.9	0	0	2.9	0
324	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	24.7	15.3	34.1	0	0	0	6.8	17.9	17.9	6.8	0
324	md	R	SUM	151107	.	.	.	.	.	.	.	.	.	58	47.8	68.2	0	0	0	28.1	30	30	28.1	0
324	md	SUM	324-00	50	.	.	.	.	.	.	.	.	.	21.4	18.6	24.1	42.8	0	0	21.4	0	0	21.4	0
324	md	SUM	324-50	50	.	.	.	.	.	.	.	.	.	13.7	11.1	16.3	27.4	0	0	0	13.7	13.7	0	0
324	md	SUM	326-00	500	.	.	.	.	.	.	.	.	.	4.6	3	6.5	0.9	0	0	4.6	0	0	4.6	0
324	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	28.4	18.2	38.6	0	0	0	6.8	21.6	21.6	6.8	0
324	md	SUM	SUM	175390	.	.	.	.	.	.	.	.	.	68.1	57	79.2	0	0	0	32.7	35.4	35.4	32.7	0
324	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	4.1	0	0	0	4.1	0
324	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
324	wt	N	324-01	14	.	.	.	.	.	.	.	.	.	8.1	7.6	8.6	57.9	0	0	8.1	0	0	8.1	0
324	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	5.4	2	9.7	0	0	0	3.7	1.6	1.6	3.7	0
324	wt	N	SUM	25040	.	.	.	.	.	.	.	.	.	17.5	11.4	23.7	0.1	0	4.1	11.8	1.6	1.6	15.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
324	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	16.9	9.7	24.2	0.2	0	0	16.9	0	0	16.9	0
324	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	2.8	0	0	2.8	0
324	wt	R	324-01	36	.	.	.	.	.	.	.	.	.	5.3	4	6.8	14.7	0	0	5.3	0	0	5.3	0
324	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	12.7	7.2	18.2	0	0	0	1.4	11.4	11.4	1.4	0
324	wt	R	SUM	158388	.	.	.	.	.	.	.	.	.	37.7	28.1	47.3	0	0	0	26.3	11.4	11.4	26.3	0
324	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	16.9	9.7	24.2	0.2	0	0	16.9	0	0	16.9	0
324	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	4.1	0	0	0	4.1	0
324	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	2.8	0	0	2.8	0
324	wt	SUM	324-01	50	.	.	.	.	.	.	.	.	.	13.4	11.8	15	26.8	0	0	13.4	0	0	13.4	0
324	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	18.1	11.1	25.1	0	0	0	5.1	13	13	5.1	0
324	wt	SUM	SUM	183428	.	.	.	.	.	.	.	.	.	55.2	43.9	66.6	0	0	4.1	38.2	13	13	42.2	0
325	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	17.1	9.8	24.5	2.2	0	0	17.1	0	0	17.1	0
325	all_deer	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
325	all_deer	N	325-00	45	.	.	.	.	.	.	.	.	.	25	21.4	28.5	55.6	0	0	23.1	1.9	1.9	23.1	0
325	all_deer	N	325-01	10	.	.	.	.	.	.	.	.	.	7.1	5.5	8.8	71	0	0	7.1	0	0	7.1	0
325	all_deer	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
325	all_deer	N	326-01	24	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
325	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
325	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	64.7	49.2	80.3	0.3	0	0	3.7	61	61	3.7	0
325	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
325	all_deer	N	SUM	25195	215	187.1	242.9	1578.5	1317.3	1839.7	7.3	6.6	8	114	96.3	131.6	0.5	0	0	51.1	62.9	62.9	51.1	0
325	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	50.9	38.4	63.4	0.7	0	0	50.9	0	0	50.9	0
325	all_deer	R	322-01	277	.	.	.	.	.	.	.	.	.	7.4	5	9.7	2.7	0	0	7.4	0	0	7.4	0
325	all_deer	R	325-00	405	.	.	.	.	.	.	.	.	.	189.3	182.3	196.3	46.7	0	1.2	186.8	1.3	0	189.3	0
325	all_deer	R	325-01	140	.	.	.	.	.	.	.	.	.	23.8	18.5	29	17	0	1.9	21.9	0	0	23.8	0
325	all_deer	R	326-00	440	.	.	.	.	.	.	.	.	.	6.7	4.1	9.3	1.5	0	0	6.7	0	0	6.7	0
325	all_deer	R	326-01	155	.	.	.	.	.	.	.	.	.	2.5	1	4.7	1.6	0	0	0	2.5	2.5	0	0
325	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
325	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	261.8	234.2	289.3	0.2	0	1.4	16.3	244.2	242.7	19.1	0
325	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
325	all_deer	R	SUM	160077	763.4	714.8	812	3576	3282.8	3869.2	4.7	4.4	5	545.5	513.7	577.4	0.3	0	4.5	291.7	249.4	246.7	298.9	0
325	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	50.9	38.4	63.4	0.7	0	0	50.9	0	0	50.9	0
325	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	17.1	9.8	24.5	2.2	0	0	17.1	0	0	17.1	0
325	all_deer	SUM	322-01	300	.	.	.	.	.	.	.	.	.	7.4	5	9.7	2.5	0	0	7.4	0	0	7.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
325	all_deer	SUM	325-00	450	.	.	.	.	.	.	.	.	.	214.2	206.4	222.1	47.6	0	1.2	209.8	3.2	1.9	212.4	0
325	all_deer	SUM	325-01	150	.	.	.	.	.	.	.	.	.	30.9	25.4	36.4	20.6	0	1.9	29	0	0	30.9	0
325	all_deer	SUM	326-00	500	.	.	.	.	.	.	.	.	.	6.7	4.1	9.3	1.3	0	0	6.7	0	0	6.7	0
325	all_deer	SUM	326-01	179	.	.	.	.	.	.	.	.	.	2.5	1	4.7	1.4	0	0	0	2.5	2.5	0	0
325	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
325	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	326.5	294.9	358.2	0.2	0	1.4	20	305.2	303.7	22.8	0
325	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
325	all_deer	SUM	SUM	185272	978.4	922.4	1034.4	5154.5	4761.8	5547.2	5.3	5	5.6	659.5	623.1	695.9	0.4	0	4.5	342.7	312.3	309.6	349.9	0
325	md	N	003-12	777	.	.	.	.	.	.	.	.	.	1.8	1	3.7	0.2	0	0	1.8	0	0	1.8	0
325	md	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
325	md	N	325-00	45	.	.	.	.	.	.	.	.	.	25	21.4	28.5	55.6	0	0	23.1	1.9	1.9	23.1	0
325	md	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
325	md	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
325	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	49.8	36.4	63.2	0.2	0	0	0	49.8	49.8	0	0
325	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
325	md	N	SUM	25161	.	.	.	.	.	.	.	.	.	76.6	62.6	90.6	0.3	0	0	24.9	51.7	51.7	24.9	0
325	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0	0	0	2.1	0	0	2.1	0
325	md	R	322-01	277	.	.	.	.	.	.	.	.	.	7.4	5	9.7	2.7	0	0	7.4	0	0	7.4	0
325	md	R	325-00	405	.	.	.	.	.	.	.	.	.	188	181	195.1	46.4	0	1.2	185.5	1.3	0	188	0
325	md	R	326-00	440	.	.	.	.	.	.	.	.	.	4.7	3	6.9	1.1	0	0	4.7	0	0	4.7	0
325	md	R	404-00	754	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
325	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	176.1	153.8	198.3	0.1	0	1.4	6.8	167.9	166.5	9.6	0
325	md	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
325	md	R	SUM	159782	.	.	.	.	.	.	.	.	.	381.5	357.8	405.3	0.2	0	2.6	208.3	170.6	167.9	213.6	0
325	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0	0	0	2.1	0	0	2.1	0
325	md	SUM	003-12	777	.	.	.	.	.	.	.	.	.	1.8	1	3.7	0.2	0	0	1.8	0	0	1.8	0
325	md	SUM	322-01	300	.	.	.	.	.	.	.	.	.	7.4	5	9.7	2.5	0	0	7.4	0	0	7.4	0
325	md	SUM	325-00	450	.	.	.	.	.	.	.	.	.	213	205.1	220.9	47.3	0	1.2	208.6	3.2	1.9	211.1	0
325	md	SUM	326-00	500	.	.	.	.	.	.	.	.	.	4.7	3	6.9	0.9	0	0	4.7	0	0	4.7	0
325	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
325	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	225.9	199.9	251.9	0.1	0	1.4	6.8	217.7	216.3	9.6	0
325	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
325	md	SUM	SUM	184943	.	.	.	.	.	.	.	.	.	458.1	430.5	485.7	0.2	0	2.6	233.2	222.3	219.6	238.5	0
325	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	15.3	8.2	22.5	2	0	0	15.3	0	0	15.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
325	wt	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
325	wt	N	325-01	10	.	.	.	.	.	.	.	.	.	7.1	5.5	8.8	71	0	0	7.1	0	0	7.1	0
325	wt	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
325	wt	N	326-01	24	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
325	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	3.7	11.2	11.2	3.7	0
325	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
325	wt	N	SUM	25129	.	.	.	.	.	.	.	.	.	37.4	26.6	48.2	0.1	0	0	26.2	11.2	11.2	26.2	0
325	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	48.8	36.5	61.2	0.7	0	0	48.8	0	0	48.8	0
325	wt	R	325-00	405	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.3	0	0	1.3	0	0	1.3	0
325	wt	R	325-01	140	.	.	.	.	.	.	.	.	.	23.8	18.5	29	17	0	1.9	21.9	0	0	23.8	0
325	wt	R	326-00	440	.	.	.	.	.	.	.	.	.	1.9	1	3.5	0.4	0	0	1.9	0	0	1.9	0
325	wt	R	326-01	155	.	.	.	.	.	.	.	.	.	2.5	1	4.7	1.6	0	0	0	2.5	2.5	0	0
325	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	85.7	69.5	102	0.1	0	0	9.5	76.3	76.3	9.5	0
325	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
325	wt	R	SUM	159046	.	.	.	.	.	.	.	.	.	164	142.8	185.3	0.1	0	1.9	83.4	78.8	78.8	85.2	0
325	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	48.8	36.5	61.2	0.7	0	0	48.8	0	0	48.8	0
325	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	15.3	8.2	22.5	2	0	0	15.3	0	0	15.3	0
325	wt	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.3	0	0	1.3	0	0	1.3	0
325	wt	SUM	325-01	150	.	.	.	.	.	.	.	.	.	30.9	25.4	36.4	20.6	0	1.9	29	0	0	30.9	0
325	wt	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.9	1	3.5	0.4	0	0	1.9	0	0	1.9	0
325	wt	SUM	326-01	179	.	.	.	.	.	.	.	.	.	2.5	1	4.7	1.4	0	0	0	2.5	2.5	0	0
325	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	100.6	82.5	118.7	0.1	0	0	13.2	87.5	87.5	13.2	0
325	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
325	wt	SUM	SUM	184175	.	.	.	.	.	.	.	.	.	201.4	177.6	225.2	0.1	0	1.9	109.6	90	90	111.4	0
326	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	2.9	2	5.1	0.4	0	0	2.9	0	0	2.9	0
326	all_deer	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
326	all_deer	N	326-00	60	.	.	.	.	.	.	.	.	.	25.4	22.2	28.6	42.3	0	1.4	24	0	0	25.4	0
326	all_deer	N	326-01	24	.	.	.	.	.	.	.	.	.	7.3	4	10.9	30.4	0	0	7.3	0	0	7.3	0
326	all_deer	N	597-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
326	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.7	18.8	40.5	0.1	0	0	0	29.7	29.7	0	0
326	all_deer	N	SUM	25146	161.9	138.3	185.5	1056.8	864.3	1249.3	6.5	5.8	7.2	65.3	53.2	77.4	0.3	0	1.4	34.2	29.7	29.7	35.6	0
326	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	31.4	22.4	40.5	0.4	0	2	29.4	0	0	31.4	0
326	all_deer	R	325-00	405	.	.	.	.	.	.	.	.	.	1.2	1	2	0.3	0	0	0	1.2	1.2	0	0
326	all_deer	R	326-00	440	.	.	.	.	.	.	.	.	.	167	156.9	177.1	38	0	0	165.5	1.5	1.5	165.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
326	all_deer	R	326-01	155	.	.	.	.	.	.	.	.	.	48.4	41.3	55.5	31.2	0	0	48.4	0	0	48.4	0
326	all_deer	R	597-00	573	.	.	.	.	.	.	.	.	.	1.6	1	3.1	0.3	0	0	1.6	0	0	1.6	0
326	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	221.7	195.9	247.6	0.1	0	0	24.2	197.6	197.6	24.2	0
326	all_deer	R	SUM	159479	613.3	571	655.6	3015.7	2725.4	3306	4.9	4.6	5.2	471.4	441.3	501.5	0.3	0	2	269.1	200.3	200.3	271.1	0
326	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	31.4	22.4	40.5	0.4	0	2	29.4	0	0	31.4	0
326	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	2.9	2	5.1	0.4	0	0	2.9	0	0	2.9	0
326	all_deer	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.2	1	2	0.3	0	0	0	1.2	1.2	0	0
326	all_deer	SUM	326-00	500	.	.	.	.	.	.	.	.	.	192.4	181.8	203	38.5	0	1.4	189.6	1.5	1.5	190.9	0
326	all_deer	SUM	326-01	179	.	.	.	.	.	.	.	.	.	55.7	47.7	63.6	31.1	0	0	55.7	0	0	55.7	0
326	all_deer	SUM	597-00	600	.	.	.	.	.	.	.	.	.	1.6	1	3.1	0.3	0	0	1.6	0	0	1.6	0
326	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	251.4	223.3	279.5	0.1	0	0	24.2	227.2	227.2	24.2	0
326	all_deer	SUM	SUM	184625	775.1	726.8	823.4	4072.5	3724.2	4420.8	5.3	5	5.6	536.7	504.2	569.1	0.3	0	3.4	303.3	229.9	229.9	306.7	0
326	md	N	326-00	60	.	.	.	.	.	.	.	.	.	24	20.8	27.3	40	0	0	24	0	0	24	0
326	md	N	326-01	24	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
326	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	27.5	16.9	38.1	0.1	0	0	0	27.5	27.5	0	0
326	md	N	SUM	24297	.	.	.	.	.	.	.	.	.	51.6	40.5	62.7	0.2	0	0	24	27.5	27.5	24	0
326	md	R	326-00	440	.	.	.	.	.	.	.	.	.	165	154.9	175	37.5	0	0	163.5	1.5	1.5	163.5	0
326	md	R	326-01	155	.	.	.	.	.	.	.	.	.	3.9	2	6.3	2.5	0	0	3.9	0	0	3.9	0
326	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	182.8	158.8	206.8	0.1	0	0	17.3	165.5	165.5	17.3	0
326	md	R	SUM	151172	.	.	.	.	.	.	.	.	.	351.7	325.5	377.8	0.2	0	0	184.7	166.9	166.9	184.7	0
326	md	SUM	326-00	500	.	.	.	.	.	.	.	.	.	189	178.5	199.6	37.8	0	0	187.6	1.5	1.5	187.6	0
326	md	SUM	326-01	179	.	.	.	.	.	.	.	.	.	3.9	2	6.3	2.2	0	0	3.9	0	0	3.9	0
326	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	210.3	184.1	236.5	0.1	0	0	17.3	193	193	17.3	0
326	md	SUM	SUM	175469	.	.	.	.	.	.	.	.	.	403.2	374.8	431.6	0.2	0	0	208.8	194.4	194.4	208.8	0
326	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	2.9	2	5.1	0.4	0	0	2.9	0	0	2.9	0
326	wt	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
326	wt	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
326	wt	N	326-01	24	.	.	.	.	.	.	.	.	.	7.3	4	10.9	30.4	0	0	7.3	0	0	7.3	0
326	wt	N	597-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
326	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0	0	0	0	2.2	2.2	0	0
326	wt	N	SUM	25146	.	.	.	.	.	.	.	.	.	12.3	7.5	17.1	0	0	0	10.2	2.2	2.2	10.2	0
326	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	31.4	22.4	40.5	0.4	0	2	29.4	0	0	31.4	0
326	wt	R	325-00	405	.	.	.	.	.	.	.	.	.	1.2	1	2	0.3	0	0	0	1.2	1.2	0	0
326	wt	R	326-00	440	.	.	.	.	.	.	.	.	.	2	1	3.5	0.5	0	0	2	0	0	2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
326	wt	R	326-01	155	.	.	.	.	.	.	.	.	.	44.5	37.6	51.4	28.7	0	0	44.5	0	0	44.5	0
326	wt	R	597-00	573	.	.	.	.	.	.	.	.	.	1.6	1	3.1	0.3	0	0	1.6	0	0	1.6	0
326	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	38.9	29.2	48.7	0	0	0	6.8	32.1	32.1	6.8	0
326	wt	R	SUM	159479	.	.	.	.	.	.	.	.	.	119.7	104.6	134.9	0.1	0	2	84.4	33.3	33.3	86.4	0
326	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	31.4	22.4	40.5	0.4	0	2	29.4	0	0	31.4	0
326	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	2.9	2	5.1	0.4	0	0	2.9	0	0	2.9	0
326	wt	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.2	1	2	0.3	0	0	0	1.2	1.2	0	0
326	wt	SUM	326-00	500	.	.	.	.	.	.	.	.	.	2	1	3.5	0.4	0	0	2	0	0	2	0
326	wt	SUM	326-01	179	.	.	.	.	.	.	.	.	.	51.8	44	59.6	28.9	0	0	51.8	0	0	51.8	0
326	wt	SUM	597-00	600	.	.	.	.	.	.	.	.	.	1.6	1	3.1	0.3	0	0	1.6	0	0	1.6	0
326	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	41.1	31.1	51.1	0	0	0	6.8	34.3	34.3	6.8	0
326	wt	SUM	SUM	184625	.	.	.	.	.	.	.	.	.	132.1	116.1	148	0.1	0	2	94.6	35.5	35.5	96.6	0
327	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
327	all_deer	N	SUM	24213	113.5	92	135	837.3	649	1025.6	7.4	6.5	8.3	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
327	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	24.9	15.5	34.3	0	0	0	4.1	20.9	20.9	4.1	0
327	all_deer	R	SUM	150577	184.7	157.7	211.7	1340.8	1078.6	1603	7.3	6.4	8.2	24.9	15.5	34.3	0	0	0	4.1	20.9	20.9	4.1	0
327	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	39.8	27.5	52.1	0	0	0	4.1	35.8	35.8	4.1	0
327	all_deer	SUM	SUM	174790	298.2	263.7	332.7	2178.1	1855.3	2500.9	7.3	6.6	8	39.8	27.5	52.1	0	0	0	4.1	35.8	35.8	4.1	0
327	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
327	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
327	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	16.8	8.9	24.6	0	0	0	4.1	12.7	12.7	4.1	0
327	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	16.8	8.9	24.6	0	0	0	4.1	12.7	12.7	4.1	0
327	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	31.7	20.5	42.8	0	0	0	4.1	27.6	27.6	4.1	0
327	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	31.7	20.5	42.8	0	0	0	4.1	27.6	27.6	4.1	0
327	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
327	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
327	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
327	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
327	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	8.2	3	13.4	0	0	0	0	8.2	8.2	0	0
327	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	8.2	3	13.4	0	0	0	0	8.2	8.2	0	0
327	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
327	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
327	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	8.2	3	13.4	0	0	0	0	8.2	8.2	0	0
327	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	8.2	3	13.4	0	0	0	0	8.2	8.2	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
328	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
328	all_deer	N	302-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
328	all_deer	N	328-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
328	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	3.7	7.5	7.5	3.7	0
328	all_deer	N	SUM	24301	50.2	35.8	64.6	335.5	228.6	442.4	6.7	5.8	7.6	12.2	5.3	19.1	0.1	0	0	4.7	7.5	7.5	4.7	0
328	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	3.3	1	6.6	0.3	0	0	3.3	0	0	3.3	0
328	all_deer	R	302-00	130	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.2	0	0	1.5	0	0	1.5	0
328	all_deer	R	328-00	24	.	.	.	.	.	.	.	.	.	7.6	5.4	9.7	31.7	0	0	7.6	0	0	7.6	0
328	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	47	33.5	60.5	0	0	0	1.7	45.3	45.3	1.7	0
328	all_deer	R	SUM	151883	195.2	168.4	222	1230.2	982.2	1478.2	6.3	5.4	7.2	59.4	45.3	73.5	0	0	0	14.1	45.3	45.3	14.1	0
328	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	3.3	1	6.6	0.3	0	0	3.3	0	0	3.3	0
328	all_deer	SUM	302-00	150	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1	0	0	1.5	0	0	1.5	0
328	all_deer	SUM	328-00	25	.	.	.	.	.	.	.	.	.	8.6	6.4	10.7	34.4	0	0	8.6	0	0	8.6	0
328	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	58.2	43	73.3	0	0	0	5.4	52.7	52.7	5.4	0
328	all_deer	SUM	SUM	176184	245.4	215	275.8	1565.7	1295.7	1835.7	6.4	5.7	7.1	71.6	55.9	87.3	0	0	0	18.8	52.7	52.7	18.8	0
328	md	N	302-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
328	md	N	328-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
328	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
328	md	N	SUM	24234	.	.	.	.	.	.	.	.	.	8.5	3	14.1	0	0	0	1	7.5	7.5	1	0
328	md	R	302-00	130	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.2	0	0	1.5	0	0	1.5	0
328	md	R	328-00	24	.	.	.	.	.	.	.	.	.	7.6	5.4	9.7	31.7	0	0	7.6	0	0	7.6	0
328	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	30.9	19.9	41.8	0	0	0	0	30.9	30.9	0	0
328	md	R	SUM	150731	.	.	.	.	.	.	.	.	.	40	28.8	51.2	0	0	0	9.1	30.9	30.9	9.1	0
328	md	SUM	302-00	150	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1	0	0	1.5	0	0	1.5	0
328	md	SUM	328-00	25	.	.	.	.	.	.	.	.	.	8.6	6.4	10.7	34.4	0	0	8.6	0	0	8.6	0
328	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	38.3	26	50.6	0	0	0	0	38.3	38.3	0	0
328	md	SUM	SUM	174965	.	.	.	.	.	.	.	.	.	48.4	35.9	61	0	0	0	10.1	38.3	38.3	10.1	0
328	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
328	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
328	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	3.7	0	0	3.7	0
328	wt	N	SUM	25057	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	3.7	0	0	3.7	0
328	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	3.3	1	6.6	0.3	0	0	3.3	0	0	3.3	0
328	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
328	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	16.1	8.2	24	0	0	0	1.7	14.4	14.4	1.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
328	wt	R	SUM	159058	.	.	.	.	.	.	.	.	.	19.4	10.9	28	0	0	0	5	14.4	14.4	5	0
328	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	3.3	1	6.6	0.3	0	0	3.3	0	0	3.3	0
328	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
328	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
328	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	19.8	11	28.7	0	0	0	5.4	14.4	14.4	5.4	0
328	wt	SUM	SUM	184115	.	.	.	.	.	.	.	.	.	23.1	13.7	32.6	0	0	0	8.7	14.4	14.4	8.7	0
329	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	9.5	3.3	15.7	1.2	0	0	9.5	0	0	9.5	0
329	all_deer	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
329	all_deer	N	329-00	5	.	.	.	.	.	.	.	.	.	1.7	1	3	34	0	0	1.7	0	0	1.7	0
329	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	45.2	31.9	58.4	0.2	0	0	11.2	34	34	11.2	0
329	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
329	all_deer	N	SUM	25040	250.9	219.1	282.7	1877.5	1580.7	2174.3	7.5	6.8	8.2	56.3	41.6	71	0.2	0	0	22.3	34	34	22.3	0
329	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	21.4	14	28.7	0.3	0	2.2	19.1	0	0	21.4	0
329	all_deer	R	325-00	405	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
329	all_deer	R	329-00	45	.	.	.	.	.	.	.	.	.	26.6	24.1	29.1	59.1	0	0	26.6	0	0	26.6	0
329	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	99.3	80.5	118.1	0.1	0	0	7.2	92	90.3	9	0
329	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.4	.	0	0	1.6	0	0	1.6	0
329	all_deer	R	SUM	158356	473.3	431.5	515.1	2220.3	1948.1	2492.5	4.7	4.3	5.1	150.3	129.8	170.7	0.1	0	2.2	56	92	90.3	60	0
329	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	21.4	14	28.7	0.3	0	2.2	19.1	0	0	21.4	0
329	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	9.5	3.3	15.7	1.2	0	0	9.5	0	0	9.5	0
329	all_deer	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
329	all_deer	SUM	329-00	50	.	.	.	.	.	.	.	.	.	28.2	25.4	31.1	56.4	0	0	28.2	0	0	28.2	0
329	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	144.5	121.4	167.5	0.1	0	0	18.4	126.1	124.3	20.1	0
329	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.4	.	0	0	1.6	0	0	1.6	0
329	all_deer	SUM	SUM	183396	724.2	671.7	776.7	4097.8	3695	4500.6	5.7	5.3	6.1	206.6	181.4	231.8	0.1	0	2.2	78.3	126.1	124.3	82.3	0
329	md	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
329	md	N	329-00	5	.	.	.	.	.	.	.	.	.	1.7	1	3	34	0	0	1.7	0	0	1.7	0
329	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	30.4	19.4	41.4	0.1	0	0	11.2	19.2	19.2	11.2	0
329	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
329	md	N	SUM	24263	.	.	.	.	.	.	.	.	.	32	21	43.1	0.1	0	0	12.8	19.2	19.2	12.8	0
329	md	R	325-00	405	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
329	md	R	329-00	45	.	.	.	.	.	.	.	.	.	25.1	22.6	27.7	55.8	0	0	25.1	0	0	25.1	0
329	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	78	61.3	94.8	0.1	0	0	5.7	72.3	70.6	7.4	0
329	md	R	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.4	.	0	0	1.6	0	0	1.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
329	md	R	SUM	151027	.	.	.	.	.	.	.	.	.	106.3	89.2	123.3	0.1	0	0	33.9	72.3	70.6	35.6	0
329	md	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
329	md	SUM	329-00	50	.	.	.	.	.	.	.	.	.	26.8	23.9	29.7	53.6	0	0	26.8	0	0	26.8	0
329	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	108.4	88.4	128.5	0.1	0	0	16.9	91.5	89.8	18.6	0
329	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.4	.	0	0	1.6	0	0	1.6	0
329	md	SUM	SUM	175290	.	.	.	.	.	.	.	.	.	138.3	117.9	158.7	0.1	0	0	46.8	91.5	89.8	48.5	0
329	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	9.5	3.3	15.7	1.2	0	0	9.5	0	0	9.5	0
329	wt	N	329-00	5	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
329	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.8	7.4	22.2	0.1	0	0	0	14.8	14.8	0	0
329	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
329	wt	N	SUM	24995	.	.	.	.	.	.	.	.	.	24.3	14.6	33.9	0.1	0	0	9.5	14.8	14.8	9.5	0
329	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	21.4	14	28.7	0.3	0	2.2	19.1	0	0	21.4	0
329	wt	R	329-00	45	.	.	.	.	.	.	.	.	.	1.4	1	2.4	3.1	0	0	1.4	0	0	1.4	0
329	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	21.2	12.7	29.8	0	0	0	1.5	19.7	19.7	1.5	0
329	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
329	wt	R	SUM	157951	.	.	.	.	.	.	.	.	.	44	32.7	55.3	0	0	2.2	22.1	19.7	19.7	24.3	0
329	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	21.4	14	28.7	0.3	0	2.2	19.1	0	0	21.4	0
329	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	9.5	3.3	15.7	1.2	0	0	9.5	0	0	9.5	0
329	wt	SUM	329-00	50	.	.	.	.	.	.	.	.	.	1.4	1	2.4	2.8	0	0	1.4	0	0	1.4	0
329	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	36	24.7	47.3	0	0	0	1.5	34.5	34.5	1.5	0
329	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
329	wt	SUM	SUM	182946	.	.	.	.	.	.	.	.	.	68.3	53.4	83.2	0	0	2.2	31.5	34.5	34.5	33.8	0
330	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	11.2	4.8	17.7	1.4	0	0	11.2	0	0	11.2	0
330	all_deer	N	330-00	35	.	.	.	.	.	.	.	.	.	8.4	6	10.9	24	0	0	8.4	0	0	8.4	0
330	all_deer	N	330-01	12	.	.	.	.	.	.	.	.	.	6.8	6	7.7	56.7	0	0	6.8	0	0	6.8	0
330	all_deer	N	333-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
330	all_deer	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
330	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	92.2	73.4	111.1	0.4	0	0	11.2	81.1	81.1	11.2	0
330	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
330	all_deer	N	SUM	25056	300.4	266.2	334.6	2051	1771.5	2330.5	6.8	6.3	7.3	118.7	98.6	138.8	0.5	0	0	37.7	81.1	81.1	37.7	0
330	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	44.5	33.2	55.8	0.6	0	0	44.5	0	0	44.5	0
330	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0	0	0	2.5	0	0	2.5	0
330	all_deer	R	330-00	215	.	.	.	.	.	.	.	.	.	77.5	71.4	83.6	36	0	0	77.5	0	0	77.5	0
330	all_deer	R	330-01	88	.	.	.	.	.	.	.	.	.	22.3	19.2	25.3	25.3	0	0	22.3	0	0	22.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
330	all_deer	R	333-00	171	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.9	0	1.5	0	0	0	1.5	0
330	all_deer	R	333-01	285	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.6	0	0	0	1.6	1.6	0	0
330	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	208.2	181.7	234.7	0.1	0	1.6	17.7	189	186.6	21.6	0
330	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	2	1	4.1	.	0	0	0	2	2	0	0
330	all_deer	R	SUM	164117	617.6	572.1	663.1	3336.5	2994.2	3678.8	5.4	5	5.8	360.1	330.2	389.9	0.2	0	3.1	164.4	192.5	190.2	169.9	0
330	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	44.5	33.2	55.8	0.6	0	0	44.5	0	0	44.5	0
330	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	11.2	4.8	17.7	1.4	0	0	11.2	0	0	11.2	0
330	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0	0	0	2.5	0	0	2.5	0
330	all_deer	SUM	330-00	250	.	.	.	.	.	.	.	.	.	86	79.4	92.5	34.4	0	0	86	0	0	86	0
330	all_deer	SUM	330-01	100	.	.	.	.	.	.	.	.	.	29.1	25.9	32.3	29.1	0	0	29.1	0	0	29.1	0
330	all_deer	SUM	333-00	175	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.9	0	1.5	0	0	0	1.5	0
330	all_deer	SUM	333-01	300	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	0	1.6	1.6	0	0
330	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	300.4	267.9	333	0.2	0	1.6	28.8	270	267.7	32.7	0
330	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	2	1	4.1	.	0	0	0	2	2	0	0
330	all_deer	SUM	SUM	189173	918	861.1	974.9	5387.5	4945.5	5829.5	5.9	5.6	6.2	478.8	442.8	514.8	0.3	0	3.1	202.1	273.6	271.3	207.5	0
330	md	N	330-00	35	.	.	.	.	.	.	.	.	.	8.4	6	10.9	24	0	0	8.4	0	0	8.4	0
330	md	N	333-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
330	md	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
330	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	51.3	37.7	64.8	0.2	0	0	3.7	47.5	47.5	3.7	0
330	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
330	md	N	SUM	24267	.	.	.	.	.	.	.	.	.	59.7	46	73.5	0.2	0	0	12.2	47.5	47.5	12.2	0
330	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0	0	0	2.2	0	0	2.2	0
330	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0	0	0	2.5	0	0	2.5	0
330	md	R	330-00	215	.	.	.	.	.	.	.	.	.	74.3	68.3	80.3	34.6	0	0	74.3	0	0	74.3	0
330	md	R	333-00	171	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.9	0	1.5	0	0	0	1.5	0
330	md	R	333-01	285	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.6	0	0	0	1.6	1.6	0	0
330	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	116.3	96.2	136.5	0.1	0	0	0	116.3	116.3	0	0
330	md	R	none	.	.	.	.	.	.	.	.	.	.	2	1	4.1	.	0	0	0	2	2	0	0
330	md	R	SUM	164029	.	.	.	.	.	.	.	.	.	200.4	178.9	221.8	0.1	0	1.5	78.9	119.9	119.9	80.5	0
330	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0	0	0	2.2	0	0	2.2	0
330	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0	0	0	2.5	0	0	2.5	0
330	md	SUM	330-00	250	.	.	.	.	.	.	.	.	.	82.7	76.3	89.2	33.1	0	0	82.7	0	0	82.7	0
330	md	SUM	333-00	175	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.9	0	1.5	0	0	0	1.5	0
330	md	SUM	333-01	300	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	0	1.6	1.6	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
330	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	167.6	143.3	191.9	0.1	0	0	3.7	163.9	163.9	3.7	0
330	md	SUM	none	.	.	.	.	.	.	.	.	.	.	2	1	4.1	.	0	0	0	2	2	0	0
330	md	SUM	SUM	188296	.	.	.	.	.	.	.	.	.	260.1	234.6	285.6	0.1	0	1.5	91.1	167.4	167.4	92.6	0
330	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	11.2	4.8	17.7	1.4	0	0	11.2	0	0	11.2	0
330	wt	N	330-00	35	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
330	wt	N	330-01	12	.	.	.	.	.	.	.	.	.	6.8	6	7.7	56.7	0	0	6.8	0	0	6.8	0
330	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	41	27.8	54.1	0.2	0	0	7.5	33.5	33.5	7.5	0
330	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
330	wt	N	SUM	25037	.	.	.	.	.	.	.	.	.	59	44.3	73.7	0.2	0	0	25.5	33.5	33.5	25.5	0
330	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	42.3	31.3	53.4	0.6	0	0	42.3	0	0	42.3	0
330	wt	R	330-00	215	.	.	.	.	.	.	.	.	.	3.2	2	4.9	1.5	0	0	3.2	0	0	3.2	0
330	wt	R	330-01	88	.	.	.	.	.	.	.	.	.	22.3	19.2	25.3	25.3	0	0	22.3	0	0	22.3	0
330	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	89.5	72.4	106.6	0.1	0	1.6	17.7	70.3	70.3	19.2	0
330	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
330	wt	R	SUM	158209	.	.	.	.	.	.	.	.	.	157.4	136.7	178	0.1	0	1.6	85.5	70.3	70.3	87.1	0
330	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	42.3	31.3	53.4	0.6	0	0	42.3	0	0	42.3	0
330	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	11.2	4.8	17.7	1.4	0	0	11.2	0	0	11.2	0
330	wt	SUM	330-00	250	.	.	.	.	.	.	.	.	.	3.2	2	4.9	1.3	0	0	3.2	0	0	3.2	0
330	wt	SUM	330-01	100	.	.	.	.	.	.	.	.	.	29.1	25.9	32.3	29.1	0	0	29.1	0	0	29.1	0
330	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	130.5	108.9	152.1	0.1	0	1.6	25.1	103.8	103.8	26.7	0
330	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
330	wt	SUM	SUM	183246	.	.	.	.	.	.	.	.	.	216.4	191	241.7	0.1	0	1.6	111	103.8	103.8	112.6	0
331	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
331	all_deer	N	302-00	20	.	.	.	.	.	.	.	.	.	1.6	1	3	8	0	0	1.6	0	0	1.6	0
331	all_deer	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	2.7	1	5.2	7.5	0	0	2.7	0	0	2.7	0
331	all_deer	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	331-01	11	.	.	.	.	.	.	.	.	.	7.7	7.1	8.4	70	0	0	7.7	0	0	7.7	0
331	all_deer	N	331-02	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	332-00	5	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	333-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	333-02	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	360-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	64.6	49	80.2	0.3	0	0	3.7	60.9	60.9	3.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
331	all_deer	N	SUM	25176	242	211.2	272.8	1844.6	1568.6	2120.6	7.6	7	8.2	80.7	64.3	97.1	0.3	0	0	19.8	60.9	60.9	19.8	0
331	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	56	43.8	68.2	0.8	0	2.1	53.9	0	0	56	0
331	all_deer	R	302-00	130	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	all_deer	R	322-00	581	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.3	0	0	0	1.5	1.5	0	0
331	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	all_deer	R	326-00	440	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.4	0	0	1.6	0	0	1.6	0
331	all_deer	R	331-00	25	.	.	.	.	.	.	.	.	.	4.8	4	5.9	19.2	0	1.2	3.6	0	0	4.8	0
331	all_deer	R	331-01	138	.	.	.	.	.	.	.	.	.	74.2	69.6	78.9	53.8	0	2.9	71.4	0	0	74.2	0
331	all_deer	R	331-02	8	.	.	.	.	.	.	.	.	.	5.8	4	7.7	72.5	0	0	5.8	0	0	5.8	0
331	all_deer	R	332-00	45	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.9	0	0	1.3	0	0	1.3	0
331	all_deer	R	333-00	171	.	.	.	.	.	.	.	.	.	1.2	1	1.9	0.7	0	0	1.2	0	0	1.2	0
331	all_deer	R	333-02	218	.	.	.	.	.	.	.	.	.	2.5	2	3.6	1.1	0	0	2.5	0	0	2.5	0
331	all_deer	R	360-01	177	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.9	0	0	0	1.6	1.6	0	0
331	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	331	297.2	364.9	0.2	0	5.5	6.2	319.3	303.4	26.2	1.4
331	all_deer	R	SUM	160285	1173	1109.2	1236.8	7279.8	6768.3	7791.3	6.2	5.9	6.5	481.6	445.1	518	0.3	0	11.6	147.6	322.4	306.5	173.7	1.4
331	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	56	43.8	68.2	0.8	0	2.1	53.9	0	0	56	0
331	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
331	all_deer	SUM	302-00	150	.	.	.	.	.	.	.	.	.	1.6	1	3	1.1	0	0	1.6	0	0	1.6	0
331	all_deer	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.2	0	0	0	1.5	1.5	0	0
331	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.7	1	5.2	0.6	0	0	2.7	0	0	2.7	0
331	all_deer	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	1.6	0	0	1.6	0
331	all_deer	SUM	331-00	25	.	.	.	.	.	.	.	.	.	4.8	4	5.9	19.2	0	1.2	3.6	0	0	4.8	0
331	all_deer	SUM	331-01	149	.	.	.	.	.	.	.	.	.	82	77.2	86.7	55	0	2.9	79.1	0	0	82	0
331	all_deer	SUM	331-02	10	.	.	.	.	.	.	.	.	.	5.8	4	7.7	58	0	0	5.8	0	0	5.8	0
331	all_deer	SUM	332-00	50	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.6	0	0	1.3	0	0	1.3	0
331	all_deer	SUM	333-00	175	.	.	.	.	.	.	.	.	.	1.2	1	1.9	0.7	0	0	1.2	0	0	1.2	0
331	all_deer	SUM	333-02	224	.	.	.	.	.	.	.	.	.	2.5	2	3.6	1.1	0	0	2.5	0	0	2.5	0
331	all_deer	SUM	360-01	200	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.8	0	0	0	1.6	1.6	0	0
331	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	395.6	358.4	432.9	0.2	0	5.5	10	380.2	364.3	29.9	1.4
331	all_deer	SUM	SUM	185461	1415	1344.3	1485.7	9124.4	8543.2	9705.6	6.4	6.1	6.7	562.3	522.3	602.2	0.3	0	11.6	167.4	383.3	367.4	193.5	1.4
331	md	N	302-00	20	.	.	.	.	.	.	.	.	.	1.6	1	3	8	0	0	1.6	0	0	1.6	0
331	md	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	md	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	md	N	331-01	11	.	.	.	.	.	.	.	.	.	7.7	7.1	8.4	70	0	0	7.7	0	0	7.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
331	md	N	332-00	5	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	50.5	36.7	64.4	0.2	0	0	3.7	46.8	46.8	3.7	0
331	md	N	SUM	24328	.	.	.	.	.	.	.	.	.	59.9	46	73.8	0.2	0	0	13.1	46.8	46.8	13.1	0
331	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
331	md	R	302-00	130	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	md	R	322-00	581	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.3	0	0	0	1.5	1.5	0	0
331	md	R	326-00	440	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.4	0	0	1.6	0	0	1.6	0
331	md	R	331-01	138	.	.	.	.	.	.	.	.	.	74.2	69.6	78.9	53.8	0	2.9	71.4	0	0	74.2	0
331	md	R	332-00	45	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.9	0	0	1.3	0	0	1.3	0
331	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	251.6	221.8	281.4	0.2	0	0	4.9	246.7	237.2	13	1.4
331	md	R	SUM	159240	.	.	.	.	.	.	.	.	.	332.5	302.2	362.8	0.2	0	2.9	81.4	248.2	238.7	92.3	1.4
331	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
331	md	SUM	302-00	150	.	.	.	.	.	.	.	.	.	1.6	1	3	1.1	0	0	1.6	0	0	1.6	0
331	md	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.2	0	0	0	1.5	1.5	0	0
331	md	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	1.6	0	0	1.6	0
331	md	SUM	331-01	149	.	.	.	.	.	.	.	.	.	82	77.2	86.7	55	0	2.9	79.1	0	0	82	0
331	md	SUM	332-00	50	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.6	0	0	1.3	0	0	1.3	0
331	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	302.1	269.3	335	0.2	0	0	8.6	293.5	284	16.7	1.4
331	md	SUM	SUM	183568	.	.	.	.	.	.	.	.	.	392.4	359	425.7	0.2	0	2.9	94.4	295.1	285.6	105.4	1.4
331	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
331	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	2.7	1	5.2	7.5	0	0	2.7	0	0	2.7	0
331	wt	N	331-02	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	wt	N	333-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	wt	N	333-02	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	wt	N	360-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.1	6.9	21.3	0.1	0	0	0	14.1	14.1	0	0
331	wt	N	SUM	25061	.	.	.	.	.	.	.	.	.	20.8	12.1	29.6	0.1	0	0	6.7	14.1	14.1	6.7	0
331	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	53.8	41.8	65.7	0.7	0	2.1	51.7	0	0	53.8	0
331	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
331	wt	R	331-00	25	.	.	.	.	.	.	.	.	.	4.8	4	5.9	19.2	0	1.2	3.6	0	0	4.8	0
331	wt	R	331-02	8	.	.	.	.	.	.	.	.	.	5.8	4	7.7	72.5	0	0	5.8	0	0	5.8	0
331	wt	R	333-00	171	.	.	.	.	.	.	.	.	.	1.2	1	1.9	0.7	0	0	1.2	0	0	1.2	0
331	wt	R	333-02	218	.	.	.	.	.	.	.	.	.	2.5	2	3.6	1.1	0	0	2.5	0	0	2.5	0
331	wt	R	360-01	177	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.9	0	0	0	1.6	1.6	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
331	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	79.4	63.4	95.5	0.1	0	5.5	1.4	72.6	66.2	13.2	0
331	wt	R	SUM	158951	.	.	.	.	.	.	.	.	.	149.1	128.9	169.3	0.1	0	8.7	66.2	74.1	67.7	81.4	0
331	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	53.8	41.8	65.7	0.7	0	2.1	51.7	0	0	53.8	0
331	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
331	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.7	1	5.2	0.6	0	0	2.7	0	0	2.7	0
331	wt	SUM	331-00	25	.	.	.	.	.	.	.	.	.	4.8	4	5.9	19.2	0	1.2	3.6	0	0	4.8	0
331	wt	SUM	331-02	10	.	.	.	.	.	.	.	.	.	5.8	4	7.7	58	0	0	5.8	0	0	5.8	0
331	wt	SUM	333-00	175	.	.	.	.	.	.	.	.	.	1.2	1	1.9	0.7	0	0	1.2	0	0	1.2	0
331	wt	SUM	333-02	224	.	.	.	.	.	.	.	.	.	2.5	2	3.6	1.1	0	0	2.5	0	0	2.5	0
331	wt	SUM	360-01	200	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.8	0	0	0	1.6	1.6	0	0
331	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	93.5	75.9	111.1	0.1	0	5.5	1.4	86.6	80.3	13.2	0
331	wt	SUM	SUM	184012	.	.	.	.	.	.	.	.	.	169.9	147.9	191.9	0.1	0	8.7	73	88.2	81.8	88.1	0
332	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	1.9	1	3.9	0.2	0	0	1.9	0	0	1.9	0
332	all_deer	N	330-00	35	.	.	.	.	.	.	.	.	.	2.1	1	4	6	0	0	2.1	0	0	2.1	0
332	all_deer	N	332-00	5	.	.	.	.	.	.	.	.	.	4	4	4	80	0	0	4	0	0	4	0
332	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	57.5	42	73	0.2	0	3.7	14.9	38.9	38.9	18.6	0
332	all_deer	N	SUM	25030	222.8	192.9	252.7	1509.6	1266.6	1752.6	6.8	6.2	7.4	65.6	49.8	81.3	0.3	0	3.7	22.9	38.9	38.9	26.7	0
332	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
332	all_deer	R	330-00	215	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
332	all_deer	R	332-00	45	.	.	.	.	.	.	.	.	.	12	9.8	14.2	26.7	0	0	12	0	0	12	0
332	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	99.3	80.8	117.7	0.1	0	0	3.3	95.9	94.4	4.9	0
332	all_deer	R	SUM	158166	397.3	358.9	435.7	2075.4	1821	2329.8	5.2	4.8	5.6	114.7	95.8	133.7	0.1	0	0	18.8	95.9	94.4	20.3	0
332	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
332	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	1.9	1	3.9	0.2	0	0	1.9	0	0	1.9	0
332	all_deer	SUM	330-00	250	.	.	.	.	.	.	.	.	.	2.1	1	4	0.8	0	0	2.1	0	0	2.1	0
332	all_deer	SUM	332-00	50	.	.	.	.	.	.	.	.	.	16	13.8	18.2	32	0	0	16	0	0	16	0
332	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	156.8	132.7	180.8	0.1	0	3.7	18.2	134.8	133.3	23.5	0
332	all_deer	SUM	SUM	183196	620.1	571.4	668.8	3584.9	3233.1	3936.7	5.8	5.5	6.1	180.3	155.7	204.9	0.1	0	3.7	41.8	134.8	133.3	47	0
332	md	N	330-00	35	.	.	.	.	.	.	.	.	.	2.1	1	4	6	0	0	2.1	0	0	2.1	0
332	md	N	332-00	5	.	.	.	.	.	.	.	.	.	4	4	4	80	0	0	4	0	0	4	0
332	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	50.1	35.6	64.5	0.2	0	3.7	11.2	35.2	35.2	14.9	0
332	md	N	SUM	24253	.	.	.	.	.	.	.	.	.	56.2	41.6	70.7	0.2	0	3.7	17.3	35.2	35.2	21	0
332	md	R	330-00	215	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
332	md	R	332-00	45	.	.	.	.	.	.	.	.	.	12	9.8	14.2	26.7	0	0	12	0	0	12	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
332	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	84.8	67.4	102.2	0.1	0	0	0	84.8	83.3	1.5	0
332	md	R	SUM	150837	.	.	.	.	.	.	.	.	.	96.8	79.3	114.4	0.1	0	0	12	84.8	83.3	13.6	0
332	md	SUM	330-00	250	.	.	.	.	.	.	.	.	.	2.1	1	4	0.8	0	0	2.1	0	0	2.1	0
332	md	SUM	332-00	50	.	.	.	.	.	.	.	.	.	16	13.8	18.2	32	0	0	16	0	0	16	0
332	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	134.9	112.3	157.5	0.1	0	3.7	11.2	120	118.4	16.4	0
332	md	SUM	SUM	175090	.	.	.	.	.	.	.	.	.	153	130.2	175.8	0.1	0	3.7	29.3	120	118.4	34.6	0
332	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	1.9	1	3.9	0.2	0	0	1.9	0	0	1.9	0
332	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	3.7	3.7	3.7	3.7	0
332	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	9.4	3.4	15.3	0	0	0	5.6	3.7	3.7	5.6	0
332	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
332	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	14.4	8.2	20.6	0	0	0	3.3	11.1	11.1	3.3	0
332	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	17.9	10.8	25	0	0	0	6.8	11.1	11.1	6.8	0
332	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
332	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	1.9	1	3.9	0.2	0	0	1.9	0	0	1.9	0
332	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	21.9	13.5	30.2	0	0	0	7.1	14.8	14.8	7.1	0
332	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	27.3	18	36.5	0	0	0	12.4	14.8	14.8	12.4	0
333	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	13.4	6.9	19.8	1.7	0	0	13.4	0	0	13.4	0
333	all_deer	N	320-02	14	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	330-00	35	.	.	.	.	.	.	.	.	.	1.4	1	2.4	4	0	0	1.4	0	0	1.4	0
333	all_deer	N	331-01	11	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	333-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	333-01	15	.	.	.	.	.	.	.	.	.	10.1	8.4	11.7	67.3	0	0	10.1	0	0	10.1	0
333	all_deer	N	333-02	6	.	.	.	.	.	.	.	.	.	2	2	2	33.3	0	0	2	0	0	2	0
333	all_deer	N	333-03	37	.	.	.	.	.	.	.	.	.	8.8	5.9	11.7	23.8	0	0	7	1.8	1.8	7	0
333	all_deer	N	335-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	340-02	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	50.8	36.7	64.9	0.2	0	0	0	50.8	50.8	0	0
333	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
333	all_deer	N	SUM	25222	173.4	149.2	197.6	961.5	782.5	1140.5	5.5	4.8	6.2	86.5	70.5	102.4	0.3	0	0	33.9	52.6	52.6	33.9	0
333	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	290.2	261.8	318.5	4	0	7.7	282.5	0	0	290.2	0
333	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.1	1	4.3	0.1	0	0	2.1	0	0	2.1	0
333	all_deer	R	320-02	136	.	.	.	.	.	.	.	.	.	6	4	8.3	4.4	0	0	6	0	0	6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
333	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	0	2.3	2.3	0	0
333	all_deer	R	326-00	440	.	.	.	.	.	.	.	.	.	3	2	4.7	0.7	0	0	3	0	0	3	0
333	all_deer	R	330-00	215	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	all_deer	R	331-00	25	.	.	.	.	.	.	.	.	.	1.1	1	1.6	4.4	0	0	1.1	0	0	1.1	0
333	all_deer	R	331-01	138	.	.	.	.	.	.	.	.	.	1.4	1	2.4	1	0	0	1.4	0	0	1.4	0
333	all_deer	R	333-00	171	.	.	.	.	.	.	.	.	.	72.3	67.1	77.5	42.3	0	0	69.6	2.7	1.3	71	0
333	all_deer	R	333-01	285	.	.	.	.	.	.	.	.	.	112.4	105	119.8	39.4	0	1.5	111	0	0	112.4	0
333	all_deer	R	333-02	218	.	.	.	.	.	.	.	.	.	74.5	68.9	80.2	34.2	0	3.5	71	0	0	74.5	0
333	all_deer	R	333-03	299	.	.	.	.	.	.	.	.	.	108.2	100.3	116	36.2	0	0	106.7	1.5	0	108.2	0
333	all_deer	R	335-00	148	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1	0	0	0	1.5	0	1.5	0
333	all_deer	R	340-02	78	.	.	.	.	.	.	.	.	.	1.4	1	2.4	1.8	0	0	0	1.4	0	1.4	0
333	all_deer	R	350-00	75	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1.7	0	0	0	1.3	1.3	0	0
333	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	735.5	687	783.9	0.5	0	1.8	111.9	621.8	593.4	136.3	5.8
333	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	11.7	6.1	17.3	.	0	0	11.7	0	0	11.7	0
333	all_deer	R	SUM	163161	1747.4	1672.9	1821.9	9377	8798.6	9955.4	5.4	5.2	5.6	1424.9	1366.8	1483.1	0.9	0	14.5	778	632.4	598.3	820.9	5.8
333	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	290.2	261.8	318.5	4	0	7.7	282.5	0	0	290.2	0
333	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	13.4	6.9	19.8	1.7	0	0	13.4	0	0	13.4	0
333	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.1	1	4.3	0.1	0	0	2.1	0	0	2.1	0
333	all_deer	SUM	320-02	150	.	.	.	.	.	.	.	.	.	6	4	8.3	4	0	0	6	0	0	6	0
333	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	0	2.3	2.3	0	0
333	all_deer	SUM	326-00	500	.	.	.	.	.	.	.	.	.	3	2	4.7	0.6	0	0	3	0	0	3	0
333	all_deer	SUM	330-00	250	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.6	0	0	1.4	0	0	1.4	0
333	all_deer	SUM	331-00	25	.	.	.	.	.	.	.	.	.	1.1	1	1.6	4.4	0	0	1.1	0	0	1.1	0
333	all_deer	SUM	331-01	149	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.9	0	0	1.4	0	0	1.4	0
333	all_deer	SUM	333-00	175	.	.	.	.	.	.	.	.	.	72.3	67.1	77.5	41.3	0	0	69.6	2.7	1.3	71	0
333	all_deer	SUM	333-01	300	.	.	.	.	.	.	.	.	.	122.5	114.9	130.1	40.8	0	1.5	121	0	0	122.5	0
333	all_deer	SUM	333-02	224	.	.	.	.	.	.	.	.	.	76.5	70.9	82.2	34.2	0	3.5	73	0	0	76.5	0
333	all_deer	SUM	333-03	336	.	.	.	.	.	.	.	.	.	117	108.6	125.3	34.8	0	0	113.7	3.2	1.8	115.2	0
333	all_deer	SUM	335-00	150	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1	0	0	0	1.5	0	1.5	0
333	all_deer	SUM	340-02	90	.	.	.	.	.	.	.	.	.	1.4	1	2.4	1.6	0	0	0	1.4	0	1.4	0
333	all_deer	SUM	350-00	75	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1.7	0	0	0	1.3	1.3	0	0
333	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	786.3	735.8	836.8	0.4	0	1.8	111.9	672.6	644.2	136.3	5.8
333	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	11.7	6.1	17.3	.	0	0	11.7	0	0	11.7	0
333	all_deer	SUM	SUM	188383	1920.9	1842.6	1999.2	10338.5	9733	10944	5.4	5.2	5.6	1511.4	1451.1	1571.7	0.8	0	14.5	811.9	685	650.8	854.8	5.8

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
333	md	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	md	N	330-00	35	.	.	.	.	.	.	.	.	.	1.4	1	2.4	4	0	0	1.4	0	0	1.4	0
333	md	N	331-01	11	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	md	N	333-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	md	N	333-01	15	.	.	.	.	.	.	.	.	.	10.1	8.4	11.7	67.3	0	0	10.1	0	0	10.1	0
333	md	N	333-03	37	.	.	.	.	.	.	.	.	.	7	4.4	9.7	18.9	0	0	5.3	1.8	1.8	5.3	0
333	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	15.1	7.8	22.4	0.1	0	0	0	15.1	15.1	0	0
333	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
333	md	N	SUM	24375	.	.	.	.	.	.	.	.	.	33.7	25.7	41.7	0.1	0	0	16.8	16.9	16.9	16.8	0
333	md	R	326-00	440	.	.	.	.	.	.	.	.	.	3	2	4.7	0.7	0	0	3	0	0	3	0
333	md	R	330-00	215	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	md	R	331-01	138	.	.	.	.	.	.	.	.	.	1.4	1	2.4	1	0	0	1.4	0	0	1.4	0
333	md	R	333-00	171	.	.	.	.	.	.	.	.	.	3.8	3	5.3	2.2	0	0	2.5	1.4	0	3.8	0
333	md	R	333-01	285	.	.	.	.	.	.	.	.	.	110.1	102.7	117.5	38.6	0	1.5	108.6	0	0	110.1	0
333	md	R	333-03	299	.	.	.	.	.	.	.	.	.	104.9	97.2	112.7	35.1	0	0	103.4	1.5	0	104.9	0
333	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	204.3	179.1	229.4	0.1	0	0	4.1	200.1	198.8	5.5	0
333	md	R	none	.	.	.	.	.	.	.	.	.	.	1.4	1	2.8	.	0	0	1.4	0	0	1.4	0
333	md	R	SUM	152125	.	.	.	.	.	.	.	.	.	429	401.5	456.4	0.3	0	1.5	224.5	203	198.8	230.2	0
333	md	SUM	326-00	500	.	.	.	.	.	.	.	.	.	3	2	4.7	0.6	0	0	3	0	0	3	0
333	md	SUM	330-00	250	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.6	0	0	1.4	0	0	1.4	0
333	md	SUM	331-01	149	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.9	0	0	1.4	0	0	1.4	0
333	md	SUM	333-00	175	.	.	.	.	.	.	.	.	.	3.8	3	5.3	2.2	0	0	2.5	1.4	0	3.8	0
333	md	SUM	333-01	300	.	.	.	.	.	.	.	.	.	120.1	112.5	127.7	40	0	1.5	118.6	0	0	120.1	0
333	md	SUM	333-03	336	.	.	.	.	.	.	.	.	.	112	103.8	120.2	33.3	0	0	108.7	3.2	1.8	110.2	0
333	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	219.4	193.2	245.6	0.1	0	0	4.1	215.3	213.9	5.5	0
333	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.4	1	2.8	.	0	0	1.4	0	0	1.4	0
333	md	SUM	SUM	176500	.	.	.	.	.	.	.	.	.	462.6	434	491.2	0.3	0	1.5	241.2	219.9	215.6	247	0
333	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	13.4	6.9	19.8	1.7	0	0	13.4	0	0	13.4	0
333	wt	N	320-02	14	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	wt	N	333-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	wt	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	wt	N	333-02	6	.	.	.	.	.	.	.	.	.	2	2	2	33.3	0	0	2	0	0	2	0
333	wt	N	333-03	37	.	.	.	.	.	.	.	.	.	1.8	1	3.2	4.9	0	0	1.8	0	0	1.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
333	wt	N	335-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	wt	N	340-02	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
333	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	35.7	23.6	47.8	0.1	0	0	0	35.7	35.7	0	0
333	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
333	wt	N	SUM	25116	.	.	.	.	.	.	.	.	.	52.8	39	66.6	0.2	0	0	17.1	35.7	35.7	17.1	0
333	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	287.9	259.6	316.2	3.9	0	7.7	280.3	0	0	287.9	0
333	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.1	1	4.3	0.1	0	0	2.1	0	0	2.1	0
333	wt	R	320-02	136	.	.	.	.	.	.	.	.	.	6	4	8.3	4.4	0	0	6	0	0	6	0
333	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	0	2.3	2.3	0	0
333	wt	R	331-00	25	.	.	.	.	.	.	.	.	.	1.1	1	1.6	4.4	0	0	1.1	0	0	1.1	0
333	wt	R	333-00	171	.	.	.	.	.	.	.	.	.	68.4	63.3	73.6	40	0	0	67.2	1.3	1.3	67.2	0
333	wt	R	333-01	285	.	.	.	.	.	.	.	.	.	2.4	2	3.5	0.8	0	0	2.4	0	0	2.4	0
333	wt	R	333-02	218	.	.	.	.	.	.	.	.	.	74.5	68.9	80.2	34.2	0	3.5	71	0	0	74.5	0
333	wt	R	333-03	299	.	.	.	.	.	.	.	.	.	3.2	2	5	1.1	0	0	3.2	0	0	3.2	0
333	wt	R	335-00	148	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1	0	0	0	1.5	0	1.5	0
333	wt	R	340-02	78	.	.	.	.	.	.	.	.	.	1.4	1	2.4	1.8	0	0	0	1.4	0	1.4	0
333	wt	R	350-00	75	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1.7	0	0	0	1.3	1.3	0	0
333	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	529.7	488.2	571.1	0.4	0	1.8	107.7	420.1	393.1	130.8	5.8
333	wt	R	none	.	.	.	.	.	.	.	.	.	.	10.4	5	15.7	.	0	0	10.4	0	0	10.4	0
333	wt	R	SUM	162368	.	.	.	.	.	.	.	.	.	992.2	941	1043.5	0.6	0	13	551.3	427.9	398	588.5	5.8
333	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	287.9	259.6	316.2	3.9	0	7.7	280.3	0	0	287.9	0
333	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	13.4	6.9	19.8	1.7	0	0	13.4	0	0	13.4	0
333	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.1	1	4.3	0.1	0	0	2.1	0	0	2.1	0
333	wt	SUM	320-02	150	.	.	.	.	.	.	.	.	.	6	4	8.3	4	0	0	6	0	0	6	0
333	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	0	2.3	2.3	0	0
333	wt	SUM	331-00	25	.	.	.	.	.	.	.	.	.	1.1	1	1.6	4.4	0	0	1.1	0	0	1.1	0
333	wt	SUM	333-00	175	.	.	.	.	.	.	.	.	.	68.4	63.3	73.6	39.1	0	0	67.2	1.3	1.3	67.2	0
333	wt	SUM	333-01	300	.	.	.	.	.	.	.	.	.	2.4	2	3.5	0.8	0	0	2.4	0	0	2.4	0
333	wt	SUM	333-02	224	.	.	.	.	.	.	.	.	.	76.5	70.9	82.2	34.2	0	3.5	73	0	0	76.5	0
333	wt	SUM	333-03	336	.	.	.	.	.	.	.	.	.	5	3	7.3	1.5	0	0	5	0	0	5	0
333	wt	SUM	335-00	150	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1	0	0	0	1.5	0	1.5	0
333	wt	SUM	340-02	90	.	.	.	.	.	.	.	.	.	1.4	1	2.4	1.6	0	0	0	1.4	0	1.4	0
333	wt	SUM	350-00	75	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1.7	0	0	0	1.3	1.3	0	0
333	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	565.4	522.2	608.5	0.3	0	1.8	107.7	455.8	428.8	130.8	5.8

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
333	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	10.4	5	15.7	.	0	0	10.4	0	0	10.4	0
333	wt	SUM	SUM	187484	.	.	.	.	.	.	.	.	.	1045	991.9	1098.1	0.6	0	13	568.5	463.6	433.7	605.6	5.8
335	all_deer	N	335-00	2	.	.	.	.	.	.	.	.	.	1	1	1	50	0	0	1	0	0	1	0
335	all_deer	N	335-40	8	.	.	.	.	.	.	.	.	.	2.7	2	3.9	33.8	0	0	0	2.7	2.7	0	0
335	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	5	2	9.1	0	0	0	0	5	5	0	0
335	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
335	all_deer	N	SUM	24223	18.9	11.3	26.5	143	72.3	213.7	7.6	5.7	9.5	8.7	5	13	0	0	0	1	7.7	7.7	1	0
335	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	4.8	2	8.3	0.1	0	0	4.8	0	0	4.8	0
335	all_deer	R	335-00	148	.	.	.	.	.	.	.	.	.	65.9	60.5	71.3	44.5	0	0	65.9	0	0	65.9	0
335	all_deer	R	335-40	322	.	.	.	.	.	.	.	.	.	153.9	146.3	161.5	47.8	0	0	2.8	151.1	151.1	2.8	0
335	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	48.6	36	61.2	0	0	0	12.1	36.5	33.1	15.5	0
335	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.9	1	4	.	0	0	1.9	0	0	1.9	0
335	all_deer	R	SUM	158376	487.1	451.7	522.5	3356.1	3046.2	3666	6.9	6.5	7.3	275.1	258.9	291.3	0.2	0	0	87.6	187.5	184.2	91	0
335	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	4.8	2	8.3	0.1	0	0	4.8	0	0	4.8	0
335	all_deer	SUM	335-00	150	.	.	.	.	.	.	.	.	.	66.9	61.5	72.3	44.6	0	0	66.9	0	0	66.9	0
335	all_deer	SUM	335-40	330	.	.	.	.	.	.	.	.	.	156.6	149	164.3	47.5	0	0	2.8	153.8	153.8	2.8	0
335	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	53.5	40.3	66.8	0	0	0	12.1	41.4	38	15.5	0
335	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.9	1	4	.	0	0	1.9	0	0	1.9	0
335	all_deer	SUM	SUM	182599	506.1	470	542.2	3499.1	3181.1	3817.1	6.9	6.5	7.3	283.8	267.1	300.6	0.2	0	0	88.6	195.2	191.9	92	0
335	md	N	335-00	2	.	.	.	.	.	.	.	.	.	1	1	1	50	0	0	1	0	0	1	0
335	md	N	335-40	8	.	.	.	.	.	.	.	.	.	2.7	2	3.9	33.8	0	0	0	2.7	2.7	0	0
335	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
335	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
335	md	N	SUM	24223	.	.	.	.	.	.	.	.	.	3.7	3	4.9	0	0	0	1	2.7	2.7	1	0
335	md	R	335-00	148	.	.	.	.	.	.	.	.	.	65.9	60.5	71.3	44.5	0	0	65.9	0	0	65.9	0
335	md	R	335-40	322	.	.	.	.	.	.	.	.	.	153.9	146.3	161.5	47.8	0	0	2.8	151.1	151.1	2.8	0
335	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	28.7	18.8	38.5	0	0	0	9.8	18.9	15.5	13.2	0
335	md	R	none	.	.	.	.	.	.	.	.	.	.	1.9	1	4	.	0	0	1.9	0	0	1.9	0
335	md	R	SUM	151047	.	.	.	.	.	.	.	.	.	250.4	236.7	264.1	0.2	0	0	80.4	170	166.6	83.8	0
335	md	SUM	335-00	150	.	.	.	.	.	.	.	.	.	66.9	61.5	72.3	44.6	0	0	66.9	0	0	66.9	0
335	md	SUM	335-40	330	.	.	.	.	.	.	.	.	.	156.6	149	164.3	47.5	0	0	2.8	153.8	153.8	2.8	0
335	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	28.7	18.8	38.5	0	0	0	9.8	18.9	15.5	13.2	0
335	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.9	1	4	.	0	0	1.9	0	0	1.9	0
335	md	SUM	SUM	175270	.	.	.	.	.	.	.	.	.	254.1	240.4	267.9	0.1	0	0	81.4	172.7	169.3	84.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
335	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
335	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	5	2	9.1	0	0	0	0	5	5	0	0
335	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
335	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	5	2	9.1	0	0	0	0	5	5	0	0
335	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	4.8	2	8.3	0.1	0	0	4.8	0	0	4.8	0
335	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	19.9	12	27.8	0	0	0	2.3	17.6	17.6	2.3	0
335	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
335	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	24.7	16.1	33.4	0	0	0	7.2	17.6	17.6	7.2	0
335	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	4.8	2	8.3	0.1	0	0	4.8	0	0	4.8	0
335	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
335	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	24.9	15.9	33.8	0	0	0	2.3	22.5	22.5	2.3	0
335	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
335	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	29.7	20.1	39.3	0	0	0	7.2	22.5	22.5	7.2	0
339	all_deer	N	339-40	12	.	.	.	.	.	.	.	.	.	5.9	5	7	49.2	0	0	0	5.9	5.9	0	0
339	all_deer	N	380-40	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
339	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
339	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	22.4	12.6	32.1	0.1	0	0	0	22.4	22.4	0	0
339	all_deer	N	SUM	24337	56.8	42.4	71.2	355	264.9	445.1	6.3	5.8	6.8	28.3	18.5	38.1	0.1	0	0	0	28.3	28.3	0	0
339	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	43.1	31.9	54.4	0.6	0	0	43.1	0	0	43.1	0
339	all_deer	R	339-00	150	.	.	.	.	.	.	.	.	.	70.2	64.1	76.4	46.8	0	0	70.2	0	0	70.2	0
339	all_deer	R	339-01	50	.	.	.	.	.	.	.	.	.	25.9	23.6	28.2	51.8	0	0	25.9	0	0	25.9	0
339	all_deer	R	339-40	340	.	.	.	.	.	.	.	.	.	124.4	117.4	131.4	36.6	0	0	1.4	123.1	123.1	1.4	0
339	all_deer	R	380-40	1176	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0.2	0	0	2.3	0	0	2.3	0
339	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.6	0	0	2.8	0	0	2.8	0
339	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	120.9	101.3	140.6	0.1	0	0	26.7	94.3	86.4	34.5	0
339	all_deer	R	SUM	160061	592.4	553.6	631.2	3510.6	3234.3	3786.9	5.9	5.6	6.2	389.8	365.1	414.6	0.2	0	0	172.5	217.3	209.5	180.3	0
339	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	43.1	31.9	54.4	0.6	0	0	43.1	0	0	43.1	0
339	all_deer	SUM	339-00	150	.	.	.	.	.	.	.	.	.	70.2	64.1	76.4	46.8	0	0	70.2	0	0	70.2	0
339	all_deer	SUM	339-01	50	.	.	.	.	.	.	.	.	.	25.9	23.6	28.2	51.8	0	0	25.9	0	0	25.9	0
339	all_deer	SUM	339-40	352	.	.	.	.	.	.	.	.	.	130.4	123.3	137.5	37	0	0	1.4	129	129	1.4	0
339	all_deer	SUM	380-40	1227	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0.2	0	0	2.3	0	0	2.3	0
339	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.6	0	0	2.8	0	0	2.8	0
339	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	143.3	121.4	165.2	0.1	0	0	26.7	116.6	108.8	34.5	0
339	all_deer	SUM	SUM	184398	649.1	607.7	690.5	3865.6	3574.9	4156.3	6	5.7	6.3	418.1	391.5	444.7	0.2	0	0	172.5	245.6	237.8	180.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
339	md	N	339-40	12	.	.	.	.	.	.	.	.	.	5.9	5	7	49.2	0	0	0	5.9	5.9	0	0
339	md	N	380-40	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
339	md	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
339	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
339	md	N	SUM	24337	.	.	.	.	.	.	.	.	.	20.8	12.8	28.8	0.1	0	0	0	20.8	20.8	0	0
339	md	R	339-00	150	.	.	.	.	.	.	.	.	.	70.2	64.1	76.4	46.8	0	0	70.2	0	0	70.2	0
339	md	R	339-01	50	.	.	.	.	.	.	.	.	.	25.9	23.6	28.2	51.8	0	0	25.9	0	0	25.9	0
339	md	R	339-40	340	.	.	.	.	.	.	.	.	.	124.4	117.4	131.4	36.6	0	0	1.4	123.1	123.1	1.4	0
339	md	R	380-40	1176	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0.2	0	0	2.3	0	0	2.3	0
339	md	R	445-00	439	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.6	0	0	2.8	0	0	2.8	0
339	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	46.9	34.6	59.3	0	0	0	12.6	34.3	32.9	14	0
339	md	R	SUM	152732	.	.	.	.	.	.	.	.	.	272.7	256.8	288.6	0.2	0	0	115.3	157.4	156	116.7	0
339	md	SUM	339-00	150	.	.	.	.	.	.	.	.	.	70.2	64.1	76.4	46.8	0	0	70.2	0	0	70.2	0
339	md	SUM	339-01	50	.	.	.	.	.	.	.	.	.	25.9	23.6	28.2	51.8	0	0	25.9	0	0	25.9	0
339	md	SUM	339-40	352	.	.	.	.	.	.	.	.	.	130.4	123.3	137.5	37	0	0	1.4	129	129	1.4	0
339	md	SUM	380-40	1227	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0.2	0	0	2.3	0	0	2.3	0
339	md	SUM	445-00	500	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.6	0	0	2.8	0	0	2.8	0
339	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	61.8	47.1	76.5	0	0	0	12.6	49.2	47.8	14	0
339	md	SUM	SUM	177069	.	.	.	.	.	.	.	.	.	293.5	275.7	311.3	0.2	0	0	115.3	178.2	176.8	116.7	0
339	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
339	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
339	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
339	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	43.1	31.9	54.4	0.6	0	0	43.1	0	0	43.1	0
339	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	74	58.7	89.3	0	0	0	14.1	59.9	53.5	20.5	0
339	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	117.1	98.2	136.1	0.1	0	0	57.2	59.9	53.5	63.6	0
339	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	43.1	31.9	54.4	0.6	0	0	43.1	0	0	43.1	0
339	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
339	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	81.4	65.2	97.7	0	0	0	14.1	67.4	61	20.5	0
339	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	124.6	104.8	144.4	0.1	0	0	57.2	67.4	61	63.6	0
340	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	15.2	7.8	22.5	2	0	0	15.2	0	0	15.2	0
340	all_deer	N	320-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	all_deer	N	320-02	14	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	all_deer	N	322-00	19	.	.	.	.	.	.	.	.	.	3.8	1	7.6	20	0	0	3.8	0	0	3.8	0
340	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
340	all_deer	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	all_deer	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	all_deer	N	333-03	37	.	.	.	.	.	.	.	.	.	1.8	1	3.2	4.9	0	0	1.8	0	0	1.8	0
340	all_deer	N	340-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
340	all_deer	N	340-01	4	.	.	.	.	.	.	.	.	.	4	1	4	100	0	0	4	0	0	4	0
340	all_deer	N	340-02	12	.	.	.	.	.	.	.	.	.	6.3	3.7	8.8	52.5	0	0	4	2.3	2.3	4	0
340	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	39.4	27.3	51.6	0.2	0	0	3.7	35.7	35.7	3.7	0
340	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
340	all_deer	N	SUM	25175	147.1	123.6	170.6	1035.6	806.1	1265.1	7	5.9	8.1	71.4	55.8	87	0.3	0	0	33.4	38	38	33.4	0
340	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	128.5	110.1	146.9	1.8	0	8	120.5	0	0	128.5	0
340	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
340	all_deer	R	320-00	147	.	.	.	.	.	.	.	.	.	4.1	3	5.6	2.8	0	0	4.1	0	0	4.1	0
340	all_deer	R	320-02	136	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.1	0	0	1.5	0	0	1.5	0
340	all_deer	R	322-00	581	.	.	.	.	.	.	.	.	.	2.6	2	3.8	0.4	0	0	2.6	0	0	2.6	0
340	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	0	2.3	2.3	0	0
340	all_deer	R	325-00	405	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
340	all_deer	R	333-01	285	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	1.7	0	0	1.7	0
340	all_deer	R	333-03	299	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	all_deer	R	340-00	49	.	.	.	.	.	.	.	.	.	6.4	4	8.8	13.1	0	0	6.4	0	0	6.4	0
340	all_deer	R	340-01	146	.	.	.	.	.	.	.	.	.	78.6	74.1	83.1	53.8	0	0	75.8	2.8	2.8	75.8	0
340	all_deer	R	340-02	78	.	.	.	.	.	.	.	.	.	40	36.2	43.8	51.3	0	1.4	38.6	0	0	40	0
340	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	501.2	461.2	541.1	0.3	0	8.2	45	447.9	435.3	65.8	0
340	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.3	.	0	0	0	1.6	1.6	0	0
340	all_deer	R	SUM	168088	1496.5	1425.1	1567.9	8703.8	8072.6	9335	5.8	5.5	6.1	773.2	728.5	818	0.5	0	17.6	297.7	458	445.4	327.9	0
340	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	128.5	110.1	146.9	1.8	0	8	120.5	0	0	128.5	0
340	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	15.2	7.8	22.5	2	0	0	15.2	0	0	15.2	0
340	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
340	all_deer	SUM	320-00	149	.	.	.	.	.	.	.	.	.	4.1	3	5.6	2.8	0	0	4.1	0	0	4.1	0
340	all_deer	SUM	320-02	150	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1	0	0	1.5	0	0	1.5	0
340	all_deer	SUM	322-00	600	.	.	.	.	.	.	.	.	.	6.4	3	10.4	1.1	0	0	6.4	0	0	6.4	0
340	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	0	2.3	2.3	0	0
340	all_deer	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
340	all_deer	SUM	333-01	300	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	1.7	0	0	1.7	0
340	all_deer	SUM	333-03	336	.	.	.	.	.	.	.	.	.	1.8	1	3.2	0.5	0	0	1.8	0	0	1.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
340	all_deer	SUM	340-00	50	.	.	.	.	.	.	.	.	.	7.4	5	9.8	14.8	0	0	7.4	0	0	7.4	0
340	all_deer	SUM	340-01	150	.	.	.	.	.	.	.	.	.	82.6	76.3	88.9	55.1	0	0	79.8	2.8	2.8	79.8	0
340	all_deer	SUM	340-02	90	.	.	.	.	.	.	.	.	.	46.2	41.7	50.8	51.3	0	1.4	42.6	2.3	2.3	44	0
340	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	540.6	498.8	582.3	0.3	0	8.2	48.8	483.6	471	69.6	0
340	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.3	.	0	0	0	1.6	1.6	0	0
340	all_deer	SUM	SUM	193263	1643.6	1568.4	1718.8	9739.5	9067.8	10411.2	5.9	5.6	6.2	844.6	797.2	892	0.4	0	17.6	331.1	495.9	483.3	361.3	0
340	md	N	325-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	md	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	md	N	333-03	37	.	.	.	.	.	.	.	.	.	1.8	1	3.2	4.9	0	0	1.8	0	0	1.8	0
340	md	N	340-01	4	.	.	.	.	.	.	.	.	.	4	1	4	100	0	0	4	0	0	4	0
340	md	N	340-02	12	.	.	.	.	.	.	.	.	.	2.3	1	4.3	19.2	0	0	2.3	0	0	2.3	0
340	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.4	5	17.7	0	0	0	0	11.4	11.4	0	0
340	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
340	md	N	SUM	24326	.	.	.	.	.	.	.	.	.	19.4	11.2	27.5	0.1	0	0	8	11.4	11.4	8	0
340	md	R	325-00	405	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
340	md	R	333-01	285	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	1.7	0	0	1.7	0
340	md	R	333-03	299	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	md	R	340-01	146	.	.	.	.	.	.	.	.	.	75.8	71.3	80.3	51.9	0	0	75.8	0	0	75.8	0
340	md	R	340-02	78	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	247	218.9	275.1	0.2	0	0	4.1	243	236.6	10.5	0
340	md	R	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.3	.	0	0	0	1.6	1.6	0	0
340	md	R	SUM	151790	.	.	.	.	.	.	.	.	.	327.6	299.1	356.2	0.2	0	0	83	244.6	238.2	89.4	0
340	md	SUM	325-00	450	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
340	md	SUM	333-01	300	.	.	.	.	.	.	.	.	.	1.7	1	2.8	0.6	0	0	1.7	0	0	1.7	0
340	md	SUM	333-03	336	.	.	.	.	.	.	.	.	.	1.8	1	3.2	0.5	0	0	1.8	0	0	1.8	0
340	md	SUM	340-01	150	.	.	.	.	.	.	.	.	.	79.8	73.5	86.2	53.2	0	0	79.8	0	0	79.8	0
340	md	SUM	340-02	90	.	.	.	.	.	.	.	.	.	2.3	1	4.3	2.6	0	0	2.3	0	0	2.3	0
340	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	258.4	229.6	287.2	0.1	0	0	4.1	254.4	248	10.5	0
340	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.3	.	0	0	0	1.6	1.6	0	0
340	md	SUM	SUM	176116	.	.	.	.	.	.	.	.	.	347	317.3	376.7	0.2	0	0	91	256	249.6	97.4	0
340	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	15.2	7.8	22.5	2	0	0	15.2	0	0	15.2	0
340	wt	N	320-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	wt	N	320-02	14	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	wt	N	322-00	19	.	.	.	.	.	.	.	.	.	3.8	1	7.6	20	0	0	3.8	0	0	3.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
340	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	wt	N	340-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
340	wt	N	340-01	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
340	wt	N	340-02	12	.	.	.	.	.	.	.	.	.	4	2	6.3	33.3	0	0	1.7	2.3	2.3	1.7	0
340	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	28.1	17.7	38.4	0.1	0	0	3.7	24.3	24.3	3.7	0
340	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
340	wt	N	SUM	25078	.	.	.	.	.	.	.	.	.	52	38.5	65.5	0.2	0	0	25.4	26.6	26.6	25.4	0
340	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	128.5	110.1	146.9	1.8	0	8	120.5	0	0	128.5	0
340	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
340	wt	R	320-00	147	.	.	.	.	.	.	.	.	.	4.1	3	5.6	2.8	0	0	4.1	0	0	4.1	0
340	wt	R	320-02	136	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.1	0	0	1.5	0	0	1.5	0
340	wt	R	322-00	581	.	.	.	.	.	.	.	.	.	2.6	2	3.8	0.4	0	0	2.6	0	0	2.6	0
340	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	0	2.3	2.3	0	0
340	wt	R	340-00	49	.	.	.	.	.	.	.	.	.	6.4	4	8.8	13.1	0	0	6.4	0	0	6.4	0
340	wt	R	340-01	146	.	.	.	.	.	.	.	.	.	2.8	2	4	1.9	0	0	0	2.8	2.8	0	0
340	wt	R	340-02	78	.	.	.	.	.	.	.	.	.	40	36.2	43.8	51.3	0	1.4	38.6	0	0	40	0
340	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	254.1	225.7	282.6	0.2	0	8.2	41	204.9	198.7	55.4	0
340	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
340	wt	R	SUM	167099	.	.	.	.	.	.	.	.	.	445.6	411.1	480.2	0.3	0	17.6	214.7	213.3	207.1	238.5	0
340	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	128.5	110.1	146.9	1.8	0	8	120.5	0	0	128.5	0
340	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	15.2	7.8	22.5	2	0	0	15.2	0	0	15.2	0
340	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
340	wt	SUM	320-00	149	.	.	.	.	.	.	.	.	.	4.1	3	5.6	2.8	0	0	4.1	0	0	4.1	0
340	wt	SUM	320-02	150	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1	0	0	1.5	0	0	1.5	0
340	wt	SUM	322-00	600	.	.	.	.	.	.	.	.	.	6.4	3	10.4	1.1	0	0	6.4	0	0	6.4	0
340	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.3	1	4.4	0.5	0	0	0	2.3	2.3	0	0
340	wt	SUM	340-00	50	.	.	.	.	.	.	.	.	.	7.4	5	9.8	14.8	0	0	7.4	0	0	7.4	0
340	wt	SUM	340-01	150	.	.	.	.	.	.	.	.	.	2.8	2	4	1.9	0	0	0	2.8	2.8	0	0
340	wt	SUM	340-02	90	.	.	.	.	.	.	.	.	.	44	39.5	48.4	48.9	0	1.4	40.3	2.3	2.3	41.7	0
340	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	282.2	251.9	312.5	0.2	0	8.2	44.7	229.3	223.1	59.1	0
340	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
340	wt	SUM	SUM	192177	.	.	.	.	.	.	.	.	.	497.6	460.6	534.7	0.3	0	17.6	240.1	239.9	233.7	263.9	0
341	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
341	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	18.6	9.7	27.5	0.1	0	0	0	18.6	18.6	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
341	all_deer	N	SUM	24990	35.8	23.8	47.8	224.3	141.4	307.2	6.3	5.3	7.3	22.7	12.8	32.5	0.1	0	0	4.1	18.6	18.6	4.1	0
341	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	4.5	2	7.7	0.1	0	0	4.5	0	0	4.5	0
341	all_deer	R	341-00	75	.	.	.	.	.	.	.	.	.	31.4	28	34.9	41.9	0	0	31.4	0	0	31.4	0
341	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	102.2	84.2	120.2	0.1	0	0	1.6	100.6	99	3.2	0
341	all_deer	R	SUM	157981	431.2	391.6	470.8	3072.5	2707.9	3437.1	7.1	6.6	7.6	138.1	119.5	156.8	0.1	0	0	37.6	100.6	99	39.1	0
341	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	4.5	2	7.7	0.1	0	0	4.5	0	0	4.5	0
341	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
341	all_deer	SUM	341-00	75	.	.	.	.	.	.	.	.	.	31.4	28	34.9	41.9	0	0	31.4	0	0	31.4	0
341	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	120.8	100.7	140.9	0.1	0	0	1.6	119.2	117.7	3.2	0
341	all_deer	SUM	SUM	182971	466.9	425.5	508.3	3296.8	2922.8	3670.8	7.1	6.6	7.6	160.8	139.8	181.9	0.1	0	0	41.6	119.2	117.7	43.2	0
341	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
341	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
341	md	R	341-00	75	.	.	.	.	.	.	.	.	.	31.4	28	34.9	41.9	0	0	31.4	0	0	31.4	0
341	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	92.1	74.9	109.3	0.1	0	0	1.6	90.5	88.9	3.2	0
341	md	R	SUM	150652	.	.	.	.	.	.	.	.	.	123.5	106	141.1	0.1	0	0	33.1	90.5	88.9	34.6	0
341	md	SUM	341-00	75	.	.	.	.	.	.	.	.	.	31.4	28	34.9	41.9	0	0	31.4	0	0	31.4	0
341	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	107	88	125.9	0.1	0	0	1.6	105.4	103.8	3.2	0
341	md	SUM	SUM	174865	.	.	.	.	.	.	.	.	.	138.4	119.2	157.7	0.1	0	0	33.1	105.4	103.8	34.6	0
341	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
341	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
341	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	7.8	2	13.6	0	0	0	4.1	3.7	3.7	4.1	0
341	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	4.5	2	7.7	0.1	0	0	4.5	0	0	4.5	0
341	wt	R	341-00	75	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
341	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	10.1	5	15.4	0	0	0	0	10.1	10.1	0	0
341	wt	R	SUM	157981	.	.	.	.	.	.	.	.	.	14.6	8.4	20.8	0	0	0	4.5	10.1	10.1	4.5	0
341	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	4.5	2	7.7	0.1	0	0	4.5	0	0	4.5	0
341	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
341	wt	SUM	341-00	75	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
341	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	13.8	7.2	20.5	0	0	0	0	13.8	13.8	0	0
341	wt	SUM	SUM	182971	.	.	.	.	.	.	.	.	.	22.4	13.9	30.9	0	0	0	8.6	13.8	13.8	8.6	0
343	all_deer	N	343-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
343	all_deer	N	343-40	31	.	.	.	.	.	.	.	.	.	10.9	7.8	14.1	35.2	0	0	0	10.9	10.9	0	0
343	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
343	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
343	all_deer	N	SUM	24245	64.8	49.8	79.8	441.6	332.3	550.9	6.8	6.1	7.5	19.4	12.9	25.8	0.1	0	0	1	18.4	18.4	1	0
343	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	21.8	14.8	28.8	0.3	0	0	21.8	0	0	21.8	0
343	all_deer	R	339-00	150	.	.	.	.	.	.	.	.	.	2.3	1	4.2	1.5	0	0	2.3	0	0	2.3	0
343	all_deer	R	343-00	149	.	.	.	.	.	.	.	.	.	68.8	62.9	74.7	46.2	1.6	1.4	65.8	0	0	67.2	1.6
343	all_deer	R	343-40	396	.	.	.	.	.	.	.	.	.	147.3	138.1	156.6	37.2	0	0	0	147.3	147.3	0	0
343	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	92.9	75.2	110.5	0.1	0	0	24.6	68.3	64.2	28.7	0
343	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
343	all_deer	R	SUM	158601	719.1	674	764.2	4499.4	4133.8	4865	6.3	5.9	6.7	334.9	312.8	357	0.2	1.6	1.4	116.3	215.6	211.5	121.8	1.6
343	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	21.8	14.8	28.8	0.3	0	0	21.8	0	0	21.8	0
343	all_deer	SUM	339-00	150	.	.	.	.	.	.	.	.	.	2.3	1	4.2	1.5	0	0	2.3	0	0	2.3	0
343	all_deer	SUM	343-00	150	.	.	.	.	.	.	.	.	.	69.8	63.9	75.7	46.5	1.6	1.4	66.8	0	0	68.2	1.6
343	all_deer	SUM	343-40	427	.	.	.	.	.	.	.	.	.	158.3	148.5	168.1	37.1	0	0	0	158.3	158.3	0	0
343	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	100.3	81.8	118.8	0.1	0	0	24.6	75.7	71.6	28.7	0
343	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
343	all_deer	SUM	SUM	182846	784	736.5	831.5	4940.9	4559.3	5322.5	6.3	6	6.6	354.3	331.3	377.3	0.2	1.6	1.4	117.3	234	229.9	122.8	1.6
343	md	N	343-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
343	md	N	343-40	31	.	.	.	.	.	.	.	.	.	10.9	7.8	14.1	35.2	0	0	0	10.9	10.9	0	0
343	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
343	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
343	md	N	SUM	24245	.	.	.	.	.	.	.	.	.	19.4	12.9	25.8	0.1	0	0	1	18.4	18.4	1	0
343	md	R	339-00	150	.	.	.	.	.	.	.	.	.	2.3	1	4.2	1.5	0	0	2.3	0	0	2.3	0
343	md	R	343-00	149	.	.	.	.	.	.	.	.	.	67.4	61.5	73.3	45.2	1.6	0	65.8	0	0	65.8	1.6
343	md	R	343-40	396	.	.	.	.	.	.	.	.	.	147.3	138.1	156.6	37.2	0	0	0	147.3	147.3	0	0
343	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	28.4	18.6	38.2	0	0	0	7.7	20.7	20.7	7.7	0
343	md	R	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
343	md	R	SUM	151272	.	.	.	.	.	.	.	.	.	247.3	232.3	262.2	0.2	1.6	0	77.7	168	168	77.7	1.6
343	md	SUM	339-00	150	.	.	.	.	.	.	.	.	.	2.3	1	4.2	1.5	0	0	2.3	0	0	2.3	0
343	md	SUM	343-00	150	.	.	.	.	.	.	.	.	.	68.4	62.5	74.3	45.6	1.6	0	66.8	0	0	66.8	1.6
343	md	SUM	343-40	427	.	.	.	.	.	.	.	.	.	158.3	148.5	168.1	37.1	0	0	0	158.3	158.3	0	0
343	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	35.9	24.6	47.2	0	0	0	7.7	28.1	28.1	7.7	0
343	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.8	1	3.6	.	0	0	1.8	0	0	1.8	0
343	md	SUM	SUM	175517	.	.	.	.	.	.	.	.	.	266.6	250.3	282.9	0.2	1.6	0	78.7	186.4	186.4	78.7	1.6
343	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
343	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
343	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
343	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
343	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	21.8	14.8	28.8	0.3	0	0	21.8	0	0	21.8	0
343	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	64.4	49.8	79.1	0	0	0	16.9	47.6	43.5	20.9	0
343	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
343	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	86.2	70	102.5	0.1	0	0	38.7	47.6	43.5	42.7	0
343	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	21.8	14.8	28.8	0.3	0	0	21.8	0	0	21.8	0
343	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
343	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	64.4	49.8	79.1	0	0	0	16.9	47.6	43.5	20.9	0
343	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
343	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	86.2	70	102.5	0	0	0	38.7	47.6	43.5	42.7	0
350	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
350	all_deer	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
350	all_deer	N	340-02	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
350	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	34.1	22.4	45.8	0.1	0	0	7.5	26.7	26.7	7.5	0
350	all_deer	N	SUM	25025	53.2	38.6	67.8	404.5	247.8	561.2	7.6	5.6	9.6	36.6	24.6	48.6	0.1	0	0	9.9	26.7	26.7	9.9	0
350	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	13.5	7.2	19.8	0.2	0	0	13.5	0	0	13.5	0
350	all_deer	R	322-01	277	.	.	.	.	.	.	.	.	.	1.8	1	3	0.6	0	0	1.8	0	0	1.8	0
350	all_deer	R	340-02	78	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.9	0	0	0	1.5	1.5	0	0
350	all_deer	R	350-00	75	.	.	.	.	.	.	.	.	.	24.8	21.8	27.8	33.1	0	0	23.6	1.2	1.2	23.6	0
350	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	183.6	158.6	208.6	0.1	0	0	13.4	170.1	167	16.6	0
350	all_deer	R	SUM	158336	518.7	476.4	561	3849.1	3444	4254.2	7.4	6.9	7.9	225.2	199.1	251.2	0.1	0	0	52.3	172.9	169.7	55.4	0
350	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	13.5	7.2	19.8	0.2	0	0	13.5	0	0	13.5	0
350	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
350	all_deer	SUM	322-01	300	.	.	.	.	.	.	.	.	.	1.8	1	3	0.6	0	0	1.8	0	0	1.8	0
350	all_deer	SUM	340-02	90	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.7	0	0	0	1.5	1.5	0	0
350	all_deer	SUM	350-00	75	.	.	.	.	.	.	.	.	.	24.8	21.8	27.8	33.1	0	0	23.6	1.2	1.2	23.6	0
350	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	217.7	190.1	245.3	0.1	0	0	20.9	196.8	193.7	24	0
350	all_deer	SUM	SUM	183361	571.9	527	616.8	4253.6	3819.3	4687.9	7.4	6.9	7.9	261.7	233.1	290.4	0.1	0	0	62.2	199.5	196.4	65.3	0
350	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	7.5	22.4	22.4	7.5	0
350	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	7.5	22.4	22.4	7.5	0
350	md	R	350-00	75	.	.	.	.	.	.	.	.	.	24.8	21.8	27.8	33.1	0	0	23.6	1.2	1.2	23.6	0
350	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	141.9	120.1	163.7	0.1	0	0	7.7	134.2	132.6	9.3	0
350	md	R	SUM	150652	.	.	.	.	.	.	.	.	.	166.7	144.7	188.7	0.1	0	0	31.3	135.4	133.8	32.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
350	md	SUM	350-00	75	.	.	.	.	.	.	.	.	.	24.8	21.8	27.8	33.1	0	0	23.6	1.2	1.2	23.6	0
350	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	171.7	147.2	196.2	0.1	0	0	15.1	156.6	154.9	16.8	0
350	md	SUM	SUM	174865	.	.	.	.	.	.	.	.	.	196.5	171.8	221.2	0.1	0	0	38.8	157.7	156.1	40.4	0
350	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
350	wt	N	322-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
350	wt	N	340-02	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
350	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	4.3	2	7.5	0	0	0	0	4.3	4.3	0	0
350	wt	N	SUM	25025	.	.	.	.	.	.	.	.	.	6.8	3	11	0	0	0	2.5	4.3	4.3	2.5	0
350	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	13.5	7.2	19.8	0.2	0	0	13.5	0	0	13.5	0
350	wt	R	322-01	277	.	.	.	.	.	.	.	.	.	1.8	1	3	0.6	0	0	1.8	0	0	1.8	0
350	wt	R	340-02	78	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.9	0	0	0	1.5	1.5	0	0
350	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	41.7	29.4	54	0	0	0	5.8	35.9	34.4	7.2	0
350	wt	R	SUM	158261	.	.	.	.	.	.	.	.	.	58.5	44.6	72.4	0	0	0	21	37.5	36	22.5	0
350	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	13.5	7.2	19.8	0.2	0	0	13.5	0	0	13.5	0
350	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
350	wt	SUM	322-01	300	.	.	.	.	.	.	.	.	.	1.8	1	3	0.6	0	0	1.8	0	0	1.8	0
350	wt	SUM	340-02	90	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.7	0	0	0	1.5	1.5	0	0
350	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	46	33.3	58.7	0	0	0	5.8	40.2	38.8	7.2	0
350	wt	SUM	SUM	183286	.	.	.	.	.	.	.	.	.	65.2	50.7	79.8	0	0	0	23.5	41.8	40.3	25	0
360	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	15.7	8.5	22.9	2	0	0	15.7	0	0	15.7	0
360	all_deer	N	311-02	12	.	.	.	.	.	.	.	.	.	1.6	1	2.8	13.3	0	0	1.6	0	0	1.6	0
360	all_deer	N	320-01	21	.	.	.	.	.	.	.	.	.	1.6	1	2.9	7.6	0	0	1.6	0	0	1.6	0
360	all_deer	N	320-02	14	.	.	.	.	.	.	.	.	.	4	1	8.3	28.6	0	0	4	0	0	4	0
360	all_deer	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	2.7	1	5.2	7.5	0	0	2.7	0	0	2.7	0
360	all_deer	N	333-02	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	all_deer	N	333-03	37	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	all_deer	N	360-00	2	.	.	.	.	.	.	.	.	.	2	1	2	100	0	0	2	0	0	2	0
360	all_deer	N	360-01	23	.	.	.	.	.	.	.	.	.	11.1	8.3	13.8	48.3	0	0	11.1	0	0	11.1	0
360	all_deer	N	361-00	2	.	.	.	.	.	.	.	.	.	2	1	2	100	0	0	2	0	0	2	0
360	all_deer	N	560-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	91.1	72	110.2	0.4	0	0	11.2	79.9	74.7	16.4	0
360	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
360	all_deer	N	SUM	25230	323	287.5	358.5	2063.3	1810.2	2316.4	6.4	6	6.8	131.8	110.4	153.2	0.5	0	0	51.9	79.9	74.7	57.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
360	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	128.3	109.1	147.4	1.8	0	2.1	122.7	3.4	3.4	124.8	0
360	all_deer	R	311-02	288	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	all_deer	R	320-01	279	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	all_deer	R	320-02	136	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	all_deer	R	322-00	581	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	0	1.3	1.3	0	0
360	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	all_deer	R	333-02	218	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.7	0	0	1.6	0	0	1.6	0
360	all_deer	R	333-03	299	.	.	.	.	.	.	.	.	.	1.8	1	3.2	0.6	0	0	1.8	0	0	1.8	0
360	all_deer	R	360-00	23	.	.	.	.	.	.	.	.	.	10.8	8.9	12.7	47	0	0	10.8	0	0	10.8	0
360	all_deer	R	360-01	177	.	.	.	.	.	.	.	.	.	61.8	54.4	69.3	34.9	0	1.9	56.8	3.2	1.6	58.7	1.6
360	all_deer	R	361-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	all_deer	R	560-00	282	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.5	0	0	1.4	0	0	1.4	0
360	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	259.7	230.2	289.2	0.2	0	3	34.1	222.6	218.5	41.1	0
360	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
360	all_deer	R	SUM	160658	719.7	669.3	770.1	3446.4	3107.3	3785.5	4.8	4.5	5.1	470.7	434.4	507.1	0.3	0	7	233.2	230.6	224.9	244.2	1.6
360	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	128.3	109.1	147.4	1.8	0	2.1	122.7	3.4	3.4	124.8	0
360	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	15.7	8.5	22.9	2	0	0	15.7	0	0	15.7	0
360	all_deer	SUM	311-02	300	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
360	all_deer	SUM	320-01	300	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.5	0	0	1.6	0	0	1.6	0
360	all_deer	SUM	320-02	150	.	.	.	.	.	.	.	.	.	4	1	8.3	2.7	0	0	4	0	0	4	0
360	all_deer	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	0	1.3	1.3	0	0
360	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.7	1	5.2	0.6	0	0	2.7	0	0	2.7	0
360	all_deer	SUM	333-02	224	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.7	0	0	1.6	0	0	1.6	0
360	all_deer	SUM	333-03	336	.	.	.	.	.	.	.	.	.	1.8	1	3.2	0.5	0	0	1.8	0	0	1.8	0
360	all_deer	SUM	360-00	25	.	.	.	.	.	.	.	.	.	12.8	10.2	15.4	51.2	0	0	12.8	0	0	12.8	0
360	all_deer	SUM	360-01	200	.	.	.	.	.	.	.	.	.	72.9	65	80.9	36.5	0	1.9	67.8	3.2	1.6	69.7	1.6
360	all_deer	SUM	361-00	25	.	.	.	.	.	.	.	.	.	2	1	3.8	8	0	0	2	0	0	2	0
360	all_deer	SUM	560-00	350	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
360	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	350.7	315.6	385.9	0.2	0	3	45.2	302.5	293.2	57.5	0
360	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
360	all_deer	SUM	SUM	185888	1042.7	981.2	1104.2	5509.7	5086.5	5932.9	5.3	5	5.6	602.5	560.4	644.7	0.3	0	7	285.1	310.5	299.6	301.3	1.6
360	md	N	311-02	12	.	.	.	.	.	.	.	.	.	1.6	1	2.8	13.3	0	0	1.6	0	0	1.6	0
360	md	N	320-01	21	.	.	.	.	.	.	.	.	.	1.6	1	2.9	7.6	0	0	1.6	0	0	1.6	0
360	md	N	360-00	2	.	.	.	.	.	.	.	.	.	2	1	2	100	0	0	2	0	0	2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
360	md	N	360-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	md	N	361-00	2	.	.	.	.	.	.	.	.	.	2	1	2	100	0	0	2	0	0	2	0
360	md	N	560-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	43.2	29.9	56.6	0.2	0	0	0	43.2	39.5	3.7	0
360	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
360	md	N	SUM	24341	.	.	.	.	.	.	.	.	.	50.5	36.8	64.2	0.2	0	0	7.3	43.2	39.5	11	0
360	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.4	1	4.8	0	0	0	2.4	0	0	2.4	0
360	md	R	311-02	288	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	md	R	320-01	279	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	md	R	360-00	23	.	.	.	.	.	.	.	.	.	9.3	7.5	11.2	40.4	0	0	9.3	0	0	9.3	0
360	md	R	360-01	177	.	.	.	.	.	.	.	.	.	5.4	3	7.8	3.1	0	0	5.4	0	0	5.4	0
360	md	R	361-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	md	R	560-00	282	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.5	0	0	1.4	0	0	1.4	0
360	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	105.1	84.9	125.4	0.1	0	0	5.5	99.6	99.6	5.5	0
360	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
360	md	R	SUM	158978	.	.	.	.	.	.	.	.	.	123.6	102.9	144.2	0.1	0	0	24	99.6	99.6	24	0
360	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.4	1	4.8	0	0	0	2.4	0	0	2.4	0
360	md	SUM	311-02	300	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
360	md	SUM	320-01	300	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.5	0	0	1.6	0	0	1.6	0
360	md	SUM	360-00	25	.	.	.	.	.	.	.	.	.	11.3	8.8	13.9	45.2	0	0	11.3	0	0	11.3	0
360	md	SUM	360-01	200	.	.	.	.	.	.	.	.	.	5.4	3	7.8	2.7	0	0	5.4	0	0	5.4	0
360	md	SUM	361-00	25	.	.	.	.	.	.	.	.	.	2	1	3.8	8	0	0	2	0	0	2	0
360	md	SUM	560-00	350	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
360	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	148.4	124.1	172.6	0.1	0	0	5.5	142.8	139.1	9.2	0
360	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
360	md	SUM	SUM	183319	.	.	.	.	.	.	.	.	.	174.1	149.3	198.9	0.1	0	0	31.3	142.8	139.1	35	0
360	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	15.7	8.5	22.9	2	0	0	15.7	0	0	15.7	0
360	wt	N	320-02	14	.	.	.	.	.	.	.	.	.	4	1	8.3	28.6	0	0	4	0	0	4	0
360	wt	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	2.7	1	5.2	7.5	0	0	2.7	0	0	2.7	0
360	wt	N	333-02	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	wt	N	333-03	37	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	wt	N	360-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	wt	N	360-01	23	.	.	.	.	.	.	.	.	.	11.1	8.3	13.8	48.3	0	0	11.1	0	0	11.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
360	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	47.8	34.2	61.5	0.2	0	0	11.2	36.7	35.2	12.7	0
360	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
360	wt	N	SUM	25127	.	.	.	.	.	.	.	.	.	81.3	64.8	97.7	0.3	0	0	44.6	36.7	35.2	46.1	0
360	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	125.9	106.9	144.9	1.7	0	2.1	120.3	3.4	3.4	122.4	0
360	wt	R	320-02	136	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	wt	R	322-00	581	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	0	1.3	1.3	0	0
360	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
360	wt	R	333-02	218	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.7	0	0	1.6	0	0	1.6	0
360	wt	R	333-03	299	.	.	.	.	.	.	.	.	.	1.8	1	3.2	0.6	0	0	1.8	0	0	1.8	0
360	wt	R	360-00	23	.	.	.	.	.	.	.	.	.	1.4	1	2.4	6.1	0	0	1.4	0	0	1.4	0
360	wt	R	360-01	177	.	.	.	.	.	.	.	.	.	56.5	49.2	63.8	31.9	0	1.9	51.4	3.2	1.6	53.3	1.6
360	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	154.5	133.1	176	0.1	0	3	28.5	123	118.9	35.6	0
360	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
360	wt	R	SUM	159786	.	.	.	.	.	.	.	.	.	347.1	317.2	377.1	0.2	0	7	209.2	131	125.3	220.2	1.6
360	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	125.9	106.9	144.9	1.7	0	2.1	120.3	3.4	3.4	122.4	0
360	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	15.7	8.5	22.9	2	0	0	15.7	0	0	15.7	0
360	wt	SUM	320-02	150	.	.	.	.	.	.	.	.	.	4	1	8.3	2.7	0	0	4	0	0	4	0
360	wt	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	0	1.3	1.3	0	0
360	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.7	1	5.2	0.6	0	0	2.7	0	0	2.7	0
360	wt	SUM	333-02	224	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.7	0	0	1.6	0	0	1.6	0
360	wt	SUM	333-03	336	.	.	.	.	.	.	.	.	.	1.8	1	3.2	0.5	0	0	1.8	0	0	1.8	0
360	wt	SUM	360-00	25	.	.	.	.	.	.	.	.	.	1.4	1	2.4	5.6	0	0	1.4	0	0	1.4	0
360	wt	SUM	360-01	200	.	.	.	.	.	.	.	.	.	67.6	59.8	75.4	33.8	0	1.9	62.5	3.2	1.6	64.4	1.6
360	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	202.4	176.9	227.8	0.1	0	3	39.7	159.6	154.1	48.3	0
360	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
360	wt	SUM	SUM	184913	.	.	.	.	.	.	.	.	.	428.4	394.2	462.6	0.2	0	7	253.8	167.6	160.5	266.3	1.6
361	all_deer	N	361-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
361	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	22.4	12.6	32.1	0.1	0	0	0	22.4	22.4	0	0
361	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
361	all_deer	N	SUM	24215	99.8	79.6	120	599	458.4	739.6	6	5.3	6.7	26.1	15.6	36.6	0.1	0	0	3.8	22.4	22.4	3.8	0
361	all_deer	R	361-00	23	.	.	.	.	.	.	.	.	.	1.7	1	3	7.4	0	0	1.7	0	0	1.7	0
361	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	3.2	2	5.6	0	0	0	0	3.2	3.2	0	0
361	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
361	all_deer	R	SUM	150600	57.7	43.3	72.1	440.1	281.2	599	7.6	5.7	9.5	4.9	3	7.6	0	0	0	1.7	3.2	3.2	1.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
361	all_deer	SUM	361-00	25	.	.	.	.	.	.	.	.	.	1.7	1	3	6.8	0	0	1.7	0	0	1.7	0
361	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	25.6	15.6	35.6	0	0	0	0	25.6	25.6	0	0
361	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
361	all_deer	SUM	SUM	174815	157.5	132.8	182.2	1039.1	827	1251.2	6.6	5.8	7.4	31	20.1	41.9	0	0	0	5.4	25.6	25.6	5.4	0
361	md	N	361-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
361	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
361	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
361	md	N	SUM	24215	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
361	md	R	361-00	23	.	.	.	.	.	.	.	.	.	1.7	1	3	7.4	0	0	1.7	0	0	1.7	0
361	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	3.2	2	5.6	0	0	0	0	3.2	3.2	0	0
361	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
361	md	R	SUM	150600	.	.	.	.	.	.	.	.	.	4.9	3	7.6	0	0	0	1.7	3.2	3.2	1.7	0
361	md	SUM	361-00	25	.	.	.	.	.	.	.	.	.	1.7	1	3	6.8	0	0	1.7	0	0	1.7	0
361	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	10.7	4.6	16.8	0	0	0	0	10.7	10.7	0	0
361	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
361	md	SUM	SUM	174815	.	.	.	.	.	.	.	.	.	12.3	6.1	18.6	0	0	0	1.7	10.7	10.7	1.7	0
361	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
361	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
361	wt	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
361	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	18.7	9.8	27.6	0.1	0	0	3.8	14.9	14.9	3.8	0
361	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
361	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
361	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
361	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
361	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
361	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
361	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0	0	0	0	14.9	14.9	0	0
361	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
361	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	18.7	9.8	27.6	0	0	0	3.8	14.9	14.9	3.8	0
362	all_deer	N	362-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
362	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	33.5	21.6	45.4	0.1	0	0	0	33.5	29.8	3.7	0
362	all_deer	N	SUM	24215	124.7	102	147.4	921.6	731	1112.2	7.4	6.7	8.1	33.5	21.6	45.4	0.1	0	0	0	33.5	29.8	3.7	0
362	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	2.3	0	0	2.3	0
362	all_deer	R	362-00	23	.	.	.	.	.	.	.	.	.	2.5	2	3.5	10.9	0	0	2.5	0	0	2.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
362	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	26.2	16.6	35.7	0	0	0	4	22.1	22.1	4	0
362	all_deer	R	SUM	157929	153.9	130.8	177	1213.4	966.2	1460.6	7.9	6.8	9	31	21.1	40.8	0	0	0	8.8	22.1	22.1	8.8	0
362	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	2.3	0	0	2.3	0
362	all_deer	SUM	362-00	25	.	.	.	.	.	.	.	.	.	2.5	2	3.5	10	0	0	2.5	0	0	2.5	0
362	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	59.7	44.4	74.9	0	0	0	4	55.7	51.9	7.7	0
362	all_deer	SUM	SUM	182144	278.6	246.3	310.9	2135	1822.8	2447.2	7.7	7	8.4	64.5	49	80	0	0	0	8.8	55.7	51.9	12.5	0
362	md	N	362-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
362	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26.1	15.6	36.6	0.1	0	0	0	26.1	26.1	0	0
362	md	N	SUM	24215	.	.	.	.	.	.	.	.	.	26.1	15.6	36.6	0.1	0	0	0	26.1	26.1	0	0
362	md	R	362-00	23	.	.	.	.	.	.	.	.	.	2.5	2	3.5	10.9	0	0	2.5	0	0	2.5	0
362	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	19.7	11.5	27.8	0	0	0	1.6	18.1	18.1	1.6	0
362	md	R	SUM	150600	.	.	.	.	.	.	.	.	.	22.2	14	30.4	0	0	0	4.1	18.1	18.1	4.1	0
362	md	SUM	362-00	25	.	.	.	.	.	.	.	.	.	2.5	2	3.5	10	0	0	2.5	0	0	2.5	0
362	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	45.7	32.5	59	0	0	0	1.6	44.2	44.2	1.6	0
362	md	SUM	SUM	174815	.	.	.	.	.	.	.	.	.	48.2	34.9	61.6	0	0	0	4.1	44.2	44.2	4.1	0
362	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
362	wt	N	362-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
362	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	3.7	3.7	0
362	wt	N	SUM	24992	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	3.7	3.7	0
362	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	2.3	0	0	2.3	0
362	wt	R	362-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
362	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	6.5	2	11.4	0	0	0	2.4	4.1	4.1	2.4	0
362	wt	R	SUM	157929	.	.	.	.	.	.	.	.	.	8.8	3.3	14.3	0	0	0	4.7	4.1	4.1	4.7	0
362	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.6	0	0	0	2.3	0	0	2.3	0
362	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
362	wt	SUM	362-00	25	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
362	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	13.9	6.5	21.4	0	0	0	2.4	11.5	7.8	6.2	0
362	wt	SUM	SUM	182921	.	.	.	.	.	.	.	.	.	16.2	8.4	24.1	0	0	0	4.7	11.5	7.8	8.5	0
370	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
370	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
370	all_deer	N	SUM	24249	18.7	9.9	27.5	183.9	58.8	309	9.9	5.1	14.7	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
370	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	8.2	3.3	13.1	0.1	0	0	8.2	0	0	8.2	0
370	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	0	2.8	2.8	0	0
370	all_deer	R	370-00	50	.	.	.	.	.	.	.	.	.	12.5	9	16.1	25	0	0	12.5	0	0	12.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
370	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	76	59.5	92.4	0.1	0	0	4	71.9	67.9	8.1	0
370	all_deer	R	SUM	158402	307.7	274.5	340.9	1729.1	1486	1972.2	5.6	5.1	6.1	99.4	81.7	117.2	0.1	0	0	24.7	74.7	70.6	28.8	0
370	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	8.2	3.3	13.1	0.1	0	0	8.2	0	0	8.2	0
370	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	0	2.8	2.8	0	0
370	all_deer	SUM	370-00	50	.	.	.	.	.	.	.	.	.	12.5	9	16.1	25	0	0	12.5	0	0	12.5	0
370	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	79.7	62.7	96.6	0	0	0	4	75.6	71.6	8.1	0
370	all_deer	SUM	SUM	182651	326.4	292.1	360.7	1913	1639.6	2186.4	5.9	5.3	6.5	103.1	85	121.3	0.1	0	0	24.7	78.4	74.3	28.8	0
370	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
370	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
370	md	R	370-00	50	.	.	.	.	.	.	.	.	.	12.5	9	16.1	25	0	0	12.5	0	0	12.5	0
370	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	55.7	41.6	69.8	0	0	0	0	55.7	55.7	0	0
370	md	R	SUM	150627	.	.	.	.	.	.	.	.	.	68.2	53.7	82.8	0	0	0	12.5	55.7	55.7	12.5	0
370	md	SUM	370-00	50	.	.	.	.	.	.	.	.	.	12.5	9	16.1	25	0	0	12.5	0	0	12.5	0
370	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	59.5	44.8	74.1	0	0	0	0	59.5	59.5	0	0
370	md	SUM	SUM	174840	.	.	.	.	.	.	.	.	.	72	56.9	87	0	0	0	12.5	59.5	59.5	12.5	0
370	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
370	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
370	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
370	wt	N	SUM	25026	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
370	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	8.2	3.3	13.1	0.1	0	0	8.2	0	0	8.2	0
370	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	0	2.8	2.8	0	0
370	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	20.2	11.7	28.7	0	0	0	4	16.2	12.1	8.1	0
370	wt	R	SUM	158352	.	.	.	.	.	.	.	.	.	31.2	21	41.3	0	0	0	12.2	18.9	14.9	16.3	0
370	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	8.2	3.3	13.1	0.1	0	0	8.2	0	0	8.2	0
370	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
370	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	0	2.8	2.8	0	0
370	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	20.2	11.7	28.7	0	0	0	4	16.2	12.1	8.1	0
370	wt	SUM	SUM	183378	.	.	.	.	.	.	.	.	.	31.2	21	41.3	0	0	0	12.2	18.9	14.9	16.3	0
380	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	19.9	11.5	28.3	2.6	0	0	19.9	0	0	19.9	0
380	all_deer	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
380	all_deer	N	315-00	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
380	all_deer	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
380	all_deer	N	335-40	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
380	all_deer	N	360-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
380	all_deer	N	380-00	2	.	.	.	.	.	.	.	.	.	2	1	2	100	0	0	2	0	0	2	0
380	all_deer	N	380-02	5	.	.	.	.	.	.	.	.	.	3.5	2	4.9	70	0	0	3.5	0	0	3.5	0
380	all_deer	N	380-40	51	.	.	.	.	.	.	.	.	.	20.2	17.5	22.8	39.6	0	0	0	20.2	20.2	0	0
380	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	52.4	38.8	66	0.2	0	0	5.4	47	47	5.4	0
380	all_deer	N	SUM	25132	192.9	167.8	218	1087.3	933	1241.6	5.6	5.2	6	97.9	81.6	114.3	0.4	0	0	30.7	67.2	67.2	30.7	0
380	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	112.2	94.2	130.2	1.5	0	6.9	101.8	3.4	3.4	108.7	0
380	all_deer	R	309-00	15	.	.	.	.	.	.	.	.	.	1.3	1	2.1	8.7	0	0	1.3	0	0	1.3	0
380	all_deer	R	309-01	497	.	.	.	.	.	.	.	.	.	2.4	1	4.4	0.5	0	0	2.4	0	0	2.4	0
380	all_deer	R	315-00	269	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	1.5	0	0	1.5	0
380	all_deer	R	322-00	581	.	.	.	.	.	.	.	.	.	1.2	1	2.2	0.2	0	0	1.2	0	0	1.2	0
380	all_deer	R	335-40	322	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
380	all_deer	R	360-01	177	.	.	.	.	.	.	.	.	.	1.7	1	3	1	0	0	0	1.7	1.7	0	0
380	all_deer	R	380-00	98	.	.	.	.	.	.	.	.	.	46.6	42.1	51.2	47.6	0	0	46.6	0	0	46.6	0
380	all_deer	R	380-01	50	.	.	.	.	.	.	.	.	.	10.8	8.5	13.1	21.6	0	1.4	9.4	0	0	10.8	0
380	all_deer	R	380-02	195	.	.	.	.	.	.	.	.	.	95.7	89.8	101.6	49.1	0	3.2	92.5	0	0	95.7	0
380	all_deer	R	380-40	1176	.	.	.	.	.	.	.	.	.	477.4	448.8	506.1	40.6	0	0	9.9	467.5	467.5	9.9	0
380	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	275	245.2	304.7	0.2	0	0	74.2	200.8	195.9	79	0
380	all_deer	R	SUM	161286	1610.6	1541.1	1680.1	9528.2	8962	10094.4	5.9	5.6	6.2	1027	981.2	1072.9	0.6	0	11.4	342.2	673.4	668.5	358.5	0
380	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	112.2	94.2	130.2	1.5	0	6.9	101.8	3.4	3.4	108.7	0
380	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	19.9	11.5	28.3	2.6	0	0	19.9	0	0	19.9	0
380	all_deer	SUM	309-00	15	.	.	.	.	.	.	.	.	.	1.3	1	2.1	8.7	0	0	1.3	0	0	1.3	0
380	all_deer	SUM	309-01	500	.	.	.	.	.	.	.	.	.	2.4	1	4.4	0.5	0	0	2.4	0	0	2.4	0
380	all_deer	SUM	315-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
380	all_deer	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.2	1	2.2	0.2	0	0	1.2	0	0	1.2	0
380	all_deer	SUM	335-40	330	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
380	all_deer	SUM	360-01	200	.	.	.	.	.	.	.	.	.	1.7	1	3	0.9	0	0	0	1.7	1.7	0	0
380	all_deer	SUM	380-00	100	.	.	.	.	.	.	.	.	.	48.6	43.7	53.5	48.6	0	0	48.6	0	0	48.6	0
380	all_deer	SUM	380-01	50	.	.	.	.	.	.	.	.	.	10.8	8.5	13.1	21.6	0	1.4	9.4	0	0	10.8	0
380	all_deer	SUM	380-02	200	.	.	.	.	.	.	.	.	.	99.2	93.1	105.3	49.6	0	3.2	96	0	0	99.2	0
380	all_deer	SUM	380-40	1227	.	.	.	.	.	.	.	.	.	497.6	468.8	526.3	40.6	0	0	9.9	487.6	487.6	9.9	0
380	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	327.4	294.6	360.1	0.2	0	0	79.6	247.8	243	84.4	0
380	all_deer	SUM	SUM	186418	1803.6	1729.8	1877.4	10615.5	10028.7	11202.3	5.9	5.7	6.1	1124.9	1076.3	1173.6	0.6	0	11.4	373	740.5	735.7	389.2	0
380	md	N	315-00	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
380	md	N	335-40	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
380	md	N	380-00	2	.	.	.	.	.	.	.	.	.	2	1	2	100	0	0	2	0	0	2	0
380	md	N	380-02	5	.	.	.	.	.	.	.	.	.	3.5	2	4.9	70	0	0	3.5	0	0	3.5	0
380	md	N	380-40	51	.	.	.	.	.	.	.	.	.	20.2	17.5	22.8	39.6	0	0	0	20.2	20.2	0	0
380	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29	18.8	39.2	0.1	0	0	1.2	27.8	27.8	1.2	0
380	md	N	SUM	24310	.	.	.	.	.	.	.	.	.	54.6	43.8	65.4	0.2	0	0	6.6	48	48	6.6	0
380	md	R	309-00	15	.	.	.	.	.	.	.	.	.	1.3	1	2.1	8.7	0	0	1.3	0	0	1.3	0
380	md	R	315-00	269	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	1.5	0	0	1.5	0
380	md	R	335-40	322	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
380	md	R	380-00	98	.	.	.	.	.	.	.	.	.	46.6	42.1	51.2	47.6	0	0	46.6	0	0	46.6	0
380	md	R	380-02	195	.	.	.	.	.	.	.	.	.	93.1	87.2	99	47.7	0	3.2	89.9	0	0	93.1	0
380	md	R	380-40	1176	.	.	.	.	.	.	.	.	.	475.5	446.8	504.1	40.4	0	0	8	467.5	467.5	8	0
380	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	77.3	61	93.5	0.1	0	0	18.2	59.1	54.3	23	0
380	md	R	SUM	152652	.	.	.	.	.	.	.	.	.	696.6	662.7	730.4	0.5	0	3.2	166.8	526.6	521.7	174.8	0
380	md	SUM	309-00	15	.	.	.	.	.	.	.	.	.	1.3	1	2.1	8.7	0	0	1.3	0	0	1.3	0
380	md	SUM	315-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
380	md	SUM	335-40	330	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
380	md	SUM	380-00	100	.	.	.	.	.	.	.	.	.	48.6	43.7	53.5	48.6	0	0	48.6	0	0	48.6	0
380	md	SUM	380-02	200	.	.	.	.	.	.	.	.	.	96.6	90.5	102.7	48.3	0	3.2	93.4	0	0	96.6	0
380	md	SUM	380-40	1227	.	.	.	.	.	.	.	.	.	495.6	466.9	524.4	40.4	0	0	8	487.6	487.6	8	0
380	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	106.3	87	125.5	0.1	0	0	19.4	86.9	82.1	24.2	0
380	md	SUM	SUM	176962	.	.	.	.	.	.	.	.	.	751.2	715.7	786.7	0.4	0	3.2	173.5	574.5	569.7	181.5	0
380	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	19.9	11.5	28.3	2.6	0	0	19.9	0	0	19.9	0
380	wt	N	309-01	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
380	wt	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
380	wt	N	360-01	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
380	wt	N	380-02	5	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
380	wt	N	380-40	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
380	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	23.4	14.5	32.4	0.1	0	0	4.2	19.2	19.2	4.2	0
380	wt	N	SUM	25091	.	.	.	.	.	.	.	.	.	43.3	31	55.6	0.2	0	0	24.1	19.2	19.2	24.1	0
380	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	109.9	92.1	127.8	1.5	0	6.9	99.6	3.4	3.4	106.5	0
380	wt	R	309-01	497	.	.	.	.	.	.	.	.	.	2.4	1	4.4	0.5	0	0	2.4	0	0	2.4	0
380	wt	R	322-00	581	.	.	.	.	.	.	.	.	.	1.2	1	2.2	0.2	0	0	1.2	0	0	1.2	0
380	wt	R	360-01	177	.	.	.	.	.	.	.	.	.	1.7	1	3	1	0	0	0	1.7	1.7	0	0
380	wt	R	380-01	50	.	.	.	.	.	.	.	.	.	10.8	8.5	13.1	21.6	0	1.4	9.4	0	0	10.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
380	wt	R	380-02	195	.	.	.	.	.	.	.	.	.	2.6	2	3.9	1.3	0	0	2.6	0	0	2.6	0
380	wt	R	380-40	1176	.	.	.	.	.	.	.	.	.	1.9	1	3.9	0.2	0	0	1.9	0	0	1.9	0
380	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	196.2	171.3	221	0.1	0	0	54.5	141.7	141.7	54.5	0
380	wt	R	SUM	160582	.	.	.	.	.	.	.	.	.	326.7	295.8	357.6	0.2	0	8.3	171.6	146.8	146.8	179.8	0
380	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	109.9	92.1	127.8	1.5	0	6.9	99.6	3.4	3.4	106.5	0
380	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	19.9	11.5	28.3	2.6	0	0	19.9	0	0	19.9	0
380	wt	SUM	309-01	500	.	.	.	.	.	.	.	.	.	2.4	1	4.4	0.5	0	0	2.4	0	0	2.4	0
380	wt	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.2	1	2.2	0.2	0	0	1.2	0	0	1.2	0
380	wt	SUM	360-01	200	.	.	.	.	.	.	.	.	.	1.7	1	3	0.9	0	0	0	1.7	1.7	0	0
380	wt	SUM	380-01	50	.	.	.	.	.	.	.	.	.	10.8	8.5	13.1	21.6	0	1.4	9.4	0	0	10.8	0
380	wt	SUM	380-02	200	.	.	.	.	.	.	.	.	.	2.6	2	3.9	1.3	0	0	2.6	0	0	2.6	0
380	wt	SUM	380-40	1227	.	.	.	.	.	.	.	.	.	1.9	1	3.9	0.2	0	0	1.9	0	0	1.9	0
380	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	219.6	193.1	246	0.1	0	0	58.7	160.9	160.9	58.7	0
380	wt	SUM	SUM	185673	.	.	.	.	.	.	.	.	.	369.9	336.7	403.2	0.2	0	8.3	195.7	166	166	203.9	0
390	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
390	all_deer	N	390-00	2	.	.	.	.	.	.	.	.	.	1	1	1	50	0	0	1	0	0	1	0
390	all_deer	N	390-40	18	.	.	.	.	.	.	.	.	.	6.9	4.5	9.4	38.3	0	0	0	6.9	6.9	0	0
390	all_deer	N	391-40	53	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
390	all_deer	N	393-00	9	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
390	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	22.2	12.9	31.5	0.1	0	0	3.7	18.5	18.5	3.7	0
390	all_deer	N	SUM	25072	57.4	43.2	71.6	249.4	178.9	319.9	4.3	3.7	4.9	34.2	23.7	44.7	0.1	0	0	8.8	25.4	25.4	8.8	0
390	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	27.3	18.3	36.3	0.4	0	0	27.3	0	0	27.3	0
390	all_deer	R	390-00	33	.	.	.	.	.	.	.	.	.	6.8	5	8.6	20.6	0	0	6.8	0	0	6.8	0
390	all_deer	R	390-40	55	.	.	.	.	.	.	.	.	.	20.1	17	23.2	36.5	0	0	0	20.1	20.1	0	0
390	all_deer	R	391-40	376	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
390	all_deer	R	393-00	182	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.7	0	0	0	1.2	1.2	0	0
390	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	54.2	42.1	66.3	0	0	1.5	0	52.7	52.7	1.5	0
390	all_deer	R	SUM	158552	205.1	180.8	229.4	901	768.6	1033.4	4.4	4	4.8	111	95.4	126.5	0.1	0	1.5	35.4	74.1	74.1	36.9	0
390	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	27.3	18.3	36.3	0.4	0	0	27.3	0	0	27.3	0
390	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
390	all_deer	SUM	390-00	35	.	.	.	.	.	.	.	.	.	7.8	6	9.6	22.3	0	0	7.8	0	0	7.8	0
390	all_deer	SUM	390-40	73	.	.	.	.	.	.	.	.	.	27.1	23.1	31	37.1	0	0	0	27.1	27.1	0	0
390	all_deer	SUM	391-40	429	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
390	all_deer	SUM	393-00	191	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.6	0	0	0	1.2	1.2	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
390	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	76.4	61.2	91.7	0	0	1.5	3.7	71.2	71.2	5.3	0
390	all_deer	SUM	SUM	183624	262.5	234.3	290.7	1150.5	1000.4	1300.6	4.4	4.1	4.7	145.2	126.4	163.9	0.1	0	1.5	44.2	99.5	99.5	45.7	0
390	md	N	390-00	2	.	.	.	.	.	.	.	.	.	1	1	1	50	0	0	1	0	0	1	0
390	md	N	390-40	18	.	.	.	.	.	.	.	.	.	6.9	4.5	9.4	38.3	0	0	0	6.9	6.9	0	0
390	md	N	391-40	53	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
390	md	N	393-00	9	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
390	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	20	11	29	0.1	0	0	3.7	16.3	16.3	3.7	0
390	md	N	SUM	24295	.	.	.	.	.	.	.	.	.	28	18.6	37.3	0.1	0	0	4.7	23.3	23.3	4.7	0
390	md	R	390-00	33	.	.	.	.	.	.	.	.	.	6.8	5	8.6	20.6	0	0	6.8	0	0	6.8	0
390	md	R	390-40	55	.	.	.	.	.	.	.	.	.	20.1	17	23.2	36.5	0	0	0	20.1	20.1	0	0
390	md	R	391-40	376	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
390	md	R	393-00	182	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.7	0	0	0	1.2	1.2	0	0
390	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	33.9	24.2	43.6	0	0	0	0	33.9	33.9	0	0
390	md	R	SUM	151223	.	.	.	.	.	.	.	.	.	63.3	52.9	73.8	0	0	0	8.1	55.2	55.2	8.1	0
390	md	SUM	390-00	35	.	.	.	.	.	.	.	.	.	7.8	6	9.6	22.3	0	0	7.8	0	0	7.8	0
390	md	SUM	390-40	73	.	.	.	.	.	.	.	.	.	27.1	23.1	31	37.1	0	0	0	27.1	27.1	0	0
390	md	SUM	391-40	429	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
390	md	SUM	393-00	191	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.6	0	0	0	1.2	1.2	0	0
390	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	53.9	40.7	67.2	0	0	0	3.7	50.2	50.2	3.7	0
390	md	SUM	SUM	175518	.	.	.	.	.	.	.	.	.	91.3	77.3	105.3	0.1	0	0	12.8	78.5	78.5	12.8	0
390	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
390	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0	0	0	0	2.2	2.2	0	0
390	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	6.2	2	11.1	0	0	0	4.1	2.2	2.2	4.1	0
390	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	27.3	18.3	36.3	0.4	0	0	27.3	0	0	27.3	0
390	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	20.3	13.2	27.5	0	0	1.5	0	18.8	18.8	1.5	0
390	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	47.6	36.1	59.2	0	0	1.5	27.3	18.8	18.8	28.8	0
390	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	27.3	18.3	36.3	0.4	0	0	27.3	0	0	27.3	0
390	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
390	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	22.5	14.9	30	0	0	1.5	0	21	21	1.5	0
390	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	53.9	41.4	66.4	0	0	1.5	31.4	21	21	32.9	0
391	all_deer	N	343-40	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
391	all_deer	N	390-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
391	all_deer	N	391-40	53	.	.	.	.	.	.	.	.	.	23.1	20.3	25.9	43.6	0	0	0	23.1	23.1	0	0
391	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	60.3	44.7	75.9	0.2	0	0	5.1	55.1	55.1	5.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
391	all_deer	N	SUM	24299	155.9	133.3	178.5	867.9	727.7	1008.1	5.6	5.2	6	83.4	67.5	99.2	0.3	0	0	5.1	78.2	78.2	5.1	0
391	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	34.5	24.1	44.8	0.5	0	0	34.5	0	0	34.5	0
391	all_deer	R	343-40	396	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.4	0	0	1.7	0	0	1.7	0
391	all_deer	R	380-01	50	.	.	.	.	.	.	.	.	.	4.1	3	5.7	8.2	0	0	4.1	0	0	4.1	0
391	all_deer	R	390-00	33	.	.	.	.	.	.	.	.	.	1.3	1	2.1	3.9	0	0	1.3	0	0	1.3	0
391	all_deer	R	391-00	50	.	.	.	.	.	.	.	.	.	27.3	24.2	30.3	54.6	0	1.4	25.8	0	0	27.3	0
391	all_deer	R	391-40	376	.	.	.	.	.	.	.	.	.	137.8	129.6	146	36.6	0	0	0	137.8	137.8	0	0
391	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	110.7	92.1	129.2	0.1	0	0	15.5	95.2	93.6	17	0
391	all_deer	R	SUM	158811	586	546.5	625.5	3636.7	3323.5	3949.9	6.2	5.8	6.6	317.3	294.2	340.3	0.2	0	1.4	82.8	233	231.4	85.8	0
391	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	34.5	24.1	44.8	0.5	0	0	34.5	0	0	34.5	0
391	all_deer	SUM	343-40	427	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.4	0	0	1.7	0	0	1.7	0
391	all_deer	SUM	380-01	50	.	.	.	.	.	.	.	.	.	4.1	3	5.7	8.2	0	0	4.1	0	0	4.1	0
391	all_deer	SUM	390-00	35	.	.	.	.	.	.	.	.	.	1.3	1	2.1	3.7	0	0	1.3	0	0	1.3	0
391	all_deer	SUM	391-00	50	.	.	.	.	.	.	.	.	.	27.3	24.2	30.3	54.6	0	1.4	25.8	0	0	27.3	0
391	all_deer	SUM	391-40	429	.	.	.	.	.	.	.	.	.	160.9	152.3	169.5	37.5	0	0	0	160.9	160.9	0	0
391	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	170.9	146.7	195.1	0.1	0	0	20.6	150.3	148.8	22.1	0
391	all_deer	SUM	SUM	183110	741.9	696.4	787.4	4504.6	4161.5	4847.7	6.1	5.8	6.4	400.6	372.7	428.6	0.2	0	1.4	88	311.2	309.7	91	0
391	md	N	390-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
391	md	N	391-40	53	.	.	.	.	.	.	.	.	.	23.1	20.3	25.9	43.6	0	0	0	23.1	23.1	0	0
391	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	51.5	37	66	0.2	0	0	5.1	46.4	46.4	5.1	0
391	md	N	SUM	24268	.	.	.	.	.	.	.	.	.	74.6	59.8	89.4	0.3	0	0	5.1	69.5	69.5	5.1	0
391	md	R	390-00	33	.	.	.	.	.	.	.	.	.	1.3	1	2.1	3.9	0	0	1.3	0	0	1.3	0
391	md	R	391-00	50	.	.	.	.	.	.	.	.	.	27.3	24.2	30.3	54.6	0	1.4	25.8	0	0	27.3	0
391	md	R	391-40	376	.	.	.	.	.	.	.	.	.	137.8	129.6	146	36.6	0	0	0	137.8	137.8	0	0
391	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	41.4	30.3	52.6	0	0	0	5	36.4	36.4	5	0
391	md	R	SUM	151036	.	.	.	.	.	.	.	.	.	207.8	193.6	222	0.1	0	1.4	32.1	174.2	174.2	33.6	0
391	md	SUM	390-00	35	.	.	.	.	.	.	.	.	.	1.3	1	2.1	3.7	0	0	1.3	0	0	1.3	0
391	md	SUM	391-00	50	.	.	.	.	.	.	.	.	.	27.3	24.2	30.3	54.6	0	1.4	25.8	0	0	27.3	0
391	md	SUM	391-40	429	.	.	.	.	.	.	.	.	.	160.9	152.3	169.5	37.5	0	0	0	160.9	160.9	0	0
391	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	92.9	74.7	111.2	0.1	0	0	10.1	82.8	82.8	10.1	0
391	md	SUM	SUM	175304	.	.	.	.	.	.	.	.	.	282.4	261.9	302.8	0.2	0	1.4	37.3	243.7	243.7	38.7	0
391	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
391	wt	N	343-40	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
391	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	8.8	3	14.6	0	0	0	0	8.8	8.8	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
391	wt	N	SUM	25021	.	.	.	.	.	.	.	.	.	8.8	3	14.6	0	0	0	0	8.8	8.8	0	0
391	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	34.5	24.1	44.8	0.5	0	0	34.5	0	0	34.5	0
391	wt	R	343-40	396	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.4	0	0	1.7	0	0	1.7	0
391	wt	R	380-01	50	.	.	.	.	.	.	.	.	.	4.1	3	5.7	8.2	0	0	4.1	0	0	4.1	0
391	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	69.2	54.4	84.1	0	0	0	10.4	58.8	57.2	12	0
391	wt	R	SUM	158352	.	.	.	.	.	.	.	.	.	109.5	91.3	127.7	0.1	0	0	50.7	58.8	57.2	52.3	0
391	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	34.5	24.1	44.8	0.5	0	0	34.5	0	0	34.5	0
391	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
391	wt	SUM	343-40	427	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.4	0	0	1.7	0	0	1.7	0
391	wt	SUM	380-01	50	.	.	.	.	.	.	.	.	.	4.1	3	5.7	8.2	0	0	4.1	0	0	4.1	0
391	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	78	62.1	93.9	0	0	0	10.4	67.6	66	12	0
391	wt	SUM	SUM	183373	.	.	.	.	.	.	.	.	.	118.2	99.2	137.3	0.1	0	0	50.7	67.6	66	52.3	0
392	all_deer	N	339-40	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
392	all_deer	N	380-02	5	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
392	all_deer	N	392-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
392	all_deer	N	392-40	52	.	.	.	.	.	.	.	.	.	17.2	15.1	19.4	33.1	0	0	0	17.2	17.2	0	0
392	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
392	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	13.5	10	18.1	0.1	0	0	1.3	12.2	12.2	1.3	0
392	all_deer	N	SUM	24344	66.3	54.5	78.1	484.7	394.1	575.3	7.3	6.7	7.9	31.7	26.7	36.8	0.1	0	0	2.3	29.4	29.4	2.3	0
392	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	31.3	22	40.6	0.4	0	0	31.3	0	0	31.3	0
392	all_deer	R	339-40	340	.	.	.	.	.	.	.	.	.	2.5	2	3.7	0.7	0	0	2.5	0	0	2.5	0
392	all_deer	R	380-02	195	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.7	0	0	1.4	0	0	1.4	0
392	all_deer	R	392-00	49	.	.	.	.	.	.	.	.	.	18.7	14.9	22.5	38.2	0	0	18.7	0	0	18.7	0
392	all_deer	R	392-40	725	.	.	.	.	.	.	.	.	.	297.3	273.8	320.8	41	0	0	0	297.3	295.3	2.1	0
392	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
392	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	72.9	57.1	88.7	0	0	0	16.9	56	56	16.9	0
392	all_deer	R	SUM	159654	883.8	831.4	936.2	6090.9	5602.4	6579.4	6.9	6.5	7.3	425.4	395.3	455.5	0.3	0	0	72.1	353.3	351.3	74.2	0
392	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	31.3	22	40.6	0.4	0	0	31.3	0	0	31.3	0
392	all_deer	SUM	339-40	352	.	.	.	.	.	.	.	.	.	2.5	2	3.7	0.7	0	0	2.5	0	0	2.5	0
392	all_deer	SUM	380-02	200	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.7	0	0	1.4	0	0	1.4	0
392	all_deer	SUM	392-00	50	.	.	.	.	.	.	.	.	.	19.7	15.9	23.5	39.4	0	0	19.7	0	0	19.7	0
392	all_deer	SUM	392-40	777	.	.	.	.	.	.	.	.	.	314.6	291	338.1	40.5	0	0	0	314.6	312.5	2.1	0
392	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
392	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	86.4	70	102.9	0	0	0	18.2	68.2	68.2	18.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
392	all_deer	SUM	SUM	183998	950.1	896.4	1003.8	6575.6	6078.7	7072.5	6.9	6.5	7.3	457.2	426.7	487.7	0.2	0	0	74.4	382.7	380.7	76.5	0
392	md	N	339-40	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
392	md	N	380-02	5	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
392	md	N	392-00	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	1	0	0	1	0
392	md	N	392-40	52	.	.	.	.	.	.	.	.	.	17.2	15.1	19.4	33.1	0	0	0	17.2	17.2	0	0
392	md	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
392	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	2.9	2	5.1	0	0	0	1.3	1.6	1.6	1.3	0
392	md	N	SUM	24344	.	.	.	.	.	.	.	.	.	21.2	18.1	24.2	0.1	0	0	2.3	18.8	18.8	2.3	0
392	md	R	339-40	340	.	.	.	.	.	.	.	.	.	2.5	2	3.7	0.7	0	0	2.5	0	0	2.5	0
392	md	R	380-02	195	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.7	0	0	1.4	0	0	1.4	0
392	md	R	392-00	49	.	.	.	.	.	.	.	.	.	18.7	14.9	22.5	38.2	0	0	18.7	0	0	18.7	0
392	md	R	392-40	725	.	.	.	.	.	.	.	.	.	297.3	273.8	320.8	41	0	0	0	297.3	295.3	2.1	0
392	md	R	445-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
392	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	28.6	19.2	38	0	0	0	8.8	19.8	19.8	8.8	0
392	md	R	SUM	152325	.	.	.	.	.	.	.	.	.	349.8	324.2	375.5	0.2	0	0	32.7	317.2	315.1	34.7	0
392	md	SUM	339-40	352	.	.	.	.	.	.	.	.	.	2.5	2	3.7	0.7	0	0	2.5	0	0	2.5	0
392	md	SUM	380-02	200	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.7	0	0	1.4	0	0	1.4	0
392	md	SUM	392-00	50	.	.	.	.	.	.	.	.	.	19.7	15.9	23.5	39.4	0	0	19.7	0	0	19.7	0
392	md	SUM	392-40	777	.	.	.	.	.	.	.	.	.	314.6	291	338.1	40.5	0	0	0	314.6	312.5	2.1	0
392	md	SUM	445-00	500	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
392	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	31.6	21.9	41.2	0	0	0	10.1	21.4	21.4	10.1	0
392	md	SUM	SUM	176669	.	.	.	.	.	.	.	.	.	371	345.2	396.8	0.2	0	0	35	336	333.9	37.1	0
392	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
392	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	9.3	7	13	0	0	0	0	9.3	9.3	0	0
392	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	9.3	7	13	0	0	0	0	9.3	9.3	0	0
392	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	31.3	22	40.6	0.4	0	0	31.3	0	0	31.3	0
392	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	44.3	31.5	57	0	0	0	8.1	36.2	36.2	8.1	0
392	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	75.6	59.8	91.4	0	0	0	39.4	36.2	36.2	39.4	0
392	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	31.3	22	40.6	0.4	0	0	31.3	0	0	31.3	0
392	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
392	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	53.5	40.3	66.8	0	0	0	8.1	45.4	45.4	8.1	0
392	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	84.8	68.6	101.1	0	0	0	39.4	45.4	45.4	39.4	0
393	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	15.2	8.5	22	2	0	0	15.2	0	0	15.2	0
393	all_deer	N	284-10	8	.	.	.	.	.	.	.	.	.	1.5	1	2.7	18.8	0	0	1.5	0	0	1.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
393	all_deer	N	312-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	all_deer	N	312-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	all_deer	N	315-00	31	.	.	.	.	.	.	.	.	.	1.6	1	2.9	5.2	0	0	1.6	0	0	1.6	0
393	all_deer	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	all_deer	N	325-01	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	all_deer	N	390-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	all_deer	N	393-00	9	.	.	.	.	.	.	.	.	.	1.6	1	2.9	17.8	0	0	1.6	0	0	1.6	0
393	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	1.2	1	1.9	0.5	0	0	1.2	0	0	1.2	0
393	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	153.6	128.7	178.4	0.6	0	0	11.2	142.4	142.4	11.2	0
393	all_deer	N	SUM	25313	303.5	268.9	338.1	1468.8	1274.9	1662.7	4.8	4.5	5.1	174.6	148.8	200.5	0.7	0	0	32.3	142.4	142.4	32.3	0
393	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	81.4	65.4	97.3	1.1	0	0	75.9	5.5	3.4	75.9	2.1
393	all_deer	R	284-10	109	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	all_deer	R	312-00	237	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	1.5	0	0	1.5	0
393	all_deer	R	312-01	74	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.8	0	0	0	1.3	0	0	1.3
393	all_deer	R	315-00	269	.	.	.	.	.	.	.	.	.	3.1	2	4.6	1.2	0	0	1.5	1.6	1.6	1.5	0
393	all_deer	R	315-01	230	.	.	.	.	.	.	.	.	.	2.7	2	4	1.2	0	0	2.7	0	0	2.7	0
393	all_deer	R	325-01	140	.	.	.	.	.	.	.	.	.	1.8	1	3.5	1.3	0	0	0	1.8	1.8	0	0
393	all_deer	R	390-00	33	.	.	.	.	.	.	.	.	.	1.5	1	2.5	4.5	0	0	1.5	0	0	1.5	0
393	all_deer	R	393-00	182	.	.	.	.	.	.	.	.	.	87.3	81.6	93	48	1.5	0	85.8	0	0	85.8	1.5
393	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	472.7	432.2	513.2	0.3	0	0	33.6	439	439	33.6	0
393	all_deer	R	SUM	161194	1221.1	1155.6	1286.6	5456.8	5033.5	5880.1	4.5	4.2	4.8	653.3	609.2	697.3	0.4	1.5	0	202.5	449.3	445.9	202.5	4.9
393	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	81.4	65.4	97.3	1.1	0	0	75.9	5.5	3.4	75.9	2.1
393	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	15.2	8.5	22	2	0	0	15.2	0	0	15.2	0
393	all_deer	SUM	284-10	117	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.3	0	0	1.5	0	0	1.5	0
393	all_deer	SUM	312-00	243	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	1.5	0	0	1.5	0
393	all_deer	SUM	312-01	75	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.7	0	0	0	1.3	0	0	1.3
393	all_deer	SUM	315-00	300	.	.	.	.	.	.	.	.	.	4.7	3	6.7	1.6	0	0	3.1	1.6	1.6	3.1	0
393	all_deer	SUM	315-01	250	.	.	.	.	.	.	.	.	.	2.7	2	4	1.1	0	0	2.7	0	0	2.7	0
393	all_deer	SUM	325-01	150	.	.	.	.	.	.	.	.	.	1.8	1	3.5	1.2	0	0	0	1.8	1.8	0	0
393	all_deer	SUM	390-00	35	.	.	.	.	.	.	.	.	.	1.5	1	2.5	4.3	0	0	1.5	0	0	1.5	0
393	all_deer	SUM	393-00	191	.	.	.	.	.	.	.	.	.	88.9	83	94.8	46.5	1.5	0	87.4	0	0	87.4	1.5
393	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.2	1	1.9	0.1	0	0	1.2	0	0	1.2	0
393	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	626.2	578.7	673.7	0.4	0	0	44.8	581.4	581.4	44.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
393	all_deer	SUM	SUM	186507	1524.6	1450.5	1598.7	6925.6	6460	7391.2	4.5	4.3	4.7	827.9	776.9	879	0.4	1.5	0	234.7	591.7	588.3	234.7	4.9
393	md	N	312-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	md	N	315-00	31	.	.	.	.	.	.	.	.	.	1.6	1	2.9	5.2	0	0	1.6	0	0	1.6	0
393	md	N	325-01	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	md	N	390-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	md	N	393-00	9	.	.	.	.	.	.	.	.	.	1.6	1	2.9	17.8	0	0	1.6	0	0	1.6	0
393	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	115.8	94	137.5	0.5	0	0	11.2	104.6	104.6	11.2	0
393	md	N	SUM	24271	.	.	.	.	.	.	.	.	.	118.9	97.1	140.8	0.5	0	0	14.3	104.6	104.6	14.3	0
393	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	7.8	3.1	12.5	0.1	0	0	2.3	5.5	3.4	2.3	2.1
393	md	R	312-00	237	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	1.5	0	0	1.5	0
393	md	R	315-00	269	.	.	.	.	.	.	.	.	.	3.1	2	4.6	1.2	0	0	1.5	1.6	1.6	1.5	0
393	md	R	325-01	140	.	.	.	.	.	.	.	.	.	1.8	1	3.5	1.3	0	0	0	1.8	1.8	0	0
393	md	R	390-00	33	.	.	.	.	.	.	.	.	.	1.5	1	2.5	4.5	0	0	1.5	0	0	1.5	0
393	md	R	393-00	182	.	.	.	.	.	.	.	.	.	83.6	77.9	89.4	45.9	1.5	0	82.1	0	0	82.1	1.5
393	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	327.8	293.8	361.7	0.2	0	0	16.8	310.9	310.9	16.8	0
393	md	R	SUM	158767	.	.	.	.	.	.	.	.	.	427.1	392.2	461.9	0.3	1.5	0	105.7	319.9	317.8	105.7	3.5
393	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	7.8	3.1	12.5	0.1	0	0	2.3	5.5	3.4	2.3	2.1
393	md	SUM	312-00	243	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	1.5	0	0	1.5	0
393	md	SUM	315-00	300	.	.	.	.	.	.	.	.	.	4.7	3	6.7	1.6	0	0	3.1	1.6	1.6	3.1	0
393	md	SUM	325-01	150	.	.	.	.	.	.	.	.	.	1.8	1	3.5	1.2	0	0	0	1.8	1.8	0	0
393	md	SUM	390-00	35	.	.	.	.	.	.	.	.	.	1.5	1	2.5	4.3	0	0	1.5	0	0	1.5	0
393	md	SUM	393-00	191	.	.	.	.	.	.	.	.	.	85.2	79.3	91.1	44.6	1.5	0	83.7	0	0	83.7	1.5
393	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	443.5	403.2	483.8	0.3	0	0	28	415.5	415.5	28	0
393	md	SUM	SUM	183038	.	.	.	.	.	.	.	.	.	546	504.9	587.1	0.3	1.5	0	120.1	424.4	422.4	120.1	3.5
393	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	15.2	8.5	22	2	0	0	15.2	0	0	15.2	0
393	wt	N	284-10	8	.	.	.	.	.	.	.	.	.	1.5	1	2.7	18.8	0	0	1.5	0	0	1.5	0
393	wt	N	312-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	wt	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	wt	N	393-00	9	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	1.2	1	1.9	0.5	0	0	1.2	0	0	1.2	0
393	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	37.8	25.8	49.8	0.2	0	0	0	37.8	37.8	0	0
393	wt	N	SUM	25264	.	.	.	.	.	.	.	.	.	55.7	41.8	69.6	0.2	0	0	17.9	37.8	37.8	17.9	0
393	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	73.6	58.3	88.9	1	0	0	73.6	0	0	73.6	0
393	wt	R	284-10	109	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
393	wt	R	312-01	74	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.8	0	0	0	1.3	0	0	1.3
393	wt	R	315-01	230	.	.	.	.	.	.	.	.	.	2.7	2	4	1.2	0	0	2.7	0	0	2.7	0
393	wt	R	393-00	182	.	.	.	.	.	.	.	.	.	3.7	3	5.1	2	0	0	3.7	0	0	3.7	0
393	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
393	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	144.9	122.7	167.1	0.1	0	0	16.8	128.1	128.1	16.8	0
393	wt	R	SUM	160515	.	.	.	.	.	.	.	.	.	226.2	199.2	253.2	0.1	0	0	96.7	129.5	128.1	96.7	1.3
393	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	73.6	58.3	88.9	1	0	0	73.6	0	0	73.6	0
393	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	15.2	8.5	22	2	0	0	15.2	0	0	15.2	0
393	wt	SUM	284-10	117	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.3	0	0	1.5	0	0	1.5	0
393	wt	SUM	312-01	75	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.7	0	0	0	1.3	0	0	1.3
393	wt	SUM	315-01	250	.	.	.	.	.	.	.	.	.	2.7	2	4	1.1	0	0	2.7	0	0	2.7	0
393	wt	SUM	393-00	191	.	.	.	.	.	.	.	.	.	3.7	3	5.1	1.9	0	0	3.7	0	0	3.7	0
393	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.2	1	1.9	0.1	0	0	1.2	0	0	1.2	0
393	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	182.7	157.5	207.9	0.1	0	0	16.8	165.9	165.9	16.8	0
393	wt	SUM	SUM	185779	.	.	.	.	.	.	.	.	.	281.9	251.5	312.3	0.2	0	0	114.7	167.2	165.9	114.7	1.3
3XX	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
3XX	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	7.5	7.5	7.5	7.5	0
3XX	all_deer	N	SUM	24990	31.3	20	42.6	126.6	76.2	177	4	3.4	4.6	19	9.9	28	0.1	0	0	11.5	7.5	7.5	11.5	0
3XX	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
3XX	all_deer	R	335-00	148	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.9	0	0	1.4	0	0	1.4	0
3XX	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	28.3	17.9	38.7	0	0	0	2	26.3	26.3	2	0
3XX	all_deer	R	SUM	158054	64.5	49.5	79.5	373	252	494	5.8	4.3	7.3	33.1	22.1	44.2	0	0	0	6.8	26.3	26.3	6.8	0
3XX	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
3XX	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
3XX	all_deer	SUM	335-00	148	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.9	0	0	1.4	0	0	1.4	0
3XX	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	43.2	30.1	56.3	0	0	0	9.4	33.8	33.8	9.4	0
3XX	all_deer	SUM	SUM	183044	95.8	77	114.6	499.6	368.5	630.7	5.2	4.2	6.2	52.1	37.9	66.4	0	0	0	18.3	33.8	33.8	18.3	0
3XX	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	3.7	7.5	7.5	3.7	0
3XX	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	3.7	7.5	7.5	3.7	0
3XX	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	24.3	14.8	33.8	0	0	0	2	22.3	22.3	2	0
3XX	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	24.3	14.8	33.8	0	0	0	2	22.3	22.3	2	0
3XX	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	35.4	23.7	47.2	0	0	0	5.7	29.7	29.7	5.7	0
3XX	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	35.4	23.7	47.2	0	0	0	5.7	29.7	29.7	5.7	0
3XX	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
3XX	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	3.7	0	0	3.7	0
3XX	wt	N	SUM	24990	.	.	.	.	.	.	.	.	.	7.8	2	13.6	0	0	0	7.8	0	0	7.8	0
3XX	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
3XX	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
3XX	wt	R	SUM	157906	.	.	.	.	.	.	.	.	.	7.5	2	13	0	0	0	3.4	4.1	4.1	3.4	0
3XX	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
3XX	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
3XX	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	7.8	2	13.6	0	0	0	3.7	4.1	4.1	3.7	0
3XX	wt	SUM	SUM	182896	.	.	.	.	.	.	.	.	.	15.3	7.3	23.3	0	0	0	11.2	4.1	4.1	11.2	0
400	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	26.2	24.1	28.3	65.5	0	0	24.9	1.4	1.4	24.9	0
400	all_deer	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	406-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	411-00	89	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	421-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26.5	16.5	36.6	0.1	0	0	1.4	25.1	25.1	1.4	0
400	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.2	.	0	0	0	1.6	1.6	0	0
400	all_deer	N	SUM	24594	66.9	53.1	80.7	328.1	241.3	414.9	4.9	4.3	5.5	54.3	43.9	64.7	0.2	0	0	26.2	28.1	28.1	26.2	0
400	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
400	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	136.1	116.9	155.4	1.8	0	0	127.2	8.9	8.9	127.2	0
400	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.1	1	4.3	0.1	0	0	2.1	0	0	2.1	0
400	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	281.2	270.9	291.5	43	0	4.2	275.7	1.3	1.3	279.8	0
400	all_deer	R	401-00	358	.	.	.	.	.	.	.	.	.	3	2	4.5	0.8	0	0	3	0	0	3	0
400	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	4.4	3	6.2	0.6	0	0	1.4	2.9	2.9	1.4	0
400	all_deer	R	406-00	358	.	.	.	.	.	.	.	.	.	2.6	2	3.9	0.7	0	0	2.6	0	0	2.6	0
400	all_deer	R	411-00	509	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	0	1.4	1.4	0	0
400	all_deer	R	421-00	230	.	.	.	.	.	.	.	.	.	5.1	3	7.5	2.2	0	0	5.1	0	0	5.1	0
400	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	2.5	2	3.6	0.6	0	0	1.3	1.2	1.2	1.3	0
400	all_deer	R	447-00	356	.	.	.	.	.	.	.	.	.	2.7	2	4	0.8	0	0	1.4	1.4	1.4	1.4	0
400	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	768.6	718.5	818.8	0.5	1.5	4.1	142.7	620.3	597.2	169.9	1.5
400	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
400	all_deer	R	SUM	171755	1459.7	1390.4	1529	5264	4920.9	5607.1	3.6	3.4	3.8	1213.1	1158.1	1268.2	0.7	1.5	8.2	565.9	637.5	614.3	597.3	1.5

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
400	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
400	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	136.1	116.9	155.4	1.8	0	0	127.2	8.9	8.9	127.2	0
400	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.1	1	4.3	0.1	0	0	2.1	0	0	2.1	0
400	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	307.4	296.9	317.9	44.3	0	4.2	300.5	2.7	2.7	304.7	0
400	all_deer	SUM	401-00	400	.	.	.	.	.	.	.	.	.	3	2	4.5	0.8	0	0	3	0	0	3	0
400	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	4.4	3	6.2	0.6	0	0	1.4	2.9	2.9	1.4	0
400	all_deer	SUM	406-00	400	.	.	.	.	.	.	.	.	.	2.6	2	3.9	0.7	0	0	2.6	0	0	2.6	0
400	all_deer	SUM	411-00	598	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
400	all_deer	SUM	421-00	250	.	.	.	.	.	.	.	.	.	5.1	3	7.5	2	0	0	5.1	0	0	5.1	0
400	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	2.5	2	3.6	0.5	0	0	1.3	1.2	1.2	1.3	0
400	all_deer	SUM	447-00	400	.	.	.	.	.	.	.	.	.	2.7	2	4	0.7	0	0	1.4	1.4	1.4	1.4	0
400	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	795.2	744	846.3	0.5	1.5	4.1	144.1	645.5	622.3	171.3	1.5
400	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.2	.	0	0	0	1.6	1.6	0	0
400	all_deer	SUM	SUM	196349	1526.6	1455.9	1597.3	5592.1	5238.1	5946.1	3.7	3.5	3.9	1267.5	1211.5	1323.5	0.6	1.5	8.2	592.2	665.5	642.4	623.5	1.5
400	md	N	400-00	40	.	.	.	.	.	.	.	.	.	23.5	21.3	25.7	58.8	0	0	23.5	0	0	23.5	0
400	md	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	md	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	md	N	406-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	md	N	411-00	89	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	md	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	md	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	22.8	13.6	32	0.1	0	0	1.4	21.4	21.4	1.4	0
400	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
400	md	N	SUM	24574	.	.	.	.	.	.	.	.	.	46.3	36.8	55.8	0.2	0	0	24.9	21.4	21.4	24.9	0
400	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
400	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	20.8	13.1	28.5	0.3	0	0	17.4	3.4	3.4	17.4	0
400	md	R	400-00	654	.	.	.	.	.	.	.	.	.	277.1	266.9	287.4	42.4	0	4.2	271.6	1.3	1.3	275.8	0
400	md	R	401-00	358	.	.	.	.	.	.	.	.	.	3	2	4.5	0.8	0	0	3	0	0	3	0
400	md	R	404-00	754	.	.	.	.	.	.	.	.	.	3	2	4.6	0.4	0	0	1.4	1.6	1.6	1.4	0
400	md	R	406-00	358	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
400	md	R	411-00	509	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	0	1.4	1.4	0	0
400	md	R	445-00	439	.	.	.	.	.	.	.	.	.	2.5	2	3.6	0.6	0	0	1.3	1.2	1.2	1.3	0
400	md	R	447-00	356	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
400	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	619.9	574.9	664.9	0.4	1.5	0	128.6	489.8	473.8	144.6	1.5

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
400	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
400	md	R	SUM	168944	.	.	.	.	.	.	.	.	.	933.9	886.8	980.9	0.6	1.5	4.2	429.5	498.7	482.6	449.7	1.5
400	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
400	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	20.8	13.1	28.5	0.3	0	0	17.4	3.4	3.4	17.4	0
400	md	SUM	400-00	694	.	.	.	.	.	.	.	.	.	300.6	290.1	311.1	43.3	0	4.2	295.1	1.3	1.3	299.3	0
400	md	SUM	401-00	400	.	.	.	.	.	.	.	.	.	3	2	4.5	0.8	0	0	3	0	0	3	0
400	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	3	2	4.6	0.4	0	0	1.4	1.6	1.6	1.4	0
400	md	SUM	406-00	400	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
400	md	SUM	411-00	598	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
400	md	SUM	445-00	500	.	.	.	.	.	.	.	.	.	2.5	2	3.6	0.5	0	0	1.3	1.2	1.2	1.3	0
400	md	SUM	447-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
400	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	642.7	596.8	688.6	0.4	1.5	0	129.9	511.2	495.2	146	1.5
400	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
400	md	SUM	SUM	193518	.	.	.	.	.	.	.	.	.	980.1	932.2	1028.1	0.5	1.5	4.2	454.3	520.1	504.1	474.5	1.5
400	wt	N	400-00	40	.	.	.	.	.	.	.	.	.	2.8	2	4	7	0	0	1.4	1.4	1.4	1.4	0
400	wt	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	wt	N	406-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	wt	N	421-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	wt	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
400	wt	N	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.2	.	0	0	0	1.6	1.6	0	0
400	wt	N	SUM	24702	.	.	.	.	.	.	.	.	.	8	4	12.5	0	0	0	1.4	6.7	6.7	1.4	0
400	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	115.3	97.6	133	1.5	0	0	109.8	5.6	5.6	109.8	0
400	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.1	1	4.3	0.1	0	0	2.1	0	0	2.1	0
400	wt	R	400-00	654	.	.	.	.	.	.	.	.	.	4	3	5.6	0.6	0	0	4	0	0	4	0
400	wt	R	404-00	754	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.2	0	0	0	1.3	1.3	0	0
400	wt	R	406-00	358	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
400	wt	R	421-00	230	.	.	.	.	.	.	.	.	.	5.1	3	7.5	2.2	0	0	5.1	0	0	5.1	0
400	wt	R	447-00	356	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	0	1.4	1.4	0	0
400	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	148.7	126.5	171	0.1	0	4.1	14.2	130.5	123.4	25.3	0
400	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
400	wt	R	SUM	163120	.	.	.	.	.	.	.	.	.	279.3	250.6	308	0.2	0	4.1	136.4	138.8	131.7	147.6	0
400	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	115.3	97.6	133	1.5	0	0	109.8	5.6	5.6	109.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
400	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.1	1	4.3	0.1	0	0	2.1	0	0	2.1	0
400	wt	SUM	400-00	694	.	.	.	.	.	.	.	.	.	6.8	5	8.8	1	0	0	5.4	1.4	1.4	5.4	0
400	wt	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.2	0	0	0	1.3	1.3	0	0
400	wt	SUM	406-00	400	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
400	wt	SUM	421-00	250	.	.	.	.	.	.	.	.	.	5.1	3	7.5	2	0	0	5.1	0	0	5.1	0
400	wt	SUM	447-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	0	1.4	1.4	0	0
400	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
400	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	152.5	129.9	175	0.1	0	4.1	14.2	134.3	127.2	25.3	0
400	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.2	.	0	0	0	1.6	1.6	0	0
400	wt	SUM	SUM	187822	.	.	.	.	.	.	.	.	.	287.3	258.3	316.4	0.2	0	4.1	137.8	145.4	138.3	149	0
401	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	1.5	1	2.8	2.2	0	0	1.5	0	0	1.5	0
401	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
401	all_deer	N	401-00	42	.	.	.	.	.	.	.	.	.	26	23.9	28.1	61.9	0	0	24.7	1.3	1.3	24.7	0
401	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	7	5	9.2	2.3	0	0	7	0	0	7	0
401	all_deer	N	670-00	132	.	.	.	.	.	.	.	.	.	1.5	1	2.4	1.1	0	0	1.5	0	0	1.5	0
401	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	59.5	44.9	74	0.2	0	0	0	59.5	59.5	0	0
401	all_deer	N	SUM	24794	123.8	104.8	142.8	580.9	477.1	684.7	4.7	4.3	5.1	95.5	80.6	110.4	0.4	0	0	34.8	60.7	60.7	34.8	0
401	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
401	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	144.9	124.9	164.8	1.9	0	0	144.9	0	0	144.9	0
401	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.2	0	0	0	1.6	1.6	0	0
401	all_deer	R	401-00	358	.	.	.	.	.	.	.	.	.	168.3	160.7	175.9	47	0	2.6	159.8	5.9	5.9	162.4	0
401	all_deer	R	670-00	268	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
401	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	545.4	503	587.9	0.4	0	4.1	72.6	468.7	452.2	93.2	0
401	all_deer	R	SUM	160619	1198.3	1135.5	1261.1	4561	4254.7	4867.3	3.8	3.6	4	860.2	812.7	907.7	0.5	0	6.7	377.4	476.2	459.7	400.5	0
401	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	1.5	1	2.8	0.1	0	0	1.5	0	0	1.5	0
401	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	144.9	124.9	164.8	1.9	0	0	144.9	0	0	144.9	0
401	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.2	0	0	0	1.6	1.6	0	0
401	all_deer	SUM	401-00	400	.	.	.	.	.	.	.	.	.	194.3	186.4	202.2	48.6	0	2.6	184.5	7.1	7.1	187.1	0
401	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	7	5	9.2	2.3	0	0	7	0	0	7	0
401	all_deer	SUM	670-00	400	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.4	0	0	1.5	0	0	1.5	0
401	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	604.9	560	649.8	0.3	0	4.1	72.6	528.2	511.7	93.2	0
401	all_deer	SUM	SUM	185413	1322	1256.4	1387.6	5141.9	4818.6	5465.2	3.9	3.7	4.1	955.7	905.9	1005.5	0.5	0	6.7	412.1	536.9	520.4	435.3	0
401	md	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
401	md	N	401-00	42	.	.	.	.	.	.	.	.	.	22.2	20.1	24.4	52.9	0	0	22.2	0	0	22.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
401	md	N	670-00	132	.	.	.	.	.	.	.	.	.	1.5	1	2.4	1.1	0	0	1.5	0	0	1.5	0
401	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	53.1	39.3	67	0.2	0	0	0	53.1	53.1	0	0
401	md	N	SUM	24427	.	.	.	.	.	.	.	.	.	76.8	62.8	90.9	0.3	0	0	23.7	53.1	53.1	23.7	0
401	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
401	md	R	400-00	654	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.2	0	0	0	1.6	1.6	0	0
401	md	R	401-00	358	.	.	.	.	.	.	.	.	.	159.5	152	167	44.6	0	2.6	155.6	1.3	1.3	158.2	0
401	md	R	670-00	268	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
401	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	367.9	333.2	402.5	0.2	0	4.1	42.8	321	304.5	63.4	0
401	md	R	SUM	159467	.	.	.	.	.	.	.	.	.	531.2	495.6	566.7	0.3	0	6.7	200.6	323.9	307.4	223.8	0
401	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
401	md	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.2	0	0	0	1.6	1.6	0	0
401	md	SUM	401-00	400	.	.	.	.	.	.	.	.	.	181.7	173.9	189.5	45.4	0	2.6	177.8	1.3	1.3	180.4	0
401	md	SUM	670-00	400	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.4	0	0	1.5	0	0	1.5	0
401	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	421	383.7	458.3	0.2	0	4.1	42.8	374.2	357.7	63.4	0
401	md	SUM	SUM	183894	.	.	.	.	.	.	.	.	.	608	569.8	646.2	0.3	0	6.7	224.3	377	360.5	247.5	0
401	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	1.5	1	2.8	2.2	0	0	1.5	0	0	1.5	0
401	wt	N	401-00	42	.	.	.	.	.	.	.	.	.	3.8	3	4.9	9	0	0	2.5	1.3	1.3	2.5	0
401	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	7	5	9.2	2.3	0	0	7	0	0	7	0
401	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	6.3	3	10.8	0	0	0	0	6.3	6.3	0	0
401	wt	N	SUM	24622	.	.	.	.	.	.	.	.	.	18.7	13.5	23.9	0.1	0	0	11.1	7.6	7.6	11.1	0
401	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
401	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	142.7	122.8	162.5	1.9	0	0	142.7	0	0	142.7	0
401	wt	R	401-00	358	.	.	.	.	.	.	.	.	.	8.8	6.2	11.4	2.5	0	0	4.2	4.6	4.6	4.2	0
401	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	177.5	153	202.1	0.1	0	0	29.8	147.7	147.7	29.8	0
401	wt	R	SUM	159697	.	.	.	.	.	.	.	.	.	329	297.3	360.7	0.2	0	0	176.7	152.3	152.3	176.7	0
401	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	1.5	1	2.8	0.1	0	0	1.5	0	0	1.5	0
401	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	142.7	122.8	162.5	1.9	0	0	142.7	0	0	142.7	0
401	wt	SUM	401-00	400	.	.	.	.	.	.	.	.	.	12.6	9.7	15.4	3.1	0	0	6.7	5.8	5.8	6.7	0
401	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	7	5	9.2	2.3	0	0	7	0	0	7	0
401	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	183.9	158.9	208.8	0.1	0	0	29.8	154	154	29.8	0
401	wt	SUM	SUM	184319	.	.	.	.	.	.	.	.	.	347.7	315.6	379.8	0.2	0	0	187.8	159.9	159.9	187.8	0
403	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
403	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.9	0	0	2.8	0	0	2.8	0
403	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	5.1	2	9.4	0	0	0	0	5.1	5.1	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
403	all_deer	N	SUM	24553	10.6	4.6	16.6	88	27	150.7	8.3	5.8	10.8	7.9	4	12.4	0	0	0	2.8	5.1	5.1	2.8	0
403	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	13.5	6.6	20.4	0.2	0	0	13.5	0	0	13.5	0
403	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
403	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	70.9	54.9	87	0	0	0	10.5	60.5	58.1	12.8	0
403	all_deer	R	SUM	158841	144.2	121	167.4	570.4	453.3	687.5	4	3.5	4.5	85.8	68.3	103.3	0.1	0	0	25.3	60.5	58.1	27.7	0
403	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	13.5	6.6	20.4	0.2	0	0	13.5	0	0	13.5	0
403	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
403	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.9	0	0	2.8	0	0	2.8	0
403	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	76.1	59.4	92.7	0	0	0	10.5	65.6	63.3	12.8	0
403	all_deer	SUM	SUM	183394	154.8	130.8	178.8	658.5	525.6	791.4	4.3	3.8	4.8	93.7	75.7	111.8	0.1	0	0	28.1	65.6	63.3	30.4	0
403	md	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
403	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
403	md	N	SUM	24253	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
403	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
403	md	R	400-00	654	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
403	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	51.7	38.1	65.4	0	0	0	10.5	41.3	41.3	10.5	0
403	md	R	SUM	158841	.	.	.	.	.	.	.	.	.	56.5	42.4	70.6	0	0	0	15.2	41.3	41.3	15.2	0
403	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
403	md	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
403	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	55.5	41.2	69.7	0	0	0	10.5	45	45	10.5	0
403	md	SUM	SUM	183094	.	.	.	.	.	.	.	.	.	60.2	45.5	74.9	0	0	0	15.2	45	45	15.2	0
403	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.9	0	0	2.8	0	0	2.8	0
403	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1.4	1	2.9	0	0	0	0	1.4	1.4	0	0
403	wt	N	SUM	24513	.	.	.	.	.	.	.	.	.	4.2	3	6.2	0	0	0	2.8	1.4	1.4	2.8	0
403	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	10.1	4.1	16.1	0.1	0	0	10.1	0	0	10.1	0
403	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	19.2	10.7	27.7	0	0	0	0	19.2	16.8	2.3	0
403	wt	R	SUM	158187	.	.	.	.	.	.	.	.	.	29.3	18.9	39.7	0	0	0	10.1	19.2	16.8	12.5	0
403	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	10.1	4.1	16.1	0.1	0	0	10.1	0	0	10.1	0
403	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.9	0	0	2.8	0	0	2.8	0
403	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	20.6	12	29.2	0	0	0	0	20.6	18.3	2.3	0
403	wt	SUM	SUM	182700	.	.	.	.	.	.	.	.	.	33.5	22.9	44.1	0	0	0	12.9	20.6	18.3	15.2	0
404	all_deer	N	102-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	392-40	52	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
404	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	21.2	17.9	24.4	49.3	0	0	21.2	0	0	21.2	0
404	all_deer	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	405-00	13	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	444-00	18	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	2.5	2	3.6	4.1	0	0	2.5	0	0	2.5	0
404	all_deer	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	450-00	23	.	.	.	.	.	.	.	.	.	1.3	1	2.3	5.7	0	0	1.3	0	0	1.3	0
404	all_deer	N	471-00	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	10.1	7.6	12.7	3.4	0	0	7.2	2.9	2.9	7.2	0
404	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	130.5	108.1	152.9	0.5	0	0	11.2	119.4	119.4	11.2	0
404	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
404	all_deer	N	SUM	24837	227.1	198.9	255.3	1040.3	898.8	1181.8	4.6	4.4	4.8	165.7	142.9	188.5	0.7	0	0	43.4	122.3	122.3	43.4	0
404	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	377.3	344.9	409.7	5	0	5.5	359.7	12.1	12.1	365.2	0
404	all_deer	R	102-00	394	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	0	1.5	1.5	0	0
404	all_deer	R	392-40	725	.	.	.	.	.	.	.	.	.	1.8	1	3.7	0.2	0	0	1.8	0	0	1.8	0
404	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.2	0	0	1.2	0	0	1.2	0
404	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	317.7	305.3	330.2	42.1	0	7.6	308.6	1.6	1.6	316.2	0
404	all_deer	R	404-10	824	.	.	.	.	.	.	.	.	.	165.4	147.3	183.5	20.1	0	2	149.7	13.7	3.9	160.1	1.4
404	all_deer	R	405-00	286	.	.	.	.	.	.	.	.	.	4.3	3	6	1.5	0	0	2.8	1.5	1.5	2.8	0
404	all_deer	R	444-00	232	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.7	0	0	1.7	0	0	1.7	0
404	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	all_deer	R	447-00	356	.	.	.	.	.	.	.	.	.	1.2	1	2	0.3	0	0	1.2	0	0	1.2	0
404	all_deer	R	450-00	127	.	.	.	.	.	.	.	.	.	2.8	2	4.2	2.2	0	1.3	0	1.5	1.5	1.3	0
404	all_deer	R	471-00	88	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.5	0	0	1.3	0	0	1.3	0
404	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1387.2	1318.2	1456.2	0.9	2.3	10.4	241.5	1133	1095.7	290.2	1.4
404	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	30	19	41	.	0	0	30	0	0	30	0
404	all_deer	R	SUM	163066	2700.3	2604.4	2796.2	11159.9	10569.1	11750.7	4.1	3.9	4.3	2293.4	2213.2	2373.6	1.4	2.3	26.6	1099.5	1164.9	1117.8	1172.9	2.8
404	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	377.3	344.9	409.7	5	0	5.5	359.7	12.1	12.1	365.2	0
404	all_deer	SUM	102-00	400	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	0	1.5	1.5	0	0
404	all_deer	SUM	392-40	777	.	.	.	.	.	.	.	.	.	1.8	1	3.7	0.2	0	0	1.8	0	0	1.8	0
404	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.2	0	0	1.2	0	0	1.2	0
404	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	338.9	326.1	351.8	42.5	0	7.6	329.8	1.6	1.6	337.4	0
404	all_deer	SUM	404-10	836	.	.	.	.	.	.	.	.	.	165.4	147.3	183.5	19.8	0	2	149.7	13.7	3.9	160.1	1.4
404	all_deer	SUM	405-00	299	.	.	.	.	.	.	.	.	.	4.3	3	6	1.4	0	0	2.8	1.5	1.5	2.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
404	all_deer	SUM	444-00	250	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.7	0	0	1.7	0	0	1.7	0
404	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	2.5	2	3.6	0.5	0	0	2.5	0	0	2.5	0
404	all_deer	SUM	447-00	400	.	.	.	.	.	.	.	.	.	1.2	1	2	0.3	0	0	1.2	0	0	1.2	0
404	all_deer	SUM	450-00	150	.	.	.	.	.	.	.	.	.	4.1	3	5.8	2.7	0	1.3	1.3	1.5	1.5	2.6	0
404	all_deer	SUM	471-00	100	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.3	0	0	1.3	0	0	1.3	0
404	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	10.1	7.6	12.7	3.4	0	0	7.2	2.9	2.9	7.2	0
404	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1517.7	1445.2	1590.3	0.9	2.3	10.4	252.7	1252.4	1215	301.3	1.4
404	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	30	19	41	.	0	0	30	0	0	30	0
404	all_deer	SUM	SUM	187903	2927.3	2827.5	3027.1	12200.2	11592.7	12807.7	4.2	4	4.4	2459.1	2375.7	2542.4	1.3	2.3	26.6	1142.9	1287.2	1240.1	1216.2	2.8
404	md	N	102-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	md	N	404-00	43	.	.	.	.	.	.	.	.	.	21.2	17.9	24.4	49.3	0	0	21.2	0	0	21.2	0
404	md	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	md	N	405-00	13	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	md	N	444-00	18	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	md	N	445-00	61	.	.	.	.	.	.	.	.	.	2.5	2	3.6	4.1	0	0	2.5	0	0	2.5	0
404	md	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	md	N	450-00	23	.	.	.	.	.	.	.	.	.	1.3	1	2.3	5.7	0	0	1.3	0	0	1.3	0
404	md	N	471-00	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	103.7	83.7	123.7	0.4	0	0	7.5	96.2	96.2	7.5	0
404	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
404	md	N	SUM	24445	.	.	.	.	.	.	.	.	.	128.7	108.4	149	0.5	0	0	32.5	96.2	96.2	32.5	0
404	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	10.9	5.2	16.7	0.1	0	0	5.6	5.4	5.4	5.6	0
404	md	R	102-00	394	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	0	1.5	1.5	0	0
404	md	R	404-00	754	.	.	.	.	.	.	.	.	.	312	299.6	324.4	41.4	0	7.6	302.9	1.6	1.6	310.5	0
404	md	R	404-10	824	.	.	.	.	.	.	.	.	.	33.4	25.1	41.8	4.1	0	2	31.5	0	0	33.4	0
404	md	R	405-00	286	.	.	.	.	.	.	.	.	.	4.3	3	6	1.5	0	0	2.8	1.5	1.5	2.8	0
404	md	R	444-00	232	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.7	0	0	1.7	0	0	1.7	0
404	md	R	445-00	439	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	md	R	447-00	356	.	.	.	.	.	.	.	.	.	1.2	1	2	0.3	0	0	1.2	0	0	1.2	0
404	md	R	450-00	127	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.2	0	0	0	1.5	1.5	0	0
404	md	R	471-00	88	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.5	0	0	1.3	0	0	1.3	0
404	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	850.9	796	905.7	0.6	0	5.7	125.2	720	694.5	156.4	0
404	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
404	md	R	SUM	161687	.	.	.	.	.	.	.	.	.	1218.7	1161.5	1275.9	0.8	0	15.2	472	731.5	705.9	512.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
404	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	10.9	5.2	16.7	0.1	0	0	5.6	5.4	5.4	5.6	0
404	md	SUM	102-00	400	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.4	0	0	0	1.5	1.5	0	0
404	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	333.2	320.4	346	41.8	0	7.6	324.1	1.6	1.6	331.6	0
404	md	SUM	404-10	836	.	.	.	.	.	.	.	.	.	33.4	25.1	41.8	4	0	2	31.5	0	0	33.4	0
404	md	SUM	405-00	299	.	.	.	.	.	.	.	.	.	4.3	3	6	1.4	0	0	2.8	1.5	1.5	2.8	0
404	md	SUM	444-00	250	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.7	0	0	1.7	0	0	1.7	0
404	md	SUM	445-00	500	.	.	.	.	.	.	.	.	.	2.5	2	3.6	0.5	0	0	2.5	0	0	2.5	0
404	md	SUM	447-00	400	.	.	.	.	.	.	.	.	.	1.2	1	2	0.3	0	0	1.2	0	0	1.2	0
404	md	SUM	450-00	150	.	.	.	.	.	.	.	.	.	2.8	2	4.3	1.9	0	0	1.3	1.5	1.5	1.3	0
404	md	SUM	471-00	100	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.3	0	0	1.3	0	0	1.3	0
404	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	954.6	896.2	1013	0.5	0	5.7	132.7	816.3	790.7	163.9	0
404	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
404	md	SUM	SUM	186132	.	.	.	.	.	.	.	.	.	1347.4	1286.7	1408.1	0.7	0	15.2	504.5	827.7	802.2	545.2	0
404	wt	N	392-40	52	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	wt	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	wt	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	wt	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	wt	N	450-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
404	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	10.1	7.6	12.7	3.4	0	0	7.2	2.9	2.9	7.2	0
404	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26.8	16.7	36.9	0.1	0	0	3.7	23.1	23.1	3.7	0
404	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
404	wt	N	SUM	24683	.	.	.	.	.	.	.	.	.	37	26.6	47.4	0.1	0	0	10.9	26.1	26.1	10.9	0
404	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	366.4	334.4	398.3	4.8	0	5.5	354.2	6.7	6.7	359.6	0
404	wt	R	392-40	725	.	.	.	.	.	.	.	.	.	1.8	1	3.7	0.2	0	0	1.8	0	0	1.8	0
404	wt	R	400-00	654	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.2	0	0	1.2	0	0	1.2	0
404	wt	R	404-00	754	.	.	.	.	.	.	.	.	.	5.7	4	7.8	0.8	0	0	5.7	0	0	5.7	0
404	wt	R	404-10	824	.	.	.	.	.	.	.	.	.	132	115.1	148.8	16	0	0	118.2	13.7	3.9	126.7	1.4
404	wt	R	450-00	127	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1	0	1.3	0	0	0	1.3	0
404	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	534.9	492.8	576.9	0.4	2.3	4.7	116.3	411.6	399.8	133.7	1.4
404	wt	R	none	.	.	.	.	.	.	.	.	.	.	30	19	41	.	0	0	30	0	0	30	0
404	wt	R	SUM	161271	.	.	.	.	.	.	.	.	.	1073.3	1016.7	1129.9	0.7	2.3	11.5	627.5	432	410.4	660.1	2.8
404	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	366.4	334.4	398.3	4.8	0	5.5	354.2	6.7	6.7	359.6	0
404	wt	SUM	392-40	777	.	.	.	.	.	.	.	.	.	1.8	1	3.7	0.2	0	0	1.8	0	0	1.8	0
404	wt	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.2	0	0	1.2	0	0	1.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
404	wt	SUM	404-00	797	.	.	.	.	.	.	.	.	.	5.7	4	7.8	0.7	0	0	5.7	0	0	5.7	0
404	wt	SUM	404-10	836	.	.	.	.	.	.	.	.	.	132	115.1	148.8	15.8	0	0	118.2	13.7	3.9	126.7	1.4
404	wt	SUM	450-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.9	0	1.3	0	0	0	1.3	0
404	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	10.1	7.6	12.7	3.4	0	0	7.2	2.9	2.9	7.2	0
404	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	561.7	518.4	605	0.3	2.3	4.7	120	434.7	422.9	137.5	1.4
404	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	30	19	41	.	0	0	30	0	0	30	0
404	wt	SUM	SUM	185954	.	.	.	.	.	.	.	.	.	1110.3	1052.7	1167.8	0.6	2.3	11.5	638.4	458.1	436.5	671	2.8
405	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
405	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
405	all_deer	N	405-00	13	.	.	.	.	.	.	.	.	.	9.2	7.9	10.5	70.8	0	0	7.9	1.3	1.3	7.9	0
405	all_deer	N	406-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
405	all_deer	N	426-00	98	.	.	.	.	.	.	.	.	.	2.6	2	3.9	2.7	0	0	2.6	0	0	2.6	0
405	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
405	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	21.7	13.1	30.2	0.1	0	0	3.7	17.9	17.9	3.7	0
405	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
405	all_deer	N	SUM	24749	45.8	33.5	58.1	210	146.6	273.4	4.6	4.1	5.1	34.8	26	43.6	0.1	0	0	15.6	19.2	19.2	15.6	0
405	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	46.7	34.9	58.6	0.6	0	0	41.2	5.6	2.2	44.5	0
405	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	1.2	1	2	0.2	0	0	1.2	0	0	1.2	0
405	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	9.5	6.5	12.6	1.3	0	0	6.5	3	3	6.5	0
405	all_deer	R	405-00	286	.	.	.	.	.	.	.	.	.	131.2	124.3	138	45.9	0	0	129.7	1.4	1.4	129.7	0
405	all_deer	R	406-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
405	all_deer	R	426-00	439	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
405	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	365.4	330.9	399.8	0.2	0	0	77.2	288.2	279.2	86.2	0
405	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.9	1	3.8	.	0	0	0	1.9	1.9	0	0
405	all_deer	R	SUM	160678	702.5	655.1	749.9	2141.6	1963.6	2319.6	3	2.8	3.2	557.2	519.9	594.5	0.3	0	0	257.1	300.1	287.7	269.5	0
405	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	46.7	34.9	58.6	0.6	0	0	41.2	5.6	2.2	44.5	0
405	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.2	1	2	0.2	0	0	1.2	0	0	1.2	0
405	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	9.5	6.5	12.6	1.2	0	0	6.5	3	3	6.5	0
405	all_deer	SUM	405-00	299	.	.	.	.	.	.	.	.	.	140.4	133.4	147.3	47	0	0	137.6	2.7	2.7	137.6	0
405	all_deer	SUM	406-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
405	all_deer	SUM	426-00	537	.	.	.	.	.	.	.	.	.	2.6	2	3.9	0.5	0	0	2.6	0	0	2.6	0
405	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
405	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	387	351.5	422.5	0.2	0	0	80.9	306.1	297.1	89.9	0
405	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.9	1	3.8	.	0	0	0	1.9	1.9	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
405	all_deer	SUM	SUM	185427	748.3	699.2	797.4	2351.5	2162.6	2540.4	3.1	2.9	3.3	592	553.7	630.3	0.3	0	0	272.7	319.3	306.9	285.1	0
405	md	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
405	md	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
405	md	N	405-00	13	.	.	.	.	.	.	.	.	.	9.2	7.9	10.5	70.8	0	0	7.9	1.3	1.3	7.9	0
405	md	N	406-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
405	md	N	426-00	98	.	.	.	.	.	.	.	.	.	2.6	2	3.9	2.7	0	0	2.6	0	0	2.6	0
405	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	16.5	9.1	24	0.1	0	0	3.7	12.8	12.8	3.7	0
405	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
405	md	N	SUM	24449	.	.	.	.	.	.	.	.	.	28.3	20.7	36	0.1	0	0	14.2	14.1	14.1	14.2	0
405	md	R	400-00	654	.	.	.	.	.	.	.	.	.	1.2	1	2	0.2	0	0	1.2	0	0	1.2	0
405	md	R	404-00	754	.	.	.	.	.	.	.	.	.	9.5	6.5	12.6	1.3	0	0	6.5	3	3	6.5	0
405	md	R	405-00	286	.	.	.	.	.	.	.	.	.	129.7	122.9	136.6	45.3	0	0	129.7	0	0	129.7	0
405	md	R	406-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
405	md	R	426-00	439	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
405	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	314.1	282.4	345.8	0.2	0	0	69.1	245	236	78.1	0
405	md	R	none	.	.	.	.	.	.	.	.	.	.	1.9	1	3.8	.	0	0	0	1.9	1.9	0	0
405	md	R	SUM	153068	.	.	.	.	.	.	.	.	.	457.8	425.1	490.5	0.3	0	0	207.9	249.9	240.9	216.9	0
405	md	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.2	1	2	0.2	0	0	1.2	0	0	1.2	0
405	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	9.5	6.5	12.6	1.2	0	0	6.5	3	3	6.5	0
405	md	SUM	405-00	299	.	.	.	.	.	.	.	.	.	138.9	132	145.9	46.5	0	0	137.6	1.3	1.3	137.6	0
405	md	SUM	406-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
405	md	SUM	426-00	537	.	.	.	.	.	.	.	.	.	2.6	2	3.9	0.5	0	0	2.6	0	0	2.6	0
405	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	330.6	298	363.2	0.2	0	0	72.8	257.8	248.8	81.8	0
405	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.9	1	3.8	.	0	0	0	1.9	1.9	0	0
405	md	SUM	SUM	177517	.	.	.	.	.	.	.	.	.	486.1	452.5	519.7	0.3	0	0	222.1	264	255	231.1	0
405	wt	N	405-00	13	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
405	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
405	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	5.1	2	9.4	0	0	0	0	5.1	5.1	0	0
405	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
405	wt	N	SUM	24526	.	.	.	.	.	.	.	.	.	6.5	3	10.8	0	0	0	1.3	5.1	5.1	1.3	0
405	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	46.7	34.9	58.6	0.6	0	0	41.2	5.6	2.2	44.5	0
405	wt	R	405-00	286	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
405	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	51.3	37.8	64.7	0	0	0	8.1	43.2	43.2	8.1	0
405	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
405	wt	R	SUM	158473	.	.	.	.	.	.	.	.	.	99.4	81.5	117.4	0.1	0	0	49.3	50.2	46.8	52.6	0
405	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	46.7	34.9	58.6	0.6	0	0	41.2	5.6	2.2	44.5	0
405	wt	SUM	405-00	299	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
405	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
405	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	56.4	42.3	70.5	0	0	0	8.1	48.3	48.3	8.1	0
405	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
405	wt	SUM	SUM	182999	.	.	.	.	.	.	.	.	.	105.9	87.4	124.3	0.1	0	0	50.6	55.3	51.9	54	0
406	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
406	all_deer	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
406	all_deer	N	406-00	42	.	.	.	.	.	.	.	.	.	26	23.9	28.1	61.9	0	0	24.6	1.4	1.4	24.6	0
406	all_deer	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
406	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	11.2	8.5	13.9	3.7	0	0	11.2	0	0	11.2	0
406	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	23.3	14.1	32.5	0.1	0	0	0	23.3	23.3	0	0
406	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	1.2	1	2.5	.	0	0	1.2	0	0	1.2	0
406	all_deer	N	SUM	24681	51.3	40	62.6	240.9	170	311.8	4.7	3.9	5.5	61.6	51.7	71.5	0.2	0	0	36.9	24.7	24.7	36.9	0
406	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	109.5	92.3	126.6	1.4	0	5.4	104	0	0	109.5	0
406	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	3	2	4.5	0.5	0	0	1.4	1.6	1.6	1.4	0
406	all_deer	R	401-00	358	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.4	0	0	1.6	0	0	1.6	0
406	all_deer	R	406-00	358	.	.	.	.	.	.	.	.	.	125.1	118	132.2	34.9	0	0	119.5	5.6	2.8	122.3	0
406	all_deer	R	447-00	356	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
406	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	335.5	302.4	368.5	0.2	0	4.1	71.7	259.7	250.2	83.6	1.6
406	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
406	all_deer	R	SUM	159913	719.7	671.8	767.6	3165.1	2868.5	3461.7	4.4	4.1	4.7	580	541.8	618.2	0.4	0	9.5	303.6	266.9	254.6	323.7	1.6
406	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	109.5	92.3	126.6	1.4	0	5.4	104	0	0	109.5	0
406	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	3	2	4.5	0.4	0	0	1.4	1.6	1.6	1.4	0
406	all_deer	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.4	0	0	1.6	0	0	1.6	0
406	all_deer	SUM	406-00	400	.	.	.	.	.	.	.	.	.	151.1	143.7	158.5	37.8	0	0	144.1	7	4.2	146.9	0
406	all_deer	SUM	447-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
406	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	11.2	8.5	13.9	3.7	0	0	11.2	0	0	11.2	0
406	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	358.8	324.5	393.1	0.2	0	4.1	71.7	283	273.5	83.6	1.6
406	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	5.3	2	9.7	.	0	0	5.3	0	0	5.3	0
406	all_deer	SUM	SUM	184594	771	721.7	820.3	3405.9	3101	3710.8	4.4	4.1	4.7	641.6	602.1	681.1	0.3	0	9.5	340.6	291.6	279.3	360.6	1.6
406	md	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
406	md	N	406-00	42	.	.	.	.	.	.	.	.	.	25	22.9	27.1	59.5	0	0	23.6	1.4	1.4	23.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
406	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	8.6	3	14.4	0	0	0	0	8.6	8.6	0	0
406	md	N	none	.	.	.	.	.	.	.	.	.	.	1.2	1	2.5	.	0	0	1.2	0	0	1.2	0
406	md	N	SUM	24295	.	.	.	.	.	.	.	.	.	34.8	28.6	41.1	0.1	0	0	24.8	10	10	24.8	0
406	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	10	4.8	15.2	0.1	0	0	10	0	0	10	0
406	md	R	400-00	654	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.2	0	0	0	1.6	1.6	0	0
406	md	R	406-00	358	.	.	.	.	.	.	.	.	.	121	113.9	128.1	33.8	0	0	116.8	4.2	1.4	119.6	0
406	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	215.3	188.9	241.7	0.1	0	0	39.9	175.4	165.9	47.7	1.6
406	md	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
406	md	R	SUM	159199	.	.	.	.	.	.	.	.	.	351.9	323.7	380.1	0.2	0	0	170.7	181.2	168.9	181.3	1.6
406	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	10	4.8	15.2	0.1	0	0	10	0	0	10	0
406	md	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.2	0	0	0	1.6	1.6	0	0
406	md	SUM	406-00	400	.	.	.	.	.	.	.	.	.	145.9	138.6	153.3	36.5	0	0	140.4	5.6	2.8	143.1	0
406	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	223.9	196.9	251	0.1	0	0	39.9	184	174.6	47.7	1.6
406	md	SUM	none	.	.	.	.	.	.	.	.	.	.	5.3	2	9.7	.	0	0	5.3	0	0	5.3	0
406	md	SUM	SUM	183494	.	.	.	.	.	.	.	.	.	386.7	357.8	415.6	0.2	0	0	195.5	191.2	179	206.1	1.6
406	wt	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
406	wt	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
406	wt	N	406-00	42	.	.	.	.	.	.	.	.	.	1	1	1	2.4	0	0	1	0	0	1	0
406	wt	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
406	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	11.2	8.5	13.9	3.7	0	0	11.2	0	0	11.2	0
406	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	13.5	6.4	20.6	0.1	0	0	0	13.5	13.5	0	0
406	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
406	wt	N	SUM	24681	.	.	.	.	.	.	.	.	.	25.7	18.1	33.3	0.1	0	0	12.2	13.5	13.5	12.2	0
406	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	99.5	83.1	115.9	1.3	0	5.4	94.1	0	0	99.5	0
406	wt	R	400-00	654	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
406	wt	R	401-00	358	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.4	0	0	1.6	0	0	1.6	0
406	wt	R	406-00	358	.	.	.	.	.	.	.	.	.	4.1	3	5.6	1.1	0	0	2.7	1.4	1.4	2.7	0
406	wt	R	447-00	356	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
406	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	120.2	100.3	140	0.1	0	4.1	31.8	84.3	84.3	35.9	0
406	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
406	wt	R	SUM	159913	.	.	.	.	.	.	.	.	.	228.1	202.2	253.9	0.1	0	9.5	132.9	85.7	85.7	142.4	0
406	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	99.5	83.1	115.9	1.3	0	5.4	94.1	0	0	99.5	0
406	wt	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
406	wt	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.4	0	0	1.6	0	0	1.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
406	wt	SUM	406-00	400	.	.	.	.	.	.	.	.	.	5.1	4	6.6	1.3	0	0	3.7	1.4	1.4	3.7	0
406	wt	SUM	447-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
406	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	11.2	8.5	13.9	3.7	0	0	11.2	0	0	11.2	0
406	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	133.7	112.6	154.7	0.1	0	4.1	31.8	97.8	97.8	35.9	0
406	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
406	wt	SUM	SUM	184594	.	.	.	.	.	.	.	.	.	253.8	226.8	280.7	0.1	0	9.5	145.1	99.2	99.2	154.5	0
410	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	1.6	1	3.2	0.2	0	0	1.6	0	0	1.6	0
410	all_deer	N	390-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
410	all_deer	N	411-00	89	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1.5	0	0	1.3	0	0	1.3	0
410	all_deer	N	412-00	113	.	.	.	.	.	.	.	.	.	1.6	1	2.8	1.4	0	0	1.6	0	0	1.6	0
410	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	0	1.3	1.3	0	0
410	all_deer	N	530-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
410	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	234.8	204.5	265.1	1	0	0	0	234.8	234.8	0	0
410	all_deer	N	SUM	25521	573	525.7	620.3	4189.7	3779.9	4599.5	7.3	6.9	7.7	240.5	210.1	270.9	0.9	0	0	4.4	236.1	236.1	4.4	0
410	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	31	20.9	41.1	0.4	0	0	31	0	0	31	0
410	all_deer	R	390-00	33	.	.	.	.	.	.	.	.	.	1.4	1	2.3	4.2	0	0	0	1.4	1.4	0	0
410	all_deer	R	411-00	509	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
410	all_deer	R	412-00	487	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
410	all_deer	R	530-00	223	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.8	0	0	0	1.7	1.7	0	0
410	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	526.1	482.4	569.7	0.3	0	0	13.9	512.1	512.1	13.9	0
410	all_deer	R	SUM	159439	1529.7	1453.3	1606.1	7219.9	6761.1	7678.7	4.7	4.5	4.9	561.6	516.8	606.4	0.4	0	0	46.4	515.2	515.2	46.4	0
410	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	1.6	1	3.2	0.2	0	0	1.6	0	0	1.6	0
410	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	31	20.9	41.1	0.4	0	0	31	0	0	31	0
410	all_deer	SUM	390-00	35	.	.	.	.	.	.	.	.	.	1.4	1	2.3	4	0	0	0	1.4	1.4	0	0
410	all_deer	SUM	411-00	598	.	.	.	.	.	.	.	.	.	2.7	2	4	0.5	0	0	2.7	0	0	2.7	0
410	all_deer	SUM	412-00	600	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	1.6	0	0	1.6	0
410	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	0	1.3	1.3	0	0
410	all_deer	SUM	530-00	250	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.7	0	0	0	1.7	1.7	0	0
410	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	760.9	707.7	814	0.4	0	0	13.9	746.9	746.9	13.9	0
410	all_deer	SUM	SUM	184960	2102.8	2013	2192.6	11409.6	10794.5	12024.7	5.4	5.2	5.6	802.1	747.9	856.3	0.4	0	0	50.8	751.3	751.3	50.8	0
410	md	N	003-12	777	.	.	.	.	.	.	.	.	.	1.6	1	3.2	0.2	0	0	1.6	0	0	1.6	0
410	md	N	390-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
410	md	N	411-00	89	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1.5	0	0	1.3	0	0	1.3	0
410	md	N	412-00	113	.	.	.	.	.	.	.	.	.	1.6	1	2.8	1.4	0	0	1.6	0	0	1.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
410	md	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	0	1.3	1.3	0	0
410	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	209.5	180.8	238.1	0.9	0	0	0	209.5	209.5	0	0
410	md	N	SUM	25494	.	.	.	.	.	.	.	.	.	215.2	186.4	244	0.8	0	0	4.4	210.8	210.8	4.4	0
410	md	R	390-00	33	.	.	.	.	.	.	.	.	.	1.4	1	2.3	4.2	0	0	0	1.4	1.4	0	0
410	md	R	411-00	509	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
410	md	R	412-00	487	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
410	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	465.1	423.9	506.2	0.3	0	0	7.8	457.3	457.3	7.8	0
410	md	R	SUM	151606	.	.	.	.	.	.	.	.	.	467.9	426.7	509	0.3	0	0	9.2	458.7	458.7	9.2	0
410	md	SUM	003-12	777	.	.	.	.	.	.	.	.	.	1.6	1	3.2	0.2	0	0	1.6	0	0	1.6	0
410	md	SUM	390-00	35	.	.	.	.	.	.	.	.	.	1.4	1	2.3	4	0	0	0	1.4	1.4	0	0
410	md	SUM	411-00	598	.	.	.	.	.	.	.	.	.	2.7	2	4	0.5	0	0	2.7	0	0	2.7	0
410	md	SUM	412-00	600	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.3	0	0	1.6	0	0	1.6	0
410	md	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	0	1.3	1.3	0	0
410	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	674.5	624.4	724.7	0.4	0	0	7.8	666.8	666.8	7.8	0
410	md	SUM	SUM	177100	.	.	.	.	.	.	.	.	.	683.1	632.9	733.3	0.4	0	0	13.6	669.5	669.5	13.6	0
410	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
410	wt	N	530-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
410	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	25.3	15.3	35.3	0.1	0	0	0	25.3	25.3	0	0
410	wt	N	SUM	24540	.	.	.	.	.	.	.	.	.	25.3	15.3	35.3	0.1	0	0	0	25.3	25.3	0	0
410	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	31	20.9	41.1	0.4	0	0	31	0	0	31	0
410	wt	R	530-00	223	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.8	0	0	0	1.7	1.7	0	0
410	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	61	46.4	75.6	0	0	0	6.2	54.9	54.9	6.2	0
410	wt	R	SUM	158410	.	.	.	.	.	.	.	.	.	93.7	75.9	111.5	0.1	0	0	37.2	56.6	56.6	37.2	0
410	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	31	20.9	41.1	0.4	0	0	31	0	0	31	0
410	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
410	wt	SUM	530-00	250	.	.	.	.	.	.	.	.	.	1.7	1	2.9	0.7	0	0	0	1.7	1.7	0	0
410	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	86.3	68.6	104	0	0	0	6.2	80.2	80.2	6.2	0
410	wt	SUM	SUM	182950	.	.	.	.	.	.	.	.	.	119	98.6	139.5	0.1	0	0	37.2	81.9	81.9	37.2	0
411	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	1.4	1	2.3	3.5	0	0	1.4	0	0	1.4	0
411	all_deer	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	all_deer	N	406-00	42	.	.	.	.	.	.	.	.	.	1.2	1	1.9	2.9	0	0	0	1.2	1.2	0	0
411	all_deer	N	411-00	89	.	.	.	.	.	.	.	.	.	64.4	61.3	67.5	72.4	0	0	61.6	2.8	2.8	61.6	0
411	all_deer	N	412-00	113	.	.	.	.	.	.	.	.	.	2.7	1	5	2.4	0	0	2.7	0	0	2.7	0
411	all_deer	N	417-00	57	.	.	.	.	.	.	.	.	.	1.2	1	1.8	2.1	0	0	0	1.2	1.2	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
411	all_deer	N	418-00	68	.	.	.	.	.	.	.	.	.	2.7	1	5.2	4	0	0	2.7	0	0	2.7	0
411	all_deer	N	419-00	17	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	all_deer	N	426-00	98	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	31.4	27.2	35.7	10.5	0	1.5	28.6	1.3	1.3	30.1	0
411	all_deer	N	511-00	25	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	1.8	1	3.3	0.8	0	0	0	1.8	0	1.8	0
411	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
411	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	292.8	259.9	325.8	1.2	0	1.4	13.5	278	270.5	22.3	0
411	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	1.5	1	3.1	.	0	0	0	1.5	1.5	0	0
411	all_deer	N	SUM	26108	470.4	431.2	509.6	2282.5	2061	2504	4.9	4.7	5.1	404	370.3	437.8	1.5	0	2.8	113.5	287.7	278.5	125.5	0
411	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
411	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	504	466.1	541.8	6.6	0	25.7	468.3	10	7.7	496.3	0
411	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	all_deer	R	404-10	824	.	.	.	.	.	.	.	.	.	2	1	3.6	0.2	0	0	0	2	2	0	0
411	all_deer	R	406-00	358	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	all_deer	R	411-00	509	.	.	.	.	.	.	.	.	.	254.1	243.4	264.9	49.9	0	7.5	238.6	8	6.6	247.6	0
411	all_deer	R	412-00	487	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	all_deer	R	417-00	243	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	all_deer	R	418-00	182	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	all_deer	R	419-00	108	.	.	.	.	.	.	.	.	.	4.3	3	5.8	4	0	0	4.3	0	0	4.3	0
411	all_deer	R	426-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.3	0	0	0	1.3	1.3	0	0
411	all_deer	R	511-00	125	.	.	.	.	.	.	.	.	.	1.2	1	2	1	0	0	0	1.2	1.2	0	0
411	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	3.4	1	6.9	0.2	0	0	0	3.4	3.4	0	0
411	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1457.3	1385.7	1528.8	1	0	12	204.2	1241	1226.7	229	1.6
411	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	9.7	3.5	15.9	.	0	0	5.6	4.1	4.1	5.6	0
411	all_deer	R	SUM	171459	2505.7	2411.8	2599.6	12289.1	11614.2	12964	4.9	4.7	5.1	2240.7	2158.7	2322.7	1.3	0	45.2	924.6	1270.9	1252.9	986.2	1.6
411	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
411	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	504	466.1	541.8	6.6	0	25.7	468.3	10	7.7	496.3	0
411	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.2	0	0	1.4	0	0	1.4	0
411	all_deer	SUM	404-10	836	.	.	.	.	.	.	.	.	.	2	1	3.6	0.2	0	0	0	2	2	0	0
411	all_deer	SUM	406-00	400	.	.	.	.	.	.	.	.	.	1.2	1	1.9	0.3	0	0	0	1.2	1.2	0	0
411	all_deer	SUM	411-00	598	.	.	.	.	.	.	.	.	.	318.5	307.3	329.7	53.3	0	7.5	300.2	10.8	9.3	309.2	0
411	all_deer	SUM	412-00	600	.	.	.	.	.	.	.	.	.	2.7	1	5	0.5	0	0	2.7	0	0	2.7	0
411	all_deer	SUM	417-00	300	.	.	.	.	.	.	.	.	.	1.2	1	1.8	0.4	0	0	0	1.2	1.2	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
411	all_deer	SUM	418-00	250	.	.	.	.	.	.	.	.	.	2.7	1	5.2	1.1	0	0	2.7	0	0	2.7	0
411	all_deer	SUM	419-00	125	.	.	.	.	.	.	.	.	.	4.3	3	5.8	3.4	0	0	4.3	0	0	4.3	0
411	all_deer	SUM	426-00	537	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	0	1.3	1.3	0	0
411	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	31.4	27.2	35.7	10.5	0	1.5	28.6	1.3	1.3	30.1	0
411	all_deer	SUM	511-00	150	.	.	.	.	.	.	.	.	.	1.2	1	2	0.8	0	0	0	1.2	1.2	0	0
411	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	5.2	2	9	0.2	0	0	0	5.2	3.4	1.8	0
411	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
411	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1750.1	1671.4	1828.8	1	0	13.4	217.7	1519	1497.2	251.3	1.6
411	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	11.2	4.8	17.7	.	0	0	5.6	5.6	5.6	5.6	0
411	all_deer	SUM	SUM	197567	2976.1	2874.3	3077.9	14571.6	13861.4	15281.8	4.9	4.7	5.1	2644.7	2556	2733.4	1.3	0	48	1038	1558.7	1531.4	1111.7	1.6
411	md	N	400-00	40	.	.	.	.	.	.	.	.	.	1.4	1	2.3	3.5	0	0	1.4	0	0	1.4	0
411	md	N	411-00	89	.	.	.	.	.	.	.	.	.	63	59.9	66.1	70.8	0	0	61.6	1.4	1.4	61.6	0
411	md	N	412-00	113	.	.	.	.	.	.	.	.	.	2.7	1	5	2.4	0	0	2.7	0	0	2.7	0
411	md	N	417-00	57	.	.	.	.	.	.	.	.	.	1.2	1	1.8	2.1	0	0	0	1.2	1.2	0	0
411	md	N	419-00	17	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	md	N	498-00	300	.	.	.	.	.	.	.	.	.	2.9	2	4.3	1	0	0	2.9	0	0	2.9	0
411	md	N	511-00	25	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	224.8	195.6	254	0.9	0	0	9.8	215	207.6	17.2	0
411	md	N	none	.	.	.	.	.	.	.	.	.	.	1.5	1	3.1	.	0	0	0	1.5	1.5	0	0
411	md	N	SUM	24854	.	.	.	.	.	.	.	.	.	297.5	267.9	327	1.2	0	0	78.4	219.1	211.6	85.8	0
411	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	11.1	5.3	16.9	0.1	0	0	11.1	0	0	11.1	0
411	md	R	400-00	654	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	md	R	411-00	509	.	.	.	.	.	.	.	.	.	251.1	240.4	261.9	49.3	0	7.5	237.2	6.4	5	246.1	0
411	md	R	412-00	487	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	md	R	417-00	243	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	md	R	419-00	108	.	.	.	.	.	.	.	.	.	4.3	3	5.8	4	0	0	4.3	0	0	4.3	0
411	md	R	511-00	125	.	.	.	.	.	.	.	.	.	1.2	1	2	1	0	0	0	1.2	1.2	0	0
411	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	692.5	643.4	741.5	0.5	0	0	103.9	588.6	581.3	109.6	1.6
411	md	R	none	.	.	.	.	.	.	.	.	.	.	5.6	2	10.2	.	0	0	1.6	4.1	4.1	1.6	0
411	md	R	SUM	160313	.	.	.	.	.	.	.	.	.	965.9	915.1	1016.6	0.6	0	7.5	358	600.3	591.6	372.7	1.6
411	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	11.1	5.3	16.9	0.1	0	0	11.1	0	0	11.1	0
411	md	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.2	0	0	1.4	0	0	1.4	0
411	md	SUM	411-00	598	.	.	.	.	.	.	.	.	.	314.1	303	325.3	52.5	0	7.5	298.8	7.8	6.4	307.7	0
411	md	SUM	412-00	600	.	.	.	.	.	.	.	.	.	2.7	1	5	0.5	0	0	2.7	0	0	2.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
411	md	SUM	417-00	300	.	.	.	.	.	.	.	.	.	1.2	1	1.8	0.4	0	0	0	1.2	1.2	0	0
411	md	SUM	419-00	125	.	.	.	.	.	.	.	.	.	4.3	3	5.8	3.4	0	0	4.3	0	0	4.3	0
411	md	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.9	2	4.3	1	0	0	2.9	0	0	2.9	0
411	md	SUM	511-00	150	.	.	.	.	.	.	.	.	.	1.2	1	2	0.8	0	0	0	1.2	1.2	0	0
411	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	917.2	860.2	974.3	0.5	0	0	113.6	803.6	788.8	126.8	1.6
411	md	SUM	none	.	.	.	.	.	.	.	.	.	.	7.2	3	12	.	0	0	1.6	5.6	5.6	1.6	0
411	md	SUM	SUM	185167	.	.	.	.	.	.	.	.	.	1263.3	1204.6	1322	0.7	0	7.5	436.4	819.4	803.2	458.5	1.6
411	wt	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	wt	N	406-00	42	.	.	.	.	.	.	.	.	.	1.2	1	1.9	2.9	0	0	0	1.2	1.2	0	0
411	wt	N	411-00	89	.	.	.	.	.	.	.	.	.	1.4	1	2.3	1.6	0	0	0	1.4	1.4	0	0
411	wt	N	418-00	68	.	.	.	.	.	.	.	.	.	2.7	1	5.2	4	0	0	2.7	0	0	2.7	0
411	wt	N	426-00	98	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	28.5	24.4	32.5	9.5	0	1.5	25.7	1.3	1.3	27.2	0
411	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	1.8	1	3.3	0.8	0	0	0	1.8	0	1.8	0
411	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
411	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	68.1	52.7	83.4	0.3	0	1.4	3.7	63	63	5.1	0
411	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
411	wt	N	SUM	25856	.	.	.	.	.	.	.	.	.	106.6	90.1	123	0.4	0	2.8	35.1	68.6	66.9	39.7	0
411	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
411	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	492.9	455.4	530.3	6.5	0	25.7	457.3	10	7.7	485.2	0
411	wt	R	404-10	824	.	.	.	.	.	.	.	.	.	2	1	3.6	0.2	0	0	0	2	2	0	0
411	wt	R	406-00	358	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	wt	R	411-00	509	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.3	0	0	0	1.6	1.6	0	0
411	wt	R	418-00	182	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
411	wt	R	426-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.3	0	0	0	1.3	1.3	0	0
411	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	3.4	1	6.9	0.2	0	0	0	3.4	3.4	0	0
411	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	764.8	712.5	817.1	0.5	0	12	100.4	652.4	645.4	119.4	0
411	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
411	wt	R	SUM	169842	.	.	.	.	.	.	.	.	.	1273.4	1208.7	1338.1	0.7	0	37.7	565.1	670.6	661.3	612.1	0
411	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
411	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	492.9	455.4	530.3	6.5	0	25.7	457.3	10	7.7	485.2	0
411	wt	SUM	404-10	836	.	.	.	.	.	.	.	.	.	2	1	3.6	0.2	0	0	0	2	2	0	0
411	wt	SUM	406-00	400	.	.	.	.	.	.	.	.	.	1.2	1	1.9	0.3	0	0	0	1.2	1.2	0	0
411	wt	SUM	411-00	598	.	.	.	.	.	.	.	.	.	2.9	2	4.4	0.5	0	0	0	2.9	2.9	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
411	wt	SUM	418-00	250	.	.	.	.	.	.	.	.	.	2.7	1	5.2	1.1	0	0	2.7	0	0	2.7	0
411	wt	SUM	426-00	537	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	0	1.3	1.3	0	0
411	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	28.5	24.4	32.5	9.5	0	1.5	25.7	1.3	1.3	27.2	0
411	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	5.2	2	9	0.2	0	0	0	5.2	3.4	1.8	0
411	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
411	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	832.9	778.4	887.4	0.5	0	13.4	104.1	715.4	708.4	124.5	0
411	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
411	wt	SUM	SUM	195698	.	.	.	.	.	.	.	.	.	1380	1313.3	1446.7	0.7	0	40.5	600.2	739.2	728.2	651.8	0
412	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
412	all_deer	N	411-00	89	.	.	.	.	.	.	.	.	.	2.8	2	4	3.1	0	0	2.8	0	0	2.8	0
412	all_deer	N	412-00	113	.	.	.	.	.	.	.	.	.	80.1	74.6	85.6	70.9	0	1.9	78.2	0	0	80.1	0
412	all_deer	N	417-00	57	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
412	all_deer	N	418-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
412	all_deer	N	419-00	17	.	.	.	.	.	.	.	.	.	1.9	1	3.4	11.2	0	0	1.9	0	0	1.9	0
412	all_deer	N	426-00	98	.	.	.	.	.	.	.	.	.	2.8	2	4.2	2.9	0	0	2.8	0	0	2.8	0
412	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	43.7	38.8	48.7	14.6	0	1.5	42.3	0	0	43.7	0
412	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
412	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	211.3	183.4	239.1	0.9	0	0	10.4	200.9	200.9	10.4	0
412	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
412	all_deer	N	SUM	25231	378.7	343.3	414.1	1758.1	1568.9	1947.3	4.6	4.3	4.9	342.6	313.7	371.5	1.4	0	3.4	138.4	200.9	200.9	141.7	0
412	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	335.1	304.7	365.5	4.4	0	5.6	315.1	14.4	12.3	322.7	0
412	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	4.3	3	6	0.7	0	0	4.3	0	0	4.3	0
412	all_deer	R	411-00	509	.	.	.	.	.	.	.	.	.	1.9	1	3.5	0.4	0	0	1.9	0	0	1.9	0
412	all_deer	R	412-00	487	.	.	.	.	.	.	.	.	.	253	244.4	261.7	52	0	7.5	242.7	2.8	2.8	250.2	0
412	all_deer	R	417-00	243	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.7	0	0	1.6	0	0	1.6	0
412	all_deer	R	418-00	182	.	.	.	.	.	.	.	.	.	3.3	2	5.3	1.8	0	0	1.8	1.5	1.5	1.8	0
412	all_deer	R	419-00	108	.	.	.	.	.	.	.	.	.	2.5	2	3.5	2.3	0	0	2.5	0	0	2.5	0
412	all_deer	R	426-00	439	.	.	.	.	.	.	.	.	.	7.3	5	9.6	1.7	0	0	4.5	2.8	2.8	4.5	0
412	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	2.4	1	4.7	0.1	0	0	2.4	0	0	2.4	0
412	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	883.3	828.1	938.4	0.6	0	2.3	122	758.9	751	132.2	0
412	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	9.8	3.5	16.1	.	0	0	5.7	4.1	4.1	5.7	0
412	all_deer	R	SUM	162823	1595.6	1522	1669.2	7105.6	6638.2	7573	4.5	4.3	4.7	1504.4	1440.3	1568.4	0.9	0	15.4	704.5	784.4	774.6	729.8	0
412	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	335.1	304.7	365.5	4.4	0	5.6	315.1	14.4	12.3	322.7	0
412	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	4.3	3	6	0.6	0	0	4.3	0	0	4.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
412	all_deer	SUM	411-00	598	.	.	.	.	.	.	.	.	.	4.7	3	6.7	0.8	0	0	4.7	0	0	4.7	0
412	all_deer	SUM	412-00	600	.	.	.	.	.	.	.	.	.	333.1	322.9	343.4	55.5	0	9.4	320.9	2.8	2.8	330.3	0
412	all_deer	SUM	417-00	300	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.5	0	0	1.6	0	0	1.6	0
412	all_deer	SUM	418-00	250	.	.	.	.	.	.	.	.	.	3.3	2	5.3	1.3	0	0	1.8	1.5	1.5	1.8	0
412	all_deer	SUM	419-00	125	.	.	.	.	.	.	.	.	.	4.3	3	6.2	3.4	0	0	4.3	0	0	4.3	0
412	all_deer	SUM	426-00	537	.	.	.	.	.	.	.	.	.	10.1	7.4	12.8	1.9	0	0	7.3	2.8	2.8	7.3	0
412	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	43.7	38.8	48.7	14.6	0	1.5	42.3	0	0	43.7	0
412	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	2.4	1	4.7	0.1	0	0	2.4	0	0	2.4	0
412	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1094.5	1032.8	1156.3	0.6	0	2.3	132.4	959.8	951.9	142.6	0
412	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	9.8	3.5	16.1	.	0	0	5.7	4.1	4.1	5.7	0
412	all_deer	SUM	SUM	188054	1974.4	1892.8	2056	8863.7	8359.5	9367.9	4.5	4.3	4.7	1847	1776.7	1917.2	1	0	18.8	842.9	985.3	975.5	871.5	0
412	md	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
412	md	N	411-00	89	.	.	.	.	.	.	.	.	.	2.8	2	4	3.1	0	0	2.8	0	0	2.8	0
412	md	N	412-00	113	.	.	.	.	.	.	.	.	.	78.6	73.1	84.2	69.6	0	1.9	76.7	0	0	78.6	0
412	md	N	418-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
412	md	N	419-00	17	.	.	.	.	.	.	.	.	.	1.9	1	3.4	11.2	0	0	1.9	0	0	1.9	0
412	md	N	426-00	98	.	.	.	.	.	.	.	.	.	2.8	2	4.2	2.9	0	0	2.8	0	0	2.8	0
412	md	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
412	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	156.7	132.7	180.6	0.6	0	0	10.4	146.3	146.3	10.4	0
412	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
412	md	N	SUM	24938	.	.	.	.	.	.	.	.	.	244.1	219.3	268.8	1	0	1.9	95.9	146.3	146.3	97.8	0
412	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	13.8	7.9	19.6	0.2	0	0	8.4	5.4	3.4	10.4	0
412	md	R	400-00	654	.	.	.	.	.	.	.	.	.	2.9	2	4.3	0.4	0	0	2.9	0	0	2.9	0
412	md	R	411-00	509	.	.	.	.	.	.	.	.	.	1.9	1	3.5	0.4	0	0	1.9	0	0	1.9	0
412	md	R	412-00	487	.	.	.	.	.	.	.	.	.	246.3	237.6	254.9	50.6	0	6.2	240	0	0	246.3	0
412	md	R	418-00	182	.	.	.	.	.	.	.	.	.	3.3	2	5.3	1.8	0	0	1.8	1.5	1.5	1.8	0
412	md	R	419-00	108	.	.	.	.	.	.	.	.	.	2.5	2	3.5	2.3	0	0	2.5	0	0	2.5	0
412	md	R	426-00	439	.	.	.	.	.	.	.	.	.	4.5	3	6.4	1	0	0	4.5	0	0	4.5	0
412	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	480.7	440.2	521.2	0.3	0	0	74.5	406.1	402.1	78.6	0
412	md	R	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.4	.	0	0	1.7	0	0	1.7	0
412	md	R	SUM	160566	.	.	.	.	.	.	.	.	.	757.4	715.4	799.4	0.5	0	6.2	338.1	413	407	350.5	0
412	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	13.8	7.9	19.6	0.2	0	0	8.4	5.4	3.4	10.4	0
412	md	SUM	400-00	694	.	.	.	.	.	.	.	.	.	2.9	2	4.3	0.4	0	0	2.9	0	0	2.9	0
412	md	SUM	411-00	598	.	.	.	.	.	.	.	.	.	4.7	3	6.7	0.8	0	0	4.7	0	0	4.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
412	md	SUM	412-00	600	.	.	.	.	.	.	.	.	.	324.9	314.6	335.2	54.1	0	8.1	316.8	0	0	324.9	0
412	md	SUM	418-00	250	.	.	.	.	.	.	.	.	.	3.3	2	5.3	1.3	0	0	1.8	1.5	1.5	1.8	0
412	md	SUM	419-00	125	.	.	.	.	.	.	.	.	.	4.3	3	6.2	3.4	0	0	4.3	0	0	4.3	0
412	md	SUM	426-00	537	.	.	.	.	.	.	.	.	.	7.3	5	9.6	1.4	0	0	7.3	0	0	7.3	0
412	md	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
412	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	637.4	590.3	684.4	0.4	0	0	84.9	552.4	548.4	89	0
412	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.4	.	0	0	1.7	0	0	1.7	0
412	md	SUM	SUM	185504	.	.	.	.	.	.	.	.	.	1001.5	952.7	1050.2	0.5	0	8.1	434	559.3	553.3	448.2	0
412	wt	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
412	wt	N	412-00	113	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
412	wt	N	426-00	98	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
412	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	42.4	37.5	47.3	14.1	0	1.5	41	0	0	42.4	0
412	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
412	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	54.6	40.3	68.9	0.2	0	0	0	54.6	54.6	0	0
412	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
412	wt	N	SUM	25000	.	.	.	.	.	.	.	.	.	97	81.9	112.2	0.4	0	1.5	41	54.6	54.6	42.4	0
412	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	321.3	291.4	351.2	4.2	0	5.6	306.7	9	9	312.3	0
412	wt	R	400-00	654	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
412	wt	R	412-00	487	.	.	.	.	.	.	.	.	.	5.5	4	7.4	1.1	0	0	2.7	2.8	2.8	2.7	0
412	wt	R	426-00	439	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.6	0	0	0	2.8	2.8	0	0
412	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	2.4	1	4.7	0.1	0	0	2.4	0	0	2.4	0
412	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	402.6	365	440.1	0.3	0	2.3	47.5	352.7	348.9	53.6	0
412	wt	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
412	wt	R	SUM	161781	.	.	.	.	.	.	.	.	.	744.1	695.6	792.6	0.5	0	7.9	364.8	371.4	367.6	376.5	0
412	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	321.3	291.4	351.2	4.2	0	5.6	306.7	9	9	312.3	0
412	wt	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
412	wt	SUM	412-00	600	.	.	.	.	.	.	.	.	.	5.5	4	7.4	0.9	0	0	2.7	2.8	2.8	2.7	0
412	wt	SUM	426-00	537	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.5	0	0	0	2.8	2.8	0	0
412	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	42.4	37.5	47.3	14.1	0	1.5	41	0	0	42.4	0
412	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	2.4	1	4.7	0.1	0	0	2.4	0	0	2.4	0
412	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	457.2	417	497.4	0.3	0	2.3	47.5	407.3	403.5	53.6	0
412	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
412	wt	SUM	SUM	186781	.	.	.	.	.	.	.	.	.	841.1	790.4	891.9	0.5	0	9.4	405.7	426	422.2	418.9	0
413	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
413	all_deer	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
413	all_deer	N	405-00	13	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
413	all_deer	N	413-00	19	.	.	.	.	.	.	.	.	.	16.2	14.7	17.7	85.3	0	0	16.2	0	0	16.2	0
413	all_deer	N	421-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
413	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	5.3	4	6.8	8.7	0	0	5.3	0	0	5.3	0
413	all_deer	N	450-00	23	.	.	.	.	.	.	.	.	.	2.2	1	4	9.6	0	0	2.2	0	0	2.2	0
413	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	8.5	6.2	10.9	2.8	0	0	8.5	0	0	8.5	0
413	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	107.8	86.9	128.7	0.4	0	0	7.5	100.3	100.3	7.5	0
413	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
413	all_deer	N	SUM	24704	184	158.1	209.9	922.1	779	1065.2	5	4.7	5.3	139.9	118.7	161.1	0.6	0	0	39.6	100.3	100.3	39.6	0
413	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	224	198.5	249.5	2.9	0	2	213.1	8.9	8.9	215.1	0
413	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	3.2	2	5	0.4	0	3.2	0	0	0	3.2	0
413	all_deer	R	404-10	824	.	.	.	.	.	.	.	.	.	2.5	1	5	0.3	0	0	2.5	0	0	2.5	0
413	all_deer	R	405-00	286	.	.	.	.	.	.	.	.	.	5.3	4	7.2	1.9	0	0	4.1	1.2	1.2	4.1	0
413	all_deer	R	413-00	282	.	.	.	.	.	.	.	.	.	124.9	118.1	131.7	44.3	0	4.3	120.6	0	0	124.9	0
413	all_deer	R	421-00	230	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
413	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	25	21.4	28.6	5.7	0	0	25	0	0	25	0
413	all_deer	R	450-00	127	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
413	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	870.9	815.4	926.5	0.6	0	7.8	122.2	741	734.6	136.3	0
413	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	22	12.3	31.7	.	0	0	22	0	0	22	0
413	all_deer	R	SUM	161129	1745.1	1666.2	1824	8338.2	7815.8	8860.6	4.8	4.6	5	1279.2	1216.7	1341.7	0.8	0	17.3	510.9	751.1	744.7	534.5	0
413	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	224	198.5	249.5	2.9	0	2	213.1	8.9	8.9	215.1	0
413	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	3.2	2	5	0.4	0	3.2	0	0	0	3.2	0
413	all_deer	SUM	404-10	836	.	.	.	.	.	.	.	.	.	2.5	1	5	0.3	0	0	2.5	0	0	2.5	0
413	all_deer	SUM	405-00	299	.	.	.	.	.	.	.	.	.	5.3	4	7.2	1.8	0	0	4.1	1.2	1.2	4.1	0
413	all_deer	SUM	413-00	301	.	.	.	.	.	.	.	.	.	141.1	134.1	148	46.9	0	4.3	136.8	0	0	141.1	0
413	all_deer	SUM	421-00	250	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
413	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	30.2	26.3	34.2	6	0	0	30.2	0	0	30.2	0
413	all_deer	SUM	450-00	150	.	.	.	.	.	.	.	.	.	2.2	1	4	1.5	0	0	2.2	0	0	2.2	0
413	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	8.5	6.2	10.9	2.8	0	0	8.5	0	0	8.5	0
413	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	978.7	919.3	1038.1	0.6	0	7.8	129.6	841.3	835	143.8	0
413	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	22	12.3	31.7	.	0	0	22	0	0	22	0
413	all_deer	SUM	SUM	185833	1929.1	1846.1	2012.1	9260.3	8718.7	9801.9	4.8	4.6	5	1419.1	1353.1	1485.1	0.8	0	17.3	550.5	851.4	845	574.1	0
413	md	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
413	md	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
413	md	N	405-00	13	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
413	md	N	413-00	19	.	.	.	.	.	.	.	.	.	16.2	14.7	17.7	85.3	0	0	16.2	0	0	16.2	0
413	md	N	421-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
413	md	N	445-00	61	.	.	.	.	.	.	.	.	.	5.3	4	6.8	8.7	0	0	5.3	0	0	5.3	0
413	md	N	450-00	23	.	.	.	.	.	.	.	.	.	2.2	1	4	9.6	0	0	2.2	0	0	2.2	0
413	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	92.9	73.6	112.2	0.4	0	0	7.5	85.4	85.4	7.5	0
413	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
413	md	N	SUM	24404	.	.	.	.	.	.	.	.	.	116.5	97	136	0.5	0	0	31.1	85.4	85.4	31.1	0
413	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	16	9.1	22.9	0.2	0	2	7.3	6.7	6.7	9.2	0
413	md	R	404-00	754	.	.	.	.	.	.	.	.	.	3.2	2	5	0.4	0	3.2	0	0	0	3.2	0
413	md	R	404-10	824	.	.	.	.	.	.	.	.	.	2.5	1	5	0.3	0	0	2.5	0	0	2.5	0
413	md	R	405-00	286	.	.	.	.	.	.	.	.	.	4.1	3	5.8	1.4	0	0	4.1	0	0	4.1	0
413	md	R	413-00	282	.	.	.	.	.	.	.	.	.	122.1	115.4	128.9	43.3	0	2.9	119.3	0	0	122.1	0
413	md	R	421-00	230	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
413	md	R	445-00	439	.	.	.	.	.	.	.	.	.	25	21.4	28.6	5.7	0	0	25	0	0	25	0
413	md	R	450-00	127	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
413	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	660.4	611.7	709.1	0.4	0	3.7	106.7	550	548.3	112.1	0
413	md	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
413	md	R	SUM	161129	.	.	.	.	.	.	.	.	.	842.9	792.6	893.1	0.5	0	11.8	274.3	556.8	555.1	287.8	0
413	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	16	9.1	22.9	0.2	0	2	7.3	6.7	6.7	9.2	0
413	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	3.2	2	5	0.4	0	3.2	0	0	0	3.2	0
413	md	SUM	404-10	836	.	.	.	.	.	.	.	.	.	2.5	1	5	0.3	0	0	2.5	0	0	2.5	0
413	md	SUM	405-00	299	.	.	.	.	.	.	.	.	.	4.1	3	5.8	1.4	0	0	4.1	0	0	4.1	0
413	md	SUM	413-00	301	.	.	.	.	.	.	.	.	.	138.3	131.4	145.3	45.9	0	2.9	135.4	0	0	138.3	0
413	md	SUM	421-00	250	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
413	md	SUM	445-00	500	.	.	.	.	.	.	.	.	.	30.2	26.3	34.2	6	0	0	30.2	0	0	30.2	0
413	md	SUM	450-00	150	.	.	.	.	.	.	.	.	.	2.2	1	4	1.5	0	0	2.2	0	0	2.2	0
413	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	753.3	700.9	805.7	0.4	0	3.7	114.1	635.5	633.8	119.5	0
413	md	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
413	md	SUM	SUM	185533	.	.	.	.	.	.	.	.	.	959.4	905.4	1013.3	0.5	0	11.8	305.3	642.2	640.5	318.8	0
413	wt	N	405-00	13	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
413	wt	N	413-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
413	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	8.5	6.2	10.9	2.8	0	0	8.5	0	0	8.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
413	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
413	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
413	wt	N	SUM	24545	.	.	.	.	.	.	.	.	.	23.4	15.1	31.7	0.1	0	0	8.5	14.9	14.9	8.5	0
413	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	208	183.5	232.6	2.7	0	0	205.8	2.2	2.2	205.8	0
413	wt	R	405-00	286	.	.	.	.	.	.	.	.	.	1.2	1	2	0.4	0	0	0	1.2	1.2	0	0
413	wt	R	413-00	282	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.5	0	0	1.4	0	0	1.4	0
413	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	210.5	183.6	237.5	0.1	0	4.1	15.5	191	186.3	24.3	0
413	wt	R	none	.	.	.	.	.	.	.	.	.	.	13.9	6.3	21.4	.	0	0	13.9	0	0	13.9	0
413	wt	R	SUM	158755	.	.	.	.	.	.	.	.	.	435	397.7	472.2	0.3	0	4.1	236.6	194.3	189.6	245.3	0
413	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	208	183.5	232.6	2.7	0	0	205.8	2.2	2.2	205.8	0
413	wt	SUM	405-00	299	.	.	.	.	.	.	.	.	.	1.2	1	2	0.4	0	0	0	1.2	1.2	0	0
413	wt	SUM	413-00	301	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.5	0	0	1.4	0	0	1.4	0
413	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	8.5	6.2	10.9	2.8	0	0	8.5	0	0	8.5	0
413	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	225.4	197.3	253.5	0.1	0	4.1	15.5	205.9	201.2	24.3	0
413	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	13.9	6.3	21.4	.	0	0	13.9	0	0	13.9	0
413	wt	SUM	SUM	183300	.	.	.	.	.	.	.	.	.	458.4	420.2	496.6	0.3	0	4.1	245.1	209.2	204.5	253.9	0
415	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
415	all_deer	N	SUM	24213	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
415	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	14.1	6.5	21.7	0	0	0	0	14.1	14.1	0	0
415	all_deer	R	SUM	150577	60	44.5	75.5	321.1	219.2	423	5.4	4.4	6.4	14.1	6.5	21.7	0	0	0	0	14.1	14.1	0	0
415	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	14.1	6.5	21.7	0	0	0	0	14.1	14.1	0	0
415	all_deer	SUM	SUM	174790	60	44.5	75.5	321.1	219.2	423	5.4	4.4	6.4	14.1	6.5	21.7	0	0	0	0	14.1	14.1	0	0
415	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
415	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
415	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	10.1	3.7	16.4	0	0	0	0	10.1	10.1	0	0
415	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	10.1	3.7	16.4	0	0	0	0	10.1	10.1	0	0
415	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	10.1	3.7	16.4	0	0	0	0	10.1	10.1	0	0
415	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	10.1	3.7	16.4	0	0	0	0	10.1	10.1	0	0
415	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
415	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
415	wt	N	SUM	24513	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
415	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
415	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
415	wt	R	SUM	158187	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
415	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
415	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
415	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
415	wt	SUM	SUM	182700	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
416	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
416	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
416	all_deer	N	413-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
416	all_deer	N	416-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
416	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
416	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	2.9	2	4.3	1	0	0	2.9	0	0	2.9	0
416	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	92.2	72.7	111.8	0.4	0	0	14.9	77.3	77.3	14.9	0
416	all_deer	N	SUM	25414	179.9	153	206.8	1066.8	896.1	1237.5	5.9	5.6	6.2	99.3	79.2	119.3	0.4	0	0	21.9	77.3	77.3	21.9	0
416	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	48.5	36.3	60.8	0.6	0	6.7	38.4	3.4	3.4	45.2	0
416	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.2	0	0	0	1.6	1.6	0	0
416	all_deer	R	413-00	282	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
416	all_deer	R	416-00	14	.	.	.	.	.	.	.	.	.	3.6	2	5.8	25.7	0	0	3.6	0	0	3.6	0
416	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	0	1.3	1.3	0	0
416	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	285.4	252	318.9	0.2	0	0	60.9	224.5	222.1	63.3	0
416	all_deer	R	SUM	159676	780.5	725.6	835.4	3715.8	3323.6	4108	4.8	4.4	5.2	341.9	306.2	377.6	0.2	0	6.7	103	232.2	229.8	112.1	0
416	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
416	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	48.5	36.3	60.8	0.6	0	6.7	38.4	3.4	3.4	45.2	0
416	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.2	0	0	0	1.6	1.6	0	0
416	all_deer	SUM	413-00	301	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
416	all_deer	SUM	416-00	15	.	.	.	.	.	.	.	.	.	3.6	2	5.8	24	0	0	3.6	0	0	3.6	0
416	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	0	1.3	1.3	0	0
416	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.9	2	4.3	1	0	0	2.9	0	0	2.9	0
416	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	377.7	338.9	416.4	0.2	0	0	75.8	301.8	299.5	78.2	0
416	all_deer	SUM	SUM	185090	960.4	899.3	1021.5	4782.6	4354.8	5210.4	5	4.7	5.3	441.2	400.2	482.1	0.2	0	6.7	124.9	309.5	307.2	134	0
416	md	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
416	md	N	413-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
416	md	N	416-00	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
416	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	62.4	46.4	78.5	0.3	0	0	14.9	47.5	47.5	14.9	0
416	md	N	SUM	24276	.	.	.	.	.	.	.	.	.	62.4	46.4	78.5	0.3	0	0	14.9	47.5	47.5	14.9	0
416	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
416	md	R	404-00	754	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.2	0	0	0	1.6	1.6	0	0
416	md	R	413-00	282	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
416	md	R	416-00	14	.	.	.	.	.	.	.	.	.	3.6	2	5.8	25.7	0	0	3.6	0	0	3.6	0
416	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	196	168.4	223.6	0.1	0	0	44.7	151.3	148.9	47.1	0
416	md	R	SUM	159237	.	.	.	.	.	.	.	.	.	206	178	233.9	0.1	0	0	48.3	157.7	155.3	50.7	0
416	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
416	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.2	0	0	0	1.6	1.6	0	0
416	md	SUM	413-00	301	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
416	md	SUM	416-00	15	.	.	.	.	.	.	.	.	.	3.6	2	5.8	24	0	0	3.6	0	0	3.6	0
416	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	258.4	226.5	290.3	0.1	0	0	59.6	198.8	196.5	62	0
416	md	SUM	SUM	183513	.	.	.	.	.	.	.	.	.	268.4	236.2	300.6	0.1	0	0	63.2	205.2	202.9	65.6	0
416	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
416	wt	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
416	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	2.9	2	4.3	1	0	0	2.9	0	0	2.9	0
416	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	0	29.8	29.8	0	0
416	wt	N	SUM	25351	.	.	.	.	.	.	.	.	.	36.8	24.7	48.9	0.1	0	0	7	29.8	29.8	7	0
416	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	45.2	33.4	56.9	0.6	0	6.7	38.4	0	0	45.2	0
416	wt	R	445-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	0	1.3	1.3	0	0
416	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	89.4	70.5	108.4	0.1	0	0	16.2	73.2	73.2	16.2	0
416	wt	R	SUM	158626	.	.	.	.	.	.	.	.	.	135.9	113.6	158.2	0.1	0	6.7	54.7	74.5	74.5	61.4	0
416	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
416	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	45.2	33.4	56.9	0.6	0	6.7	38.4	0	0	45.2	0
416	wt	SUM	445-00	500	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	0	1.3	1.3	0	0
416	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.9	2	4.3	1	0	0	2.9	0	0	2.9	0
416	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	119.2	97.2	141.2	0.1	0	0	16.2	103	103	16.2	0
416	wt	SUM	SUM	183977	.	.	.	.	.	.	.	.	.	172.7	147.4	198.1	0.1	0	6.7	61.7	104.3	104.3	68.4	0
417	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	1	1	1	2.5	0	0	1	0	0	1	0
417	all_deer	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
417	all_deer	N	411-00	89	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
417	all_deer	N	417-00	57	.	.	.	.	.	.	.	.	.	37.1	34.8	39.5	65.1	0	0	37.1	0	0	37.1	0
417	all_deer	N	426-00	98	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
417	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
417	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	113.9	92.8	135	0.5	0	0	3.7	110.2	110.2	3.7	0
417	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
417	all_deer	N	SUM	24809	233.8	205	262.6	1327.4	1135.7	1519.1	5.7	5.3	6.1	153.5	132.3	174.7	0.6	0	0	43.3	110.2	110.2	43.3	0
417	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	28.1	19.7	36.6	0.4	0	0	28.1	0	0	28.1	0
417	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
417	all_deer	R	404-10	824	.	.	.	.	.	.	.	.	.	5.5	2	9.5	0.7	0	0	5.5	0	0	5.5	0
417	all_deer	R	411-00	509	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.3	0	0	1.6	0	0	1.6	0
417	all_deer	R	417-00	243	.	.	.	.	.	.	.	.	.	88.3	81.7	94.9	36.3	0	1.3	85.8	1.3	1.3	87	0
417	all_deer	R	426-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.3	0	0	1.3	0	0	1.3	0
417	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	365.2	329.3	401.1	0.2	0	0	16.6	348.5	346.9	18.2	0
417	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
417	all_deer	R	SUM	160856	753.8	702.4	805.2	3876.6	3503.2	4250	5.1	4.8	5.4	494.1	456.1	532	0.3	0	1.3	143	349.8	348.2	145.9	0
417	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	28.1	19.7	36.6	0.4	0	0	28.1	0	0	28.1	0
417	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1	1	1	0.1	0	0	1	0	0	1	0
417	all_deer	SUM	404-10	836	.	.	.	.	.	.	.	.	.	5.5	2	9.5	0.7	0	0	5.5	0	0	5.5	0
417	all_deer	SUM	411-00	598	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.3	0	0	1.6	0	0	1.6	0
417	all_deer	SUM	417-00	300	.	.	.	.	.	.	.	.	.	125.4	118.4	132.4	41.8	0	1.3	122.9	1.3	1.3	124.2	0
417	all_deer	SUM	426-00	537	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	1.3	0	0	1.3	0
417	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
417	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	479.1	437.4	520.7	0.3	0	0	20.4	458.7	457.1	22	0
417	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
417	all_deer	SUM	SUM	185665	987.7	928.7	1046.7	5204	4784.2	5623.8	5.3	5	5.6	647.6	604.1	691	0.3	0	1.3	186.3	460	458.4	189.2	0
417	md	N	400-00	40	.	.	.	.	.	.	.	.	.	1	1	1	2.5	0	0	1	0	0	1	0
417	md	N	411-00	89	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
417	md	N	417-00	57	.	.	.	.	.	.	.	.	.	37.1	34.8	39.5	65.1	0	0	37.1	0	0	37.1	0
417	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	101.3	81.4	121.2	0.4	0	0	3.7	97.6	97.6	3.7	0
417	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
417	md	N	SUM	24399	.	.	.	.	.	.	.	.	.	139.4	119.4	159.4	0.6	0	0	41.9	97.6	97.6	41.9	0
417	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0	0	0	2.2	0	0	2.2	0
417	md	R	400-00	654	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
417	md	R	411-00	509	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.3	0	0	1.6	0	0	1.6	0
417	md	R	417-00	243	.	.	.	.	.	.	.	.	.	87	80.4	93.5	35.8	0	1.3	84.4	1.3	1.3	85.7	0
417	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	308.7	276	341.4	0.2	0	0	11.6	297.1	295.5	13.2	0
417	md	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
417	md	R	SUM	159593	.	.	.	.	.	.	.	.	.	403.4	369.7	437.1	0.3	0	1.3	103.8	298.4	296.8	106.7	0
417	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0	0	0	2.2	0	0	2.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
417	md	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1	1	1	0.1	0	0	1	0	0	1	0
417	md	SUM	411-00	598	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.3	0	0	1.6	0	0	1.6	0
417	md	SUM	417-00	300	.	.	.	.	.	.	.	.	.	124.1	117.1	131.1	41.4	0	1.3	121.5	1.3	1.3	122.8	0
417	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	410	371.7	448.2	0.2	0	0	15.3	394.7	393.1	16.9	0
417	md	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
417	md	SUM	SUM	183992	.	.	.	.	.	.	.	.	.	542.8	503.6	582	0.3	0	1.3	145.6	396	394.3	148.5	0
417	wt	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
417	wt	N	417-00	57	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
417	wt	N	426-00	98	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
417	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
417	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	12.6	5.6	19.6	0.1	0	0	0	12.6	12.6	0	0
417	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
417	wt	N	SUM	24680	.	.	.	.	.	.	.	.	.	14.1	7	21.2	0.1	0	0	1.5	12.6	12.6	1.5	0
417	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	26	17.8	34.1	0.3	0	0	26	0	0	26	0
417	wt	R	404-10	824	.	.	.	.	.	.	.	.	.	5.5	2	9.5	0.7	0	0	5.5	0	0	5.5	0
417	wt	R	417-00	243	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.6	0	0	1.4	0	0	1.4	0
417	wt	R	426-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.3	0	0	1.3	0	0	1.3	0
417	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	56.5	41.6	71.3	0	0	0	5.1	51.4	51.4	5.1	0
417	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
417	wt	R	SUM	159693	.	.	.	.	.	.	.	.	.	90.6	73.2	108.1	0.1	0	0	39.2	51.4	51.4	39.2	0
417	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	26	17.8	34.1	0.3	0	0	26	0	0	26	0
417	wt	SUM	404-10	836	.	.	.	.	.	.	.	.	.	5.5	2	9.5	0.7	0	0	5.5	0	0	5.5	0
417	wt	SUM	417-00	300	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.5	0	0	1.4	0	0	1.4	0
417	wt	SUM	426-00	537	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	1.3	0	0	1.3	0
417	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
417	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	69.1	52.6	85.5	0	0	0	5.1	64	64	5.1	0
417	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
417	wt	SUM	SUM	184373	.	.	.	.	.	.	.	.	.	104.7	85.8	123.6	0.1	0	0	40.7	64	64	40.7	0
418	all_deer	N	418-00	68	.	.	.	.	.	.	.	.	.	37.5	32.7	42.3	55.1	0	3.7	33.8	0	0	37.5	0
418	all_deer	N	426-00	98	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
418	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	2.7	2	4	0.9	0	0	2.7	0	0	2.7	0
418	all_deer	N	511-00	25	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
418	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	0	2.2	2.2	0	0
418	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	40.1	28.8	51.4	0.2	0	0	9.3	30.8	30.8	9.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
418	all_deer	N	SUM	25502	106.6	88.9	124.3	630.4	510.2	750.6	5.9	5.5	6.3	82.5	70	95	0.3	0	3.7	45.8	33	33	49.5	0
418	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	60.7	47.8	73.6	0.8	0	2.2	56.2	2.3	2.3	58.4	0
418	all_deer	R	418-00	182	.	.	.	.	.	.	.	.	.	64.9	57.6	72.3	35.7	0	0	64.9	0	0	64.9	0
418	all_deer	R	426-00	439	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
418	all_deer	R	511-00	125	.	.	.	.	.	.	.	.	.	1.3	1	2	1	0	0	0	1.3	1.3	0	0
418	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	162.6	138.3	186.8	0.1	0	4.1	9.5	149.1	141.3	19.7	1.6
418	all_deer	R	SUM	158933	484.1	442.6	525.6	2287.7	1855.3	2720.1	4.7	3.9	5.5	290.9	262.5	319.4	0.2	0	6.2	132.1	152.6	144.8	144.5	1.6
418	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	60.7	47.8	73.6	0.8	0	2.2	56.2	2.3	2.3	58.4	0
418	all_deer	SUM	418-00	250	.	.	.	.	.	.	.	.	.	102.4	93.7	111.2	41	0	3.7	98.7	0	0	102.4	0
418	all_deer	SUM	426-00	537	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
418	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.7	2	4	0.9	0	0	2.7	0	0	2.7	0
418	all_deer	SUM	511-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2	0.9	0	0	0	1.3	1.3	0	0
418	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	0	2.2	2.2	0	0
418	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	202.7	176	229.5	0.1	0	4.1	18.8	179.9	172.1	29	1.6
418	all_deer	SUM	SUM	184435	590.7	545.5	635.9	2918.1	2469.3	3366.9	4.9	4.3	5.5	373.4	342.4	404.5	0.2	0	9.9	177.9	185.6	177.8	194	1.6
418	md	N	418-00	68	.	.	.	.	.	.	.	.	.	17.8	14.3	21.2	26.2	0	0	17.8	0	0	17.8	0
418	md	N	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	0	2.2	2.2	0	0
418	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	31.8	21.2	42.3	0.1	0	0	7.5	24.3	24.3	7.5	0
418	md	N	SUM	25079	.	.	.	.	.	.	.	.	.	51.7	40.4	63	0.2	0	0	25.2	26.5	26.5	25.2	0
418	md	R	418-00	182	.	.	.	.	.	.	.	.	.	31.8	25.6	37.9	17.5	0	0	31.8	0	0	31.8	0
418	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	79	62.2	95.8	0.1	0	0	0	79	79	0	0
418	md	R	SUM	150759	.	.	.	.	.	.	.	.	.	110.8	92.9	128.7	0.1	0	0	31.8	79	79	31.8	0
418	md	SUM	418-00	250	.	.	.	.	.	.	.	.	.	49.5	42.5	56.6	19.8	0	0	49.5	0	0	49.5	0
418	md	SUM	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	0	2.2	2.2	0	0
418	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	110.8	90.9	130.6	0.1	0	0	7.5	103.3	103.3	7.5	0
418	md	SUM	SUM	175838	.	.	.	.	.	.	.	.	.	162.5	141.4	183.7	0.1	0	0	57	105.5	105.5	57	0
418	wt	N	418-00	68	.	.	.	.	.	.	.	.	.	19.7	15.1	24.3	29	0	3.7	16	0	0	19.7	0
418	wt	N	426-00	98	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
418	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	2.7	2	4	0.9	0	0	2.7	0	0	2.7	0
418	wt	N	511-00	25	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
418	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	8.4	5	12.4	0	0	0	1.9	6.5	6.5	1.9	0
418	wt	N	SUM	24704	.	.	.	.	.	.	.	.	.	30.8	24.6	37	0.1	0	3.7	20.6	6.5	6.5	24.3	0
418	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	58.4	45.7	71.1	0.8	0	2.2	54	2.3	2.3	56.2	0
418	wt	R	418-00	182	.	.	.	.	.	.	.	.	.	33.2	28.1	38.3	18.2	0	0	33.2	0	0	33.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
418	wt	R	426-00	439	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
418	wt	R	511-00	125	.	.	.	.	.	.	.	.	.	1.3	1	2	1	0	0	0	1.3	1.3	0	0
418	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	83.6	66	101.1	0.1	0	4.1	9.5	70	62.3	19.7	1.6
418	wt	R	SUM	158933	.	.	.	.	.	.	.	.	.	177.9	155.6	200.2	0.1	0	6.2	98.1	73.6	65.8	110.5	1.6
418	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	58.4	45.7	71.1	0.8	0	2.2	54	2.3	2.3	56.2	0
418	wt	SUM	418-00	250	.	.	.	.	.	.	.	.	.	52.9	46	59.7	21.2	0	3.7	49.2	0	0	52.9	0
418	wt	SUM	426-00	537	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
418	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.7	2	4	0.9	0	0	2.7	0	0	2.7	0
418	wt	SUM	511-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2	0.9	0	0	0	1.3	1.3	0	0
418	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	91.9	74	109.9	0.1	0	4.1	11.3	76.5	68.8	21.6	1.6
418	wt	SUM	SUM	183637	.	.	.	.	.	.	.	.	.	208.7	185.6	231.8	0.1	0	9.9	118.7	80.1	72.3	134.8	1.6
419	all_deer	N	412-00	113	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
419	all_deer	N	419-00	17	.	.	.	.	.	.	.	.	.	9.9	7.5	12.2	58.2	0	0	9.9	0	0	9.9	0
419	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	21.2	12.6	29.8	0.1	0	0	0	21.2	21.2	0	0
419	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
419	all_deer	N	SUM	24343	40.2	28.9	51.5	225.6	130.9	320.3	5.6	4.1	7.1	31.1	22.1	40	0.1	0	0	9.9	21.2	21.2	9.9	0
419	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	42.6	31.1	54.1	0.6	0	0	42.6	0	0	42.6	0
419	all_deer	R	412-00	487	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.3	0	0	0	1.5	1.5	0	0
419	all_deer	R	419-00	108	.	.	.	.	.	.	.	.	.	44.3	40.8	47.8	41	0	0	44.3	0	0	44.3	0
419	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	279.4	247.4	311.3	0.2	0	0	41.6	237.8	229.8	49.5	0
419	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
419	all_deer	R	SUM	158782	504.8	462	547.6	2094.5	1820.2	2368.8	4.1	3.7	4.5	371.9	337.5	406.4	0.2	0	0	132.6	239.4	231.4	140.6	0
419	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	42.6	31.1	54.1	0.6	0	0	42.6	0	0	42.6	0
419	all_deer	SUM	412-00	600	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	0	1.5	1.5	0	0
419	all_deer	SUM	419-00	125	.	.	.	.	.	.	.	.	.	54.2	50	58.4	43.4	0	0	54.2	0	0	54.2	0
419	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	300.6	267.5	333.7	0.2	0	0	41.6	259	251	49.5	0
419	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
419	all_deer	SUM	SUM	183125	545	500.7	589.3	2320.1	2030	2610.2	4.3	3.9	4.7	403	367.5	438.6	0.2	0	0	142.5	260.6	252.6	150.4	0
419	md	N	419-00	17	.	.	.	.	.	.	.	.	.	9.9	7.5	12.2	58.2	0	0	9.9	0	0	9.9	0
419	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	21.2	12.6	29.8	0.1	0	0	0	21.2	21.2	0	0
419	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
419	md	N	SUM	24230	.	.	.	.	.	.	.	.	.	31.1	22.1	40	0.1	0	0	9.9	21.2	21.2	9.9	0
419	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.7	0.1	0	0	5.6	0	0	5.6	0
419	md	R	419-00	108	.	.	.	.	.	.	.	.	.	44.3	40.8	47.8	41	0	0	44.3	0	0	44.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
419	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	217.1	188.9	245.2	0.1	0	0	33.5	183.6	181.3	35.8	0
419	md	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
419	md	R	SUM	158295	.	.	.	.	.	.	.	.	.	271	242.1	300	0.2	0	0	87.4	183.6	181.3	89.8	0
419	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.7	0.1	0	0	5.6	0	0	5.6	0
419	md	SUM	419-00	125	.	.	.	.	.	.	.	.	.	54.2	50	58.4	43.4	0	0	54.2	0	0	54.2	0
419	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	238.3	208.9	267.7	0.1	0	0	33.5	204.8	202.5	35.8	0
419	md	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
419	md	SUM	SUM	182525	.	.	.	.	.	.	.	.	.	302.1	271.8	332.4	0.2	0	0	97.3	204.8	202.5	99.6	0
419	wt	N	412-00	113	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
419	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
419	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
419	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
419	wt	N	SUM	24626	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
419	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	37.1	26.3	47.8	0.5	0	0	37.1	0	0	37.1	0
419	wt	R	412-00	487	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.3	0	0	0	1.5	1.5	0	0
419	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	62.3	47.2	77.4	0	0	0	8.1	54.2	48.6	13.7	0
419	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
419	wt	R	SUM	158674	.	.	.	.	.	.	.	.	.	100.9	82.3	119.5	0.1	0	0	45.2	55.7	50.1	50.8	0
419	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	37.1	26.3	47.8	0.5	0	0	37.1	0	0	37.1	0
419	wt	SUM	412-00	600	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	0	1.5	1.5	0	0
419	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
419	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	62.3	47.2	77.4	0	0	0	8.1	54.2	48.6	13.7	0
419	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
419	wt	SUM	SUM	183300	.	.	.	.	.	.	.	.	.	100.9	82.3	119.5	0.1	0	0	45.2	55.7	50.1	50.8	0
420	all_deer	N	421-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
420	all_deer	N	426-00	98	.	.	.	.	.	.	.	.	.	2.5	2	3.7	2.6	0	0	2.5	0	0	2.5	0
420	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	27.4	16.8	38.1	0.1	0	0	1.4	26.1	26.1	1.4	0
420	all_deer	N	SUM	24331	43.7	31.1	56.3	298.7	203.9	393.5	6.8	5.9	7.7	30	19.3	40.6	0.1	0	0	3.9	26.1	26.1	3.9	0
420	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.8	0.1	0	0	5.6	0	0	5.6	0
420	all_deer	R	421-00	230	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
420	all_deer	R	426-00	439	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
420	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	24.9	15.9	33.9	0	0	0	1.6	23.3	23.3	1.6	0
420	all_deer	R	SUM	158856	114.5	93.5	135.5	516.2	408.2	624.2	4.5	4	5	31.9	22	41.8	0	0	0	8.6	23.3	23.3	8.6	0
420	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.8	0.1	0	0	5.6	0	0	5.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
420	all_deer	SUM	421-00	250	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
420	all_deer	SUM	426-00	537	.	.	.	.	.	.	.	.	.	2.5	2	3.7	0.5	0	0	2.5	0	0	2.5	0
420	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	52.4	38.5	66.2	0	0	0	2.9	49.4	49.4	2.9	0
420	all_deer	SUM	SUM	183187	158.1	133.6	182.6	814.9	671.1	958.7	5.2	4.8	5.6	61.9	47.3	76.5	0	0	0	12.5	49.4	49.4	12.5	0
420	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	23.7	13.9	33.6	0.1	0	0	1.4	22.4	22.4	1.4	0
420	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	23.7	13.9	33.6	0.1	0	0	1.4	22.4	22.4	1.4	0
420	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	16.9	9.6	24.2	0	0	0	1.6	15.3	15.3	1.6	0
420	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	16.9	9.6	24.2	0	0	0	1.6	15.3	15.3	1.6	0
420	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	40.6	28.3	52.8	0	0	0	2.9	37.7	37.7	2.9	0
420	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	40.6	28.3	52.8	0	0	0	2.9	37.7	37.7	2.9	0
420	wt	N	421-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
420	wt	N	426-00	98	.	.	.	.	.	.	.	.	.	2.5	2	3.7	2.6	0	0	2.5	0	0	2.5	0
420	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
420	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
420	wt	N	SUM	24631	.	.	.	.	.	.	.	.	.	6.2	3	10.4	0	0	0	2.5	3.7	3.7	2.5	0
420	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.8	0.1	0	0	5.6	0	0	5.6	0
420	wt	R	421-00	230	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
420	wt	R	426-00	439	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
420	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	8	3	13.2	0	0	0	0	8	8	0	0
420	wt	R	SUM	158856	.	.	.	.	.	.	.	.	.	15.1	8.4	21.8	0	0	0	7	8	8	7	0
420	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.8	0.1	0	0	5.6	0	0	5.6	0
420	wt	SUM	421-00	250	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
420	wt	SUM	426-00	537	.	.	.	.	.	.	.	.	.	2.5	2	3.7	0.5	0	0	2.5	0	0	2.5	0
420	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
420	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	11.8	5.2	18.3	0	0	0	0	11.8	11.8	0	0
420	wt	SUM	SUM	183487	.	.	.	.	.	.	.	.	.	21.3	13.4	29.2	0	0	0	9.5	11.8	11.8	9.5	0
421	all_deer	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	all_deer	N	405-00	13	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	all_deer	N	413-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	all_deer	N	421-00	20	.	.	.	.	.	.	.	.	.	18.7	17.1	20	93.5	0	0	18.7	0	0	18.7	0
421	all_deer	N	423-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	44	30.6	57.3	0.2	0	0	0	44	44	0	0
421	all_deer	N	SUM	24341	69.1	53.3	84.9	337.8	241.4	434.2	4.9	4.2	5.6	62.7	49.2	76.1	0.3	0	0	18.7	44	44	18.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
421	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	0	3.4	3.4	0	0
421	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	89.4	72.7	106	1.2	0	3.4	86	0	0	89.4	0
421	all_deer	R	404-10	824	.	.	.	.	.	.	.	.	.	3	1	6	0.4	0	0	0	3	3	0	0
421	all_deer	R	405-00	286	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
421	all_deer	R	413-00	282	.	.	.	.	.	.	.	.	.	4.2	3	5.9	1.5	0	0	4.2	0	0	4.2	0
421	all_deer	R	421-00	230	.	.	.	.	.	.	.	.	.	100	92.5	107.5	43.5	0	0	98.6	1.4	0	98.6	1.4
421	all_deer	R	423-00	72	.	.	.	.	.	.	.	.	.	1.1	1	1.7	1.5	0	0	1.1	0	0	1.1	0
421	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	2.7	2	3.9	0.6	0	0	2.7	0	0	2.7	0
421	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	383.4	347.1	419.7	0.3	0	4.1	59.6	319.8	314.9	66.9	1.6
421	all_deer	R	SUM	167649	709.5	660.4	758.6	2848.1	2563.1	3133.1	4	3.7	4.3	588.6	547.7	629.6	0.4	0	7.4	252.2	329	322.7	262.9	3
421	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	0	3.4	3.4	0	0
421	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	89.4	72.7	106	1.2	0	3.4	86	0	0	89.4	0
421	all_deer	SUM	404-10	836	.	.	.	.	.	.	.	.	.	3	1	6	0.4	0	0	0	3	3	0	0
421	all_deer	SUM	405-00	299	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
421	all_deer	SUM	413-00	301	.	.	.	.	.	.	.	.	.	4.2	3	5.9	1.4	0	0	4.2	0	0	4.2	0
421	all_deer	SUM	421-00	250	.	.	.	.	.	.	.	.	.	118.7	111.1	126.4	47.5	0	0	117.3	1.4	0	117.3	1.4
421	all_deer	SUM	423-00	75	.	.	.	.	.	.	.	.	.	1.1	1	1.7	1.5	0	0	1.1	0	0	1.1	0
421	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	2.7	2	3.9	0.5	0	0	2.7	0	0	2.7	0
421	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	427.4	388.7	466.1	0.2	0	4.1	59.6	363.8	358.9	66.9	1.6
421	all_deer	SUM	SUM	191990	778.6	727	830.2	3185.9	2885	3486.8	4.1	3.8	4.4	651.3	608.2	694.4	0.3	0	7.4	270.9	373	366.7	281.6	3
421	md	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	md	N	405-00	13	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	md	N	413-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	md	N	421-00	20	.	.	.	.	.	.	.	.	.	17.1	15.3	18.9	85.5	0	0	17.1	0	0	17.1	0
421	md	N	423-00	3	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	md	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	36.5	24.4	48.6	0.2	0	0	0	36.5	36.5	0	0
421	md	N	SUM	24341	.	.	.	.	.	.	.	.	.	53.6	41.3	65.8	0.2	0	0	17.1	36.5	36.5	17.1	0
421	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.7	0.1	0	0	5.6	0	0	5.6	0
421	md	R	404-10	824	.	.	.	.	.	.	.	.	.	3	1	6	0.4	0	0	0	3	3	0	0
421	md	R	405-00	286	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
421	md	R	413-00	282	.	.	.	.	.	.	.	.	.	4.2	3	5.9	1.5	0	0	4.2	0	0	4.2	0
421	md	R	421-00	230	.	.	.	.	.	.	.	.	.	100	92.5	107.5	43.5	0	0	98.6	1.4	0	98.6	1.4
421	md	R	423-00	72	.	.	.	.	.	.	.	.	.	1.1	1	1.7	1.5	0	0	1.1	0	0	1.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
421	md	R	445-00	439	.	.	.	.	.	.	.	.	.	2.7	2	3.9	0.6	0	0	2.7	0	0	2.7	0
421	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	282	250.5	313.5	0.2	0	4.1	43.8	234.2	230.9	49.5	1.6
421	md	R	SUM	160320	.	.	.	.	.	.	.	.	.	400	367.1	432.9	0.2	0	4.1	155.9	240	235.3	161.6	3
421	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.7	0.1	0	0	5.6	0	0	5.6	0
421	md	SUM	404-10	836	.	.	.	.	.	.	.	.	.	3	1	6	0.4	0	0	0	3	3	0	0
421	md	SUM	405-00	299	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	0	1.4	1.4	0	0
421	md	SUM	413-00	301	.	.	.	.	.	.	.	.	.	4.2	3	5.9	1.4	0	0	4.2	0	0	4.2	0
421	md	SUM	421-00	250	.	.	.	.	.	.	.	.	.	117.1	109.4	124.8	46.8	0	0	115.7	1.4	0	115.7	1.4
421	md	SUM	423-00	75	.	.	.	.	.	.	.	.	.	1.1	1	1.7	1.5	0	0	1.1	0	0	1.1	0
421	md	SUM	445-00	500	.	.	.	.	.	.	.	.	.	2.7	2	3.9	0.5	0	0	2.7	0	0	2.7	0
421	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	318.5	284.8	352.3	0.2	0	4.1	43.8	270.7	267.4	49.5	1.6
421	md	SUM	SUM	184661	.	.	.	.	.	.	.	.	.	453.6	418.5	488.6	0.2	0	4.1	173	276.5	271.8	178.7	3
421	wt	N	421-00	20	.	.	.	.	.	.	.	.	.	1.6	1	2.7	8	0	0	1.6	0	0	1.6	0
421	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
421	wt	N	SUM	24533	.	.	.	.	.	.	.	.	.	9.1	3.3	14.8	0	0	0	1.6	7.5	7.5	1.6	0
421	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	0	3.4	3.4	0	0
421	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	83.8	67.7	100	1.1	0	3.4	80.4	0	0	83.8	0
421	wt	R	421-00	230	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	101.4	83.4	119.4	0.1	0	0	15.8	85.6	84	17.4	0
421	wt	R	SUM	165746	.	.	.	.	.	.	.	.	.	188.7	164.2	213.1	0.1	0	3.4	96.2	89.1	87.4	101.3	0
421	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	0	3.4	3.4	0	0
421	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	83.8	67.7	100	1.1	0	3.4	80.4	0	0	83.8	0
421	wt	SUM	421-00	250	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.6	0	0	1.6	0	0	1.6	0
421	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
421	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	108.9	90	127.7	0.1	0	0	15.8	93.1	91.4	17.4	0
421	wt	SUM	SUM	190279	.	.	.	.	.	.	.	.	.	197.7	172.6	222.9	0.1	0	3.4	97.9	96.5	94.9	102.9	0
422	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
422	all_deer	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
422	all_deer	N	444-00	18	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
422	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	0	29.8	29.8	0	0
422	all_deer	N	SUM	24283	52.8	37.9	67.7	324.5	229.8	419.2	6.1	5.6	6.6	29.8	18.6	41	0.1	0	0	0	29.8	29.8	0	0
422	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	32.6	22.8	42.4	0.4	0	0	32.6	0	0	32.6	0
422	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.2	0	0	1.5	0	0	1.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
422	all_deer	R	404-10	824	.	.	.	.	.	.	.	.	.	2	1	3.6	0.2	0	0	2	0	0	2	0
422	all_deer	R	444-00	232	.	.	.	.	.	.	.	.	.	3.4	2	5.2	1.5	0	0	3.4	0	0	3.4	0
422	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	166.4	142.7	190.1	0.1	0	0	12	154.4	154.4	12	0
422	all_deer	R	SUM	159897	363.5	327	400	1552.5	1348.1	1756.9	4.3	3.9	4.7	205.8	180.1	231.6	0.1	0	0	51.5	154.4	154.4	51.5	0
422	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	32.6	22.8	42.4	0.4	0	0	32.6	0	0	32.6	0
422	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.2	0	0	1.5	0	0	1.5	0
422	all_deer	SUM	404-10	836	.	.	.	.	.	.	.	.	.	2	1	3.6	0.2	0	0	2	0	0	2	0
422	all_deer	SUM	444-00	250	.	.	.	.	.	.	.	.	.	3.4	2	5.2	1.4	0	0	3.4	0	0	3.4	0
422	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	196.2	170	222.4	0.1	0	0	12	184.2	184.2	12	0
422	all_deer	SUM	SUM	184180	416.4	377.1	455.7	1877	1651.8	2102.2	4.5	4.2	4.8	235.7	207.6	263.7	0.1	0	0	51.5	184.2	184.2	51.5	0
422	md	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
422	md	N	444-00	18	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
422	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	0	29.8	29.8	0	0
422	md	N	SUM	24271	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	0	29.8	29.8	0	0
422	md	R	400-00	654	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.2	0	0	1.5	0	0	1.5	0
422	md	R	444-00	232	.	.	.	.	.	.	.	.	.	3.4	2	5.2	1.5	0	0	3.4	0	0	3.4	0
422	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	129.3	108.1	150.6	0.1	0	0	12	117.3	117.3	12	0
422	md	R	SUM	151463	.	.	.	.	.	.	.	.	.	134.1	112.8	155.5	0.1	0	0	16.9	117.3	117.3	16.9	0
422	md	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.2	0	0	1.5	0	0	1.5	0
422	md	SUM	444-00	250	.	.	.	.	.	.	.	.	.	3.4	2	5.2	1.4	0	0	3.4	0	0	3.4	0
422	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	159.1	135.1	183.2	0.1	0	0	12	147.1	147.1	12	0
422	md	SUM	SUM	175734	.	.	.	.	.	.	.	.	.	164	139.8	188.1	0.1	0	0	16.9	147.1	147.1	16.9	0
422	wt	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
422	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
422	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
422	wt	N	SUM	24525	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
422	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	32.6	22.8	42.4	0.4	0	0	32.6	0	0	32.6	0
422	wt	R	404-10	824	.	.	.	.	.	.	.	.	.	2	1	3.6	0.2	0	0	2	0	0	2	0
422	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	37.1	26.7	47.5	0	0	0	0	37.1	37.1	0	0
422	wt	R	SUM	159011	.	.	.	.	.	.	.	.	.	71.7	57.3	86.1	0	0	0	34.6	37.1	37.1	34.6	0
422	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	32.6	22.8	42.4	0.4	0	0	32.6	0	0	32.6	0
422	wt	SUM	404-10	836	.	.	.	.	.	.	.	.	.	2	1	3.6	0.2	0	0	2	0	0	2	0
422	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
422	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	37.1	26.7	47.5	0	0	0	0	37.1	37.1	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
422	wt	SUM	SUM	183536	.	.	.	.	.	.	.	.	.	71.7	57.3	86.1	0	0	0	34.6	37.1	37.1	34.6	0
423	all_deer	N	421-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
423	all_deer	N	423-00	3	.	.	.	.	.	.	.	.	.	1	1	1	33.3	0	0	1	0	0	1	0
423	all_deer	N	444-00	18	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
423	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
423	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	36.3	24.2	48.4	0.1	0	0	3.7	32.5	32.5	3.7	0
423	all_deer	N	SUM	24554	44	31.1	56.9	190.9	130.4	251.4	4.3	3.8	4.8	38.6	26.5	50.7	0.2	0	0	6	32.5	32.5	6	0
423	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	19.9	12.5	27.4	0.3	0	0	18	1.9	1.9	18	0
423	all_deer	R	421-00	230	.	.	.	.	.	.	.	.	.	1.8	1	3.4	0.8	0	0	1.8	0	0	1.8	0
423	all_deer	R	423-00	72	.	.	.	.	.	.	.	.	.	23.1	19.8	26.3	32.1	0	0	23.1	0	0	23.1	0
423	all_deer	R	444-00	232	.	.	.	.	.	.	.	.	.	1.7	1	3	0.7	0	0	1.7	0	0	1.7	0
423	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	229.3	199.9	258.6	0.2	0	1.4	18	209.9	205.9	23.4	0
423	all_deer	R	SUM	158721	439.8	398.9	480.7	2280.2	1957.8	2602.6	5.2	4.7	5.7	275.7	245.2	306.3	0.2	0	1.4	62.5	211.8	207.8	68	0
423	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	19.9	12.5	27.4	0.3	0	0	18	1.9	1.9	18	0
423	all_deer	SUM	421-00	250	.	.	.	.	.	.	.	.	.	1.8	1	3.4	0.7	0	0	1.8	0	0	1.8	0
423	all_deer	SUM	423-00	75	.	.	.	.	.	.	.	.	.	24.1	20.8	27.3	32.1	0	0	24.1	0	0	24.1	0
423	all_deer	SUM	444-00	250	.	.	.	.	.	.	.	.	.	1.7	1	3	0.7	0	0	1.7	0	0	1.7	0
423	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
423	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	265.5	233.8	297.3	0.2	0	1.4	21.7	242.5	238.4	27.1	0
423	all_deer	SUM	SUM	183275	483.8	441	526.6	2471.1	2143	2799.2	5.1	4.6	5.6	314.3	281.5	347.2	0.2	0	1.4	68.6	244.4	240.3	74	0
423	md	N	421-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
423	md	N	423-00	3	.	.	.	.	.	.	.	.	.	1	1	1	33.3	0	0	1	0	0	1	0
423	md	N	444-00	18	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
423	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26.1	15.6	36.6	0.1	0	0	3.7	22.4	22.4	3.7	0
423	md	N	SUM	24254	.	.	.	.	.	.	.	.	.	27.1	16.6	37.6	0.1	0	0	4.7	22.4	22.4	4.7	0
423	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.9	2	6.7	0.1	0	0	1.9	1.9	1.9	1.9	0
423	md	R	421-00	230	.	.	.	.	.	.	.	.	.	1.8	1	3.4	0.8	0	0	1.8	0	0	1.8	0
423	md	R	423-00	72	.	.	.	.	.	.	.	.	.	21.8	18.6	25.1	30.3	0	0	21.8	0	0	21.8	0
423	md	R	444-00	232	.	.	.	.	.	.	.	.	.	1.7	1	3	0.7	0	0	1.7	0	0	1.7	0
423	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	174.8	149	200.5	0.1	0	1.4	12.2	161.2	161.2	13.5	0
423	md	R	SUM	158721	.	.	.	.	.	.	.	.	.	204	177.8	230.2	0.1	0	1.4	39.4	163.2	163.2	40.8	0
423	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.9	2	6.7	0.1	0	0	1.9	1.9	1.9	1.9	0
423	md	SUM	421-00	250	.	.	.	.	.	.	.	.	.	1.8	1	3.4	0.7	0	0	1.8	0	0	1.8	0
423	md	SUM	423-00	75	.	.	.	.	.	.	.	.	.	22.8	19.6	26.1	30.4	0	0	22.8	0	0	22.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
423	md	SUM	444-00	250	.	.	.	.	.	.	.	.	.	1.7	1	3	0.7	0	0	1.7	0	0	1.7	0
423	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	200.8	173	228.7	0.1	0	1.4	15.9	183.6	183.6	17.3	0
423	md	SUM	SUM	182975	.	.	.	.	.	.	.	.	.	231	202.8	259.3	0.1	0	1.4	44.1	185.5	185.5	45.5	0
423	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
423	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	10.2	4.2	16.2	0	0	0	0	10.2	10.2	0	0
423	wt	N	SUM	24513	.	.	.	.	.	.	.	.	.	11.5	5.5	17.6	0	0	0	1.3	10.2	10.2	1.3	0
423	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	16	9.1	23	0.2	0	0	16	0	0	16	0
423	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	54.5	40.4	68.6	0	0	0	5.8	48.7	44.6	9.9	0
423	wt	R	SUM	158187	.	.	.	.	.	.	.	.	.	70.5	54.8	86.3	0	0	0	21.9	48.7	44.6	25.9	0
423	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	16	9.1	23	0.2	0	0	16	0	0	16	0
423	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
423	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	64.7	49.4	80	0	0	0	5.8	58.9	54.8	9.9	0
423	wt	SUM	SUM	182700	.	.	.	.	.	.	.	.	.	82.1	65.2	98.9	0	0	0	23.2	58.9	54.8	27.2	0
424	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	22.4	12.6	32.1	0.1	0	0	0	22.4	22.4	0	0
424	all_deer	N	SUM	24213	58.2	42.7	73.7	346	250.1	441.9	5.9	5.5	6.3	22.4	12.6	32.1	0.1	0	0	0	22.4	22.4	0	0
424	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	8.9	3.6	14.3	0.1	0	0	8.9	0	0	8.9	0
424	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	45.6	32.4	58.7	0	0	0	4.1	41.5	41.5	4.1	0
424	all_deer	R	SUM	158187	163.4	138.5	188.3	915.2	721.2	1109.2	5.6	4.8	6.4	54.5	40.3	68.7	0	0	0	13	41.5	41.5	13	0
424	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	8.9	3.6	14.3	0.1	0	0	8.9	0	0	8.9	0
424	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	67.9	51.6	84.2	0	0	0	4.1	63.9	63.9	4.1	0
424	all_deer	SUM	SUM	182400	221.6	192.4	250.8	1261.2	1044.9	1477.5	5.7	5.1	6.3	76.9	59.7	94	0	0	0	13	63.9	63.9	13	0
424	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
424	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
424	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	37.5	25.8	49.1	0	0	0	4.1	33.4	33.4	4.1	0
424	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	37.5	25.8	49.1	0	0	0	4.1	33.4	33.4	4.1	0
424	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	52.4	38.2	66.5	0	0	0	4.1	48.3	48.3	4.1	0
424	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	52.4	38.2	66.5	0	0	0	4.1	48.3	48.3	4.1	0
424	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
424	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
424	wt	N	SUM	24513	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
424	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	8.9	3.6	14.3	0.1	0	0	8.9	0	0	8.9	0
424	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	0	0	0	0	8.1	8.1	0	0
424	wt	R	SUM	158187	.	.	.	.	.	.	.	.	.	17.1	9	25.1	0	0	0	8.9	8.1	8.1	8.9	0
424	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	8.9	3.6	14.3	0.1	0	0	8.9	0	0	8.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
424	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
424	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	15.6	7.3	23.8	0	0	0	0	15.6	15.6	0	0
424	wt	SUM	SUM	182700	.	.	.	.	.	.	.	.	.	24.5	14.7	34.3	0	0	0	8.9	15.6	15.6	8.9	0
425	all_deer	N	421-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
425	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	63.3	47	79.7	0.3	0	0	0	63.3	63.3	0	0
425	all_deer	N	SUM	24233	113.2	91.4	135	690.5	544.1	836.9	6.1	5.6	6.6	63.3	47	79.7	0.3	0	0	0	63.3	63.3	0	0
425	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	14.5	7.8	21.3	0.2	0	0	14.5	0	0	14.5	0
425	all_deer	R	421-00	230	.	.	.	.	.	.	.	.	.	3.5	2	5.6	1.5	0	0	3.5	0	0	3.5	0
425	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	85.7	68.1	103.3	0.1	0	1.6	16.1	67.9	67.9	17.8	0
425	all_deer	R	SUM	158417	226.1	197.3	254.9	871.4	724.9	1017.9	3.9	3.5	4.3	103.7	84.7	122.7	0.1	0	1.6	34.2	67.9	67.9	35.8	0
425	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	14.5	7.8	21.3	0.2	0	0	14.5	0	0	14.5	0
425	all_deer	SUM	421-00	250	.	.	.	.	.	.	.	.	.	3.5	2	5.6	1.4	0	0	3.5	0	0	3.5	0
425	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	149	125	173.1	0.1	0	1.6	16.1	131.3	131.3	17.8	0
425	all_deer	SUM	SUM	182650	339.3	303.2	375.4	1561.8	1354.7	1768.9	4.6	4.3	4.9	167.1	142	192.1	0.1	0	1.6	34.2	131.3	131.3	35.8	0
425	md	N	421-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
425	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	44.7	31	58.4	0.2	0	0	0	44.7	44.7	0	0
425	md	N	SUM	24233	.	.	.	.	.	.	.	.	.	44.7	31	58.4	0.2	0	0	0	44.7	44.7	0	0
425	md	R	421-00	230	.	.	.	.	.	.	.	.	.	3.5	2	5.6	1.5	0	0	3.5	0	0	3.5	0
425	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	48.2	34.8	61.6	0	0	0	12.1	36.1	36.1	12.1	0
425	md	R	SUM	150807	.	.	.	.	.	.	.	.	.	51.7	38.1	65.2	0	0	0	15.6	36.1	36.1	15.6	0
425	md	SUM	421-00	250	.	.	.	.	.	.	.	.	.	3.5	2	5.6	1.4	0	0	3.5	0	0	3.5	0
425	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	92.9	73.7	112.1	0.1	0	0	12.1	80.8	80.8	12.1	0
425	md	SUM	SUM	175040	.	.	.	.	.	.	.	.	.	96.4	77.1	115.7	0.1	0	0	15.6	80.8	80.8	15.6	0
425	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
425	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	18.6	9.7	27.5	0.1	0	0	0	18.6	18.6	0	0
425	wt	N	SUM	24513	.	.	.	.	.	.	.	.	.	18.6	9.7	27.5	0.1	0	0	0	18.6	18.6	0	0
425	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	14.5	7.8	21.3	0.2	0	0	14.5	0	0	14.5	0
425	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	37.5	26.1	49	0	0	1.6	4.1	31.8	31.8	5.7	0
425	wt	R	SUM	158187	.	.	.	.	.	.	.	.	.	52.1	38.8	65.4	0	0	1.6	18.6	31.8	31.8	20.2	0
425	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	14.5	7.8	21.3	0.2	0	0	14.5	0	0	14.5	0
425	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
425	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	56.2	41.6	70.7	0	0	1.6	4.1	50.5	50.5	5.7	0
425	wt	SUM	SUM	182700	.	.	.	.	.	.	.	.	.	70.7	54.7	86.7	0	0	1.6	18.6	50.5	50.5	20.2	0
426	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
426	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	417-00	57	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	418-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	419-00	17	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	426-00	98	.	.	.	.	.	.	.	.	.	57.3	53.4	61.1	58.5	0	0	57.3	0	0	57.3	0
426	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.9	0	0	2.8	0	0	2.8	0
426	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	149.9	126.1	173.8	0.6	0	0	5.1	144.8	144.8	5.1	0
426	all_deer	N	SUM	25087	222.6	195.4	249.8	1009.4	875.3	1143.5	4.5	4.2	4.8	210	185.8	234.2	0.8	0	0	65.1	144.8	144.8	65.1	0
426	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	38.4	27.6	49.1	0.5	0	3.4	35	0	0	38.4	0
426	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	0	3.9	3.9	0	0
426	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	2.5	1	5.2	0.1	0	0	0	2.5	2.5	0	0
426	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	0	1.3	1.3	0	0
426	all_deer	R	417-00	243	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.6	0	0	0	1.4	1.4	0	0
426	all_deer	R	418-00	182	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.8	0	0	0	1.5	1.5	0	0
426	all_deer	R	419-00	108	.	.	.	.	.	.	.	.	.	3.9	3	5.2	3.6	0	0	1.2	2.6	2.6	1.2	0
426	all_deer	R	426-00	439	.	.	.	.	.	.	.	.	.	199.2	190.3	208.1	45.4	0	1.5	194.8	2.9	2.9	196.3	0
426	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	1.9	1	4	0.1	0	0	1.9	0	0	1.9	0
426	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	508.7	466.7	550.8	0.3	0	8.1	63.1	437.5	434.3	72.9	1.5
426	all_deer	R	SUM	169225	832	779.5	884.5	3242.3	2963.3	3521.3	3.9	3.7	4.1	762.7	718	807.4	0.5	0	12.9	296.1	453.6	450.4	310.7	1.5
426	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	38.4	27.6	49.1	0.5	0	3.4	35	0	0	38.4	0
426	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	0	3.9	3.9	0	0
426	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	2.5	1	5.2	0.1	0	0	0	2.5	2.5	0	0
426	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	0	1.3	1.3	0	0
426	all_deer	SUM	417-00	300	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.5	0	0	0	1.4	1.4	0	0
426	all_deer	SUM	418-00	250	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.6	0	0	0	1.5	1.5	0	0
426	all_deer	SUM	419-00	125	.	.	.	.	.	.	.	.	.	3.9	3	5.2	3.1	0	0	1.2	2.6	2.6	1.2	0
426	all_deer	SUM	426-00	537	.	.	.	.	.	.	.	.	.	256.5	246.8	266.2	47.8	0	1.5	252.1	2.9	2.9	253.6	0
426	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.9	0	0	2.8	0	0	2.8	0
426	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.9	1	4	0.1	0	0	1.9	0	0	1.9	0
426	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	658.7	610.3	707	0.4	0	8.1	68.2	582.3	579.1	78	1.5
426	all_deer	SUM	SUM	194312	1054.7	995.5	1113.9	4251.7	3942.2	4561.2	4	3.8	4.2	972.7	921.9	1023.5	0.5	0	12.9	361.3	598.5	595.3	375.9	1.5
426	md	N	170-10	58	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
426	md	N	417-00	57	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
426	md	N	419-00	17	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
426	md	N	426-00	98	.	.	.	.	.	.	.	.	.	54	50.2	57.8	55.1	0	0	54	0	0	54	0
426	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	130.9	108.6	153.3	0.5	0	0	3.7	127.2	127.2	3.7	0
426	md	N	SUM	24443	.	.	.	.	.	.	.	.	.	185	162.3	207.7	0.8	0	0	57.8	127.2	127.2	57.8	0
426	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	0	3.9	3.9	0	0
426	md	R	170-10	1946	.	.	.	.	.	.	.	.	.	2.5	1	5.2	0.1	0	0	0	2.5	2.5	0	0
426	md	R	417-00	243	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.6	0	0	0	1.4	1.4	0	0
426	md	R	419-00	108	.	.	.	.	.	.	.	.	.	3.9	3	5.2	3.6	0	0	1.2	2.6	2.6	1.2	0
426	md	R	426-00	439	.	.	.	.	.	.	.	.	.	196.3	187.4	205.2	44.7	0	1.5	193.4	1.5	1.5	194.8	0
426	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	450.6	411.1	490.2	0.3	0	8.1	54.1	388.4	385.2	63.9	1.5
426	md	R	SUM	158765	.	.	.	.	.	.	.	.	.	658.5	617.7	699.4	0.4	0	9.6	248.8	400.2	397	260	1.5
426	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	0	3.9	3.9	0	0
426	md	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	2.5	1	5.2	0.1	0	0	0	2.5	2.5	0	0
426	md	SUM	417-00	300	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.5	0	0	0	1.4	1.4	0	0
426	md	SUM	419-00	125	.	.	.	.	.	.	.	.	.	3.9	3	5.2	3.1	0	0	1.2	2.6	2.6	1.2	0
426	md	SUM	426-00	537	.	.	.	.	.	.	.	.	.	250.3	240.7	260	46.6	0	1.5	247.4	1.5	1.5	248.9	0
426	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	581.6	536.1	627	0.3	0	8.1	57.9	515.6	512.4	67.6	1.5
426	md	SUM	SUM	183208	.	.	.	.	.	.	.	.	.	843.5	796.8	890.3	0.5	0	9.6	306.5	527.4	524.2	317.8	1.5
426	wt	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
426	wt	N	418-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
426	wt	N	426-00	98	.	.	.	.	.	.	.	.	.	3.2	2	4.8	3.3	0	0	3.2	0	0	3.2	0
426	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.9	0	0	2.8	0	0	2.8	0
426	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
426	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	19	10.7	27.3	0.1	0	0	1.4	17.6	17.6	1.4	0
426	wt	N	SUM	24955	.	.	.	.	.	.	.	.	.	25	16.4	33.6	0.1	0	0	7.4	17.6	17.6	7.4	0
426	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	38.4	27.6	49.1	0.5	0	3.4	35	0	0	38.4	0
426	wt	R	400-00	654	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	0	1.3	1.3	0	0
426	wt	R	418-00	182	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.8	0	0	0	1.5	1.5	0	0
426	wt	R	426-00	439	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.3	0	0	1.4	0	0	1.4	0
426	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	1.9	1	4	0.1	0	0	1.9	0	0	1.9	0
426	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	58.1	43.8	72.4	0	0	0	9	49.1	49.1	9	0
426	wt	R	SUM	161476	.	.	.	.	.	.	.	.	.	102.7	84.6	120.8	0.1	0	3.4	47.4	52	52	50.7	0
426	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	38.4	27.6	49.1	0.5	0	3.4	35	0	0	38.4	0
426	wt	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.2	0	0	0	1.3	1.3	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
426	wt	SUM	418-00	250	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.6	0	0	0	1.5	1.5	0	0
426	wt	SUM	426-00	537	.	.	.	.	.	.	.	.	.	4.7	3	6.5	0.9	0	0	4.7	0	0	4.7	0
426	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.9	0	0	2.8	0	0	2.8	0
426	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.9	1	4	0.1	0	0	1.9	0	0	1.9	0
426	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	77.1	60.5	93.7	0	0	0	10.3	66.8	66.8	10.3	0
426	wt	SUM	SUM	186431	.	.	.	.	.	.	.	.	.	127.7	107.7	147.8	0.1	0	3.4	54.7	69.6	69.6	58.1	0
432	all_deer	N	432-00	13	.	.	.	.	.	.	.	.	.	5.7	4.1	7.3	43.8	0	0	5.7	0	0	5.7	0
432	all_deer	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
432	all_deer	N	448-00	7	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
432	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
432	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	32.5	21.1	43.9	0.1	0	0	0	32.5	32.5	0	0
432	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
432	all_deer	N	SUM	24577	90.6	72.4	108.8	504.2	377.1	631.3	5.6	4.8	6.4	39.5	28	51.1	0.2	0	0	7	32.5	32.5	7	0
432	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	43.1	32.1	54.1	0.6	0	0	43.1	0	0	43.1	0
432	all_deer	R	432-00	80	.	.	.	.	.	.	.	.	.	32.4	28.9	35.9	40.5	0	0	32.4	0	0	32.4	0
432	all_deer	R	447-00	356	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.8	0	0	1.4	1.4	1.4	1.4	0
432	all_deer	R	448-00	68	.	.	.	.	.	.	.	.	.	7.1	5	9.4	10.4	0	0	4.3	2.8	2.8	4.3	0
432	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	324.2	290.2	358.3	0.2	0	0	58.1	266.1	262.1	58.1	4.1
432	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	10.5	4	17	.	0	0	8.1	2.4	2.4	8.1	0
432	all_deer	R	SUM	158691	753.8	700.9	806.7	3513.1	3180.8	3845.4	4.7	4.4	5	420.1	383.5	456.8	0.3	0	0	147.5	272.7	268.6	147.5	4.1
432	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	43.1	32.1	54.1	0.6	0	0	43.1	0	0	43.1	0
432	all_deer	SUM	432-00	93	.	.	.	.	.	.	.	.	.	38.1	34.2	41.9	41	0	0	38.1	0	0	38.1	0
432	all_deer	SUM	447-00	400	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.7	0	0	1.4	1.4	1.4	1.4	0
432	all_deer	SUM	448-00	75	.	.	.	.	.	.	.	.	.	7.1	5	9.4	9.5	0	0	4.3	2.8	2.8	4.3	0
432	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
432	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	356.8	320.9	392.7	0.2	0	0	58.1	298.6	294.6	58.1	4.1
432	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	10.5	4	17	.	0	0	8.1	2.4	2.4	8.1	0
432	all_deer	SUM	SUM	183268	844.4	788.4	900.4	4017.3	3661.5	4373.1	4.8	4.5	5.1	459.7	421.3	498.1	0.3	0	0	154.5	305.2	301.1	154.5	4.1
432	md	N	432-00	13	.	.	.	.	.	.	.	.	.	5.7	4.1	7.3	43.8	0	0	5.7	0	0	5.7	0
432	md	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
432	md	N	448-00	7	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
432	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	28.8	18.1	39.5	0.1	0	0	0	28.8	28.8	0	0
432	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
432	md	N	SUM	24277	.	.	.	.	.	.	.	.	.	34.5	23.7	45.3	0.1	0	0	5.7	28.8	28.8	5.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
432	md	R	432-00	80	.	.	.	.	.	.	.	.	.	32.4	28.9	35.9	40.5	0	0	32.4	0	0	32.4	0
432	md	R	447-00	356	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.8	0	0	1.4	1.4	1.4	1.4	0
432	md	R	448-00	68	.	.	.	.	.	.	.	.	.	7.1	5	9.4	10.4	0	0	4.3	2.8	2.8	4.3	0
432	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	269.7	239.1	300.4	0.2	0	0	44.1	225.7	221.6	44.1	4.1
432	md	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
432	md	R	SUM	151081	.	.	.	.	.	.	.	.	.	320.2	288.6	351.7	0.2	0	0	90.3	229.9	225.8	90.3	4.1
432	md	SUM	432-00	93	.	.	.	.	.	.	.	.	.	38.1	34.2	41.9	41	0	0	38.1	0	0	38.1	0
432	md	SUM	447-00	400	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.7	0	0	1.4	1.4	1.4	1.4	0
432	md	SUM	448-00	75	.	.	.	.	.	.	.	.	.	7.1	5	9.4	9.5	0	0	4.3	2.8	2.8	4.3	0
432	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	298.5	266.1	331	0.2	0	0	44.1	254.5	250.4	44.1	4.1
432	md	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
432	md	SUM	SUM	175358	.	.	.	.	.	.	.	.	.	354.7	321.3	388	0.2	0	0	96	258.7	254.6	96	4.1
432	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
432	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
432	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
432	wt	N	SUM	24513	.	.	.	.	.	.	.	.	.	5	2	9.1	0	0	0	1.3	3.7	3.7	1.3	0
432	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	43.1	32.1	54.1	0.6	0	0	43.1	0	0	43.1	0
432	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	54.5	39.7	69.3	0	0	0	14.1	40.4	40.4	14.1	0
432	wt	R	none	.	.	.	.	.	.	.	.	.	.	2.4	1	4.8	.	0	0	0	2.4	2.4	0	0
432	wt	R	SUM	158187	.	.	.	.	.	.	.	.	.	100	81.4	118.6	0.1	0	0	57.2	42.8	42.8	57.2	0
432	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	43.1	32.1	54.1	0.6	0	0	43.1	0	0	43.1	0
432	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
432	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	58.2	42.9	73.6	0	0	0	14.1	44.2	44.2	14.1	0
432	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	2.4	1	4.8	.	0	0	0	2.4	2.4	0	0
432	wt	SUM	SUM	182700	.	.	.	.	.	.	.	.	.	105	86	124.1	0.1	0	0	58.5	46.5	46.5	58.5	0
441	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
441	all_deer	N	406-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
441	all_deer	N	441-00	8	.	.	.	.	.	.	.	.	.	8	7.7	8	100	0	0	8	0	0	8	0
441	all_deer	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
441	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
441	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	20.7	12.2	29.3	0.1	0	0	0	20.7	20.7	0	0
441	all_deer	N	SUM	24650	50.8	37.3	64.3	277	197	357	5.4	5	5.8	30.2	21.6	38.8	0.1	0	0	9.5	20.7	20.7	9.5	0
441	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	64.8	51.5	78.1	0.9	0	2.1	62.7	0	0	64.8	0
441	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
441	all_deer	R	406-00	358	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.4	0	0	0	1.3	1.3	0	0
441	all_deer	R	441-00	142	.	.	.	.	.	.	.	.	.	41.1	36.4	45.8	28.9	0	0	39.8	1.3	1.3	39.8	0
441	all_deer	R	447-00	356	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
441	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	238.1	210.5	265.8	0.2	0	0	24.1	214.1	210	28.1	0
441	all_deer	R	SUM	159797	600.5	555.9	645.1	2816.9	2544.6	3089.2	4.7	4.4	5	348.4	317.2	379.5	0.2	0	2.1	128.1	218.2	214.1	134.2	0
441	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	64.8	51.5	78.1	0.9	0	2.1	62.7	0	0	64.8	0
441	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
441	all_deer	SUM	406-00	400	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.3	0	0	0	1.3	1.3	0	0
441	all_deer	SUM	441-00	150	.	.	.	.	.	.	.	.	.	49.1	44.4	53.8	32.7	0	0	47.8	1.3	1.3	47.8	0
441	all_deer	SUM	447-00	400	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
441	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
441	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	258.9	229.9	287.8	0.1	0	0	24.1	234.8	230.8	28.1	0
441	all_deer	SUM	SUM	184447	651.4	604.8	698	3093.9	2810.2	3377.6	4.7	4.4	5	378.6	346.3	410.9	0.2	0	2.1	137.5	238.9	234.9	143.7	0
441	md	N	406-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
441	md	N	441-00	8	.	.	.	.	.	.	.	.	.	8	7.7	8	100	0	0	8	0	0	8	0
441	md	N	441-50	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
441	md	N	447-00	44	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
441	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	13.3	6.9	19.7	0.1	0	0	0	13.3	13.3	0	0
441	md	N	SUM	24308	.	.	.	.	.	.	.	.	.	21.3	14.9	27.7	0.1	0	0	8	13.3	13.3	8	0
441	md	R	406-00	358	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.4	0	0	0	1.3	1.3	0	0
441	md	R	441-00	142	.	.	.	.	.	.	.	.	.	39.8	35.1	44.5	28	0	0	39.8	0	0	39.8	0
441	md	R	441-50	49	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
441	md	R	447-00	356	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
441	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	128.2	108.4	148.1	0.1	0	0	5.7	122.6	122.6	5.7	0
441	md	R	SUM	151482	.	.	.	.	.	.	.	.	.	170.8	150.4	191.3	0.1	0	0	47	123.9	123.9	47	0
441	md	SUM	406-00	400	.	.	.	.	.	.	.	.	.	1.3	1	2.3	0.3	0	0	0	1.3	1.3	0	0
441	md	SUM	441-00	150	.	.	.	.	.	.	.	.	.	47.8	43.1	52.5	31.9	0	0	47.8	0	0	47.8	0
441	md	SUM	441-50	50	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
441	md	SUM	447-00	400	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
441	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	141.5	120.6	162.4	0.1	0	0	5.7	135.8	135.8	5.7	0
441	md	SUM	SUM	175790	.	.	.	.	.	.	.	.	.	192.1	170.7	213.6	0.1	0	0	55	137.2	137.2	55	0
441	wt	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
441	wt	N	441-00	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
441	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
441	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
441	wt	N	SUM	24564	.	.	.	.	.	.	.	.	.	8.9	3.2	14.6	0	0	0	1.5	7.5	7.5	1.5	0
441	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	64.8	51.5	78.1	0.9	0	2.1	62.7	0	0	64.8	0
441	wt	R	404-00	754	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
441	wt	R	441-00	142	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.9	0	0	0	1.3	1.3	0	0
441	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	109.9	90.6	129.2	0.1	0	0	18.4	91.5	87.5	22.4	0
441	wt	R	SUM	159083	.	.	.	.	.	.	.	.	.	177.5	154	201	0.1	0	2.1	81.1	94.3	90.3	87.3	0
441	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	64.8	51.5	78.1	0.9	0	2.1	62.7	0	0	64.8	0
441	wt	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
441	wt	SUM	441-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.9	0	0	0	1.3	1.3	0	0
441	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
441	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	117.3	97.2	137.4	0.1	0	0	18.4	99	94.9	22.4	0
441	wt	SUM	SUM	183647	.	.	.	.	.	.	.	.	.	186.4	162.3	210.6	0.1	0	2.1	82.6	101.8	97.7	88.7	0
442	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	38.7	26.1	51.4	0.2	0	0	0	38.7	38.7	0	0
442	all_deer	N	SUM	24213	73.2	55.8	90.6	538	400	676	7.4	6.7	8.1	38.7	26.1	51.4	0.2	0	0	0	38.7	38.7	0	0
442	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	9.7	4.6	14.8	0.1	0	0	9.7	0	0	9.7	0
442	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	89.6	72.1	107.2	0.1	0	0	7.5	82.1	78.1	7.5	4.1
442	all_deer	R	SUM	158187	337.8	301.7	373.9	1590.6	1378	1803.2	4.7	4.3	5.1	99.4	81.1	117.6	0.1	0	0	17.2	82.1	78.1	17.2	4.1
442	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	9.7	4.6	14.8	0.1	0	0	9.7	0	0	9.7	0
442	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	128.4	106.7	150	0.1	0	0	7.5	120.9	116.8	7.5	4.1
442	all_deer	SUM	SUM	182400	411	370.9	451.1	2128.6	1875.1	2382.1	5.2	4.9	5.5	138.1	115.9	160.3	0.1	0	0	17.2	120.9	116.8	17.2	4.1
442	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	35	23	47	0.1	0	0	0	35	35	0	0
442	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	35	23	47	0.1	0	0	0	35	35	0	0
442	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	54.3	41	67.6	0	0	0	7.5	46.8	46.8	7.5	0
442	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	54.3	41	67.6	0	0	0	7.5	46.8	46.8	7.5	0
442	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	89.4	71.4	107.3	0.1	0	0	7.5	81.8	81.8	7.5	0
442	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	89.4	71.4	107.3	0.1	0	0	7.5	81.8	81.8	7.5	0
442	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
442	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
442	wt	N	SUM	24513	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
442	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	9.7	4.6	14.8	0.1	0	0	9.7	0	0	9.7	0
442	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	35.3	23.9	46.7	0	0	0	0	35.3	31.2	0	4.1
442	wt	R	SUM	158187	.	.	.	.	.	.	.	.	.	45	32.5	57.6	0	0	0	9.7	35.3	31.2	9.7	4.1
442	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	9.7	4.6	14.8	0.1	0	0	9.7	0	0	9.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
442	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
442	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	39	26.9	51.1	0	0	0	0	39	35	0	4.1
442	wt	SUM	SUM	182700	.	.	.	.	.	.	.	.	.	48.8	35.6	61.9	0	0	0	9.7	39	35	9.7	4.1
444	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
444	all_deer	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
444	all_deer	N	444-00	18	.	.	.	.	.	.	.	.	.	18	17.8	18	100	0	0	16.7	1.3	1.3	16.7	0
444	all_deer	N	450-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
444	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
444	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	46.3	32.5	60.2	0.2	0	0	0	46.3	46.3	0	0
444	all_deer	N	SUM	24609	112.3	91.8	132.8	663	531.3	794.7	5.9	5.5	6.3	65.8	51.9	79.7	0.3	0	0	18.1	47.7	47.7	18.1	0
444	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
444	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	62.2	48.4	76	0.8	0	2.2	56.7	3.4	0	62.2	0
444	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.2	0	0	1.6	0	0	1.6	0
444	all_deer	R	404-10	824	.	.	.	.	.	.	.	.	.	2.7	1	5.6	0.3	0	2.7	0	0	0	2.7	0
444	all_deer	R	444-00	232	.	.	.	.	.	.	.	.	.	106.4	99.3	113.5	45.9	0	1.4	105	0	0	106.4	0
444	all_deer	R	450-00	127	.	.	.	.	.	.	.	.	.	4.2	3	5.9	3.3	0	0	4.2	0	0	4.2	0
444	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	298	265.9	330.2	0.2	0	0	33.4	264.6	262.3	35.7	0
444	all_deer	R	SUM	167453	563	519.8	606.2	1931.1	1736.6	2125.6	3.4	3.2	3.6	478.7	442.6	514.8	0.3	0	6.3	204.3	268	262.3	216.4	0
444	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
444	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	62.2	48.4	76	0.8	0	2.2	56.7	3.4	0	62.2	0
444	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.2	0	0	1.6	0	0	1.6	0
444	all_deer	SUM	404-10	836	.	.	.	.	.	.	.	.	.	2.7	1	5.6	0.3	0	2.7	0	0	0	2.7	0
444	all_deer	SUM	444-00	250	.	.	.	.	.	.	.	.	.	124.4	117.3	131.5	49.8	0	1.4	121.6	1.3	1.3	123	0
444	all_deer	SUM	450-00	150	.	.	.	.	.	.	.	.	.	4.2	3	5.9	2.8	0	0	4.2	0	0	4.2	0
444	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
444	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	344.4	309.3	379.4	0.2	0	0	33.4	311	308.6	35.7	0
444	all_deer	SUM	SUM	192062	675.3	627.5	723.1	2594.1	2359.1	2829.1	3.8	3.6	4	544.5	505.8	583.1	0.3	0	6.3	222.4	315.7	310	234.5	0
444	md	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
444	md	N	444-00	18	.	.	.	.	.	.	.	.	.	18	17.8	18	100	0	0	16.7	1.3	1.3	16.7	0
444	md	N	450-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
444	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.8	18.6	41	0.1	0	0	0	29.8	29.8	0	0
444	md	N	SUM	24297	.	.	.	.	.	.	.	.	.	47.8	36.6	59	0.2	0	0	16.7	31.1	31.1	16.7	0
444	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	6.7	2	11.6	0.1	0	0	6.7	0	0	6.7	0
444	md	R	404-00	754	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.2	0	0	1.6	0	0	1.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
444	md	R	444-00	232	.	.	.	.	.	.	.	.	.	106.4	99.3	113.5	45.9	0	1.4	105	0	0	106.4	0
444	md	R	450-00	127	.	.	.	.	.	.	.	.	.	4.2	3	5.9	3.3	0	0	4.2	0	0	4.2	0
444	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	147.4	125.1	169.6	0.1	0	0	13.1	134.2	134.2	13.1	0
444	md	R	SUM	159300	.	.	.	.	.	.	.	.	.	266.3	242.4	290.3	0.2	0	1.4	130.7	134.2	134.2	132.1	0
444	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	6.7	2	11.6	0.1	0	0	6.7	0	0	6.7	0
444	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.2	0	0	1.6	0	0	1.6	0
444	md	SUM	444-00	250	.	.	.	.	.	.	.	.	.	124.4	117.3	131.5	49.8	0	1.4	121.6	1.3	1.3	123	0
444	md	SUM	450-00	150	.	.	.	.	.	.	.	.	.	4.2	3	5.9	2.8	0	0	4.2	0	0	4.2	0
444	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	177.2	152.3	202.1	0.1	0	0	13.1	164.1	164.1	13.1	0
444	md	SUM	SUM	183597	.	.	.	.	.	.	.	.	.	314.1	287.7	340.6	0.2	0	1.4	147.4	165.4	165.4	148.7	0
444	wt	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
444	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
444	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	16.5	8.4	24.7	0.1	0	0	0	16.5	16.5	0	0
444	wt	N	SUM	24525	.	.	.	.	.	.	.	.	.	18	9.8	26.2	0.1	0	0	1.5	16.5	16.5	1.5	0
444	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
444	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	55.5	42.5	68.4	0.7	0	2.2	49.9	3.4	0	55.5	0
444	wt	R	404-10	824	.	.	.	.	.	.	.	.	.	2.7	1	5.6	0.3	0	2.7	0	0	0	2.7	0
444	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	150.7	127.4	173.9	0.1	0	0	20.3	130.4	128	22.6	0
444	wt	R	SUM	166340	.	.	.	.	.	.	.	.	.	212.3	185.3	239.4	0.1	0	4.9	73.6	133.8	128	84.3	0
444	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
444	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	55.5	42.5	68.4	0.7	0	2.2	49.9	3.4	0	55.5	0
444	wt	SUM	404-10	836	.	.	.	.	.	.	.	.	.	2.7	1	5.6	0.3	0	2.7	0	0	0	2.7	0
444	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
444	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	167.2	142.5	191.8	0.1	0	0	20.3	146.9	144.6	22.6	0
444	wt	SUM	SUM	190865	.	.	.	.	.	.	.	.	.	230.3	202.1	258.6	0.1	0	4.9	75.1	150.3	144.6	85.8	0
445	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
445	all_deer	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
445	all_deer	N	413-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
445	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	34.3	30.5	38.1	56.2	0	0	32.9	1.4	1.4	32.9	0
445	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	7.1	5	9.2	2.4	0	0	7.1	0	0	7.1	0
445	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	83.6	66.3	100.8	0.3	0	0	0	83.6	83.6	0	0
445	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
445	all_deer	N	SUM	24672	131	110.9	151.1	566.3	466.5	666.1	4.3	4	4.6	124.9	107.1	142.7	0.5	0	0	40	84.9	84.9	40	0
445	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.3	1	4.5	0.2	0	0	0	2.3	2.3	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
445	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	186.2	163.5	208.9	2.4	0	2	174.1	10.1	6.7	176.1	3.4
445	all_deer	R	404-10	824	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	1.5	0	0	1.5	0
445	all_deer	R	413-00	282	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	0	1.5	1.5	0	0
445	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	176.3	168.6	184	40.2	0	2.5	171.4	2.4	2.4	173.9	0
445	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	600.2	555.3	645.1	0.4	0	0	107.4	492.8	477.3	122.9	0
445	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	11.5	5	18	.	0	0	9.6	1.8	1.8	9.6	0
445	all_deer	R	SUM	160884	1137.1	1076.7	1197.5	4084.9	3785.1	4384.7	3.6	3.4	3.8	979.4	928	1030.8	0.6	0	4.5	464.1	510.9	492	484	3.4
445	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2.3	1	4.5	0.2	0	0	0	2.3	2.3	0	0
445	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	186.2	163.5	208.9	2.4	0	2	174.1	10.1	6.7	176.1	3.4
445	all_deer	SUM	404-10	836	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	1.5	0	0	1.5	0
445	all_deer	SUM	413-00	301	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	0	1.5	1.5	0	0
445	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	210.6	202	219.2	42.1	0	2.5	204.3	3.8	3.8	206.8	0
445	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	7.1	5	9.2	2.4	0	0	7.1	0	0	7.1	0
445	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	683.8	635.7	731.9	0.4	0	0	107.4	576.3	560.9	122.9	0
445	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	11.5	5	18	.	0	0	9.6	1.8	1.8	9.6	0
445	all_deer	SUM	SUM	185556	1268.2	1204.6	1331.8	4651.3	4335.4	4967.2	3.7	3.5	3.9	1104.3	1049.9	1158.7	0.6	0	4.5	504	595.8	577	524	3.4
445	md	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
445	md	N	445-00	61	.	.	.	.	.	.	.	.	.	31.5	27.7	35.4	51.6	0	0	31.5	0	0	31.5	0
445	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	69.3	53.3	85.3	0.3	0	0	0	69.3	69.3	0	0
445	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
445	md	N	SUM	24286	.	.	.	.	.	.	.	.	.	100.8	84.4	117.3	0.4	0	0	31.5	69.3	69.3	31.5	0
445	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
445	md	R	404-10	824	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	1.5	0	0	1.5	0
445	md	R	445-00	439	.	.	.	.	.	.	.	.	.	173.8	166.2	181.5	39.6	0	2.5	170.2	1.2	1.2	172.7	0
445	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	388.7	352.6	424.7	0.3	0	0	85.6	303.1	301.4	87.2	0
445	md	R	none	.	.	.	.	.	.	.	.	.	.	7.4	3	12.3	.	0	0	5.6	1.8	1.8	5.6	0
445	md	R	SUM	159450	.	.	.	.	.	.	.	.	.	574.8	537.4	612.1	0.4	0	2.5	262.8	309.5	307.8	266.9	0
445	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
445	md	SUM	404-10	836	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	1.5	0	0	1.5	0
445	md	SUM	445-00	500	.	.	.	.	.	.	.	.	.	205.4	196.8	214	41.1	0	2.5	201.7	1.2	1.2	204.2	0
445	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	458	418.5	497.4	0.3	0	0	85.6	372.4	370.7	87.2	0
445	md	SUM	none	.	.	.	.	.	.	.	.	.	.	7.4	3	12.3	.	0	0	5.6	1.8	1.8	5.6	0
445	md	SUM	SUM	183736	.	.	.	.	.	.	.	.	.	675.6	634.7	716.4	0.4	0	2.5	294.4	378.8	377.1	298.5	0
445	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
445	wt	N	413-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
445	wt	N	445-00	61	.	.	.	.	.	.	.	.	.	2.7	2	3.9	4.4	0	0	1.4	1.4	1.4	1.4	0
445	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	7.1	5	9.2	2.4	0	0	7.1	0	0	7.1	0
445	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.3	7.8	20.8	0.1	0	0	0	14.3	14.3	0	0
445	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
445	wt	N	SUM	24660	.	.	.	.	.	.	.	.	.	24.1	17.1	31	0.1	0	0	8.4	15.6	15.6	8.4	0
445	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	2.3	1	4.5	0.2	0	0	0	2.3	2.3	0	0
445	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	182.8	160.4	205.3	2.4	0	2	174.1	6.7	3.4	176.1	3.4
445	wt	R	413-00	282	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	0	1.5	1.5	0	0
445	wt	R	445-00	439	.	.	.	.	.	.	.	.	.	2.5	2	3.6	0.6	0	0	1.2	1.2	1.2	1.2	0
445	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	211.6	184.7	238.4	0.1	0	0	21.9	189.7	175.9	35.7	0
445	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
445	wt	R	SUM	160060	.	.	.	.	.	.	.	.	.	404.7	369.3	440	0.3	0	2	201.2	201.4	184.2	217.1	3.4
445	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	2.3	1	4.5	0.2	0	0	0	2.3	2.3	0	0
445	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	182.8	160.4	205.3	2.4	0	2	174.1	6.7	3.4	176.1	3.4
445	wt	SUM	413-00	301	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	0	1.5	1.5	0	0
445	wt	SUM	445-00	500	.	.	.	.	.	.	.	.	.	5.2	4	6.8	1	0	0	2.6	2.6	2.6	2.6	0
445	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	7.1	5	9.2	2.4	0	0	7.1	0	0	7.1	0
445	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	225.8	198.2	253.4	0.1	0	0	21.9	204	190.1	35.7	0
445	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
445	wt	SUM	SUM	184720	.	.	.	.	.	.	.	.	.	428.7	392.7	464.8	0.2	0	2	209.7	217.1	199.8	225.5	3.4
446	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
446	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	5.2	4	7	1.7	0	0	5.2	0	0	5.2	0
446	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	86.1	67.4	104.9	0.4	0	0	1.2	85	85	1.2	0
446	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
446	all_deer	N	SUM	24574	149.2	124.6	173.8	871.3	714.8	1027.8	5.8	5.4	6.2	91.3	72.5	110.2	0.4	0	0	6.4	85	85	6.4	0
446	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	29.5	19.8	39.2	0.4	0	0	29.5	0	0	29.5	0
446	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	0	1.3	1.3	0	0
446	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	199.7	172.4	227	0.1	0	0	32.8	166.9	166.9	32.8	0
446	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	5.8	2	10.4	.	0	0	5.8	0	0	5.8	0
446	all_deer	R	SUM	158626	427.8	387.2	468.4	2320	2019.5	2620.5	5.4	4.9	5.9	236.3	206.9	265.7	0.1	0	0	68.1	168.2	168.2	68.1	0
446	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	29.5	19.8	39.2	0.4	0	0	29.5	0	0	29.5	0
446	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	0	1.3	1.3	0	0
446	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	5.2	4	7	1.7	0	0	5.2	0	0	5.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
446	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	285.9	252.7	319	0.2	0	0	34	251.8	251.8	34	0
446	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	5.8	2	10.4	.	0	0	5.8	0	0	5.8	0
446	all_deer	SUM	SUM	183200	577	529.5	624.5	3191.3	2852.5	3530.1	5.5	5.1	5.9	327.6	292.7	362.5	0.2	0	0	74.5	253.1	253.1	74.5	0
446	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	43.5	30.2	56.8	0.2	0	0	1.2	42.3	42.3	1.2	0
446	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
446	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	43.5	30.2	56.8	0.2	0	0	1.2	42.3	42.3	1.2	0
446	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	127.9	106	149.8	0.1	0	0	23.2	104.7	104.7	23.2	0
446	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
446	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	127.9	106	149.8	0.1	0	0	23.2	104.7	104.7	23.2	0
446	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	171.4	145.7	197	0.1	0	0	24.3	147	147	24.3	0
446	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
446	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	171.4	145.7	197	0.1	0	0	24.3	147	147	24.3	0
446	wt	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
446	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	5.2	4	7	1.7	0	0	5.2	0	0	5.2	0
446	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	42.6	29.4	55.9	0.2	0	0	0	42.6	42.6	0	0
446	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
446	wt	N	SUM	24574	.	.	.	.	.	.	.	.	.	47.8	34.4	61.2	0.2	0	0	5.2	42.6	42.6	5.2	0
446	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	29.5	19.8	39.2	0.4	0	0	29.5	0	0	29.5	0
446	wt	R	445-00	439	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	0	1.3	1.3	0	0
446	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	71.8	55.5	88.2	0	0	0	9.7	62.2	62.2	9.7	0
446	wt	R	none	.	.	.	.	.	.	.	.	.	.	5.8	2	10.4	.	0	0	5.8	0	0	5.8	0
446	wt	R	SUM	158626	.	.	.	.	.	.	.	.	.	108.4	88.9	128	0.1	0	0	45	63.5	63.5	45	0
446	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	29.5	19.8	39.2	0.4	0	0	29.5	0	0	29.5	0
446	wt	SUM	445-00	500	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	0	1.3	1.3	0	0
446	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	5.2	4	7	1.7	0	0	5.2	0	0	5.2	0
446	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	114.5	93.4	135.5	0.1	0	0	9.7	104.8	104.8	9.7	0
446	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	5.8	2	10.4	.	0	0	5.8	0	0	5.8	0
446	wt	SUM	SUM	183200	.	.	.	.	.	.	.	.	.	156.2	132.5	180	0.1	0	0	50.1	106.1	106.1	50.1	0
447	all_deer	N	413-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
447	all_deer	N	444-00	18	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
447	all_deer	N	447-00	44	.	.	.	.	.	.	.	.	.	33.5	31.4	35.7	76.1	0	1.2	30.9	1.4	1.4	32.1	0
447	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	2.7	2	4.1	0.9	0	0	2.7	0	0	2.7	0
447	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	104.9	85.4	124.4	0.4	0	0	3.7	101.2	101.2	3.7	0
447	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
447	all_deer	N	SUM	24594	161.6	138.1	185.1	830.2	698.2	962.2	5.1	4.8	5.4	141.1	121.5	160.8	0.6	0	1.2	37.4	102.6	102.6	38.5	0
447	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	115.7	97.5	133.9	1.5	0	0	112.3	3.4	3.4	112.3	0
447	all_deer	R	413-00	282	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.5	0	0	0	1.3	1.3	0	0
447	all_deer	R	444-00	232	.	.	.	.	.	.	.	.	.	3	2	4.6	1.3	0	0	1.5	1.5	1.5	1.5	0
447	all_deer	R	447-00	356	.	.	.	.	.	.	.	.	.	158.3	150.7	165.9	44.5	0	0	155.7	2.6	2.6	155.7	0
447	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	826.6	773	880.2	0.5	0	0	105.4	721.2	697.1	129.5	0
447	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	5.4	2	9.9	.	0	0	5.4	0	0	5.4	0
447	all_deer	R	SUM	159057	1606.4	1531.3	1681.5	6983.3	6508.6	7458	4.3	4.1	4.5	1110.4	1053.1	1167.7	0.7	0	0	380.4	730	705.9	404.5	0
447	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	115.7	97.5	133.9	1.5	0	0	112.3	3.4	3.4	112.3	0
447	all_deer	SUM	413-00	301	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	0	1.3	1.3	0	0
447	all_deer	SUM	444-00	250	.	.	.	.	.	.	.	.	.	3	2	4.6	1.2	0	0	1.5	1.5	1.5	1.5	0
447	all_deer	SUM	447-00	400	.	.	.	.	.	.	.	.	.	191.8	184	199.7	48	0	1.2	186.6	4	4	187.8	0
447	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.7	2	4.1	0.9	0	0	2.7	0	0	2.7	0
447	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	931.5	874.4	988.6	0.5	0	0	109.1	822.4	798.2	133.3	0
447	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	5.4	2	9.9	.	0	0	5.4	0	0	5.4	0
447	all_deer	SUM	SUM	183651	1768	1689.3	1846.7	7813.6	7320.8	8306.4	4.4	4.2	4.6	1251.5	1190.9	1312.2	0.7	0	1.2	417.8	832.6	808.5	443.1	0
447	md	N	413-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
447	md	N	444-00	18	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
447	md	N	447-00	44	.	.	.	.	.	.	.	.	.	32.1	29.8	34.3	73	0	1.2	30.9	0	0	32.1	0
447	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	84.9	67.5	102.2	0.4	0	0	0	84.9	84.9	0	0
447	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
447	md	N	SUM	24294	.	.	.	.	.	.	.	.	.	117	99.5	134.4	0.5	0	1.2	30.9	84.9	84.9	32.1	0
447	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
447	md	R	413-00	282	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.5	0	0	0	1.3	1.3	0	0
447	md	R	444-00	232	.	.	.	.	.	.	.	.	.	3	2	4.6	1.3	0	0	1.5	1.5	1.5	1.5	0
447	md	R	447-00	356	.	.	.	.	.	.	.	.	.	155.9	148.3	163.4	43.8	0	0	153.3	2.6	2.6	153.3	0
447	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	613.9	567.9	659.9	0.4	0	0	78.1	535.8	517.2	96.7	0
447	md	R	none	.	.	.	.	.	.	.	.	.	.	5.4	2	9.9	.	0	0	5.4	0	0	5.4	0
447	md	R	SUM	159057	.	.	.	.	.	.	.	.	.	782.9	735.9	829.9	0.5	0	0	238.3	544.5	526	256.9	0
447	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
447	md	SUM	413-00	301	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	0	1.3	1.3	0	0
447	md	SUM	444-00	250	.	.	.	.	.	.	.	.	.	3	2	4.6	1.2	0	0	1.5	1.5	1.5	1.5	0
447	md	SUM	447-00	400	.	.	.	.	.	.	.	.	.	188	180.1	195.8	47	0	1.2	184.2	2.6	2.6	185.4	0
447	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	698.7	649.6	747.9	0.4	0	0	78.1	620.6	602.1	96.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
447	md	SUM	none	.	.	.	.	.	.	.	.	.	.	5.4	2	9.9	.	0	0	5.4	0	0	5.4	0
447	md	SUM	SUM	183351	.	.	.	.	.	.	.	.	.	899.8	849.7	950	0.5	0	1.2	269.2	629.4	610.9	289	0
447	wt	N	447-00	44	.	.	.	.	.	.	.	.	.	1.4	1	2.4	3.2	0	0	0	1.4	1.4	0	0
447	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	2.7	2	4.1	0.9	0	0	2.7	0	0	2.7	0
447	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	20	11	29	0.1	0	0	3.7	16.3	16.3	3.7	0
447	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
447	wt	N	SUM	24557	.	.	.	.	.	.	.	.	.	24.2	15	33.3	0.1	0	0	6.5	17.7	17.7	6.5	0
447	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	112.3	94.5	130.2	1.5	0	0	112.3	0	0	112.3	0
447	wt	R	447-00	356	.	.	.	.	.	.	.	.	.	2.4	2	3.6	0.7	0	0	2.4	0	0	2.4	0
447	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	212.7	185.1	240.4	0.1	0	0	27.3	185.5	179.9	32.9	0
447	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
447	wt	R	SUM	158543	.	.	.	.	.	.	.	.	.	327.5	294.5	360.5	0.2	0	0	142.1	185.5	179.9	147.6	0
447	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	112.3	94.5	130.2	1.5	0	0	112.3	0	0	112.3	0
447	wt	SUM	447-00	400	.	.	.	.	.	.	.	.	.	3.9	3	5.4	1	0	0	2.4	1.4	1.4	2.4	0
447	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.7	2	4.1	0.9	0	0	2.7	0	0	2.7	0
447	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	232.8	203.6	261.9	0.1	0	0	31	201.8	196.2	36.6	0
447	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
447	wt	SUM	SUM	183100	.	.	.	.	.	.	.	.	.	351.7	317.5	385.9	0.2	0	0	148.5	203.2	197.6	154.1	0
448	all_deer	N	418-00	68	.	.	.	.	.	.	.	.	.	1.5	1	2.6	2.2	0	0	1.5	0	0	1.5	0
448	all_deer	N	448-00	7	.	.	.	.	.	.	.	.	.	4.7	4	5.4	67.1	0	1.2	2.4	1.1	1.1	3.6	0
448	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	4.1	3	5.7	1.4	0	0	4.1	0	0	4.1	0
448	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	23.2	14.5	31.9	0.1	0	0	1.3	21.9	21.9	1.3	0
448	all_deer	N	SUM	24588	67.4	52	82.8	381.7	280.6	482.8	5.7	5.1	6.3	33.4	24.5	42.4	0.1	0	1.2	9.2	23.1	23.1	10.4	0
448	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	15.1	8.6	21.6	0.2	0	0	15.1	0	0	15.1	0
448	all_deer	R	418-00	182	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.8	0	0	1.5	0	0	1.5	0
448	all_deer	R	448-00	68	.	.	.	.	.	.	.	.	.	14.8	11.6	18	21.8	0	0	14.8	0	0	14.8	0
448	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	126.6	105.3	147.9	0.1	0	0	16.4	110.2	110.2	16.4	0
448	all_deer	R	SUM	158437	409.2	369.7	448.7	2020.9	1781.6	2260.2	4.9	4.5	5.3	158.1	135.5	180.6	0.1	0	0	47.8	110.2	110.2	47.8	0
448	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	15.1	8.6	21.6	0.2	0	0	15.1	0	0	15.1	0
448	all_deer	SUM	418-00	250	.	.	.	.	.	.	.	.	.	3	2	4.6	1.2	0	0	3	0	0	3	0
448	all_deer	SUM	448-00	75	.	.	.	.	.	.	.	.	.	19.5	16.2	22.8	26	0	1.2	17.2	1.1	1.1	18.4	0
448	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	4.1	3	5.7	1.4	0	0	4.1	0	0	4.1	0
448	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	149.8	126.8	172.8	0.1	0	0	17.7	132.1	132.1	17.7	0
448	all_deer	SUM	SUM	183025	476.5	434.1	518.9	2402.6	2142.8	2662.4	5	4.7	5.3	191.5	167.2	215.7	0.1	0	1.2	57	133.3	133.3	58.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
448	md	N	418-00	68	.	.	.	.	.	.	.	.	.	1.5	1	2.6	2.2	0	0	1.5	0	0	1.5	0
448	md	N	448-00	7	.	.	.	.	.	.	.	.	.	3.6	3	4.3	51.4	0	1.2	2.4	0	0	3.6	0
448	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	12.8	6.5	19.1	0.1	0	0	0	12.8	12.8	0	0
448	md	N	SUM	24288	.	.	.	.	.	.	.	.	.	17.9	11.4	24.3	0.1	0	1.2	3.8	12.8	12.8	5	0
448	md	R	418-00	182	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
448	md	R	448-00	68	.	.	.	.	.	.	.	.	.	14.8	11.6	18	21.8	0	0	14.8	0	0	14.8	0
448	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	89.7	72.3	107.1	0.1	0	0	16.4	73.3	73.3	16.4	0
448	md	R	SUM	150827	.	.	.	.	.	.	.	.	.	104.5	86.8	122.2	0.1	0	0	31.2	73.3	73.3	31.2	0
448	md	SUM	418-00	250	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.6	0	0	1.5	0	0	1.5	0
448	md	SUM	448-00	75	.	.	.	.	.	.	.	.	.	18.4	15	21.7	24.5	0	1.2	17.2	0	0	18.4	0
448	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	102.6	84	121.1	0.1	0	0	16.4	86.2	86.2	16.4	0
448	md	SUM	SUM	175115	.	.	.	.	.	.	.	.	.	122.4	103.5	141.2	0.1	0	1.2	35	86.2	86.2	36.2	0
448	wt	N	418-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
448	wt	N	448-00	7	.	.	.	.	.	.	.	.	.	1.1	1	1.7	15.7	0	0	0	1.1	1.1	0	0
448	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	4.1	3	5.7	1.4	0	0	4.1	0	0	4.1	0
448	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	10.3	4.3	16.4	0	0	0	1.3	9.1	9.1	1.3	0
448	wt	N	SUM	24588	.	.	.	.	.	.	.	.	.	15.6	9.3	21.8	0.1	0	0	5.4	10.2	10.2	5.4	0
448	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	15.1	8.6	21.6	0.2	0	0	15.1	0	0	15.1	0
448	wt	R	418-00	182	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.8	0	0	1.5	0	0	1.5	0
448	wt	R	448-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
448	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	36.9	24.6	49.2	0	0	0	0	36.9	36.9	0	0
448	wt	R	SUM	158437	.	.	.	.	.	.	.	.	.	53.5	39.6	67.5	0	0	0	16.6	36.9	36.9	16.6	0
448	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	15.1	8.6	21.6	0.2	0	0	15.1	0	0	15.1	0
448	wt	SUM	418-00	250	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.6	0	0	1.5	0	0	1.5	0
448	wt	SUM	448-00	75	.	.	.	.	.	.	.	.	.	1.1	1	1.7	1.5	0	0	0	1.1	1.1	0	0
448	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	4.1	3	5.7	1.4	0	0	4.1	0	0	4.1	0
448	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	47.2	33.5	60.9	0	0	0	1.3	46	46	1.3	0
448	wt	SUM	SUM	183025	.	.	.	.	.	.	.	.	.	69.1	53.8	84.4	0	0	0	22	47.1	47.1	22	0
449	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
449	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	25.2	15.2	35.1	0.1	0	0	0	25.2	25.2	0	0
449	all_deer	N	SUM	24449	69.2	52.9	85.5	459.4	342.5	576.3	6.6	6.1	7.1	25.2	15.2	35.1	0.1	0	0	0	25.2	25.2	0	0
449	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	38.1	27.5	48.7	0.5	0	2.3	32.4	3.4	3.4	34.7	0
449	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	10	5	14.9	0.5	0	0	10	0	0	10	0
449	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	160.2	135	185.3	0.1	0	0	29.8	130.3	126.1	34.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
449	all_deer	R	SUM	160201	371.4	333.1	409.7	1806.1	1519.9	2092.3	4.9	4.3	5.5	208.2	180.5	235.9	0.1	0	2.3	72.3	133.7	129.5	78.7	0
449	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	38.1	27.5	48.7	0.5	0	2.3	32.4	3.4	3.4	34.7	0
449	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	10	5	14.9	0.4	0	0	10	0	0	10	0
449	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	185.4	158.3	212.4	0.1	0	0	29.8	155.5	151.3	34.1	0
449	all_deer	SUM	SUM	184650	440.5	398.8	482.2	2265.4	1956.3	2574.5	5.1	4.6	5.6	233.4	203.9	262.9	0.1	0	2.3	72.3	158.9	154.7	78.7	0
449	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	21.5	12.3	30.6	0.1	0	0	0	21.5	21.5	0	0
449	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	21.5	12.3	30.6	0.1	0	0	0	21.5	21.5	0	0
449	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
449	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	115.8	93.8	137.8	0.1	0	0	26.7	89.2	89.2	26.7	0
449	md	R	SUM	158187	.	.	.	.	.	.	.	.	.	119.2	96.9	141.4	0.1	0	0	26.7	92.5	92.5	26.7	0
449	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
449	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	137.3	113.5	161.1	0.1	0	0	26.7	110.6	110.6	26.7	0
449	md	SUM	SUM	182400	.	.	.	.	.	.	.	.	.	140.7	116.6	164.7	0.1	0	0	26.7	114	114	26.7	0
449	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
449	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
449	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
449	wt	N	SUM	24749	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
449	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	34.7	24.7	44.8	0.5	0	2.3	32.4	0	0	34.7	0
449	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	10	5	14.9	0.5	0	0	10	0	0	10	0
449	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	44.3	32.1	56.6	0	0	0	3.2	41.2	36.9	7.4	0
449	wt	R	SUM	160201	.	.	.	.	.	.	.	.	.	89	72.4	105.6	0.1	0	2.3	45.6	41.2	36.9	52.1	0
449	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	34.7	24.7	44.8	0.5	0	2.3	32.4	0	0	34.7	0
449	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
449	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	10	5	14.9	0.4	0	0	10	0	0	10	0
449	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	48.1	35.2	60.9	0	0	0	3.2	44.9	40.7	7.4	0
449	wt	SUM	SUM	184950	.	.	.	.	.	.	.	.	.	92.7	75.7	109.8	0.1	0	2.3	45.6	44.9	40.7	52.1	0
450	all_deer	N	339-40	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	406-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	441-00	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	450-00	23	.	.	.	.	.	.	.	.	.	9.1	6.7	11.5	39.6	0	0	9.1	0	0	9.1	0
450	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	4.3	3	5.9	1.4	0	0	4.3	0	0	4.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
450	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	43.9	30.5	57.2	0.2	0	0	3.7	40.2	40.2	3.7	0
450	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
450	all_deer	N	SUM	24693	90.6	72.1	109.1	408.5	315.2	501.8	4.5	4.1	4.9	57.2	43.6	70.9	0.2	0	0	17.1	40.2	40.2	17.1	0
450	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4.1	0	0	0	2	0	0	2	0
450	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	56.8	43.6	70.1	0.7	0	2.3	54.5	0	0	56.8	0
450	all_deer	R	339-40	340	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
450	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
450	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	2.5	2	3.7	0.3	0	0	1.3	1.2	1.2	1.3	0
450	all_deer	R	404-10	824	.	.	.	.	.	.	.	.	.	38.5	27.3	49.6	4.7	0	0	38.5	0	0	38.5	0
450	all_deer	R	406-00	358	.	.	.	.	.	.	.	.	.	6.7	5	8.7	1.9	0	1.3	5.4	0	0	6.7	0
450	all_deer	R	441-00	142	.	.	.	.	.	.	.	.	.	3.1	2	4.8	2.2	0	0	3.1	0	0	3.1	0
450	all_deer	R	450-00	127	.	.	.	.	.	.	.	.	.	26.9	23.2	30.5	21.2	0	0	26.9	0	0	26.9	0
450	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	169.2	145.4	193	0.1	0	4.1	31.5	133.7	131.3	37.9	0
450	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	2.7	2	4.8	.	0	0	2.7	0	0	2.7	0
450	all_deer	R	SUM	168715	368.3	333.8	402.8	1382.9	1214.6	1551.2	3.8	3.5	4.1	311.4	281.4	341.4	0.2	0	7.7	168.8	134.9	132.5	178.9	0
450	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4.1	0	0	0	2	0	0	2	0
450	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	56.8	43.6	70.1	0.7	0	2.3	54.5	0	0	56.8	0
450	all_deer	SUM	339-40	352	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
450	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
450	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	2.5	2	3.7	0.3	0	0	1.3	1.2	1.2	1.3	0
450	all_deer	SUM	404-10	836	.	.	.	.	.	.	.	.	.	38.5	27.3	49.6	4.6	0	0	38.5	0	0	38.5	0
450	all_deer	SUM	406-00	400	.	.	.	.	.	.	.	.	.	6.7	5	8.7	1.7	0	1.3	5.4	0	0	6.7	0
450	all_deer	SUM	441-00	150	.	.	.	.	.	.	.	.	.	3.1	2	4.8	2.1	0	0	3.1	0	0	3.1	0
450	all_deer	SUM	450-00	150	.	.	.	.	.	.	.	.	.	36	31.6	40.3	24	0	0	36	0	0	36	0
450	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	4.3	3	5.9	1.4	0	0	4.3	0	0	4.3	0
450	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	213.1	185.8	240.4	0.1	0	4.1	35.2	173.8	171.5	41.6	0
450	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	2.7	2	4.8	.	0	0	2.7	0	0	2.7	0
450	all_deer	SUM	SUM	193408	458.8	419.7	497.9	1791.4	1599	1983.8	3.9	3.7	4.1	368.6	335.7	401.6	0.2	0	7.7	185.9	175	172.7	195.9	0
450	md	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	md	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	md	N	406-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	md	N	441-00	8	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	md	N	450-00	23	.	.	.	.	.	.	.	.	.	9.1	6.7	11.5	39.6	0	0	9.1	0	0	9.1	0
450	md	N	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
450	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26.1	15.6	36.6	0.1	0	0	0	26.1	26.1	0	0
450	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
450	md	N	SUM	24641	.	.	.	.	.	.	.	.	.	36.6	25.8	47.5	0.1	0	0	10.6	26.1	26.1	10.6	0
450	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4.1	0	0	0	2	0	0	2	0
450	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	2	1	4.1	0	0	0	2	0	0	2	0
450	md	R	404-00	754	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.2	0	0	1.3	0	0	1.3	0
450	md	R	404-10	824	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	md	R	406-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
450	md	R	441-00	142	.	.	.	.	.	.	.	.	.	3.1	2	4.8	2.2	0	0	3.1	0	0	3.1	0
450	md	R	450-00	127	.	.	.	.	.	.	.	.	.	26.9	23.2	30.5	21.2	0	0	26.9	0	0	26.9	0
450	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	83.4	66.6	100.2	0.1	0	0	12.5	70.8	68.5	14.9	0
450	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
450	md	R	SUM	167721	.	.	.	.	.	.	.	.	.	120.1	102.6	137.7	0.1	0	0	49.3	70.8	68.5	51.6	0
450	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4.1	0	0	0	2	0	0	2	0
450	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	2	1	4.1	0	0	0	2	0	0	2	0
450	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.2	0	0	1.3	0	0	1.3	0
450	md	SUM	404-10	836	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	md	SUM	406-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
450	md	SUM	441-00	150	.	.	.	.	.	.	.	.	.	3.1	2	4.8	2.1	0	0	3.1	0	0	3.1	0
450	md	SUM	450-00	150	.	.	.	.	.	.	.	.	.	36	31.6	40.3	24	0	0	36	0	0	36	0
450	md	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
450	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	109.5	89.7	129.3	0.1	0	0	12.5	96.9	94.6	14.9	0
450	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
450	md	SUM	SUM	192362	.	.	.	.	.	.	.	.	.	156.8	136.2	177.4	0.1	0	0	59.9	96.9	94.6	62.2	0
450	wt	N	339-40	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	wt	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	wt	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	wt	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	wt	N	406-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
450	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.9	0	0	2.8	0	0	2.8	0
450	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	17.8	9.6	26.1	0.1	0	0	3.7	14.1	14.1	3.7	0
450	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
450	wt	N	SUM	24662	.	.	.	.	.	.	.	.	.	20.6	12.3	28.9	0.1	0	0	6.5	14.1	14.1	6.5	0
450	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	54.8	41.7	67.9	0.7	0	2.3	52.5	0	0	54.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
450	wt	R	339-40	340	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
450	wt	R	400-00	654	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
450	wt	R	404-00	754	.	.	.	.	.	.	.	.	.	1.2	1	2	0.2	0	0	0	1.2	1.2	0	0
450	wt	R	404-10	824	.	.	.	.	.	.	.	.	.	38.5	27.3	49.6	4.7	0	0	38.5	0	0	38.5	0
450	wt	R	406-00	358	.	.	.	.	.	.	.	.	.	5.3	4	7.1	1.5	0	1.3	4	0	0	5.3	0
450	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	85.8	68.9	102.7	0.1	0	4.1	18.9	62.8	62.8	23	0
450	wt	R	none	.	.	.	.	.	.	.	.	.	.	2.7	2	4.8	.	0	0	2.7	0	0	2.7	0
450	wt	R	SUM	161117	.	.	.	.	.	.	.	.	.	191.3	167	215.5	0.1	0	7.7	119.5	64	64	127.2	0
450	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	54.8	41.7	67.9	0.7	0	2.3	52.5	0	0	54.8	0
450	wt	SUM	339-40	352	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
450	wt	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
450	wt	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.2	1	2	0.2	0	0	0	1.2	1.2	0	0
450	wt	SUM	404-10	836	.	.	.	.	.	.	.	.	.	38.5	27.3	49.6	4.6	0	0	38.5	0	0	38.5	0
450	wt	SUM	406-00	400	.	.	.	.	.	.	.	.	.	5.3	4	7.1	1.3	0	1.3	4	0	0	5.3	0
450	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.9	0	0	2.8	0	0	2.8	0
450	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	103.7	84.9	122.4	0.1	0	4.1	22.7	76.9	76.9	26.7	0
450	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	2.7	2	4.8	.	0	0	2.7	0	0	2.7	0
450	wt	SUM	SUM	185779	.	.	.	.	.	.	.	.	.	211.9	186.2	237.5	0.1	0	7.7	126	78.1	78.1	133.7	0
452	all_deer	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
452	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	1.3	1	2	0.6	0	0	1.3	0	0	1.3	0
452	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	20.2	11.2	29.3	0.1	0	0	0	20.2	18.6	1.6	0
452	all_deer	N	SUM	24468	97.3	77.3	117.3	557.1	433.6	680.6	5.7	5.3	6.1	21.5	12.4	30.6	0.1	0	0	1.3	20.2	18.6	2.9	0
452	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	17.7	10.7	24.7	0.2	0	0	17.7	0	0	17.7	0
452	all_deer	R	322-00	581	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.2	0	0	0	1.4	1.4	0	0
452	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
452	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	83.3	65.1	101.5	0.1	0	0	9.6	73.8	69.7	13.6	0
452	all_deer	R	SUM	160782	235	204.5	265.5	859.7	709.8	1009.6	3.7	3.2	4.2	102.5	83	122	0.1	0	0	27.3	75.2	71.2	31.3	0
452	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	17.7	10.7	24.7	0.2	0	0	17.7	0	0	17.7	0
452	all_deer	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.2	0	0	0	1.4	1.4	0	0
452	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.3	1	2	0.1	0	0	1.3	0	0	1.3	0
452	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	103.5	83.2	123.8	0.1	0	0	9.6	94	88.3	15.2	0
452	all_deer	SUM	SUM	185250	332.3	295.8	368.8	1416.8	1222.5	1611.1	4.3	4	4.6	124	102.5	145.5	0.1	0	0	28.5	95.4	89.8	34.2	0
452	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
452	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
452	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	56.4	41.2	71.7	0	0	0	9.6	46.9	42.8	13.6	0
452	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	56.4	41.2	71.7	0	0	0	9.6	46.9	42.8	13.6	0
452	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	67.6	50.9	84.4	0	0	0	9.6	58.1	54	13.6	0
452	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	67.6	50.9	84.4	0	0	0	9.6	58.1	54	13.6	0
452	wt	N	322-00	19	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
452	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
452	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	1.3	1	2	0.6	0	0	1.3	0	0	1.3	0
452	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	9.1	3.2	14.9	0	0	0	0	9.1	7.5	1.6	0
452	wt	N	SUM	24768	.	.	.	.	.	.	.	.	.	10.3	4.4	16.2	0	0	0	1.3	9.1	7.5	2.9	0
452	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	17.7	10.7	24.7	0.2	0	0	17.7	0	0	17.7	0
452	wt	R	322-00	581	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.2	0	0	0	1.4	1.4	0	0
452	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
452	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	26.9	17	36.7	0	0	0	0	26.9	26.9	0	0
452	wt	R	SUM	160782	.	.	.	.	.	.	.	.	.	46	33.9	58.2	0	0	0	17.7	28.3	28.3	17.7	0
452	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	17.7	10.7	24.7	0.2	0	0	17.7	0	0	17.7	0
452	wt	SUM	322-00	600	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.2	0	0	0	1.4	1.4	0	0
452	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
452	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.3	1	2	0.1	0	0	1.3	0	0	1.3	0
452	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	35.9	24.4	47.4	0	0	0	0	35.9	34.3	1.6	0
452	wt	SUM	SUM	185550	.	.	.	.	.	.	.	.	.	56.4	42.8	69.9	0	0	0	19	37.4	35.8	20.6	0
454	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	59.6	43.7	75.5	0.2	0	0	0	59.6	59.6	0	0
454	all_deer	N	SUM	24213	111	89.6	132.4	605.3	476.4	734.2	5.5	5	6	59.6	43.7	75.5	0.2	0	0	0	59.6	59.6	0	0
454	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	19.2	11.6	26.8	0.3	0	0	19.2	0	0	19.2	0
454	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	126.2	104	148.3	0.1	0	1.7	10.3	114.2	109.4	16.7	0
454	all_deer	R	SUM	158187	398.6	358.6	438.6	2600.1	2227.3	2972.9	6.5	5.8	7.2	145.4	122	168.8	0.1	0	1.7	29.5	114.2	109.4	35.9	0
454	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	19.2	11.6	26.8	0.3	0	0	19.2	0	0	19.2	0
454	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	185.8	158.5	213	0.1	0	1.7	10.3	173.8	169	16.7	0
454	all_deer	SUM	SUM	182400	509.6	464.2	555	3205.4	2810.9	3599.9	6.3	5.8	6.8	205	176.7	233.2	0.1	0	1.7	29.5	173.8	169	35.9	0
454	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	44.7	31	58.4	0.2	0	0	0	44.7	44.7	0	0
454	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	44.7	31	58.4	0.2	0	0	0	44.7	44.7	0	0
454	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	105.2	85	125.3	0.1	0	1.7	10.3	93.2	90.9	14.3	0
454	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	105.2	85	125.3	0.1	0	1.7	10.3	93.2	90.9	14.3	0
454	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	149.9	125.5	174.2	0.1	0	1.7	10.3	137.9	135.6	14.3	0
454	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	149.9	125.5	174.2	0.1	0	1.7	10.3	137.9	135.6	14.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
454	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
454	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
454	wt	N	SUM	24513	.	.	.	.	.	.	.	.	.	14.9	7	22.8	0.1	0	0	0	14.9	14.9	0	0
454	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	19.2	11.6	26.8	0.3	0	0	19.2	0	0	19.2	0
454	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	21	11.8	30.2	0	0	0	0	21	18.6	2.5	0
454	wt	R	SUM	158187	.	.	.	.	.	.	.	.	.	40.2	28.3	52.1	0	0	0	19.2	21	18.6	21.6	0
454	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	19.2	11.6	26.8	0.3	0	0	19.2	0	0	19.2	0
454	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
454	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	35.9	23.8	48.1	0	0	0	0	35.9	33.5	2.5	0
454	wt	SUM	SUM	182700	.	.	.	.	.	.	.	.	.	55.1	40.8	69.4	0	0	0	19.2	35.9	33.5	21.6	0
455	all_deer	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
455	all_deer	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
455	all_deer	N	455-70	5	.	.	.	.	.	.	.	.	.	3.3	2	4.7	66	0	0	0	3.3	3.3	0	0
455	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0.6	0	0	1.9	0	0	1.9	0
455	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
455	all_deer	N	SUM	24619	12.5	6.1	18.9	75.5	24	133	6	3.1	8.9	5.2	3.3	7.2	0	0	0	1.9	3.3	3.3	1.9	0
455	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
455	all_deer	R	400-00	654	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.2	0	0	1.5	0	0	1.5	0
455	all_deer	R	445-00	439	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.6	0	0	2.8	0	0	2.8	0
455	all_deer	R	455-70	45	.	.	.	.	.	.	.	.	.	35.9	33.6	38.2	79.8	0	0	0	35.9	35.9	0	0
455	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	14.3	8.2	20.4	0	0	0	8.8	5.5	5.5	8.8	0
455	all_deer	R	SUM	159325	86.8	71.5	102.1	342.9	275.4	410.4	3.9	3.4	4.4	57.8	50.2	65.4	0	0	0	16.4	41.4	41.4	16.4	0
455	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
455	all_deer	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.2	0	0	1.5	0	0	1.5	0
455	all_deer	SUM	445-00	500	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.6	0	0	2.8	0	0	2.8	0
455	all_deer	SUM	455-70	50	.	.	.	.	.	.	.	.	.	39.2	36.5	41.9	78.4	0	0	0	39.2	39.2	0	0
455	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0.6	0	0	1.9	0	0	1.9	0
455	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	14.3	8.2	20.4	0	0	0	8.8	5.5	5.5	8.8	0
455	all_deer	SUM	SUM	183944	99.3	82.8	115.8	418.4	329.7	507.1	4.2	3.7	4.7	63.1	55.2	70.9	0	0	0	18.3	44.8	44.8	18.3	0
455	md	N	445-00	61	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
455	md	N	455-70	5	.	.	.	.	.	.	.	.	.	3.3	2	4.7	66	0	0	0	3.3	3.3	0	0
455	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
455	md	N	SUM	24279	.	.	.	.	.	.	.	.	.	3.3	2	4.7	0	0	0	0	3.3	3.3	0	0
455	md	R	445-00	439	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.6	0	0	2.8	0	0	2.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
455	md	R	455-70	45	.	.	.	.	.	.	.	.	.	28.7	25.9	31.5	63.8	0	0	0	28.7	28.7	0	0
455	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	7.9	5	11.6	0	0	0	4.7	3.2	3.2	4.7	0
455	md	R	SUM	151061	.	.	.	.	.	.	.	.	.	39.4	34.6	44.2	0	0	0	7.5	31.9	31.9	7.5	0
455	md	SUM	445-00	500	.	.	.	.	.	.	.	.	.	2.8	2	4.1	0.6	0	0	2.8	0	0	2.8	0
455	md	SUM	455-70	50	.	.	.	.	.	.	.	.	.	32	28.9	35.1	64	0	0	0	32	32	0	0
455	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	7.9	5	11.6	0	0	0	4.7	3.2	3.2	4.7	0
455	md	SUM	SUM	175340	.	.	.	.	.	.	.	.	.	42.7	37.7	47.7	0	0	0	7.5	35.2	35.2	7.5	0
455	wt	N	400-00	40	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
455	wt	N	455-70	5	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
455	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0.6	0	0	1.9	0	0	1.9	0
455	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
455	wt	N	SUM	24558	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0	0	0	1.9	0	0	1.9	0
455	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
455	wt	R	400-00	654	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.2	0	0	1.5	0	0	1.5	0
455	wt	R	455-70	45	.	.	.	.	.	.	.	.	.	7.2	5.1	9.4	16	0	0	0	7.2	7.2	0	0
455	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	6.4	2	11.3	0	0	0	4.1	2.3	2.3	4.1	0
455	wt	R	SUM	158886	.	.	.	.	.	.	.	.	.	18.4	12	24.9	0	0	0	8.9	9.6	9.6	8.9	0
455	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
455	wt	SUM	400-00	694	.	.	.	.	.	.	.	.	.	1.5	1	2.4	0.2	0	0	1.5	0	0	1.5	0
455	wt	SUM	455-70	50	.	.	.	.	.	.	.	.	.	7.2	5.1	9.4	14.4	0	0	0	7.2	7.2	0	0
455	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0.6	0	0	1.9	0	0	1.9	0
455	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	6.4	2	11.3	0	0	0	4.1	2.3	2.3	4.1	0
455	wt	SUM	SUM	183444	.	.	.	.	.	.	.	.	.	20.4	13.8	26.9	0	0	0	10.8	9.6	9.6	10.8	0
471	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
471	all_deer	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
471	all_deer	N	405-00	13	.	.	.	.	.	.	.	.	.	1.2	1	1.9	9.2	0	0	1.2	0	0	1.2	0
471	all_deer	N	426-00	98	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
471	all_deer	N	471-00	12	.	.	.	.	.	.	.	.	.	7.6	7	8.2	63.3	0	0	7.6	0	0	7.6	0
471	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.8	19	40.5	0.1	0	0	1.2	28.5	28.5	1.2	0
471	all_deer	N	SUM	24391	43.9	31.5	56.3	204.6	131.8	277.4	4.7	3.8	5.6	38.5	27.7	49.3	0.2	0	0	9.9	28.5	28.5	9.9	0
471	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.8	0.1	0	0	5.6	0	0	5.6	0
471	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	3.6	2	5.5	0.5	0	0	1.4	2.1	2.1	1.4	0
471	all_deer	R	404-10	824	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	0	1.5	1.5	0	0
471	all_deer	R	405-00	286	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	1.4	0	0	1.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
471	all_deer	R	426-00	439	.	.	.	.	.	.	.	.	.	4.3	3	6.1	1	0	0	4.3	0	0	4.3	0
471	all_deer	R	471-00	88	.	.	.	.	.	.	.	.	.	34.9	31.1	38.7	39.7	0	0	34.9	0	0	34.9	0
471	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	283.2	250.2	316.3	0.2	0	0	57.4	225.8	221.8	61.4	0
471	all_deer	R	SUM	160578	469.2	427.2	511.2	1517.7	1341.1	1694.3	3.2	3	3.4	334.5	300.9	368.2	0.2	0	0	105.1	229.5	225.4	109.1	0
471	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.8	0.1	0	0	5.6	0	0	5.6	0
471	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	3.6	2	5.5	0.5	0	0	1.4	2.1	2.1	1.4	0
471	all_deer	SUM	404-10	836	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	0	1.5	1.5	0	0
471	all_deer	SUM	405-00	299	.	.	.	.	.	.	.	.	.	2.6	2	3.8	0.9	0	0	2.6	0	0	2.6	0
471	all_deer	SUM	426-00	537	.	.	.	.	.	.	.	.	.	4.3	3	6.1	0.8	0	0	4.3	0	0	4.3	0
471	all_deer	SUM	471-00	100	.	.	.	.	.	.	.	.	.	42.4	38.6	46.3	42.4	0	0	42.4	0	0	42.4	0
471	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	313	278.2	347.7	0.2	0	0	58.6	254.4	250.3	62.7	0
471	all_deer	SUM	SUM	184969	513	469.2	556.8	1722.3	1531.3	1913.3	3.4	3.2	3.6	373	337.7	408.4	0.2	0	0	115	258	254	119.1	0
471	md	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
471	md	N	404-10	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
471	md	N	405-00	13	.	.	.	.	.	.	.	.	.	1.2	1	1.9	9.2	0	0	1.2	0	0	1.2	0
471	md	N	426-00	98	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
471	md	N	471-00	12	.	.	.	.	.	.	.	.	.	7.6	7	8.2	63.3	0	0	7.6	0	0	7.6	0
471	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26	16	36	0.1	0	0	1.2	24.8	24.8	1.2	0
471	md	N	SUM	24391	.	.	.	.	.	.	.	.	.	34.8	24.7	44.8	0.1	0	0	9.9	24.8	24.8	9.9	0
471	md	R	404-00	754	.	.	.	.	.	.	.	.	.	3.6	2	5.5	0.5	0	0	1.4	2.1	2.1	1.4	0
471	md	R	404-10	824	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	0	1.5	1.5	0	0
471	md	R	405-00	286	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	1.4	0	0	1.4	0
471	md	R	426-00	439	.	.	.	.	.	.	.	.	.	4.3	3	6.1	1	0	0	4.3	0	0	4.3	0
471	md	R	471-00	88	.	.	.	.	.	.	.	.	.	34.9	31.1	38.7	39.7	0	0	34.9	0	0	34.9	0
471	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	254	222.6	285.4	0.2	0	0	53.9	200.1	196.1	57.9	0
471	md	R	SUM	152968	.	.	.	.	.	.	.	.	.	299.7	267.9	331.4	0.2	0	0	95.9	203.7	199.7	100	0
471	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	3.6	2	5.5	0.5	0	0	1.4	2.1	2.1	1.4	0
471	md	SUM	404-10	836	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	0	1.5	1.5	0	0
471	md	SUM	405-00	299	.	.	.	.	.	.	.	.	.	2.6	2	3.8	0.9	0	0	2.6	0	0	2.6	0
471	md	SUM	426-00	537	.	.	.	.	.	.	.	.	.	4.3	3	6.1	0.8	0	0	4.3	0	0	4.3	0
471	md	SUM	471-00	100	.	.	.	.	.	.	.	.	.	42.4	38.6	46.3	42.4	0	0	42.4	0	0	42.4	0
471	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	280	247.1	313	0.2	0	0	55.1	224.9	220.9	59.2	0
471	md	SUM	SUM	177359	.	.	.	.	.	.	.	.	.	334.4	301.1	367.7	0.2	0	0	105.9	228.5	224.5	109.9	0
471	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
471	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
471	wt	N	SUM	24513	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
471	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.8	0.1	0	0	5.6	0	0	5.6	0
471	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	29.2	18.8	39.6	0	0	0	3.5	25.7	25.7	3.5	0
471	wt	R	SUM	158187	.	.	.	.	.	.	.	.	.	34.9	23.7	46.1	0	0	0	9.1	25.7	25.7	9.1	0
471	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	5.6	2	9.8	0.1	0	0	5.6	0	0	5.6	0
471	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
471	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	33	21.8	44.1	0	0	0	3.5	29.5	29.5	3.5	0
471	wt	SUM	SUM	182700	.	.	.	.	.	.	.	.	.	38.6	26.7	50.5	0	0	0	9.1	29.5	29.5	9.1	0
4XX	all_deer	N	400-00	35	.	.	.	.	.	.	.	.	.	1.4	1	2.3	4	0	0	1.4	0	0	1.4	0
4XX	all_deer	N	447-00	44	.	.	.	.	.	.	.	.	.	1.2	1	1.9	2.7	0	0	1.2	0	0	1.2	0
4XX	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	5.3	4	7.1	1.8	0	0	3.8	1.5	1.5	3.8	0
4XX	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	26.7	17.1	36.2	0.1	0	0	1.4	25.3	25.3	1.4	0
4XX	all_deer	N	SUM	24592	44.8	33.5	56.1	208.7	150.8	266.6	4.7	4.4	5	34.5	24.7	44.3	0.1	0	0	7.7	26.8	26.8	7.7	0
4XX	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	23.2	15.1	31.3	0.3	0	0	19.9	3.4	3.4	19.9	0
4XX	all_deer	R	406-00	231	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.6	0	0	1.3	0	0	1.3	0
4XX	all_deer	R	412-00	316	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	0	1.2	1.2	0	0
4XX	all_deer	R	419-00	39	.	.	.	.	.	.	.	.	.	1.4	1	2.2	3.6	0	0	1.4	0	0	1.4	0
4XX	all_deer	R	432-00	80	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.6	0	0	1.3	0	0	1.3	0
4XX	all_deer	R	445-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
4XX	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	96.1	78	114.2	0.1	0	0	17.9	78.2	78.2	17.9	0
4XX	all_deer	R	SUM	159211	140.3	118.6	162	702	546.2	857.8	5	4.2	5.8	126	106.1	145.9	0.1	0	0	43.2	82.8	82.8	43.2	0
4XX	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	23.2	15.1	31.3	0.3	0	0	19.9	3.4	3.4	19.9	0
4XX	all_deer	SUM	400-00	35	.	.	.	.	.	.	.	.	.	1.4	1	2.3	4	0	0	1.4	0	0	1.4	0
4XX	all_deer	SUM	406-00	231	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.6	0	0	1.3	0	0	1.3	0
4XX	all_deer	SUM	412-00	316	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	0	1.2	1.2	0	0
4XX	all_deer	SUM	419-00	39	.	.	.	.	.	.	.	.	.	1.4	1	2.2	3.6	0	0	1.4	0	0	1.4	0
4XX	all_deer	SUM	432-00	80	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.6	0	0	1.3	0	0	1.3	0
4XX	all_deer	SUM	445-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
4XX	all_deer	SUM	447-00	44	.	.	.	.	.	.	.	.	.	1.2	1	1.9	2.7	0	0	1.2	0	0	1.2	0
4XX	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	5.3	4	7.1	1.8	0	0	3.8	1.5	1.5	3.8	0
4XX	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	122.8	102.4	143.3	0.1	0	0	19.3	103.5	103.5	19.3	0
4XX	all_deer	SUM	SUM	183803	185.2	160.7	209.7	910.7	744.4	1077	4.9	4.3	5.5	160.5	138.3	182.7	0.1	0	0	50.9	109.6	109.6	50.9	0
4XX	md	N	447-00	44	.	.	.	.	.	.	.	.	.	1.2	1	1.9	2.7	0	0	1.2	0	0	1.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
4XX	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	21.5	13	30.1	0.1	0	0	1.4	20.2	20.2	1.4	0
4XX	md	N	SUM	24257	.	.	.	.	.	.	.	.	.	22.7	14.1	31.3	0.1	0	0	2.5	20.2	20.2	2.5	0
4XX	md	R	406-00	231	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.6	0	0	1.3	0	0	1.3	0
4XX	md	R	412-00	316	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	0	1.2	1.2	0	0
4XX	md	R	419-00	39	.	.	.	.	.	.	.	.	.	1.4	1	2.2	3.6	0	0	1.4	0	0	1.4	0
4XX	md	R	445-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
4XX	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	69	53.5	84.6	0	0	0	13.9	55.2	55.2	13.9	0
4XX	md	R	SUM	151521	.	.	.	.	.	.	.	.	.	74.4	58.8	90	0	0	0	18	56.4	56.4	18	0
4XX	md	SUM	406-00	231	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.6	0	0	1.3	0	0	1.3	0
4XX	md	SUM	412-00	316	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	0	1.2	1.2	0	0
4XX	md	SUM	419-00	39	.	.	.	.	.	.	.	.	.	1.4	1	2.2	3.6	0	0	1.4	0	0	1.4	0
4XX	md	SUM	445-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
4XX	md	SUM	447-00	44	.	.	.	.	.	.	.	.	.	1.2	1	1.9	2.7	0	0	1.2	0	0	1.2	0
4XX	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	90.6	72.9	108.3	0.1	0	0	15.2	75.4	75.4	15.2	0
4XX	md	SUM	SUM	175778	.	.	.	.	.	.	.	.	.	97.1	79.3	114.9	0.1	0	0	20.5	76.6	76.6	20.5	0
4XX	wt	N	400-00	35	.	.	.	.	.	.	.	.	.	1.4	1	2.3	4	0	0	1.4	0	0	1.4	0
4XX	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	5.3	4	7.1	1.8	0	0	3.8	1.5	1.5	3.8	0
4XX	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	5.1	2	9.4	0	0	0	0	5.1	5.1	0	0
4XX	wt	N	SUM	24548	.	.	.	.	.	.	.	.	.	11.8	7.1	16.5	0	0	0	5.2	6.6	6.6	5.2	0
4XX	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	23.2	15.1	31.3	0.3	0	0	19.9	3.4	3.4	19.9	0
4XX	wt	R	432-00	80	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.6	0	0	1.3	0	0	1.3	0
4XX	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	27.1	17.8	36.4	0	0	0	4.1	23	23	4.1	0
4XX	wt	R	SUM	158267	.	.	.	.	.	.	.	.	.	51.6	39.3	63.9	0	0	0	25.2	26.4	26.4	25.2	0
4XX	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	23.2	15.1	31.3	0.3	0	0	19.9	3.4	3.4	19.9	0
4XX	wt	SUM	400-00	35	.	.	.	.	.	.	.	.	.	1.4	1	2.3	4	0	0	1.4	0	0	1.4	0
4XX	wt	SUM	432-00	80	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.6	0	0	1.3	0	0	1.3	0
4XX	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	5.3	4	7.1	1.8	0	0	3.8	1.5	1.5	3.8	0
4XX	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	32.2	22	42.4	0	0	0	4.1	28.2	28.2	4.1	0
4XX	wt	SUM	SUM	182815	.	.	.	.	.	.	.	.	.	63.4	50.2	76.6	0	0	0	30.4	33	33	30.4	0
500	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	1.8	1	3.8	0.1	0	0	1.8	0	0	1.8	0
500	all_deer	N	500-00	6	.	.	.	.	.	.	.	.	.	1.2	1	1.8	20	0	0	1.2	0	0	1.2	0
500	all_deer	N	511-00	25	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
500	all_deer	N	597-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
500	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
500	all_deer	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
500	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	19.7	11.2	28.2	0.1	0	0	1.4	18.4	18.4	1.4	0
500	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
500	all_deer	N	SUM	26146	41.3	29.3	53.3	183.2	123.7	242.7	4.4	3.9	4.9	22.7	14	31.5	0.1	0	0	4.4	18.4	18.4	4.4	0
500	all_deer	R	500-00	94	.	.	.	.	.	.	.	.	.	42.1	38.8	45.3	44.8	0	1.4	40.7	0	0	42.1	0
500	all_deer	R	511-00	125	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1	0	0	1.3	0	0	1.3	0
500	all_deer	R	597-00	573	.	.	.	.	.	.	.	.	.	11.9	7.5	16.3	2.1	0	2.2	9.7	0	0	11.9	0
500	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	5.3	2	9	0.3	0	0	2.8	2.5	2.5	2.8	0
500	all_deer	R	599-00	1926	.	.	.	.	.	.	.	.	.	9.7	3.9	15.4	0.5	0	0	9.7	0	0	9.7	0
500	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	510.5	465.5	555.4	0.3	0	14.6	52	443.9	439.8	70.6	0
500	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
500	all_deer	R	SUM	155309	1298.8	1226.8	1370.8	5289	4880.7	5697.3	4.1	3.9	4.3	584.8	538.8	630.8	0.4	0	18.2	120.2	446.4	442.4	142.4	0
500	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	1.8	1	3.8	0.1	0	0	1.8	0	0	1.8	0
500	all_deer	SUM	500-00	100	.	.	.	.	.	.	.	.	.	43.3	40	46.6	43.3	0	1.4	41.9	0	0	43.3	0
500	all_deer	SUM	511-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.9	0	0	1.3	0	0	1.3	0
500	all_deer	SUM	597-00	600	.	.	.	.	.	.	.	.	.	11.9	7.5	16.3	2	0	2.2	9.7	0	0	11.9	0
500	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	5.3	2	9	0.2	0	0	2.8	2.5	2.5	2.8	0
500	all_deer	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	9.7	3.9	15.4	0.5	0	0	9.7	0	0	9.7	0
500	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	530.2	484.4	575.9	0.3	0	14.6	53.3	462.2	458.2	72	0
500	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
500	all_deer	SUM	SUM	181455	1340.2	1267.2	1413.2	5472.2	5059.7	5884.7	4.1	3.9	4.3	607.5	560.7	654.3	0.3	0	18.2	124.5	464.8	460.7	146.8	0
500	md	N	500-00	6	.	.	.	.	.	.	.	.	.	1.2	1	1.8	20	0	0	1.2	0	0	1.2	0
500	md	N	511-00	25	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
500	md	N	597-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
500	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	16.2	8.1	24.3	0.1	0	0	0	16.2	16.2	0	0
500	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
500	md	N	SUM	24271	.	.	.	.	.	.	.	.	.	17.4	9.3	25.5	0.1	0	0	1.2	16.2	16.2	1.2	0
500	md	R	500-00	94	.	.	.	.	.	.	.	.	.	40.8	37.6	44	43.4	0	1.4	39.4	0	0	40.8	0
500	md	R	511-00	125	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1	0	0	1.3	0	0	1.3	0
500	md	R	597-00	573	.	.	.	.	.	.	.	.	.	1.9	1	3.6	0.3	0	0	1.9	0	0	1.9	0
500	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	406.9	366.4	447.5	0.3	0	4.1	17.7	385.2	381.1	25.8	0
500	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
500	md	R	SUM	151369	.	.	.	.	.	.	.	.	.	451	410.3	491.6	0.3	0	5.4	60.4	385.2	381.1	69.8	0
500	md	SUM	500-00	100	.	.	.	.	.	.	.	.	.	42	38.7	45.3	42	0	1.4	40.6	0	0	42	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
500	md	SUM	511-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.9	0	0	1.3	0	0	1.3	0
500	md	SUM	597-00	600	.	.	.	.	.	.	.	.	.	1.9	1	3.6	0.3	0	0	1.9	0	0	1.9	0
500	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	423.1	381.8	464.4	0.2	0	4.1	17.7	401.4	397.3	25.8	0
500	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
500	md	SUM	SUM	175640	.	.	.	.	.	.	.	.	.	468.3	426.8	509.8	0.3	0	5.4	61.5	401.4	397.3	71	0
500	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	1.8	1	3.8	0.1	0	0	1.8	0	0	1.8	0
500	wt	N	597-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
500	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
500	wt	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
500	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.5	2	6.2	0	0	0	1.4	2.2	2.2	1.4	0
500	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
500	wt	N	SUM	26115	.	.	.	.	.	.	.	.	.	5.3	3	8.7	0	0	0	3.2	2.2	2.2	3.2	0
500	wt	R	597-00	573	.	.	.	.	.	.	.	.	.	10	6	14	1.7	0	2.2	7.8	0	0	10	0
500	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	5.3	2	9	0.3	0	0	2.8	2.5	2.5	2.8	0
500	wt	R	599-00	1926	.	.	.	.	.	.	.	.	.	9.7	3.9	15.4	0.5	0	0	9.7	0	0	9.7	0
500	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	103.5	84	123	0.1	0	10.5	34.2	58.7	58.7	44.8	0
500	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
500	wt	R	SUM	155090	.	.	.	.	.	.	.	.	.	132.6	111	154.1	0.1	0	12.7	58.6	61.3	61.3	71.3	0
500	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	1.8	1	3.8	0.1	0	0	1.8	0	0	1.8	0
500	wt	SUM	597-00	600	.	.	.	.	.	.	.	.	.	10	6	14	1.7	0	2.2	7.8	0	0	10	0
500	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	5.3	2	9	0.2	0	0	2.8	2.5	2.5	2.8	0
500	wt	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	9.7	3.9	15.4	0.5	0	0	9.7	0	0	9.7	0
500	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	107	87.3	126.7	0.1	0	10.5	35.6	60.9	60.9	46.1	0
500	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
500	wt	SUM	SUM	181205	.	.	.	.	.	.	.	.	.	137.9	116.1	159.7	0.1	0	12.7	61.7	63.4	63.4	74.5	0
502	all_deer	N	502-00	2	.	.	.	.	.	.	.	.	.	2	1	2	100	0	0	2	0	0	2	0
502	all_deer	N	510-00	7	.	.	.	.	.	.	.	.	.	2.9	2	4.1	41.4	0	0	2.9	0	0	2.9	0
502	all_deer	N	597-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
502	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
502	all_deer	N	599-00	73	.	.	.	.	.	.	.	.	.	14.6	10.8	18.4	20	0	0	14.6	0	0	14.6	0
502	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	31.3	20	42.7	0.1	0	0	0	31.3	31.3	0	0
502	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
502	all_deer	N	SUM	24558	85.6	68.3	102.9	371.8	290.4	453.2	4.3	3.9	4.7	50.8	38.6	62.9	0.2	0	0	19.4	31.3	31.3	19.4	0
502	all_deer	R	502-00	198	.	.	.	.	.	.	.	.	.	89.6	84.4	94.9	45.3	0	1.4	86.9	1.4	1.4	88.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
502	all_deer	R	510-00	143	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
502	all_deer	R	597-00	573	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.4	0	0	2.2	0	0	2.2	0
502	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.1	0	0	2.2	0	0	2.2	0
502	all_deer	R	599-00	1926	.	.	.	.	.	.	.	.	.	169	149	188.9	8.8	0	7.6	161.4	0	0	169	0
502	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1092.5	1026.5	1158.6	0.7	0	19.5	261	812	808	284.6	0
502	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
502	all_deer	R	SUM	155431	2075.1	1985.3	2164.9	8986.7	8417.7	9555.7	4.3	4.1	4.5	1359.5	1290.2	1428.9	0.9	0	28.5	513.6	817.4	813.4	546.1	0
502	all_deer	SUM	502-00	200	.	.	.	.	.	.	.	.	.	91.6	86.1	97.2	45.8	0	1.4	88.9	1.4	1.4	90.3	0
502	all_deer	SUM	510-00	150	.	.	.	.	.	.	.	.	.	2.9	2	4.1	1.9	0	0	2.9	0	0	2.9	0
502	all_deer	SUM	597-00	600	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.4	0	0	2.2	0	0	2.2	0
502	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.1	0	0	2.2	0	0	2.2	0
502	all_deer	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	183.5	163.2	203.9	9.2	0	7.6	175.9	0	0	183.5	0
502	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1123.9	1056.9	1190.9	0.6	0	19.5	261	843.3	839.3	284.6	0
502	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
502	all_deer	SUM	SUM	179989	2160.6	2069.1	2252.1	9358.5	8783.6	9933.4	4.3	4.1	4.5	1410.3	1339.9	1480.8	0.8	0	28.5	533	848.8	844.7	565.6	0
502	md	N	502-00	2	.	.	.	.	.	.	.	.	.	2	1	2	100	0	0	2	0	0	2	0
502	md	N	510-00	7	.	.	.	.	.	.	.	.	.	2.9	2	4.1	41.4	0	0	2.9	0	0	2.9	0
502	md	N	597-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
502	md	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
502	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	27.6	17	38.2	0.1	0	0	0	27.6	27.6	0	0
502	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
502	md	N	SUM	24322	.	.	.	.	.	.	.	.	.	32.5	21.6	43.3	0.1	0	0	4.9	27.6	27.6	4.9	0
502	md	R	502-00	198	.	.	.	.	.	.	.	.	.	88.3	83	93.5	44.6	0	1.4	86.9	0	0	88.3	0
502	md	R	510-00	143	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
502	md	R	597-00	573	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.4	0	0	2.2	0	0	2.2	0
502	md	R	599-00	1926	.	.	.	.	.	.	.	.	.	2.5	1	4.9	0.1	0	0	2.5	0	0	2.5	0
502	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	726.1	672.3	779.8	0.5	0	11.4	184.8	529.8	525.8	200.3	0
502	md	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
502	md	R	SUM	153417	.	.	.	.	.	.	.	.	.	823.1	768.9	877.4	0.5	0	12.8	276.4	533.9	529.9	293.3	0
502	md	SUM	502-00	200	.	.	.	.	.	.	.	.	.	90.3	84.7	95.8	45.1	0	1.4	88.9	0	0	90.3	0
502	md	SUM	510-00	150	.	.	.	.	.	.	.	.	.	2.9	2	4.1	1.9	0	0	2.9	0	0	2.9	0
502	md	SUM	597-00	600	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.4	0	0	2.2	0	0	2.2	0
502	md	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	2.5	1	4.9	0.1	0	0	2.5	0	0	2.5	0
502	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	753.7	698.9	808.5	0.4	0	11.4	184.8	557.5	553.4	200.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
502	md	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
502	md	SUM	SUM	177739	.	.	.	.	.	.	.	.	.	855.6	800.3	910.9	0.5	0	12.8	281.3	561.5	557.5	298.1	0
502	wt	N	502-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
502	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
502	wt	N	599-00	73	.	.	.	.	.	.	.	.	.	14.6	10.8	18.4	20	0	0	14.6	0	0	14.6	0
502	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
502	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
502	wt	N	SUM	24524	.	.	.	.	.	.	.	.	.	18.3	12.8	23.8	0.1	0	0	14.6	3.7	3.7	14.6	0
502	wt	R	502-00	198	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.7	0	0	0	1.4	1.4	0	0
502	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.1	0	0	2.2	0	0	2.2	0
502	wt	R	599-00	1926	.	.	.	.	.	.	.	.	.	166.4	146.6	186.3	8.6	0	7.6	158.8	0	0	166.4	0
502	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	366.5	327.9	405	0.2	0	8.1	76.2	282.2	282.2	84.3	0
502	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
502	wt	R	SUM	154715	.	.	.	.	.	.	.	.	.	536.4	493	579.9	0.3	0	15.7	237.2	283.5	283.5	252.9	0
502	wt	SUM	502-00	200	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.7	0	0	0	1.4	1.4	0	0
502	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.1	0	0	2.2	0	0	2.2	0
502	wt	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	181	160.8	201.2	9.1	0	7.6	173.4	0	0	181	0
502	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	370.2	331.4	408.9	0.2	0	8.1	76.2	285.9	285.9	84.3	0
502	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
502	wt	SUM	SUM	179239	.	.	.	.	.	.	.	.	.	554.7	511	598.5	0.3	0	15.7	251.8	287.3	287.3	267.5	0
510	all_deer	N	510-00	7	.	.	.	.	.	.	.	.	.	1.4	1	2.4	20	0	0	1.4	0	0	1.4	0
510	all_deer	N	510-40	11	.	.	.	.	.	.	.	.	.	4.7	2	7.4	42.7	0	0	0	4.7	4.7	0	0
510	all_deer	N	511-00	25	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	all_deer	N	575-00	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	all_deer	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	18.6	9.7	27.5	0.1	0	0	0	18.6	18.6	0	0
510	all_deer	N	SUM	24616	29.4	19	39.8	117.9	70.5	165.3	4	3.4	4.6	24.7	15.4	34	0.1	0	0	1.4	23.3	23.3	1.4	0
510	all_deer	R	510-00	143	.	.	.	.	.	.	.	.	.	64.6	59.1	70.1	45.2	0	0	64.6	0	0	64.6	0
510	all_deer	R	510-40	304	.	.	.	.	.	.	.	.	.	114.3	106.5	122	37.6	0	0	2.9	111.4	111.4	2.9	0
510	all_deer	R	511-00	125	.	.	.	.	.	.	.	.	.	1.5	1	2.5	1.2	0	0	1.5	0	0	1.5	0
510	all_deer	R	575-00	448	.	.	.	.	.	.	.	.	.	1.1	1	1.6	0.2	0	0	1.1	0	0	1.1	0
510	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	6.1	3	9.6	0.3	0	0	6.1	0	0	6.1	0
510	all_deer	R	599-00	1926	.	.	.	.	.	.	.	.	.	9.2	4.5	14	0.5	0	0	6.7	2.5	2.5	6.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
510	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	50.1	36.4	63.8	0	0	0	11.1	39	35	15.1	0
510	all_deer	R	SUM	155537	470.8	436.1	505.5	1997	1807.3	2186.7	4.2	3.9	4.5	247	229.2	264.7	0.2	0	0	94	153	148.9	98.1	0
510	all_deer	SUM	510-00	150	.	.	.	.	.	.	.	.	.	66	60.4	71.7	44	0	0	66	0	0	66	0
510	all_deer	SUM	510-40	315	.	.	.	.	.	.	.	.	.	118.9	110.7	127.1	37.7	0	0	2.9	116	116	2.9	0
510	all_deer	SUM	511-00	150	.	.	.	.	.	.	.	.	.	1.5	1	2.5	1	0	0	1.5	0	0	1.5	0
510	all_deer	SUM	575-00	499	.	.	.	.	.	.	.	.	.	1.1	1	1.6	0.2	0	0	1.1	0	0	1.1	0
510	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	6.1	3	9.6	0.3	0	0	6.1	0	0	6.1	0
510	all_deer	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	9.2	4.5	14	0.5	0	0	6.7	2.5	2.5	6.7	0
510	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	68.7	52.4	85.1	0	0	0	11.1	57.7	53.6	15.1	0
510	all_deer	SUM	SUM	180153	500.1	463.8	536.4	2114.9	1919.5	2310.3	4.2	3.9	4.5	271.7	251.6	291.7	0.2	0	0	95.5	176.2	172.2	99.5	0
510	md	N	510-00	7	.	.	.	.	.	.	.	.	.	1.4	1	2.4	20	0	0	1.4	0	0	1.4	0
510	md	N	510-40	11	.	.	.	.	.	.	.	.	.	4.7	2	7.4	42.7	0	0	0	4.7	4.7	0	0
510	md	N	511-00	25	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	md	N	575-00	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	md	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	18.6	9.7	27.5	0.1	0	0	0	18.6	18.6	0	0
510	md	N	SUM	24380	.	.	.	.	.	.	.	.	.	24.7	15.4	34	0.1	0	0	1.4	23.3	23.3	1.4	0
510	md	R	510-00	143	.	.	.	.	.	.	.	.	.	63.1	57.6	68.6	44.1	0	0	63.1	0	0	63.1	0
510	md	R	510-40	304	.	.	.	.	.	.	.	.	.	112.7	104.9	120.4	37.1	0	0	1.3	111.4	111.4	1.3	0
510	md	R	511-00	125	.	.	.	.	.	.	.	.	.	1.5	1	2.5	1.2	0	0	1.5	0	0	1.5	0
510	md	R	575-00	448	.	.	.	.	.	.	.	.	.	1.1	1	1.6	0.2	0	0	1.1	0	0	1.1	0
510	md	R	599-00	1926	.	.	.	.	.	.	.	.	.	2.5	1	5.2	0.1	0	0	0	2.5	2.5	0	0
510	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	33.8	22.5	45.2	0	0	0	5.7	28.2	24.1	9.7	0
510	md	R	SUM	153523	.	.	.	.	.	.	.	.	.	214.8	199.7	229.9	0.1	0	0	72.7	142.1	138.1	76.7	0
510	md	SUM	510-00	150	.	.	.	.	.	.	.	.	.	64.6	59	70.2	43.1	0	0	64.6	0	0	64.6	0
510	md	SUM	510-40	315	.	.	.	.	.	.	.	.	.	117.3	109.1	125.5	37.2	0	0	1.3	116	116	1.3	0
510	md	SUM	511-00	150	.	.	.	.	.	.	.	.	.	1.5	1	2.5	1	0	0	1.5	0	0	1.5	0
510	md	SUM	575-00	499	.	.	.	.	.	.	.	.	.	1.1	1	1.6	0.2	0	0	1.1	0	0	1.1	0
510	md	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	2.5	1	5.2	0.1	0	0	0	2.5	2.5	0	0
510	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	52.5	38.1	66.9	0	0	0	5.7	46.8	42.8	9.7	0
510	md	SUM	SUM	177903	.	.	.	.	.	.	.	.	.	239.5	221.8	257.2	0.1	0	0	74.1	165.4	161.3	78.2	0
510	wt	N	510-00	7	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	wt	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
510	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	wt	N	SUM	24529	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
510	wt	R	510-00	143	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1	0	0	1.5	0	0	1.5	0
510	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	6.1	3	9.6	0.3	0	0	6.1	0	0	6.1	0
510	wt	R	599-00	1926	.	.	.	.	.	.	.	.	.	6.7	3	10.6	0.3	0	0	6.7	0	0	6.7	0
510	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	16.2	8.5	24	0	0	0	5.4	10.8	10.8	5.4	0
510	wt	R	SUM	154660	.	.	.	.	.	.	.	.	.	30.6	21.2	40	0	0	0	19.7	10.8	10.8	19.7	0
510	wt	SUM	510-00	150	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1	0	0	1.5	0	0	1.5	0
510	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	6.1	3	9.6	0.3	0	0	6.1	0	0	6.1	0
510	wt	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	6.7	3	10.6	0.3	0	0	6.7	0	0	6.7	0
510	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	16.2	8.5	24	0	0	0	5.4	10.8	10.8	5.4	0
510	wt	SUM	SUM	179189	.	.	.	.	.	.	.	.	.	30.6	21.2	40	0	0	0	19.7	10.8	10.8	19.7	0
511	all_deer	N	412-00	113	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
511	all_deer	N	511-00	25	.	.	.	.	.	.	.	.	.	16.3	14.6	18.1	65.2	0	0	14.9	1.4	0	16.3	0
511	all_deer	N	530-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
511	all_deer	N	570-00	10	.	.	.	.	.	.	.	.	.	4.4	4	5.1	44	0	0	0	4.4	4.4	0	0
511	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	18.8	14.7	22.9	8	0	0	18.8	0	0	18.8	0
511	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	49.2	36	62.5	0.2	0	0	4.9	44.3	44.3	4.9	0
511	all_deer	N	SUM	24624	95.4	78.5	112.3	428	347.3	508.7	4.5	4.2	4.8	88.7	74.7	102.7	0.4	0	0	38.7	50.1	48.7	40	0
511	all_deer	R	412-00	487	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
511	all_deer	R	511-00	125	.	.	.	.	.	.	.	.	.	59.9	56.2	63.6	47.9	0	1.3	57.3	1.3	1.3	58.6	0
511	all_deer	R	530-00	223	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
511	all_deer	R	570-00	90	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
511	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	35.6	25	46.2	1.8	0	0	35.6	0	0	35.6	0
511	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	312.2	278.8	345.6	0.2	0	0	61.9	250.3	248.7	63.5	0
511	all_deer	R	SUM	153516	602.3	555.7	648.9	2417.4	2159	2675.8	4	3.7	4.3	410.5	375.2	445.8	0.3	0	1.3	157.6	251.6	250	160.4	0
511	all_deer	SUM	412-00	600	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
511	all_deer	SUM	511-00	150	.	.	.	.	.	.	.	.	.	76.2	72.1	80.3	50.8	0	1.3	72.2	2.7	1.3	74.9	0
511	all_deer	SUM	530-00	250	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
511	all_deer	SUM	570-00	100	.	.	.	.	.	.	.	.	.	4.4	4	5.1	4.4	0	0	0	4.4	4.4	0	0
511	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	54.4	43	65.8	2.4	0	0	54.4	0	0	54.4	0
511	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	361.4	325.5	397.4	0.2	0	0	66.8	294.6	293	68.4	0
511	all_deer	SUM	SUM	178140	697.6	648	747.2	2845.4	2574.7	3116.1	4.1	3.8	4.4	499.2	461.3	537.2	0.3	0	1.3	196.2	301.7	298.7	200.5	0
511	md	N	412-00	113	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
511	md	N	511-00	25	.	.	.	.	.	.	.	.	.	16.3	14.6	18.1	65.2	0	0	14.9	1.4	0	16.3	0
511	md	N	530-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
511	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	23.9	15.2	32.6	0.1	0	0	4.9	19	19	4.9	0
511	md	N	SUM	24378	.	.	.	.	.	.	.	.	.	40.2	31.3	49.1	0.2	0	0	19.9	20.4	19	21.3	0
511	md	R	412-00	487	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
511	md	R	511-00	125	.	.	.	.	.	.	.	.	.	58.6	54.9	62.3	46.9	0	1.3	57.3	0	0	58.6	0
511	md	R	530-00	223	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
511	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	193.6	167.5	219.7	0.1	0	0	25.8	167.8	166.2	27.4	0
511	md	R	SUM	151412	.	.	.	.	.	.	.	.	.	254.9	228.5	281.4	0.2	0	1.3	85.9	167.8	166.2	88.7	0
511	md	SUM	412-00	600	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	1.4	0	0	1.4	0
511	md	SUM	511-00	150	.	.	.	.	.	.	.	.	.	74.9	70.8	79	49.9	0	1.3	72.2	1.4	0	74.9	0
511	md	SUM	530-00	250	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.6	0	0	1.4	0	0	1.4	0
511	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	217.5	189.9	245	0.1	0	0	30.7	186.7	185.2	32.3	0
511	md	SUM	SUM	175790	.	.	.	.	.	.	.	.	.	295.2	267.3	323	0.2	0	1.3	105.8	188.1	185.2	110	0
511	wt	N	511-00	25	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
511	wt	N	570-00	10	.	.	.	.	.	.	.	.	.	4.4	4	5.1	44	0	0	0	4.4	4.4	0	0
511	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	18.8	14.7	22.9	8	0	0	18.8	0	0	18.8	0
511	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	25.3	15.3	35.3	0.1	0	0	0	25.3	25.3	0	0
511	wt	N	SUM	24484	.	.	.	.	.	.	.	.	.	48.5	37.7	59.3	0.2	0	0	18.8	29.7	29.7	18.8	0
511	wt	R	511-00	125	.	.	.	.	.	.	.	.	.	1.3	1	2.1	1	0	0	0	1.3	1.3	0	0
511	wt	R	570-00	90	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
511	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	35.6	25	46.2	1.8	0	0	35.6	0	0	35.6	0
511	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	118.6	97.7	139.5	0.1	0	0	36.1	82.5	82.5	36.1	0
511	wt	R	SUM	152806	.	.	.	.	.	.	.	.	.	155.5	132.1	179	0.1	0	0	71.7	83.8	83.8	71.7	0
511	wt	SUM	511-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.9	0	0	0	1.3	1.3	0	0
511	wt	SUM	570-00	100	.	.	.	.	.	.	.	.	.	4.4	4	5.1	4.4	0	0	0	4.4	4.4	0	0
511	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	54.4	43	65.8	2.4	0	0	54.4	0	0	54.4	0
511	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	143.9	120.8	167.1	0.1	0	0	36.1	107.8	107.8	36.1	0
511	wt	SUM	SUM	177290	.	.	.	.	.	.	.	.	.	204	178.2	229.8	0.1	0	0	90.5	113.6	113.6	90.5	0
520	all_deer	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
520	all_deer	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
520	all_deer	N	520-00	20	.	.	.	.	.	.	.	.	.	15.1	13.4	16.8	75.5	0	0	15.1	0	0	15.1	0
520	all_deer	N	575-00	51	.	.	.	.	.	.	.	.	.	1.5	1	2.6	2.9	0	0	1.5	0	0	1.5	0
520	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
520	all_deer	N	599-00	73	.	.	.	.	.	.	.	.	.	8.7	5.8	11.7	11.9	0	0	7	1.7	0	8.7	0
520	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	109.1	87.9	130.2	0.5	0	0	0	109.1	109.1	0	0
520	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
520	all_deer	N	SUM	24673	187.3	160.5	214.1	1070.8	871.8	1269.8	5.7	5.1	6.3	134.4	112.9	155.8	0.5	0	0	23.6	110.8	109.1	25.3	0
520	all_deer	R	315-01	230	.	.	.	.	.	.	.	.	.	4	3	5.6	1.7	0	0	4	0	0	4	0
520	all_deer	R	326-00	440	.	.	.	.	.	.	.	.	.	1.5	1	2.8	0.3	0	0	0	1.5	1.5	0	0
520	all_deer	R	520-00	284	.	.	.	.	.	.	.	.	.	156.2	149.5	162.8	55	0	0	153.5	2.7	2.7	153.5	0
520	all_deer	R	575-00	448	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.4	0	0	1.6	0	0	1.6	0
520	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	5.3	2	8.9	0.3	0	0	5.3	0	0	5.3	0
520	all_deer	R	599-00	1926	.	.	.	.	.	.	.	.	.	275.6	250.9	300.4	14.3	0	3.5	272.1	0	0	275.6	0
520	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	931.4	872.3	990.4	0.6	4.1	10.5	159.9	756.9	749.5	177.9	4.1
520	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	12.2	4.8	19.5	.	0	0	8.1	4.1	4.1	8.1	0
520	all_deer	R	SUM	155919	1826.7	1744.8	1908.6	8100.4	7558.8	8642	4.4	4.2	4.6	1387.9	1323	1452.8	0.9	4.1	14	604.6	765.2	757.8	626.1	4.1
520	all_deer	SUM	315-01	250	.	.	.	.	.	.	.	.	.	4	3	5.6	1.6	0	0	4	0	0	4	0
520	all_deer	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.5	1	2.8	0.3	0	0	0	1.5	1.5	0	0
520	all_deer	SUM	520-00	304	.	.	.	.	.	.	.	.	.	171.2	164.4	178.1	56.3	0	0	168.5	2.7	2.7	168.5	0
520	all_deer	SUM	575-00	499	.	.	.	.	.	.	.	.	.	3.2	2	4.9	0.6	0	0	3.2	0	0	3.2	0
520	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	5.3	2	8.9	0.2	0	0	5.3	0	0	5.3	0
520	all_deer	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	284.3	259.4	309.2	14.2	0	3.5	279.1	1.7	0	284.3	0
520	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1040.5	977.7	1103.2	0.6	4.1	10.5	159.9	866	858.5	177.9	4.1
520	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	12.2	4.8	19.5	.	0	0	8.1	4.1	4.1	8.1	0
520	all_deer	SUM	SUM	180592	2014	1927.9	2100.1	9171.2	8594.2	9748.2	4.6	4.4	4.8	1522.3	1453.9	1590.7	0.8	4.1	14	628.2	876	866.8	651.4	4.1
520	md	N	520-00	20	.	.	.	.	.	.	.	.	.	13.1	10.9	15.3	65.5	0	0	13.1	0	0	13.1	0
520	md	N	575-00	51	.	.	.	.	.	.	.	.	.	1.5	1	2.6	2.9	0	0	1.5	0	0	1.5	0
520	md	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
520	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	57.4	42	72.9	0.2	0	0	0	57.4	57.4	0	0
520	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
520	md	N	SUM	24357	.	.	.	.	.	.	.	.	.	72.1	56.4	87.7	0.3	0	0	14.7	57.4	57.4	14.7	0
520	md	R	520-00	284	.	.	.	.	.	.	.	.	.	152	145.3	158.7	53.5	0	0	150.7	1.3	1.3	150.7	0
520	md	R	575-00	448	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.4	0	0	1.6	0	0	1.6	0
520	md	R	599-00	1926	.	.	.	.	.	.	.	.	.	2	1	4.1	0.1	0	0	2	0	0	2	0
520	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	474.1	432	516.1	0.3	0	4.1	44	426	426	48	0
520	md	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
520	md	R	SUM	153235	.	.	.	.	.	.	.	.	.	637.9	594.8	680.9	0.4	0	4.1	202.4	431.4	431.4	206.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
520	md	SUM	520-00	304	.	.	.	.	.	.	.	.	.	165.1	158.1	172.2	54.3	0	0	163.9	1.3	1.3	163.9	0
520	md	SUM	575-00	499	.	.	.	.	.	.	.	.	.	3.2	2	4.9	0.6	0	0	3.2	0	0	3.2	0
520	md	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	2	1	4.1	0.1	0	0	2	0	0	2	0
520	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	531.5	486.7	576.3	0.3	0	4.1	44	483.5	483.5	48	0
520	md	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
520	md	SUM	SUM	177592	.	.	.	.	.	.	.	.	.	709.9	664.1	755.8	0.4	0	4.1	217.1	488.8	488.8	221.1	0
520	wt	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
520	wt	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
520	wt	N	520-00	20	.	.	.	.	.	.	.	.	.	1.9	1	3.6	9.5	0	0	1.9	0	0	1.9	0
520	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
520	wt	N	599-00	73	.	.	.	.	.	.	.	.	.	8.7	5.8	11.7	11.9	0	0	7	1.7	0	8.7	0
520	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	51.7	37.1	66.2	0.2	0	0	0	51.7	51.7	0	0
520	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
520	wt	N	SUM	24622	.	.	.	.	.	.	.	.	.	62.3	47.4	77.2	0.3	0	0	8.9	53.4	51.7	10.6	0
520	wt	R	315-01	230	.	.	.	.	.	.	.	.	.	4	3	5.6	1.7	0	0	4	0	0	4	0
520	wt	R	326-00	440	.	.	.	.	.	.	.	.	.	1.5	1	2.8	0.3	0	0	0	1.5	1.5	0	0
520	wt	R	520-00	284	.	.	.	.	.	.	.	.	.	4.2	3	5.8	1.5	0	0	2.7	1.4	1.4	2.7	0
520	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	5.3	2	8.9	0.3	0	0	5.3	0	0	5.3	0
520	wt	R	599-00	1926	.	.	.	.	.	.	.	.	.	273.6	248.9	298.3	14.2	0	3.5	270.1	0	0	273.6	0
520	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	453.3	411.9	494.6	0.3	0	6.5	115.9	330.9	323.4	129.8	0
520	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
520	wt	R	SUM	155471	.	.	.	.	.	.	.	.	.	746	697.5	794.5	0.5	0	10	402.1	333.9	326.4	419.6	0
520	wt	SUM	315-01	250	.	.	.	.	.	.	.	.	.	4	3	5.6	1.6	0	0	4	0	0	4	0
520	wt	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.5	1	2.8	0.3	0	0	0	1.5	1.5	0	0
520	wt	SUM	520-00	304	.	.	.	.	.	.	.	.	.	6.1	4	8.5	2	0	0	4.7	1.4	1.4	4.7	0
520	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	5.3	2	8.9	0.2	0	0	5.3	0	0	5.3	0
520	wt	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	282.3	257.4	307.2	14.1	0	3.5	277.1	1.7	0	282.3	0
520	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	504.9	461.1	548.7	0.3	0	6.5	115.9	382.5	375.1	129.8	0
520	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
520	wt	SUM	SUM	180093	.	.	.	.	.	.	.	.	.	808.3	757.5	859.1	0.4	0	10	411.1	387.2	378.1	430.2	0
530	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	2.8	1	5.9	0.2	0	0	2.8	0	0	2.8	0
530	all_deer	N	530-00	27	.	.	.	.	.	.	.	.	.	13.7	10.7	16.7	50.7	0	0	13.7	0	0	13.7	0
530	all_deer	N	530-01	15	.	.	.	.	.	.	.	.	.	9.7	9.1	10.3	64.7	0	0	9.7	0	0	9.7	0
530	all_deer	N	530-50	88	.	.	.	.	.	.	.	.	.	36.8	32.7	41	41.8	0	0	0	36.8	36.8	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
530	all_deer	N	590-00	35	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
530	all_deer	N	597-00	27	.	.	.	.	.	.	.	.	.	1.6	1	2.7	5.9	0	0	1.6	0	0	1.6	0
530	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
530	all_deer	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
530	all_deer	N	797-00	1495	.	.	.	.	.	.	.	.	.	5.8	2	10.2	0.4	0	0	5.8	0	0	5.8	0
530	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	112	91.5	132.5	0.5	0	0	1.2	110.9	110.9	1.2	0
530	all_deer	N	SUM	27775	258.6	229.5	287.7	1393.9	1214.9	1572.9	5.4	5.1	5.7	182.4	160.6	204.3	0.7	0	0	34.7	147.7	147.7	34.7	0
530	all_deer	R	530-00	223	.	.	.	.	.	.	.	.	.	92.8	86.8	98.7	41.6	0	2.7	90.1	0	0	92.8	0
530	all_deer	R	530-01	110	.	.	.	.	.	.	.	.	.	43.3	38.7	47.8	39.4	0	4.6	38.6	0	0	43.3	0
530	all_deer	R	530-50	561	.	.	.	.	.	.	.	.	.	242.6	225.3	259.9	43.2	0	0	4.8	237.7	237.7	4.8	0
530	all_deer	R	590-00	313	.	.	.	.	.	.	.	.	.	2.7	2	4	0.9	0	0	2.7	0	0	2.7	0
530	all_deer	R	597-00	573	.	.	.	.	.	.	.	.	.	31.1	24.6	37.6	5.4	0	0	31.1	0	0	31.1	0
530	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	3.4	1	6.9	0.2	0	0	3.4	0	0	3.4	0
530	all_deer	R	599-00	1926	.	.	.	.	.	.	.	.	.	2.8	1	5.7	0.1	0	0	2.8	0	0	2.8	0
530	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	205.6	178.8	232.5	0.1	0	0	41.6	164	161.9	41.6	2.2
530	all_deer	R	SUM	156297	953	898.5	1007.5	3665.3	3354	3976.6	3.8	3.5	4.1	624.1	590.4	657.9	0.4	0	7.3	215.1	401.8	399.6	222.4	2.2
530	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	2.8	1	5.9	0.2	0	0	2.8	0	0	2.8	0
530	all_deer	SUM	530-00	250	.	.	.	.	.	.	.	.	.	106.5	99.8	113.1	42.6	0	2.7	103.8	0	0	106.5	0
530	all_deer	SUM	530-01	125	.	.	.	.	.	.	.	.	.	53	48.4	57.5	42.4	0	4.6	48.4	0	0	53	0
530	all_deer	SUM	530-50	649	.	.	.	.	.	.	.	.	.	279.4	261.6	297.2	43.1	0	0	4.8	274.6	274.6	4.8	0
530	all_deer	SUM	590-00	348	.	.	.	.	.	.	.	.	.	2.7	2	4	0.8	0	0	2.7	0	0	2.7	0
530	all_deer	SUM	597-00	600	.	.	.	.	.	.	.	.	.	32.7	26.1	39.2	5.5	0	0	32.7	0	0	32.7	0
530	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	3.4	1	6.9	0.2	0	0	3.4	0	0	3.4	0
530	all_deer	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	2.8	1	5.7	0.1	0	0	2.8	0	0	2.8	0
530	all_deer	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	5.8	2	10.2	0.4	0	0	5.8	0	0	5.8	0
530	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	317.7	283.9	351.5	0.2	0	0	42.8	274.9	272.7	42.8	2.2
530	all_deer	SUM	SUM	184072	1211.6	1149.8	1273.4	5059.2	4700.1	5418.3	4.2	4	4.4	806.6	766.3	846.8	0.4	0	7.3	249.8	549.5	547.3	257.1	2.2
530	md	N	530-00	27	.	.	.	.	.	.	.	.	.	13.7	10.7	16.7	50.7	0	0	13.7	0	0	13.7	0
530	md	N	530-01	15	.	.	.	.	.	.	.	.	.	9.7	9.1	10.3	64.7	0	0	9.7	0	0	9.7	0
530	md	N	530-50	88	.	.	.	.	.	.	.	.	.	36.8	32.7	41	41.8	0	0	0	36.8	36.8	0	0
530	md	N	590-00	35	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
530	md	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
530	md	N	797-00	1495	.	.	.	.	.	.	.	.	.	5.8	2	10.2	0.4	0	0	5.8	0	0	5.8	0
530	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	79.9	62.3	97.6	0.3	0	0	0	79.9	79.9	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
530	md	N	SUM	25946	.	.	.	.	.	.	.	.	.	145.9	127	164.8	0.6	0	0	29.2	116.8	116.8	29.2	0
530	md	R	530-00	223	.	.	.	.	.	.	.	.	.	92.8	86.8	98.7	41.6	0	2.7	90.1	0	0	92.8	0
530	md	R	530-01	110	.	.	.	.	.	.	.	.	.	43.3	38.7	47.8	39.4	0	4.6	38.6	0	0	43.3	0
530	md	R	530-50	561	.	.	.	.	.	.	.	.	.	242.6	225.3	259.9	43.2	0	0	4.8	237.7	237.7	4.8	0
530	md	R	590-00	313	.	.	.	.	.	.	.	.	.	1.2	1	2	0.4	0	0	1.2	0	0	1.2	0
530	md	R	599-00	1926	.	.	.	.	.	.	.	.	.	2.8	1	5.7	0.1	0	0	2.8	0	0	2.8	0
530	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	79.4	62.1	96.7	0.1	0	0	21.9	57.5	55.3	21.9	2.2
530	md	R	SUM	153710	.	.	.	.	.	.	.	.	.	462	436.2	487.8	0.3	0	7.3	159.5	295.2	293.1	166.8	2.2
530	md	SUM	530-00	250	.	.	.	.	.	.	.	.	.	106.5	99.8	113.1	42.6	0	2.7	103.8	0	0	106.5	0
530	md	SUM	530-01	125	.	.	.	.	.	.	.	.	.	53	48.4	57.5	42.4	0	4.6	48.4	0	0	53	0
530	md	SUM	530-50	649	.	.	.	.	.	.	.	.	.	279.4	261.6	297.2	43.1	0	0	4.8	274.6	274.6	4.8	0
530	md	SUM	590-00	348	.	.	.	.	.	.	.	.	.	1.2	1	2	0.3	0	0	1.2	0	0	1.2	0
530	md	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	2.8	1	5.7	0.1	0	0	2.8	0	0	2.8	0
530	md	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	5.8	2	10.2	0.4	0	0	5.8	0	0	5.8	0
530	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	159.3	134.6	184.1	0.1	0	0	21.9	137.4	135.3	21.9	2.2
530	md	SUM	SUM	179656	.	.	.	.	.	.	.	.	.	607.9	576	639.9	0.3	0	7.3	188.7	412	409.8	195.9	2.2
530	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	2.8	1	5.9	0.2	0	0	2.8	0	0	2.8	0
530	wt	N	590-00	35	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
530	wt	N	597-00	27	.	.	.	.	.	.	.	.	.	1.6	1	2.7	5.9	0	0	1.6	0	0	1.6	0
530	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
530	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	32.1	21.6	42.6	0.1	0	0	1.2	31	31	1.2	0
530	wt	N	SUM	26077	.	.	.	.	.	.	.	.	.	36.5	25.5	47.5	0.1	0	0	5.6	31	31	5.6	0
530	wt	R	590-00	313	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
530	wt	R	597-00	573	.	.	.	.	.	.	.	.	.	31.1	24.6	37.6	5.4	0	0	31.1	0	0	31.1	0
530	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	3.4	1	6.9	0.2	0	0	3.4	0	0	3.4	0
530	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	126.2	105.7	146.7	0.1	0	0	19.7	106.5	106.5	19.7	0
530	wt	R	SUM	153477	.	.	.	.	.	.	.	.	.	162.1	140.3	184	0.1	0	0	55.6	106.5	106.5	55.6	0
530	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	2.8	1	5.9	0.2	0	0	2.8	0	0	2.8	0
530	wt	SUM	590-00	348	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
530	wt	SUM	597-00	600	.	.	.	.	.	.	.	.	.	32.7	26.1	39.2	5.5	0	0	32.7	0	0	32.7	0
530	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	3.4	1	6.9	0.2	0	0	3.4	0	0	3.4	0
530	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	158.3	135.3	181.4	0.1	0	0	20.8	137.5	137.5	20.8	0
530	wt	SUM	SUM	179554	.	.	.	.	.	.	.	.	.	198.6	174.2	223.1	0.1	0	0	61.1	137.5	137.5	61.1	0
540	all_deer	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
540	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
540	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	12.8	9.2	16.3	5.4	0	0	9.9	2.9	1.1	11.7	0
540	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	83.7	65.3	102.1	0.3	0	0	0	83.7	83.7	0	0
540	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
540	all_deer	N	SUM	24769	134	111.7	156.3	713.4	584.1	842.7	5.3	4.9	5.7	97.9	79.1	116.7	0.4	0	0	11.4	86.5	84.7	13.2	0
540	all_deer	R	315-01	230	.	.	.	.	.	.	.	.	.	2.8	2	4.2	1.2	0	0	2.8	0	0	2.8	0
540	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	59.5	48.7	70.4	3	0	0	59.5	0	0	59.5	0
540	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	284.6	251.3	318	0.2	0	1.7	70.5	212.4	212.4	72.2	0
540	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
540	all_deer	R	SUM	152821	636.1	586.2	686	3089.1	2735	3443.2	4.9	4.5	5.3	351.1	315.7	386.4	0.2	0	1.7	137	212.4	212.4	138.7	0
540	all_deer	SUM	315-01	250	.	.	.	.	.	.	.	.	.	2.8	2	4.2	1.1	0	0	2.8	0	0	2.8	0
540	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
540	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	72.3	60.8	83.8	3.2	0	0	69.5	2.9	1.1	71.2	0
540	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	368.3	330.2	406.4	0.2	0	1.7	70.5	296.1	296.1	72.2	0
540	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
540	all_deer	SUM	SUM	177590	770.1	715.5	824.7	3802.6	3425.7	4179.5	4.9	4.6	5.2	449	408.9	489	0.3	0	1.7	148.4	298.9	297.1	151.8	0
540	md	N	598-00	236	.	.	.	.	.	.	.	.	.	1.1	1	1.7	0.5	0	0	0	1.1	1.1	0	0
540	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	73.5	56.1	90.9	0.3	0	0	0	73.5	73.5	0	0
540	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
540	md	N	SUM	24449	.	.	.	.	.	.	.	.	.	74.6	57.1	92	0.3	0	0	0	74.6	74.6	0	0
540	md	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
540	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	195.2	167.3	223.1	0.1	0	1.7	54.5	139	139	56.2	0
540	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
540	md	R	SUM	152591	.	.	.	.	.	.	.	.	.	195.2	167.3	223.1	0.1	0	1.7	54.5	139	139	56.2	0
540	md	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.1	1	1.7	0	0	0	0	1.1	1.1	0	0
540	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	268.7	235.8	301.6	0.2	0	1.7	54.5	212.5	212.5	56.2	0
540	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
540	md	SUM	SUM	177040	.	.	.	.	.	.	.	.	.	269.8	236.9	302.7	0.2	0	1.7	54.5	213.6	213.6	56.2	0
540	wt	N	315-01	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
540	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
540	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	11.7	8.2	15.2	5	0	0	9.9	1.8	0	11.7	0
540	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	10.2	4.2	16.1	0	0	0	0	10.2	10.2	0	0
540	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
540	wt	N	SUM	24769	.	.	.	.	.	.	.	.	.	23.3	16.3	30.3	0.1	0	0	11.4	11.9	10.2	13.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
540	wt	R	315-01	230	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.6	0	0	1.4	0	0	1.4	0
540	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	59.5	48.7	70.4	3	0	0	59.5	0	0	59.5	0
540	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	89.4	71.2	107.7	0.1	0	0	16	73.4	73.4	16	0
540	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
540	wt	R	SUM	152821	.	.	.	.	.	.	.	.	.	154.4	132.8	176.1	0.1	0	0	81	73.4	73.4	81	0
540	wt	SUM	315-01	250	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.6	0	0	1.4	0	0	1.4	0
540	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
540	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	71.2	59.8	82.7	3.2	0	0	69.5	1.8	0	71.2	0
540	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	99.6	80.4	118.8	0.1	0	0	16	83.6	83.6	16	0
540	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
540	wt	SUM	SUM	177590	.	.	.	.	.	.	.	.	.	177.8	155	200.6	0.1	0	0	92.4	85.4	83.6	94.2	0
560	all_deer	N	314-00	16	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
560	all_deer	N	502-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
560	all_deer	N	560-00	68	.	.	.	.	.	.	.	.	.	44.3	39.5	49.1	65.1	0	0	42.4	1.9	1.9	42.4	0
560	all_deer	N	575-00	51	.	.	.	.	.	.	.	.	.	1.3	1	2.3	2.5	0	0	1.3	0	0	1.3	0
560	all_deer	N	580-00	37	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
560	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	2.7	2	3.9	1.1	0	0	1.4	1.4	0	2.7	0
560	all_deer	N	599-00	73	.	.	.	.	.	.	.	.	.	4.2	3	6.2	5.8	0	0	4.2	0	0	4.2	0
560	all_deer	N	620-00	38	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
560	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	103.4	83.7	123.2	0.4	0	3.7	0	99.7	96	7.5	0
560	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
560	all_deer	N	SUM	24734	189	163.1	214.9	998.2	823.3	1173.1	5.3	4.7	5.9	156.1	135.6	176.6	0.6	0	3.7	49.4	103	97.9	58.2	0
560	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	0	2.3	2.3	0	0
560	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	4	1	8.2	0.1	0	0	4	0	0	4	0
560	all_deer	R	314-00	209	.	.	.	.	.	.	.	.	.	1.4	1	2.6	0.7	0	0	1.4	0	0	1.4	0
560	all_deer	R	502-00	198	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.7	0	0	1.4	0	0	1.4	0
560	all_deer	R	560-00	282	.	.	.	.	.	.	.	.	.	136.4	129.2	143.6	48.4	0	4.2	132.2	0	0	136.4	0
560	all_deer	R	575-00	448	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
560	all_deer	R	580-00	213	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.7	0	0	1.5	0	0	1.5	0
560	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	7	3.1	10.8	0.3	0	0	7	0	0	7	0
560	all_deer	R	599-00	1926	.	.	.	.	.	.	.	.	.	57.5	45.9	69.1	3	0	0	57.5	0	0	57.5	0
560	all_deer	R	620-00	162	.	.	.	.	.	.	.	.	.	1.6	1	2.7	1	0	0	1.6	0	0	1.6	0
560	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	410.2	371.5	449	0.3	0	0	45	365.2	361.1	49.1	0
560	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.3	.	0	0	1.6	0	0	1.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
560	all_deer	R	SUM	167328	954.3	895.2	1013.4	3676.1	3366.6	3985.6	3.9	3.7	4.1	626.4	584.7	668.1	0.4	0	4.2	254.7	367.5	363.5	262.9	0
560	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	0	2.3	2.3	0	0
560	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	4	1	8.2	0.1	0	0	4	0	0	4	0
560	all_deer	SUM	314-00	225	.	.	.	.	.	.	.	.	.	1.4	1	2.6	0.6	0	0	1.4	0	0	1.4	0
560	all_deer	SUM	502-00	200	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.7	0	0	1.4	0	0	1.4	0
560	all_deer	SUM	560-00	350	.	.	.	.	.	.	.	.	.	180.7	172	189.4	51.6	0	4.2	174.6	1.9	1.9	178.8	0
560	all_deer	SUM	575-00	499	.	.	.	.	.	.	.	.	.	2.8	2	4.3	0.6	0	0	2.8	0	0	2.8	0
560	all_deer	SUM	580-00	250	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.6	0	0	1.5	0	0	1.5	0
560	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	9.7	5.7	13.7	0.4	0	0	8.3	1.4	0	9.7	0
560	all_deer	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	61.7	49.9	73.5	3.1	0	0	61.7	0	0	61.7	0
560	all_deer	SUM	620-00	200	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.8	0	0	1.6	0	0	1.6	0
560	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	513.7	470.2	557.2	0.3	0	3.7	45	464.9	457.1	56.5	0
560	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.3	.	0	0	1.6	0	0	1.6	0
560	all_deer	SUM	SUM	192062	1143.3	1078.8	1207.8	4674.3	4318.8	5029.8	4.1	3.9	4.3	782.4	736	828.9	0.4	0	7.9	304	470.5	461.3	321.1	0
560	md	N	314-00	16	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
560	md	N	502-00	2	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
560	md	N	560-00	68	.	.	.	.	.	.	.	.	.	42.4	37.5	47.3	62.4	0	0	42.4	0	0	42.4	0
560	md	N	575-00	51	.	.	.	.	.	.	.	.	.	1.3	1	2.3	2.5	0	0	1.3	0	0	1.3	0
560	md	N	580-00	37	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
560	md	N	598-00	236	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.6	0	0	0	1.4	0	1.4	0
560	md	N	620-00	38	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
560	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	82	64.5	99.6	0.3	0	0	0	82	82	0	0
560	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
560	md	N	SUM	24661	.	.	.	.	.	.	.	.	.	127.1	108.9	145.4	0.5	0	0	43.8	83.4	82	45.1	0
560	md	R	314-00	209	.	.	.	.	.	.	.	.	.	1.4	1	2.6	0.7	0	0	1.4	0	0	1.4	0
560	md	R	502-00	198	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.7	0	0	1.4	0	0	1.4	0
560	md	R	560-00	282	.	.	.	.	.	.	.	.	.	133.4	126.2	140.6	47.3	0	1.2	132.2	0	0	133.4	0
560	md	R	575-00	448	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
560	md	R	580-00	213	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.7	0	0	1.5	0	0	1.5	0
560	md	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
560	md	R	620-00	162	.	.	.	.	.	.	.	.	.	1.6	1	2.7	1	0	0	1.6	0	0	1.6	0
560	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	258.4	227.1	289.6	0.2	0	0	8.1	250.3	250.3	8.1	0
560	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
560	md	R	SUM	154103	.	.	.	.	.	.	.	.	.	399.1	366.9	431.3	0.3	0	1.2	147.7	250.3	250.3	148.9	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
560	md	SUM	314-00	225	.	.	.	.	.	.	.	.	.	1.4	1	2.6	0.6	0	0	1.4	0	0	1.4	0
560	md	SUM	502-00	200	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.7	0	0	1.4	0	0	1.4	0
560	md	SUM	560-00	350	.	.	.	.	.	.	.	.	.	175.8	167.1	184.5	50.2	0	1.2	174.6	0	0	175.8	0
560	md	SUM	575-00	499	.	.	.	.	.	.	.	.	.	2.8	2	4.3	0.6	0	0	2.8	0	0	2.8	0
560	md	SUM	580-00	250	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.6	0	0	1.5	0	0	1.5	0
560	md	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.1	0	0	0	1.4	0	1.4	0
560	md	SUM	620-00	200	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.8	0	0	1.6	0	0	1.6	0
560	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	340.4	304.5	376.3	0.2	0	0	8.1	332.3	332.3	8.1	0
560	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
560	md	SUM	SUM	178764	.	.	.	.	.	.	.	.	.	526.3	489.2	563.3	0.3	0	1.2	191.4	333.6	332.3	194	0
560	wt	N	560-00	68	.	.	.	.	.	.	.	.	.	1.9	1	3.5	2.8	0	0	0	1.9	1.9	0	0
560	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.6	0	0	1.4	0	0	1.4	0
560	wt	N	599-00	73	.	.	.	.	.	.	.	.	.	4.2	3	6.2	5.8	0	0	4.2	0	0	4.2	0
560	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	21.4	12.3	30.5	0.1	0	3.7	0	17.7	14	7.5	0
560	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
560	wt	N	SUM	24590	.	.	.	.	.	.	.	.	.	28.9	19.4	38.4	0.1	0	3.7	5.6	19.6	15.9	13.1	0
560	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	0	2.3	2.3	0	0
560	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	4	1	8.2	0.1	0	0	4	0	0	4	0
560	wt	R	560-00	282	.	.	.	.	.	.	.	.	.	3	2	4.6	1.1	0	3	0	0	0	3	0
560	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	7	3.1	10.8	0.3	0	0	7	0	0	7	0
560	wt	R	599-00	1926	.	.	.	.	.	.	.	.	.	57.5	45.9	69.1	3	0	0	57.5	0	0	57.5	0
560	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	151.9	129	174.8	0.1	0	0	36.9	114.9	110.9	41	0
560	wt	R	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.3	.	0	0	1.6	0	0	1.6	0
560	wt	R	SUM	166098	.	.	.	.	.	.	.	.	.	227.3	200.7	253.8	0.1	0	3	107	117.2	113.2	114.1	0
560	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	0	2.3	2.3	0	0
560	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	4	1	8.2	0.1	0	0	4	0	0	4	0
560	wt	SUM	560-00	350	.	.	.	.	.	.	.	.	.	4.9	3	7.2	1.4	0	3	0	1.9	1.9	3	0
560	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	8.3	4.4	12.3	0.4	0	0	8.3	0	0	8.3	0
560	wt	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	61.7	49.9	73.5	3.1	0	0	61.7	0	0	61.7	0
560	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	173.3	148.6	197.9	0.1	0	3.7	36.9	132.6	124.8	48.4	0
560	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.3	.	0	0	1.6	0	0	1.6	0
560	wt	SUM	SUM	190688	.	.	.	.	.	.	.	.	.	256.2	228	284.3	0.1	0	6.7	112.6	136.8	129.1	127.1	0
570	all_deer	N	500-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
570	all_deer	N	570-00	10	.	.	.	.	.	.	.	.	.	1.1	1	1.5	11	0	0	1.1	0	0	1.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
570	all_deer	N	580-00	37	.	.	.	.	.	.	.	.	.	1.3	1	2.4	3.5	0	0	1.3	0	0	1.3	0
570	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	17	13.6	20.3	7.2	0	0	17	0	0	17	0
570	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	121.2	99.4	143	0.5	0	0	0	121.2	121.2	0	0
570	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	7.5	2	13.2	.	0	0	7.5	0	0	7.5	0
570	all_deer	N	SUM	24502	166.5	141.9	191.1	721	598.1	843.9	4.3	3.9	4.7	148.1	125.3	170.9	0.6	0	0	26.9	121.2	121.2	26.9	0
570	all_deer	R	500-00	94	.	.	.	.	.	.	.	.	.	1.3	1	2	1.4	0	0	1.3	0	0	1.3	0
570	all_deer	R	570-00	90	.	.	.	.	.	.	.	.	.	37.2	33.1	41.4	41.3	0	1.5	35.7	0	0	37.2	0
570	all_deer	R	580-00	213	.	.	.	.	.	.	.	.	.	2.1	1	3.7	1	0	0	2.1	0	0	2.1	0
570	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	249.6	226.4	272.8	12.4	0	13.7	235.9	0	0	249.6	0
570	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	665.6	615.8	715.4	0.4	0	4.1	84.3	577.3	566.1	99.5	0
570	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.3	.	0	0	1.6	0	0	1.6	0
570	all_deer	R	SUM	152988	1206.6	1140.3	1272.9	4493.3	4147.4	4839.2	3.7	3.5	3.9	957.4	902.2	1012.6	0.6	0	19.2	360.9	577.3	566.1	391.3	0
570	all_deer	SUM	500-00	100	.	.	.	.	.	.	.	.	.	1.3	1	2	1.3	0	0	1.3	0	0	1.3	0
570	all_deer	SUM	570-00	100	.	.	.	.	.	.	.	.	.	38.3	34.1	42.5	38.3	0	1.5	36.8	0	0	38.3	0
570	all_deer	SUM	580-00	250	.	.	.	.	.	.	.	.	.	3.4	2	5.4	1.4	0	0	3.4	0	0	3.4	0
570	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	266.6	243.1	290	11.8	0	13.7	252.9	0	0	266.6	0
570	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	786.8	732.4	841.2	0.5	0	4.1	84.3	698.5	687.3	99.5	0
570	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	9.2	3.3	15	.	0	0	9.2	0	0	9.2	0
570	all_deer	SUM	SUM	177490	1373.1	1302.4	1443.8	5214.3	4847.1	5581.5	3.8	3.6	4	1105.5	1045.8	1165.2	0.6	0	19.2	387.8	698.5	687.3	418.2	0
570	md	N	500-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
570	md	N	570-00	10	.	.	.	.	.	.	.	.	.	1.1	1	1.5	11	0	0	1.1	0	0	1.1	0
570	md	N	580-00	37	.	.	.	.	.	.	.	.	.	1.3	1	2.4	3.5	0	0	1.3	0	0	1.3	0
570	md	N	598-00	236	.	.	.	.	.	.	.	.	.	2.5	1	4.6	1.1	0	0	2.5	0	0	2.5	0
570	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	92.4	73.4	111.4	0.4	0	0	0	92.4	92.4	0	0
570	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
570	md	N	SUM	24502	.	.	.	.	.	.	.	.	.	97.4	78.2	116.5	0.4	0	0	5	92.4	92.4	5	0
570	md	R	500-00	94	.	.	.	.	.	.	.	.	.	1.3	1	2	1.4	0	0	1.3	0	0	1.3	0
570	md	R	570-00	90	.	.	.	.	.	.	.	.	.	37.2	33.1	41.4	41.3	0	1.5	35.7	0	0	37.2	0
570	md	R	580-00	213	.	.	.	.	.	.	.	.	.	2.1	1	3.7	1	0	0	2.1	0	0	2.1	0
570	md	R	598-00	2014	.	.	.	.	.	.	.	.	.	6	2	10.5	0.3	0	0	6	0	0	6	0
570	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	388.1	349.6	426.6	0.3	0	4.1	9.8	374.2	370.1	17.9	0
570	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
570	md	R	SUM	152988	.	.	.	.	.	.	.	.	.	434.6	395.6	473.7	0.3	0	5.5	54.9	374.2	370.1	64.5	0
570	md	SUM	500-00	100	.	.	.	.	.	.	.	.	.	1.3	1	2	1.3	0	0	1.3	0	0	1.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
570	md	SUM	570-00	100	.	.	.	.	.	.	.	.	.	38.3	34.1	42.5	38.3	0	1.5	36.8	0	0	38.3	0
570	md	SUM	580-00	250	.	.	.	.	.	.	.	.	.	3.4	2	5.4	1.4	0	0	3.4	0	0	3.4	0
570	md	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	8.6	3.7	13.5	0.4	0	0	8.6	0	0	8.6	0
570	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	480.4	437.5	523.4	0.3	0	4.1	9.8	466.6	462.5	17.9	0
570	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
570	md	SUM	SUM	177490	.	.	.	.	.	.	.	.	.	532	488.5	575.5	0.3	0	5.5	59.9	466.6	462.5	69.5	0
570	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	14.4	11.8	17.1	6.1	0	0	14.4	0	0	14.4	0
570	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	28.8	18.1	39.5	0.1	0	0	0	28.8	28.8	0	0
570	wt	N	none	.	.	.	.	.	.	.	.	.	.	7.5	2	13.2	.	0	0	7.5	0	0	7.5	0
570	wt	N	SUM	24449	.	.	.	.	.	.	.	.	.	50.8	38.4	63.1	0.2	0	0	22	28.8	28.8	22	0
570	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	243.6	220.7	266.5	12.1	0	13.7	229.9	0	0	243.6	0
570	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	273.5	242.1	304.9	0.2	0	0	74.4	199.1	191.9	81.6	0
570	wt	R	none	.	.	.	.	.	.	.	.	.	.	1.6	1	3.3	.	0	0	1.6	0	0	1.6	0
570	wt	R	SUM	152591	.	.	.	.	.	.	.	.	.	518.7	479.9	557.6	0.3	0	13.7	306	199.1	191.9	326.8	0
570	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	258	235	281	11.5	0	13.7	244.3	0	0	258	0
570	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	302.3	269.2	335.5	0.2	0	0	74.4	227.9	220.7	81.6	0
570	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	9.2	3.3	15	.	0	0	9.2	0	0	9.2	0
570	wt	SUM	SUM	177040	.	.	.	.	.	.	.	.	.	569.5	528.7	610.3	0.3	0	13.7	327.9	227.9	220.7	348.7	0
575	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
575	all_deer	N	412-00	113	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
575	all_deer	N	500-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
575	all_deer	N	520-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
575	all_deer	N	575-00	51	.	.	.	.	.	.	.	.	.	39.2	36.5	41.8	76.9	0	0	36.1	3.1	3.1	36.1	0
575	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
575	all_deer	N	599-00	73	.	.	.	.	.	.	.	.	.	5.1	3	7.3	7	0	0	5.1	0	0	5.1	0
575	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	33.4	23.2	43.5	0.1	0	0	0	33.4	31.9	1.5	0
575	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
575	all_deer	N	SUM	25489	92.2	76.6	107.8	369.5	298.8	440.2	4	3.6	4.4	81.6	70.1	93.2	0.3	0	0	45.2	36.4	34.9	46.7	0
575	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
575	all_deer	R	412-00	487	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.3	0	0	1.5	0	0	1.5	0
575	all_deer	R	500-00	94	.	.	.	.	.	.	.	.	.	1.3	1	2	1.4	0	0	1.3	0	0	1.3	0
575	all_deer	R	520-00	284	.	.	.	.	.	.	.	.	.	4	3	5.5	1.4	0	0	2.7	1.3	1.3	2.7	0
575	all_deer	R	575-00	448	.	.	.	.	.	.	.	.	.	257.2	247.2	267.2	57.4	0	0	253.9	3.3	3.3	253.9	0
575	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	9.2	4.7	13.7	0.5	0	0	9.2	0	0	9.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
575	all_deer	R	599-00	1926	.	.	.	.	.	.	.	.	.	363.7	335.9	391.5	18.9	0	5.6	358.2	0	0	363.7	0
575	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1257.7	1189.8	1325.7	0.8	0	22.7	147.1	1087.9	1076	179.3	2.4
575	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	11.3	4.9	17.8	.	0	0	11.3	0	0	11.3	0
575	all_deer	R	SUM	161282	2418.8	2325	2512.6	10605.4	9965	11245.8	4.4	4.2	4.6	1909.9	1835.2	1984.5	1.2	0	28.3	789.1	1092.5	1080.6	826.9	2.4
575	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
575	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
575	all_deer	SUM	412-00	600	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	1.5	0	0	1.5	0
575	all_deer	SUM	500-00	100	.	.	.	.	.	.	.	.	.	1.3	1	2	1.3	0	0	1.3	0	0	1.3	0
575	all_deer	SUM	520-00	304	.	.	.	.	.	.	.	.	.	4	3	5.5	1.3	0	0	2.7	1.3	1.3	2.7	0
575	all_deer	SUM	575-00	499	.	.	.	.	.	.	.	.	.	296.3	286	306.7	59.4	0	0	290	6.3	6.3	290	0
575	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	9.2	4.7	13.7	0.4	0	0	9.2	0	0	9.2	0
575	all_deer	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	368.8	340.9	396.7	18.4	0	5.6	363.2	0	0	368.8	0
575	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1291.1	1222.4	1359.8	0.7	0	22.7	147.1	1121.3	1107.9	180.8	2.4
575	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	11.3	4.9	17.8	.	0	0	11.3	0	0	11.3	0
575	all_deer	SUM	SUM	186771	2511.1	2416	2606.2	10974.8	10330.6	11619	4.4	4.2	4.6	1991.5	1916	2067.1	1.1	0	28.3	834.4	1128.9	1115.5	873.6	2.4
575	md	N	500-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
575	md	N	520-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
575	md	N	575-00	51	.	.	.	.	.	.	.	.	.	37.6	34.9	40.4	73.7	0	0	36.1	1.5	1.5	36.1	0
575	md	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
575	md	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
575	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	29.6	20.3	39	0.1	0	0	0	29.6	28.2	1.5	0
575	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
575	md	N	SUM	24599	.	.	.	.	.	.	.	.	.	67.2	57.5	77	0.3	0	0	36.1	31.2	29.7	37.6	0
575	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
575	md	R	500-00	94	.	.	.	.	.	.	.	.	.	1.3	1	2	1.4	0	0	1.3	0	0	1.3	0
575	md	R	520-00	284	.	.	.	.	.	.	.	.	.	4	3	5.5	1.4	0	0	2.7	1.3	1.3	2.7	0
575	md	R	575-00	448	.	.	.	.	.	.	.	.	.	254.3	244.3	264.4	56.8	0	0	251	3.3	3.3	251	0
575	md	R	598-00	2014	.	.	.	.	.	.	.	.	.	2.7	1	5.2	0.1	0	0	2.7	0	0	2.7	0
575	md	R	599-00	1926	.	.	.	.	.	.	.	.	.	4	2	7	0.2	0	0	4	0	0	4	0
575	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	787.1	733.2	841	0.5	0	12.2	52.1	722.8	721.4	65.7	0
575	md	R	none	.	.	.	.	.	.	.	.	.	.	9.9	3.6	16.2	.	0	0	9.9	0	0	9.9	0
575	md	R	SUM	160795	.	.	.	.	.	.	.	.	.	1067.1	1011.6	1122.6	0.7	0	12.2	327.6	727.3	725.9	341.2	0
575	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
575	md	SUM	500-00	100	.	.	.	.	.	.	.	.	.	1.3	1	2	1.3	0	0	1.3	0	0	1.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
575	md	SUM	520-00	304	.	.	.	.	.	.	.	.	.	4	3	5.5	1.3	0	0	2.7	1.3	1.3	2.7	0
575	md	SUM	575-00	499	.	.	.	.	.	.	.	.	.	291.9	281.5	302.4	58.5	0	0	287.1	4.8	4.8	287.1	0
575	md	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	2.7	1	5.2	0.1	0	0	2.7	0	0	2.7	0
575	md	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	4	2	7	0.2	0	0	4	0	0	4	0
575	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	816.7	762	871.4	0.5	0	12.2	52.1	752.4	749.6	67.1	0
575	md	SUM	none	.	.	.	.	.	.	.	.	.	.	9.9	3.6	16.2	.	0	0	9.9	0	0	9.9	0
575	md	SUM	SUM	185394	.	.	.	.	.	.	.	.	.	1134.3	1078	1190.7	0.6	0	12.2	363.7	758.4	755.6	378.7	0
575	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
575	wt	N	412-00	113	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
575	wt	N	575-00	51	.	.	.	.	.	.	.	.	.	1.5	1	2.6	2.9	0	0	0	1.5	1.5	0	0
575	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
575	wt	N	599-00	73	.	.	.	.	.	.	.	.	.	5.1	3	7.3	7	0	0	5.1	0	0	5.1	0
575	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	3.7	1	7.7	0	0	0	0	3.7	3.7	0	0
575	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
575	wt	N	SUM	25463	.	.	.	.	.	.	.	.	.	14.4	8.1	20.7	0.1	0	0	9.1	5.3	5.3	9.1	0
575	wt	R	412-00	487	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.3	0	0	1.5	0	0	1.5	0
575	wt	R	575-00	448	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	1.4	0	0	1.4	0
575	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	6.6	3	10.3	0.3	0	0	6.6	0	0	6.6	0
575	wt	R	599-00	1926	.	.	.	.	.	.	.	.	.	359.7	332	387.4	18.7	0	5.6	354.2	0	0	359.7	0
575	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	468.3	426.8	509.7	0.3	0	8.1	95	365.2	354.6	111.2	2.4
575	wt	R	none	.	.	.	.	.	.	.	.	.	.	1.4	1	2.9	.	0	0	1.4	0	0	1.4	0
575	wt	R	SUM	155452	.	.	.	.	.	.	.	.	.	838.9	788.8	888.9	0.5	0	13.7	460	365.2	354.6	481.8	2.4
575	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	4.1	0	0	4.1	0
575	wt	SUM	412-00	600	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.2	0	0	1.5	0	0	1.5	0
575	wt	SUM	575-00	499	.	.	.	.	.	.	.	.	.	2.9	2	4.4	0.6	0	0	1.4	1.5	1.5	1.4	0
575	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	6.6	3	10.3	0.3	0	0	6.6	0	0	6.6	0
575	wt	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	364.8	337	392.6	18.2	0	5.6	359.2	0	0	364.8	0
575	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	472	430.3	513.6	0.3	0	8.1	95	368.9	358.3	111.2	2.4
575	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	1.4	1	2.9	.	0	0	1.4	0	0	1.4	0
575	wt	SUM	SUM	180915	.	.	.	.	.	.	.	.	.	853.3	802.8	903.7	0.5	0	13.7	469.2	370.4	359.9	490.9	2.4
580	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
580	all_deer	N	560-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
580	all_deer	N	570-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
580	all_deer	N	575-00	51	.	.	.	.	.	.	.	.	.	1.5	1	2.6	2.9	0	0	1.5	0	0	1.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
580	all_deer	N	580-00	37	.	.	.	.	.	.	.	.	.	16.8	13.6	19.9	45.4	0	2	14.7	0	0	16.8	0
580	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	71.8	65.2	78.3	30.4	0	0	70.4	1.4	1.4	70.4	0
580	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	242.2	212	272.4	1	0	0	0	242.2	242.2	0	0
580	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	10.2	4.3	16.2	.	0	0	8.7	1.5	1.5	8.7	0
580	all_deer	N	SUM	25392	401.4	363.5	439.3	2029.6	1806.9	2252.3	5.1	4.8	5.4	344.9	313.2	376.7	1.4	0	2	97.9	245	245	99.9	0
580	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	0	2.3	2.3	0	0
580	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	6.1	2	10.5	0.1	0	0	6.1	0	0	6.1	0
580	all_deer	R	560-00	282	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.6	0	0	1.6	0	0	1.6	0
580	all_deer	R	570-00	90	.	.	.	.	.	.	.	.	.	2.5	2	3.7	2.8	0	0	2.5	0	0	2.5	0
580	all_deer	R	575-00	448	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
580	all_deer	R	580-00	213	.	.	.	.	.	.	.	.	.	97.4	90.9	103.8	45.7	0	1.5	95.9	0	0	97.4	0
580	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	370.3	343.1	397.4	18.4	4.3	7.5	358.4	0	0	366	4.3
580	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.1	0	0	0	1.3	1.3	0	0
580	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	657.5	609.3	705.7	0.4	0	6.4	82.2	568.9	563.1	92.6	1.7
580	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	3.1	2	5.4	.	0	0	1.4	1.7	1.7	1.4	0
580	all_deer	R	SUM	169811	1242.8	1176.8	1308.8	4548.9	4194.8	4903	3.7	3.5	3.9	1142	1086.1	1198	0.7	4.3	15.4	548.1	574.3	568.5	567.5	6
580	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	0	2.3	2.3	0	0
580	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
580	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	6.1	2	10.5	0.1	0	0	6.1	0	0	6.1	0
580	all_deer	SUM	560-00	350	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
580	all_deer	SUM	570-00	100	.	.	.	.	.	.	.	.	.	2.5	2	3.7	2.5	0	0	2.5	0	0	2.5	0
580	all_deer	SUM	575-00	499	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
580	all_deer	SUM	580-00	250	.	.	.	.	.	.	.	.	.	114.1	107	121.3	45.6	0	3.5	110.6	0	0	114.1	0
580	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	442	414.1	469.9	19.6	4.3	7.5	428.8	1.4	1.4	436.4	4.3
580	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.1	0	0	0	1.3	1.3	0	0
580	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	899.7	842.8	956.5	0.5	0	6.4	82.2	811.1	805.3	92.6	1.7
580	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	13.4	6.9	19.8	.	0	0	10.1	3.2	3.2	10.1	0
580	all_deer	SUM	SUM	195203	1644.2	1568.1	1720.3	6578.4	6160.1	6996.7	4	3.8	4.2	1487	1422.6	1551.3	0.8	4.3	17.5	645.9	819.3	813.5	667.5	6
580	md	N	560-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
580	md	N	570-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
580	md	N	575-00	51	.	.	.	.	.	.	.	.	.	1.5	1	2.6	2.9	0	0	1.5	0	0	1.5	0
580	md	N	580-00	37	.	.	.	.	.	.	.	.	.	16.8	13.6	19.9	45.4	0	2	14.7	0	0	16.8	0
580	md	N	598-00	236	.	.	.	.	.	.	.	.	.	3.3	2	5.2	1.4	0	0	3.3	0	0	3.3	0
580	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	151.7	127.5	175.9	0.6	0	0	0	151.7	151.7	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
580	md	N	none	.	.	.	.	.	.	.	.	.	.	5.3	2	9.5	.	0	0	3.8	1.5	1.5	3.8	0
580	md	N	SUM	24615	.	.	.	.	.	.	.	.	.	178.6	153.7	203.5	0.7	0	2	23.3	153.2	153.2	25.4	0
580	md	R	560-00	282	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.6	0	0	1.6	0	0	1.6	0
580	md	R	570-00	90	.	.	.	.	.	.	.	.	.	2.5	2	3.7	2.8	0	0	2.5	0	0	2.5	0
580	md	R	575-00	448	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
580	md	R	580-00	213	.	.	.	.	.	.	.	.	.	93.2	86.7	99.6	43.8	0	1.5	91.7	0	0	93.2	0
580	md	R	598-00	2014	.	.	.	.	.	.	.	.	.	8.8	4.6	13	0.4	0	0	8.8	0	0	8.8	0
580	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	320.1	286.6	353.6	0.2	0	4.1	4.1	311.9	310.2	8.1	1.7
580	md	R	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.5	.	0	0	0	1.7	1.7	0	0
580	md	R	SUM	153624	.	.	.	.	.	.	.	.	.	427.8	393.3	462.3	0.3	0	5.6	108.6	313.6	311.9	114.2	1.7
580	md	SUM	560-00	350	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.5	0	0	1.6	0	0	1.6	0
580	md	SUM	570-00	100	.	.	.	.	.	.	.	.	.	2.5	2	3.7	2.5	0	0	2.5	0	0	2.5	0
580	md	SUM	575-00	499	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.3	0	0	1.5	0	0	1.5	0
580	md	SUM	580-00	250	.	.	.	.	.	.	.	.	.	109.9	102.7	117.1	44	0	3.5	106.4	0	0	109.9	0
580	md	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	12.1	7.5	16.7	0.5	0	0	12.1	0	0	12.1	0
580	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	471.8	430.5	513.2	0.3	0	4.1	4.1	463.7	462	8.1	1.7
580	md	SUM	none	.	.	.	.	.	.	.	.	.	.	7	3	11.6	.	0	0	3.8	3.2	3.2	3.8	0
580	md	SUM	SUM	178239	.	.	.	.	.	.	.	.	.	606.4	563.9	648.9	0.3	0	7.6	132	466.9	465.2	139.6	1.7
580	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
580	wt	N	580-00	37	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
580	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	68.5	62	74.9	29	0	0	67.1	1.4	1.4	67.1	0
580	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	90.4	72.3	108.6	0.4	0	0	0	90.4	90.4	0	0
580	wt	N	none	.	.	.	.	.	.	.	.	.	.	5	2	9.1	.	0	0	5	0	0	5	0
580	wt	N	SUM	25263	.	.	.	.	.	.	.	.	.	166.3	146.4	186.3	0.7	0	0	74.5	91.8	91.8	74.5	0
580	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	0	2.3	2.3	0	0
580	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	6.1	2	10.5	0.1	0	0	6.1	0	0	6.1	0
580	wt	R	580-00	213	.	.	.	.	.	.	.	.	.	4.2	3	5.9	2	0	0	4.2	0	0	4.2	0
580	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	361.5	334.6	388.4	17.9	4.3	7.5	349.7	0	0	357.2	4.3
580	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.1	0	0	0	1.3	1.3	0	0
580	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	337.4	302.7	372.1	0.2	0	2.3	78.1	257	252.9	84.5	0
580	wt	R	none	.	.	.	.	.	.	.	.	.	.	1.4	1	2.9	.	0	0	1.4	0	0	1.4	0
580	wt	R	SUM	168991	.	.	.	.	.	.	.	.	.	714.2	669.9	758.5	0.4	4.3	9.9	439.4	260.6	256.6	453.4	4.3
580	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.3	1	4.7	0	0	0	0	2.3	2.3	0	0
580	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
580	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	6.1	2	10.5	0.1	0	0	6.1	0	0	6.1	0
580	wt	SUM	580-00	250	.	.	.	.	.	.	.	.	.	4.2	3	5.9	1.7	0	0	4.2	0	0	4.2	0
580	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	429.9	402.3	457.6	19.1	4.3	7.5	416.8	1.4	1.4	424.3	4.3
580	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.1	0	0	0	1.3	1.3	0	0
580	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	427.8	388.7	467	0.2	0	2.3	78.1	347.4	343.4	84.5	0
580	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	6.4	3	10.8	.	0	0	6.4	0	0	6.4	0
580	wt	SUM	SUM	194254	.	.	.	.	.	.	.	.	.	880.6	832	929.1	0.5	4.3	9.9	514	352.4	348.4	527.9	4.3
590	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	9.4	2.2	16.7	0.6	0	0	9.4	0	0	9.4	0
590	all_deer	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
590	all_deer	N	500-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
590	all_deer	N	575-00	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
590	all_deer	N	590-00	35	.	.	.	.	.	.	.	.	.	15.7	13.1	18.3	44.9	0	1.6	14.1	0	0	15.7	0
590	all_deer	N	597-00	27	.	.	.	.	.	.	.	.	.	4.1	3	5.7	15.2	0	0	4.1	0	0	4.1	0
590	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	4.9	3	7.2	2.1	0	0	3.6	1.4	1.4	3.6	0
590	all_deer	N	599-00	73	.	.	.	.	.	.	.	.	.	1.5	1	2.8	2.1	0	0	1.5	0	0	1.5	0
590	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	220.7	190.9	250.5	0.9	0	0	3.7	217	217	3.7	0
590	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
590	all_deer	N	SUM	26243	360.5	323.5	397.5	2032.6	1778.7	2286.5	5.6	5.2	6	256.4	225.5	287.3	1	0	1.6	36.5	218.3	218.3	38.1	0
590	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	9.6	3.7	15.6	0.2	0	0	9.6	0	0	9.6	0
590	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	7.7	2	13.4	0.1	0	0	7.7	0	0	7.7	0
590	all_deer	R	322-02	446	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	0	2.8	2.8	0	0
590	all_deer	R	500-00	94	.	.	.	.	.	.	.	.	.	1.1	1	1.8	1.2	0	0	1.1	0	0	1.1	0
590	all_deer	R	575-00	448	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.4	0	0	1.6	0	0	1.6	0
590	all_deer	R	590-00	313	.	.	.	.	.	.	.	.	.	121.7	114.5	128.9	38.9	0	0	117.5	4.2	4.2	117.5	0
590	all_deer	R	597-00	573	.	.	.	.	.	.	.	.	.	126.2	113.5	138.8	22	0	2.2	121.8	2.2	2.2	124	0
590	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	13.3	8	18.6	0.7	0	0	11.2	2.1	2.1	11.2	0
590	all_deer	R	599-00	1926	.	.	.	.	.	.	.	.	.	27.2	18.7	35.7	1.4	0	0	18.2	8.9	8.9	18.2	0
590	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1476	1401.2	1550.8	1	0	9.5	163.1	1303.4	1289.6	184.7	1.7
590	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
590	all_deer	R	SUM	165813	3049.1	2941.7	3156.5	15001.6	14105.9	15897.3	4.9	4.7	5.1	1791.3	1713.9	1868.8	1.1	0	11.7	456	1323.7	1309.8	479.8	1.7
590	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	9.6	3.7	15.6	0.2	0	0	9.6	0	0	9.6	0
590	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	9.4	2.2	16.7	0.6	0	0	9.4	0	0	9.4	0
590	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	7.7	2	13.4	0.1	0	0	7.7	0	0	7.7	0
590	all_deer	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	0	2.8	2.8	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
590	all_deer	SUM	500-00	100	.	.	.	.	.	.	.	.	.	1.1	1	1.8	1.1	0	0	1.1	0	0	1.1	0
590	all_deer	SUM	575-00	499	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.3	0	0	1.6	0	0	1.6	0
590	all_deer	SUM	590-00	348	.	.	.	.	.	.	.	.	.	137.4	129.8	145.1	39.5	0	1.6	131.6	4.2	4.2	133.2	0
590	all_deer	SUM	597-00	600	.	.	.	.	.	.	.	.	.	130.3	117.5	143	21.7	0	2.2	125.9	2.2	2.2	128.1	0
590	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	18.3	12.5	24	0.8	0	0	14.8	3.5	3.5	14.8	0
590	all_deer	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	28.7	20.1	37.3	1.4	0	0	19.8	8.9	8.9	19.8	0
590	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1696.7	1616.2	1777.2	1	0	9.5	166.8	1520.4	1506.6	188.5	1.7
590	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
590	all_deer	SUM	SUM	192056	3409.7	3296.2	3523.2	17034.2	16103.3	17965.1	5	4.8	5.2	2047.7	1964.3	2131.1	1.1	0	13.2	492.5	1542	1528.2	517.9	1.7
590	md	N	007-12	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	4.7	0	0	4.7	0
590	md	N	500-00	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
590	md	N	575-00	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
590	md	N	590-00	35	.	.	.	.	.	.	.	.	.	15.7	13.1	18.3	44.9	0	1.6	14.1	0	0	15.7	0
590	md	N	597-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
590	md	N	598-00	236	.	.	.	.	.	.	.	.	.	1.4	1	2.2	0.6	0	0	0	1.4	1.4	0	0
590	md	N	599-00	73	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
590	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	173.2	146.9	199.6	0.7	0	0	0	173.2	173.2	0	0
590	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
590	md	N	SUM	26207	.	.	.	.	.	.	.	.	.	195	168	222	0.7	0	1.6	18.9	174.6	174.6	20.4	0
590	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
590	md	R	500-00	94	.	.	.	.	.	.	.	.	.	1.1	1	1.8	1.2	0	0	1.1	0	0	1.1	0
590	md	R	575-00	448	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.4	0	0	1.6	0	0	1.6	0
590	md	R	590-00	313	.	.	.	.	.	.	.	.	.	120.3	113.1	127.5	38.4	0	0	116	4.2	4.2	116	0
590	md	R	597-00	573	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.4	0	0	2.2	0	0	2.2	0
590	md	R	598-00	2014	.	.	.	.	.	.	.	.	.	2.5	1	5	0.1	0	0	2.5	0	0	2.5	0
590	md	R	599-00	1926	.	.	.	.	.	.	.	.	.	9.1	3.5	14.7	0.5	0	0	5.6	3.5	3.5	5.6	0
590	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	951.9	890.8	1013	0.6	0	4.1	39.3	908.6	902.9	47.4	1.7
590	md	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
590	md	R	SUM	161397	.	.	.	.	.	.	.	.	.	1096.7	1034.5	1158.8	0.7	0	4.1	176.3	916.3	910.6	184.4	1.7
590	md	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	4.7	0	0	4.7	0
590	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
590	md	SUM	500-00	100	.	.	.	.	.	.	.	.	.	1.1	1	1.8	1.1	0	0	1.1	0	0	1.1	0
590	md	SUM	575-00	499	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.3	0	0	1.6	0	0	1.6	0
590	md	SUM	590-00	348	.	.	.	.	.	.	.	.	.	136	128.4	143.6	39.1	0	1.6	130.2	4.2	4.2	131.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
590	md	SUM	597-00	600	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.4	0	0	2.2	0	0	2.2	0
590	md	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	3.9	2	6.5	0.2	0	0	2.5	1.4	1.4	2.5	0
590	md	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	9.1	3.5	14.7	0.5	0	0	5.6	3.5	3.5	5.6	0
590	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1125.2	1058.6	1191.7	0.6	0	4.1	39.3	1081.8	1076.1	47.4	1.7
590	md	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
590	md	SUM	SUM	187604	.	.	.	.	.	.	.	.	.	1291.7	1223.9	1359.4	0.7	0	5.6	195.1	1090.9	1085.2	204.8	1.7
590	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	4.7	0	0	4.7	0
590	wt	N	322-02	36	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
590	wt	N	590-00	35	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
590	wt	N	597-00	27	.	.	.	.	.	.	.	.	.	4.1	3	5.7	15.2	0	0	4.1	0	0	4.1	0
590	wt	N	598-00	236	.	.	.	.	.	.	.	.	.	3.6	2	5.6	1.5	0	0	3.6	0	0	3.6	0
590	wt	N	599-00	73	.	.	.	.	.	.	.	.	.	1.5	1	2.8	2.1	0	0	1.5	0	0	1.5	0
590	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	47.5	33.6	61.4	0.2	0	0	3.7	43.7	43.7	3.7	0
590	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
590	wt	N	SUM	26186	.	.	.	.	.	.	.	.	.	61.4	46.3	76.5	0.2	0	0	17.6	43.7	43.7	17.6	0
590	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	9.6	3.7	15.6	0.2	0	0	9.6	0	0	9.6	0
590	wt	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
590	wt	R	322-02	446	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	0	2.8	2.8	0	0
590	wt	R	590-00	313	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
590	wt	R	597-00	573	.	.	.	.	.	.	.	.	.	124	111.4	136.5	21.6	0	2.2	119.6	2.2	2.2	121.8	0
590	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	10.8	6	15.5	0.5	0	0	8.7	2.1	2.1	8.7	0
590	wt	R	599-00	1926	.	.	.	.	.	.	.	.	.	18.1	11.7	24.5	0.9	0	0	12.6	5.5	5.5	12.6	0
590	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	520.1	476.9	563.2	0.3	0	5.4	123.8	390.8	382.7	137.4	0
590	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
590	wt	R	SUM	165271	.	.	.	.	.	.	.	.	.	690.6	644.3	736.9	0.4	0	7.6	279.7	403.3	395.2	295.4	0
590	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	9.6	3.7	15.6	0.2	0	0	9.6	0	0	9.6	0
590	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	4.7	0	0	4.7	0
590	wt	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
590	wt	SUM	322-02	482	.	.	.	.	.	.	.	.	.	2.8	1	5.4	0.6	0	0	0	2.8	2.8	0	0
590	wt	SUM	590-00	348	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
590	wt	SUM	597-00	600	.	.	.	.	.	.	.	.	.	128.1	115.4	140.7	21.3	0	2.2	123.7	2.2	2.2	125.9	0
590	wt	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	14.3	9.2	19.5	0.6	0	0	12.3	2.1	2.1	12.3	0
590	wt	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	19.6	13.1	26.2	1	0	0	14.2	5.5	5.5	14.2	0
590	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	567.5	522.1	612.9	0.3	0	5.4	127.5	434.5	426.4	141.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
590	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
590	wt	SUM	SUM	191457	.	.	.	.	.	.	.	.	.	752	703.3	800.7	0.4	0	7.6	297.3	447	438.9	313.1	0
5XX	all_deer	N	598-00	108	.	.	.	.	.	.	.	.	.	2.5	2	3.6	2.3	0	0	2.5	0	0	2.5	0
5XX	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	22.9	13.7	32.2	0.1	0	0	0	22.9	22.9	0	0
5XX	all_deer	N	SUM	24321	30.7	20.8	40.6	122.3	81.8	162.8	4	3.3	4.7	25.5	16.1	34.8	0.1	0	0	2.5	22.9	22.9	2.5	0
5XX	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
5XX	all_deer	R	530-01	56	.	.	.	.	.	.	.	.	.	2.2	1	4	3.9	0	0	2.2	0	0	2.2	0
5XX	all_deer	R	590-00	313	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	1.2	0	0	1.2	0
5XX	all_deer	R	597-00	552	.	.	.	.	.	.	.	.	.	3.8	2	6.3	0.7	0	0	3.8	0	0	3.8	0
5XX	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	124.9	108.3	141.6	6.2	0	6.5	118.5	0	0	124.9	0
5XX	all_deer	R	599-00	1926	.	.	.	.	.	.	.	.	.	22.6	14.8	30.3	1.2	0	0	22.6	0	0	22.6	0
5XX	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	80.4	64	96.8	0.1	0	0	4.8	75.6	69.2	11.2	0
5XX	all_deer	R	SUM	163048	167.3	145.5	189.1	692.2	524.1	860.3	4.1	3.2	5	237.4	212.4	262.4	0.1	0	6.5	155.3	75.6	69.2	168.2	0
5XX	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
5XX	all_deer	SUM	530-01	56	.	.	.	.	.	.	.	.	.	2.2	1	4	3.9	0	0	2.2	0	0	2.2	0
5XX	all_deer	SUM	590-00	313	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	1.2	0	0	1.2	0
5XX	all_deer	SUM	597-00	552	.	.	.	.	.	.	.	.	.	3.8	2	6.3	0.7	0	0	3.8	0	0	3.8	0
5XX	all_deer	SUM	598-00	2122	.	.	.	.	.	.	.	.	.	127.5	110.7	144.2	6	0	6.5	121	0	0	127.5	0
5XX	all_deer	SUM	599-00	1926	.	.	.	.	.	.	.	.	.	22.6	14.8	30.3	1.2	0	0	22.6	0	0	22.6	0
5XX	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	103.3	84.5	122.2	0.1	0	0	4.8	98.6	92.1	11.2	0
5XX	all_deer	SUM	SUM	187369	198.1	174.1	222.1	814.4	641.5	987.3	4.1	3.3	4.9	262.8	236.2	289.5	0.1	0	6.5	157.8	98.6	92.1	170.7	0
5XX	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	16.5	8.4	24.6	0.1	0	0	0	16.5	16.5	0	0
5XX	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	16.5	8.4	24.6	0.1	0	0	0	16.5	16.5	0	0
5XX	md	R	530-01	56	.	.	.	.	.	.	.	.	.	2.2	1	4	3.9	0	0	2.2	0	0	2.2	0
5XX	md	R	590-00	313	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	1.2	0	0	1.2	0
5XX	md	R	597-00	552	.	.	.	.	.	.	.	.	.	1.6	1	3.1	0.3	0	0	1.6	0	0	1.6	0
5XX	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	30.6	20.1	41.1	0	0	0	0	30.6	30.6	0	0
5XX	md	R	SUM	151498	.	.	.	.	.	.	.	.	.	35.7	24.9	46.5	0	0	0	5.1	30.6	30.6	5.1	0
5XX	md	SUM	530-01	56	.	.	.	.	.	.	.	.	.	2.2	1	4	3.9	0	0	2.2	0	0	2.2	0
5XX	md	SUM	590-00	313	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.4	0	0	1.2	0	0	1.2	0
5XX	md	SUM	597-00	552	.	.	.	.	.	.	.	.	.	1.6	1	3.1	0.3	0	0	1.6	0	0	1.6	0
5XX	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	47.1	33.9	60.4	0	0	0	0	47.1	47.1	0	0
5XX	md	SUM	SUM	175711	.	.	.	.	.	.	.	.	.	52.2	38.7	65.7	0	0	0	5.1	47.1	47.1	5.1	0
5XX	wt	N	598-00	108	.	.	.	.	.	.	.	.	.	2.5	2	3.6	2.3	0	0	2.5	0	0	2.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
5XX	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	6.4	3	10.9	0	0	0	0	6.4	6.4	0	0
5XX	wt	N	SUM	24321	.	.	.	.	.	.	.	.	.	8.9	5	13.5	0	0	0	2.5	6.4	6.4	2.5	0
5XX	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
5XX	wt	R	597-00	552	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.4	0	0	2.2	0	0	2.2	0
5XX	wt	R	598-00	2014	.	.	.	.	.	.	.	.	.	120.5	104.1	136.9	6	0	6.5	114	0	0	120.5	0
5XX	wt	R	599-00	1926	.	.	.	.	.	.	.	.	.	22.6	14.8	30.3	1.2	0	0	22.6	0	0	22.6	0
5XX	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	49.8	37.1	62.4	0	0	0	4.8	45	38.6	11.2	0
5XX	wt	R	SUM	162679	.	.	.	.	.	.	.	.	.	197.3	174.9	219.6	0.1	0	6.5	145.8	45	38.6	158.7	0
5XX	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0	0	0	2.2	0	0	2.2	0
5XX	wt	SUM	597-00	552	.	.	.	.	.	.	.	.	.	2.2	1	4.2	0.4	0	0	2.2	0	0	2.2	0
5XX	wt	SUM	598-00	2122	.	.	.	.	.	.	.	.	.	123	106.5	139.5	5.8	0	6.5	116.5	0	0	123	0
5XX	wt	SUM	599-00	1926	.	.	.	.	.	.	.	.	.	22.6	14.8	30.3	1.2	0	0	22.6	0	0	22.6	0
5XX	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	56.2	42.8	69.6	0	0	0	4.8	51.4	45	11.2	0
5XX	wt	SUM	SUM	187000	.	.	.	.	.	.	.	.	.	206.2	183.4	229	0.1	0	6.5	148.3	51.4	45	161.2	0
600	all_deer	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
600	all_deer	N	600-00	20	.	.	.	.	.	.	.	.	.	10.6	8.5	12.8	53	0	0	10.6	0	0	10.6	0
600	all_deer	N	620-00	38	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
600	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.8	0	0	1.2	0	0	1.2	0
600	all_deer	N	670-00	132	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
600	all_deer	N	690-00	10	.	.	.	.	.	.	.	.	.	1.3	1	2.1	13	0	0	1.3	0	0	1.3	0
600	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	21.8	15.2	28.5	2.7	0	0	21.8	0	0	21.8	0
600	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	79.4	61.6	97.1	0.3	0	0	0	79.4	79.4	0	0
600	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
600	all_deer	N	SUM	25421	140.9	118.7	163.1	641	527.6	754.4	4.5	4.1	4.9	114.4	95.2	133.5	0.5	0	0	35	79.4	79.4	35	0
600	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4	0	0	0	0	2	2	0	0
600	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	92.2	74.4	110.1	3.6	0	0	92.2	0	0	92.2	0
600	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	2.4	1	4.8	0.1	0	0	2.4	0	0	2.4	0
600	all_deer	R	326-00	440	.	.	.	.	.	.	.	.	.	1.4	1	2.6	0.3	0	0	0	1.4	1.4	0	0
600	all_deer	R	600-00	180	.	.	.	.	.	.	.	.	.	71.2	65.8	76.5	39.6	0	3.8	67.4	0	0	71.2	0
600	all_deer	R	620-00	162	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.7	0	0	1.2	0	0	1.2	0
600	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
600	all_deer	R	670-00	268	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.6	0	0	0	1.6	1.6	0	0
600	all_deer	R	690-00	90	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.7	0	0	1.5	0	0	1.5	0
600	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	56.5	45.4	67.7	4.5	0	5.3	51.2	0	0	56.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
600	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	742.7	690.7	794.7	0.5	0	6.5	101.9	634.2	613.3	129.4	0
600	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	12.2	4.8	19.5	.	0	0	12.2	0	0	12.2	0
600	all_deer	R	SUM	167193	1397.3	1325.7	1468.9	5899.7	5511.3	6288.1	4.2	4	4.4	985	928	1041.9	0.6	0	15.7	330	639.3	618.3	366.6	0
600	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4	0	0	0	0	2	2	0	0
600	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	92.2	74.4	110.1	3.6	0	0	92.2	0	0	92.2	0
600	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	2.4	1	4.8	0.1	0	0	2.4	0	0	2.4	0
600	all_deer	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.4	1	2.6	0.3	0	0	0	1.4	1.4	0	0
600	all_deer	SUM	600-00	200	.	.	.	.	.	.	.	.	.	81.8	76	87.6	40.9	0	3.8	78	0	0	81.8	0
600	all_deer	SUM	620-00	200	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.6	0	0	1.2	0	0	1.2	0
600	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.2	0	0	1.2	0	0	1.2	0
600	all_deer	SUM	670-00	400	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.4	0	0	0	1.6	1.6	0	0
600	all_deer	SUM	690-00	100	.	.	.	.	.	.	.	.	.	2.8	2	4.1	2.8	0	0	2.8	0	0	2.8	0
600	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	21.8	15.2	28.5	2.7	0	0	21.8	0	0	21.8	0
600	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	56.5	45.4	67.7	4.5	0	5.3	51.2	0	0	56.5	0
600	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	822.1	767.1	877	0.5	0	6.5	101.9	713.6	692.6	129.4	0
600	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	12.2	4.8	19.5	.	0	0	12.2	0	0	12.2	0
600	all_deer	SUM	SUM	192614	1538.2	1463.2	1613.2	6540.6	6135.9	6945.3	4.3	4.1	4.5	1099.3	1039.3	1159.4	0.6	0	15.7	365	718.6	697.7	401.6	0
600	md	N	326-00	60	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
600	md	N	600-00	20	.	.	.	.	.	.	.	.	.	8.9	6.8	11.1	44.5	0	0	8.9	0	0	8.9	0
600	md	N	620-00	38	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
600	md	N	630-00	150	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.8	0	0	1.2	0	0	1.2	0
600	md	N	690-00	10	.	.	.	.	.	.	.	.	.	1.3	1	2.1	13	0	0	1.3	0	0	1.3	0
600	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	68.6	51.9	85.3	0.3	0	0	0	68.6	68.6	0	0
600	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
600	md	N	SUM	24491	.	.	.	.	.	.	.	.	.	80	63.2	96.9	0.3	0	0	11.5	68.6	68.6	11.5	0
600	md	R	006-10	2581	.	.	.	.	.	.	.	.	.	8.8	3.4	14.2	0.3	0	0	8.8	0	0	8.8	0
600	md	R	326-00	440	.	.	.	.	.	.	.	.	.	1.4	1	2.6	0.3	0	0	0	1.4	1.4	0	0
600	md	R	600-00	180	.	.	.	.	.	.	.	.	.	71.2	65.8	76.5	39.6	0	3.8	67.4	0	0	71.2	0
600	md	R	620-00	162	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.7	0	0	1.2	0	0	1.2	0
600	md	R	630-00	348	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
600	md	R	690-00	90	.	.	.	.	.	.	.	.	.	1.5	1	2.6	1.7	0	0	1.5	0	0	1.5	0
600	md	R	699-00	1248	.	.	.	.	.	.	.	.	.	4.1	2	6.9	0.3	0	0	4.1	0	0	4.1	0
600	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	562.6	517.4	607.8	0.4	0	6.5	88.5	467.6	450.7	111.9	0
600	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
600	md	R	SUM	155626	.	.	.	.	.	.	.	.	.	650.8	604.8	696.9	0.4	0	10.3	171.5	469	452.1	198.7	0
600	md	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	8.8	3.4	14.2	0.3	0	0	8.8	0	0	8.8	0
600	md	SUM	326-00	500	.	.	.	.	.	.	.	.	.	1.4	1	2.6	0.3	0	0	0	1.4	1.4	0	0
600	md	SUM	600-00	200	.	.	.	.	.	.	.	.	.	80.1	74.4	85.9	40	0	3.8	76.3	0	0	80.1	0
600	md	SUM	620-00	200	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.6	0	0	1.2	0	0	1.2	0
600	md	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.2	0	0	1.2	0	0	1.2	0
600	md	SUM	690-00	100	.	.	.	.	.	.	.	.	.	2.8	2	4.1	2.8	0	0	2.8	0	0	2.8	0
600	md	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	4.1	2	6.9	0.3	0	0	4.1	0	0	4.1	0
600	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	631.2	583	679.4	0.4	0	6.5	88.5	536.1	519.2	111.9	0
600	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
600	md	SUM	SUM	180117	.	.	.	.	.	.	.	.	.	730.9	681.9	779.9	0.4	0	10.3	183	537.6	520.7	210.2	0
600	wt	N	600-00	20	.	.	.	.	.	.	.	.	.	1.7	1	3	8.5	0	0	1.7	0	0	1.7	0
600	wt	N	670-00	132	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
600	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	21.8	15.2	28.5	2.7	0	0	21.8	0	0	21.8	0
600	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	10.8	4.6	16.9	0	0	0	0	10.8	10.8	0	0
600	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
600	wt	N	SUM	25163	.	.	.	.	.	.	.	.	.	34.3	25.2	43.4	0.1	0	0	23.5	10.8	10.8	23.5	0
600	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4	0	0	0	0	2	2	0	0
600	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	83.4	66.4	100.5	3.2	0	0	83.4	0	0	83.4	0
600	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	2.4	1	4.8	0.1	0	0	2.4	0	0	2.4	0
600	wt	R	600-00	180	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
600	wt	R	670-00	268	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.6	0	0	0	1.6	1.6	0	0
600	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	52.5	41.7	63.2	4.2	0	5.3	47.1	0	0	52.5	0
600	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	180.1	154.5	205.7	0.1	0	0	13.4	166.7	162.6	17.5	0
600	wt	R	none	.	.	.	.	.	.	.	.	.	.	12.2	4.8	19.5	.	0	0	12.2	0	0	12.2	0
600	wt	R	SUM	166153	.	.	.	.	.	.	.	.	.	334.1	300.5	367.7	0.2	0	5.3	158.5	170.3	166.2	167.9	0
600	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4	0	0	0	0	2	2	0	0
600	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	83.4	66.4	100.5	3.2	0	0	83.4	0	0	83.4	0
600	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	2.4	1	4.8	0.1	0	0	2.4	0	0	2.4	0
600	wt	SUM	600-00	200	.	.	.	.	.	.	.	.	.	1.7	1	3	0.9	0	0	1.7	0	0	1.7	0
600	wt	SUM	670-00	400	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.4	0	0	0	1.6	1.6	0	0
600	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	21.8	15.2	28.5	2.7	0	0	21.8	0	0	21.8	0
600	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	52.5	41.7	63.2	4.2	0	5.3	47.1	0	0	52.5	0
600	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	190.9	164.5	217.2	0.1	0	0	13.4	177.5	173.4	17.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
600	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	12.2	4.8	19.5	.	0	0	12.2	0	0	12.2	0
600	wt	SUM	SUM	191316	.	.	.	.	.	.	.	.	.	368.4	333.6	403.3	0.2	0	5.3	182	181	177	191.4	0
610	all_deer	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
610	all_deer	N	426-00	98	.	.	.	.	.	.	.	.	.	2.8	2	4	2.9	0	0	2.8	0	0	2.8	0
610	all_deer	N	610-00	2	.	.	.	.	.	.	.	.	.	2	2	2	100	0	0	2	0	0	2	0
610	all_deer	N	680-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
610	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	6.1	3	9.5	0.8	0	0	6.1	0	0	6.1	0
610	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	45.4	32	58.8	0.2	0	0	0	45.4	45.4	0	0
610	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
610	all_deer	N	SUM	25176	86.4	68.7	104.1	361.3	281.5	441.1	4.2	3.9	4.5	56.3	42.3	70.2	0.2	0	0	10.9	45.4	45.4	10.9	0
610	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
610	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	34.3	23.2	45.4	1.3	0	3.7	30.6	0	0	34.3	0
610	all_deer	R	401-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
610	all_deer	R	426-00	439	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
610	all_deer	R	610-00	48	.	.	.	.	.	.	.	.	.	22.7	20.4	25	47.3	0	0	21.3	1.4	1.4	21.3	0
610	all_deer	R	680-00	177	.	.	.	.	.	.	.	.	.	2.6	2	3.8	1.5	0	0	0	2.6	2.6	0	0
610	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	10.7	6	15.4	0.9	0	0	10.7	0	0	10.7	0
610	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	466.1	424.3	507.9	0.3	0	0	69.1	397	358.3	107.9	0
610	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	5.8	2	10.4	.	0	0	4.1	1.7	1.7	4.1	0
610	all_deer	R	SUM	163038	668.4	618.7	718.1	2657.9	2354.7	2961.1	4	3.7	4.3	547	503	591	0.3	0	3.7	137.2	406.2	367.4	179.6	0
610	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
610	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	34.3	23.2	45.4	1.3	0	3.7	30.6	0	0	34.3	0
610	all_deer	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
610	all_deer	SUM	426-00	537	.	.	.	.	.	.	.	.	.	2.8	2	4	0.5	0	0	2.8	0	0	2.8	0
610	all_deer	SUM	610-00	50	.	.	.	.	.	.	.	.	.	24.7	22.4	27	49.4	0	0	23.3	1.4	1.4	23.3	0
610	all_deer	SUM	680-00	200	.	.	.	.	.	.	.	.	.	2.6	2	3.8	1.3	0	0	0	2.6	2.6	0	0
610	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	6.1	3	9.5	0.8	0	0	6.1	0	0	6.1	0
610	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	10.7	6	15.4	0.9	0	0	10.7	0	0	10.7	0
610	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	511.5	467.6	555.4	0.3	0	0	69.1	442.4	403.7	107.9	0
610	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	5.8	2	10.4	.	0	0	4.1	1.7	1.7	4.1	0
610	all_deer	SUM	SUM	188214	754.8	702.1	807.5	3019.2	2705.7	3332.7	4	3.7	4.3	603.3	557.1	649.4	0.3	0	3.7	148	451.6	412.8	190.5	0
610	md	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
610	md	N	426-00	98	.	.	.	.	.	.	.	.	.	2.8	2	4	2.9	0	0	2.8	0	0	2.8	0
610	md	N	610-00	2	.	.	.	.	.	.	.	.	.	2	2	2	100	0	0	2	0	0	2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
610	md	N	680-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
610	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	44	30.6	57.4	0.2	0	0	0	44	44	0	0
610	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
610	md	N	SUM	24378	.	.	.	.	.	.	.	.	.	48.8	35.3	62.2	0.2	0	0	4.8	44	44	4.8	0
610	md	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
610	md	R	401-00	358	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.4	0	0	1.4	0	0	1.4	0
610	md	R	426-00	439	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
610	md	R	610-00	48	.	.	.	.	.	.	.	.	.	22.7	20.4	25	47.3	0	0	21.3	1.4	1.4	21.3	0
610	md	R	680-00	177	.	.	.	.	.	.	.	.	.	2.6	2	3.8	1.5	0	0	0	2.6	2.6	0	0
610	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	324.4	289.7	359.2	0.2	0	0	66.8	257.7	228.6	95.9	0
610	md	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
610	md	R	SUM	159209	.	.	.	.	.	.	.	.	.	358.6	323.4	393.9	0.2	0	0	93.5	265.1	236	122.6	0
610	md	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	0	3.4	3.4	0	0
610	md	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.4	1	2.3	0.3	0	0	1.4	0	0	1.4	0
610	md	SUM	426-00	537	.	.	.	.	.	.	.	.	.	2.8	2	4	0.5	0	0	2.8	0	0	2.8	0
610	md	SUM	610-00	50	.	.	.	.	.	.	.	.	.	24.7	22.4	27	49.4	0	0	23.3	1.4	1.4	23.3	0
610	md	SUM	680-00	200	.	.	.	.	.	.	.	.	.	2.6	2	3.8	1.3	0	0	0	2.6	2.6	0	0
610	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	368.4	331.2	405.6	0.2	0	0	66.8	301.7	272.6	95.9	0
610	md	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	4.1	0	0	4.1	0
610	md	SUM	SUM	183587	.	.	.	.	.	.	.	.	.	407.4	369.7	445.1	0.2	0	0	98.3	309.1	280	127.4	0
610	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	6.1	3	9.5	0.8	0	0	6.1	0	0	6.1	0
610	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1.4	1	2.9	0	0	0	0	1.4	1.4	0	0
610	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
610	wt	N	SUM	25011	.	.	.	.	.	.	.	.	.	7.5	4	11.2	0	0	0	6.1	1.4	1.4	6.1	0
610	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	34.3	23.2	45.4	1.3	0	3.7	30.6	0	0	34.3	0
610	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	10.7	6	15.4	0.9	0	0	10.7	0	0	10.7	0
610	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	140	116.8	163.3	0.1	0	0	2.3	137.7	128	12	0
610	wt	R	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.5	.	0	0	0	1.7	1.7	0	0
610	wt	R	SUM	154406	.	.	.	.	.	.	.	.	.	186.7	160.5	213	0.1	0	3.7	43.6	139.4	129.7	57	0
610	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	34.3	23.2	45.4	1.3	0	3.7	30.6	0	0	34.3	0
610	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	6.1	3	9.5	0.8	0	0	6.1	0	0	6.1	0
610	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	10.7	6	15.4	0.9	0	0	10.7	0	0	10.7	0
610	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	141.4	118.2	164.7	0.1	0	0	2.3	139.1	129.4	12	0
610	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.5	.	0	0	0	1.7	1.7	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
610	wt	SUM	SUM	179417	.	.	.	.	.	.	.	.	.	194.2	167.7	220.7	0.1	0	3.7	49.7	140.8	131.1	63.1	0
611	all_deer	N	411-00	89	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
611	all_deer	N	611-00	16	.	.	.	.	.	.	.	.	.	14.7	13.1	16	91.9	0	0	14.7	0	0	14.7	0
611	all_deer	N	640-00	74	.	.	.	.	.	.	.	.	.	1.5	1	2.5	2	0	0	1.5	0	0	1.5	0
611	all_deer	N	670-00	132	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1	0	0	1.3	0	0	1.3	0
611	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	12	6.8	17.2	1.5	0	0	9	3	3	9	0
611	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	46.1	33	59.3	0.2	0	0	1.4	44.7	44.7	1.4	0
611	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
611	all_deer	N	SUM	25322	114.4	94.4	134.4	525.5	423.7	627.3	4.6	4.2	5	75.7	61.4	90	0.3	0	0	28	47.7	47.7	28	0
611	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	21.5	12.8	30.3	0.8	0	0	21.5	0	0	21.5	0
611	all_deer	R	411-00	509	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	0	1.4	1.4	0	0
611	all_deer	R	611-00	83	.	.	.	.	.	.	.	.	.	35.3	31	39.5	42.5	0	0	35.3	0	0	35.3	0
611	all_deer	R	640-00	223	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
611	all_deer	R	670-00	268	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
611	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	5.4	2	9.3	0.4	0	0	5.4	0	0	5.4	0
611	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	338.5	302.5	374.5	0.2	0	0	26	312.5	294.7	43.8	0
611	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.4	.	0	0	0	1.7	1.7	0	0
611	all_deer	R	SUM	155489	549.4	503.5	595.3	2549.6	2268	2831.2	4.6	4.3	4.9	403.8	366.2	441.4	0.3	0	0	88.2	315.6	297.8	106	0
611	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	21.5	12.8	30.3	0.8	0	0	21.5	0	0	21.5	0
611	all_deer	SUM	411-00	598	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
611	all_deer	SUM	611-00	99	.	.	.	.	.	.	.	.	.	50	45.5	54.5	50.5	0	0	50	0	0	50	0
611	all_deer	SUM	640-00	297	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
611	all_deer	SUM	670-00	400	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
611	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	12	6.8	17.2	1.5	0	0	9	3	3	9	0
611	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	5.4	2	9.3	0.4	0	0	5.4	0	0	5.4	0
611	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	384.6	346.3	422.9	0.2	0	0	27.4	357.2	339.4	45.2	0
611	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.4	.	0	0	0	1.7	1.7	0	0
611	all_deer	SUM	SUM	180811	663.8	613.8	713.8	3075.1	2775.7	3374.5	4.6	4.3	4.9	479.5	439.3	519.7	0.3	0	0	116.1	363.4	345.6	133.9	0
611	md	N	611-00	16	.	.	.	.	.	.	.	.	.	14.7	13.1	16	91.9	0	0	14.7	0	0	14.7	0
611	md	N	640-00	74	.	.	.	.	.	.	.	.	.	1.5	1	2.5	2	0	0	1.5	0	0	1.5	0
611	md	N	670-00	132	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1	0	0	1.3	0	0	1.3	0
611	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	40.9	28.5	53.4	0.2	0	0	1.4	39.5	39.5	1.4	0
611	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
611	md	N	SUM	24435	.	.	.	.	.	.	.	.	.	58.5	45.9	71.1	0.2	0	0	19	39.5	39.5	19	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
611	md	R	611-00	83	.	.	.	.	.	.	.	.	.	33.6	29.4	37.8	40.5	0	0	33.6	0	0	33.6	0
611	md	R	640-00	223	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
611	md	R	670-00	268	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
611	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	219.9	191.5	248.4	0.1	0	0	9.8	210.1	192.3	27.6	0
611	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
611	md	R	SUM	151151	.	.	.	.	.	.	.	.	.	253.5	224.7	282.3	0.2	0	0	43.4	210.1	192.3	61.2	0
611	md	SUM	611-00	99	.	.	.	.	.	.	.	.	.	48.3	43.8	52.8	48.8	0	0	48.3	0	0	48.3	0
611	md	SUM	640-00	297	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
611	md	SUM	670-00	400	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.3	0	0	1.3	0	0	1.3	0
611	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	260.9	229.8	291.9	0.1	0	0	11.2	249.6	231.9	29	0
611	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
611	md	SUM	SUM	175586	.	.	.	.	.	.	.	.	.	312	280.6	343.4	0.2	0	0	62.4	249.6	231.9	80.2	0
611	wt	N	411-00	89	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
611	wt	N	611-00	16	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
611	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	12	6.8	17.2	1.5	0	0	9	3	3	9	0
611	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	5.2	2	9.5	0	0	0	0	5.2	5.2	0	0
611	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
611	wt	N	SUM	25116	.	.	.	.	.	.	.	.	.	17.2	10.5	23.9	0.1	0	0	9	8.2	8.2	9	0
611	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	21.5	12.8	30.3	0.8	0	0	21.5	0	0	21.5	0
611	wt	R	411-00	509	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.3	0	0	0	1.4	1.4	0	0
611	wt	R	611-00	83	.	.	.	.	.	.	.	.	.	1.7	1	3	2	0	0	1.7	0	0	1.7	0
611	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	5.4	2	9.3	0.4	0	0	5.4	0	0	5.4	0
611	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	118.6	96.5	140.6	0.1	0	0	16.2	102.4	102.4	16.2	0
611	wt	R	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.4	.	0	0	0	1.7	1.7	0	0
611	wt	R	SUM	154998	.	.	.	.	.	.	.	.	.	150.3	126.1	174.5	0.1	0	0	44.8	105.5	105.5	44.8	0
611	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	21.5	12.8	30.3	0.8	0	0	21.5	0	0	21.5	0
611	wt	SUM	411-00	598	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.2	0	0	0	1.4	1.4	0	0
611	wt	SUM	611-00	99	.	.	.	.	.	.	.	.	.	1.7	1	3	1.7	0	0	1.7	0	0	1.7	0
611	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	12	6.8	17.2	1.5	0	0	9	3	3	9	0
611	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	5.4	2	9.3	0.4	0	0	5.4	0	0	5.4	0
611	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	123.8	101.3	146.2	0.1	0	0	16.2	107.6	107.6	16.2	0
611	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.4	.	0	0	0	1.7	1.7	0	0
611	wt	SUM	SUM	180114	.	.	.	.	.	.	.	.	.	167.5	142.4	192.6	0.1	0	0	53.8	113.7	113.7	53.8	0
620	all_deer	N	104-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
620	all_deer	N	620-00	38	.	.	.	.	.	.	.	.	.	18.8	16.7	20.9	49.5	0	0	18.8	0	0	18.8	0
620	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	2.6	2	4	1.7	0	0	1.3	1.3	1.3	1.3	0
620	all_deer	N	670-00	132	.	.	.	.	.	.	.	.	.	1.1	1	1.9	0.8	0	0	0	1.1	1.1	0	0
620	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	25.5	18	33	3.2	0	3	22.5	0	0	25.5	0
620	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	105	85	125.1	0.4	0	0	10	95	91.3	13.7	0
620	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	0	3.8	3.8	0	0
620	all_deer	N	SUM	25335	337.5	302.3	372.7	2182	1896	2468	6.5	6	7	156.9	134.9	178.8	0.6	0	3	52.6	101.3	97.6	59.3	0
620	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	26.7	16.7	36.7	1	0	0	26.7	0	0	26.7	0
620	all_deer	R	104-00	196	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	0	1.5	1.5	0	0
620	all_deer	R	620-00	162	.	.	.	.	.	.	.	.	.	44.5	39.4	49.5	27.5	0	0	44.5	0	0	44.5	0
620	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.4	0	0	0	1.5	0	1.5	0
620	all_deer	R	670-00	268	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
620	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	4.8	2	8.3	0.4	0	0	4.8	0	0	4.8	0
620	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	496.2	453	539.5	0.3	0	2.3	24.1	469.9	456.3	40	0
620	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	2.3	1	4.6	.	0	0	0	2.3	2.3	0	0
620	all_deer	R	SUM	155380	1000.9	939.3	1062.5	4559.8	4189.4	4930.2	4.6	4.4	4.8	577.5	532.6	622.4	0.4	0	2.3	100.1	475.2	460.1	117.5	0
620	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	26.7	16.7	36.7	1	0	0	26.7	0	0	26.7	0
620	all_deer	SUM	104-00	200	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	0	1.5	1.5	0	0
620	all_deer	SUM	620-00	200	.	.	.	.	.	.	.	.	.	63.2	57.8	68.7	31.6	0	0	63.2	0	0	63.2	0
620	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	4.1	3	5.9	0.8	0	0	1.3	2.8	1.3	2.8	0
620	all_deer	SUM	670-00	400	.	.	.	.	.	.	.	.	.	1.1	1	1.9	0.3	0	0	0	1.1	1.1	0	0
620	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	25.5	18	33	3.2	0	3	22.5	0	0	25.5	0
620	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	4.8	2	8.3	0.4	0	0	4.8	0	0	4.8	0
620	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	601.3	553.6	649	0.3	0	2.3	34.1	564.9	547.6	53.7	0
620	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	6	2	10.7	.	0	0	0	6	6	0	0
620	all_deer	SUM	SUM	180715	1338.3	1267.3	1409.3	6741.8	6273.9	7209.7	5	4.8	5.2	734.4	684.4	784.4	0.4	0	5.3	152.6	576.5	557.6	176.8	0
620	md	N	104-00	4	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
620	md	N	620-00	38	.	.	.	.	.	.	.	.	.	18.8	16.7	20.9	49.5	0	0	18.8	0	0	18.8	0
620	md	N	630-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.9	0	0	1.3	0	0	1.3	0
620	md	N	670-00	132	.	.	.	.	.	.	.	.	.	1.1	1	1.9	0.8	0	0	0	1.1	1.1	0	0
620	md	N	698-00	798	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.2	0	0	1.6	0	0	1.6	0
620	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	79.7	62.3	97.1	0.3	0	0	10	69.7	66	13.7	0
620	md	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	0	3.8	3.8	0	0
620	md	N	SUM	25335	.	.	.	.	.	.	.	.	.	106.3	88.2	124.3	0.4	0	0	31.6	74.6	70.9	35.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
620	md	R	006-10	2581	.	.	.	.	.	.	.	.	.	3.7	1	7.5	0.1	0	0	3.7	0	0	3.7	0
620	md	R	104-00	196	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	0	1.5	1.5	0	0
620	md	R	620-00	162	.	.	.	.	.	.	.	.	.	44.5	39.4	49.5	27.5	0	0	44.5	0	0	44.5	0
620	md	R	630-00	348	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.4	0	0	0	1.5	0	1.5	0
620	md	R	670-00	268	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
620	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	392.6	354.3	431	0.3	0	2.3	20	370.3	366.3	26.3	0
620	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
620	md	R	SUM	154132	.	.	.	.	.	.	.	.	.	443.8	404.9	482.7	0.3	0	2.3	68.2	373.4	367.8	76	0
620	md	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	3.7	1	7.5	0.1	0	0	3.7	0	0	3.7	0
620	md	SUM	104-00	200	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.8	0	0	0	1.5	1.5	0	0
620	md	SUM	620-00	200	.	.	.	.	.	.	.	.	.	63.2	57.8	68.7	31.6	0	0	63.2	0	0	63.2	0
620	md	SUM	630-00	498	.	.	.	.	.	.	.	.	.	2.8	2	4.2	0.6	0	0	1.3	1.5	0	2.8	0
620	md	SUM	670-00	400	.	.	.	.	.	.	.	.	.	1.1	1	1.9	0.3	0	0	0	1.1	1.1	0	0
620	md	SUM	698-00	798	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.2	0	0	1.6	0	0	1.6	0
620	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	472.3	430.2	514.5	0.3	0	2.3	30	440.1	432.3	40.1	0
620	md	SUM	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	0	3.8	3.8	0	0
620	md	SUM	SUM	179467	.	.	.	.	.	.	.	.	.	550.1	507.2	592.9	0.3	0	2.3	99.8	448	438.7	111.3	0
620	wt	N	630-00	150	.	.	.	.	.	.	.	.	.	1.3	1	2.4	0.9	0	0	0	1.3	1.3	0	0
620	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	24	16.6	31.4	3	0	3	21	0	0	24	0
620	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	20.1	11.1	29.1	0.1	0	0	0	20.1	20.1	0	0
620	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
620	wt	N	SUM	25161	.	.	.	.	.	.	.	.	.	45.4	33.7	57.1	0.2	0	3	21	21.4	21.4	24	0
620	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	23	13.8	32.3	0.9	0	0	23	0	0	23	0
620	wt	R	630-00	348	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
620	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	4.8	2	8.3	0.4	0	0	4.8	0	0	4.8	0
620	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	103.6	83.5	123.7	0.1	0	0	4.1	99.6	90	13.6	0
620	wt	R	none	.	.	.	.	.	.	.	.	.	.	2.3	1	4.6	.	0	0	0	2.3	2.3	0	0
620	wt	R	SUM	154754	.	.	.	.	.	.	.	.	.	133.7	111.2	156.2	0.1	0	0	31.9	101.8	92.2	41.5	0
620	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	23	13.8	32.3	0.9	0	0	23	0	0	23	0
620	wt	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.3	1	2.4	0.3	0	0	0	1.3	1.3	0	0
620	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	24	16.6	31.4	3	0	3	21	0	0	24	0
620	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	4.8	2	8.3	0.4	0	0	4.8	0	0	4.8	0
620	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	123.7	101.7	145.7	0.1	0	0	4.1	119.6	110.1	13.6	0
620	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	2.3	1	4.6	.	0	0	0	2.3	2.3	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
620	wt	SUM	SUM	179915	.	.	.	.	.	.	.	.	.	179.1	153.7	204.5	0.1	0	3	52.9	123.2	113.7	65.4	0
621	all_deer	N	620-00	38	.	.	.	.	.	.	.	.	.	3.5	3	4.6	9.2	0	0	3.5	0	0	3.5	0
621	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.8	0	0	0	1.2	1.2	0	0
621	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
621	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	96.2	76.8	115.7	0.4	0	0	3.7	92.5	92.5	3.7	0
621	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
621	all_deer	N	SUM	25199	219.8	190.8	248.8	1450.9	1221	1680.8	6.6	6	7.2	103.1	83.5	122.8	0.4	0	0	9.4	93.7	93.7	9.4	0
621	all_deer	R	620-00	162	.	.	.	.	.	.	.	.	.	3	2	4.6	1.9	0	0	3	0	0	3	0
621	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
621	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	170.9	144.3	197.5	0.1	0	0	28.4	142.5	142.5	28.4	0
621	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
621	all_deer	R	SUM	151087	531.1	484.7	577.5	2892.2	2535.5	3248.9	5.4	4.9	5.9	178	151	204.9	0.1	0	0	31.4	146.6	146.6	31.4	0
621	all_deer	SUM	620-00	200	.	.	.	.	.	.	.	.	.	6.5	5	8.4	3.2	0	0	6.5	0	0	6.5	0
621	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.2	0	0	0	1.2	1.2	0	0
621	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
621	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	267.2	234.2	300.1	0.2	0	0	32.1	235.1	235.1	32.1	0
621	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
621	all_deer	SUM	SUM	176286	751	696.3	805.7	4343.1	3918.8	4767.4	5.8	5.4	6.2	281.1	247.7	314.5	0.2	0	0	40.7	240.3	240.3	40.7	0
621	md	N	620-00	38	.	.	.	.	.	.	.	.	.	3.5	3	4.6	9.2	0	0	3.5	0	0	3.5	0
621	md	N	630-00	150	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.8	0	0	0	1.2	1.2	0	0
621	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	88.8	70.1	107.5	0.4	0	0	3.7	85.1	85.1	3.7	0
621	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
621	md	N	SUM	24401	.	.	.	.	.	.	.	.	.	93.5	74.8	112.2	0.4	0	0	7.2	86.3	86.3	7.2	0
621	md	R	620-00	162	.	.	.	.	.	.	.	.	.	3	2	4.6	1.9	0	0	3	0	0	3	0
621	md	R	630-00	348	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
621	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	134.5	111	158.1	0.1	0	0	24.3	110.2	110.2	24.3	0
621	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
621	md	R	SUM	151087	.	.	.	.	.	.	.	.	.	137.5	113.9	161.1	0.1	0	0	27.3	110.2	110.2	27.3	0
621	md	SUM	620-00	200	.	.	.	.	.	.	.	.	.	6.5	5	8.4	3.2	0	0	6.5	0	0	6.5	0
621	md	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.2	1	2.1	0.2	0	0	0	1.2	1.2	0	0
621	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	223.3	193.3	253.4	0.1	0	0	28	195.3	195.3	28	0
621	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
621	md	SUM	SUM	175488	.	.	.	.	.	.	.	.	.	231	200.9	261.1	0.1	0	0	34.5	196.5	196.5	34.5	0
621	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
621	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
621	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
621	wt	N	SUM	25011	.	.	.	.	.	.	.	.	.	9.6	3.6	15.6	0	0	0	2.2	7.5	7.5	2.2	0
621	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
621	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
621	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	36.4	24	48.8	0	0	0	4.1	32.3	32.3	4.1	0
621	wt	R	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
621	wt	R	SUM	154406	.	.	.	.	.	.	.	.	.	40.4	27.4	53.5	0	0	0	4.1	36.4	36.4	4.1	0
621	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
621	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
621	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
621	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	43.8	30.3	57.4	0	0	0	4.1	39.8	39.8	4.1	0
621	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	0	0	4.1	4.1	0	0
621	wt	SUM	SUM	179417	.	.	.	.	.	.	.	.	.	50.1	35.7	64.5	0	0	0	6.2	43.8	43.8	6.2	0
622	all_deer	N	620-00	38	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
622	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	8.6	4.4	12.8	1.1	0	0	8.6	0	0	8.6	0
622	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	32.2	21.2	43.2	0.1	0	1.2	3.7	27.2	27.2	4.9	0
622	all_deer	N	SUM	25049	132.2	109.1	155.3	972.1	760.4	1183.8	7.4	6.4	8.4	40.8	29	52.6	0.2	0	1.2	12.3	27.2	27.2	13.5	0
622	all_deer	R	261-00	49	.	.	.	.	.	.	.	.	.	1.3	1	2.1	2.7	0	0	0	1.3	1.3	0	0
622	all_deer	R	620-00	162	.	.	.	.	.	.	.	.	.	4.4	3	6.2	2.7	0	0	4.4	0	0	4.4	0
622	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	90.3	72.2	108.4	0.1	0	0	4.1	86.3	86.3	4.1	0
622	all_deer	R	SUM	150788	296.6	263	330.2	1397.2	1202.1	1592.3	4.7	4.3	5.1	95.9	77.7	114.1	0.1	0	0	8.4	87.5	87.5	8.4	0
622	all_deer	SUM	261-00	49	.	.	.	.	.	.	.	.	.	1.3	1	2.1	2.7	0	0	0	1.3	1.3	0	0
622	all_deer	SUM	620-00	200	.	.	.	.	.	.	.	.	.	4.4	3	6.2	2.2	0	0	4.4	0	0	4.4	0
622	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	8.6	4.4	12.8	1.1	0	0	8.6	0	0	8.6	0
622	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	122.5	101.3	143.7	0.1	0	1.2	7.8	113.5	113.5	9	0
622	all_deer	SUM	SUM	175837	428.7	387.9	469.5	2369.3	2081.5	2657.1	5.5	5.1	5.9	136.7	115	158.4	0.1	0	1.2	20.7	114.8	114.8	21.9	0
622	md	N	620-00	38	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
622	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	24.7	15.3	34.2	0.1	0	1.2	3.7	19.8	19.8	4.9	0
622	md	N	SUM	24251	.	.	.	.	.	.	.	.	.	24.7	15.3	34.2	0.1	0	1.2	3.7	19.8	19.8	4.9	0
622	md	R	261-00	49	.	.	.	.	.	.	.	.	.	1.3	1	2.1	2.7	0	0	0	1.3	1.3	0	0
622	md	R	620-00	162	.	.	.	.	.	.	.	.	.	4.4	3	6.2	2.7	0	0	4.4	0	0	4.4	0
622	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	86.3	68.7	103.8	0.1	0	0	4.1	82.2	82.2	4.1	0
622	md	R	SUM	150788	.	.	.	.	.	.	.	.	.	91.9	74.2	109.6	0.1	0	0	8.4	83.5	83.5	8.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
622	md	SUM	261-00	49	.	.	.	.	.	.	.	.	.	1.3	1	2.1	2.7	0	0	0	1.3	1.3	0	0
622	md	SUM	620-00	200	.	.	.	.	.	.	.	.	.	4.4	3	6.2	2.2	0	0	4.4	0	0	4.4	0
622	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	111	91	131	0.1	0	1.2	7.8	102	102	9	0
622	md	SUM	SUM	175039	.	.	.	.	.	.	.	.	.	116.6	96.5	136.7	0.1	0	1.2	12.1	103.3	103.3	13.3	0
622	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	8.6	4.4	12.8	1.1	0	0	8.6	0	0	8.6	0
622	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
622	wt	N	SUM	25011	.	.	.	.	.	.	.	.	.	16	9	23.1	0.1	0	0	8.6	7.5	7.5	8.6	0
622	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
622	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
622	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
622	wt	R	SUM	154406	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
622	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
622	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	8.6	4.4	12.8	1.1	0	0	8.6	0	0	8.6	0
622	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
622	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	11.5	4.5	18.5	0	0	0	0	11.5	11.5	0	0
622	wt	SUM	SUM	179417	.	.	.	.	.	.	.	.	.	20.1	11.9	28.3	0	0	0	8.6	11.5	11.5	8.6	0
630	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	1.4	1	2.5	2.1	0	0	1.4	0	0	1.4	0
630	all_deer	N	170-10	58	.	.	.	.	.	.	.	.	.	1.3	1	2.5	2.2	0	0	1.3	0	0	1.3	0
630	all_deer	N	401-00	42	.	.	.	.	.	.	.	.	.	1.3	1	1.9	3.1	0	0	1.3	0	0	1.3	0
630	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	79.9	73.7	86	53.3	0	3.6	72.9	3.3	3.3	76.5	0
630	all_deer	N	630-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	all_deer	N	640-00	74	.	.	.	.	.	.	.	.	.	2.5	2	3.7	3.4	0	0	2.5	0	0	2.5	0
630	all_deer	N	650-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	all_deer	N	670-00	132	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1	0	0	0	1.3	1.3	0	0
630	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	121.3	106.9	135.6	15.2	0	5.2	113	3	3	118.2	0
630	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	317.2	282.5	352	1.3	0	3.7	9.7	303.9	300.1	17.1	0
630	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
630	all_deer	N	SUM	25545	543.8	501.4	586.2	2481.2	2253.5	2708.9	4.6	4.4	4.8	526.2	488	564.3	2.1	0	12.6	202.1	311.5	307.8	218.4	0
630	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	164.1	141.3	186.9	6.4	3.7	9.4	146.1	5	5	155.5	3.7
630	all_deer	R	170-10	1946	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	all_deer	R	401-00	358	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	97.6	89.3	105.9	28	0	1.7	95.9	0	0	97.6	0
630	all_deer	R	630-01	13	.	.	.	.	.	.	.	.	.	4.8	3	6.5	36.9	0	0	4.8	0	0	4.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
630	all_deer	R	640-00	223	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	all_deer	R	650-00	90	.	.	.	.	.	.	.	.	.	1.2	1	1.9	1.3	0	0	1.2	0	0	1.2	0
630	all_deer	R	670-00	268	.	.	.	.	.	.	.	.	.	6.7	4	9.4	2.5	0	0	6.7	0	0	6.7	0
630	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	140.5	123.6	157.4	11.3	0	2.1	132.1	6.3	6.3	134.2	0
630	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	594.7	549.8	639.7	0.4	0	0	68.3	526.4	520.2	74.5	0
630	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	5.7	2	10.3	.	0	0	5.7	0	0	5.7	0
630	all_deer	R	SUM	158804	1051.6	991.6	1111.6	5541.7	5124.8	5958.6	5.3	5	5.6	1015.3	961.2	1069.4	0.6	3.7	13.2	460.7	537.7	531.5	480.1	3.7
630	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.1	0	0	1.4	0	0	1.4	0
630	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	164.1	141.3	186.9	6.4	3.7	9.4	146.1	5	5	155.5	3.7
630	all_deer	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	1.3	1	2.5	0.1	0	0	1.3	0	0	1.3	0
630	all_deer	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.3	1	1.9	0.3	0	0	1.3	0	0	1.3	0
630	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	177.5	167.1	187.8	35.6	0	5.3	168.8	3.3	3.3	174.2	0
630	all_deer	SUM	630-01	14	.	.	.	.	.	.	.	.	.	4.8	3	6.5	34.3	0	0	4.8	0	0	4.8	0
630	all_deer	SUM	640-00	297	.	.	.	.	.	.	.	.	.	2.5	2	3.7	0.8	0	0	2.5	0	0	2.5	0
630	all_deer	SUM	650-00	100	.	.	.	.	.	.	.	.	.	1.2	1	1.9	1.2	0	0	1.2	0	0	1.2	0
630	all_deer	SUM	670-00	400	.	.	.	.	.	.	.	.	.	8	5.1	10.9	2	0	0	6.7	1.3	1.3	6.7	0
630	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	121.3	106.9	135.6	15.2	0	5.2	113	3	3	118.2	0
630	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	140.5	123.6	157.4	11.3	0	2.1	132.1	6.3	6.3	134.2	0
630	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	912	855.2	968.8	0.5	0	3.7	78	830.3	820.4	91.6	0
630	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	5.7	2	10.3	.	0	0	5.7	0	0	5.7	0
630	all_deer	SUM	SUM	184349	1595.4	1522	1668.8	8022.9	7548	8497.8	5	4.8	5.2	1541.5	1475.3	1607.6	0.8	3.7	25.8	662.8	849.2	839.3	698.5	3.7
630	md	N	401-00	42	.	.	.	.	.	.	.	.	.	1.3	1	1.9	3.1	0	0	1.3	0	0	1.3	0
630	md	N	630-00	150	.	.	.	.	.	.	.	.	.	79.9	73.7	86	53.3	0	3.6	72.9	3.3	3.3	76.5	0
630	md	N	630-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	md	N	640-00	74	.	.	.	.	.	.	.	.	.	2.5	2	3.7	3.4	0	0	2.5	0	0	2.5	0
630	md	N	650-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	md	N	670-00	132	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1	0	0	0	1.3	1.3	0	0
630	md	N	698-00	798	.	.	.	.	.	.	.	.	.	6.1	3	9.4	0.8	0	0	6.1	0	0	6.1	0
630	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	174.2	148.3	200	0.7	0	3.7	6.6	163.8	160.1	14.1	0
630	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
630	md	N	SUM	25420	.	.	.	.	.	.	.	.	.	265.1	238.3	292	1	0	7.3	89.4	168.4	164.7	100.4	0
630	md	R	006-10	2581	.	.	.	.	.	.	.	.	.	5.9	2	10.4	0.2	0	0	3.7	2.2	2.2	3.7	0
630	md	R	401-00	358	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	md	R	630-00	348	.	.	.	.	.	.	.	.	.	92.6	84.5	100.8	26.6	0	1.7	90.9	0	0	92.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
630	md	R	630-01	13	.	.	.	.	.	.	.	.	.	1.5	1	2.8	11.5	0	0	1.5	0	0	1.5	0
630	md	R	640-00	223	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	md	R	650-00	90	.	.	.	.	.	.	.	.	.	1.2	1	1.9	1.3	0	0	1.2	0	0	1.2	0
630	md	R	670-00	268	.	.	.	.	.	.	.	.	.	6.7	4	9.4	2.5	0	0	6.7	0	0	6.7	0
630	md	R	699-00	1248	.	.	.	.	.	.	.	.	.	4.2	2	7.2	0.3	0	0	2.2	2	2	2.2	0
630	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	329.7	295.9	363.5	0.2	0	0	45.3	284.4	282.7	47	0
630	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
630	md	R	SUM	155706	.	.	.	.	.	.	.	.	.	441.8	406.5	477	0.3	0	1.7	151.4	288.6	286.9	154.8	0
630	md	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	5.9	2	10.4	0.2	0	0	3.7	2.2	2.2	3.7	0
630	md	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.3	1	1.9	0.3	0	0	1.3	0	0	1.3	0
630	md	SUM	630-00	498	.	.	.	.	.	.	.	.	.	172.5	162.3	182.7	34.6	0	5.3	163.8	3.3	3.3	169.2	0
630	md	SUM	630-01	14	.	.	.	.	.	.	.	.	.	1.5	1	2.8	10.7	0	0	1.5	0	0	1.5	0
630	md	SUM	640-00	297	.	.	.	.	.	.	.	.	.	2.5	2	3.7	0.8	0	0	2.5	0	0	2.5	0
630	md	SUM	650-00	100	.	.	.	.	.	.	.	.	.	1.2	1	1.9	1.2	0	0	1.2	0	0	1.2	0
630	md	SUM	670-00	400	.	.	.	.	.	.	.	.	.	8	5.1	10.9	2	0	0	6.7	1.3	1.3	6.7	0
630	md	SUM	698-00	798	.	.	.	.	.	.	.	.	.	6.1	3	9.4	0.8	0	0	6.1	0	0	6.1	0
630	md	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	4.2	2	7.2	0.3	0	0	2.2	2	2	2.2	0
630	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	503.9	461.3	546.4	0.3	0	3.7	51.9	448.2	442.8	61.1	0
630	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
630	md	SUM	SUM	181126	.	.	.	.	.	.	.	.	.	706.9	662.6	751.2	0.4	0	9.1	240.8	457.1	451.6	255.3	0
630	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	1.4	1	2.5	2.1	0	0	1.4	0	0	1.4	0
630	wt	N	170-10	58	.	.	.	.	.	.	.	.	.	1.3	1	2.5	2.2	0	0	1.3	0	0	1.3	0
630	wt	N	630-00	150	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	wt	N	630-01	1	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	115.2	101.1	129.3	14.4	0	5.2	107	3	3	112.2	0
630	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	139.4	116.3	162.4	0.6	0	0	3	136.3	136.3	3	0
630	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
630	wt	N	SUM	25287	.	.	.	.	.	.	.	.	.	257.3	230.2	284.4	1	0	5.2	112.7	139.4	139.4	117.9	0
630	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	152.2	130.2	174.1	5.9	0	9.4	140	2.8	2.8	149.4	0
630	wt	R	170-10	1946	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	wt	R	630-00	348	.	.	.	.	.	.	.	.	.	3.5	2	5.5	1	0	0	3.5	0	0	3.5	0
630	wt	R	630-01	13	.	.	.	.	.	.	.	.	.	3.3	2	4.9	25.4	0	0	3.3	0	0	3.3	0
630	wt	R	630-20	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
630	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	136.3	119.6	153	10.9	0	2.1	130	4.3	4.3	132	0
630	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	265	235.3	294.8	0.2	0	0	23	242	237.5	27.5	0
630	wt	R	none	.	.	.	.	.	.	.	.	.	.	5.7	2	10.3	.	0	0	5.7	0	0	5.7	0
630	wt	R	SUM	157871	.	.	.	.	.	.	.	.	.	565.9	525	606.8	0.4	0	11.5	305.4	249.1	244.6	321.4	0
630	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.1	0	0	1.4	0	0	1.4	0
630	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	152.2	130.2	174.1	5.9	0	9.4	140	2.8	2.8	149.4	0
630	wt	SUM	170-10	2004	.	.	.	.	.	.	.	.	.	1.3	1	2.5	0.1	0	0	1.3	0	0	1.3	0
630	wt	SUM	630-00	498	.	.	.	.	.	.	.	.	.	3.5	2	5.5	0.7	0	0	3.5	0	0	3.5	0
630	wt	SUM	630-01	14	.	.	.	.	.	.	.	.	.	3.3	2	4.9	23.6	0	0	3.3	0	0	3.3	0
630	wt	SUM	630-20	6	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
630	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	115.2	101.1	129.3	14.4	0	5.2	107	3	3	112.2	0
630	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	136.3	119.6	153	10.9	0	2.1	130	4.3	4.3	132	0
630	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	404.4	366.8	442	0.2	0	0	26	378.4	373.9	30.5	0
630	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	5.7	2	10.3	.	0	0	5.7	0	0	5.7	0
630	wt	SUM	SUM	183158	.	.	.	.	.	.	.	.	.	823.2	774.2	872.3	0.4	0	16.7	418.1	388.4	383.9	439.3	0
631	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	4.9	3	7.1	3.3	0	0	4.9	0	0	4.9	0
631	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	6	3	9.3	0.8	0	0	3.8	2.2	0	6	0
631	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	16.5	8.4	24.6	0.1	0	0	0	16.5	16.5	0	0
631	all_deer	N	SUM	25161	40.4	28.4	52.4	176	120.5	231.5	4.4	4	4.8	27.4	18.4	36.4	0.1	0	0	8.8	18.6	16.5	10.9	0
631	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	3.4	2	5.2	1	0	0	3.4	0	0	3.4	0
631	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	27.4	17.8	36.9	0	0	0	4.1	23.3	23.3	4.1	0
631	all_deer	R	SUM	150925	121.6	100.1	143.1	647.1	517.3	776.9	5.3	4.8	5.8	30.7	21	40.5	0	0	0	7.4	23.3	23.3	7.4	0
631	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	8.3	5.4	11.2	1.7	0	0	8.3	0	0	8.3	0
631	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	6	3	9.3	0.8	0	0	3.8	2.2	0	6	0
631	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	43.8	31.3	56.4	0	0	0	4.1	39.8	39.8	4.1	0
631	all_deer	SUM	SUM	176086	162	137.4	186.6	823.1	682	964.2	5.1	4.7	5.5	58.1	44.8	71.4	0	0	0	16.2	42	39.8	18.4	0
631	md	N	630-00	150	.	.	.	.	.	.	.	.	.	4.9	3	7.1	3.3	0	0	4.9	0	0	4.9	0
631	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	16.5	8.4	24.6	0.1	0	0	0	16.5	16.5	0	0
631	md	N	SUM	24363	.	.	.	.	.	.	.	.	.	21.4	13	29.8	0.1	0	0	4.9	16.5	16.5	4.9	0
631	md	R	630-00	348	.	.	.	.	.	.	.	.	.	3.4	2	5.2	1	0	0	3.4	0	0	3.4	0
631	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	27.4	17.8	36.9	0	0	0	4.1	23.3	23.3	4.1	0
631	md	R	SUM	150925	.	.	.	.	.	.	.	.	.	30.7	21	40.5	0	0	0	7.4	23.3	23.3	7.4	0
631	md	SUM	630-00	498	.	.	.	.	.	.	.	.	.	8.3	5.4	11.2	1.7	0	0	8.3	0	0	8.3	0
631	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	43.8	31.3	56.4	0	0	0	4.1	39.8	39.8	4.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
631	md	SUM	SUM	175288	.	.	.	.	.	.	.	.	.	52.1	39.3	65	0	0	0	12.4	39.8	39.8	12.4	0
631	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	6	3	9.3	0.8	0	0	3.8	2.2	0	6	0
631	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
631	wt	N	SUM	25011	.	.	.	.	.	.	.	.	.	6	3	9.3	0	0	0	3.8	2.2	0	6	0
631	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
631	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
631	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
631	wt	R	SUM	154406	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
631	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
631	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	6	3	9.3	0.8	0	0	3.8	2.2	0	6	0
631	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
631	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
631	wt	SUM	SUM	179417	.	.	.	.	.	.	.	.	.	6	3	9.3	0	0	0	3.8	2.2	0	6	0
632	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1	0	0	1.5	0	0	1.5	0
632	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
632	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	85	66.2	103.7	0.4	0	0	3.7	81.2	81.2	3.7	0
632	all_deer	N	SUM	25161	106.8	86.2	127.4	608.4	463.7	753.1	5.7	4.9	6.5	89.5	70.5	108.5	0.4	0	0	8.3	81.2	81.2	8.3	0
632	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.3	1	4.8	0.1	0	0	2.3	0	0	2.3	0
632	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	10.1	7.3	13	2.9	0	0	10.1	0	0	10.1	0
632	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	47.8	34.8	60.8	0	0	0	5.8	42	42	5.8	0
632	all_deer	R	SUM	153506	157.9	133.8	182	842.1	687.7	996.5	5.3	4.8	5.8	60.2	46.7	73.8	0	0	0	18.2	42	42	18.2	0
632	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.3	1	4.8	0.1	0	0	2.3	0	0	2.3	0
632	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	11.6	8.6	14.7	2.3	0	0	11.6	0	0	11.6	0
632	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
632	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	132.7	109.9	155.6	0.1	0	0	9.5	123.3	123.3	9.5	0
632	all_deer	SUM	SUM	178667	264.7	232.9	296.5	1450.5	1238.8	1662.2	5.5	5	6	149.7	126.4	173.1	0.1	0	0	26.5	123.3	123.3	26.5	0
632	md	N	630-00	150	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1	0	0	1.5	0	0	1.5	0
632	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	73.8	56.3	91.2	0.3	0	0	3.7	70.1	70.1	3.7	0
632	md	N	SUM	24363	.	.	.	.	.	.	.	.	.	75.3	57.8	92.8	0.3	0	0	5.2	70.1	70.1	5.2	0
632	md	R	630-00	348	.	.	.	.	.	.	.	.	.	10.1	7.3	13	2.9	0	0	10.1	0	0	10.1	0
632	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	44.4	31.6	57.2	0	0	0	5.8	38.6	38.6	5.8	0
632	md	R	SUM	150925	.	.	.	.	.	.	.	.	.	54.5	41.4	67.6	0	0	0	15.9	38.6	38.6	15.9	0
632	md	SUM	630-00	498	.	.	.	.	.	.	.	.	.	11.6	8.6	14.7	2.3	0	0	11.6	0	0	11.6	0
632	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	118.2	96.5	139.8	0.1	0	0	9.5	108.7	108.7	9.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
632	md	SUM	SUM	175288	.	.	.	.	.	.	.	.	.	129.8	108	151.6	0.1	0	0	21.1	108.7	108.7	21.1	0
632	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
632	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	11.2	4.3	18.1	0	0	0	0	11.2	11.2	0	0
632	wt	N	SUM	25011	.	.	.	.	.	.	.	.	.	14.2	6.7	21.6	0.1	0	0	3	11.2	11.2	3	0
632	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.3	1	4.8	0.1	0	0	2.3	0	0	2.3	0
632	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
632	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	3.4	2	5.9	0	0	0	0	3.4	3.4	0	0
632	wt	R	SUM	154406	.	.	.	.	.	.	.	.	.	5.7	3	9.3	0	0	0	2.3	3.4	3.4	2.3	0
632	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.3	1	4.8	0.1	0	0	2.3	0	0	2.3	0
632	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
632	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
632	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	14.6	7.3	21.9	0	0	0	0	14.6	14.6	0	0
632	wt	SUM	SUM	179417	.	.	.	.	.	.	.	.	.	19.9	11.7	28.2	0	0	0	5.4	14.6	14.6	5.4	0
640	all_deer	N	640-00	74	.	.	.	.	.	.	.	.	.	45.1	41.6	48.6	60.9	0	1.5	43.6	0	0	45.1	0
640	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	38.8	29.9	47.7	4.9	0	0	38.8	0	0	38.8	0
640	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	91	72.9	109.1	0.4	0	0	0	91	91	0	0
640	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
640	all_deer	N	SUM	25085	216.9	190.9	242.9	979.4	848.4	1110.4	4.5	4.2	4.8	174.9	154.5	195.4	0.7	0	1.5	82.4	91	91	83.9	0
640	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	75.1	59.2	91	2.9	0	3.7	67.7	3.7	3.7	71.4	0
640	all_deer	R	640-00	223	.	.	.	.	.	.	.	.	.	88.2	81.3	95	39.6	0	0	88.2	0	0	88.2	0
640	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	56.8	45.3	68.3	4.6	0	0	54.7	2.1	2.1	54.7	0
640	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	507.8	465.2	550.5	0.3	0	4.1	55.1	448.7	442.7	65.1	0
640	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	5.4	2	9.9	.	0	0	5.4	0	0	5.4	0
640	all_deer	R	SUM	154629	926.1	868.3	983.9	4157.4	3845.5	4469.3	4.5	4.3	4.7	733.3	685.7	781	0.5	0	7.7	271.2	454.4	448.5	284.8	0
640	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	75.1	59.2	91	2.9	0	3.7	67.7	3.7	3.7	71.4	0
640	all_deer	SUM	640-00	297	.	.	.	.	.	.	.	.	.	133.3	125.5	141	44.9	0	1.5	131.7	0	0	133.3	0
640	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	38.8	29.9	47.7	4.9	0	0	38.8	0	0	38.8	0
640	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	56.8	45.3	68.3	4.6	0	0	54.7	2.1	2.1	54.7	0
640	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	598.9	552.6	645.2	0.3	0	4.1	55.1	539.7	533.7	65.1	0
640	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	5.4	2	9.9	.	0	0	5.4	0	0	5.4	0
640	all_deer	SUM	SUM	179714	1143	1079.7	1206.3	5136.8	4798.5	5475.1	4.5	4.3	4.7	908.3	856.4	960.1	0.5	0	9.3	353.5	545.5	539.5	368.7	0
640	md	N	640-00	74	.	.	.	.	.	.	.	.	.	45.1	41.6	48.6	60.9	0	1.5	43.6	0	0	45.1	0
640	md	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
640	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	48.4	35.5	61.3	0.2	0	0	0	48.4	48.4	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
640	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
640	md	N	SUM	25085	.	.	.	.	.	.	.	.	.	96.5	82.8	110.2	0.4	0	1.5	46.6	48.4	48.4	48.1	0
640	md	R	006-10	2581	.	.	.	.	.	.	.	.	.	7.3	2	12.8	0.3	0	0	3.7	3.7	3.7	3.7	0
640	md	R	640-00	223	.	.	.	.	.	.	.	.	.	86.7	79.8	93.6	38.9	0	0	86.7	0	0	86.7	0
640	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	257.4	226.9	287.9	0.2	0	4.1	30.6	222.8	221	36.4	0
640	md	R	none	.	.	.	.	.	.	.	.	.	.	5.4	2	9.9	.	0	0	5.4	0	0	5.4	0
640	md	R	SUM	153381	.	.	.	.	.	.	.	.	.	356.9	324.9	389	0.2	0	4.1	126.4	226.4	224.7	132.2	0
640	md	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	7.3	2	12.8	0.3	0	0	3.7	3.7	3.7	3.7	0
640	md	SUM	640-00	297	.	.	.	.	.	.	.	.	.	131.8	124.1	139.6	44.4	0	1.5	130.3	0	0	131.8	0
640	md	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
640	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	305.8	272.7	339	0.2	0	4.1	30.6	271.2	269.4	36.4	0
640	md	SUM	none	.	.	.	.	.	.	.	.	.	.	5.4	2	9.9	.	0	0	5.4	0	0	5.4	0
640	md	SUM	SUM	178466	.	.	.	.	.	.	.	.	.	453.5	418.6	488.3	0.3	0	5.6	173	274.8	273.1	180.4	0
640	wt	N	640-00	74	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
640	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	35.8	27.3	44.2	4.5	0	0	35.8	0	0	35.8	0
640	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	42.7	30	55.3	0.2	0	0	0	42.7	42.7	0	0
640	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
640	wt	N	SUM	25085	.	.	.	.	.	.	.	.	.	78.4	63.2	93.7	0.3	0	0	35.8	42.7	42.7	35.8	0
640	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	67.7	52.7	82.7	2.6	0	3.7	64.1	0	0	67.7	0
640	wt	R	640-00	223	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.6	0	0	1.4	0	0	1.4	0
640	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	56.8	45.3	68.3	4.6	0	0	54.7	2.1	2.1	54.7	0
640	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	250.4	220.6	280.2	0.2	0	0	24.5	225.9	221.7	28.7	0
640	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
640	wt	R	SUM	154629	.	.	.	.	.	.	.	.	.	376.4	341.1	411.7	0.2	0	3.7	144.7	228	223.8	152.6	0
640	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	67.7	52.7	82.7	2.6	0	3.7	64.1	0	0	67.7	0
640	wt	SUM	640-00	297	.	.	.	.	.	.	.	.	.	1.4	1	2.5	0.5	0	0	1.4	0	0	1.4	0
640	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	35.8	27.3	44.2	4.5	0	0	35.8	0	0	35.8	0
640	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	56.8	45.3	68.3	4.6	0	0	54.7	2.1	2.1	54.7	0
640	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	293	260.6	325.5	0.2	0	0	24.5	268.6	264.3	28.7	0
640	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
640	wt	SUM	SUM	179714	.	.	.	.	.	.	.	.	.	454.8	416.3	493.3	0.3	0	3.7	180.5	270.7	266.4	188.4	0
641	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	4.7	0	0	4.7	0
641	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	21.4	14.5	28.4	2.7	0	0	21.4	0	0	21.4	0
641	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	65.8	49.6	82	0.3	0	0	0	65.8	65.8	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
641	all_deer	N	SUM	26577	114.1	93.3	134.9	621.2	441.9	800.5	5.4	4.2	6.6	91.9	73.6	110.3	0.3	0	0	26.2	65.8	65.8	26.2	0
641	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	59.6	44.8	74.5	2.3	0	3.7	55.9	0	0	59.6	0
641	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	34.1	24.2	44	2.7	0	2.4	31.7	0	0	34.1	0
641	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	253.5	222.1	285	0.2	0	1.6	17.7	234.3	221.5	32.1	0
641	all_deer	R	SUM	154406	446.5	405	488	2108.1	1856.3	2359.9	4.7	4.3	5.1	347.2	311	383.4	0.2	0	7.6	105.4	234.3	221.5	125.8	0
641	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	59.6	44.8	74.5	2.3	0	3.7	55.9	0	0	59.6	0
641	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	4.7	0	0	4.7	0
641	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	21.4	14.5	28.4	2.7	0	0	21.4	0	0	21.4	0
641	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	34.1	24.2	44	2.7	0	2.4	31.7	0	0	34.1	0
641	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	319.3	283.9	354.7	0.2	0	1.6	17.7	300	287.2	32.1	0
641	all_deer	SUM	SUM	180983	560.7	514.3	607.1	2729.3	2420.2	3038.4	4.9	4.5	5.3	439.1	398.6	479.7	0.2	0	7.6	131.5	300	287.2	151.9	0
641	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	8.8	3	14.6	0	0	0	0	8.8	8.8	0	0
641	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	8.8	3	14.6	0	0	0	0	8.8	8.8	0	0
641	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	49.2	35.4	63.1	0	0	1.6	4.1	43.6	30.8	18.4	0
641	md	R	SUM	150577	.	.	.	.	.	.	.	.	.	49.2	35.4	63.1	0	0	1.6	4.1	43.6	30.8	18.4	0
641	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	58	43	73.1	0	0	1.6	4.1	52.4	39.6	18.4	0
641	md	SUM	SUM	174790	.	.	.	.	.	.	.	.	.	58	43	73.1	0	0	1.6	4.1	52.4	39.6	18.4	0
641	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	4.7	0	0	4.7	0
641	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	21.4	14.5	28.4	2.7	0	0	21.4	0	0	21.4	0
641	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	57	41.8	72.1	0.2	0	0	0	57	57	0	0
641	wt	N	SUM	26577	.	.	.	.	.	.	.	.	.	83.1	65.7	100.5	0.3	0	0	26.2	57	57	26.2	0
641	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	59.6	44.8	74.5	2.3	0	3.7	55.9	0	0	59.6	0
641	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	34.1	24.2	44	2.7	0	2.4	31.7	0	0	34.1	0
641	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	204.3	176.1	232.6	0.1	0	0	13.7	190.7	190.7	13.7	0
641	wt	R	SUM	154406	.	.	.	.	.	.	.	.	.	298	264.6	331.4	0.2	0	6	101.3	190.7	190.7	107.3	0
641	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	59.6	44.8	74.5	2.3	0	3.7	55.9	0	0	59.6	0
641	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	4.7	0	0	4.7	0
641	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	21.4	14.5	28.4	2.7	0	0	21.4	0	0	21.4	0
641	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	34.1	24.2	44	2.7	0	2.4	31.7	0	0	34.1	0
641	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	261.3	229.2	293.3	0.1	0	0	13.7	247.6	247.6	13.7	0
641	wt	SUM	SUM	180983	.	.	.	.	.	.	.	.	.	381.1	343.4	418.8	0.2	0	6	127.5	247.6	247.6	133.5	0
650	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	2.2	1	4.7	0.1	0	0	2.2	0	0	2.2	0
650	all_deer	N	590-00	35	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
650	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	1.8	1	3.1	1.2	0	0	1.8	0	0	1.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
650	all_deer	N	640-00	74	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
650	all_deer	N	650-00	10	.	.	.	.	.	.	.	.	.	1.5	1	2.7	15	0	0	1.5	0	0	1.5	0
650	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	20.7	14.5	27	2.6	0	0	18.8	1.9	1.9	18.8	0
650	all_deer	N	797-00	1495	.	.	.	.	.	.	.	.	.	5.2	1	10.8	0.3	0	0	5.2	0	0	5.2	0
650	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	102.9	82.8	123	0.4	0	0	0	102.9	102.9	0	0
650	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
650	all_deer	N	SUM	28341	176.8	151.2	202.4	776.2	649.8	902.6	4.4	4.1	4.7	134.3	112.3	156.3	0.5	0	0	29.5	104.8	104.8	29.5	0
650	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	56.2	42.4	70.1	2.2	0	3.7	52.6	0	0	56.2	0
650	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	6.1	2	10.6	0.2	0	0	6.1	0	0	6.1	0
650	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	5.3	2	9.2	0.1	0	0	5.3	0	0	5.3	0
650	all_deer	R	590-00	313	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
650	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	3.1	2	4.9	0.9	0	0	3.1	0	0	3.1	0
650	all_deer	R	640-00	223	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.7	0	0	1.5	0	0	1.5	0
650	all_deer	R	650-00	90	.	.	.	.	.	.	.	.	.	32	28.8	35.1	35.6	0	0	32	0	0	32	0
650	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	44.1	34.7	53.6	3.5	0	0	44.1	0	0	44.1	0
650	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	382.4	345.3	419.6	0.3	0	4.1	17.9	360.4	355	26	1.4
650	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
650	all_deer	R	SUM	164802	815.8	760.6	871	3335.2	3057.4	3613	4.1	3.9	4.3	540.2	498.5	582	0.3	0	7.7	168	364.5	359	179.8	1.4
650	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	56.2	42.4	70.1	2.2	0	3.7	52.6	0	0	56.2	0
650	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	6.1	2	10.6	0.2	0	0	6.1	0	0	6.1	0
650	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	2.2	1	4.7	0.1	0	0	2.2	0	0	2.2	0
650	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	5.3	2	9.2	0.1	0	0	5.3	0	0	5.3	0
650	all_deer	SUM	590-00	348	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
650	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	4.9	3	7.1	1	0	0	4.9	0	0	4.9	0
650	all_deer	SUM	640-00	297	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	1.5	0	0	1.5	0
650	all_deer	SUM	650-00	100	.	.	.	.	.	.	.	.	.	33.5	30.1	36.8	33.5	0	0	33.5	0	0	33.5	0
650	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	20.7	14.5	27	2.6	0	0	18.8	1.9	1.9	18.8	0
650	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	44.1	34.7	53.6	3.5	0	0	44.1	0	0	44.1	0
650	all_deer	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	5.2	1	10.8	0.3	0	0	5.2	0	0	5.2	0
650	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	485.3	443.1	527.5	0.3	0	4.1	17.9	463.3	457.9	26	1.4
650	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
650	all_deer	SUM	SUM	193143	992.6	931.7	1053.5	4111.4	3806.1	4416.7	4.1	3.9	4.3	674.5	627.3	721.8	0.3	0	7.7	197.5	469.3	463.9	209.3	1.4
650	md	N	590-00	35	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
650	md	N	630-00	150	.	.	.	.	.	.	.	.	.	1.8	1	3.1	1.2	0	0	1.8	0	0	1.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
650	md	N	640-00	74	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
650	md	N	650-00	10	.	.	.	.	.	.	.	.	.	1.5	1	2.7	15	0	0	1.5	0	0	1.5	0
650	md	N	797-00	1495	.	.	.	.	.	.	.	.	.	5.2	1	10.8	0.3	0	0	5.2	0	0	5.2	0
650	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	66.5	50.2	82.8	0.3	0	0	0	66.5	66.5	0	0
650	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
650	md	N	SUM	25977	.	.	.	.	.	.	.	.	.	74.9	57.6	92.3	0.3	0	0	8.4	66.5	66.5	8.4	0
650	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	5.3	2	9.2	0.1	0	0	5.3	0	0	5.3	0
650	md	R	590-00	313	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.5	0	0	1.5	0	0	1.5	0
650	md	R	630-00	348	.	.	.	.	.	.	.	.	.	3.1	2	4.9	0.9	0	0	3.1	0	0	3.1	0
650	md	R	640-00	223	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.7	0	0	1.5	0	0	1.5	0
650	md	R	650-00	90	.	.	.	.	.	.	.	.	.	32	28.8	35.1	35.6	0	0	32	0	0	32	0
650	md	R	699-00	1248	.	.	.	.	.	.	.	.	.	3.6	2	6.1	0.3	0	0	3.6	0	0	3.6	0
650	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	240.4	210.9	269.8	0.2	0	0	9.8	230.5	230.5	9.8	0
650	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
650	md	R	SUM	158251	.	.	.	.	.	.	.	.	.	287.2	257.1	317.3	0.2	0	0	56.7	230.5	230.5	56.7	0
650	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	5.3	2	9.2	0.1	0	0	5.3	0	0	5.3	0
650	md	SUM	590-00	348	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.4	0	0	1.5	0	0	1.5	0
650	md	SUM	630-00	498	.	.	.	.	.	.	.	.	.	4.9	3	7.1	1	0	0	4.9	0	0	4.9	0
650	md	SUM	640-00	297	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	1.5	0	0	1.5	0
650	md	SUM	650-00	100	.	.	.	.	.	.	.	.	.	33.5	30.1	36.8	33.5	0	0	33.5	0	0	33.5	0
650	md	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	3.6	2	6.1	0.3	0	0	3.6	0	0	3.6	0
650	md	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	5.2	1	10.8	0.3	0	0	5.2	0	0	5.2	0
650	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	306.9	273.2	340.5	0.2	0	0	9.8	297	297	9.8	0
650	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
650	md	SUM	SUM	184228	.	.	.	.	.	.	.	.	.	362.2	327.4	396.9	0.2	0	0	65.1	297	297	65.1	0
650	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	2.2	1	4.7	0.1	0	0	2.2	0	0	2.2	0
650	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	20.7	14.5	27	2.6	0	0	18.8	1.9	1.9	18.8	0
650	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	36.4	24.6	48.1	0.2	0	0	0	36.4	36.4	0	0
650	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
650	wt	N	SUM	26577	.	.	.	.	.	.	.	.	.	59.4	45.8	72.9	0.2	0	0	21	38.3	38.3	21	0
650	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	56.2	42.4	70.1	2.2	0	3.7	52.6	0	0	56.2	0
650	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	6.1	2	10.6	0.2	0	0	6.1	0	0	6.1	0
650	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	40.5	31.4	49.6	3.2	0	0	40.5	0	0	40.5	0
650	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	142.1	119.5	164.7	0.1	0	4.1	8.1	129.9	124.5	16.2	1.4

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
650	wt	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
650	wt	R	SUM	158376	.	.	.	.	.	.	.	.	.	253	224	282.1	0.2	0	7.7	111.3	134	128.5	123.1	1.4
650	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	56.2	42.4	70.1	2.2	0	3.7	52.6	0	0	56.2	0
650	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	6.1	2	10.6	0.2	0	0	6.1	0	0	6.1	0
650	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	2.2	1	4.7	0.1	0	0	2.2	0	0	2.2	0
650	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	20.7	14.5	27	2.6	0	0	18.8	1.9	1.9	18.8	0
650	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	40.5	31.4	49.6	3.2	0	0	40.5	0	0	40.5	0
650	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	178.5	153	203.9	0.1	0	4.1	8.1	166.3	160.8	16.2	1.4
650	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
650	wt	SUM	SUM	184953	.	.	.	.	.	.	.	.	.	312.4	280.4	344.4	0.2	0	7.7	132.4	172.3	166.8	144.1	1.4
651	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	10.6	4.3	17	0.7	0	0	8	2.7	2.7	8	0
651	all_deer	N	640-00	74	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.8	0	0	1.3	0	0	1.3	0
651	all_deer	N	651-00	45	.	.	.	.	.	.	.	.	.	33	31.4	34.6	73.3	0	0	33	0	0	33	0
651	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	59.6	49.1	70.2	7.5	0	3	53.6	3	0	59.6	0
651	all_deer	N	797-00	1495	.	.	.	.	.	.	.	.	.	5.2	1	10.8	0.3	0	0	5.2	0	0	5.2	0
651	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	108.4	87.9	128.9	0.4	0	0	7.5	101	101	7.5	0
651	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	1.4	1	2.8	.	0	0	1.4	0	0	1.4	0
651	all_deer	N	SUM	28191	272.7	242.8	302.6	1334.2	1157.5	1510.9	4.9	4.5	5.3	219.5	194.8	244.2	0.8	0	3	109.8	106.6	103.6	115.9	0
651	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	86.6	69.3	103.9	3.4	0	0	86.6	0	0	86.6	0
651	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	14.7	7.7	21.8	0.4	0	0	14.7	0	0	14.7	0
651	all_deer	R	007-11	996	.	.	.	.	.	.	.	.	.	4.7	2	7.9	0.5	0	0	4.7	0	0	4.7	0
651	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	9.1	3.6	14.7	0.2	0	0	3	6.1	6.1	3	0
651	all_deer	R	640-00	223	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
651	all_deer	R	651-00	55	.	.	.	.	.	.	.	.	.	20.7	18.2	23.3	37.6	0	0	20.7	0	0	20.7	0
651	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	47.4	37	57.8	3.8	0	1.2	44	2.2	2.2	45.2	0
651	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	538.9	495	582.8	0.4	0	4.1	58.5	476.3	449.7	89.2	0
651	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
651	all_deer	R	SUM	165102	1140.4	1075.3	1205.5	6002.4	5535	6469.8	5.3	5	5.6	722.2	672.9	771.5	0.4	0	5.3	232.3	484.6	458	264.2	0
651	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	86.6	69.3	103.9	3.4	0	0	86.6	0	0	86.6	0
651	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	14.7	7.7	21.8	0.4	0	0	14.7	0	0	14.7	0
651	all_deer	SUM	007-11	996	.	.	.	.	.	.	.	.	.	4.7	2	7.9	0.5	0	0	4.7	0	0	4.7	0
651	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	10.6	4.3	17	0.7	0	0	8	2.7	2.7	8	0
651	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	9.1	3.6	14.7	0.2	0	0	3	6.1	6.1	3	0
651	all_deer	SUM	640-00	297	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
651	all_deer	SUM	651-00	100	.	.	.	.	.	.	.	.	.	53.7	50.7	56.8	53.7	0	0	53.7	0	0	53.7	0
651	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	59.6	49.1	70.2	7.5	0	3	53.6	3	0	59.6	0
651	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	47.4	37	57.8	3.8	0	1.2	44	2.2	2.2	45.2	0
651	all_deer	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	5.2	1	10.8	0.3	0	0	5.2	0	0	5.2	0
651	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	647.3	598.8	695.7	0.4	0	4.1	66	577.3	550.7	96.6	0
651	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.4	1	2.8	.	0	0	1.4	0	0	1.4	0
651	all_deer	SUM	SUM	193293	1413.1	1341.5	1484.7	7336.6	6836.9	7836.3	5.2	5	5.4	941.7	886.5	996.8	0.5	0	8.3	342.2	591.2	561.6	380.1	0
651	md	N	007-12	1566	.	.	.	.	.	.	.	.	.	1.5	1	3.2	0.1	0	0	1.5	0	0	1.5	0
651	md	N	651-00	45	.	.	.	.	.	.	.	.	.	33	31.4	34.6	73.3	0	0	33	0	0	33	0
651	md	N	698-00	798	.	.	.	.	.	.	.	.	.	9.3	5.2	13.5	1.2	0	0	9.3	0	0	9.3	0
651	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	38.8	26.6	51	0.2	0	0	5.2	33.6	33.6	5.2	0
651	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
651	md	N	SUM	26622	.	.	.	.	.	.	.	.	.	82.7	69.5	95.8	0.3	0	0	49	33.6	33.6	49	0
651	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	3	1	6.3	0.1	0	0	3	0	0	3	0
651	md	R	651-00	55	.	.	.	.	.	.	.	.	.	18.2	15.7	20.7	33.1	0	0	18.2	0	0	18.2	0
651	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	273.4	241.8	304.9	0.2	0	4.1	30.3	239	231.1	42.2	0
651	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
651	md	R	SUM	156084	.	.	.	.	.	.	.	.	.	294.6	262.8	326.4	0.2	0	4.1	51.5	239	231.1	63.5	0
651	md	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	1.5	1	3.2	0.1	0	0	1.5	0	0	1.5	0
651	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3	1	6.3	0.1	0	0	3	0	0	3	0
651	md	SUM	651-00	100	.	.	.	.	.	.	.	.	.	51.2	48.2	54.2	51.2	0	0	51.2	0	0	51.2	0
651	md	SUM	698-00	798	.	.	.	.	.	.	.	.	.	9.3	5.2	13.5	1.2	0	0	9.3	0	0	9.3	0
651	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	312.2	278.3	346	0.2	0	4.1	35.4	272.7	264.7	47.4	0
651	md	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
651	md	SUM	SUM	182706	.	.	.	.	.	.	.	.	.	377.2	342.8	411.6	0.2	0	4.1	100.5	272.7	264.7	112.5	0
651	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	9.1	3	15.3	0.6	0	0	6.4	2.7	2.7	6.4	0
651	wt	N	640-00	74	.	.	.	.	.	.	.	.	.	1.3	1	2.2	1.8	0	0	1.3	0	0	1.3	0
651	wt	N	651-00	45	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
651	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	50.3	40.5	60.1	6.3	0	3	44.3	3	0	50.3	0
651	wt	N	797-00	1495	.	.	.	.	.	.	.	.	.	5.2	1	10.8	0.3	0	0	5.2	0	0	5.2	0
651	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	69.6	53.1	86.1	0.3	0	0	2.3	67.3	67.3	2.3	0
651	wt	N	none	.	.	.	.	.	.	.	.	.	.	1.4	1	2.8	.	0	0	1.4	0	0	1.4	0
651	wt	N	SUM	28191	.	.	.	.	.	.	.	.	.	136.8	115.8	157.8	0.5	0	3	60.8	73	70	66.8	0
651	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	86.6	69.3	103.9	3.4	0	0	86.6	0	0	86.6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
651	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	14.7	7.7	21.8	0.4	0	0	14.7	0	0	14.7	0
651	wt	R	007-11	996	.	.	.	.	.	.	.	.	.	4.7	2	7.9	0.5	0	0	4.7	0	0	4.7	0
651	wt	R	007-13	5452	.	.	.	.	.	.	.	.	.	6.1	2	10.6	0.1	0	0	0	6.1	6.1	0	0
651	wt	R	640-00	223	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
651	wt	R	651-00	55	.	.	.	.	.	.	.	.	.	2.6	2	3.7	4.7	0	0	2.6	0	0	2.6	0
651	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	47.4	37	57.8	3.8	0	1.2	44	2.2	2.2	45.2	0
651	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	265.5	234.9	296.1	0.2	0	0	28.3	237.3	218.6	46.9	0
651	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
651	wt	R	SUM	165102	.	.	.	.	.	.	.	.	.	427.6	389.9	465.4	0.3	0	1.2	180.9	245.5	226.9	200.8	0
651	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	86.6	69.3	103.9	3.4	0	0	86.6	0	0	86.6	0
651	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	14.7	7.7	21.8	0.4	0	0	14.7	0	0	14.7	0
651	wt	SUM	007-11	996	.	.	.	.	.	.	.	.	.	4.7	2	7.9	0.5	0	0	4.7	0	0	4.7	0
651	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	9.1	3	15.3	0.6	0	0	6.4	2.7	2.7	6.4	0
651	wt	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	6.1	2	10.6	0.1	0	0	0	6.1	6.1	0	0
651	wt	SUM	640-00	297	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
651	wt	SUM	651-00	100	.	.	.	.	.	.	.	.	.	2.6	2	3.7	2.6	0	0	2.6	0	0	2.6	0
651	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	50.3	40.5	60.1	6.3	0	3	44.3	3	0	50.3	0
651	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	47.4	37	57.8	3.8	0	1.2	44	2.2	2.2	45.2	0
651	wt	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	5.2	1	10.8	0.3	0	0	5.2	0	0	5.2	0
651	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	335.1	300.4	369.9	0.2	0	0	30.5	304.6	285.9	49.2	0
651	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	1.4	1	2.8	.	0	0	1.4	0	0	1.4	0
651	wt	SUM	SUM	193293	.	.	.	.	.	.	.	.	.	564.5	521.3	607.6	0.3	0	4.3	241.6	318.5	296.9	267.6	0
652	all_deer	N	650-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
652	all_deer	N	652-00	3	.	.	.	.	.	.	.	.	.	3	2.8	3	100	0	0	3	0	0	3	0
652	all_deer	N	652-50	10	.	.	.	.	.	.	.	.	.	7.1	5.8	8.4	71	0	0	0	7.1	7.1	0	0
652	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
652	all_deer	N	SUM	24236	19.7	12.5	26.9	82.4	48.8	116	4.2	3.8	4.6	17.6	11.8	23.3	0.1	0	0	3	14.6	14.6	3	0
652	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	4.5	2	7.8	0.2	0	0	4.5	0	0	4.5	0
652	all_deer	R	650-00	90	.	.	.	.	.	.	.	.	.	1.3	1	2	1.4	0	0	1.3	0	0	1.3	0
652	all_deer	R	652-00	22	.	.	.	.	.	.	.	.	.	7.9	4.8	10.9	35.9	0	0	7.9	0	0	7.9	0
652	all_deer	R	652-50	90	.	.	.	.	.	.	.	.	.	44.8	41.5	48.1	49.8	0	0	0	44.8	44.8	0	0
652	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.1	0	0	1.3	0	0	1.3	0
652	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	11.6	7	16.2	0	0	0	0	11.6	11.6	0	0
652	all_deer	R	SUM	154608	119.7	104.2	135.2	575.4	485.3	665.5	4.8	4.3	5.3	71.3	64	78.7	0	0	0	15	56.4	56.4	15	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
652	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	4.5	2	7.8	0.2	0	0	4.5	0	0	4.5	0
652	all_deer	SUM	650-00	100	.	.	.	.	.	.	.	.	.	1.3	1	2	1.3	0	0	1.3	0	0	1.3	0
652	all_deer	SUM	652-00	25	.	.	.	.	.	.	.	.	.	10.9	7.8	13.9	43.6	0	0	10.9	0	0	10.9	0
652	all_deer	SUM	652-50	100	.	.	.	.	.	.	.	.	.	51.9	48.4	55.4	51.9	0	0	0	51.9	51.9	0	0
652	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.1	0	0	1.3	0	0	1.3	0
652	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	19	11.8	26.3	0	0	0	0	19	19	0	0
652	all_deer	SUM	SUM	178844	139.4	122.4	156.4	657.8	561.7	753.9	4.7	4.3	5.1	88.9	79.6	98.2	0	0	0	18	70.9	70.9	18	0
652	md	N	650-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
652	md	N	652-00	3	.	.	.	.	.	.	.	.	.	3	2.8	3	100	0	0	3	0	0	3	0
652	md	N	652-50	10	.	.	.	.	.	.	.	.	.	7.1	5.8	8.4	71	0	0	0	7.1	7.1	0	0
652	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
652	md	N	SUM	24236	.	.	.	.	.	.	.	.	.	17.6	11.8	23.3	0.1	0	0	3	14.6	14.6	3	0
652	md	R	650-00	90	.	.	.	.	.	.	.	.	.	1.3	1	2	1.4	0	0	1.3	0	0	1.3	0
652	md	R	652-00	22	.	.	.	.	.	.	.	.	.	7.9	4.8	10.9	35.9	0	0	7.9	0	0	7.9	0
652	md	R	652-50	90	.	.	.	.	.	.	.	.	.	44.8	41.5	48.1	49.8	0	0	0	44.8	44.8	0	0
652	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	3.8	2	6.6	0	0	0	0	3.8	3.8	0	0
652	md	R	SUM	150779	.	.	.	.	.	.	.	.	.	57.7	52.3	63	0	0	0	9.1	48.5	48.5	9.1	0
652	md	SUM	650-00	100	.	.	.	.	.	.	.	.	.	1.3	1	2	1.3	0	0	1.3	0	0	1.3	0
652	md	SUM	652-00	25	.	.	.	.	.	.	.	.	.	10.9	7.8	13.9	43.6	0	0	10.9	0	0	10.9	0
652	md	SUM	652-50	100	.	.	.	.	.	.	.	.	.	51.9	48.4	55.4	51.9	0	0	0	51.9	51.9	0	0
652	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	11.2	4.9	17.5	0	0	0	0	11.2	11.2	0	0
652	md	SUM	SUM	175015	.	.	.	.	.	.	.	.	.	75.2	67.4	83.1	0	0	0	12.1	63.1	63.1	12.1	0
652	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
652	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
652	wt	N	SUM	25011	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
652	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	4.5	2	7.8	0.2	0	0	4.5	0	0	4.5	0
652	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.1	0	0	1.3	0	0	1.3	0
652	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	7.8	5	11.5	0	0	0	0	7.8	7.8	0	0
652	wt	R	SUM	154406	.	.	.	.	.	.	.	.	.	13.7	8.6	18.7	0	0	0	5.8	7.8	7.8	5.8	0
652	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	4.5	2	7.8	0.2	0	0	4.5	0	0	4.5	0
652	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
652	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.1	0	0	1.3	0	0	1.3	0
652	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	7.8	5	11.5	0	0	0	0	7.8	7.8	0	0
652	wt	SUM	SUM	179417	.	.	.	.	.	.	.	.	.	13.7	8.6	18.7	0	0	0	5.8	7.8	7.8	5.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
670	all_deer	N	650-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
670	all_deer	N	670-00	132	.	.	.	.	.	.	.	.	.	83.2	78.2	88.1	63	0	2.8	71.9	8.5	7.1	76.1	0
670	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	75.5	64.5	86.6	9.5	0	4.5	71	0	0	75.5	0
670	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	214.9	187.1	242.7	0.9	0	0	6.3	208.6	208.6	6.3	0
670	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.6	.	0	0	0	1.7	1.7	0	0
670	all_deer	N	SUM	25153	410.5	374.2	446.8	1832.6	1649.1	2016.1	4.5	4.3	4.7	375.3	345	405.7	1.5	0	7.3	149.2	218.9	217.4	157.9	0
670	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	37.5	26.8	48.2	1.5	0	0	37.5	0	0	37.5	0
670	all_deer	R	650-00	90	.	.	.	.	.	.	.	.	.	1.2	1	2	1.3	0	0	1.2	0	0	1.2	0
670	all_deer	R	670-00	268	.	.	.	.	.	.	.	.	.	136.1	127.6	144.6	50.8	0	1.6	126.3	8.3	8.3	127.9	0
670	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	38.9	29.6	48.3	3.1	0	0	38.9	0	0	38.9	0
670	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	418.2	379.5	457	0.3	0	4.1	67.8	346.4	344.2	74.1	0
670	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
670	all_deer	R	SUM	154764	743.9	692.3	795.5	3184.1	2910.9	3457.3	4.3	4.1	4.5	632	589.9	674.1	0.4	0	5.6	271.7	354.7	352.4	279.6	0
670	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	37.5	26.8	48.2	1.5	0	0	37.5	0	0	37.5	0
670	all_deer	SUM	650-00	100	.	.	.	.	.	.	.	.	.	1.2	1	2	1.2	0	0	1.2	0	0	1.2	0
670	all_deer	SUM	670-00	400	.	.	.	.	.	.	.	.	.	219.3	209.4	229.1	54.8	0	4.4	198.1	16.8	15.3	203.9	0
670	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	75.5	64.5	86.6	9.5	0	4.5	71	0	0	75.5	0
670	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	38.9	29.6	48.3	3.1	0	0	38.9	0	0	38.9	0
670	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	633.2	585.5	680.8	0.4	0	4.1	74.1	555.1	552.8	80.4	0
670	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.6	.	0	0	0	1.7	1.7	0	0
670	all_deer	SUM	SUM	179917	1154.4	1091.2	1217.6	5016.7	4687.6	5345.8	4.3	4.1	4.5	1007.4	955.4	1059.3	0.6	0	12.9	420.9	573.6	569.9	437.5	0
670	md	N	650-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
670	md	N	670-00	132	.	.	.	.	.	.	.	.	.	73.6	68.6	78.5	55.8	0	2.8	65.2	5.6	4.2	69.4	0
670	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	151.2	127.9	174.5	0.6	0	0	5.1	146.1	146.1	5.1	0
670	md	N	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.6	.	0	0	0	1.7	1.7	0	0
670	md	N	SUM	24355	.	.	.	.	.	.	.	.	.	226.5	202.6	250.4	0.9	0	2.8	70.3	153.4	152	74.5	0
670	md	R	006-10	2581	.	.	.	.	.	.	.	.	.	4.2	2	7.4	0.2	0	0	4.2	0	0	4.2	0
670	md	R	650-00	90	.	.	.	.	.	.	.	.	.	1.2	1	2	1.3	0	0	1.2	0	0	1.2	0
670	md	R	670-00	268	.	.	.	.	.	.	.	.	.	133.3	124.7	141.8	49.7	0	1.6	125	6.7	6.7	126.6	0
670	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	281.4	249.9	312.9	0.2	0	0	44.6	236.8	234.6	46.8	0
670	md	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
670	md	R	SUM	153516	.	.	.	.	.	.	.	.	.	420.1	387.3	452.9	0.3	0	1.6	175	243.5	241.2	178.9	0
670	md	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	4.2	2	7.4	0.2	0	0	4.2	0	0	4.2	0
670	md	SUM	650-00	100	.	.	.	.	.	.	.	.	.	1.2	1	2	1.2	0	0	1.2	0	0	1.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
670	md	SUM	670-00	400	.	.	.	.	.	.	.	.	.	206.8	197	216.7	51.7	0	4.4	190.2	12.3	10.9	196	0
670	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	432.6	393.4	471.8	0.2	0	0	49.7	382.9	380.6	51.9	0
670	md	SUM	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.6	.	0	0	0	1.7	1.7	0	0
670	md	SUM	SUM	177871	.	.	.	.	.	.	.	.	.	646.6	606	687.2	0.4	0	4.4	245.3	396.9	393.2	253.4	0
670	wt	N	670-00	132	.	.	.	.	.	.	.	.	.	9.6	6.8	12.3	7.3	0	0	6.7	2.9	2.9	6.7	0
670	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	75.5	64.5	86.6	9.5	0	4.5	71	0	0	75.5	0
670	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	63.7	48.5	79	0.3	0	0	1.2	62.6	62.6	1.2	0
670	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
670	wt	N	SUM	25143	.	.	.	.	.	.	.	.	.	148.8	129.8	167.9	0.6	0	4.5	78.9	65.5	65.5	83.4	0
670	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	33.3	23	43.5	1.3	0	0	33.3	0	0	33.3	0
670	wt	R	670-00	268	.	.	.	.	.	.	.	.	.	2.9	2	4.3	1.1	0	0	1.3	1.6	1.6	1.3	0
670	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	38.9	29.6	48.3	3.1	0	0	38.9	0	0	38.9	0
670	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	136.9	114.3	159.4	0.1	0	4.1	23.2	109.6	109.6	27.3	0
670	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
670	wt	R	SUM	154674	.	.	.	.	.	.	.	.	.	211.9	185.4	238.4	0.1	0	4.1	96.7	111.2	111.2	100.7	0
670	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	33.3	23	43.5	1.3	0	0	33.3	0	0	33.3	0
670	wt	SUM	670-00	400	.	.	.	.	.	.	.	.	.	12.4	9.3	15.5	3.1	0	0	8	4.5	4.5	8	0
670	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	75.5	64.5	86.6	9.5	0	4.5	71	0	0	75.5	0
670	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	38.9	29.6	48.3	3.1	0	0	38.9	0	0	38.9	0
670	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	200.6	173.4	227.8	0.1	0	4.1	24.4	172.2	172.2	28.4	0
670	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
670	wt	SUM	SUM	179817	.	.	.	.	.	.	.	.	.	360.8	328.1	393.4	0.2	0	8.6	175.6	176.6	176.6	184.1	0
680	all_deer	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
680	all_deer	N	680-00	23	.	.	.	.	.	.	.	.	.	15.6	13.6	17.5	67.8	0	0	15.6	0	0	15.6	0
680	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
680	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	62.4	47	77.8	0.3	0	0	0	62.4	62.4	0	0
680	all_deer	N	SUM	25076	88.1	70.8	105.4	398.9	310.3	487.5	4.5	4.1	4.9	81	65.2	96.7	0.3	0	0	18.6	62.4	62.4	18.6	0
680	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	6.6	3	10.7	0.3	0	0	4.5	2.2	2.2	4.5	0
680	all_deer	R	401-00	358	.	.	.	.	.	.	.	.	.	1.6	1	2.6	0.4	0	0	0	1.6	1.6	0	0
680	all_deer	R	680-00	177	.	.	.	.	.	.	.	.	.	93.2	88.3	98.1	52.7	0	0	90.6	2.6	2.6	90.6	0
680	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	6.8	3	10.8	0.5	0	0	4.2	2.6	2.6	4.2	0
680	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	266.3	236.6	296.1	0.2	0	0	44.2	222.1	209.1	57.2	0
680	all_deer	R	SUM	154941	537.5	494.7	580.3	2549.2	2232	2866.4	4.7	4.3	5.1	374.5	343.8	405.2	0.2	0	0	143.6	231	218	156.5	0
680	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	6.6	3	10.7	0.3	0	0	4.5	2.2	2.2	4.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
680	all_deer	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.6	1	2.6	0.4	0	0	0	1.6	1.6	0	0
680	all_deer	SUM	680-00	200	.	.	.	.	.	.	.	.	.	108.8	103.5	114.1	54.4	0	0	106.2	2.6	2.6	106.2	0
680	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
680	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	6.8	3	10.8	0.5	0	0	4.2	2.6	2.6	4.2	0
680	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	328.7	295.2	362.2	0.2	0	0	44.2	284.5	271.5	57.2	0
680	all_deer	SUM	SUM	180017	625.6	579.5	671.7	2948.1	2618.9	3277.3	4.7	4.3	5.1	455.5	421	490	0.3	0	0	162.1	293.4	280.4	175.1	0
680	md	N	401-00	42	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
680	md	N	680-00	23	.	.	.	.	.	.	.	.	.	15.6	13.6	17.5	67.8	0	0	15.6	0	0	15.6	0
680	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	54.9	40.6	69.3	0.2	0	0	0	54.9	54.9	0	0
680	md	N	SUM	24278	.	.	.	.	.	.	.	.	.	70.5	56	85	0.3	0	0	15.6	54.9	54.9	15.6	0
680	md	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0.1	0	0	0	2.2	2.2	0	0
680	md	R	401-00	358	.	.	.	.	.	.	.	.	.	1.6	1	2.6	0.4	0	0	0	1.6	1.6	0	0
680	md	R	680-00	177	.	.	.	.	.	.	.	.	.	91.9	87	96.9	51.9	0	0	90.6	1.3	1.3	90.6	0
680	md	R	699-00	1248	.	.	.	.	.	.	.	.	.	2.6	1	5.2	0.2	0	0	0	2.6	2.6	0	0
680	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	238.1	210.1	266	0.2	0	0	37	201	189.7	48.4	0
680	md	R	SUM	154941	.	.	.	.	.	.	.	.	.	336.3	307.7	364.9	0.2	0	0	127.7	208.7	197.3	139	0
680	md	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.2	1	4.4	0.1	0	0	0	2.2	2.2	0	0
680	md	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1.6	1	2.6	0.4	0	0	0	1.6	1.6	0	0
680	md	SUM	680-00	200	.	.	.	.	.	.	.	.	.	107.5	102.2	112.8	53.8	0	0	106.2	1.3	1.3	106.2	0
680	md	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	2.6	1	5.2	0.2	0	0	0	2.6	2.6	0	0
680	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	293	261.6	324.4	0.2	0	0	37	256	244.6	48.4	0
680	md	SUM	SUM	179219	.	.	.	.	.	.	.	.	.	406.8	374.7	438.9	0.2	0	0	143.2	263.6	252.2	154.6	0
680	wt	N	680-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
680	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
680	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	7.5	2	13.1	0	0	0	0	7.5	7.5	0	0
680	wt	N	SUM	25034	.	.	.	.	.	.	.	.	.	10.5	4.2	16.8	0	0	0	3	7.5	7.5	3	0
680	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	4.5	2	7.8	0.2	0	0	4.5	0	0	4.5	0
680	wt	R	680-00	177	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.7	0	0	0	1.3	1.3	0	0
680	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	4.2	2	7.2	0.3	0	0	4.2	0	0	4.2	0
680	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	28.2	18	38.4	0	0	0	7.2	21.1	19.4	8.8	0
680	wt	R	SUM	154583	.	.	.	.	.	.	.	.	.	38.2	27.1	49.4	0	0	0	15.9	22.3	20.7	17.5	0
680	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	4.5	2	7.8	0.2	0	0	4.5	0	0	4.5	0
680	wt	SUM	680-00	200	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.7	0	0	0	1.3	1.3	0	0
680	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
680	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	4.2	2	7.2	0.3	0	0	4.2	0	0	4.2	0
680	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	35.7	24	47.3	0	0	0	7.2	28.5	26.9	8.8	0
680	wt	SUM	SUM	179617	.	.	.	.	.	.	.	.	.	48.7	35.9	61.5	0	0	0	18.9	29.8	28.2	20.5	0
690	all_deer	N	002-10	67	.	.	.	.	.	.	.	.	.	1.3	1	2.4	1.9	0	0	0	1.3	0	1.3	0
690	all_deer	N	417-00	57	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	all_deer	N	530-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	all_deer	N	600-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	all_deer	N	680-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	all_deer	N	690-00	10	.	.	.	.	.	.	.	.	.	2.4	2	3.3	24	0	0	2.4	0	0	2.4	0
690	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	27.6	19.6	35.6	3.5	0	3	24.6	0	0	27.6	0
690	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	230.2	199.7	260.7	1	0	0	14.9	215.3	215.3	14.9	0
690	all_deer	N	SUM	25215	320.4	285.4	355.4	1639.8	1447.8	1831.8	5.1	4.9	5.3	261.6	230	293.1	1	0	3	41.9	216.6	215.3	46.2	0
690	all_deer	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	56.1	42.6	69.6	2.2	0	3.7	52.4	0	0	56.1	0
690	all_deer	R	417-00	243	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.7	0	0	0	1.6	1.6	0	0
690	all_deer	R	530-00	223	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.7	0	0	1.5	0	0	1.5	0
690	all_deer	R	600-00	180	.	.	.	.	.	.	.	.	.	5.7	4	7.6	3.2	0	0	1.5	4.3	4.3	1.5	0
690	all_deer	R	680-00	177	.	.	.	.	.	.	.	.	.	5.4	4	7.1	3.1	0	0	1.3	4.1	4.1	1.3	0
690	all_deer	R	690-00	90	.	.	.	.	.	.	.	.	.	39.2	35.1	43.3	43.6	0	0	36.3	2.9	2.9	36.3	0
690	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	41.6	32.2	51.1	3.3	0	0	41.6	0	0	41.6	0
690	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	626.6	578.7	674.4	0.4	0	1.7	89.3	535.5	502.6	124	0
690	all_deer	R	SUM	156471	1413.9	1341.4	1486.4	6651.6	6189.5	7113.7	4.7	4.5	4.9	777.7	726.9	828.6	0.5	0	5.4	224	548.4	515.5	262.3	0
690	all_deer	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	1.3	1	2.4	0.1	0	0	0	1.3	0	1.3	0
690	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	56.1	42.6	69.6	2.2	0	3.7	52.4	0	0	56.1	0
690	all_deer	SUM	417-00	300	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.5	0	0	0	1.6	1.6	0	0
690	all_deer	SUM	530-00	250	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	1.5	0	0	1.5	0
690	all_deer	SUM	600-00	200	.	.	.	.	.	.	.	.	.	5.7	4	7.6	2.9	0	0	1.5	4.3	4.3	1.5	0
690	all_deer	SUM	680-00	200	.	.	.	.	.	.	.	.	.	5.4	4	7.1	2.7	0	0	1.3	4.1	4.1	1.3	0
690	all_deer	SUM	690-00	100	.	.	.	.	.	.	.	.	.	41.7	37.5	45.9	41.7	0	0	38.8	2.9	2.9	38.8	0
690	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	27.6	19.6	35.6	3.5	0	3	24.6	0	0	27.6	0
690	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	41.6	32.2	51.1	3.3	0	0	41.6	0	0	41.6	0
690	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	856.8	800	913.5	0.5	0	1.7	104.2	750.9	717.9	138.9	0
690	all_deer	SUM	SUM	181686	1734.3	1653.7	1814.9	8291.5	7791.1	8791.9	4.8	4.6	5	1039.3	979.4	1099.2	0.6	0	8.4	265.9	765	730.8	308.5	0
690	md	N	417-00	57	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
690	md	N	530-00	27	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	md	N	600-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	md	N	680-00	23	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	md	N	690-00	10	.	.	.	.	.	.	.	.	.	2.4	2	3.3	24	0	0	2.4	0	0	2.4	0
690	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	181.4	154.2	208.5	0.7	0	0	14.9	166.5	166.5	14.9	0
690	md	N	SUM	24350	.	.	.	.	.	.	.	.	.	183.8	156.6	211	0.8	0	0	17.3	166.5	166.5	17.3	0
690	md	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.3	1	4.8	0.1	0	0	2.3	0	0	2.3	0
690	md	R	417-00	243	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.7	0	0	0	1.6	1.6	0	0
690	md	R	530-00	223	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.7	0	0	1.5	0	0	1.5	0
690	md	R	600-00	180	.	.	.	.	.	.	.	.	.	4.3	3	5.9	2.4	0	0	1.5	2.8	2.8	1.5	0
690	md	R	680-00	177	.	.	.	.	.	.	.	.	.	5.4	4	7.1	3.1	0	0	1.3	4.1	4.1	1.3	0
690	md	R	690-00	90	.	.	.	.	.	.	.	.	.	33.3	29.3	37.3	37	0	0	33.3	0	0	33.3	0
690	md	R	699-00	1248	.	.	.	.	.	.	.	.	.	3.7	2	6.1	0.3	0	0	3.7	0	0	3.7	0
690	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	478.2	436.3	520.1	0.3	0	1.7	73.9	402.6	371.3	106.9	0
690	md	R	SUM	155319	.	.	.	.	.	.	.	.	.	530.3	488	572.6	0.3	0	1.7	117.5	411.1	379.8	150.5	0
690	md	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.3	1	4.8	0.1	0	0	2.3	0	0	2.3	0
690	md	SUM	417-00	300	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.5	0	0	0	1.6	1.6	0	0
690	md	SUM	530-00	250	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.6	0	0	1.5	0	0	1.5	0
690	md	SUM	600-00	200	.	.	.	.	.	.	.	.	.	4.3	3	5.9	2.1	0	0	1.5	2.8	2.8	1.5	0
690	md	SUM	680-00	200	.	.	.	.	.	.	.	.	.	5.4	4	7.1	2.7	0	0	1.3	4.1	4.1	1.3	0
690	md	SUM	690-00	100	.	.	.	.	.	.	.	.	.	35.8	31.7	39.8	35.8	0	0	35.8	0	0	35.8	0
690	md	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	3.7	2	6.1	0.3	0	0	3.7	0	0	3.7	0
690	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	659.5	609.6	709.5	0.4	0	1.7	88.8	569	537.7	121.8	0
690	md	SUM	SUM	179669	.	.	.	.	.	.	.	.	.	714.1	663.8	764.4	0.4	0	1.7	134.8	577.6	546.2	167.8	0
690	wt	N	002-10	67	.	.	.	.	.	.	.	.	.	1.3	1	2.4	1.9	0	0	0	1.3	0	1.3	0
690	wt	N	600-00	20	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	wt	N	690-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	27.6	19.6	35.6	3.5	0	3	24.6	0	0	27.6	0
690	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	48.9	34.9	62.8	0.2	0	0	0	48.9	48.9	0	0
690	wt	N	SUM	25108	.	.	.	.	.	.	.	.	.	77.8	61.6	93.9	0.3	0	3	24.6	50.2	48.9	28.9	0
690	wt	R	002-10	1152	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
690	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	53.8	40.5	67	2.1	0	3.7	50.1	0	0	53.8	0
690	wt	R	600-00	180	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.8	0	0	0	1.5	1.5	0	0
690	wt	R	690-00	90	.	.	.	.	.	.	.	.	.	5.9	4	8	6.6	0	0	3	2.9	2.9	3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
690	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	37.9	28.7	47.1	3	0	0	37.9	0	0	37.9	0
690	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	148.4	125.2	171.6	0.1	0	0	15.4	133	131.3	17	0
690	wt	R	SUM	155828	.	.	.	.	.	.	.	.	.	247.4	219.1	275.8	0.2	0	3.7	106.5	137.3	135.7	111.8	0
690	wt	SUM	002-10	1219	.	.	.	.	.	.	.	.	.	1.3	1	2.4	0.1	0	0	0	1.3	0	1.3	0
690	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	53.8	40.5	67	2.1	0	3.7	50.1	0	0	53.8	0
690	wt	SUM	600-00	200	.	.	.	.	.	.	.	.	.	1.5	1	2.5	0.8	0	0	0	1.5	1.5	0	0
690	wt	SUM	690-00	100	.	.	.	.	.	.	.	.	.	5.9	4	8	5.9	0	0	3	2.9	2.9	3	0
690	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	27.6	19.6	35.6	3.5	0	3	24.6	0	0	27.6	0
690	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	37.9	28.7	47.1	3	0	0	37.9	0	0	37.9	0
690	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	197.2	170.2	224.3	0.1	0	0	15.4	181.8	180.2	17	0
690	wt	SUM	SUM	180936	.	.	.	.	.	.	.	.	.	325.2	292.6	357.8	0.2	0	6.7	131.1	187.5	184.5	140.7	0
6XX	all_deer	N	670-00	72	.	.	.	.	.	.	.	.	.	1.5	1	2.4	2.1	0	0	1.5	0	0	1.5	0
6XX	all_deer	N	698-00	712	.	.	.	.	.	.	.	.	.	4.4	2	7.3	0.6	0	0	4.4	0	0	4.4	0
6XX	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	14.5	7.7	21.3	0.1	0	0	1.9	12.6	12.6	1.9	0
6XX	all_deer	N	SUM	24997	22.7	14.2	31.2	122.9	71.5	174.3	5.4	4.3	6.5	20.3	12.9	27.7	0.1	0	0	7.7	12.6	12.6	7.7	0
6XX	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	5.7	2	10.2	0.2	0	0	5.7	0	0	5.7	0
6XX	all_deer	R	600-00	180	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.7	0	0	1.3	0	0	1.3	0
6XX	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	18.4	12.3	24.5	1.5	0	0	18.4	0	0	18.4	0
6XX	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	34.3	24	44.5	0	0	0	0	34.3	34.3	0	0
6XX	all_deer	R	SUM	154586	68.5	53.2	83.8	358.8	265.2	452.4	5.2	4.5	5.9	59.7	46.9	72.4	0	0	0	25.4	34.3	34.3	25.4	0
6XX	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	5.7	2	10.2	0.2	0	0	5.7	0	0	5.7	0
6XX	all_deer	SUM	600-00	180	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.7	0	0	1.3	0	0	1.3	0
6XX	all_deer	SUM	670-00	72	.	.	.	.	.	.	.	.	.	1.5	1	2.4	2.1	0	0	1.5	0	0	1.5	0
6XX	all_deer	SUM	698-00	712	.	.	.	.	.	.	.	.	.	4.4	2	7.3	0.6	0	0	4.4	0	0	4.4	0
6XX	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	18.4	12.3	24.5	1.5	0	0	18.4	0	0	18.4	0
6XX	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	48.7	36.5	61	0	0	0	1.9	46.9	46.9	1.9	0
6XX	all_deer	SUM	SUM	179583	91.1	73.7	108.5	481.8	375	588.6	5.3	4.7	5.9	80	65.2	94.8	0	0	0	33.1	46.9	46.9	33.1	0
6XX	md	N	670-00	72	.	.	.	.	.	.	.	.	.	1.5	1	2.4	2.1	0	0	1.5	0	0	1.5	0
6XX	md	N	698-00	712	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
6XX	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	5.2	3	8.4	0	0	0	0	5.2	5.2	0	0
6XX	md	N	SUM	24997	.	.	.	.	.	.	.	.	.	8.8	5	12.8	0	0	0	3.6	5.2	5.2	3.6	0
6XX	md	R	600-00	180	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.7	0	0	1.3	0	0	1.3	0
6XX	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	18.8	11.4	26.1	0	0	0	0	18.8	18.8	0	0
6XX	md	R	SUM	150757	.	.	.	.	.	.	.	.	.	20	12.6	27.4	0	0	0	1.3	18.8	18.8	1.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
6XX	md	SUM	600-00	180	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.7	0	0	1.3	0	0	1.3	0
6XX	md	SUM	670-00	72	.	.	.	.	.	.	.	.	.	1.5	1	2.4	2.1	0	0	1.5	0	0	1.5	0
6XX	md	SUM	698-00	712	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
6XX	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	23.9	15.9	31.9	0	0	0	0	23.9	23.9	0	0
6XX	md	SUM	SUM	175754	.	.	.	.	.	.	.	.	.	28.8	20.5	37.2	0	0	0	4.9	23.9	23.9	4.9	0
6XX	wt	N	698-00	712	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
6XX	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	9.3	3.4	15.3	0	0	0	1.9	7.5	7.5	1.9	0
6XX	wt	N	SUM	24925	.	.	.	.	.	.	.	.	.	11.5	5.2	17.8	0	0	0	4	7.5	7.5	4	0
6XX	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	5.7	2	10.2	0.2	0	0	5.7	0	0	5.7	0
6XX	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	18.4	12.3	24.5	1.5	0	0	18.4	0	0	18.4	0
6XX	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	15.5	8.3	22.7	0	0	0	0	15.5	15.5	0	0
6XX	wt	R	SUM	154406	.	.	.	.	.	.	.	.	.	39.7	29.3	50.1	0	0	0	24.2	15.5	15.5	24.2	0
6XX	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	5.7	2	10.2	0.2	0	0	5.7	0	0	5.7	0
6XX	wt	SUM	698-00	712	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
6XX	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	18.4	12.3	24.5	1.5	0	0	18.4	0	0	18.4	0
6XX	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	24.8	15.5	34.1	0	0	0	1.9	23	23	1.9	0
6XX	wt	SUM	SUM	179331	.	.	.	.	.	.	.	.	.	51.2	39	63.3	0	0	0	28.2	23	23	28.2	0
700	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	74.3	56	92.6	4.7	0	2.7	64.2	7.4	7.4	66.9	0
700	all_deer	N	401-00	42	.	.	.	.	.	.	.	.	.	1	1	1.6	2.4	0	0	1	0	0	1	0
700	all_deer	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	all_deer	N	560-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	all_deer	N	575-00	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	all_deer	N	599-00	73	.	.	.	.	.	.	.	.	.	2	1	3.7	2.7	0	0	2	0	0	2	0
700	all_deer	N	630-00	150	.	.	.	.	.	.	.	.	.	1.9	1	3.3	1.3	0	0	1.9	0	0	1.9	0
700	all_deer	N	650-00	10	.	.	.	.	.	.	.	.	.	1.5	1	2.7	15	0	0	1.5	0	0	1.5	0
700	all_deer	N	670-00	132	.	.	.	.	.	.	.	.	.	2.6	2	3.9	2	0	0	1.3	1.3	1.3	1.3	0
700	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
700	all_deer	N	797-00	1495	.	.	.	.	.	.	.	.	.	156.4	130.6	182.2	10.5	0	5.2	151.3	0	0	156.4	0
700	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	668.8	618	719.5	2.8	0	0	16.3	652.5	650.2	18.6	0
700	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	7.5	2	13.2	.	0	0	7.5	0	0	7.5	0
700	all_deer	N	SUM	28641	1138.3	1072.2	1204.4	6345	5907.9	6782.1	5.6	5.4	5.8	919.1	858.8	979.3	3.2	0	7.8	250	661.2	658.9	260.1	0
700	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	5.4	2	9.5	0.1	0	0	5.4	0	0	5.4	0
700	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0.1	0	0	2.2	0	0	2.2	0
700	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	149.2	127.6	170.8	3.8	0	2.3	138.9	8	8	141.2	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
700	all_deer	R	007-11	996	.	.	.	.	.	.	.	.	.	55.2	44.8	65.5	5.5	0	0	55.2	0	0	55.2	0
700	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	448.1	411.4	484.9	8.2	0	13.1	435	0	0	448.1	0
700	all_deer	R	007-14	100	.	.	.	.	.	.	.	.	.	32.5	28.6	36.4	32.5	0	0	32.5	0	0	32.5	0
700	all_deer	R	401-00	358	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	all_deer	R	404-00	754	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.2	0	0	1.6	0	0	1.6	0
700	all_deer	R	560-00	282	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.6	0	0	1.6	0	0	1.6	0
700	all_deer	R	575-00	448	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.4	0	0	0	1.6	1.6	0	0
700	all_deer	R	599-00	1926	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	all_deer	R	630-00	348	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	all_deer	R	650-00	90	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	all_deer	R	670-00	268	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	2.4	1	4.9	0.2	0	0	2.4	0	0	2.4	0
700	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	960.8	904.3	1017.4	0.6	0	5.4	76.7	878.7	867.6	87.9	5.3
700	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	16.7	8.6	24.8	.	0	0	16.7	0	0	16.7	0
700	all_deer	R	SUM	176727	1824.3	1745.4	1903.2	8987.4	8457.6	9517.2	4.9	4.7	5.1	1677.3	1604.9	1749.7	0.9	0	20.8	768.2	888.3	877.2	794.8	5.3
700	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	5.4	2	9.5	0.1	0	0	5.4	0	0	5.4	0
700	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0.1	0	0	2.2	0	0	2.2	0
700	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	149.2	127.6	170.8	3.8	0	2.3	138.9	8	8	141.2	0
700	all_deer	SUM	007-11	996	.	.	.	.	.	.	.	.	.	55.2	44.8	65.5	5.5	0	0	55.2	0	0	55.2	0
700	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	74.3	56	92.6	4.7	0	2.7	64.2	7.4	7.4	66.9	0
700	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	448.1	411.4	484.9	8.2	0	13.1	435	0	0	448.1	0
700	all_deer	SUM	007-14	100	.	.	.	.	.	.	.	.	.	32.5	28.6	36.4	32.5	0	0	32.5	0	0	32.5	0
700	all_deer	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1	1	1.6	0.2	0	0	1	0	0	1	0
700	all_deer	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.2	0	0	1.6	0	0	1.6	0
700	all_deer	SUM	560-00	350	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.5	0	0	1.6	0	0	1.6	0
700	all_deer	SUM	575-00	499	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.3	0	0	0	1.6	1.6	0	0
700	all_deer	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	2	1	3.7	0.1	0	0	2	0	0	2	0
700	all_deer	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0.4	0	0	1.9	0	0	1.9	0
700	all_deer	SUM	650-00	100	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.5	0	0	1.5	0	0	1.5	0
700	all_deer	SUM	670-00	400	.	.	.	.	.	.	.	.	.	2.6	2	3.9	0.7	0	0	1.3	1.3	1.3	1.3	0
700	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
700	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	2.4	1	4.9	0.2	0	0	2.4	0	0	2.4	0
700	all_deer	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	156.4	130.6	182.2	10.5	0	5.2	151.3	0	0	156.4	0
700	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1629.6	1553.6	1705.6	0.9	0	5.4	93	1531.2	1517.8	106.5	5.3

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
700	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	24.2	14.4	34.1	.	0	0	24.2	0	0	24.2	0
700	all_deer	SUM	SUM	205368	2962.6	2859.7	3065.5	15332.4	14645.6	16019.2	5.2	5.1	5.3	2596.4	2502.2	2690.5	1.3	0	28.6	1018.2	1549.5	1536.1	1054.9	5.3
700	md	N	007-12	1566	.	.	.	.	.	.	.	.	.	23.2	12.5	33.9	1.5	0	0	15.8	7.4	7.4	15.8	0
700	md	N	401-00	42	.	.	.	.	.	.	.	.	.	1	1	1.6	2.4	0	0	1	0	0	1	0
700	md	N	404-00	43	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	md	N	560-00	68	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	md	N	575-00	51	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	md	N	630-00	150	.	.	.	.	.	.	.	.	.	1.9	1	3.3	1.3	0	0	1.9	0	0	1.9	0
700	md	N	650-00	10	.	.	.	.	.	.	.	.	.	1.5	1	2.7	15	0	0	1.5	0	0	1.5	0
700	md	N	670-00	132	.	.	.	.	.	.	.	.	.	2.6	2	3.9	2	0	0	1.3	1.3	1.3	1.3	0
700	md	N	797-00	1495	.	.	.	.	.	.	.	.	.	153.6	127.9	179.3	10.3	0	5.2	148.4	0	0	153.6	0
700	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	618.7	569.8	667.6	2.6	0	0	16.3	602.4	602.4	16.3	0
700	md	N	none	.	.	.	.	.	.	.	.	.	.	7.5	2	13.2	.	0	0	7.5	0	0	7.5	0
700	md	N	SUM	27770	.	.	.	.	.	.	.	.	.	810	753.4	866.6	2.9	0	5.2	193.7	611.1	611.1	198.9	0
700	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4	0	0	0	2	0	0	2	0
700	md	R	007-10	3970	.	.	.	.	.	.	.	.	.	23.5	14.5	32.6	0.6	0	0	15.5	8	8	15.5	0
700	md	R	007-11	996	.	.	.	.	.	.	.	.	.	4.3	2	7.3	0.4	0	0	4.3	0	0	4.3	0
700	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	444.3	407.7	480.8	8.1	0	13.1	431.2	0	0	444.3	0
700	md	R	007-14	100	.	.	.	.	.	.	.	.	.	32.5	28.6	36.4	32.5	0	0	32.5	0	0	32.5	0
700	md	R	401-00	358	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	md	R	404-00	754	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.2	0	0	1.6	0	0	1.6	0
700	md	R	560-00	282	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.6	0	0	1.6	0	0	1.6	0
700	md	R	575-00	448	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.4	0	0	0	1.6	1.6	0	0
700	md	R	630-00	348	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	md	R	650-00	90	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	md	R	670-00	268	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	800.4	748.6	852.2	0.5	0	1.5	48.5	750.3	739.2	55.9	5.3
700	md	R	none	.	.	.	.	.	.	.	.	.	.	14.6	6.8	22.4	.	0	0	14.6	0	0	14.6	0
700	md	R	SUM	170972	.	.	.	.	.	.	.	.	.	1326.4	1261.7	1391.1	0.8	0	14.6	551.8	759.9	748.8	572.2	5.3
700	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2	1	4	0	0	0	2	0	0	2	0
700	md	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	23.5	14.5	32.6	0.6	0	0	15.5	8	8	15.5	0
700	md	SUM	007-11	996	.	.	.	.	.	.	.	.	.	4.3	2	7.3	0.4	0	0	4.3	0	0	4.3	0
700	md	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	23.2	12.5	33.9	1.5	0	0	15.8	7.4	7.4	15.8	0
700	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	444.3	407.7	480.8	8.1	0	13.1	431.2	0	0	444.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
700	md	SUM	007-14	100	.	.	.	.	.	.	.	.	.	32.5	28.6	36.4	32.5	0	0	32.5	0	0	32.5	0
700	md	SUM	401-00	400	.	.	.	.	.	.	.	.	.	1	1	1.6	0.2	0	0	1	0	0	1	0
700	md	SUM	404-00	797	.	.	.	.	.	.	.	.	.	1.6	1	2.8	0.2	0	0	1.6	0	0	1.6	0
700	md	SUM	560-00	350	.	.	.	.	.	.	.	.	.	1.6	1	2.7	0.5	0	0	1.6	0	0	1.6	0
700	md	SUM	575-00	499	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.3	0	0	0	1.6	1.6	0	0
700	md	SUM	630-00	498	.	.	.	.	.	.	.	.	.	1.9	1	3.3	0.4	0	0	1.9	0	0	1.9	0
700	md	SUM	650-00	100	.	.	.	.	.	.	.	.	.	1.5	1	2.7	1.5	0	0	1.5	0	0	1.5	0
700	md	SUM	670-00	400	.	.	.	.	.	.	.	.	.	2.6	2	3.9	0.7	0	0	1.3	1.3	1.3	1.3	0
700	md	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	153.6	127.9	179.3	10.3	0	5.2	148.4	0	0	153.6	0
700	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1419.1	1347.9	1490.3	0.8	0	1.5	64.8	1352.7	1341.6	72.2	5.3
700	md	SUM	none	.	.	.	.	.	.	.	.	.	.	22.2	12.6	31.8	.	0	0	22.2	0	0	22.2	0
700	md	SUM	SUM	198742	.	.	.	.	.	.	.	.	.	2136.4	2050.4	2222.4	1.1	0	19.8	745.6	1371	1359.9	771.1	5.3
700	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	51.1	36	66.2	3.3	0	2.7	48.5	0	0	51.1	0
700	wt	N	599-00	73	.	.	.	.	.	.	.	.	.	2	1	3.7	2.7	0	0	2	0	0	2	0
700	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
700	wt	N	797-00	1495	.	.	.	.	.	.	.	.	.	2.8	1	5.9	0.2	0	0	2.8	0	0	2.8	0
700	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	50.1	36.1	64.1	0.2	0	0	0	50.1	47.8	2.3	0
700	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
700	wt	N	SUM	28145	.	.	.	.	.	.	.	.	.	109.1	88	130.2	0.4	0	2.7	56.3	50.1	47.8	61.3	0
700	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
700	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0.1	0	0	2.2	0	0	2.2	0
700	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	123	103.4	142.6	3.1	0	2.3	120.7	0	0	123	0
700	wt	R	007-11	996	.	.	.	.	.	.	.	.	.	50.9	40.9	60.8	5.1	0	0	50.9	0	0	50.9	0
700	wt	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
700	wt	R	599-00	1926	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
700	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	2.4	1	4.9	0.2	0	0	2.4	0	0	2.4	0
700	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	156.4	133.8	178.9	0.1	0	3.9	28.2	124.3	124.3	32	0
700	wt	R	none	.	.	.	.	.	.	.	.	.	.	2	1	4.2	.	0	0	2	0	0	2	0
700	wt	R	SUM	174079	.	.	.	.	.	.	.	.	.	344.2	312	376.4	0.2	0	6.2	213.7	124.3	124.3	219.9	0
700	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	3.4	0	0	3.4	0
700	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.2	1	4.5	0.1	0	0	2.2	0	0	2.2	0
700	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	123	103.4	142.6	3.1	0	2.3	120.7	0	0	123	0
700	wt	SUM	007-11	996	.	.	.	.	.	.	.	.	.	50.9	40.9	60.8	5.1	0	0	50.9	0	0	50.9	0
700	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	51.1	36	66.2	3.3	0	2.7	48.5	0	0	51.1	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
700	wt	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.9	1	7.9	0.1	0	0	3.9	0	0	3.9	0
700	wt	SUM	599-00	1999	.	.	.	.	.	.	.	.	.	2	1	3.7	0.1	0	0	2	0	0	2	0
700	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
700	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	2.4	1	4.9	0.2	0	0	2.4	0	0	2.4	0
700	wt	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	2.8	1	5.9	0.2	0	0	2.8	0	0	2.8	0
700	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	206.5	179.9	233	0.1	0	3.9	28.2	174.4	172.2	34.3	0
700	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	2	1	4.2	.	0	0	2	0	0	2	0
700	wt	SUM	SUM	202224	.	.	.	.	.	.	.	.	.	453.3	414.8	491.8	0.2	0	8.8	270	174.4	172.2	281.1	0
701	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	0	4.1	4.1	0	0
701	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	72.5	54.3	90.7	4.6	0	14.2	53.6	4.7	4.7	67.8	0
701	all_deer	N	121-00	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
701	all_deer	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
701	all_deer	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
701	all_deer	N	797-00	1495	.	.	.	.	.	.	.	.	.	103.9	82.8	125	6.9	0	0	103.9	0	0	103.9	0
701	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	404.4	364.6	444.2	1.7	0	0	7.5	397	397	7.5	0
701	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
701	all_deer	N	SUM	28397	781	725.6	836.4	3608.3	3321.1	3895.5	4.6	4.4	4.8	586.2	537.4	635	2.1	0	14.2	166.3	405.8	405.8	180.5	0
701	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.6	1	5.2	0	0	0	2.6	0	0	2.6	0
701	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	293.4	262.1	324.7	7.4	0	22.2	264.1	7.1	7.1	286.3	0
701	all_deer	R	007-11	996	.	.	.	.	.	.	.	.	.	114	98.9	129	11.4	0	6.7	107.3	0	0	114	0
701	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	311.5	279.5	343.5	5.7	0	9.9	298.6	3.1	3.1	308.5	0
701	all_deer	R	007-14	100	.	.	.	.	.	.	.	.	.	4.3	3	6	4.3	0	0	4.3	0	0	4.3	0
701	all_deer	R	121-00	368	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.4	0	0	1.3	0	0	1.3	0
701	all_deer	R	333-01	285	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	0	1.5	1.5	0	0
701	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	892	836.9	947.1	0.6	0	10.1	68.7	813.2	799.7	90.9	1.4
701	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	6	2	10.7	.	0	0	6	0	0	6	0
701	all_deer	R	SUM	169077	2038.8	1953.7	2123.9	8676.7	8036.7	9316.7	4.3	4	4.6	1626.5	1553.7	1699.4	1	0	48.8	752.8	824.9	811.4	813.7	1.4
701	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.6	1	5.2	0	0	0	2.6	0	0	2.6	0
701	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	0	4.1	4.1	0	0
701	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	293.4	262.1	324.7	7.4	0	22.2	264.1	7.1	7.1	286.3	0
701	all_deer	SUM	007-11	996	.	.	.	.	.	.	.	.	.	114	98.9	129	11.4	0	6.7	107.3	0	0	114	0
701	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	72.5	54.3	90.7	4.6	0	14.2	53.6	4.7	4.7	67.8	0
701	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	311.5	279.5	343.5	5.7	0	9.9	298.6	3.1	3.1	308.5	0
701	all_deer	SUM	007-14	100	.	.	.	.	.	.	.	.	.	4.3	3	6	4.3	0	0	4.3	0	0	4.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
701	all_deer	SUM	121-00	399	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.3	0	0	1.3	0	0	1.3	0
701	all_deer	SUM	333-01	300	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	0	1.5	1.5	0	0
701	all_deer	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
701	all_deer	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	103.9	82.8	125	6.9	0	0	103.9	0	0	103.9	0
701	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1296.4	1228.4	1364.4	0.7	0	10.1	76.1	1210.2	1196.7	98.3	1.4
701	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	6	2	10.7	.	0	0	6	0	0	6	0
701	all_deer	SUM	SUM	197474	2819.8	2718.3	2921.3	12285	11583.6	12986.4	4.4	4.2	4.6	2212.8	2125.1	2300.5	1.1	0	63	919.1	1230.7	1217.2	994.2	1.4
701	md	N	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	0	4.1	4.1	0	0
701	md	N	007-12	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	0	4.7	4.7	0	0
701	md	N	797-00	1495	.	.	.	.	.	.	.	.	.	101	80.1	121.9	6.8	0	0	101	0	0	101	0
701	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	348.6	311.7	385.5	1.4	0	0	6	342.5	342.5	6	0
701	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
701	md	N	SUM	28051	.	.	.	.	.	.	.	.	.	458.4	415.4	501.3	1.6	0	0	107.1	351.3	351.3	107.1	0
701	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.6	1	5.2	0	0	0	2.6	0	0	2.6	0
701	md	R	007-10	3970	.	.	.	.	.	.	.	.	.	13.7	6.4	21.1	0.3	0	0	6.6	7.1	7.1	6.6	0
701	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	304.9	273.1	336.7	5.6	0	7.7	294.2	3.1	3.1	301.9	0
701	md	R	007-14	100	.	.	.	.	.	.	.	.	.	2.8	2	4.2	2.8	0	0	2.8	0	0	2.8	0
701	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	613.3	567.1	659.4	0.4	0	1.6	49.3	562.3	550.7	61.1	1.4
701	md	R	none	.	.	.	.	.	.	.	.	.	.	6	2	10.7	.	0	0	6	0	0	6	0
701	md	R	SUM	167428	.	.	.	.	.	.	.	.	.	943.4	886.6	1000.2	0.6	0	9.3	361.5	572.5	560.9	381	1.4
701	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.6	1	5.2	0	0	0	2.6	0	0	2.6	0
701	md	SUM	003-12	777	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0.5	0	0	0	4.1	4.1	0	0
701	md	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	13.7	6.4	21.1	0.3	0	0	6.6	7.1	7.1	6.6	0
701	md	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	4.7	1	9.8	0.3	0	0	0	4.7	4.7	0	0
701	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	304.9	273.1	336.7	5.6	0	7.7	294.2	3.1	3.1	301.9	0
701	md	SUM	007-14	100	.	.	.	.	.	.	.	.	.	2.8	2	4.2	2.8	0	0	2.8	0	0	2.8	0
701	md	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	101	80.1	121.9	6.8	0	0	101	0	0	101	0
701	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	961.9	902.8	1021	0.6	0	1.6	55.4	904.9	893.3	67.2	1.4
701	md	SUM	none	.	.	.	.	.	.	.	.	.	.	6	2	10.7	.	0	0	6	0	0	6	0
701	md	SUM	SUM	195479	.	.	.	.	.	.	.	.	.	1401.7	1330.5	1473	0.7	0	9.3	468.6	923.8	912.2	488.1	1.4
701	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	67.8	50.2	85.3	4.3	0	14.2	53.6	0	0	67.8	0
701	wt	N	121-00	31	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
701	wt	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
701	wt	N	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
701	wt	N	797-00	1495	.	.	.	.	.	.	.	.	.	2.9	1	6.1	0.2	0	0	2.9	0	0	2.9	0
701	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	55.8	40.7	71	0.2	0	0	1.4	54.4	54.4	1.4	0
701	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
701	wt	N	SUM	27620	.	.	.	.	.	.	.	.	.	127.8	104.5	151.2	0.5	0	14.2	59.3	54.4	54.4	73.4	0
701	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	279.7	249.1	310.2	7	0	22.2	257.5	0	0	279.7	0
701	wt	R	007-11	996	.	.	.	.	.	.	.	.	.	114	98.9	129	11.4	0	6.7	107.3	0	0	114	0
701	wt	R	007-13	5452	.	.	.	.	.	.	.	.	.	6.6	3	10.6	0.1	0	2.1	4.5	0	0	6.6	0
701	wt	R	007-14	100	.	.	.	.	.	.	.	.	.	1.5	1	2.5	1.5	0	0	1.5	0	0	1.5	0
701	wt	R	121-00	368	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.4	0	0	1.3	0	0	1.3	0
701	wt	R	333-01	285	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	0	1.5	1.5	0	0
701	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	275.5	245.3	305.7	0.2	0	8.4	19.3	247.8	245.8	29.7	0
701	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
701	wt	R	SUM	161748	.	.	.	.	.	.	.	.	.	680	634.3	725.7	0.4	0	39.5	391.3	249.3	247.3	432.7	0
701	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	279.7	249.1	310.2	7	0	22.2	257.5	0	0	279.7	0
701	wt	SUM	007-11	996	.	.	.	.	.	.	.	.	.	114	98.9	129	11.4	0	6.7	107.3	0	0	114	0
701	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	67.8	50.2	85.3	4.3	0	14.2	53.6	0	0	67.8	0
701	wt	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	6.6	3	10.6	0.1	0	2.1	4.5	0	0	6.6	0
701	wt	SUM	007-14	100	.	.	.	.	.	.	.	.	.	1.5	1	2.5	1.5	0	0	1.5	0	0	1.5	0
701	wt	SUM	121-00	399	.	.	.	.	.	.	.	.	.	1.3	1	2.1	0.3	0	0	1.3	0	0	1.3	0
701	wt	SUM	333-01	300	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	0	1.5	1.5	0	0
701	wt	SUM	498-00	300	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.4	0	0	1.3	0	0	1.3	0
701	wt	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	2.9	1	6.1	0.2	0	0	2.9	0	0	2.9	0
701	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	331.4	297.6	365.2	0.2	0	8.4	20.8	302.2	300.2	31.1	0
701	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
701	wt	SUM	SUM	189368	.	.	.	.	.	.	.	.	.	807.9	756.5	859.2	0.4	0	53.6	450.6	303.7	301.8	506.1	0
702	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
702	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	30.1	18.8	41.3	1.9	0	4.7	25.3	0	0	30.1	0
702	all_deer	N	326-01	24	.	.	.	.	.	.	.	.	.	2.2	1	3.9	9.2	0	2.2	0	0	0	2.2	0
702	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
702	all_deer	N	797-00	1495	.	.	.	.	.	.	.	.	.	47.5	32	62.9	3.2	0	0	42.3	5.2	5.2	42.3	0
702	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	433.8	391.9	475.6	1.8	0	0	0	433.8	433.8	0	0
702	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	3.8	0	0	0	3.8	0
702	all_deer	N	SUM	28873	612.4	562.8	662	2858.6	2604.6	3112.6	4.7	4.5	4.9	521.9	475.6	568.3	1.8	0	10.7	72.3	438.9	438.9	83	0
702	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	54	40.4	67.5	1.4	0	2.3	51.7	0	0	54	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
702	all_deer	R	007-11	996	.	.	.	.	.	.	.	.	.	31.1	23.2	39	3.1	0	2.4	28.8	0	0	31.1	0
702	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	276.6	245.8	307.3	5.1	0	8.7	264.9	3.1	3.1	273.5	0
702	all_deer	R	007-14	100	.	.	.	.	.	.	.	.	.	9	6.5	11.5	9	0	0	9	0	0	9	0
702	all_deer	R	326-01	155	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
702	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	762.7	710.2	815.2	0.5	0	10.6	69.3	682.9	680.4	82.3	0
702	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	8.1	4	12.4	.	0	0	8.1	0	0	8.1	0
702	all_deer	R	SUM	161250	1463.2	1390	1536.4	5995	5571.1	6418.9	4.1	3.9	4.3	1141.4	1078.4	1204.5	0.7	0	23.8	431.7	685.9	683.5	458	0
702	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
702	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	54	40.4	67.5	1.4	0	2.3	51.7	0	0	54	0
702	all_deer	SUM	007-11	996	.	.	.	.	.	.	.	.	.	31.1	23.2	39	3.1	0	2.4	28.8	0	0	31.1	0
702	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	30.1	18.8	41.3	1.9	0	4.7	25.3	0	0	30.1	0
702	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	276.6	245.8	307.3	5.1	0	8.7	264.9	3.1	3.1	273.5	0
702	all_deer	SUM	007-14	100	.	.	.	.	.	.	.	.	.	9	6.5	11.5	9	0	0	9	0	0	9	0
702	all_deer	SUM	326-01	179	.	.	.	.	.	.	.	.	.	2.2	1	3.9	1.2	0	2.2	0	0	0	2.2	0
702	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
702	all_deer	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	47.5	32	62.9	3.2	0	0	42.3	5.2	5.2	42.3	0
702	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1196.5	1129.4	1263.7	0.7	0	10.6	69.3	1116.7	1114.2	82.3	0
702	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	11.8	6	17.7	.	0	3.8	8.1	0	0	11.8	0
702	all_deer	SUM	SUM	190123	2075.6	1987.2	2164	8853.6	8359.3	9347.9	4.3	4.1	4.5	1663.4	1585.1	1741.6	0.9	0	34.5	504	1124.9	1122.4	541	0
702	md	N	007-12	1566	.	.	.	.	.	.	.	.	.	2.8	1	5.9	0.2	0	0	2.8	0	0	2.8	0
702	md	N	326-01	24	.	.	.	.	.	.	.	.	.	2.2	1	3.9	9.2	0	2.2	0	0	0	2.2	0
702	md	N	797-00	1495	.	.	.	.	.	.	.	.	.	47.5	32	62.9	3.2	0	0	42.3	5.2	5.2	42.3	0
702	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	362.2	323.9	400.5	1.5	0	0	0	362.2	362.2	0	0
702	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
702	md	N	SUM	27298	.	.	.	.	.	.	.	.	.	414.7	373.2	456.1	1.5	0	2.2	45.1	367.4	367.4	47.3	0
702	md	R	007-10	3970	.	.	.	.	.	.	.	.	.	2.6	1	5.4	0.1	0	0	2.6	0	0	2.6	0
702	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	276.6	245.8	307.3	5.1	0	8.7	264.9	3.1	3.1	273.5	0
702	md	R	007-14	100	.	.	.	.	.	.	.	.	.	9	6.5	11.5	9	0	0	9	0	0	9	0
702	md	R	326-01	155	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
702	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	660	611	709	0.4	0	6.5	57.9	595.6	593.1	66.9	0
702	md	R	none	.	.	.	.	.	.	.	.	.	.	8.1	4	12.4	.	0	0	8.1	0	0	8.1	0
702	md	R	SUM	160254	.	.	.	.	.	.	.	.	.	956.3	898.1	1014.4	0.6	0	15.2	342.5	598.6	596.2	360.1	0
702	md	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	2.6	1	5.4	0.1	0	0	2.6	0	0	2.6	0
702	md	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	2.8	1	5.9	0.2	0	0	2.8	0	0	2.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
702	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	276.6	245.8	307.3	5.1	0	8.7	264.9	3.1	3.1	273.5	0
702	md	SUM	007-14	100	.	.	.	.	.	.	.	.	.	9	6.5	11.5	9	0	0	9	0	0	9	0
702	md	SUM	326-01	179	.	.	.	.	.	.	.	.	.	2.2	1	3.9	1.2	0	2.2	0	0	0	2.2	0
702	md	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	47.5	32	62.9	3.2	0	0	42.3	5.2	5.2	42.3	0
702	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1022.2	960	1084.4	0.6	0	6.5	57.9	957.8	955.3	66.9	0
702	md	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	4	12.4	.	0	0	8.1	0	0	8.1	0
702	md	SUM	SUM	187552	.	.	.	.	.	.	.	.	.	1370.9	1299.5	1442.3	0.7	0	17.3	387.6	966	963.5	407.4	0
702	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
702	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	27.2	16.4	38.1	1.7	0	4.7	22.5	0	0	27.2	0
702	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
702	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	71.6	54.4	88.8	0.3	0	0	0	71.6	71.6	0	0
702	wt	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	3.8	0	0	0	3.8	0
702	wt	N	SUM	27354	.	.	.	.	.	.	.	.	.	107.3	86.3	128.2	0.4	0	8.5	27.2	71.6	71.6	35.7	0
702	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	51.3	38.1	64.6	1.3	0	2.3	49.1	0	0	51.3	0
702	wt	R	007-11	996	.	.	.	.	.	.	.	.	.	31.1	23.2	39	3.1	0	2.4	28.8	0	0	31.1	0
702	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	102.7	83.8	121.7	0.1	0	4.1	11.4	87.3	87.3	15.4	0
702	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
702	wt	R	SUM	155543	.	.	.	.	.	.	.	.	.	185.2	160.7	209.6	0.1	0	8.7	89.2	87.3	87.3	97.9	0
702	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	2.5	1	5.1	0.3	0	0	2.5	0	0	2.5	0
702	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	51.3	38.1	64.6	1.3	0	2.3	49.1	0	0	51.3	0
702	wt	SUM	007-11	996	.	.	.	.	.	.	.	.	.	31.1	23.2	39	3.1	0	2.4	28.8	0	0	31.1	0
702	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	27.2	16.4	38.1	1.7	0	4.7	22.5	0	0	27.2	0
702	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	2.2	1	4.3	0.3	0	0	2.2	0	0	2.2	0
702	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	174.3	148.7	199.9	0.1	0	4.1	11.4	158.9	158.9	15.4	0
702	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	3.8	0	0	0	3.8	0
702	wt	SUM	SUM	182897	.	.	.	.	.	.	.	.	.	292.4	260.2	324.6	0.2	0	17.2	116.4	158.9	158.9	133.6	0
703	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	295.7	261.4	330	18.9	0	13.9	274.1	7.7	4.9	290.8	0
703	all_deer	N	650-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
703	all_deer	N	651-00	45	.	.	.	.	.	.	.	.	.	1.2	1	1.8	2.7	0	0	1.2	0	0	1.2	0
703	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	4.9	2	8.2	0.6	0	0	4.9	0	0	4.9	0
703	all_deer	N	797-00	1495	.	.	.	.	.	.	.	.	.	159.5	133.8	185.2	10.7	0	8	151.5	0	0	159.5	0
703	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	525.4	480.5	570.4	2.2	0	0	14.9	510.5	510.5	14.9	0
703	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	4.1	0	0	0	4.1	0
703	all_deer	N	SUM	28127	1039.9	976.1	1103.7	4816.9	4479.1	5154.7	4.6	4.4	4.8	990.7	928.4	1053.1	3.5	0	25.9	446.6	518.2	515.4	475.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
703	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	0	3.4	3.4	0	0
703	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
703	all_deer	R	006-10	2581	.	.	.	.	.	.	.	.	.	13.5	6.3	20.6	0.5	0	0	7.3	6.1	6.1	7.3	0
703	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	268.5	238.2	298.9	6.8	0	20.9	245	2.6	2.6	265.9	0
703	all_deer	R	007-11	996	.	.	.	.	.	.	.	.	.	107.1	92.6	121.5	10.8	0	4	103	0	0	107.1	0
703	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	428.9	391.6	466.3	7.9	0	26	394.5	8.4	8.4	420.6	0
703	all_deer	R	007-14	100	.	.	.	.	.	.	.	.	.	8.3	6	10.6	8.3	0	0	8.3	0	0	8.3	0
703	all_deer	R	650-00	90	.	.	.	.	.	.	.	.	.	1.2	1	1.9	1.3	0	0	1.2	0	0	1.2	0
703	all_deer	R	651-00	55	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
703	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	2.8	1	5.5	0.2	0	0	2.8	0	0	2.8	0
703	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1610.1	1533.8	1686.4	1.1	0	12.2	155	1443	1426.1	184	0
703	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	25.2	15.1	35.4	.	0	0	21.2	4.1	4.1	21.2	0
703	all_deer	R	SUM	180008	2875.3	2772.5	2978.1	15053.5	14327.8	15779.2	5.2	5	5.4	2472.4	2380	2564.8	1.4	0	63.1	941.7	1467.6	1450.8	1021.7	0
703	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	0	3.4	3.4	0	0
703	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
703	all_deer	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	13.5	6.3	20.6	0.5	0	0	7.3	6.1	6.1	7.3	0
703	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	268.5	238.2	298.9	6.8	0	20.9	245	2.6	2.6	265.9	0
703	all_deer	SUM	007-11	996	.	.	.	.	.	.	.	.	.	107.1	92.6	121.5	10.8	0	4	103	0	0	107.1	0
703	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	295.7	261.4	330	18.9	0	13.9	274.1	7.7	4.9	290.8	0
703	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	428.9	391.6	466.3	7.9	0	26	394.5	8.4	8.4	420.6	0
703	all_deer	SUM	007-14	100	.	.	.	.	.	.	.	.	.	8.3	6	10.6	8.3	0	0	8.3	0	0	8.3	0
703	all_deer	SUM	650-00	100	.	.	.	.	.	.	.	.	.	1.2	1	1.9	1.2	0	0	1.2	0	0	1.2	0
703	all_deer	SUM	651-00	100	.	.	.	.	.	.	.	.	.	1.2	1	1.8	1.2	0	0	1.2	0	0	1.2	0
703	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	4.9	2	8.2	0.6	0	0	4.9	0	0	4.9	0
703	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	2.8	1	5.5	0.2	0	0	2.8	0	0	2.8	0
703	all_deer	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	159.5	133.8	185.2	10.7	0	8	151.5	0	0	159.5	0
703	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	2135.6	2047	2224.1	1.2	0	12.2	169.9	1953.5	1936.6	198.9	0
703	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	29.3	18.2	40.3	.	0	4.1	21.2	4.1	4.1	25.2	0
703	all_deer	SUM	SUM	208135	3915.2	3794.2	4036.2	19870.5	19070	20671	5.1	5	5.2	3463.1	3351.7	3574.6	1.7	0	89	1388.3	1985.9	1966.2	1497	0
703	md	N	007-12	1566	.	.	.	.	.	.	.	.	.	30.1	18	42.2	1.9	0	0	25.2	4.9	4.9	25.2	0
703	md	N	650-00	10	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
703	md	N	651-00	45	.	.	.	.	.	.	.	.	.	1.2	1	1.8	2.7	0	0	1.2	0	0	1.2	0
703	md	N	797-00	1495	.	.	.	.	.	.	.	.	.	157.3	131.7	182.9	10.5	0	8	149.3	0	0	157.3	0
703	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	379.7	341	418.3	1.6	0	0	6	373.7	373.7	6	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
703	md	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
703	md	N	SUM	27329	.	.	.	.	.	.	.	.	.	568.3	520.4	616.2	2.1	0	8	181.7	378.6	378.6	189.7	0
703	md	R	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	0	3.4	3.4	0	0
703	md	R	006-10	2581	.	.	.	.	.	.	.	.	.	2.4	1	5	0.1	0	0	0	2.4	2.4	0	0
703	md	R	007-10	3970	.	.	.	.	.	.	.	.	.	12.9	6	19.8	0.3	0	0	12.9	0	0	12.9	0
703	md	R	007-11	996	.	.	.	.	.	.	.	.	.	2.6	1	5.1	0.3	0	0	2.6	0	0	2.6	0
703	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	415.9	379.1	452.7	7.6	0	23	388.4	4.5	4.5	411.4	0
703	md	R	007-14	100	.	.	.	.	.	.	.	.	.	8.3	6	10.6	8.3	0	0	8.3	0	0	8.3	0
703	md	R	650-00	90	.	.	.	.	.	.	.	.	.	1.2	1	1.9	1.3	0	0	1.2	0	0	1.2	0
703	md	R	651-00	55	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
703	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	954.8	895.9	1013.8	0.6	0	8.1	57.5	889.2	878.9	76	0
703	md	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
703	md	R	SUM	171150	.	.	.	.	.	.	.	.	.	1409.8	1339.5	1480	0.8	0	31.1	475	903.7	893.3	516.5	0
703	md	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	3.4	1	7	0	0	0	0	3.4	3.4	0	0
703	md	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	2.4	1	5	0.1	0	0	0	2.4	2.4	0	0
703	md	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	12.9	6	19.8	0.3	0	0	12.9	0	0	12.9	0
703	md	SUM	007-11	996	.	.	.	.	.	.	.	.	.	2.6	1	5.1	0.3	0	0	2.6	0	0	2.6	0
703	md	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	30.1	18	42.2	1.9	0	0	25.2	4.9	4.9	25.2	0
703	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	415.9	379.1	452.7	7.6	0	23	388.4	4.5	4.5	411.4	0
703	md	SUM	007-14	100	.	.	.	.	.	.	.	.	.	8.3	6	10.6	8.3	0	0	8.3	0	0	8.3	0
703	md	SUM	650-00	100	.	.	.	.	.	.	.	.	.	1.2	1	1.9	1.2	0	0	1.2	0	0	1.2	0
703	md	SUM	651-00	100	.	.	.	.	.	.	.	.	.	1.2	1	1.8	1.2	0	0	1.2	0	0	1.2	0
703	md	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	157.3	131.7	182.9	10.5	0	8	149.3	0	0	157.3	0
703	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	1334.5	1264.1	1405	0.8	0	8.1	63.5	1262.9	1252.5	82	0
703	md	SUM	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	4.1	4.1	4.1	4.1	0
703	md	SUM	SUM	198479	.	.	.	.	.	.	.	.	.	1978.1	1893	2063.1	1	0	39.1	656.7	1282.3	1271.9	706.2	0
703	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	265.6	232.8	298.3	17	0	13.9	248.9	2.8	0	265.6	0
703	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	4.9	2	8.2	0.6	0	0	4.9	0	0	4.9	0
703	wt	N	797-00	1495	.	.	.	.	.	.	.	.	.	2.2	1	4.6	0.1	0	0	2.2	0	0	2.2	0
703	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	142	119.1	164.9	0.6	0	0	8.9	133.1	133.1	8.9	0
703	wt	N	none	.	.	.	.	.	.	.	.	.	.	4.1	1	8.3	.	0	4.1	0	0	0	4.1	0
703	wt	N	SUM	28072	.	.	.	.	.	.	.	.	.	418.7	378.3	459.1	1.5	0	17.9	264.9	135.9	133.1	285.6	0
703	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
703	wt	R	006-10	2581	.	.	.	.	.	.	.	.	.	11	4.3	17.7	0.4	0	0	7.3	3.7	3.7	7.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
703	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	255.6	226	285.3	6.4	0	20.9	232.1	2.6	2.6	253	0
703	wt	R	007-11	996	.	.	.	.	.	.	.	.	.	104.4	90.2	118.7	10.5	0	4	100.4	0	0	104.4	0
703	wt	R	007-13	5452	.	.	.	.	.	.	.	.	.	10	3.8	16.2	0.2	0	0	6.1	3.9	3.9	6.1	0
703	wt	R	699-00	1248	.	.	.	.	.	.	.	.	.	2.8	1	5.5	0.2	0	0	2.8	0	0	2.8	0
703	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	651.2	602.6	699.8	0.4	0	4.1	97.5	549.7	547.3	104	0
703	wt	R	none	.	.	.	.	.	.	.	.	.	.	17.1	8.9	25.3	.	0	0	17.1	0	0	17.1	0
703	wt	R	SUM	172434	.	.	.	.	.	.	.	.	.	1055.5	995.4	1115.7	0.6	0	29	466.7	559.9	557.4	498.1	0
703	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	3.4	1	6.8	0	0	0	3.4	0	0	3.4	0
703	wt	SUM	006-10	2581	.	.	.	.	.	.	.	.	.	11	4.3	17.7	0.4	0	0	7.3	3.7	3.7	7.3	0
703	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	255.6	226	285.3	6.4	0	20.9	232.1	2.6	2.6	253	0
703	wt	SUM	007-11	996	.	.	.	.	.	.	.	.	.	104.4	90.2	118.7	10.5	0	4	100.4	0	0	104.4	0
703	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	265.6	232.8	298.3	17	0	13.9	248.9	2.8	0	265.6	0
703	wt	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	10	3.8	16.2	0.2	0	0	6.1	3.9	3.9	6.1	0
703	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	4.9	2	8.2	0.6	0	0	4.9	0	0	4.9	0
703	wt	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	2.8	1	5.5	0.2	0	0	2.8	0	0	2.8	0
703	wt	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	2.2	1	4.6	0.1	0	0	2.2	0	0	2.2	0
703	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	793.3	739.5	847	0.5	0	4.1	106.4	682.8	680.4	112.9	0
703	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	21.2	11.9	30.4	.	0	4.1	17.1	0	0	21.2	0
703	wt	SUM	SUM	200506	.	.	.	.	.	.	.	.	.	1474.2	1401.8	1546.7	0.7	0	46.9	731.6	695.8	690.5	783.7	0
704	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	80.5	62.6	98.4	5.1	0	9.6	68.8	2.1	2.1	78.4	0
704	all_deer	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
704	all_deer	N	797-00	1495	.	.	.	.	.	.	.	.	.	228.3	196.5	260.1	15.3	0	5.2	223.1	0	0	228.3	0
704	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1223.2	1154.1	1292.3	5.1	0	0	33.4	1189.8	1189.8	33.4	0
704	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	11.3	4.4	18.2	.	0	0	11.3	0	0	11.3	0
704	all_deer	N	SUM	27289	1756	1673.2	1838.8	8509	8051.1	8966.9	4.8	4.7	4.9	1543.3	1464.9	1621.8	5.7	0	14.8	336.6	1191.9	1191.9	351.4	0
704	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	176.7	152.3	201.1	4.5	0	3.1	173.6	0	0	176.7	0
704	all_deer	R	007-11	996	.	.	.	.	.	.	.	.	.	53.8	43.3	64.4	5.4	0	0	53.8	0	0	53.8	0
704	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	533	491.7	574.2	9.8	0	18.2	505.2	9.6	9.6	523.4	0
704	all_deer	R	007-14	100	.	.	.	.	.	.	.	.	.	10.1	7.6	12.7	10.1	0	0	10.1	0	0	10.1	0
704	all_deer	R	333-01	285	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	0	1.5	1.5	0	0
704	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1465.8	1393	1538.7	1	2.5	15.8	108	1339.6	1328.2	132.7	4.9
704	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	7.7	3	12.8	.	0	0	7.7	0	0	7.7	0
704	all_deer	R	SUM	161380	2730.1	2630.3	2829.9	12235.7	11628.2	12843.2	4.5	4.3	4.7	2248.8	2160.8	2336.8	1.4	2.5	37.1	858.4	1350.8	1339.4	904.5	4.9
704	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	176.7	152.3	201.1	4.5	0	3.1	173.6	0	0	176.7	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
704	all_deer	SUM	007-11	996	.	.	.	.	.	.	.	.	.	53.8	43.3	64.4	5.4	0	0	53.8	0	0	53.8	0
704	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	80.5	62.6	98.4	5.1	0	9.6	68.8	2.1	2.1	78.4	0
704	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	533	491.7	574.2	9.8	0	18.2	505.2	9.6	9.6	523.4	0
704	all_deer	SUM	007-14	100	.	.	.	.	.	.	.	.	.	10.1	7.6	12.7	10.1	0	0	10.1	0	0	10.1	0
704	all_deer	SUM	333-01	300	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	0	1.5	1.5	0	0
704	all_deer	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	228.3	196.5	260.1	15.3	0	5.2	223.1	0	0	228.3	0
704	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	2689	2588.6	2789.4	1.5	2.5	15.8	141.3	2529.4	2518	166.1	4.9
704	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	19.1	10.5	27.6	.	0	0	19.1	0	0	19.1	0
704	all_deer	SUM	SUM	188669	4486.1	4356.4	4615.8	20744.7	19984	21505.4	4.6	4.5	4.7	3792.1	3674.2	3910	2	2.5	51.9	1195	2542.7	2531.3	1255.9	4.9
704	md	N	007-12	1566	.	.	.	.	.	.	.	.	.	11.6	4	19.1	0.7	0	0	9.4	2.1	2.1	9.4	0
704	md	N	333-01	15	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
704	md	N	797-00	1495	.	.	.	.	.	.	.	.	.	218	187	249	14.6	0	5.2	212.8	0	0	218	0
704	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1104.8	1038.9	1170.6	4.6	0	0	27.9	1076.9	1076.9	27.9	0
704	md	N	none	.	.	.	.	.	.	.	.	.	.	11.3	4.4	18.2	.	0	0	11.3	0	0	11.3	0
704	md	N	SUM	27289	.	.	.	.	.	.	.	.	.	1345.6	1272.1	1419.1	4.9	0	5.2	261.5	1079	1079	266.6	0
704	md	R	007-10	3970	.	.	.	.	.	.	.	.	.	6.2	2	11	0.2	0	0	6.2	0	0	6.2	0
704	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	529.9	488.8	571.1	9.7	0	18.2	505.2	6.6	6.6	523.4	0
704	md	R	007-14	100	.	.	.	.	.	.	.	.	.	10.1	7.6	12.7	10.1	0	0	10.1	0	0	10.1	0
704	md	R	333-01	285	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	0	1.5	1.5	0	0
704	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1285.8	1217.3	1354.2	0.9	0	11.8	96.8	1177.2	1165.8	117.5	2.4
704	md	R	none	.	.	.	.	.	.	.	.	.	.	1.7	1	3.5	.	0	0	1.7	0	0	1.7	0
704	md	R	SUM	160384	.	.	.	.	.	.	.	.	.	1835.3	1755.2	1915.4	1.1	0	29.9	620.1	1185.3	1173.9	659	2.4
704	md	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	6.2	2	11	0.2	0	0	6.2	0	0	6.2	0
704	md	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	11.6	4	19.1	0.7	0	0	9.4	2.1	2.1	9.4	0
704	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	529.9	488.8	571.1	9.7	0	18.2	505.2	6.6	6.6	523.4	0
704	md	SUM	007-14	100	.	.	.	.	.	.	.	.	.	10.1	7.6	12.7	10.1	0	0	10.1	0	0	10.1	0
704	md	SUM	333-01	300	.	.	.	.	.	.	.	.	.	1.5	1	2.7	0.5	0	0	0	1.5	1.5	0	0
704	md	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	218	187	249	14.6	0	5.2	212.8	0	0	218	0
704	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	2390.5	2295.6	2485.5	1.4	0	11.8	124.7	2254.1	2242.7	145.4	2.4
704	md	SUM	none	.	.	.	.	.	.	.	.	.	.	13	5.9	20.2	.	0	0	13	0	0	13	0
704	md	SUM	SUM	187673	.	.	.	.	.	.	.	.	.	3180.9	3072.2	3289.6	1.7	0	35.1	881.5	2264.3	2252.9	925.6	2.4
704	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	69	52.6	85.3	4.4	0	9.6	59.3	0	0	69	0
704	wt	N	797-00	1495	.	.	.	.	.	.	.	.	.	10.3	2.4	18.3	0.7	0	0	10.3	0	0	10.3	0
704	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	118.4	96.5	140.3	0.5	0	0	5.5	112.9	112.9	5.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
704	wt	N	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
704	wt	N	SUM	27274	.	.	.	.	.	.	.	.	.	197.7	169.2	226.2	0.7	0	9.6	75.2	112.9	112.9	84.8	0
704	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	170.5	146.6	194.5	4.3	0	3.1	167.4	0	0	170.5	0
704	wt	R	007-11	996	.	.	.	.	.	.	.	.	.	53.8	43.3	64.4	5.4	0	0	53.8	0	0	53.8	0
704	wt	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.1	1	6.3	0.1	0	0	0	3.1	3.1	0	0
704	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	177.6	152.6	202.6	0.1	0	4.1	11.1	162.4	162.4	15.2	0
704	wt	R	none	.	.	.	.	.	.	.	.	.	.	6	2	10.7	.	0	0	6	0	0	6	0
704	wt	R	SUM	160995	.	.	.	.	.	.	.	.	.	411	374.4	447.7	0.3	0	7.2	238.3	165.5	165.5	245.5	0
704	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	170.5	146.6	194.5	4.3	0	3.1	167.4	0	0	170.5	0
704	wt	SUM	007-11	996	.	.	.	.	.	.	.	.	.	53.8	43.3	64.4	5.4	0	0	53.8	0	0	53.8	0
704	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	69	52.6	85.3	4.4	0	9.6	59.3	0	0	69	0
704	wt	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.1	1	6.3	0.1	0	0	0	3.1	3.1	0	0
704	wt	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	10.3	2.4	18.3	0.7	0	0	10.3	0	0	10.3	0
704	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	296	262.8	329.3	0.2	0	4.1	16.6	275.3	275.3	20.7	0
704	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	6	2	10.7	.	0	0	6	0	0	6	0
704	wt	SUM	SUM	188269	.	.	.	.	.	.	.	.	.	608.7	562.3	655.1	0.3	0	16.8	313.5	278.4	278.4	330.3	0
705	all_deer	N	007-12	1566	.	.	.	.	.	.	.	.	.	314.7	280.5	348.9	20.1	0	19.9	294.8	0	0	314.7	0
705	all_deer	N	311-02	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
705	all_deer	N	313-01	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	0	1	1	0	0
705	all_deer	N	598-00	236	.	.	.	.	.	.	.	.	.	1.3	1	2	0.6	0	0	0	1.3	1.3	0	0
705	all_deer	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
705	all_deer	N	797-00	1495	.	.	.	.	.	.	.	.	.	356.5	319.9	393.2	23.8	0	19.1	337.4	0	0	356.5	0
705	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1368.1	1295.7	1440.4	5.7	0	0	24.1	1343.9	1343.9	24.1	0
705	all_deer	N	none	.	.	.	.	.	.	.	.	.	.	7.5	2	13.2	.	0	0	3.8	3.8	3.8	3.8	0
705	all_deer	N	SUM	28321	2222.7	2130.9	2314.5	9521.5	9066.4	9976.6	4.3	4.2	4.4	2052.1	1963.9	2140.3	7.2	0	38.9	663.2	1350	1350	702.1	0
705	all_deer	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.8	1	5.6	0	0	0	2.8	0	0	2.8	0
705	all_deer	R	007-10	3970	.	.	.	.	.	.	.	.	.	181.3	156.1	206.5	4.6	0	17.4	160.8	3.1	3.1	178.2	0
705	all_deer	R	007-11	996	.	.	.	.	.	.	.	.	.	69.2	57.4	81	6.9	0	2.4	66.8	0	0	69.2	0
705	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	391.2	355.3	427.2	7.2	0	6.9	384.3	0	0	391.2	0
705	all_deer	R	007-14	100	.	.	.	.	.	.	.	.	.	7.2	5	9.4	7.2	0	0	7.2	0	0	7.2	0
705	all_deer	R	311-02	288	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	1.5	0	0	1.5	0
705	all_deer	R	313-01	38	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
705	all_deer	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
705	all_deer	R	699-00	1248	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.1	0	0	0	1.4	1.4	0	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
705	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	1380.5	1309.8	1451.1	0.9	0	3.9	87.2	1289.4	1276.9	103.6	0
705	all_deer	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
705	all_deer	R	SUM	172012	2235.3	2145	2325.6	9680	9145.7	10214.3	4.3	4.1	4.5	2043.3	1959	2127.6	1.2	0	30.5	718.8	1294	1281.5	761.8	0
705	all_deer	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.8	1	5.6	0	0	0	2.8	0	0	2.8	0
705	all_deer	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	181.3	156.1	206.5	4.6	0	17.4	160.8	3.1	3.1	178.2	0
705	all_deer	SUM	007-11	996	.	.	.	.	.	.	.	.	.	69.2	57.4	81	6.9	0	2.4	66.8	0	0	69.2	0
705	all_deer	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	314.7	280.5	348.9	20.1	0	19.9	294.8	0	0	314.7	0
705	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	391.2	355.3	427.2	7.2	0	6.9	384.3	0	0	391.2	0
705	all_deer	SUM	007-14	100	.	.	.	.	.	.	.	.	.	7.2	5	9.4	7.2	0	0	7.2	0	0	7.2	0
705	all_deer	SUM	311-02	300	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	1.5	0	0	1.5	0
705	all_deer	SUM	313-01	39	.	.	.	.	.	.	.	.	.	1	1	1	2.6	0	0	0	1	1	0	0
705	all_deer	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.3	1	2	0.1	0	0	0	1.3	1.3	0	0
705	all_deer	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
705	all_deer	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.1	0	0	0	1.4	1.4	0	0
705	all_deer	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	356.5	319.9	393.2	23.8	0	19.1	337.4	0	0	356.5	0
705	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	2748.6	2647.5	2849.7	1.6	0	3.9	111.4	2633.3	2620.8	127.7	0
705	all_deer	SUM	none	.	.	.	.	.	.	.	.	.	.	15.7	7.4	23.9	.	0	0	11.9	3.8	3.8	11.9	0
705	all_deer	SUM	SUM	200333	4458	4329.2	4586.8	19201.5	18499.7	19903.3	4.3	4.2	4.4	4095.4	3973.3	4217.4	2	0	69.5	1382	2643.9	2631.4	1463.9	0
705	md	N	311-02	12	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
705	md	N	598-00	236	.	.	.	.	.	.	.	.	.	1.3	1	2	0.6	0	0	0	1.3	1.3	0	0
705	md	N	797-00	1495	.	.	.	.	.	.	.	.	.	353.7	317.1	390.3	23.7	0	19.1	334.6	0	0	353.7	0
705	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	1179.3	1111.8	1246.8	4.9	0	0	16.7	1162.6	1162.6	16.7	0
705	md	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	0	3.8	3.8	0	0
705	md	N	SUM	25956	.	.	.	.	.	.	.	.	.	1538	1461.1	1614.9	5.9	0	19.1	351.3	1167.6	1167.6	370.4	0
705	md	R	007-10	3970	.	.	.	.	.	.	.	.	.	9.3	3.5	15	0.2	0	0	9.3	0	0	9.3	0
705	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	386.3	350.5	422.2	7.1	0	6.9	379.4	0	0	386.3	0
705	md	R	007-14	100	.	.	.	.	.	.	.	.	.	7.2	5	9.4	7.2	0	0	7.2	0	0	7.2	0
705	md	R	311-02	288	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	1.5	0	0	1.5	0
705	md	R	598-00	2014	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
705	md	R	699-00	1248	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.1	0	0	0	1.4	1.4	0	0
705	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	992.9	933.2	1052.5	0.7	0	3.9	72.6	916.4	912	80.9	0
705	md	R	none	.	.	.	.	.	.	.	.	.	.	8.1	2.1	14.1	.	0	0	8.1	0	0	8.1	0
705	md	R	SUM	163649	.	.	.	.	.	.	.	.	.	1406.8	1336.6	1476.9	0.9	0	10.8	478.2	917.8	913.4	493.3	0
705	md	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	9.3	3.5	15	0.2	0	0	9.3	0	0	9.3	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
705	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	386.3	350.5	422.2	7.1	0	6.9	379.4	0	0	386.3	0
705	md	SUM	007-14	100	.	.	.	.	.	.	.	.	.	7.2	5	9.4	7.2	0	0	7.2	0	0	7.2	0
705	md	SUM	311-02	300	.	.	.	.	.	.	.	.	.	1.5	1	2.6	0.5	0	0	1.5	0	0	1.5	0
705	md	SUM	598-00	2250	.	.	.	.	.	.	.	.	.	1.3	1	2	0.1	0	0	0	1.3	1.3	0	0
705	md	SUM	699-00	1248	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.1	0	0	0	1.4	1.4	0	0
705	md	SUM	797-00	1495	.	.	.	.	.	.	.	.	.	353.7	317.1	390.3	23.7	0	19.1	334.6	0	0	353.7	0
705	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	2172.2	2082.1	2262.3	1.2	0	3.9	89.3	2079	2074.6	97.6	0
705	md	SUM	none	.	.	.	.	.	.	.	.	.	.	11.9	4.7	19.1	.	0	0	8.1	3.8	3.8	8.1	0
705	md	SUM	SUM	189605	.	.	.	.	.	.	.	.	.	2944.8	2840.7	3048.9	1.6	0	29.9	829.5	2085.5	2081.1	863.7	0
705	wt	N	007-12	1566	.	.	.	.	.	.	.	.	.	312.6	278.4	346.7	20	0	19.9	292.7	0	0	312.6	0
705	wt	N	313-01	1	.	.	.	.	.	.	.	.	.	1	1	1	100	0	0	0	1	1	0	0
705	wt	N	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
705	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	188.8	161.5	216.1	0.8	0	0	7.5	181.3	181.3	7.5	0
705	wt	N	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
705	wt	N	SUM	26578	.	.	.	.	.	.	.	.	.	509.1	465.2	553.1	1.9	0	19.9	307	182.3	182.3	326.8	0
705	wt	R	003-10	7329	.	.	.	.	.	.	.	.	.	2.8	1	5.6	0	0	0	2.8	0	0	2.8	0
705	wt	R	007-10	3970	.	.	.	.	.	.	.	.	.	166.8	142.4	191.1	4.2	0	17.4	146.2	3.1	3.1	163.6	0
705	wt	R	007-11	996	.	.	.	.	.	.	.	.	.	69.2	57.4	81	6.9	0	2.4	66.8	0	0	69.2	0
705	wt	R	007-13	5452	.	.	.	.	.	.	.	.	.	4.9	2	8.6	0.1	0	0	4.9	0	0	4.9	0
705	wt	R	313-01	38	.	.	.	.	.	.	.	.	.	0	0	0	0	0	0	0	0	0	0	0
705	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	383.6	345.8	421.4	0.3	0	0	10.6	373	364.9	18.7	0
705	wt	R	none	.	.	.	.	.	.	.	.	.	.	0	0	0	.	0	0	0	0	0	0	0
705	wt	R	SUM	168362	.	.	.	.	.	.	.	.	.	627.2	580.5	673.9	0.4	0	19.7	231.3	376.2	368	259.1	0
705	wt	SUM	003-10	7329	.	.	.	.	.	.	.	.	.	2.8	1	5.6	0	0	0	2.8	0	0	2.8	0
705	wt	SUM	007-10	3970	.	.	.	.	.	.	.	.	.	166.8	142.4	191.1	4.2	0	17.4	146.2	3.1	3.1	163.6	0
705	wt	SUM	007-11	996	.	.	.	.	.	.	.	.	.	69.2	57.4	81	6.9	0	2.4	66.8	0	0	69.2	0
705	wt	SUM	007-12	1566	.	.	.	.	.	.	.	.	.	312.6	278.4	346.7	20	0	19.9	292.7	0	0	312.6	0
705	wt	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	4.9	2	8.6	0.1	0	0	4.9	0	0	4.9	0
705	wt	SUM	313-01	39	.	.	.	.	.	.	.	.	.	1	1	1	2.6	0	0	0	1	1	0	0
705	wt	SUM	698-00	798	.	.	.	.	.	.	.	.	.	3	1	5.9	0.4	0	0	3	0	0	3	0
705	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	572.3	525.7	619	0.3	0	0	18	554.3	546.2	26.1	0
705	wt	SUM	none	.	.	.	.	.	.	.	.	.	.	3.8	1	7.7	.	0	0	3.8	0	0	3.8	0
705	wt	SUM	SUM	194940	.	.	.	.	.	.	.	.	.	1136.3	1072.2	1200.5	0.6	0	39.6	538.3	558.5	550.4	586	0
7XX	all_deer	N	797-00	1492	.	.	.	.	.	.	.	.	.	15.5	5.7	25.2	1	0	0	15.5	0	0	15.5	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
7XX	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	6	2	10.6	0	0	0	0	6	6	0	0
7XX	all_deer	N	SUM	25705	18.9	9.8	28	77.6	39.5	115.7	4.1	3.4	4.8	21.5	10.7	32.2	0.1	0	0	15.5	6	6	15.5	0
7XX	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.1	1	6.3	0.1	0	0	3.1	0	0	3.1	0
7XX	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
7XX	all_deer	R	SUM	156029	29	18	40	123.4	66.9	179.9	4.3	3.2	5.4	7.1	2	12.4	0	0	0	3.1	4.1	4.1	3.1	0
7XX	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.1	1	6.3	0.1	0	0	3.1	0	0	3.1	0
7XX	all_deer	SUM	797-00	1492	.	.	.	.	.	.	.	.	.	15.5	5.7	25.2	1	0	0	15.5	0	0	15.5	0
7XX	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	10	3.8	16.3	0	0	0	0	10	10	0	0
7XX	all_deer	SUM	SUM	181734	47.9	33.7	62.1	200.9	132.7	269.1	4.2	3.5	4.9	28.6	16.5	40.6	0	0	0	18.5	10	10	18.5	0
7XX	md	N	797-00	1492	.	.	.	.	.	.	.	.	.	15.5	5.7	25.2	1	0	0	15.5	0	0	15.5	0
7XX	md	N	SUM	1492	.	.	.	.	.	.	.	.	.	15.5	5.7	25.2	1	0	0	15.5	0	0	15.5	0
7XX	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.1	1	6.3	0.1	0	0	3.1	0	0	3.1	0
7XX	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
7XX	md	R	SUM	156029	.	.	.	.	.	.	.	.	.	7.1	2	12.4	0	0	0	3.1	4.1	4.1	3.1	0
7XX	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.1	1	6.3	0.1	0	0	3.1	0	0	3.1	0
7XX	md	SUM	797-00	1492	.	.	.	.	.	.	.	.	.	15.5	5.7	25.2	1	0	0	15.5	0	0	15.5	0
7XX	md	SUM	Deer_A	150577	.	.	.	.	.	.	.	.	.	4.1	1	8.3	0	0	0	0	4.1	4.1	0	0
7XX	md	SUM	SUM	157521	.	.	.	.	.	.	.	.	.	22.6	11.5	33.7	0	0	0	18.5	4.1	4.1	18.5	0
7XX	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	6	2	10.6	0	0	0	0	6	6	0	0
7XX	wt	N	SUM	24213	.	.	.	.	.	.	.	.	.	6	2	10.6	0	0	0	0	6	6	0	0
7XX	wt	SUM	Deer_A	24213	.	.	.	.	.	.	.	.	.	6	2	10.6	0	0	0	0	6	6	0	0
7XX	wt	SUM	SUM	24213	.	.	.	.	.	.	.	.	.	6	2	10.6	0	0	0	0	6	6	0	0
XXX	all_deer	N	003-12	777	.	.	.	.	.	.	.	.	.	8.1	2.1	14.2	1	0	0	8.1	0	0	8.1	0
XXX	all_deer	N	597-00	27	.	.	.	.	.	.	.	.	.	1.6	1	2.7	5.9	0	1.6	0	0	0	1.6	0
XXX	all_deer	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	61.2	45.2	77.1	0.3	0	0	0	61.2	61.2	0	0
XXX	all_deer	N	SUM	25017	104.9	84.1	125.7	485.3	384.4	586.2	4.6	4.3	4.9	70.9	53.8	88	0.3	0	1.6	8.1	61.2	61.2	9.7	0
XXX	all_deer	R	004-10	7610	.	.	.	.	.	.	.	.	.	5	2	8.7	0.1	0	0	5	0	0	5	0
XXX	all_deer	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.1	1	6.3	0.1	0	0	3.1	0	0	3.1	0
XXX	all_deer	R	130-00	482	.	.	.	.	.	.	.	.	.	2	1	3.7	0.4	0	0	2	0	0	2	0
XXX	all_deer	R	132-00	208	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.6	0	0	1.3	0	0	1.3	0
XXX	all_deer	R	260-10	4029	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0.1	0	0	2.1	0	0	2.1	0
XXX	all_deer	R	332-00	45	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.9	0	0	1.3	0	0	1.3	0
XXX	all_deer	R	400-00	279	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	1.4	0	0	1.4	0
XXX	all_deer	R	421-00	132	.	.	.	.	.	.	.	.	.	3.8	2	6.1	2.9	0	0	3.8	0	0	3.8	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
XXX	all_deer	R	640-00	169	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.9	0	0	1.6	0	0	1.6	0
XXX	all_deer	R	699-00	1176	.	.	.	.	.	.	.	.	.	2.4	1	4.7	0.2	0	0	2.4	0	0	2.4	0
XXX	all_deer	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	66.2	51.3	81	0	0	0	11.2	54.9	53.3	11.2	1.6
XXX	all_deer	R	SUM	170159	104.1	83.6	124.6	499.9	379	620.8	4.8	4	5.6	90.1	73.8	106.4	0.1	0	0	35.2	54.9	53.3	35.2	1.6
XXX	all_deer	SUM	003-12	777	.	.	.	.	.	.	.	.	.	8.1	2.1	14.2	1	0	0	8.1	0	0	8.1	0
XXX	all_deer	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	5	2	8.7	0.1	0	0	5	0	0	5	0
XXX	all_deer	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.1	1	6.3	0.1	0	0	3.1	0	0	3.1	0
XXX	all_deer	SUM	130-00	482	.	.	.	.	.	.	.	.	.	2	1	3.7	0.4	0	0	2	0	0	2	0
XXX	all_deer	SUM	132-00	208	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.6	0	0	1.3	0	0	1.3	0
XXX	all_deer	SUM	260-10	4029	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0.1	0	0	2.1	0	0	2.1	0
XXX	all_deer	SUM	332-00	45	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.9	0	0	1.3	0	0	1.3	0
XXX	all_deer	SUM	400-00	279	.	.	.	.	.	.	.	.	.	1.4	1	2.4	0.5	0	0	1.4	0	0	1.4	0
XXX	all_deer	SUM	421-00	132	.	.	.	.	.	.	.	.	.	3.8	2	6.1	2.9	0	0	3.8	0	0	3.8	0
XXX	all_deer	SUM	597-00	27	.	.	.	.	.	.	.	.	.	1.6	1	2.7	5.9	0	1.6	0	0	0	1.6	0
XXX	all_deer	SUM	640-00	169	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.9	0	0	1.6	0	0	1.6	0
XXX	all_deer	SUM	699-00	1176	.	.	.	.	.	.	.	.	.	2.4	1	4.7	0.2	0	0	2.4	0	0	2.4	0
XXX	all_deer	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	127.3	105.5	149.1	0.1	0	0	11.2	116.1	114.5	11.2	1.6
XXX	all_deer	SUM	SUM	195176	209	179.9	238.1	985.2	827.8	1142.6	4.7	4.3	5.1	161	137.3	184.6	0.1	0	1.6	43.3	116.1	114.5	44.9	1.6
XXX	md	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	41	27.8	54.1	0.2	0	0	0	41	41	0	0
XXX	md	N	SUM	24213	.	.	.	.	.	.	.	.	.	41	27.8	54.1	0.2	0	0	0	41	41	0	0
XXX	md	R	007-13	5452	.	.	.	.	.	.	.	.	.	3.1	1	6.3	0.1	0	0	3.1	0	0	3.1	0
XXX	md	R	132-00	208	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.6	0	0	1.3	0	0	1.3	0
XXX	md	R	260-10	4029	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0.1	0	0	2.1	0	0	2.1	0
XXX	md	R	332-00	45	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.9	0	0	1.3	0	0	1.3	0
XXX	md	R	421-00	132	.	.	.	.	.	.	.	.	.	2.1	1	3.9	1.6	0	0	2.1	0	0	2.1	0
XXX	md	R	699-00	1176	.	.	.	.	.	.	.	.	.	2.4	1	4.7	0.2	0	0	2.4	0	0	2.4	0
XXX	md	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	38.1	26.9	49.3	0	0	0	5.5	32.6	31	5.5	1.6
XXX	md	R	SUM	161619	.	.	.	.	.	.	.	.	.	50.4	38.1	62.7	0	0	0	17.8	32.6	31	17.8	1.6
XXX	md	SUM	007-13	5452	.	.	.	.	.	.	.	.	.	3.1	1	6.3	0.1	0	0	3.1	0	0	3.1	0
XXX	md	SUM	132-00	208	.	.	.	.	.	.	.	.	.	1.3	1	2.2	0.6	0	0	1.3	0	0	1.3	0
XXX	md	SUM	260-10	4029	.	.	.	.	.	.	.	.	.	2.1	1	4.2	0.1	0	0	2.1	0	0	2.1	0
XXX	md	SUM	332-00	45	.	.	.	.	.	.	.	.	.	1.3	1	2.2	2.9	0	0	1.3	0	0	1.3	0
XXX	md	SUM	421-00	132	.	.	.	.	.	.	.	.	.	2.1	1	3.9	1.6	0	0	2.1	0	0	2.1	0
XXX	md	SUM	699-00	1176	.	.	.	.	.	.	.	.	.	2.4	1	4.7	0.2	0	0	2.4	0	0	2.4	0

Table 3. Deer hunting effort, total harvest, age-sex class, and antler length class harvest estimates, license year 2005.

district	species	Res	LPT	number_issued	hunters	hunters_LCI80	hunters_UCI80	days	days_LCI80	days_UCI80	days:hunter	days:hunter_LCI80	days:hunter_UCI80	total_harvest	total_LCI80	total_UCI80	management_success	unk_agesex	fawns	does	bucks	antlered	antlerless	unk_ant_length
XXX	md	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	79.1	61.8	96.4	0	0	0	5.5	73.6	72	5.5	1.6
XXX	md	SUM	SUM	185832	.	.	.	.	.	.	.	.	.	91.4	73.4	109.4	0	0	0	17.8	73.6	72	17.8	1.6
XXX	wt	N	003-12	777	.	.	.	.	.	.	.	.	.	8.1	2.1	14.2	1	0	0	8.1	0	0	8.1	0
XXX	wt	N	597-00	27	.	.	.	.	.	.	.	.	.	1.6	1	2.7	5.9	0	1.6	0	0	0	1.6	0
XXX	wt	N	Deer_A	24213	.	.	.	.	.	.	.	.	.	20.2	11.2	29.2	0.1	0	0	0	20.2	20.2	0	0
XXX	wt	N	SUM	25017	.	.	.	.	.	.	.	.	.	29.9	19	40.8	0.1	0	1.6	8.1	20.2	20.2	9.7	0
XXX	wt	R	004-10	7610	.	.	.	.	.	.	.	.	.	5	2	8.7	0.1	0	0	5	0	0	5	0
XXX	wt	R	130-00	482	.	.	.	.	.	.	.	.	.	2	1	3.7	0.4	0	0	2	0	0	2	0
XXX	wt	R	640-00	169	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.9	0	0	1.6	0	0	1.6	0
XXX	wt	R	Deer_A	150577	.	.	.	.	.	.	.	.	.	26.7	17.1	36.3	0	0	0	4.4	22.3	22.3	4.4	0
XXX	wt	R	SUM	158838	.	.	.	.	.	.	.	.	.	35.3	24.8	45.8	0	0	0	13	22.3	22.3	13	0
XXX	wt	SUM	003-12	777	.	.	.	.	.	.	.	.	.	8.1	2.1	14.2	1	0	0	8.1	0	0	8.1	0
XXX	wt	SUM	004-10	7610	.	.	.	.	.	.	.	.	.	5	2	8.7	0.1	0	0	5	0	0	5	0
XXX	wt	SUM	130-00	482	.	.	.	.	.	.	.	.	.	2	1	3.7	0.4	0	0	2	0	0	2	0
XXX	wt	SUM	597-00	27	.	.	.	.	.	.	.	.	.	1.6	1	2.7	5.9	0	1.6	0	0	0	1.6	0
XXX	wt	SUM	640-00	169	.	.	.	.	.	.	.	.	.	1.6	1	2.9	0.9	0	0	1.6	0	0	1.6	0
XXX	wt	SUM	Deer_A	174790	.	.	.	.	.	.	.	.	.	46.9	33.7	60.1	0	0	0	4.4	42.5	42.5	4.4	0
XXX	wt	SUM	SUM	183855	.	.	.	.	.	.	.	.	.	65.2	50	80.4	0	0	1.6	21.1	42.5	42.5	22.7	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
State	all_deer	N	Deer_A	24214	489.3	12757.8	49.9	559.1	12690.9	18.6	28.4	2555	10095	49.5
State	all_deer	N	Deer_B	5662	113.2	3481.2	14.4	114.1	3472.7	6.7	15.3	20.7	84.3	0
State	all_deer	N	Permit	882	19.3	257.8	1.5	17.6	261	0	0	98.5	176.5	1.8
State	all_deer	N	SRAWTB	2410	66.7	1147.6	5.9	47.5	1172.7	0	0	4.8	26.3	0
State	all_deer	N	none	.	3.8	65.4	1.6	5.3	61.6	0	3.8	6.8	7.1	0
State	all_deer	N	SUM	33168	692.2	17709.7	73.4	743.7	17659	25.3	47.5	2685.8	10389.2	51.3
State	all_deer	R	Deer_A	150577	1681.8	63238.6	454.8	1298.9	63300.4	434.2	341.7	18962.6	35086.1	256
State	all_deer	R	Deer_B	45092	2273.5	16825.8	213.7	1979.8	16227.9	974.6	130.7	160.1	314.8	5.7
State	all_deer	R	Permit	9161	121	3149.8	21.4	89.6	3103.3	98.1	1.2	1255.5	1855.5	13.7
State	all_deer	R	SRAMDB	100	1.4	67.2	2.9	1.4	70	0	0	0	0	0
State	all_deer	R	SRAWTB	23638	804.6	7397.9	79.9	626.1	7549.1	51	56.1	62.8	118.3	6.8
State	all_deer	R	none	.	32.3	394.2	1.4	31.9	382.1	13.8	0	41.6	31.3	0
State	all_deer	R	SUM	228568	4914.7	91073.5	774.1	4027.8	90632.9	1571.7	529.7	20482.6	37406	282.1
State	all_deer	SUM	Deer_A	174791	2171.1	75996.5	504.7	1858	75991.3	452.8	370.1	21517.7	45181.1	305.4
State	all_deer	SUM	Deer_B	50754	2386.6	20307	228.2	2093.9	19700.6	981.3	145.9	180.8	399.1	5.7
State	all_deer	SUM	Permit	10043	140.4	3407.6	22.9	107.2	3364.3	98.1	1.2	1354	2032	15.5
State	all_deer	SUM	SRAMDB	100	1.4	67.2	2.9	1.4	70	0	0	0	0	0
State	all_deer	SUM	SRAWTB	26048	871.3	8545.4	85.9	673.6	8721.8	51	56.1	67.6	144.7	6.8
State	all_deer	SUM	none	.	36.1	459.6	2.9	37.3	443.8	13.8	3.8	48.4	38.4	0
State	all_deer	SUM	SUM	261736	5606.9	108783.3	847.5	4771.5	108291.9	1597	577.2	23168.4	47795.3	333.4
State	md	N	Deer_A	24214	260	9485.9	42.5	336.8	9416.7	11.2	23.7	2217.2	7178.3	40.7
State	md	N	Deer_B	5495	25.9	2380.7	4.5	28.8	2371.5	0	10.9	11.8	36.3	0
State	md	N	Permit	882	19.3	257.8	1.5	17.6	261	0	0	98.5	176.5	1.8
State	md	N	SRAWTB	2343	9.4	76.6	0	4.7	81.3	0	0	4.8	18.4	0
State	md	N	none	.	0	39.9	0	0	36.1	0	3.8	6.8	5.5	0
State	md	N	SUM	32934	314.7	12240.9	48.5	387.9	12166.7	11.2	38.4	2339.1	7415.1	42.5
State	md	R	Deer_A	150577	470.6	30825.4	210.9	440.8	30817.5	110.7	137.8	10966.7	16740.3	99.5
State	md	R	Deer_B	41516	344.5	9836.6	128	361.3	9882.5	23.7	41.5	71.2	111	3.1
State	md	R	Permit	8661	103.2	3041.1	20.2	84.5	3079.9	0	0	1253.9	1841.6	13.7
State	md	R	SRAMDB	100	1.4	67.2	1.4	1.4	68.6	0	0	0	0	0
State	md	R	SRAWTB	22486	4.8	287.5	7.2	4.8	288.1	1.9	4.6	44.8	29.7	0
State	md	R	none	.	0	158	0	0	158	0	0	21.7	11.5	0
State	md	R	SUM	223340	924.5	44215.7	367.6	892.8	44294.6	136.4	184	12358.3	18734.1	116.2

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
State	md	SUM	Deer_A	174791	730.6	40311.3	253.4	777.6	40234.2	121.9	161.6	13183.9	23918.6	140.2
State	md	SUM	Deer_B	47011	370.5	12217.3	132.5	390.1	12254	23.7	52.4	83	147.3	3.1
State	md	SUM	Permit	9543	122.5	3298.9	21.7	102.1	3340.9	0	0	1352.5	2018.1	15.5
State	md	SUM	SRAMDB	100	1.4	67.2	1.4	1.4	68.6	0	0	0	0	0
State	md	SUM	SRAWTB	24829	14.2	364.1	7.2	9.5	369.4	1.9	4.6	49.6	48.2	0
State	md	SUM	none	.	0	197.9	0	0	194.1	0	3.8	28.5	17	0
State	md	SUM	SUM	256274	1239.2	56456.6	416.2	1280.7	56461.3	147.6	222.4	14697.4	26149.1	158.7
State	wt	N	Deer_A	24214	229.2	3256.8	7.5	222.3	3262.8	3.7	4.7	336.7	2902.6	8.8
State	wt	N	Deer_B	5411	87.2	1094.5	8.5	85.4	1095.3	6.7	3	8.9	48	0
State	wt	N	Permit	391	0	0	0	0	0	0	0	0	0	0
State	wt	N	SRAWTB	2410	57.2	1068.9	5.9	42.8	1089.3	0	0	0	7.9	0
State	wt	N	none	.	3.8	25.5	1.6	5.3	25.5	0	0	0	1.6	0
State	wt	N	SUM	32426	377.5	5445.6	23.5	355.8	5472.8	10.4	7.6	345.5	2960.2	8.8
State	wt	R	Deer_A	150577	1208.9	32337.8	220.7	854.1	32411.5	323.5	178.3	7967	18326.5	156.5
State	wt	R	Deer_B	41888	1923	6959.1	75.6	1615.9	6311.2	950.9	79.7	88.9	202.3	1.2
State	wt	R	Permit	5634	17.9	107.1	0	5.1	21.8	98.1	0	1.6	13.9	0
State	wt	R	SRAMDB	100	0	0	1.5	0	1.5	0	0	0	0	0
State	wt	R	SRAWTB	23638	792.9	7093.5	67.9	621.3	7237.2	46.8	48.9	18	88.6	6.8
State	wt	R	none	.	32.3	236.3	1.4	31.9	224.2	13.8	0	19.9	19.8	0
State	wt	R	SUM	221837	3975	46733.7	366.9	3128.4	46207.3	1433	306.9	8095.3	18651.1	164.5
State	wt	SUM	Deer_A	174791	1438.2	35594.5	228.2	1076.4	35674.2	327.2	183	8303.6	21229.1	165.2
State	wt	SUM	Deer_B	47299	2010.3	8053.6	84.1	1701.3	7406.5	957.5	82.7	97.8	250.3	1.2
State	wt	SUM	Permit	6025	17.9	107.1	0	5.1	21.8	98.1	0	1.6	13.9	0
State	wt	SUM	SRAMDB	100	0	0	1.5	0	1.5	0	0	0	0	0
State	wt	SUM	SRAWTB	26048	850.1	8162.4	73.8	664.1	8326.5	46.8	48.9	18	96.5	6.8
State	wt	SUM	none	.	36.1	261.8	2.9	37.3	249.6	13.8	0	19.9	21.4	0
State	wt	SUM	SUM	254263	4352.5	52179.3	390.4	3484.2	51680.1	1443.4	314.6	8440.9	21611.2	173.2
Reg_1	all_deer	N	Deer_A	24214	22.4	912.8	0	55.9	879.3	0	0	139.9	725.7	1.3
Reg_1	all_deer	N	Deer_B	490	1.2	108.3	2.1	0	111.6	0	0	2.1	2.5	0
Reg_1	all_deer	N	SUM	24777	23.6	1021.1	2.1	55.9	990.9	0	0	142	728.1	1.3
Reg_1	all_deer	R	Deer_A	150577	262.1	13039.4	111.6	235.2	12942.7	134.2	101	4023.8	6197.6	88.2
Reg_1	all_deer	R	Deer_B	16122	187.5	2070.8	9.5	166.1	2076.2	18.9	6.7	21.3	18.1	0
Reg_1	all_deer	R	Permit	73	0	13.2	0	2.5	10.7	0	0	0	2.5	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_1	all_deer	R	SRAWTB	18672	2.2	23.5	0	0	25.7	0	0	2.2	9.3	0
Reg_1	all_deer	R	none	.	1.6	41	0	1.6	41	0	0	4.1	3.8	0
Reg_1	all_deer	R	SUM	185444	453.4	15187.9	121.1	405.5	15096.2	153	107.8	4051.4	6231.3	88.2
Reg_1	all_deer	SUM	Deer_A	174791	284.4	13952.2	111.6	291.1	13821.9	134.2	101	4163.7	6923.3	89.6
Reg_1	all_deer	SUM	Deer_B	16612	188.7	2179.1	11.6	166.1	2187.8	18.9	6.7	23.4	20.6	0
Reg_1	all_deer	SUM	Permit	79	0	13.2	0	2.5	10.7	0	0	0	2.5	0
Reg_1	all_deer	SUM	SRAWTB	18739	2.2	23.5	0	0	25.7	0	0	2.2	9.3	0
Reg_1	all_deer	SUM	none	.	1.6	41	0	1.6	41	0	0	4.1	3.8	0
Reg_1	all_deer	SUM	SUM	210221	476.9	16209.1	123.2	461.3	16087	153	107.8	4193.4	6959.4	89.6
Reg_1	md	N	Deer_A	24214	3.7	352.1	0	29.8	326	0	0	85.3	268.2	0
Reg_1	md	N	Deer_B	307	0	7.5	0	0	7.5	0	0	2.1	1.2	0
Reg_1	md	N	SUM	24527	3.7	359.6	0	29.8	333.5	0	0	87.3	269.4	0
Reg_1	md	R	Deer_A	150577	23.6	1874.2	19.2	28.5	1858.6	20.3	9.6	844	1005.6	9.9
Reg_1	md	R	Deer_B	4295	0	24.4	0	0	24.4	0	0	4.9	6	0
Reg_1	md	R	Permit	73	0	13.2	0	2.5	10.7	0	0	0	2.5	0
Reg_1	md	R	none	.	0	1.8	0	0	1.8	0	0	0	0	0
Reg_1	md	R	SUM	154945	23.6	1913.6	19.2	31	1895.5	20.3	9.6	848.9	1014.2	9.9
Reg_1	md	SUM	Deer_A	174791	27.3	2226.3	19.2	58.3	2184.6	20.3	9.6	929.2	1273.8	9.9
Reg_1	md	SUM	Deer_B	4602	0	31.9	0	0	31.9	0	0	7	7.2	0
Reg_1	md	SUM	Permit	79	0	13.2	0	2.5	10.7	0	0	0	2.5	0
Reg_1	md	SUM	none	.	0	1.8	0	0	1.8	0	0	0	0	0
Reg_1	md	SUM	SUM	179472	27.3	2273.2	19.2	60.8	2229	20.3	9.6	936.2	1283.6	9.9
Reg_1	wt	N	Deer_A	24214	18.6	560.7	0	26.1	553.3	0	0	54.6	457.4	1.3
Reg_1	wt	N	Deer_B	470	1.2	100.8	2.1	0	104.1	0	0	0	1.3	0
Reg_1	wt	N	SUM	24751	19.8	661.5	2.1	26.1	657.3	0	0	54.6	458.7	1.3
Reg_1	wt	R	Deer_A	150577	238.5	11120.3	80.2	202.6	11043.1	113.9	79.3	3160.4	5184.6	78.4
Reg_1	wt	R	Deer_B	15992	186.1	2034.9	7.6	164.7	2039.5	18.9	5.5	16.4	12.1	0
Reg_1	wt	R	SRAWTB	18672	2.2	23.5	0	0	25.7	0	0	2.2	9.3	0
Reg_1	wt	R	none	.	1.6	39.2	0	1.6	39.2	0	0	4.1	3.8	0
Reg_1	wt	R	SUM	185241	428.4	13217.8	87.8	369	13147.5	132.8	84.8	3183.1	5209.8	78.4
Reg_1	wt	SUM	Deer_A	174791	257.1	11681	80.2	228.7	11596.4	113.9	79.3	3215	5642.1	79.7
Reg_1	wt	SUM	Deer_B	16462	187.3	2135.7	9.6	164.7	2143.6	18.9	5.5	16.4	13.4	0
Reg_1	wt	SUM	SRAWTB	18739	2.2	23.5	0	0	25.7	0	0	2.2	9.3	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_1	wt	SUM	none	.	1.6	39.2	0	1.6	39.2	0	0	4.1	3.8	0
Reg_1	wt	SUM	SUM	209992	448.2	13879.3	89.8	395	13804.8	132.8	84.8	3237.7	5668.5	79.7
Reg_2	all_deer	N	Deer_A	24214	38.6	577.4	0	49.7	555.6	3.7	6.8	160.8	401.2	11.2
Reg_2	all_deer	N	Deer_B	1757	35.1	70.1	0	30.2	68.4	6.7	0	1.2	17.6	0
Reg_2	all_deer	N	Permit	562	16.8	101.5	1.5	15.1	104.7	0	0	48.8	69.3	0
Reg_2	all_deer	N	SRAWTB	844	6.5	5.9	1.9	6.5	7.8	0	0	0	1.2	0
Reg_2	all_deer	N	SUM	27377	97	754.9	3.4	101.5	736.6	10.4	6.8	210.7	489.2	11.2
Reg_2	all_deer	R	Deer_A	150577	411.9	7929.3	52	274.5	8042	54.2	22.4	2575.2	4414.6	36.1
Reg_2	all_deer	R	Deer_B	18735	1337.3	1588	15.7	801.9	1682.3	439.3	17.5	29.1	93.9	0
Reg_2	all_deer	R	Permit	4935	82.4	1135	10.8	61.4	1072.4	94.3	0	384.9	728.6	2.1
Reg_2	all_deer	R	SRAWTB	8481	201.8	13.3	0	171	25.4	16.7	2	0	2.3	0
Reg_2	all_deer	R	none	.	16.6	21.9	0	12.2	23.3	3	0	7.7	2	0
Reg_2	all_deer	R	SUM	182728	2050	10687.4	78.5	1321.1	10845.5	607.5	41.9	2996.9	5241.3	38.2
Reg_2	all_deer	SUM	Deer_A	174791	450.4	8506.7	52	324.3	8597.7	57.9	29.2	2735.9	4815.8	47.3
Reg_2	all_deer	SUM	Deer_B	20492	1372.4	1658.1	15.7	832.1	1750.7	446	17.5	30.3	111.4	0
Reg_2	all_deer	SUM	Permit	5497	99.3	1236.4	12.3	76.5	1177.1	94.3	0	433.7	797.9	2.1
Reg_2	all_deer	SUM	SRAWTB	9325	208.3	19.2	1.9	177.4	33.3	16.7	2	0	3.4	0
Reg_2	all_deer	SUM	none	.	16.6	21.9	0	12.2	23.3	3	0	7.7	2	0
Reg_2	all_deer	SUM	SUM	210105	2147	11442.4	81.9	1422.6	11582.1	617.8	48.7	3207.6	5730.6	49.4
Reg_2	md	N	Deer_A	24214	11.8	267.5	0	26.7	245.2	3.7	3.7	92.2	174	7.5
Reg_2	md	N	Deer_B	706	1	15.3	0	1	15.3	0	0	0	5	0
Reg_2	md	N	Permit	474	16.8	101.5	1.5	15.1	104.7	0	0	48.8	69.3	0
Reg_2	md	N	SUM	25394	29.7	384.2	1.5	42.8	365.2	3.7	3.7	141	248.3	7.5
Reg_2	md	R	Deer_A	150577	71.4	1720	6	64.2	1723.5	0	9.6	801.6	904.4	17.2
Reg_2	md	R	Deer_B	9524	36.7	365.5	1.5	35.5	365.3	2.9	0	2.9	10.1	0
Reg_2	md	R	Permit	3874	65.8	1043.5	10.8	57.6	1062.5	0	0	384.9	720.4	2.1
Reg_2	md	R	SRAWTB	7329	0	2.2	0	0	2.2	0	0	0	0	0
Reg_2	md	R	SUM	171304	173.9	3131.2	18.3	157.3	3153.6	2.9	9.6	1189.3	1634.9	19.3
Reg_2	md	SUM	Deer_A	174791	83.2	1987.5	6	90.9	1968.7	3.7	13.3	893.8	1078.4	24.7
Reg_2	md	SUM	Deer_B	10230	37.7	380.8	1.5	36.5	380.6	2.9	0	2.9	15.1	0
Reg_2	md	SUM	Permit	4348	82.6	1144.9	12.3	72.7	1167.2	0	0	433.7	789.7	2.1
Reg_2	md	SUM	SRAWTB	7329	0	2.2	0	0	2.2	0	0	0	0	0
Reg_2	md	SUM	SUM	196698	203.5	3515.4	19.8	200.1	3518.7	6.6	13.3	1330.3	1883.2	26.7

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_2	wt	N	Deer_A	24214	26.8	309.9	0	23	310.5	0	3.1	68.5	227.2	3.7
Reg_2	wt	N	Deer_B	1238	34.1	54.9	0	29.2	53.2	6.7	0	1.2	12.6	0
Reg_2	wt	N	SRAWTB	844	6.5	5.9	1.9	6.5	7.8	0	0	0	1.2	0
Reg_2	wt	N	SUM	26528	67.3	370.7	1.9	58.7	371.4	6.7	3.1	69.7	241	3.7
Reg_2	wt	R	Deer_A	150577	340.5	6207.7	46	210.3	6316.9	54.2	12.8	1773.6	3508.5	18.9
Reg_2	wt	R	Deer_B	15838	1300.5	1221	14.2	766.4	1315.4	436.4	17.5	26.3	82.3	0
Reg_2	wt	R	Permit	2630	16.7	91.5	0	3.9	9.9	94.3	0	0	8.2	0
Reg_2	wt	R	SRAWTB	1152	199.5	11.1	0	171	23.2	14.4	2	0	2.3	0
Reg_2	wt	R	none	.	16.6	21.9	0	12.2	23.3	3	0	7.7	2	0
Reg_2	wt	R	SUM	170197	1873.9	7553.1	60.2	1163.8	7688.8	602.3	32.3	1807.6	3603.2	18.9
Reg_2	wt	SUM	Deer_A	174791	367.3	6517.5	46	233.3	6627.3	54.2	15.9	1842.2	3735.8	22.6
Reg_2	wt	SUM	Deer_B	17076	1334.7	1275.9	14.2	795.6	1368.6	443.1	17.5	27.4	94.8	0
Reg_2	wt	SUM	Permit	2862	16.7	91.5	0	3.9	9.9	94.3	0	0	8.2	0
Reg_2	wt	SUM	SRAWTB	1996	206	17	1.9	177.4	31	14.4	2	0	3.4	0
Reg_2	wt	SUM	none	.	16.6	21.9	0	12.2	23.3	3	0	7.7	2	0
Reg_2	wt	SUM	SUM	196725	1941.2	7923.8	62.1	1222.5	8060.2	608.9	35.4	1877.3	3844.2	22.6
Reg_3	all_deer	N	Deer_A	24214	139	1617.8	14.9	151.7	1612.5	3.7	3.7	494.7	1087.6	5.3
Reg_3	all_deer	N	Deer_B	1075	15.4	330.6	2.5	25.9	321.3	0	1.4	5	6.5	0
Reg_3	all_deer	N	Permit	299	2.5	104.4	0	2.5	104.4	0	0	43.2	61.8	1.8
Reg_3	all_deer	N	SRAWTB	844	38.6	236.8	0	30.3	245.1	0	0	0	4.1	0
Reg_3	all_deer	N	none	.	0	7.5	0	0	7.5	0	0	0	0	0
Reg_3	all_deer	N	SUM	26432	195.5	2297.2	17.4	210.4	2290.8	3.7	5.1	543	1159.9	7.1
Reg_3	all_deer	R	Deer_A	150577	382.1	8640.8	58.3	327.6	8643	62.2	48.5	3276.9	4392.2	16
Reg_3	all_deer	R	Deer_B	18914	261.4	3570.9	43.2	610.9	3178.8	66.1	19.7	26.1	52.3	0
Reg_3	all_deer	R	Permit	4005	31.5	1567.9	10.6	22.8	1584	1.9	1.2	751.6	813.5	11.6
Reg_3	all_deer	R	SRAWTB	22642	276.1	2342.8	19.9	215	2401.8	5.9	16	11.3	25.9	3.4
Reg_3	all_deer	R	none	.	4.1	58.1	0	4.1	58.1	0	0	8.1	5.4	0
Reg_3	all_deer	R	SUM	196138	955.2	16180.5	132	1180.4	15865.8	136.1	85.4	4074	5289.3	31
Reg_3	all_deer	SUM	Deer_A	174791	521.1	10258.6	73.2	479.3	10255.5	65.9	52.2	3771.6	5479.8	21.3
Reg_3	all_deer	SUM	Deer_B	19989	276.8	3901.5	45.7	636.8	3500.1	66.1	21.1	31.1	58.8	0
Reg_3	all_deer	SUM	Permit	4304	34	1672.2	10.6	25.3	1688.4	1.9	1.2	794.8	875.3	13.4
Reg_3	all_deer	SUM	SRAWTB	23486	314.7	2579.6	19.9	245.4	2646.9	5.9	16	11.3	30	3.4
Reg_3	all_deer	SUM	none	.	4.1	65.7	0	4.1	65.7	0	0	8.1	5.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_3	all_deer	SUM	SUM	222570	1150.7	18477.6	149.4	1390.8	18156.6	139.8	90.5	4616.9	6449.2	38.2
Reg_3	md	N	Deer_A	24214	85.9	1125.2	7.5	100.8	1110.3	3.7	3.7	428.7	672.8	5.3
Reg_3	md	N	Deer_B	775	2.8	218.3	1.1	4	218.3	0	0	1.8	5.1	0
Reg_3	md	N	Permit	299	2.5	104.4	0	2.5	104.4	0	0	43.2	61.8	1.8
Reg_3	md	N	SRAWTB	777	0	1.8	0	0	1.8	0	0	0	0	0
Reg_3	md	N	none	.	0	3.8	0	0	3.8	0	0	0	0	0
Reg_3	md	N	SUM	26065	91.2	1453.5	8.6	107.2	1438.6	3.7	3.7	473.7	739.7	7.1
Reg_3	md	R	Deer_A	150577	137.4	4286.5	31.8	141.6	4284.2	14.6	15.2	2242.2	1816.7	13.7
Reg_3	md	R	Deer_B	15895	106.2	2423.1	23.7	145.8	2398.9	5.2	3	11.6	13.7	0
Reg_3	md	R	Permit	4005	30.3	1562.8	9.4	21.6	1580.9	0	0	751.6	813.5	11.6
Reg_3	md	R	SRAWTB	7329	2.2	38.5	0	2.2	38.5	0	0	5.6	2.3	0
Reg_3	md	R	none	.	0	21.7	0	0	21.7	0	0	8.1	3.4	0
Reg_3	md	R	SUM	177806	275.9	8332.5	64.8	311.2	8324.1	19.7	18.2	3019.2	2649.6	25.3
Reg_3	md	SUM	Deer_A	174791	223.2	5411.7	39.2	242.4	5394.5	18.3	18.9	2670.9	2489.5	19
Reg_3	md	SUM	Deer_B	16670	109	2641.4	24.8	149.8	2617.2	5.2	3	13.4	18.8	0
Reg_3	md	SUM	Permit	4304	32.8	1667.2	9.4	24.1	1685.2	0	0	794.8	875.3	13.4
Reg_3	md	SUM	SRAWTB	8106	2.2	40.3	0	2.2	40.3	0	0	5.6	2.3	0
Reg_3	md	SUM	none	.	0	25.5	0	0	25.5	0	0	8.1	3.4	0
Reg_3	md	SUM	SUM	203871	367.1	9786	73.4	418.5	9762.7	23.4	21.9	3492.9	3389.3	32.4
Reg_3	wt	N	Deer_A	24214	53.1	491.3	7.5	51	500.9	0	0	66	413.5	0
Reg_3	wt	N	Deer_B	784	12.5	110.7	0	21.9	101.3	0	0	3.3	1.4	0
Reg_3	wt	N	SRAWTB	844	38.6	235	0	30.3	243.3	0	0	0	4.1	0
Reg_3	wt	N	none	.	0	3.8	0	0	3.8	0	0	0	0	0
Reg_3	wt	N	SUM	25944	104.3	840.7	7.5	103.2	849.3	0	0	69.3	418.9	0
Reg_3	wt	R	Deer_A	150577	242.4	4352.8	25	185.9	4357.3	47.6	29.4	1034.6	2574	2.3
Reg_3	wt	R	Deer_B	9801	153.9	1144	19.5	463.9	775.9	60.9	16.7	14.4	38.6	0
Reg_3	wt	R	Permit	2234	1.2	5.1	0	1.2	3.1	1.9	0	0	0	0
Reg_3	wt	R	SRAWTB	22642	271.7	2298.6	17.7	212.8	2353.2	5.9	16	5.7	23.6	3.4
Reg_3	wt	R	none	.	4.1	36.4	0	4.1	36.4	0	0	0	2	0
Reg_3	wt	R	SUM	185254	673.3	7836.9	62.1	868	7525.9	116.4	62.1	1054.7	2638.2	5.8
Reg_3	wt	SUM	Deer_A	174791	295.6	4844.1	32.4	236.9	4858.1	47.6	29.4	1100.7	2987.5	2.3
Reg_3	wt	SUM	Deer_B	10585	166.4	1254.7	19.5	485.8	877.3	60.9	16.7	17.7	40	0
Reg_3	wt	SUM	Permit	2336	1.2	5.1	0	1.2	3.1	1.9	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_3	wt	SUM	SRAWTB	23486	310.3	2533.7	17.7	243.2	2596.5	5.9	16	5.7	27.6	3.4
Reg_3	wt	SUM	none	.	4.1	40.2	0	4.1	40.2	0	0	0	2	0
Reg_3	wt	SUM	SUM	211198	777.6	8677.6	69.6	971.1	8375.2	116.4	62.1	1124	3057.1	5.8
Reg_4	all_deer	N	Deer_A	24214	68.9	2326.5	0	87.5	2306.5	0	1.4	446.4	1828.6	11.8
Reg_4	all_deer	N	Deer_B	2467	14.9	750.7	1	16.2	750.4	0	0	4.1	20.9	0
Reg_4	all_deer	N	Permit	70	0	3.3	0	0	3.3	0	0	0	3.3	0
Reg_4	all_deer	N	SRAWTB	844	1.5	5.6	0	1.5	5.6	0	0	0	0	0
Reg_4	all_deer	N	none	.	0	2.7	1.6	1.6	2.7	0	0	1.5	1.6	0
Reg_4	all_deer	N	SUM	27595	85.4	3088.9	2.6	106.9	3068.6	0	1.4	452.1	1854.3	11.8
Reg_4	all_deer	R	Deer_A	150577	275.1	13016.8	105.1	195.9	13032.5	101.3	67.2	3521.8	7583.2	54.6
Reg_4	all_deer	R	Deer_B	18368	115.5	3077.8	55.2	91.1	2987.7	133.8	36	45.7	67.3	2.6
Reg_4	all_deer	R	Permit	1159	1.4	37.8	0	0	37.4	1.8	0	4.5	31.4	0
Reg_4	all_deer	R	SRAWTB	18672	196	2796.7	29.4	145.3	2834.9	22.6	19.4	30.9	48.1	3.4
Reg_4	all_deer	R	none	.	5.9	114.2	1.4	10	100.6	10.9	0	10.1	4.1	0
Reg_4	all_deer	R	SUM	188776	593.8	19043.3	191.1	442.2	18993	270.4	122.6	3613.1	7734.1	60.6
Reg_4	all_deer	SUM	Deer_A	174791	344	15343.3	105.1	283.4	15339	101.3	68.6	3968.3	9411.8	66.4
Reg_4	all_deer	SUM	Deer_B	20835	130.4	3828.5	56.2	107.3	3738.1	133.8	36	49.9	88.2	2.6
Reg_4	all_deer	SUM	Permit	1229	1.4	41.2	0	0	40.7	1.8	0	4.5	34.8	0
Reg_4	all_deer	SUM	SRAWTB	19516	197.5	2802.3	29.4	146.8	2840.5	22.6	19.4	30.9	48.1	3.4
Reg_4	all_deer	SUM	none	.	5.9	116.9	2.9	11.5	103.3	10.9	0	11.6	5.6	0
Reg_4	all_deer	SUM	SUM	216371	679.2	22132.2	193.7	549.1	22061.6	270.4	124	4065.1	9588.5	72.4
Reg_4	md	N	Deer_A	24214	43	1841.2	0	57.9	1824.9	0	1.4	376.4	1409.7	11.8
Reg_4	md	N	Deer_B	2185	5.1	550	1	5.1	551	0	0	2.6	7.4	0
Reg_4	md	N	Permit	6	0	3.3	0	0	3.3	0	0	0	3.3	0
Reg_4	md	N	SRAWTB	777	0	1.6	0	0	1.6	0	0	0	0	0
Reg_4	md	N	none	.	0	2.7	0	0	2.7	0	0	1.5	0	0
Reg_4	md	N	SUM	27182	48.1	2398.7	1	63	2383.4	0	1.4	380.6	1420.4	11.8
Reg_4	md	R	Deer_A	150577	133.1	8977.8	69.1	104.6	8990.1	33.9	51.4	2665.2	4971.9	29.8
Reg_4	md	R	Deer_B	15550	91.6	2775.9	44.3	77.8	2806.6	3.7	23.6	29.8	37.4	0
Reg_4	md	R	Permit	94	1.4	27.3	0	0	28.7	0	0	2.9	25.8	0
Reg_4	md	R	SRAWTB	14939	0	133.1	0	0	129.1	1.9	2	20.8	13.5	0
Reg_4	md	R	none	.	0	50.4	0	0	50.4	0	0	7.8	0	0
Reg_4	md	R	SUM	181160	226	11964.5	113.3	182.4	12004.9	39.6	77	2726.4	5048.6	29.8

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_4	md	SUM	Deer_A	174791	176.1	10819	69.1	162.4	10815	33.9	52.8	3041.6	6381.6	41.6
Reg_4	md	SUM	Deer_B	17735	96.7	3325.8	45.3	82.9	3357.5	3.7	23.6	32.4	44.8	0
Reg_4	md	SUM	Permit	100	1.4	30.6	0	0	32	0	0	2.9	29.1	0
Reg_4	md	SUM	SRAWTB	15716	0	134.6	0	0	130.7	1.9	2	20.8	13.5	0
Reg_4	md	SUM	none	.	0	53.2	0	0	53.2	0	0	9.3	0	0
Reg_4	md	SUM	SUM	208342	274.1	14363.3	114.3	245.4	14388.3	39.6	78.4	3107	6469	41.6
Reg_4	wt	N	Deer_A	24214	26	484.2	0	29.7	480.5	0	0	68.9	418.9	0
Reg_4	wt	N	Deer_B	2218	9.8	199.3	0	11.1	198	0	0	1.5	13.4	0
Reg_4	wt	N	SRAWTB	844	1.5	4.1	0	1.5	4.1	0	0	0	0	0
Reg_4	wt	N	none	.	0	0	1.6	1.6	0	0	0	0	1.6	0
Reg_4	wt	N	SUM	27345	37.3	687.5	1.6	43.9	682.5	0	0	70.3	433.9	0
Reg_4	wt	R	Deer_A	150577	142	4037.5	36	91.3	4041	67.4	15.8	855.3	2611.3	24.8
Reg_4	wt	R	Deer_B	9761	23.9	296.6	7.9	13.3	175.8	130.1	9.3	16	29.9	1.2
Reg_4	wt	R	Permit	1110	0	10.5	0	0	8.7	1.8	0	1.6	5.7	0
Reg_4	wt	R	SRAWTB	18672	196	2661.4	29.4	145.3	2703.5	20.6	17.4	10.1	34.6	3.4
Reg_4	wt	R	none	.	5.9	63.7	1.4	10	50.2	10.9	0	2.4	4.1	0
Reg_4	wt	R	SUM	180120	367.8	7069.8	74.7	259.8	6979.2	230.7	42.5	885.3	2685.6	29.3
Reg_4	wt	SUM	Deer_A	174791	167.9	4521.7	36	121	4521.5	67.4	15.8	924.1	3030.2	24.8
Reg_4	wt	SUM	Deer_B	11979	33.7	495.9	7.9	24.4	373.8	130.1	9.3	17.5	43.3	1.2
Reg_4	wt	SUM	Permit	1179	0	10.5	0	0	8.7	1.8	0	1.6	5.7	0
Reg_4	wt	SUM	SRAWTB	19516	197.5	2665.5	29.4	146.8	2707.6	20.6	17.4	10.1	34.6	3.4
Reg_4	wt	SUM	none	.	5.9	63.7	2.9	11.5	50.2	10.9	0	2.4	5.6	0
Reg_4	wt	SUM	SUM	207465	405.1	7757.3	76.3	303.7	7661.7	230.7	42.5	955.6	3119.5	29.3
Reg_5	all_deer	N	Deer_A	24214	30.5	1133.2	3.7	30.5	1133.2	3.7	0	244.7	897.6	5
Reg_5	all_deer	N	Deer_B	2717	11.8	354	1.1	11.2	354.2	0	1.5	2.6	10.6	0
Reg_5	all_deer	N	Permit	99	0	41.5	0	0	41.5	0	0	6.5	35	0
Reg_5	all_deer	N	SRAWTB	2343	0	20.6	0	0	20.6	0	0	0	0	0
Reg_5	all_deer	N	none	.	0	17.8	0	0	17.8	0	0	1.5	0	0
Reg_5	all_deer	N	SUM	29373	42.3	1567.1	4.8	41.7	1567.3	3.7	1.5	255.3	943.1	5
Reg_5	all_deer	R	Deer_A	150577	149.1	7729	56.4	126.6	7694.5	56.1	57.3	2824.1	3722.8	33.6
Reg_5	all_deer	R	Deer_B	15711	232.3	2990.6	42.4	193.4	2729.5	305.5	36.9	13.3	24.8	0
Reg_5	all_deer	R	Permit	865	4.5	352.4	0	1.6	355.3	0	0	112	237.1	0
Reg_5	all_deer	R	SRAWTB	18909	0	26.5	0	0	23.9	2.7	0	0	4.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_5	all_deer	R	none	.	0	46.1	0	0	46.1	0	0	5.8	4.1	0
Reg_5	all_deer	R	SUM	186062	385.9	11144.6	98.8	321.7	10849.2	364.3	94.1	2955.2	3993.4	33.6
Reg_5	all_deer	SUM	Deer_A	174791	179.6	8862.2	60.1	157.1	8827.7	59.9	57.3	3068.8	4620.4	38.6
Reg_5	all_deer	SUM	Deer_B	18428	244.1	3344.6	43.5	204.7	3083.7	305.5	38.4	15.9	35.4	0
Reg_5	all_deer	SUM	Permit	964	4.5	393.8	0	1.6	396.7	0	0	118.5	272.1	0
Reg_5	all_deer	SUM	SRAWTB	21252	0	47.2	0	0	44.5	2.7	0	0	4.6	0
Reg_5	all_deer	SUM	none	.	0	63.9	0	0	63.9	0	0	7.3	4.1	0
Reg_5	all_deer	SUM	SUM	215435	428.2	12711.7	103.6	363.4	12416.5	368	95.6	3210.5	4936.6	38.6
Reg_5	md	N	Deer_A	24214	12.8	826.1	3.7	16.5	822.4	3.7	0	208.2	626.8	1.3
Reg_5	md	N	Deer_B	2301	4.4	189.6	1.1	5.5	189.6	0	0	1.1	2.9	0
Reg_5	md	N	Permit	99	0	41.5	0	0	41.5	0	0	6.5	35	0
Reg_5	md	N	SRAWTB	1566	0	4.7	0	0	4.7	0	0	0	0	0
Reg_5	md	N	none	.	0	5.3	0	0	5.3	0	0	1.5	0	0
Reg_5	md	N	SUM	28180	17.2	1067.2	4.8	22	1063.4	3.7	0	217.2	664.7	1.3
Reg_5	md	R	Deer_A	150577	47	4767.8	30.5	48.2	4745.5	25.8	25.8	2225.4	2065.1	12.6
Reg_5	md	R	Deer_B	13347	54.1	1201.1	16.3	51.5	1208.7	4.2	7.1	8.9	7.1	0
Reg_5	md	R	Permit	865	4.5	350.7	0	1.6	353.6	0	0	112	237.1	0
Reg_5	md	R	none	.	0	27.9	0	0	27.9	0	0	5.8	4.1	0
Reg_5	md	R	SUM	164789	105.7	6347.5	46.7	101.3	6335.8	30	32.9	2352.1	2313.4	12.6
Reg_5	md	SUM	Deer_A	174791	59.8	5593.9	34.2	64.7	5567.9	29.5	25.8	2433.5	2691.9	13.9
Reg_5	md	SUM	Deer_B	15648	58.6	1390.7	17.3	57	1398.3	4.2	7.1	10	10	0
Reg_5	md	SUM	Permit	964	4.5	392.2	0	1.6	395.1	0	0	118.5	272.1	0
Reg_5	md	SUM	SRAWTB	1566	0	4.7	0	0	4.7	0	0	0	0	0
Reg_5	md	SUM	none	.	0	33.1	0	0	33.1	0	0	7.3	4.1	0
Reg_5	md	SUM	SUM	192969	122.9	7414.7	51.5	123.3	7399.2	33.7	32.9	2569.3	2978.1	13.9
Reg_5	wt	N	Deer_A	24214	17.7	307.1	0	14	310.8	0	0	36.5	270.8	3.7
Reg_5	wt	N	Deer_B	1120	7.4	164.4	0	5.7	164.6	0	1.5	1.5	7.7	0
Reg_5	wt	N	SRAWTB	2343	0	15.9	0	0	15.9	0	0	0	0	0
Reg_5	wt	N	none	.	0	12.5	0	0	12.5	0	0	0	0	0
Reg_5	wt	N	SUM	27677	25.1	499.9	0	19.7	503.8	0	1.5	38.1	278.5	3.7
Reg_5	wt	R	Deer_A	150577	102.1	2950.6	21.9	78.4	2938.4	30.4	27.4	590.6	1657.7	20.9
Reg_5	wt	R	Deer_B	14913	178.1	1783	24	142	1514.3	301.3	27.7	4.3	17.7	0
Reg_5	wt	R	SRAWTB	18909	0	26.5	0	0	23.9	2.7	0	0	4.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_5	wt	R	none	.	0	18.2	0	0	18.2	0	0	0	0	0
Reg_5	wt	R	SUM	184399	280.2	4778.4	45.9	220.4	4494.8	334.3	55	595	1680	20.9
Reg_5	wt	SUM	Deer_A	174791	119.8	3257.7	21.9	92.4	3249.2	30.4	27.4	627.2	1928.5	24.7
Reg_5	wt	SUM	Deer_B	16033	185.5	1947.5	24	147.7	1678.9	301.3	29.2	5.9	25.4	0
Reg_5	wt	SUM	SRAWTB	21252	0	42.4	0	0	39.8	2.7	0	0	4.6	0
Reg_5	wt	SUM	none	.	0	30.8	0	0	30.8	0	0	0	0	0
Reg_5	wt	SUM	SUM	212076	305.3	5278.4	45.9	240.1	4998.7	334.3	56.5	633.1	1958.5	24.7
Reg_6	all_deer	N	Deer_A	24214	98.3	1609.6	12.7	100.1	1609.3	7.5	3.7	220.6	1421.1	3.7
Reg_6	all_deer	N	Deer_B	3289	26.7	777.2	7.8	17.5	786.8	0	7.4	5.7	17.7	0
Reg_6	all_deer	N	Permit	10	0	7.1	0	0	7.1	0	0	0	7.1	0
Reg_6	all_deer	N	SRAWTB	1633	2.7	17.6	0	2.7	17.6	0	0	0	2.7	0
Reg_6	all_deer	N	none	.	0	6.9	0	0	6.9	0	0	3.8	1.7	0
Reg_6	all_deer	N	SUM	29146	127.6	2418.4	20.5	120.3	2427.7	7.5	11.1	230.1	1450.2	3.7
Reg_6	all_deer	R	Deer_A	150577	67.7	5919.9	26.7	53.3	5918.3	17.8	24.8	1078.1	4019.1	10.4
Reg_6	all_deer	R	Deer_B	13181	93.5	1187.2	4.4	80	1198.8	3.4	2.8	13.8	42	0
Reg_6	all_deer	R	Permit	90	1.2	43.5	0	1.2	43.5	0	0	2.5	42.3	0
Reg_6	all_deer	R	SRAWTB	23638	25.3	735	2.1	16.7	738.9	3.1	3.7	3.4	12.8	0
Reg_6	all_deer	R	none	.	0	45.2	0	0	45.2	0	0	5.8	8	0
Reg_6	all_deer	R	SUM	187486	187.8	7930.8	33.2	151.3	7944.9	24.3	31.3	1103.5	4124.1	10.4
Reg_6	all_deer	SUM	Deer_A	174791	166	7529.5	39.4	153.5	7527.6	25.3	28.5	1298.7	5440.1	14.1
Reg_6	all_deer	SUM	Deer_B	16470	120.2	1964.3	12.1	97.5	1985.6	3.4	10.2	19.5	59.7	0
Reg_6	all_deer	SUM	Permit	100	1.2	50.7	0	1.2	50.7	0	0	2.5	49.4	0
Reg_6	all_deer	SUM	SRAWTB	25271	28	752.6	2.1	19.4	756.5	3.1	3.7	3.4	15.5	0
Reg_6	all_deer	SUM	none	.	0	52.1	0	0	52.1	0	0	9.5	9.7	0
Reg_6	all_deer	SUM	SUM	216632	315.4	10349.3	53.6	271.5	10372.6	31.8	42.4	1333.6	5574.4	14.1
Reg_6	md	N	Deer_A	24214	35	1126.1	12.7	42.4	1127.6	0	3.7	210	893.2	3.7
Reg_6	md	N	Deer_B	3142	4.5	349.9	1.3	0	349.9	0	5.9	4.2	6.9	0
Reg_6	md	N	Permit	10	0	7.1	0	0	7.1	0	0	0	7.1	0
Reg_6	md	N	SRAWTB	1566	0	1.5	0	0	1.5	0	0	0	0	0
Reg_6	md	N	none	.	0	5.5	0	0	5.5	0	0	3.8	1.7	0
Reg_6	md	N	SUM	28932	39.5	1490.2	14	42.4	1491.6	0	9.6	218.1	909	3.7
Reg_6	md	R	Deer_A	150577	16.7	3922.1	23.5	16.5	3917	9.7	19.1	766.1	2535.3	5
Reg_6	md	R	Deer_B	10720	16	740.7	4.4	14.3	744	0	2.8	6.1	24.8	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_6	md	R	Permit	90	1.2	43.5	0	1.2	43.5	0	0	2.5	42.3	0
Reg_6	md	R	SRAWTB	10191	0	37.8	0	0	37.8	0	0	3.4	8	0
Reg_6	md	R	none	.	0	9.5	0	0	9.5	0	0	0	0	0
Reg_6	md	R	SUM	171578	34	4753.7	27.9	32.1	4751.8	9.7	21.9	778.1	2610.5	5
Reg_6	md	SUM	Deer_A	174791	51.7	5048.2	36.2	59	5044.6	9.7	22.8	976.1	3428.5	8.7
Reg_6	md	SUM	Deer_B	13862	20.6	1090.7	5.7	14.3	1093.9	0	8.7	10.4	31.7	0
Reg_6	md	SUM	Permit	100	1.2	50.7	0	1.2	50.7	0	0	2.5	49.4	0
Reg_6	md	SUM	SRAWTB	11757	0	39.3	0	0	39.3	0	0	3.4	8	0
Reg_6	md	SUM	none	.	0	15	0	0	15	0	0	3.8	1.7	0
Reg_6	md	SUM	SUM	200510	73.5	6243.9	41.9	74.5	6243.5	9.7	31.5	996.1	3519.4	8.7
Reg_6	wt	N	Deer_A	24214	63.3	474.6	0	57.7	476.5	3.7	0	10.6	518.9	0
Reg_6	wt	N	Deer_B	2912	22.2	427.3	6.4	17.5	436.9	0	1.5	1.5	10.7	0
Reg_6	wt	N	SRAWTB	1633	2.7	16.1	0	2.7	16.1	0	0	0	2.7	0
Reg_6	wt	N	none	.	0	1.4	0	0	1.4	0	0	0	0	0
Reg_6	wt	N	SUM	28759	88.1	919.3	6.4	77.8	930.8	3.7	1.5	12.1	532.3	0
Reg_6	wt	R	Deer_A	150577	51	1996.1	3.2	36.8	1999.6	8.1	5.7	312	1482	5.4
Reg_6	wt	R	Deer_B	10598	77.4	444.9	0	65.7	453.3	3.4	0	7.6	17.2	0
Reg_6	wt	R	SRAWTB	16028	22.9	693.6	2.1	16.7	695.1	3.1	3.7	0	4.8	0
Reg_6	wt	R	none	.	0	35.7	0	0	35.7	0	0	5.8	8	0
Reg_6	wt	R	SUM	177203	151.4	3170.3	5.3	119.2	3183.8	14.6	9.4	325.4	1512	5.4
Reg_6	wt	SUM	Deer_A	174791	114.3	2470.7	3.2	94.5	2476.1	11.8	5.7	322.6	2001	5.4
Reg_6	wt	SUM	Deer_B	13510	99.6	872.2	6.4	83.1	890.2	3.4	1.5	9.1	27.9	0
Reg_6	wt	SUM	SRAWTB	17661	25.6	709.6	2.1	19.4	711.1	3.1	3.7	0	7.4	0
Reg_6	wt	SUM	none	.	0	37.1	0	0	37.1	0	0	5.8	8	0
Reg_6	wt	SUM	SUM	205962	239.5	4089.6	11.7	197	4114.6	18.4	10.9	337.5	2044.3	5.4
Reg_7	all_deer	N	Deer_A	24214	88	4526.8	14.9	79.9	4542.3	0	7.5	836.7	3683.3	11.2
Reg_7	all_deer	N	Deer_B	3527	8	1088.6	0	13.1	1078.5	0	5	0	8.7	0
Reg_7	all_deer	N	SRAWTB	2343	17.4	856.9	0	6.5	867.8	0	0	4.8	18.4	0
Reg_7	all_deer	N	none	.	3.8	30.5	0	3.8	26.7	0	3.8	0	3.8	0
Reg_7	all_deer	N	SUM	30084	117.2	6502.8	14.9	103.3	6515.3	0	16.2	841.5	3714.3	11.2
Reg_7	all_deer	R	Deer_A	150577	133.9	6900.4	41.8	85.8	6962.7	8.4	19.1	1649.3	4719.1	14.6
Reg_7	all_deer	R	Deer_B	14377	41.8	2328.8	40.2	34.2	2360.9	7.7	8.1	10.8	16.4	3.1
Reg_7	all_deer	R	SRAMDB	100	1.4	67.2	2.9	1.4	70	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_7	all_deer	R	SRAWTB	22486	103.2	1455	28.5	78.2	1493.5	0	15	15.1	15.3	0
Reg_7	all_deer	R	none	.	4.1	67.8	0	4.1	67.8	0	0	0	4.1	0
Reg_7	all_deer	R	SUM	187540	284.3	10819.2	113.4	203.7	10954.9	16.2	42.2	1675.1	4754.9	17.7
Reg_7	all_deer	SUM	Deer_A	174791	221.9	11427.2	56.7	165.7	11505	8.4	26.6	2486	8402.5	25.8
Reg_7	all_deer	SUM	Deer_B	17904	49.8	3417.5	40.2	47.3	3439.3	7.7	13.1	10.8	25.1	3.1
Reg_7	all_deer	SUM	SRAMDB	100	1.4	67.2	2.9	1.4	70	0	0	0	0	0
Reg_7	all_deer	SUM	SRAWTB	24829	120.6	2311.9	28.5	84.7	2361.3	0	15	19.9	33.8	0
Reg_7	all_deer	SUM	none	.	7.8	98.3	0	7.8	94.5	0	3.8	0	7.8	0
Reg_7	all_deer	SUM	SUM	217624	401.5	17322	128.3	307	17470.2	16.2	58.4	2516.6	8469.2	28.9
Reg_7	md	N	Deer_A	24214	67.9	3910.4	14.9	62.7	3923.1	0	7.5	809	3100.2	11.2
Reg_7	md	N	Deer_B	2323	8	1050.2	0	13.1	1040	0	5	0	7.7	0
Reg_7	md	N	SRAWTB	2343	9.4	67	0	4.7	71.7	0	0	4.8	18.4	0
Reg_7	md	N	none	.	0	22.6	0	0	18.9	0	3.8	0	3.8	0
Reg_7	md	N	SUM	28880	85.3	5050.2	14.9	80.6	5053.6	0	16.2	813.8	3130.1	11.2
Reg_7	md	R	Deer_A	150577	41.4	5240.6	29.2	37.1	5260.5	6.5	7.1	1412.9	3421.9	9
Reg_7	md	R	Deer_B	12045	35.7	2297.8	37.9	34.2	2324.5	7.7	5	6.9	11.8	3.1
Reg_7	md	R	SRAMDB	100	1.4	67.2	1.4	1.4	68.6	0	0	0	0	0
Reg_7	md	R	SRAWTB	14876	2.6	75.9	7.2	2.6	80.5	0	2.6	15.1	5.9	0
Reg_7	md	R	none	.	0	46.7	0	0	46.7	0	0	0	4.1	0
Reg_7	md	R	SUM	177598	81.1	7728.2	75.7	75.4	7780.7	14.2	14.7	1434.9	3443.7	12
Reg_7	md	SUM	Deer_A	174791	109.3	9151	44.1	99.9	9183.5	6.5	14.6	2221.8	6522.1	20.1
Reg_7	md	SUM	Deer_B	14368	43.7	3348	37.9	47.3	3364.5	7.7	10	6.9	19.5	3.1
Reg_7	md	SUM	SRAMDB	100	1.4	67.2	1.4	1.4	68.6	0	0	0	0	0
Reg_7	md	SUM	SRAWTB	17219	12.1	142.9	7.2	7.3	152.2	0	2.6	19.9	24.3	0
Reg_7	md	SUM	none	.	0	69.3	0	0	65.6	0	3.8	0	7.8	0
Reg_7	md	SUM	SUM	206478	166.5	12778.4	90.6	155.9	12834.3	14.2	31	2248.7	6573.8	23.2
Reg_7	wt	N	Deer_A	24214	20.1	612.6	0	17.2	615.5	0	0	27.7	579.4	0
Reg_7	wt	N	Deer_B	2714	0	35.7	0	0	35.7	0	0	0	1	0
Reg_7	wt	N	SRAWTB	2343	8	787.8	0	1.8	794	0	0	0	0	0
Reg_7	wt	N	none	.	3.8	7.8	0	3.8	7.8	0	0	0	0	0
Reg_7	wt	N	SUM	29271	31.8	1443.9	0	22.7	1453	0	0	27.7	580.4	0
Reg_7	wt	R	Deer_A	150577	92.5	1646.1	8.5	48.7	1688.5	1.9	8	236.4	1290	5.7
Reg_7	wt	R	Deer_B	9317	3.1	31	2.3	0	33.3	0	3.1	3.9	4.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_7	wt	R	SRAMDB	100	0	0	1.5	0	1.5	0	0	0	0	0
Reg_7	wt	R	SRAWTB	22486	100.6	1373.8	18.7	75.5	1407.7	0	9.8	0	9.5	0
Reg_7	wt	R	none	.	4.1	21.1	0	4.1	21.1	0	0	0	0	0
Reg_7	wt	R	SUM	182480	200.1	3072	31	128.3	3152.1	1.9	20.8	240.2	1304	5.7
Reg_7	wt	SUM	Deer_A	174791	112.6	2258.7	8.5	65.9	2304	1.9	8	264.1	1869.4	5.7
Reg_7	wt	SUM	Deer_B	12031	3.1	66.7	2.3	0	69	0	3.1	3.9	5.6	0
Reg_7	wt	SUM	SRAMDB	100	0	0	1.5	0	1.5	0	0	0	0	0
Reg_7	wt	SUM	SRAWTB	24829	108.5	2161.6	18.7	77.3	2201.7	0	9.8	0	9.5	0
Reg_7	wt	SUM	none	.	7.8	28.9	0	7.8	28.9	0	0	0	0	0
Reg_7	wt	SUM	SUM	211751	232	4515.9	31	151	4605.1	1.9	20.8	268	1884.4	5.7
Reg_X	all_deer	N	Deer_A	24213	3.7	53.7	3.7	3.7	52.2	0	5.3	11.2	50	0
Reg_X	all_deer	N	Deer_B	27	0	1.6	0	0	1.6	0	0	0	0	0
Reg_X	all_deer	N	SRAWTB	777	0	4.1	4.1	0	8.1	0	0	0	0	0
Reg_X	all_deer	N	SUM	25017	3.7	59.4	7.8	3.7	61.9	0	5.3	11.2	50	0
Reg_X	all_deer	R	Deer_A	150577	0	63.1	3	0	64.8	0	1.4	13.5	37.5	2.3
Reg_X	all_deer	R	Deer_B	11972	4.2	11.6	3.1	2.1	13.7	0	3.1	0	0	0
Reg_X	all_deer	R	SRAWTB	7610	0	5	0	0	5	0	0	0	0	0
Reg_X	all_deer	R	SUM	170159	4.2	79.8	6.1	2.1	83.5	0	4.4	13.5	37.5	2.3
Reg_X	all_deer	SUM	Deer_A	174790	3.7	116.8	6.8	3.7	116.9	0	6.7	24.6	87.5	2.3
Reg_X	all_deer	SUM	Deer_B	11999	4.2	13.2	3.1	2.1	15.3	0	3.1	0	0	0
Reg_X	all_deer	SUM	SRAWTB	8387	0	9.1	4.1	0	13.2	0	0	0	0	0
Reg_X	all_deer	SUM	SUM	195176	8	139.1	13.9	5.9	145.4	0	9.7	24.6	87.5	2.3
Reg_X	md	N	Deer_A	24213	0	37.3	3.7	0	37.3	0	3.7	7.5	33.5	0
Reg_X	md	N	SUM	24213	0	37.3	3.7	0	37.3	0	3.7	7.5	33.5	0
Reg_X	md	R	Deer_A	150577	0	36.4	1.7	0	38.1	0	0	9.4	19.2	2.3
Reg_X	md	R	Deer_B	11042	4.2	8.1	0	2.1	10.2	0	0	0	0	0
Reg_X	md	R	SUM	161619	4.2	44.5	1.7	2.1	48.2	0	0	9.4	19.2	2.3
Reg_X	md	SUM	Deer_A	174790	0	73.7	5.4	0	75.3	0	3.7	16.9	52.8	2.3
Reg_X	md	SUM	Deer_B	11042	4.2	8.1	0	2.1	10.2	0	0	0	0	0
Reg_X	md	SUM	SUM	185832	4.2	81.7	5.4	2.1	85.5	0	3.7	16.9	52.8	2.3
Reg_X	wt	N	Deer_A	24213	3.7	16.5	0	3.7	14.9	0	1.6	3.7	16.5	0
Reg_X	wt	N	Deer_B	27	0	1.6	0	0	1.6	0	0	0	0	0
Reg_X	wt	N	SRAWTB	777	0	4.1	4.1	0	8.1	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
Reg_X	wt	N	SUM	25017	3.7	22.1	4.1	3.7	24.6	0	1.6	3.7	16.5	0
Reg_X	wt	R	Deer_A	150577	0	26.7	0	0	26.7	0	0	4.1	18.2	0
Reg_X	wt	R	Deer_B	651	0	3.6	0	0	3.6	0	0	0	0	0
Reg_X	wt	R	SRAWTB	7610	0	5	0	0	5	0	0	0	0	0
Reg_X	wt	R	SUM	158838	0	35.3	0	0	35.3	0	0	4.1	18.2	0
Reg_X	wt	SUM	Deer_A	174790	3.7	43.2	0	3.7	41.6	0	1.6	7.8	34.7	0
Reg_X	wt	SUM	Deer_B	678	0	5.1	0	0	5.1	0	0	0	0	0
Reg_X	wt	SUM	SRAWTB	8387	0	9.1	4.1	0	13.2	0	0	0	0	0
Reg_X	wt	SUM	SUM	183855	3.7	57.4	4.1	3.7	59.9	0	1.6	7.8	34.7	0
100	all_deer	N	100-00	16	0	11.5	0	0	11.5	0	0	0	0	0
100	all_deer	N	101-00	15	0	0	0	0	0	0	0	0	0	0
100	all_deer	N	102-00	6	0	0	0	0	0	0	0	0	0	0
100	all_deer	N	104-00	4	0	2	0	0	2	0	0	0	0	0
100	all_deer	N	260-10	81	0	0	0	0	0	0	0	0	0	0
100	all_deer	N	Deer_A	24213	3.7	138.8	0	3.7	138.8	0	0	14.8	109.2	0
100	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
100	all_deer	N	SUM	24335	3.7	152.4	0	3.7	152.4	0	0	14.8	109.2	0
100	all_deer	R	100-00	184	4.7	94.2	1.6	4.7	95.8	0	0	0	0	0
100	all_deer	R	101-00	385	0	6.7	0	0	6.7	0	0	0	0	0
100	all_deer	R	102-00	394	0	1.5	0	0	1.5	0	0	0	0	0
100	all_deer	R	104-00	196	0	0	0	0	0	0	0	0	0	0
100	all_deer	R	260-10	4029	0	2.4	0	0	2.4	0	0	2.4	0	0
100	all_deer	R	Deer_A	150577	15.9	1324.4	8.1	8.6	1311.5	20.3	8.1	453.1	602.3	1.8
100	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
100	all_deer	R	SUM	155765	20.6	1433.3	9.7	13.3	1421.9	20.3	8.1	459.6	602.3	1.8
100	all_deer	SUM	100-00	200	4.7	105.7	1.6	4.7	107.3	0	0	0	0	0
100	all_deer	SUM	101-00	400	0	6.7	0	0	6.7	0	0	0	0	0
100	all_deer	SUM	102-00	400	0	1.5	0	0	1.5	0	0	0	0	0
100	all_deer	SUM	104-00	200	0	2	0	0	2	0	0	0	0	0
100	all_deer	SUM	260-10	4110	0	2.4	0	0	2.4	0	0	2.4	0	0
100	all_deer	SUM	Deer_A	174790	19.7	1463.3	8.1	12.4	1450.3	20.3	8.1	467.9	711.5	1.8
100	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
100	all_deer	SUM	SUM	180100	24.3	1585.7	9.7	17	1574.3	20.3	8.1	474.4	711.5	1.8

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
100	md	N	Deer_A	24213	0	21	0	0	21	0	0	2.4	18.6	0
100	md	N	none	.	0	0	0	0	0	0	0	0	0	0
100	md	N	SUM	24213	0	21	0	0	21	0	0	2.4	18.6	0
100	md	R	Deer_A	150577	1.7	231.3	4.1	1.7	231.3	0	4.1	107.3	124	0
100	md	R	none	.	0	0	0	0	0	0	0	0	0	0
100	md	R	SUM	150577	1.7	231.3	4.1	1.7	231.3	0	4.1	107.3	124	0
100	md	SUM	Deer_A	174790	1.7	252.4	4.1	1.7	252.4	0	4.1	109.7	142.6	0
100	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
100	md	SUM	SUM	174790	1.7	252.4	4.1	1.7	252.4	0	4.1	109.7	142.6	0
100	wt	N	100-00	16	0	11.5	0	0	11.5	0	0	0	0	0
100	wt	N	101-00	15	0	0	0	0	0	0	0	0	0	0
100	wt	N	102-00	6	0	0	0	0	0	0	0	0	0	0
100	wt	N	104-00	4	0	2	0	0	2	0	0	0	0	0
100	wt	N	260-10	81	0	0	0	0	0	0	0	0	0	0
100	wt	N	Deer_A	24213	3.7	117.8	0	3.7	117.8	0	0	12.3	90.5	0
100	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
100	wt	N	SUM	24335	3.7	131.3	0	3.7	131.3	0	0	12.3	90.5	0
100	wt	R	100-00	184	4.7	94.2	1.6	4.7	95.8	0	0	0	0	0
100	wt	R	101-00	385	0	6.7	0	0	6.7	0	0	0	0	0
100	wt	R	102-00	394	0	1.5	0	0	1.5	0	0	0	0	0
100	wt	R	104-00	196	0	0	0	0	0	0	0	0	0	0
100	wt	R	260-10	4029	0	2.4	0	0	2.4	0	0	2.4	0	0
100	wt	R	Deer_A	150577	14.2	1093.1	0	6.9	1080.1	20.3	0	345.9	478.3	1.8
100	wt	R	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
100	wt	R	SUM	155765	18.8	1202	1.6	11.5	1190.6	20.3	0	352.4	478.3	1.8
100	wt	SUM	100-00	200	4.7	105.7	1.6	4.7	107.3	0	0	0	0	0
100	wt	SUM	101-00	400	0	6.7	0	0	6.7	0	0	0	0	0
100	wt	SUM	102-00	400	0	1.5	0	0	1.5	0	0	0	0	0
100	wt	SUM	104-00	200	0	2	0	0	2	0	0	0	0	0
100	wt	SUM	260-10	4110	0	2.4	0	0	2.4	0	0	2.4	0	0
100	wt	SUM	Deer_A	174790	17.9	1210.9	0	10.6	1197.9	20.3	0	358.2	568.8	1.8
100	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
100	wt	SUM	SUM	180100	22.6	1333.3	1.6	15.3	1321.9	20.3	0	364.7	568.8	1.8

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
101	all_deer	N	100-00	16	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	101-00	15	0	9.2	0	0	9.2	0	0	0	1.2	0
101	all_deer	N	102-00	6	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	103-00	3	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	109-00	8	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	170-10	58	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	401-00	42	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	Deer_A	24213	3.7	37.3	0	3.7	37.3	0	0	11.2	26.1	0
101	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
101	all_deer	N	SUM	24361	3.7	46.5	0	3.7	46.5	0	0	11.2	27.3	0
101	all_deer	R	004-10	7610	0	2.3	0	0	2.3	0	0	0	2.3	0
101	all_deer	R	006-10	2581	0	3.7	0	0	3.7	0	0	0	3.7	0
101	all_deer	R	100-00	184	0	4.7	0	0	4.7	0	0	0	0	0
101	all_deer	R	101-00	385	13.7	189.1	0	10.9	191.9	0	0	1.4	1.4	0
101	all_deer	R	102-00	394	0	1.5	0	0	1.5	0	0	1.5	0	0
101	all_deer	R	103-00	197	0	1.4	0	0	1.4	0	0	0	0	0
101	all_deer	R	109-00	142	1.5	4.5	0	1.5	4.5	0	0	0	1.5	0
101	all_deer	R	170-10	1946	3.6	0	0	3.6	0	0	0	0	0	0
101	all_deer	R	401-00	358	0	1.6	0	0	1.6	0	0	1.6	0	0
101	all_deer	R	Deer_A	150577	29.1	1301.2	6	29	1298.3	4.1	4.9	412	577.5	4.1
101	all_deer	R	none	.	0	6.2	0	0	6.2	0	0	0	2.1	0
101	all_deer	R	SUM	164374	47.9	1516.1	6	45.1	1516	4.1	4.9	416.5	588.4	4.1
101	all_deer	SUM	004-10	7610	0	2.3	0	0	2.3	0	0	0	2.3	0
101	all_deer	SUM	006-10	2581	0	3.7	0	0	3.7	0	0	0	3.7	0
101	all_deer	SUM	100-00	200	0	4.7	0	0	4.7	0	0	0	0	0
101	all_deer	SUM	101-00	400	13.7	198.4	0	10.9	201.1	0	0	1.4	2.5	0
101	all_deer	SUM	102-00	400	0	1.5	0	0	1.5	0	0	1.5	0	0
101	all_deer	SUM	103-00	200	0	1.4	0	0	1.4	0	0	0	0	0
101	all_deer	SUM	109-00	150	1.5	4.5	0	1.5	4.5	0	0	0	1.5	0
101	all_deer	SUM	170-10	2004	3.6	0	0	3.6	0	0	0	0	0	0
101	all_deer	SUM	401-00	400	0	1.6	0	0	1.6	0	0	1.6	0	0
101	all_deer	SUM	Deer_A	174790	32.8	1338.4	6	32.7	1335.6	4.1	4.9	423.2	603.6	4.1
101	all_deer	SUM	none	.	0	6.2	0	0	6.2	0	0	0	2.1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
101	all_deer	SUM	SUM	188735	51.7	1562.6	6	48.8	1562.5	4.1	4.9	427.7	615.7	4.1
101	md	N	101-00	15	0	1.2	0	0	1.2	0	0	0	1.2	0
101	md	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	7.5	0	0
101	md	N	none	.	0	0	0	0	0	0	0	0	0	0
101	md	N	SUM	24228	0	8.6	0	0	8.6	0	0	7.5	1.2	0
101	md	R	101-00	385	0	4.1	0	0	4.1	0	0	0	0	0
101	md	R	Deer_A	150577	3.4	187.2	0	3.3	187.3	0	0	116.6	68.2	0
101	md	R	none	.	0	0	0	0	0	0	0	0	0	0
101	md	R	SUM	150962	3.4	191.3	0	3.3	191.4	0	0	116.6	68.2	0
101	md	SUM	101-00	400	0	5.3	0	0	5.3	0	0	0	1.2	0
101	md	SUM	Deer_A	174790	3.4	194.6	0	3.3	194.8	0	0	124.1	68.2	0
101	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
101	md	SUM	SUM	175190	3.4	199.9	0	3.3	200	0	0	124.1	69.4	0
101	wt	N	100-00	16	0	0	0	0	0	0	0	0	0	0
101	wt	N	101-00	15	0	8.1	0	0	8.1	0	0	0	0	0
101	wt	N	102-00	6	0	0	0	0	0	0	0	0	0	0
101	wt	N	103-00	3	0	0	0	0	0	0	0	0	0	0
101	wt	N	109-00	8	0	0	0	0	0	0	0	0	0	0
101	wt	N	170-10	58	0	0	0	0	0	0	0	0	0	0
101	wt	N	401-00	42	0	0	0	0	0	0	0	0	0	0
101	wt	N	Deer_A	24213	3.7	29.8	0	3.7	29.8	0	0	3.7	26.1	0
101	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
101	wt	N	SUM	24361	3.7	37.9	0	3.7	37.9	0	0	3.7	26.1	0
101	wt	R	004-10	7610	0	2.3	0	0	2.3	0	0	0	2.3	0
101	wt	R	006-10	2581	0	3.7	0	0	3.7	0	0	0	3.7	0
101	wt	R	100-00	184	0	4.7	0	0	4.7	0	0	0	0	0
101	wt	R	101-00	385	13.7	185	0	10.9	187.8	0	0	1.4	1.4	0
101	wt	R	102-00	394	0	1.5	0	0	1.5	0	0	1.5	0	0
101	wt	R	103-00	197	0	1.4	0	0	1.4	0	0	0	0	0
101	wt	R	109-00	142	1.5	4.5	0	1.5	4.5	0	0	0	1.5	0
101	wt	R	170-10	1946	3.6	0	0	3.6	0	0	0	0	0	0
101	wt	R	401-00	358	0	1.6	0	0	1.6	0	0	1.6	0	0
101	wt	R	Deer_A	150577	25.7	1109.9	6	25.7	1107	4.1	4.9	291.3	509.2	4.1

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
101	wt	R	none	.	0	6.2	0	0	6.2	0	0	0	2.1	0
101	wt	R	SUM	164374	44.5	1320.8	6	41.8	1320.6	4.1	4.9	295.8	520.2	4.1
101	wt	SUM	004-10	7610	0	2.3	0	0	2.3	0	0	0	2.3	0
101	wt	SUM	006-10	2581	0	3.7	0	0	3.7	0	0	0	3.7	0
101	wt	SUM	100-00	200	0	4.7	0	0	4.7	0	0	0	0	0
101	wt	SUM	101-00	400	13.7	193.1	0	10.9	195.8	0	0	1.4	1.4	0
101	wt	SUM	102-00	400	0	1.5	0	0	1.5	0	0	1.5	0	0
101	wt	SUM	103-00	200	0	1.4	0	0	1.4	0	0	0	0	0
101	wt	SUM	109-00	150	1.5	4.5	0	1.5	4.5	0	0	0	1.5	0
101	wt	SUM	170-10	2004	3.6	0	0	3.6	0	0	0	0	0	0
101	wt	SUM	401-00	400	0	1.6	0	0	1.6	0	0	1.6	0	0
101	wt	SUM	Deer_A	174790	29.4	1139.7	6	29.4	1136.8	4.1	4.9	295.1	535.3	4.1
101	wt	SUM	none	.	0	6.2	0	0	6.2	0	0	0	2.1	0
101	wt	SUM	SUM	188735	48.3	1358.7	6	45.5	1358.4	4.1	4.9	299.6	546.2	4.1
102	all_deer	N	101-00	15	0	0	0	0	0	0	0	0	0	0
102	all_deer	N	102-00	6	0	4.6	0	0	4.6	0	0	0	0	0
102	all_deer	N	104-00	4	0	0	0	0	0	0	0	0	0	0
102	all_deer	N	132-00	4	0	0	0	0	0	0	0	0	0	0
102	all_deer	N	170-10	58	0	1.3	0	0	1.3	0	0	0	0	0
102	all_deer	N	Deer_A	24213	0	25.2	0	0	25.2	0	0	3.7	21.5	0
102	all_deer	N	SUM	24300	0	31.2	0	0	31.2	0	0	3.7	21.5	0
102	all_deer	R	004-10	7610	0	1.9	0	0	1.9	0	0	0	0	0
102	all_deer	R	101-00	385	0	1.4	0	0	1.4	0	0	0	0	0
102	all_deer	R	102-00	394	4.2	136.9	0	4.4	136.8	0	0	1.5	0	0
102	all_deer	R	104-00	196	0	1.5	0	0	1.5	0	0	0	0	0
102	all_deer	R	132-00	296	0	1.5	0	0	1.5	0	0	0	0	0
102	all_deer	R	170-10	1946	12.4	93.9	0	12.4	93.9	0	0	0	0	0
102	all_deer	R	Deer_A	150577	20.3	1293.8	0	26.9	1256.3	27.8	3.2	383.5	574.3	7.2
102	all_deer	R	SUM	161404	37	1530.9	0	43.7	1493.2	27.8	3.2	385.1	574.3	7.2
102	all_deer	SUM	004-10	7610	0	1.9	0	0	1.9	0	0	0	0	0
102	all_deer	SUM	101-00	400	0	1.4	0	0	1.4	0	0	0	0	0
102	all_deer	SUM	102-00	400	4.2	141.6	0	4.4	141.4	0	0	1.5	0	0
102	all_deer	SUM	104-00	200	0	1.5	0	0	1.5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
102	all_deer	SUM	132-00	300	0	1.5	0	0	1.5	0	0	0	0	0
102	all_deer	SUM	170-10	2004	12.4	95.2	0	12.4	95.2	0	0	0	0	0
102	all_deer	SUM	Deer_A	174790	20.3	1319.1	0	26.9	1281.5	27.8	3.2	387.3	595.8	7.2
102	all_deer	SUM	SUM	185704	37	1562.1	0	43.7	1524.4	27.8	3.2	388.8	595.8	7.2
102	md	N	102-00	6	0	1.5	0	0	1.5	0	0	0	0	0
102	md	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	3.7	3.7	0
102	md	N	SUM	24219	0	8.9	0	0	8.9	0	0	3.7	3.7	0
102	md	R	102-00	394	0	1.5	0	0	1.5	0	0	0	0	0
102	md	R	Deer_A	150577	4.1	122.6	0	4.1	122.6	0	0	70.7	48.8	0
102	md	R	SUM	150971	4.1	124.1	0	4.1	124.1	0	0	70.7	48.8	0
102	md	SUM	102-00	400	0	3	0	0	3	0	0	0	0	0
102	md	SUM	Deer_A	174790	4.1	130	0	4.1	130	0	0	74.4	52.6	0
102	md	SUM	SUM	175190	4.1	133	0	4.1	133	0	0	74.4	52.6	0
102	wt	N	101-00	15	0	0	0	0	0	0	0	0	0	0
102	wt	N	102-00	6	0	3.2	0	0	3.2	0	0	0	0	0
102	wt	N	104-00	4	0	0	0	0	0	0	0	0	0	0
102	wt	N	132-00	4	0	0	0	0	0	0	0	0	0	0
102	wt	N	170-10	58	0	1.3	0	0	1.3	0	0	0	0	0
102	wt	N	Deer_A	24213	0	17.8	0	0	17.8	0	0	0	17.8	0
102	wt	N	SUM	24300	0	22.2	0	0	22.2	0	0	0	17.8	0
102	wt	R	004-10	7610	0	1.9	0	0	1.9	0	0	0	0	0
102	wt	R	101-00	385	0	1.4	0	0	1.4	0	0	0	0	0
102	wt	R	102-00	394	2.8	135.4	0	2.9	135.2	0	0	1.5	0	0
102	wt	R	104-00	196	0	1.5	0	0	1.5	0	0	0	0	0
102	wt	R	132-00	296	0	1.5	0	0	1.5	0	0	0	0	0
102	wt	R	170-10	1946	12.4	93.9	0	12.4	93.9	0	0	0	0	0
102	wt	R	Deer_A	150577	16.3	1171.3	0	22.8	1133.7	27.8	3.2	312.9	525.4	7.2
102	wt	R	SUM	161404	31.5	1406.8	0	38.2	1369.1	27.8	3.2	314.4	525.4	7.2
102	wt	SUM	004-10	7610	0	1.9	0	0	1.9	0	0	0	0	0
102	wt	SUM	101-00	400	0	1.4	0	0	1.4	0	0	0	0	0
102	wt	SUM	102-00	400	2.8	138.6	0	2.9	138.4	0	0	1.5	0	0
102	wt	SUM	104-00	200	0	1.5	0	0	1.5	0	0	0	0	0
102	wt	SUM	132-00	300	0	1.5	0	0	1.5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
102	wt	SUM	170-10	2004	12.4	95.2	0	12.4	95.2	0	0	0	0	0
102	wt	SUM	Deer_A	174790	16.3	1189.1	0	22.8	1151.5	27.8	3.2	312.9	543.2	7.2
102	wt	SUM	SUM	185704	31.5	1429.1	0	38.2	1391.4	27.8	3.2	314.4	543.2	7.2
103	all_deer	N	102-00	6	0	0	0	0	0	0	0	0	0	0
103	all_deer	N	103-00	3	0	3	0	0	3	0	0	0	0	0
103	all_deer	N	103-60	6	0	0	0	0	0	0	0	0	0	0
103	all_deer	N	104-00	4	0	0	0	0	0	0	0	0	0	0
103	all_deer	N	170-10	58	0	2.1	0	0	2.1	0	0	2.1	0	0
103	all_deer	N	Deer_A	24213	0	27.3	0	0	27.3	0	0	3.7	19.9	0
103	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
103	all_deer	N	SUM	24290	0	32.4	0	0	32.4	0	0	5.8	19.9	0
103	all_deer	R	102-00	394	0	3.1	0	0	3.1	0	0	0	1.5	0
103	all_deer	R	103-00	197	5.7	101.3	0	4.3	101.3	1.4	0	0	0	0
103	all_deer	R	103-60	63	0	10.7	0	0	10.7	0	0	0	0	0
103	all_deer	R	104-00	196	0	4.9	0	0	1.5	1.5	1.8	3.3	0	0
103	all_deer	R	170-10	1946	0	0	0	0	0	0	0	0	0	0
103	all_deer	R	Deer_A	150577	12.3	1362.6	10.6	12.3	1341.4	23.6	8.1	467.6	598.5	12.2
103	all_deer	R	none	.	0	5.4	0	0	5.4	0	0	0	1.7	0
103	all_deer	R	SUM	153373	18	1487.9	10.6	16.6	1463.5	26.5	9.9	470.9	601.7	12.2
103	all_deer	SUM	102-00	400	0	3.1	0	0	3.1	0	0	0	1.5	0
103	all_deer	SUM	103-00	200	5.7	104.3	0	4.3	104.3	1.4	0	0	0	0
103	all_deer	SUM	103-60	69	0	10.7	0	0	10.7	0	0	0	0	0
103	all_deer	SUM	104-00	200	0	4.9	0	0	1.5	1.5	1.8	3.3	0	0
103	all_deer	SUM	170-10	2004	0	2.1	0	0	2.1	0	0	2.1	0	0
103	all_deer	SUM	Deer_A	174790	12.3	1389.9	10.6	12.3	1368.8	23.6	8.1	471.3	618.4	12.2
103	all_deer	SUM	none	.	0	5.4	0	0	5.4	0	0	0	1.7	0
103	all_deer	SUM	SUM	177663	18	1520.3	10.6	16.6	1495.9	26.5	9.9	476.7	621.6	12.2
103	md	N	103-00	3	0	1.5	0	0	1.5	0	0	0	0	0
103	md	N	103-60	6	0	0	0	0	0	0	0	0	0	0
103	md	N	170-10	58	0	2.1	0	0	2.1	0	0	2.1	0	0
103	md	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	3.7	11.2	0
103	md	N	none	.	0	0	0	0	0	0	0	0	0	0
103	md	N	SUM	24280	0	18.5	0	0	18.5	0	0	5.8	11.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
103	md	R	103-00	197	0	1.2	0	0	1.2	0	0	0	0	0
103	md	R	103-60	63	0	10.7	0	0	10.7	0	0	0	0	0
103	md	R	170-10	1946	0	0	0	0	0	0	0	0	0	0
103	md	R	Deer_A	150577	0	289.3	0	0	285.2	4.1	0	164.8	122.7	0
103	md	R	none	.	0	0	0	0	0	0	0	0	0	0
103	md	R	SUM	152783	0	301.2	0	0	297.2	4.1	0	164.8	122.7	0
103	md	SUM	103-00	200	0	2.7	0	0	2.7	0	0	0	0	0
103	md	SUM	103-60	69	0	10.7	0	0	10.7	0	0	0	0	0
103	md	SUM	170-10	2004	0	2.1	0	0	2.1	0	0	2.1	0	0
103	md	SUM	Deer_A	174790	0	304.2	0	0	300.1	4.1	0	168.5	133.9	0
103	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
103	md	SUM	SUM	177063	0	319.7	0	0	315.7	4.1	0	170.6	133.9	0
103	wt	N	102-00	6	0	0	0	0	0	0	0	0	0	0
103	wt	N	103-00	3	0	1.5	0	0	1.5	0	0	0	0	0
103	wt	N	104-00	4	0	0	0	0	0	0	0	0	0	0
103	wt	N	Deer_A	24213	0	12.4	0	0	12.4	0	0	0	8.7	0
103	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
103	wt	N	SUM	24226	0	13.9	0	0	13.9	0	0	0	8.7	0
103	wt	R	102-00	394	0	3.1	0	0	3.1	0	0	0	1.5	0
103	wt	R	103-00	197	5.7	100.1	0	4.3	100.1	1.4	0	0	0	0
103	wt	R	104-00	196	0	4.9	0	0	1.5	1.5	1.8	3.3	0	0
103	wt	R	Deer_A	150577	12.3	1071.6	10.6	12.3	1054.5	19.5	8.1	302.8	474.1	12.2
103	wt	R	none	.	0	5.4	0	0	5.4	0	0	0	1.7	0
103	wt	R	SUM	151364	18	1185	10.6	16.6	1164.6	22.5	9.9	306.1	477.3	12.2
103	wt	SUM	102-00	400	0	3.1	0	0	3.1	0	0	0	1.5	0
103	wt	SUM	103-00	200	5.7	101.6	0	4.3	101.6	1.4	0	0	0	0
103	wt	SUM	104-00	200	0	4.9	0	0	1.5	1.5	1.8	3.3	0	0
103	wt	SUM	Deer_A	174790	12.3	1084	10.6	12.3	1066.9	19.5	8.1	302.8	482.8	12.2
103	wt	SUM	none	.	0	5.4	0	0	5.4	0	0	0	1.7	0
103	wt	SUM	SUM	175590	18	1198.9	10.6	16.6	1178.5	22.5	9.9	306.1	486	12.2
104	all_deer	N	103-00	3	0	0	0	0	0	0	0	0	0	0
104	all_deer	N	104-00	4	0	2	0	0	2	0	0	0	0	0
104	all_deer	N	Deer_A	24213	0	44.7	0	0	44.7	0	0	7.5	29.8	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
104	all_deer	N	SUM	24220	0	46.7	0	0	46.7	0	0	7.5	29.8	0
104	all_deer	R	103-00	197	0	2.9	0	0	2.9	0	0	0	0	0
104	all_deer	R	104-00	196	6.1	79.1	1.5	6.1	80.6	0	0	0	0	0
104	all_deer	R	Deer_A	150577	7.5	825.5	3.5	3.4	804.7	24.3	4.1	262.1	321.7	0
104	all_deer	R	SUM	150970	13.6	907.4	5	9.5	888.2	24.3	4.1	262.1	321.7	0
104	all_deer	SUM	103-00	200	0	2.9	0	0	2.9	0	0	0	0	0
104	all_deer	SUM	104-00	200	6.1	81.1	1.5	6.1	82.6	0	0	0	0	0
104	all_deer	SUM	Deer_A	174790	7.5	870.2	3.5	3.4	849.4	24.3	4.1	269.5	351.5	0
104	all_deer	SUM	SUM	175190	13.6	954.1	5	9.5	934.9	24.3	4.1	269.5	351.5	0
104	md	N	Deer_A	24213	0	18.6	0	0	18.6	0	0	7.5	11.2	0
104	md	N	SUM	24213	0	18.6	0	0	18.6	0	0	7.5	11.2	0
104	md	R	Deer_A	150577	0	147	0	0	142.9	4.1	0	59.7	79.7	0
104	md	R	SUM	150577	0	147	0	0	142.9	4.1	0	59.7	79.7	0
104	md	SUM	Deer_A	174790	0	165.6	0	0	161.5	4.1	0	67.2	90.8	0
104	md	SUM	SUM	174790	0	165.6	0	0	161.5	4.1	0	67.2	90.8	0
104	wt	N	103-00	3	0	0	0	0	0	0	0	0	0	0
104	wt	N	104-00	4	0	2	0	0	2	0	0	0	0	0
104	wt	N	Deer_A	24213	0	26.1	0	0	26.1	0	0	0	18.6	0
104	wt	N	SUM	24220	0	28.1	0	0	28.1	0	0	0	18.6	0
104	wt	R	103-00	197	0	2.9	0	0	2.9	0	0	0	0	0
104	wt	R	104-00	196	6.1	77.6	1.5	6.1	79.1	0	0	0	0	0
104	wt	R	Deer_A	150577	7.5	674.5	3.5	3.4	657.7	20.3	4.1	202.4	242	0
104	wt	R	SUM	150970	13.6	754.9	5	9.5	739.7	20.3	4.1	202.4	242	0
104	wt	SUM	103-00	200	0	2.9	0	0	2.9	0	0	0	0	0
104	wt	SUM	104-00	200	6.1	79.6	1.5	6.1	81.1	0	0	0	0	0
104	wt	SUM	Deer_A	174790	7.5	700.5	3.5	3.4	683.8	20.3	4.1	202.4	260.6	0
104	wt	SUM	SUM	175190	13.6	783	5	9.5	767.7	20.3	4.1	202.4	260.6	0
109	all_deer	N	101-00	15	0	1.2	0	0	1.2	0	0	0	0	0
109	all_deer	N	109-00	8	0	5	0	0	5	0	0	0	0	0
109	all_deer	N	Deer_A	24213	0	3.3	0	0	3.3	0	0	3.3	0	0
109	all_deer	N	SUM	24236	0	9.5	0	0	9.5	0	0	3.3	0	0
109	all_deer	R	101-00	385	0	8.2	0	0	8.2	0	0	1.4	1.4	0
109	all_deer	R	109-00	142	0	53.1	0	1.5	51.6	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
109	all_deer	R	Deer_A	150577	5.8	277.2	0	5.8	277.2	0	0	85.3	158.5	0
109	all_deer	R	SUM	151104	5.8	338.6	0	7.3	337	0	0	86.7	159.9	0
109	all_deer	SUM	101-00	400	0	9.4	0	0	9.4	0	0	1.4	1.4	0
109	all_deer	SUM	109-00	150	0	58.1	0	1.5	56.6	0	0	0	0	0
109	all_deer	SUM	Deer_A	174790	5.8	280.5	0	5.8	280.5	0	0	88.6	158.5	0
109	all_deer	SUM	SUM	175340	5.8	348	0	7.3	346.5	0	0	90	159.9	0
109	md	N	Deer_A	24213	0	3.3	0	0	3.3	0	0	3.3	0	0
109	md	N	SUM	24213	0	3.3	0	0	3.3	0	0	3.3	0	0
109	md	R	Deer_A	150577	0	83.8	0	0	83.8	0	0	26	52	0
109	md	R	SUM	150577	0	83.8	0	0	83.8	0	0	26	52	0
109	md	SUM	Deer_A	174790	0	87.1	0	0	87.1	0	0	29.3	52	0
109	md	SUM	SUM	174790	0	87.1	0	0	87.1	0	0	29.3	52	0
109	wt	N	101-00	15	0	1.2	0	0	1.2	0	0	0	0	0
109	wt	N	109-00	8	0	5	0	0	5	0	0	0	0	0
109	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
109	wt	N	SUM	24236	0	6.2	0	0	6.2	0	0	0	0	0
109	wt	R	101-00	385	0	8.2	0	0	8.2	0	0	1.4	1.4	0
109	wt	R	109-00	142	0	53.1	0	1.5	51.6	0	0	0	0	0
109	wt	R	Deer_A	150577	5.8	193.4	0	5.8	193.4	0	0	59.3	106.5	0
109	wt	R	SUM	151104	5.8	254.7	0	7.3	253.2	0	0	60.6	107.8	0
109	wt	SUM	101-00	400	0	9.4	0	0	9.4	0	0	1.4	1.4	0
109	wt	SUM	109-00	150	0	58.1	0	1.5	56.6	0	0	0	0	0
109	wt	SUM	Deer_A	174790	5.8	193.4	0	5.8	193.4	0	0	59.3	106.5	0
109	wt	SUM	SUM	175340	5.8	260.9	0	7.3	259.4	0	0	60.6	107.8	0
110	all_deer	N	101-00	15	0	0	0	0	0	0	0	0	0	0
110	all_deer	N	109-00	8	0	0	0	0	0	0	0	0	0	0
110	all_deer	N	170-10	58	0	0	0	0	0	0	0	0	0	0
110	all_deer	N	302-00	20	0	0	0	0	0	0	0	0	0	0
110	all_deer	N	Deer_A	24213	0	28.7	0	0	28.7	0	0	0	28.7	0
110	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
110	all_deer	N	SUM	24314	0	28.7	0	0	28.7	0	0	0	28.7	0
110	all_deer	R	004-10	7610	0	2.2	0	0	2.2	0	0	2.2	0	0
110	all_deer	R	101-00	385	0	1.4	0	0	1.4	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
110	all_deer	R	109-00	142	0	1.8	0	0	1.8	0	0	1.8	0	0
110	all_deer	R	170-10	1946	0	3.6	0	0	3.6	0	0	0	0	0
110	all_deer	R	302-00	130	0	1.3	0	0	1.3	0	0	1.3	0	0
110	all_deer	R	Deer_A	150577	18.8	864.4	9.6	17.7	861.4	4.1	9.6	237	492.1	4.1
110	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
110	all_deer	R	SUM	160790	18.8	878.7	9.6	17.7	875.6	4.1	9.6	242.2	492.1	4.1
110	all_deer	SUM	004-10	7610	0	2.2	0	0	2.2	0	0	2.2	0	0
110	all_deer	SUM	101-00	400	0	1.4	0	0	1.4	0	0	0	0	0
110	all_deer	SUM	109-00	150	0	1.8	0	0	1.8	0	0	1.8	0	0
110	all_deer	SUM	170-10	2004	0	3.6	0	0	3.6	0	0	0	0	0
110	all_deer	SUM	302-00	150	0	1.3	0	0	1.3	0	0	1.3	0	0
110	all_deer	SUM	Deer_A	174790	18.8	893.2	9.6	17.7	890.1	4.1	9.6	237	520.8	4.1
110	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
110	all_deer	SUM	SUM	185104	18.8	907.4	9.6	17.7	904.4	4.1	9.6	242.2	520.8	4.1
110	md	N	302-00	20	0	0	0	0	0	0	0	0	0	0
110	md	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
110	md	N	none	.	0	0	0	0	0	0	0	0	0	0
110	md	N	SUM	24233	0	7.5	0	0	7.5	0	0	0	7.5	0
110	md	R	302-00	130	0	1.3	0	0	1.3	0	0	1.3	0	0
110	md	R	Deer_A	150577	1.7	170	1.5	1.7	170	0	1.5	40.5	132.8	0
110	md	R	none	.	0	0	0	0	0	0	0	0	0	0
110	md	R	SUM	150707	1.7	171.3	1.5	1.7	171.3	0	1.5	41.7	132.8	0
110	md	SUM	302-00	150	0	1.3	0	0	1.3	0	0	1.3	0	0
110	md	SUM	Deer_A	174790	1.7	177.5	1.5	1.7	177.5	0	1.5	40.5	140.2	0
110	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
110	md	SUM	SUM	174940	1.7	178.8	1.5	1.7	178.8	0	1.5	41.7	140.2	0
110	wt	N	101-00	15	0	0	0	0	0	0	0	0	0	0
110	wt	N	109-00	8	0	0	0	0	0	0	0	0	0	0
110	wt	N	170-10	58	0	0	0	0	0	0	0	0	0	0
110	wt	N	Deer_A	24213	0	21.3	0	0	21.3	0	0	0	21.3	0
110	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
110	wt	N	SUM	24294	0	21.3	0	0	21.3	0	0	0	21.3	0
110	wt	R	004-10	7610	0	2.2	0	0	2.2	0	0	2.2	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
110	wt	R	101-00	385	0	1.4	0	0	1.4	0	0	0	0	0
110	wt	R	109-00	142	0	1.8	0	0	1.8	0	0	1.8	0	0
110	wt	R	170-10	1946	0	3.6	0	0	3.6	0	0	0	0	0
110	wt	R	Deer_A	150577	17.1	694.4	8.1	16	691.4	4.1	8.1	196.5	359.3	4.1
110	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
110	wt	R	SUM	160660	17.1	707.4	8.1	16	704.3	4.1	8.1	200.4	359.3	4.1
110	wt	SUM	004-10	7610	0	2.2	0	0	2.2	0	0	2.2	0	0
110	wt	SUM	101-00	400	0	1.4	0	0	1.4	0	0	0	0	0
110	wt	SUM	109-00	150	0	1.8	0	0	1.8	0	0	1.8	0	0
110	wt	SUM	170-10	2004	0	3.6	0	0	3.6	0	0	0	0	0
110	wt	SUM	Deer_A	174790	17.1	715.7	8.1	16	712.7	4.1	8.1	196.5	380.6	4.1
110	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
110	wt	SUM	SUM	184954	17.1	728.7	8.1	16	725.6	4.1	8.1	200.4	380.6	4.1
120	all_deer	N	120-00	4	0	0	0	0	0	0	0	0	0	0
120	all_deer	N	170-10	58	0	0	0	0	0	0	0	0	0	0
120	all_deer	N	630-00	150	0	0	0	0	0	0	0	0	0	0
120	all_deer	N	Deer_A	24213	0	37.3	0	0	37.3	0	0	7.5	29.8	0
120	all_deer	N	SUM	24425	0	37.3	0	0	37.3	0	0	7.5	29.8	0
120	all_deer	R	120-00	295	14.5	107.6	0	11.5	110.6	0	0	0	0	0
120	all_deer	R	170-10	1946	0	9.6	0	0	9.6	0	0	0	0	0
120	all_deer	R	630-00	348	0	1.5	0	0	1.5	0	0	0	1.5	0
120	all_deer	R	Deer_A	150577	43.8	1174.8	8.1	33.6	1173.8	5.8	13.6	324.5	529.5	13.8
120	all_deer	R	SUM	153166	58.3	1293.5	8.1	45.1	1295.4	5.8	13.6	324.5	531	13.8
120	all_deer	SUM	120-00	299	14.5	107.6	0	11.5	110.6	0	0	0	0	0
120	all_deer	SUM	170-10	2004	0	9.6	0	0	9.6	0	0	0	0	0
120	all_deer	SUM	630-00	498	0	1.5	0	0	1.5	0	0	0	1.5	0
120	all_deer	SUM	Deer_A	174790	43.8	1212	8.1	33.6	1211	5.8	13.6	332	559.3	13.8
120	all_deer	SUM	SUM	177591	58.3	1330.7	8.1	45.1	1332.7	5.8	13.6	332	560.8	13.8
120	md	N	170-10	58	0	0	0	0	0	0	0	0	0	0
120	md	N	630-00	150	0	0	0	0	0	0	0	0	0	0
120	md	N	Deer_A	24213	0	26.1	0	0	26.1	0	0	7.5	18.6	0
120	md	N	SUM	24421	0	26.1	0	0	26.1	0	0	7.5	18.6	0
120	md	R	170-10	1946	0	3.6	0	0	3.6	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
120	md	R	630-00	348	0	1.5	0	0	1.5	0	0	0	1.5	0
120	md	R	Deer_A	150577	1.8	56	4.1	1.8	60	0	0	35.1	24.3	0
120	md	R	SUM	152871	1.8	61.1	4.1	1.8	65.2	0	0	35.1	25.8	0
120	md	SUM	170-10	2004	0	3.6	0	0	3.6	0	0	0	0	0
120	md	SUM	630-00	498	0	1.5	0	0	1.5	0	0	0	1.5	0
120	md	SUM	Deer_A	174790	1.8	82	4.1	1.8	86.1	0	0	42.5	42.9	0
120	md	SUM	SUM	177292	1.8	87.2	4.1	1.8	91.2	0	0	42.5	44.5	0
120	wt	N	120-00	4	0	0	0	0	0	0	0	0	0	0
120	wt	N	170-10	58	0	0	0	0	0	0	0	0	0	0
120	wt	N	Deer_A	24213	0	11.2	0	0	11.2	0	0	0	11.2	0
120	wt	N	SUM	24275	0	11.2	0	0	11.2	0	0	0	11.2	0
120	wt	R	120-00	295	14.5	106.1	0	11.5	109.1	0	0	0	0	0
120	wt	R	170-10	1946	0	6	0	0	6	0	0	0	0	0
120	wt	R	Deer_A	150577	42	1118.8	0	31.8	1113.7	5.8	9.6	289.5	505.2	13.8
120	wt	R	SUM	152818	56.5	1230.9	0	43.2	1228.8	5.8	9.6	289.5	505.2	13.8
120	wt	SUM	120-00	299	14.5	106.1	0	11.5	109.1	0	0	0	0	0
120	wt	SUM	170-10	2004	0	6	0	0	6	0	0	0	0	0
120	wt	SUM	Deer_A	174790	42	1130	0	31.8	1124.9	5.8	9.6	289.5	516.4	13.8
120	wt	SUM	SUM	177093	56.5	1242.1	0	43.2	1240	5.8	9.6	289.5	516.4	13.8
121	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
121	all_deer	N	104-00	4	0	0	0	0	0	0	0	0	0	0
121	all_deer	N	121-00	31	1.2	21.5	0	0	22.7	0	0	0	1.3	0
121	all_deer	N	Deer_A	24213	7.5	238.9	0	14.9	231.4	0	0	39.9	193.9	1.3
121	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
121	all_deer	N	SUM	24315	8.7	260.4	0	14.9	254.1	0	0	39.9	195.2	1.3
121	all_deer	R	002-10	1152	0	2.2	0	0	2.2	0	0	0	0	0
121	all_deer	R	104-00	196	0	1.5	0	0	1.5	0	0	0	1.5	0
121	all_deer	R	121-00	368	9.8	181.9	2.8	8.3	183.3	1.4	1.4	0	1.4	0
121	all_deer	R	124-00	99	0	1.4	0	0	1.4	0	0	0	0	0
121	all_deer	R	Deer_A	150577	42.1	1235.5	27.6	27.7	1249.2	5.7	22.7	437.6	569.8	20.6
121	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
121	all_deer	R	SUM	152392	51.9	1426.6	30.5	36	1441.7	7.2	24.1	437.6	572.8	20.6
121	all_deer	SUM	002-10	1219	0	2.2	0	0	2.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
121	all_deer	SUM	104-00	200	0	1.5	0	0	1.5	0	0	0	1.5	0
121	all_deer	SUM	121-00	399	11	203.3	2.8	8.3	206	1.4	1.4	0	2.7	0
121	all_deer	SUM	124-00	99	0	1.4	0	0	1.4	0	0	0	0	0
121	all_deer	SUM	Deer_A	174790	49.6	1474.4	27.6	42.6	1480.6	5.7	22.7	477.5	763.8	21.9
121	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
121	all_deer	SUM	SUM	176707	60.5	1686.9	30.5	50.9	1695.8	7.2	24.1	477.5	768	21.9
121	md	N	104-00	4	0	0	0	0	0	0	0	0	0	0
121	md	N	Deer_A	24213	0	101.9	0	3.7	98.2	0	0	23.7	78.2	0
121	md	N	none	.	0	0	0	0	0	0	0	0	0	0
121	md	N	SUM	24217	0	101.9	0	3.7	98.2	0	0	23.7	78.2	0
121	md	R	104-00	196	0	1.5	0	0	1.5	0	0	0	1.5	0
121	md	R	Deer_A	150577	0	148.9	4.1	0	152.9	0	0	53.9	85.1	9.9
121	md	R	none	.	0	0	0	0	0	0	0	0	0	0
121	md	R	SUM	150773	0	150.4	4.1	0	154.5	0	0	53.9	86.6	9.9
121	md	SUM	104-00	200	0	1.5	0	0	1.5	0	0	0	1.5	0
121	md	SUM	Deer_A	174790	0	250.8	4.1	3.7	251.1	0	0	77.6	163.3	9.9
121	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
121	md	SUM	SUM	174990	0	252.3	4.1	3.7	252.7	0	0	77.6	164.9	9.9
121	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
121	wt	N	121-00	31	1.2	21.5	0	0	22.7	0	0	0	1.3	0
121	wt	N	Deer_A	24213	7.5	137	0	11.2	133.3	0	0	16.2	115.7	1.3
121	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
121	wt	N	SUM	24311	8.7	158.5	0	11.2	155.9	0	0	16.2	117	1.3
121	wt	R	002-10	1152	0	2.2	0	0	2.2	0	0	0	0	0
121	wt	R	121-00	368	9.8	180.5	2.8	8.3	181.9	1.4	1.4	0	1.4	0
121	wt	R	124-00	99	0	1.4	0	0	1.4	0	0	0	0	0
121	wt	R	Deer_A	150577	42.1	1080.9	23.6	27.7	1090.5	5.7	22.7	377.9	484.7	10.7
121	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
121	wt	R	SUM	152196	51.9	1269	26.4	36	1280.1	7.2	24.1	377.9	486.1	10.7
121	wt	SUM	002-10	1219	0	2.2	0	0	2.2	0	0	0	0	0
121	wt	SUM	121-00	399	11	201.9	2.8	8.3	204.5	1.4	1.4	0	2.7	0
121	wt	SUM	124-00	99	0	1.4	0	0	1.4	0	0	0	0	0
121	wt	SUM	Deer_A	174790	49.6	1217.9	23.6	38.8	1223.8	5.7	22.7	394.2	600.4	12

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
121	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
121	wt	SUM	SUM	176507	60.5	1427.5	26.4	47.2	1436	7.2	24.1	394.2	603.1	12
122	all_deer	N	103-00	3	0	0	0	0	0	0	0	0	0	0
122	all_deer	N	122-00	1	0	1	0	0	1	0	0	0	0	0
122	all_deer	N	200-00	19	0	0	0	0	0	0	0	0	0	0
122	all_deer	N	309-01	3	0	0	0	0	0	0	0	0	0	0
122	all_deer	N	Deer_A	24213	3.7	57.2	0	3.7	57.2	0	0	18.6	37.3	0
122	all_deer	N	SUM	24239	3.7	58.2	0	3.7	58.2	0	0	18.6	37.3	0
122	all_deer	R	103-00	197	0	1.4	0	0	1.4	0	0	0	1.4	0
122	all_deer	R	122-00	49	0	22	0	0	22	0	0	0	0	0
122	all_deer	R	124-00	99	0	1.4	0	0	1.4	0	0	0	0	0
122	all_deer	R	200-00	181	0	1.4	0	0	1.4	0	0	0	0	0
122	all_deer	R	309-01	497	0	2	0	0	2	0	0	0	2	0
122	all_deer	R	Deer_A	150577	4.3	847.7	12.2	2.9	853.1	4.1	4.1	316.6	345.9	6.5
122	all_deer	R	SUM	151600	4.3	875.9	12.2	2.9	881.3	4.1	4.1	316.6	349.3	6.5
122	all_deer	SUM	103-00	200	0	1.4	0	0	1.4	0	0	0	1.4	0
122	all_deer	SUM	122-00	50	0	23	0	0	23	0	0	0	0	0
122	all_deer	SUM	124-00	99	0	1.4	0	0	1.4	0	0	0	0	0
122	all_deer	SUM	200-00	200	0	1.4	0	0	1.4	0	0	0	0	0
122	all_deer	SUM	309-01	500	0	2	0	0	2	0	0	0	2	0
122	all_deer	SUM	Deer_A	174790	8	904.8	12.2	6.6	910.2	4.1	4.1	335.2	383.1	6.5
122	all_deer	SUM	SUM	175839	8	934.1	12.2	6.6	939.5	4.1	4.1	335.2	386.6	6.5
122	md	N	Deer_A	24213	0	29.8	0	0	29.8	0	0	7.5	22.4	0
122	md	N	SUM	24213	0	29.8	0	0	29.8	0	0	7.5	22.4	0
122	md	R	Deer_A	150577	2.8	164.6	4.1	1.4	170	0	0	87.3	73.8	0
122	md	R	SUM	150577	2.8	164.6	4.1	1.4	170	0	0	87.3	73.8	0
122	md	SUM	Deer_A	174790	2.8	194.4	4.1	1.4	199.8	0	0	94.7	96.2	0
122	md	SUM	SUM	174790	2.8	194.4	4.1	1.4	199.8	0	0	94.7	96.2	0
122	wt	N	103-00	3	0	0	0	0	0	0	0	0	0	0
122	wt	N	122-00	1	0	1	0	0	1	0	0	0	0	0
122	wt	N	200-00	19	0	0	0	0	0	0	0	0	0	0
122	wt	N	309-01	3	0	0	0	0	0	0	0	0	0	0
122	wt	N	Deer_A	24213	3.7	27.3	0	3.7	27.3	0	0	11.2	14.9	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
122	wt	N	SUM	24239	3.7	28.3	0	3.7	28.3	0	0	11.2	14.9	0
122	wt	R	103-00	197	0	1.4	0	0	1.4	0	0	0	1.4	0
122	wt	R	122-00	49	0	22	0	0	22	0	0	0	0	0
122	wt	R	124-00	99	0	1.4	0	0	1.4	0	0	0	0	0
122	wt	R	200-00	181	0	1.4	0	0	1.4	0	0	0	0	0
122	wt	R	309-01	497	0	2	0	0	2	0	0	0	2	0
122	wt	R	Deer_A	150577	1.5	681.5	4.1	1.5	681.5	4.1	0	227.7	272.1	6.5
122	wt	R	SUM	151600	1.5	709.7	4.1	1.5	709.7	4.1	0	227.7	275.5	6.5
122	wt	SUM	103-00	200	0	1.4	0	0	1.4	0	0	0	1.4	0
122	wt	SUM	122-00	50	0	23	0	0	23	0	0	0	0	0
122	wt	SUM	124-00	99	0	1.4	0	0	1.4	0	0	0	0	0
122	wt	SUM	200-00	200	0	1.4	0	0	1.4	0	0	0	0	0
122	wt	SUM	309-01	500	0	2	0	0	2	0	0	0	2	0
122	wt	SUM	Deer_A	174790	5.2	708.8	4.1	5.2	708.8	4.1	0	238.9	287	6.5
122	wt	SUM	SUM	175839	5.2	738	4.1	5.2	738	4.1	0	238.9	290.4	6.5
123	all_deer	N	104-00	4	0	0	0	0	0	0	0	0	0	0
123	all_deer	N	121-00	31	0	0	0	0	0	0	0	0	0	0
123	all_deer	N	123-00	5	0	3.8	0	0	3.8	0	0	0	0	0
123	all_deer	N	Deer_A	24213	0	25	0	0	25	0	0	0	23.7	0
123	all_deer	N	none	.	0	0	0	0	0	0	3.8	0	0	0
123	all_deer	N	SUM	24253	0	28.8	0	0	28.8	0	3.8	0	23.7	0
123	all_deer	R	104-00	196	0	1.5	0	0	1.5	0	0	0	0	0
123	all_deer	R	121-00	368	0	2.8	0	0	2.8	0	0	0	1.4	0
123	all_deer	R	123-00	45	0	19.5	0	0	19.5	0	0	0	0	0
123	all_deer	R	Deer_A	150577	0	228.4	0	0	228.4	0	0	36.9	147.8	0
123	all_deer	R	none	.	0	1.8	0	0	1.8	0	0	0	0	0
123	all_deer	R	SUM	151186	0	254	0	0	254	0	0	36.9	149.2	0
123	all_deer	SUM	104-00	200	0	1.5	0	0	1.5	0	0	0	0	0
123	all_deer	SUM	121-00	399	0	2.8	0	0	2.8	0	0	0	1.4	0
123	all_deer	SUM	123-00	50	0	23.3	0	0	23.3	0	0	0	0	0
123	all_deer	SUM	Deer_A	174790	0	253.4	0	0	253.4	0	0	36.9	171.5	0
123	all_deer	SUM	none	.	0	1.8	0	0	1.8	0	3.8	0	0	0
123	all_deer	SUM	SUM	175439	0	282.8	0	0	282.8	0	3.8	36.9	172.9	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
123	md	N	104-00	4	0	0	0	0	0	0	0	0	0	0
123	md	N	123-00	5	0	1.3	0	0	1.3	0	0	0	0	0
123	md	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
123	md	N	none	.	0	0	0	0	0	0	0	0	0	0
123	md	N	SUM	24222	0	8.8	0	0	8.8	0	0	0	7.5	0
123	md	R	104-00	196	0	1.5	0	0	1.5	0	0	0	0	0
123	md	R	123-00	45	0	0	0	0	0	0	0	0	0	0
123	md	R	Deer_A	150577	0	38.9	0	0	38.9	0	0	12.2	26.8	0
123	md	R	none	.	0	1.8	0	0	1.8	0	0	0	0	0
123	md	R	SUM	150818	0	42.2	0	0	42.2	0	0	12.2	26.8	0
123	md	SUM	104-00	200	0	1.5	0	0	1.5	0	0	0	0	0
123	md	SUM	123-00	50	0	1.3	0	0	1.3	0	0	0	0	0
123	md	SUM	Deer_A	174790	0	46.4	0	0	46.4	0	0	12.2	34.2	0
123	md	SUM	none	.	0	1.8	0	0	1.8	0	0	0	0	0
123	md	SUM	SUM	175040	0	51	0	0	51	0	0	12.2	34.2	0
123	wt	N	121-00	31	0	0	0	0	0	0	0	0	0	0
123	wt	N	123-00	5	0	2.5	0	0	2.5	0	0	0	0	0
123	wt	N	Deer_A	24213	0	17.6	0	0	17.6	0	0	0	16.2	0
123	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
123	wt	N	SUM	24249	0	20	0	0	20	0	0	0	16.2	0
123	wt	R	121-00	368	0	2.8	0	0	2.8	0	0	0	1.4	0
123	wt	R	123-00	45	0	19.5	0	0	19.5	0	0	0	0	0
123	wt	R	Deer_A	150577	0	189.5	0	0	189.5	0	0	24.7	121	0
123	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
123	wt	R	SUM	150990	0	211.8	0	0	211.8	0	0	24.7	122.5	0
123	wt	SUM	121-00	399	0	2.8	0	0	2.8	0	0	0	1.4	0
123	wt	SUM	123-00	50	0	22	0	0	22	0	0	0	0	0
123	wt	SUM	Deer_A	174790	0	207	0	0	207	0	0	24.7	137.3	0
123	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
123	wt	SUM	SUM	175239	0	231.8	0	0	231.8	0	0	24.7	138.7	0
124	all_deer	N	124-00	1	0	0	0	0	0	0	0	0	0	0
124	all_deer	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	0	14.9	0
124	all_deer	N	SUM	24214	0	14.9	0	0	14.9	0	0	0	14.9	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
124	all_deer	R	124-00	99	4.1	38.7	0	4.1	38.7	0	0	0	0	0
124	all_deer	R	Deer_A	150577	5.7	163.5	1.5	5.7	165	0	0	65.1	52	0
124	all_deer	R	SUM	150676	9.7	202.2	1.5	9.7	203.7	0	0	65.1	52	0
124	all_deer	SUM	124-00	100	4.1	38.7	0	4.1	38.7	0	0	0	0	0
124	all_deer	SUM	Deer_A	174790	5.7	178.4	1.5	5.7	179.9	0	0	65.1	66.9	0
124	all_deer	SUM	SUM	174890	9.7	217.1	1.5	9.7	218.6	0	0	65.1	66.9	0
124	md	N	Deer_A	24213	0	11.2	0	0	11.2	0	0	0	11.2	0
124	md	N	SUM	24213	0	11.2	0	0	11.2	0	0	0	11.2	0
124	md	R	Deer_A	150577	4.1	29.9	1.5	4.1	31.4	0	0	20.8	14.7	0
124	md	R	SUM	150577	4.1	29.9	1.5	4.1	31.4	0	0	20.8	14.7	0
124	md	SUM	Deer_A	174790	4.1	41	1.5	4.1	42.5	0	0	20.8	25.8	0
124	md	SUM	SUM	174790	4.1	41	1.5	4.1	42.5	0	0	20.8	25.8	0
124	wt	N	124-00	1	0	0	0	0	0	0	0	0	0	0
124	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
124	wt	N	SUM	24214	0	3.7	0	0	3.7	0	0	0	3.7	0
124	wt	R	124-00	99	4.1	38.7	0	4.1	38.7	0	0	0	0	0
124	wt	R	Deer_A	150577	1.6	133.6	0	1.6	133.6	0	0	44.3	37.3	0
124	wt	R	SUM	150676	5.7	172.4	0	5.7	172.4	0	0	44.3	37.3	0
124	wt	SUM	124-00	100	4.1	38.7	0	4.1	38.7	0	0	0	0	0
124	wt	SUM	Deer_A	174790	1.6	137.4	0	1.6	137.4	0	0	44.3	41	0
124	wt	SUM	SUM	174890	5.7	176.1	0	5.7	176.1	0	0	44.3	41	0
130	all_deer	N	130-00	18	0	7.9	0	0	7.9	0	0	0	0	0
130	all_deer	N	132-00	4	0	0	0	0	0	0	0	0	0	0
130	all_deer	N	170-10	58	0	0	0	0	0	0	0	0	0	0
130	all_deer	N	292-00	1	0	0	0	0	0	0	0	0	0	0
130	all_deer	N	Deer_A	24213	0	76	0	0	76	0	0	3.7	72.3	0
130	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
130	all_deer	N	SUM	24294	0	83.9	0	0	83.9	0	0	3.7	72.3	0
130	all_deer	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
130	all_deer	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
130	all_deer	R	130-00	482	8.3	238.1	3.6	8.3	241.7	0	0	0	0	0
130	all_deer	R	130-50	10	0	2.5	0	2.5	0	0	0	0	2.5	0
130	all_deer	R	132-00	296	0	4.3	0	0	4.3	0	0	0	1.5	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
130	all_deer	R	170-10	1946	0	2.3	0	0	2.3	0	0	0	0	0
130	all_deer	R	292-00	49	0	1.7	0	0	1.7	0	0	0	0	0
130	all_deer	R	Deer_A	150577	15.1	1049.3	13.9	14.9	1051.3	4.1	8.1	282.4	551.8	3.5
130	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
130	all_deer	R	SUM	168299	23.4	1308	17.5	25.7	1311.1	4.1	8.1	282.4	555.7	3.5
130	all_deer	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
130	all_deer	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
130	all_deer	SUM	130-00	500	8.3	246	3.6	8.3	249.6	0	0	0	0	0
130	all_deer	SUM	130-50	10	0	2.5	0	2.5	0	0	0	0	2.5	0
130	all_deer	SUM	132-00	300	0	4.3	0	0	4.3	0	0	0	1.5	0
130	all_deer	SUM	170-10	2004	0	2.3	0	0	2.3	0	0	0	0	0
130	all_deer	SUM	292-00	50	0	1.7	0	0	1.7	0	0	0	0	0
130	all_deer	SUM	Deer_A	174790	15.1	1125.4	13.9	14.9	1127.4	4.1	8.1	286.1	624.1	3.5
130	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
130	all_deer	SUM	SUM	192593	23.4	1391.9	17.5	25.7	1395	4.1	8.1	286.1	628.1	3.5
130	md	N	132-00	4	0	0	0	0	0	0	0	0	0	0
130	md	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
130	md	N	none	.	0	0	0	0	0	0	0	0	0	0
130	md	N	SUM	24217	0	7.5	0	0	7.5	0	0	0	7.5	0
130	md	R	130-50	10	0	2.5	0	2.5	0	0	0	0	2.5	0
130	md	R	132-00	296	0	1.5	0	0	1.5	0	0	0	1.5	0
130	md	R	Deer_A	150577	0	40.1	0	0	36.1	4.1	0	6	32.7	0
130	md	R	none	.	0	0	0	0	0	0	0	0	0	0
130	md	R	SUM	150883	0	44.1	0	2.5	37.6	4.1	0	6	36.7	0
130	md	SUM	130-50	10	0	2.5	0	2.5	0	0	0	0	2.5	0
130	md	SUM	132-00	300	0	1.5	0	0	1.5	0	0	0	1.5	0
130	md	SUM	Deer_A	174790	0	47.6	0	0	43.5	4.1	0	6	40.2	0
130	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
130	md	SUM	SUM	175100	0	51.6	0	2.5	45	4.1	0	6	44.2	0
130	wt	N	130-00	18	0	7.9	0	0	7.9	0	0	0	0	0
130	wt	N	132-00	4	0	0	0	0	0	0	0	0	0	0
130	wt	N	170-10	58	0	0	0	0	0	0	0	0	0	0
130	wt	N	292-00	1	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
130	wt	N	Deer_A	24213	0	68.6	0	0	68.6	0	0	3.7	64.9	0
130	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
130	wt	N	SUM	24294	0	76.5	0	0	76.5	0	0	3.7	64.9	0
130	wt	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
130	wt	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
130	wt	R	130-00	482	8.3	232.2	1.7	8.3	233.9	0	0	0	0	0
130	wt	R	132-00	296	0	2.8	0	0	2.8	0	0	0	0	0
130	wt	R	170-10	1946	0	2.3	0	0	2.3	0	0	0	0	0
130	wt	R	292-00	49	0	1.7	0	0	1.7	0	0	0	0	0
130	wt	R	Deer_A	150577	15.1	982.9	13.9	10.9	993	0	8.1	268.3	515	3.5
130	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
130	wt	R	SUM	168289	23.4	1231.7	15.6	19.1	1243.5	0	8.1	268.3	515	3.5
130	wt	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
130	wt	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
130	wt	SUM	130-00	500	8.3	240.1	1.7	8.3	241.7	0	0	0	0	0
130	wt	SUM	132-00	300	0	2.8	0	0	2.8	0	0	0	0	0
130	wt	SUM	170-10	2004	0	2.3	0	0	2.3	0	0	0	0	0
130	wt	SUM	292-00	50	0	1.7	0	0	1.7	0	0	0	0	0
130	wt	SUM	Deer_A	174790	15.1	1051.5	13.9	10.9	1061.6	0	8.1	272	579.8	3.5
130	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
130	wt	SUM	SUM	192583	23.4	1308.2	15.6	19.1	1319.9	0	8.1	272	579.8	3.5
132	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
132	all_deer	N	130-00	18	0	0	0	0	0	0	0	0	0	0
132	all_deer	N	132-00	4	0	1.6	0	0	1.6	0	0	0	0	0
132	all_deer	N	170-10	58	0	2.1	2.1	0	4.1	0	0	0	0	0
132	all_deer	N	Deer_A	24213	0	18	0	0	18	0	0	0	14.2	0
132	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
132	all_deer	N	SUM	24360	0	21.7	2.1	0	23.7	0	0	0	14.2	0
132	all_deer	R	002-10	1152	2.2	2.2	0	0	4.3	0	0	0	0	0
132	all_deer	R	130-00	482	0	2	0	0	2	0	0	0	0	0
132	all_deer	R	132-00	296	12.5	92.7	0	15.4	88.6	0	1.2	0	1.5	0
132	all_deer	R	170-10	1946	24.8	175.3	0	16.4	183.7	0	0	0	0	0
132	all_deer	R	Deer_A	150577	16.8	474.4	1.6	8.7	475.9	6.5	1.6	107.7	298.6	6.5

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
132	all_deer	R	none	.	0	11.4	0	0	11.4	0	0	0	0	0
132	all_deer	R	SUM	154453	56.3	757.9	1.6	40.5	765.9	6.5	2.8	107.7	300.1	6.5
132	all_deer	SUM	002-10	1219	2.2	2.2	0	0	4.3	0	0	0	0	0
132	all_deer	SUM	130-00	500	0	2	0	0	2	0	0	0	0	0
132	all_deer	SUM	132-00	300	12.5	94.3	0	15.4	90.2	0	1.2	0	1.5	0
132	all_deer	SUM	170-10	2004	24.8	177.4	2.1	16.4	187.8	0	0	0	0	0
132	all_deer	SUM	Deer_A	174790	16.8	492.3	1.6	8.7	493.9	6.5	1.6	107.7	312.8	6.5
132	all_deer	SUM	none	.	0	11.4	0	0	11.4	0	0	0	0	0
132	all_deer	SUM	SUM	178813	56.3	779.5	3.6	40.5	789.6	6.5	2.8	107.7	314.3	6.5
132	md	N	132-00	4	0	0	0	0	0	0	0	0	0	0
132	md	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
132	md	N	none	.	0	0	0	0	0	0	0	0	0	0
132	md	N	SUM	24217	0	3.7	0	0	3.7	0	0	0	3.7	0
132	md	R	132-00	296	0	1.5	0	0	1.5	0	0	0	1.5	0
132	md	R	Deer_A	150577	0	18.3	0	0	14.3	4.1	0	5.7	8.5	0
132	md	R	none	.	0	0	0	0	0	0	0	0	0	0
132	md	R	SUM	150873	0	19.8	0	0	15.8	4.1	0	5.7	10	0
132	md	SUM	132-00	300	0	1.5	0	0	1.5	0	0	0	1.5	0
132	md	SUM	Deer_A	174790	0	22	0	0	18	4.1	0	5.7	12.2	0
132	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
132	md	SUM	SUM	175090	0	23.6	0	0	19.5	4.1	0	5.7	13.8	0
132	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
132	wt	N	130-00	18	0	0	0	0	0	0	0	0	0	0
132	wt	N	132-00	4	0	1.6	0	0	1.6	0	0	0	0	0
132	wt	N	170-10	58	0	2.1	2.1	0	4.1	0	0	0	0	0
132	wt	N	Deer_A	24213	0	14.2	0	0	14.2	0	0	0	10.5	0
132	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
132	wt	N	SUM	24360	0	17.9	2.1	0	20	0	0	0	10.5	0
132	wt	R	002-10	1152	2.2	2.2	0	0	4.3	0	0	0	0	0
132	wt	R	130-00	482	0	2	0	0	2	0	0	0	0	0
132	wt	R	132-00	296	12.5	90	0	15.4	87.1	0	0	0	0	0
132	wt	R	170-10	1946	24.8	175.3	0	16.4	183.7	0	0	0	0	0
132	wt	R	Deer_A	150577	16.8	454.5	1.6	8.7	460.1	2.4	1.6	102	288.5	6.5

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
132	wt	R	none	.	0	11.4	0	0	11.4	0	0	0	0	0
132	wt	R	SUM	154453	56.3	735.3	1.6	40.5	748.6	2.4	1.6	102	288.5	6.5
132	wt	SUM	002-10	1219	2.2	2.2	0	0	4.3	0	0	0	0	0
132	wt	SUM	130-00	500	0	2	0	0	2	0	0	0	0	0
132	wt	SUM	132-00	300	12.5	91.6	0	15.4	88.7	0	0	0	0	0
132	wt	SUM	170-10	2004	24.8	177.4	2.1	16.4	187.8	0	0	0	0	0
132	wt	SUM	Deer_A	174790	16.8	468.7	1.6	8.7	474.4	2.4	1.6	102	299	6.5
132	wt	SUM	none	.	0	11.4	0	0	11.4	0	0	0	0	0
132	wt	SUM	SUM	178813	56.3	753.2	3.6	40.5	768.6	2.4	1.6	102	299	6.5
140	all_deer	N	Deer_A	24213	0	11.2	0	3.7	7.5	0	0	0	3.7	0
140	all_deer	N	SUM	24213	0	11.2	0	3.7	7.5	0	0	0	3.7	0
140	all_deer	R	Deer_A	150577	5.8	158.3	0	13.9	150.2	0	0	30	90.2	4.1
140	all_deer	R	SUM	150577	5.8	158.3	0	13.9	150.2	0	0	30	90.2	4.1
140	all_deer	SUM	Deer_A	174790	5.8	169.5	0	17.6	157.7	0	0	30	93.9	4.1
140	all_deer	SUM	SUM	174790	5.8	169.5	0	17.6	157.7	0	0	30	93.9	4.1
140	md	N	Deer_A	24213	0	3.7	0	3.7	0	0	0	0	3.7	0
140	md	N	SUM	24213	0	3.7	0	3.7	0	0	0	0	3.7	0
140	md	R	Deer_A	150577	4.1	45.2	0	4.1	45.2	0	0	9.8	39.4	0
140	md	R	SUM	150577	4.1	45.2	0	4.1	45.2	0	0	9.8	39.4	0
140	md	SUM	Deer_A	174790	4.1	48.9	0	7.8	45.2	0	0	9.8	43.2	0
140	md	SUM	SUM	174790	4.1	48.9	0	7.8	45.2	0	0	9.8	43.2	0
140	wt	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	0	0
140	wt	N	SUM	24213	0	7.5	0	0	7.5	0	0	0	0	0
140	wt	R	Deer_A	150577	1.7	113.1	0	9.8	105	0	0	20.3	50.8	4.1
140	wt	R	SUM	150577	1.7	113.1	0	9.8	105	0	0	20.3	50.8	4.1
140	wt	SUM	Deer_A	174790	1.7	120.6	0	9.8	112.5	0	0	20.3	50.8	4.1
140	wt	SUM	SUM	174790	1.7	120.6	0	9.8	112.5	0	0	20.3	50.8	4.1
141	all_deer	N	170-10	58	0	0	0	0	0	0	0	0	0	0
141	all_deer	N	401-00	42	0	0	0	0	0	0	0	0	0	0
141	all_deer	N	Deer_A	24213	0	11.2	0	0	11.2	0	0	3.7	7.5	0
141	all_deer	N	SUM	24313	0	11.2	0	0	11.2	0	0	3.7	7.5	0
141	all_deer	R	170-10	1946	0	3.6	0	0	3.6	0	0	3.6	0	0
141	all_deer	R	401-00	358	0	1.4	0	0	1.4	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
141	all_deer	R	Deer_A	150577	0	48.1	0	0	48.1	0	0	1.6	39.9	0
141	all_deer	R	SUM	152881	0	53.1	0	0	53.1	0	0	5.3	39.9	0
141	all_deer	SUM	170-10	2004	0	3.6	0	0	3.6	0	0	3.6	0	0
141	all_deer	SUM	401-00	400	0	1.4	0	0	1.4	0	0	0	0	0
141	all_deer	SUM	Deer_A	174790	0	59.2	0	0	59.2	0	0	5.4	47.4	0
141	all_deer	SUM	SUM	177194	0	64.3	0	0	64.3	0	0	9	47.4	0
141	md	N	170-10	58	0	0	0	0	0	0	0	0	0	0
141	md	N	401-00	42	0	0	0	0	0	0	0	0	0	0
141	md	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	3.7	3.7	0
141	md	N	SUM	24313	0	7.5	0	0	7.5	0	0	3.7	3.7	0
141	md	R	170-10	1946	0	3.6	0	0	3.6	0	0	3.6	0	0
141	md	R	401-00	358	0	1.4	0	0	1.4	0	0	0	0	0
141	md	R	Deer_A	150577	0	25.9	0	0	25.9	0	0	1.6	24.3	0
141	md	R	SUM	152881	0	31	0	0	31	0	0	5.3	24.3	0
141	md	SUM	170-10	2004	0	3.6	0	0	3.6	0	0	3.6	0	0
141	md	SUM	401-00	400	0	1.4	0	0	1.4	0	0	0	0	0
141	md	SUM	Deer_A	174790	0	33.4	0	0	33.4	0	0	5.4	28	0
141	md	SUM	SUM	177194	0	38.4	0	0	38.4	0	0	9	28	0
141	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
141	wt	N	SUM	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
141	wt	R	Deer_A	150577	0	22.1	0	0	22.1	0	0	0	15.6	0
141	wt	R	SUM	150577	0	22.1	0	0	22.1	0	0	0	15.6	0
141	wt	SUM	Deer_A	174790	0	25.9	0	0	25.9	0	0	0	19.4	0
141	wt	SUM	SUM	174790	0	25.9	0	0	25.9	0	0	0	19.4	0
150	all_deer	N	Deer_A	24213	3.7	96.9	0	22.4	78.2	0	0	22.4	78.2	0
150	all_deer	N	SUM	24213	3.7	96.9	0	22.4	78.2	0	0	22.4	78.2	0
150	all_deer	R	Deer_A	150577	0	49.7	0	2.3	43.3	0	4.1	9.8	34.1	4.1
150	all_deer	R	SUM	150577	0	49.7	0	2.3	43.3	0	4.1	9.8	34.1	4.1
150	all_deer	SUM	Deer_A	174790	3.7	146.5	0	24.7	121.5	0	4.1	32.1	112.3	4.1
150	all_deer	SUM	SUM	174790	3.7	146.5	0	24.7	121.5	0	4.1	32.1	112.3	4.1
150	md	N	Deer_A	24213	3.7	67.1	0	18.6	52.2	0	0	14.9	55.9	0
150	md	N	SUM	24213	3.7	67.1	0	18.6	52.2	0	0	14.9	55.9	0
150	md	R	Deer_A	150577	0	25.9	0	2.3	19.5	0	4.1	0	25.9	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
150	md	R	SUM	150577	0	25.9	0	2.3	19.5	0	4.1	0	25.9	0
150	md	SUM	Deer_A	174790	3.7	92.9	0	21	71.6	0	4.1	14.9	81.8	0
150	md	SUM	SUM	174790	3.7	92.9	0	21	71.6	0	4.1	14.9	81.8	0
150	wt	N	Deer_A	24213	0	29.8	0	3.7	26.1	0	0	7.5	22.4	0
150	wt	N	SUM	24213	0	29.8	0	3.7	26.1	0	0	7.5	22.4	0
150	wt	R	Deer_A	150577	0	23.8	0	0	23.8	0	0	9.8	8.2	4.1
150	wt	R	SUM	150577	0	23.8	0	0	23.8	0	0	9.8	8.2	4.1
150	wt	SUM	Deer_A	174790	0	53.6	0	3.7	49.9	0	0	17.2	30.6	4.1
150	wt	SUM	SUM	174790	0	53.6	0	3.7	49.9	0	0	17.2	30.6	4.1
151	all_deer	N	Deer_A	24213	0	3.7	0	3.7	0	0	0	0	3.7	0
151	all_deer	N	SUM	24213	0	3.7	0	3.7	0	0	0	0	3.7	0
151	all_deer	R	Deer_A	150577	0	9.6	0	4.1	5.5	0	0	0	9.6	0
151	all_deer	R	SUM	150577	0	9.6	0	4.1	5.5	0	0	0	9.6	0
151	all_deer	SUM	Deer_A	174790	0	13.3	0	7.8	5.5	0	0	0	13.3	0
151	all_deer	SUM	SUM	174790	0	13.3	0	7.8	5.5	0	0	0	13.3	0
151	md	N	Deer_A	24213	0	3.7	0	3.7	0	0	0	0	3.7	0
151	md	N	SUM	24213	0	3.7	0	3.7	0	0	0	0	3.7	0
151	md	R	Deer_A	150577	0	9.6	0	4.1	5.5	0	0	0	9.6	0
151	md	R	SUM	150577	0	9.6	0	4.1	5.5	0	0	0	9.6	0
151	md	SUM	Deer_A	174790	0	13.3	0	7.8	5.5	0	0	0	13.3	0
151	md	SUM	SUM	174790	0	13.3	0	7.8	5.5	0	0	0	13.3	0
170	all_deer	N	102-00	6	0	0	0	0	0	0	0	0	0	0
170	all_deer	N	170-10	58	0	28.6	0	0	28.6	0	0	0	0	0
170	all_deer	N	630-00	150	0	0	0	0	0	0	0	0	0	0
170	all_deer	N	Deer_A	24213	0	17.2	0	0	17.2	0	0	0	11.2	0
170	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
170	all_deer	N	SUM	24427	0	45.8	0	0	45.8	0	0	0	11.2	0
170	all_deer	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
170	all_deer	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
170	all_deer	R	102-00	394	1.4	1.5	0	1.4	1.5	0	0	1.5	0	0
170	all_deer	R	170-10	1946	58.8	338.7	0	49.8	332.3	13.1	2.3	0	0	0
170	all_deer	R	630-00	348	0	1.6	0	0	1.6	0	0	0	0	0
170	all_deer	R	Deer_A	150577	18.7	309.5	8.9	17.7	310.5	0	8.9	97.1	193.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
170	all_deer	R	none	.	1.6	0	0	1.6	0	0	0	0	0	0
170	all_deer	R	SUM	166327	80.6	658.6	8.9	70.5	653.3	13.1	11.2	98.7	196.5	0
170	all_deer	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
170	all_deer	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
170	all_deer	SUM	102-00	400	1.4	1.5	0	1.4	1.5	0	0	1.5	0	0
170	all_deer	SUM	170-10	2004	58.8	367.3	0	49.8	360.9	13.1	2.3	0	0	0
170	all_deer	SUM	630-00	498	0	1.6	0	0	1.6	0	0	0	0	0
170	all_deer	SUM	Deer_A	174790	18.7	326.7	8.9	17.7	327.8	0	8.9	97.1	204.3	0
170	all_deer	SUM	none	.	1.6	0	0	1.6	0	0	0	0	0	0
170	all_deer	SUM	SUM	190754	80.6	704.4	8.9	70.5	699.1	13.1	11.2	98.7	207.7	0
170	md	N	Deer_A	24213	0	2.3	0	0	2.3	0	0	0	0	0
170	md	N	none	.	0	0	0	0	0	0	0	0	0	0
170	md	N	SUM	24213	0	2.3	0	0	2.3	0	0	0	0	0
170	md	R	Deer_A	150577	0	20.4	0	0	20.4	0	0	12.2	8.2	0
170	md	R	none	.	0	0	0	0	0	0	0	0	0	0
170	md	R	SUM	150577	0	20.4	0	0	20.4	0	0	12.2	8.2	0
170	md	SUM	Deer_A	174790	0	22.7	0	0	22.7	0	0	12.2	8.2	0
170	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
170	md	SUM	SUM	174790	0	22.7	0	0	22.7	0	0	12.2	8.2	0
170	wt	N	102-00	6	0	0	0	0	0	0	0	0	0	0
170	wt	N	170-10	58	0	28.6	0	0	28.6	0	0	0	0	0
170	wt	N	630-00	150	0	0	0	0	0	0	0	0	0	0
170	wt	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	0	11.2	0
170	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
170	wt	N	SUM	24427	0	43.5	0	0	43.5	0	0	0	11.2	0
170	wt	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
170	wt	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
170	wt	R	102-00	394	1.4	1.5	0	1.4	1.5	0	0	1.5	0	0
170	wt	R	170-10	1946	58.8	338.7	0	49.8	332.3	13.1	2.3	0	0	0
170	wt	R	630-00	348	0	1.6	0	0	1.6	0	0	0	0	0
170	wt	R	Deer_A	150577	18.7	289.2	8.9	17.7	290.2	0	8.9	85	185	0
170	wt	R	none	.	1.6	0	0	1.6	0	0	0	0	0	0
170	wt	R	SUM	166327	80.6	638.2	8.9	70.5	632.9	13.1	11.2	86.5	188.3	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
170	wt	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
170	wt	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
170	wt	SUM	102-00	400	1.4	1.5	0	1.4	1.5	0	0	1.5	0	0
170	wt	SUM	170-10	2004	58.8	367.3	0	49.8	360.9	13.1	2.3	0	0	0
170	wt	SUM	630-00	498	0	1.6	0	0	1.6	0	0	0	0	0
170	wt	SUM	Deer_A	174790	18.7	304.1	8.9	17.7	305.1	0	8.9	85	196.1	0
170	wt	SUM	none	.	1.6	0	0	1.6	0	0	0	0	0	0
170	wt	SUM	SUM	190754	80.6	681.7	8.9	70.5	676.4	13.1	11.2	86.5	199.5	0
1XX	all_deer	R	100-00	184	1.6	0	0	1.6	0	0	0	0	0	0
1XX	all_deer	R	102-00	394	0	3.1	0	0	3.1	0	0	0	0	0
1XX	all_deer	R	103-00	197	0	1.4	0	0	0	1.4	0	0	0	0
1XX	all_deer	R	121-00	368	0	1.4	0	0	1.4	0	0	0	0	0
1XX	all_deer	R	Deer_A	150577	0	41.6	0	0	37.6	4.1	0	13.8	10.6	0
1XX	all_deer	R	SUM	151720	1.6	47.6	0	1.6	42.1	5.5	0	13.8	10.6	0
1XX	all_deer	SUM	100-00	184	1.6	0	0	1.6	0	0	0	0	0	0
1XX	all_deer	SUM	102-00	394	0	3.1	0	0	3.1	0	0	0	0	0
1XX	all_deer	SUM	103-00	197	0	1.4	0	0	0	1.4	0	0	0	0
1XX	all_deer	SUM	121-00	368	0	1.4	0	0	1.4	0	0	0	0	0
1XX	all_deer	SUM	Deer_A	150577	0	41.6	0	0	37.6	4.1	0	13.8	10.6	0
1XX	all_deer	SUM	SUM	151720	1.6	47.6	0	1.6	42.1	5.5	0	13.8	10.6	0
1XX	md	R	Deer_A	150577	0	19.4	0	0	15.4	4.1	0	13.8	4.1	0
1XX	md	R	SUM	150577	0	19.4	0	0	15.4	4.1	0	13.8	4.1	0
1XX	md	SUM	Deer_A	150577	0	19.4	0	0	15.4	4.1	0	13.8	4.1	0
1XX	md	SUM	SUM	150577	0	19.4	0	0	15.4	4.1	0	13.8	4.1	0
1XX	wt	R	100-00	184	1.6	0	0	1.6	0	0	0	0	0	0
1XX	wt	R	102-00	394	0	3.1	0	0	3.1	0	0	0	0	0
1XX	wt	R	103-00	197	0	1.4	0	0	0	1.4	0	0	0	0
1XX	wt	R	121-00	368	0	1.4	0	0	1.4	0	0	0	0	0
1XX	wt	R	Deer_A	150577	0	22.2	0	0	22.2	0	0	0	6.5	0
1XX	wt	R	SUM	151720	1.6	28.1	0	1.6	26.7	1.4	0	0	6.5	0
1XX	wt	SUM	100-00	184	1.6	0	0	1.6	0	0	0	0	0	0
1XX	wt	SUM	102-00	394	0	3.1	0	0	3.1	0	0	0	0	0
1XX	wt	SUM	103-00	197	0	1.4	0	0	0	1.4	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
1XX	wt	SUM	121-00	368	0	1.4	0	0	1.4	0	0	0	0	0
1XX	wt	SUM	Deer_A	150577	0	22.2	0	0	22.2	0	0	0	6.5	0
1XX	wt	SUM	SUM	151720	1.6	28.1	0	1.6	26.7	1.4	0	0	6.5	0
200	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
200	all_deer	N	200-00	19	0	8.5	0	1.9	6.6	0	0	0	1.9	0
200	all_deer	N	200-01	3	0	0	0	0	0	0	0	0	0	0
200	all_deer	N	Deer_A	24213	0	25.1	0	0	23.5	0	1.6	3.7	17.7	3.7
200	all_deer	N	SUM	24302	0	33.6	0	1.9	30.1	0	1.6	3.7	19.6	3.7
200	all_deer	R	002-10	1152	4.5	0	0	4.5	0	0	0	0	0	0
200	all_deer	R	200-00	181	6.5	72.9	0	5.2	71.4	2.9	0	1.2	1.4	0
200	all_deer	R	200-01	94	0	34.2	1.5	0	34.2	0	1.5	0	1.4	0
200	all_deer	R	Deer_A	150577	10.7	259	1.7	9.5	261.9	0	0	79.7	171	1.7
200	all_deer	R	SUM	152004	21.7	366.2	3.2	19.1	367.5	2.9	1.5	80.9	173.8	1.7
200	all_deer	SUM	002-10	1219	4.5	0	0	4.5	0	0	0	0	0	0
200	all_deer	SUM	200-00	200	6.5	81.5	0	7.1	78	2.9	0	1.2	3.4	0
200	all_deer	SUM	200-01	97	0	34.2	1.5	0	34.2	0	1.5	0	1.4	0
200	all_deer	SUM	Deer_A	174790	10.7	284.1	1.7	9.5	285.4	0	1.6	83.4	188.7	5.4
200	all_deer	SUM	SUM	176306	21.7	399.8	3.2	21.1	397.6	2.9	3.1	84.7	193.4	5.4
200	md	N	200-00	19	0	0	0	0	0	0	0	0	0	0
200	md	N	200-01	3	0	0	0	0	0	0	0	0	0	0
200	md	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
200	md	N	SUM	24235	0	3.7	0	0	3.7	0	0	0	3.7	0
200	md	R	200-00	181	1.2	0	0	1.2	0	0	0	1.2	0	0
200	md	R	200-01	94	0	1.4	0	0	1.4	0	0	0	1.4	0
200	md	R	Deer_A	150577	2.2	49.2	0	3.9	47.6	0	0	17.8	33.7	0
200	md	R	SUM	150852	3.5	50.6	0	5.2	49	0	0	19.1	35	0
200	md	SUM	200-00	200	1.2	0	0	1.2	0	0	0	1.2	0	0
200	md	SUM	200-01	97	0	1.4	0	0	1.4	0	0	0	1.4	0
200	md	SUM	Deer_A	174790	2.2	53	0	3.9	51.3	0	0	17.8	37.4	0
200	md	SUM	SUM	175087	3.5	54.3	0	5.2	52.7	0	0	19.1	38.8	0
200	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
200	wt	N	200-00	19	0	8.5	0	1.9	6.6	0	0	0	1.9	0
200	wt	N	200-01	3	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
200	wt	N	Deer_A	24213	0	21.4	0	0	19.8	0	1.6	3.7	13.9	3.7
200	wt	N	SUM	24302	0	29.9	0	1.9	26.4	0	1.6	3.7	15.8	3.7
200	wt	R	002-10	1152	4.5	0	0	4.5	0	0	0	0	0	0
200	wt	R	200-00	181	5.3	72.9	0	4	71.4	2.9	0	0	1.4	0
200	wt	R	200-01	94	0	32.9	1.5	0	32.9	0	1.5	0	0	0
200	wt	R	Deer_A	150577	8.5	209.8	1.7	5.6	214.3	0	0	61.8	137.3	1.7
200	wt	R	SUM	152004	18.2	315.6	3.2	14	318.6	2.9	1.5	61.8	138.8	1.7
200	wt	SUM	002-10	1219	4.5	0	0	4.5	0	0	0	0	0	0
200	wt	SUM	200-00	200	5.3	81.5	0	5.9	78	2.9	0	0	3.4	0
200	wt	SUM	200-01	97	0	32.9	1.5	0	32.9	0	1.5	0	0	0
200	wt	SUM	Deer_A	174790	8.5	231.2	1.7	5.6	234.1	0	1.6	65.6	151.3	5.4
200	wt	SUM	SUM	176306	18.2	345.5	3.2	15.9	344.9	2.9	3.1	65.6	154.6	5.4
201	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	200-00	19	0	1.9	0	0	1.9	0	0	0	0	0
201	all_deer	N	200-01	3	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	201-00	10	0	2.5	0	0	2.5	0	0	0	0	0
201	all_deer	N	201-01	4	0	4	0	0	4	0	0	0	0	0
201	all_deer	N	202-00	5	0	1.2	0	0	1.2	0	0	0	0	0
201	all_deer	N	202-50	20	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	260-10	81	2.7	0	0	0	0	2.7	0	0	0	0
201	all_deer	N	260-20	6	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	322-01	23	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	Deer_A	24213	1.6	37.9	0	1.6	37.9	0	0	8.8	30.7	0
201	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
201	all_deer	N	SUM	24451	4.3	47.5	0	1.6	47.5	2.7	0	8.8	30.7	0
201	all_deer	R	002-10	1152	24.2	0	0	17.7	2.1	4.4	0	0	0	0
201	all_deer	R	200-00	181	0	0	0	0	0	0	0	0	0	0
201	all_deer	R	200-01	94	0	1.5	0	0	1.5	0	0	0	0	0
201	all_deer	R	201-00	340	5	194.6	0	5	194.6	0	0	3.4	0	0
201	all_deer	R	201-01	37	0	7.2	0	0	7.2	0	0	0	0	0
201	all_deer	R	202-00	245	0	0	0	0	0	0	0	0	0	0
201	all_deer	R	202-50	180	0	1.3	0	0	1.3	0	0	0	1.3	0
201	all_deer	R	260-10	4029	111.7	12.6	2.1	63.9	51.6	10.8	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
201	all_deer	R	260-20	294	1.5	0	0	1.5	0	0	0	0	1.5	0
201	all_deer	R	322-01	277	0	1.8	0	0	1.8	0	0	0	1.8	0
201	all_deer	R	Deer_A	150577	33	667.7	4.1	24.1	680.7	0	0	256.3	371.6	0
201	all_deer	R	none	.	0	8.1	0	0	8.1	0	0	0	0	0
201	all_deer	R	SUM	157406	175.4	894.8	6.2	112.2	948.9	15.2	0	259.7	376.2	0
201	all_deer	SUM	002-10	1219	24.2	0	0	17.7	2.1	4.4	0	0	0	0
201	all_deer	SUM	200-00	200	0	1.9	0	0	1.9	0	0	0	0	0
201	all_deer	SUM	200-01	97	0	1.5	0	0	1.5	0	0	0	0	0
201	all_deer	SUM	201-00	350	5	197.1	0	5	197.1	0	0	3.4	0	0
201	all_deer	SUM	201-01	41	0	11.2	0	0	11.2	0	0	0	0	0
201	all_deer	SUM	202-00	250	0	1.2	0	0	1.2	0	0	0	0	0
201	all_deer	SUM	202-50	200	0	1.3	0	0	1.3	0	0	0	1.3	0
201	all_deer	SUM	260-10	4110	114.4	12.6	2.1	63.9	51.6	13.5	0	0	0	0
201	all_deer	SUM	260-20	300	1.5	0	0	1.5	0	0	0	0	1.5	0
201	all_deer	SUM	322-01	300	0	1.8	0	0	1.8	0	0	0	1.8	0
201	all_deer	SUM	Deer_A	174790	34.6	705.6	4.1	25.7	718.6	0	0	265.1	402.3	0
201	all_deer	SUM	none	.	0	8.1	0	0	8.1	0	0	0	0	0
201	all_deer	SUM	SUM	181857	179.7	942.3	6.2	113.8	996.4	17.9	0	268.5	406.9	0
201	md	N	201-00	10	0	0	0	0	0	0	0	0	0	0
201	md	N	Deer_A	24213	1.6	13.8	0	1.6	13.8	0	0	3.7	11.7	0
201	md	N	none	.	0	0	0	0	0	0	0	0	0	0
201	md	N	SUM	24223	1.6	13.8	0	1.6	13.8	0	0	3.7	11.7	0
201	md	R	201-00	340	0	1.4	0	0	1.4	0	0	0	0	0
201	md	R	Deer_A	150577	16.7	70.5	0	16.7	70.5	0	0	43.7	43.4	0
201	md	R	none	.	0	0	0	0	0	0	0	0	0	0
201	md	R	SUM	150917	16.7	71.9	0	16.7	71.9	0	0	43.7	43.4	0
201	md	SUM	201-00	350	0	1.4	0	0	1.4	0	0	0	0	0
201	md	SUM	Deer_A	174790	18.3	84.3	0	18.3	84.3	0	0	47.4	55.2	0
201	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
201	md	SUM	SUM	175140	18.3	85.8	0	18.3	85.8	0	0	47.4	55.2	0
201	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
201	wt	N	200-00	19	0	1.9	0	0	1.9	0	0	0	0	0
201	wt	N	200-01	3	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
201	wt	N	201-00	10	0	2.5	0	0	2.5	0	0	0	0	0
201	wt	N	201-01	4	0	4	0	0	4	0	0	0	0	0
201	wt	N	202-00	5	0	1.2	0	0	1.2	0	0	0	0	0
201	wt	N	202-50	20	0	0	0	0	0	0	0	0	0	0
201	wt	N	260-10	81	2.7	0	0	0	0	2.7	0	0	0	0
201	wt	N	260-20	6	0	0	0	0	0	0	0	0	0	0
201	wt	N	322-01	23	0	0	0	0	0	0	0	0	0	0
201	wt	N	Deer_A	24213	0	24	0	0	24	0	0	5.1	19	0
201	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
201	wt	N	SUM	24451	2.7	33.7	0	0	33.7	2.7	0	5.1	19	0
201	wt	R	002-10	1152	21.9	0	0	17.7	2.1	2.1	0	0	0	0
201	wt	R	200-00	181	0	0	0	0	0	0	0	0	0	0
201	wt	R	200-01	94	0	1.5	0	0	1.5	0	0	0	0	0
201	wt	R	201-00	340	5	193.2	0	5	193.2	0	0	3.4	0	0
201	wt	R	201-01	37	0	7.2	0	0	7.2	0	0	0	0	0
201	wt	R	202-00	245	0	0	0	0	0	0	0	0	0	0
201	wt	R	202-50	180	0	1.3	0	0	1.3	0	0	0	1.3	0
201	wt	R	260-10	4029	111.7	12.6	2.1	63.9	51.6	10.8	0	0	0	0
201	wt	R	260-20	294	1.5	0	0	1.5	0	0	0	0	1.5	0
201	wt	R	322-01	277	0	1.8	0	0	1.8	0	0	0	1.8	0
201	wt	R	Deer_A	150577	16.4	597.2	4.1	7.4	610.2	0	0	212.6	328.2	0
201	wt	R	none	.	0	8.1	0	0	8.1	0	0	0	0	0
201	wt	R	SUM	157406	156.4	822.8	6.2	95.6	877	12.9	0	216	332.8	0
201	wt	SUM	002-10	1219	21.9	0	0	17.7	2.1	2.1	0	0	0	0
201	wt	SUM	200-00	200	0	1.9	0	0	1.9	0	0	0	0	0
201	wt	SUM	200-01	97	0	1.5	0	0	1.5	0	0	0	0	0
201	wt	SUM	201-00	350	5	195.7	0	5	195.7	0	0	3.4	0	0
201	wt	SUM	201-01	41	0	11.2	0	0	11.2	0	0	0	0	0
201	wt	SUM	202-00	250	0	1.2	0	0	1.2	0	0	0	0	0
201	wt	SUM	202-50	200	0	1.3	0	0	1.3	0	0	0	1.3	0
201	wt	SUM	260-10	4110	114.4	12.6	2.1	63.9	51.6	13.5	0	0	0	0
201	wt	SUM	260-20	300	1.5	0	0	1.5	0	0	0	0	1.5	0
201	wt	SUM	322-01	300	0	1.8	0	0	1.8	0	0	0	1.8	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
201	wt	SUM	Deer_A	174790	16.4	621.2	4.1	7.4	634.2	0	0	217.6	347.2	0
201	wt	SUM	none	.	0	8.1	0	0	8.1	0	0	0	0	0
201	wt	SUM	SUM	181857	159.1	856.5	6.2	95.6	910.7	15.6	0	221.1	351.7	0
202	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	200-00	19	0	1.6	0	0	1.6	0	0	0	1.6	0
202	all_deer	N	200-01	3	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	201-00	10	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	202-00	5	0	1.2	0	0	1.2	0	0	0	0	0
202	all_deer	N	202-01	2	0	1	0	0	1	0	0	0	0	0
202	all_deer	N	202-02	2	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	202-50	20	0	5	0	0	5	0	0	0	5	0
202	all_deer	N	284-10	8	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	326-00	60	0	0	0	0	0	0	0	0	0	0
202	all_deer	N	Deer_A	24213	3.7	21.8	0	3.7	21.8	0	0	3.7	12.8	3.7
202	all_deer	N	SUM	24409	3.7	30.7	0	3.7	30.7	0	0	3.7	19.3	3.7
202	all_deer	R	002-10	1152	10.1	0	0	7.8	2.2	0	0	0	0	0
202	all_deer	R	200-00	181	0	0	0	0	0	0	0	0	0	0
202	all_deer	R	200-01	94	0	1.3	0	0	1.3	0	0	0	0	0
202	all_deer	R	201-00	340	0	1.6	0	0	1.6	0	0	0	0	0
202	all_deer	R	202-00	245	3.8	119.7	1.8	2.6	122.8	0	0	0	0	0
202	all_deer	R	202-01	98	1.4	51.4	0	1.4	51.4	0	0	0	0	0
202	all_deer	R	202-02	36	0	18.1	0	0	18.1	0	0	0	0	0
202	all_deer	R	202-50	180	0	62.8	0	0	62.8	0	0	14.3	48.5	0
202	all_deer	R	284-10	109	0	1.6	0	0	1.6	0	0	0	0	0
202	all_deer	R	326-00	440	0	1.5	0	0	1.5	0	0	0	1.5	0
202	all_deer	R	Deer_A	150577	11.4	426.6	12.2	4.9	441.2	4.1	0	138.1	242.5	1.5
202	all_deer	R	SUM	153452	26.7	684.6	13.9	16.7	704.5	4.1	0	152.3	292.5	1.5
202	all_deer	SUM	002-10	1219	10.1	0	0	7.8	2.2	0	0	0	0	0
202	all_deer	SUM	200-00	200	0	1.6	0	0	1.6	0	0	0	1.6	0
202	all_deer	SUM	200-01	97	0	1.3	0	0	1.3	0	0	0	0	0
202	all_deer	SUM	201-00	350	0	1.6	0	0	1.6	0	0	0	0	0
202	all_deer	SUM	202-00	250	3.8	121	1.8	2.6	124	0	0	0	0	0
202	all_deer	SUM	202-01	100	1.4	52.4	0	1.4	52.4	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
202	all_deer	SUM	202-02	38	0	18.1	0	0	18.1	0	0	0	0	0
202	all_deer	SUM	202-50	200	0	67.8	0	0	67.8	0	0	14.3	53.5	0
202	all_deer	SUM	284-10	117	0	1.6	0	0	1.6	0	0	0	0	0
202	all_deer	SUM	326-00	500	0	1.5	0	0	1.5	0	0	0	1.5	0
202	all_deer	SUM	Deer_A	174790	15.2	448.4	12.2	8.6	463	4.1	0	141.8	255.2	5.2
202	all_deer	SUM	SUM	177861	30.4	715.2	13.9	20.4	735.1	4.1	0	156.1	311.8	5.2
202	md	N	202-01	2	0	0	0	0	0	0	0	0	0	0
202	md	N	202-50	20	0	5	0	0	5	0	0	0	5	0
202	md	N	Deer_A	24213	0	11.2	0	0	11.2	0	0	0	7.5	3.7
202	md	N	SUM	24235	0	16.2	0	0	16.2	0	0	0	12.5	3.7
202	md	R	202-01	98	0	1.5	0	0	1.5	0	0	0	0	0
202	md	R	202-50	180	0	62.8	0	0	62.8	0	0	14.3	48.5	0
202	md	R	Deer_A	150577	0	17	0	1.6	15.5	0	0	5.6	7.4	0
202	md	R	SUM	150855	0	81.4	0	1.6	79.8	0	0	19.9	55.9	0
202	md	SUM	202-01	100	0	1.5	0	0	1.5	0	0	0	0	0
202	md	SUM	202-50	200	0	67.8	0	0	67.8	0	0	14.3	53.5	0
202	md	SUM	Deer_A	174790	0	28.2	0	1.6	26.6	0	0	5.6	14.8	3.7
202	md	SUM	SUM	175090	0	97.5	0	1.6	96	0	0	19.9	68.4	3.7
202	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
202	wt	N	200-00	19	0	1.6	0	0	1.6	0	0	0	1.6	0
202	wt	N	200-01	3	0	0	0	0	0	0	0	0	0	0
202	wt	N	201-00	10	0	0	0	0	0	0	0	0	0	0
202	wt	N	202-00	5	0	1.2	0	0	1.2	0	0	0	0	0
202	wt	N	202-01	2	0	1	0	0	1	0	0	0	0	0
202	wt	N	202-02	2	0	0	0	0	0	0	0	0	0	0
202	wt	N	284-10	8	0	0	0	0	0	0	0	0	0	0
202	wt	N	326-00	60	0	0	0	0	0	0	0	0	0	0
202	wt	N	Deer_A	24213	3.7	10.7	0	3.7	10.7	0	0	3.7	5.3	0
202	wt	N	SUM	24389	3.7	14.5	0	3.7	14.5	0	0	3.7	6.9	0
202	wt	R	002-10	1152	10.1	0	0	7.8	2.2	0	0	0	0	0
202	wt	R	200-00	181	0	0	0	0	0	0	0	0	0	0
202	wt	R	200-01	94	0	1.3	0	0	1.3	0	0	0	0	0
202	wt	R	201-00	340	0	1.6	0	0	1.6	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
202	wt	R	202-00	245	3.8	119.7	1.8	2.6	122.8	0	0	0	0	0
202	wt	R	202-01	98	1.4	49.9	0	1.4	49.9	0	0	0	0	0
202	wt	R	202-02	36	0	18.1	0	0	18.1	0	0	0	0	0
202	wt	R	284-10	109	0	1.6	0	0	1.6	0	0	0	0	0
202	wt	R	326-00	440	0	1.5	0	0	1.5	0	0	0	1.5	0
202	wt	R	Deer_A	150577	11.4	409.6	12.2	3.3	425.8	4.1	0	132.5	235.1	1.5
202	wt	R	SUM	153272	26.7	603.2	13.9	15.1	624.7	4.1	0	132.5	236.6	1.5
202	wt	SUM	002-10	1219	10.1	0	0	7.8	2.2	0	0	0	0	0
202	wt	SUM	200-00	200	0	1.6	0	0	1.6	0	0	0	1.6	0
202	wt	SUM	200-01	97	0	1.3	0	0	1.3	0	0	0	0	0
202	wt	SUM	201-00	350	0	1.6	0	0	1.6	0	0	0	0	0
202	wt	SUM	202-00	250	3.8	121	1.8	2.6	124	0	0	0	0	0
202	wt	SUM	202-01	100	1.4	50.9	0	1.4	50.9	0	0	0	0	0
202	wt	SUM	202-02	38	0	18.1	0	0	18.1	0	0	0	0	0
202	wt	SUM	284-10	117	0	1.6	0	0	1.6	0	0	0	0	0
202	wt	SUM	326-00	500	0	1.5	0	0	1.5	0	0	0	1.5	0
202	wt	SUM	Deer_A	174790	15.2	420.2	12.2	7.1	436.4	4.1	0	136.2	240.4	1.5
202	wt	SUM	SUM	177661	30.4	617.7	13.9	18.8	639.2	4.1	0	136.2	243.4	1.5
203	all_deer	N	260-10	81	0	0	0	0	0	0	0	0	0	0
203	all_deer	N	292-40	51	0	0	0	0	0	0	0	0	0	0
203	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
203	all_deer	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	0	0
203	all_deer	N	SUM	24385	0	3.7	0	0	3.7	0	0	0	0	0
203	all_deer	R	260-10	4029	7.9	0	0	3.4	2.1	0	2.4	0	0	0
203	all_deer	R	292-40	881	0	1.8	0	0	1.8	0	0	0	1.8	0
203	all_deer	R	400-00	654	0	1.6	0	0	1.6	0	0	0	0	0
203	all_deer	R	Deer_A	150577	6.9	463.4	1.4	3.9	466.3	0	1.5	140.2	283.6	0
203	all_deer	R	SUM	156141	14.8	466.9	1.4	7.3	471.8	0	4	140.2	285.4	0
203	all_deer	SUM	260-10	4110	7.9	0	0	3.4	2.1	0	2.4	0	0	0
203	all_deer	SUM	292-40	932	0	1.8	0	0	1.8	0	0	0	1.8	0
203	all_deer	SUM	400-00	694	0	1.6	0	0	1.6	0	0	0	0	0
203	all_deer	SUM	Deer_A	174790	6.9	467.2	1.4	3.9	470	0	1.5	140.2	283.6	0
203	all_deer	SUM	SUM	180526	14.8	470.6	1.4	7.3	475.5	0	4	140.2	285.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
203	md	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
203	md	N	SUM	24213	0	0	0	0	0	0	0	0	0	0
203	md	R	Deer_A	150577	2.2	125.9	0	2.2	125.9	0	0	47.5	80.7	0
203	md	R	SUM	150577	2.2	125.9	0	2.2	125.9	0	0	47.5	80.7	0
203	md	SUM	Deer_A	174790	2.2	125.9	0	2.2	125.9	0	0	47.5	80.7	0
203	md	SUM	SUM	174790	2.2	125.9	0	2.2	125.9	0	0	47.5	80.7	0
203	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
203	wt	N	260-10	81	0	0	0	0	0	0	0	0	0	0
203	wt	N	292-40	51	0	0	0	0	0	0	0	0	0	0
203	wt	N	400-00	40	0	0	0	0	0	0	0	0	0	0
203	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	0	0
203	wt	N	SUM	24452	0	3.7	0	0	3.7	0	0	0	0	0
203	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
203	wt	R	260-10	4029	7.9	0	0	3.4	2.1	0	2.4	0	0	0
203	wt	R	292-40	881	0	1.8	0	0	1.8	0	0	0	1.8	0
203	wt	R	400-00	654	0	1.6	0	0	1.6	0	0	0	0	0
203	wt	R	Deer_A	150577	4.7	337.5	1.4	1.7	340.3	0	1.5	92.8	202.9	0
203	wt	R	SUM	157293	12.6	340.9	1.4	5.2	345.8	0	4	92.8	204.7	0
203	wt	SUM	002-10	1219	0	0	0	0	0	0	0	0	0	0
203	wt	SUM	260-10	4110	7.9	0	0	3.4	2.1	0	2.4	0	0	0
203	wt	SUM	292-40	932	0	1.8	0	0	1.8	0	0	0	1.8	0
203	wt	SUM	400-00	694	0	1.6	0	0	1.6	0	0	0	0	0
203	wt	SUM	Deer_A	174790	4.7	341.2	1.4	1.7	344	0	1.5	92.8	202.9	0
203	wt	SUM	SUM	181745	12.6	344.6	1.4	5.2	349.6	0	4	92.8	204.7	0
204	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
204	all_deer	N	204-00	1	0	0	0	0	0	0	0	0	0	0
204	all_deer	N	204-40	15	2.7	1.3	0	2.7	1.3	0	0	1.3	2.7	0
204	all_deer	N	260-10	81	0	0	0	0	0	0	0	0	0	0
204	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
204	all_deer	N	Deer_A	24213	0	11.4	0	0	9.9	0	1.5	5.2	6.1	0
204	all_deer	N	SUM	24420	2.7	12.7	0	2.7	11.2	0	1.5	6.6	8.8	0
204	all_deer	R	002-10	1152	4.3	0	0	4.3	0	0	0	0	0	0
204	all_deer	R	204-00	48	1.8	7.9	0	1.8	7.9	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
204	all_deer	R	204-40	462	2.8	94.9	0	1.5	96.3	0	0	36.1	60.2	0
204	all_deer	R	260-10	4029	31.7	20.3	0	16.7	26.8	8.6	0	0	2.7	0
204	all_deer	R	404-00	754	0	1.4	0	0	1.4	0	0	0	0	0
204	all_deer	R	Deer_A	150577	19.7	454.3	0	8.4	460.1	0	5.5	154.1	199.9	0
204	all_deer	R	SUM	157022	60.3	578.8	0	32.6	592.5	8.6	5.5	190.2	262.9	0
204	all_deer	SUM	002-10	1219	4.3	0	0	4.3	0	0	0	0	0	0
204	all_deer	SUM	204-00	49	1.8	7.9	0	1.8	7.9	0	0	0	0	0
204	all_deer	SUM	204-40	477	5.5	96.2	0	4.1	97.6	0	0	37.4	62.9	0
204	all_deer	SUM	260-10	4110	31.7	20.3	0	16.7	26.8	8.6	0	0	2.7	0
204	all_deer	SUM	404-00	797	0	1.4	0	0	1.4	0	0	0	0	0
204	all_deer	SUM	Deer_A	174790	19.7	465.6	0	8.4	470	0	7	159.3	206.1	0
204	all_deer	SUM	SUM	181442	62.9	591.5	0	35.2	603.7	8.6	7	196.7	271.7	0
204	md	N	204-40	15	2.7	1.3	0	2.7	1.3	0	0	1.3	2.7	0
204	md	N	404-00	43	0	0	0	0	0	0	0	0	0	0
204	md	N	Deer_A	24213	0	2.9	0	0	2.9	0	0	1.5	1.4	0
204	md	N	SUM	24271	2.7	4.2	0	2.7	4.2	0	0	2.8	4.1	0
204	md	R	204-40	462	2.8	94.9	0	1.5	96.3	0	0	36.1	60.2	0
204	md	R	404-00	754	0	1.4	0	0	1.4	0	0	0	0	0
204	md	R	Deer_A	150577	0	30.7	0	0	30.7	0	0	11.9	13.7	0
204	md	R	SUM	151793	2.8	127.1	0	1.5	128.4	0	0	48.1	74	0
204	md	SUM	204-40	477	5.5	96.2	0	4.1	97.6	0	0	37.4	62.9	0
204	md	SUM	404-00	797	0	1.4	0	0	1.4	0	0	0	0	0
204	md	SUM	Deer_A	174790	0	33.6	0	0	33.6	0	0	13.4	15.1	0
204	md	SUM	SUM	176064	5.5	131.3	0	4.1	132.6	0	0	50.9	78.1	0
204	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
204	wt	N	204-00	1	0	0	0	0	0	0	0	0	0	0
204	wt	N	260-10	81	0	0	0	0	0	0	0	0	0	0
204	wt	N	Deer_A	24213	0	8.5	0	0	7	0	1.5	3.7	4.7	0
204	wt	N	SUM	24362	0	8.5	0	0	7	0	1.5	3.7	4.7	0
204	wt	R	002-10	1152	4.3	0	0	4.3	0	0	0	0	0	0
204	wt	R	204-00	48	1.8	7.9	0	1.8	7.9	0	0	0	0	0
204	wt	R	260-10	4029	31.7	20.3	0	16.7	26.8	8.6	0	0	2.7	0
204	wt	R	260-60	500	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
204	wt	R	Deer_A	150577	19.7	423.6	0	8.4	429.4	0	5.5	142.1	186.2	0
204	wt	R	SUM	156306	57.5	451.8	0	31.1	464.1	8.6	5.5	142.1	188.9	0
204	wt	SUM	002-10	1219	4.3	0	0	4.3	0	0	0	0	0	0
204	wt	SUM	204-00	49	1.8	7.9	0	1.8	7.9	0	0	0	0	0
204	wt	SUM	260-10	4110	31.7	20.3	0	16.7	26.8	8.6	0	0	2.7	0
204	wt	SUM	260-60	500	0	0	0	0	0	0	0	0	0	0
204	wt	SUM	Deer_A	174790	19.7	432	0	8.4	436.4	0	7	145.8	190.9	0
204	wt	SUM	SUM	180668	57.5	460.2	0	31.1	471	8.6	7	145.8	193.6	0
210	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
210	all_deer	N	200-01	3	0	0	0	0	0	0	0	0	0	0
210	all_deer	N	210-00	6	0	1	0	0	1	0	0	0	0	0
210	all_deer	N	210-50	10	0	1.4	0	0	1.4	0	0	1.4	0	0
210	all_deer	N	260-10	81	0	0	0	0	0	0	0	0	0	0
210	all_deer	N	630-00	150	0	0	0	0	0	0	0	0	0	0
210	all_deer	N	Deer_A	24213	0	25.4	0	0	25.4	0	0	16.5	5.2	0
210	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
210	all_deer	N	SUM	24530	0	27.8	0	0	27.8	0	0	17.9	5.2	0
210	all_deer	R	002-10	1152	2	0	0	2	0	0	0	0	0	0
210	all_deer	R	200-01	94	0	1.3	0	0	0	0	1.3	0	0	0
210	all_deer	R	210-00	194	1.2	43.3	0	0	44.5	0	0	0	0	0
210	all_deer	R	210-50	90	0	55.4	0	0	55.4	0	0	6.1	49.3	0
210	all_deer	R	260-10	4029	2.3	0	0	2.3	0	0	0	0	0	0
210	all_deer	R	630-00	348	0	1.5	0	0	1.5	0	0	0	0	0
210	all_deer	R	Deer_A	150577	4.1	188.6	0	4.1	188.6	0	0	52.3	107.4	4.1
210	all_deer	R	none	.	0	1.8	0	0	1.8	0	0	1.8	0	0
210	all_deer	R	SUM	156484	9.6	292	0	8.3	291.9	0	1.3	60.2	156.8	4.1
210	all_deer	SUM	002-10	1219	2	0	0	2	0	0	0	0	0	0
210	all_deer	SUM	200-01	97	0	1.3	0	0	0	0	1.3	0	0	0
210	all_deer	SUM	210-00	200	1.2	44.3	0	0	45.5	0	0	0	0	0
210	all_deer	SUM	210-50	100	0	56.8	0	0	56.8	0	0	7.5	49.3	0
210	all_deer	SUM	260-10	4110	2.3	0	0	2.3	0	0	0	0	0	0
210	all_deer	SUM	630-00	498	0	1.5	0	0	1.5	0	0	0	0	0
210	all_deer	SUM	Deer_A	174790	4.1	214	0	4.1	214	0	0	68.8	112.6	4.1

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
210	all_deer	SUM	none	.	0	1.8	0	0	1.8	0	0	1.8	0	0
210	all_deer	SUM	SUM	181014	9.6	319.8	0	8.3	319.7	0	1.3	78.1	161.9	4.1
210	md	N	210-00	6	0	0	0	0	0	0	0	0	0	0
210	md	N	210-50	10	0	1.4	0	0	1.4	0	0	1.4	0	0
210	md	N	630-00	150	0	0	0	0	0	0	0	0	0	0
210	md	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	11.2	3.7	0
210	md	N	none	.	0	0	0	0	0	0	0	0	0	0
210	md	N	SUM	24379	0	16.3	0	0	16.3	0	0	12.6	3.7	0
210	md	R	210-00	194	1.2	0	0	0	1.2	0	0	0	0	0
210	md	R	210-50	90	0	55.4	0	0	55.4	0	0	6.1	49.3	0
210	md	R	630-00	348	0	1.5	0	0	1.5	0	0	0	0	0
210	md	R	Deer_A	150577	4.1	33	0	4.1	33	0	0	15.2	13.8	4.1
210	md	R	none	.	0	0	0	0	0	0	0	0	0	0
210	md	R	SUM	151209	5.3	90	0	4.1	91.2	0	0	21.3	63.1	4.1
210	md	SUM	210-00	200	1.2	0	0	0	1.2	0	0	0	0	0
210	md	SUM	210-50	100	0	56.8	0	0	56.8	0	0	7.5	49.3	0
210	md	SUM	630-00	498	0	1.5	0	0	1.5	0	0	0	0	0
210	md	SUM	Deer_A	174790	4.1	47.9	0	4.1	47.9	0	0	26.4	17.5	4.1
210	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
210	md	SUM	SUM	175588	5.3	106.3	0	4.1	107.5	0	0	33.9	66.9	4.1
210	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
210	wt	N	200-01	3	0	0	0	0	0	0	0	0	0	0
210	wt	N	210-00	6	0	1	0	0	1	0	0	0	0	0
210	wt	N	260-10	81	0	0	0	0	0	0	0	0	0	0
210	wt	N	Deer_A	24213	0	10.5	0	0	10.5	0	0	5.3	1.4	0
210	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
210	wt	N	SUM	24370	0	11.5	0	0	11.5	0	0	5.3	1.4	0
210	wt	R	002-10	1152	2	0	0	2	0	0	0	0	0	0
210	wt	R	200-01	94	0	1.3	0	0	0	0	1.3	0	0	0
210	wt	R	210-00	194	0	43.3	0	0	43.3	0	0	0	0	0
210	wt	R	260-10	4029	2.3	0	0	2.3	0	0	0	0	0	0
210	wt	R	Deer_A	150577	0	155.6	0	0	155.6	0	0	37.1	93.6	0
210	wt	R	none	.	0	1.8	0	0	1.8	0	0	1.8	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
210	wt	R	SUM	156046	4.3	202	0	4.3	200.7	0	1.3	38.9	93.6	0
210	wt	SUM	002-10	1219	2	0	0	2	0	0	0	0	0	0
210	wt	SUM	200-01	97	0	1.3	0	0	0	0	1.3	0	0	0
210	wt	SUM	210-00	200	0	44.3	0	0	44.3	0	0	0	0	0
210	wt	SUM	260-10	4110	2.3	0	0	2.3	0	0	0	0	0	0
210	wt	SUM	Deer_A	174790	0	166.1	0	0	166.1	0	0	42.4	95.1	0
210	wt	SUM	none	.	0	1.8	0	0	1.8	0	0	1.8	0	0
210	wt	SUM	SUM	180416	4.3	213.5	0	4.3	212.2	0	1.3	44.2	95.1	0
211	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
211	all_deer	N	Deer_A	24213	0	8.9	0	0	8.9	0	0	5.2	3.7	0
211	all_deer	N	SUM	24280	0	8.9	0	0	8.9	0	0	5.2	3.7	0
211	all_deer	R	002-10	1152	5.5	0	0	2.2	3.3	0	0	0	0	0
211	all_deer	R	Deer_A	150577	0	43	0	0	43	0	0	15.6	19.3	0
211	all_deer	R	SUM	151729	5.5	43	0	2.2	46.3	0	0	15.6	19.3	0
211	all_deer	SUM	002-10	1219	5.5	0	0	2.2	3.3	0	0	0	0	0
211	all_deer	SUM	Deer_A	174790	0	51.9	0	0	51.9	0	0	20.8	23	0
211	all_deer	SUM	SUM	176009	5.5	51.9	0	2.2	55.2	0	0	20.8	23	0
211	md	N	Deer_A	24213	0	8.9	0	0	8.9	0	0	5.2	3.7	0
211	md	N	SUM	24213	0	8.9	0	0	8.9	0	0	5.2	3.7	0
211	md	R	Deer_A	150577	0	27.7	0	0	27.7	0	0	15.6	12	0
211	md	R	SUM	150577	0	27.7	0	0	27.7	0	0	15.6	12	0
211	md	SUM	Deer_A	174790	0	36.6	0	0	36.6	0	0	20.8	15.8	0
211	md	SUM	SUM	174790	0	36.6	0	0	36.6	0	0	20.8	15.8	0
211	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
211	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
211	wt	N	SUM	24280	0	0	0	0	0	0	0	0	0	0
211	wt	R	002-10	1152	5.5	0	0	2.2	3.3	0	0	0	0	0
211	wt	R	Deer_A	150577	0	15.4	0	0	15.4	0	0	0	7.3	0
211	wt	R	SUM	151729	5.5	15.4	0	2.2	18.7	0	0	0	7.3	0
211	wt	SUM	002-10	1219	5.5	0	0	2.2	3.3	0	0	0	0	0
211	wt	SUM	Deer_A	174790	0	15.4	0	0	15.4	0	0	0	7.3	0
211	wt	SUM	SUM	176009	5.5	15.4	0	2.2	18.7	0	0	0	7.3	0
212	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
212	all_deer	N	210-00	6	0	5	0	0	5	0	0	0	5	0
212	all_deer	N	212-00	4	0	0	0	0	0	0	0	0	0	0
212	all_deer	N	212-01	15	0	5.2	0	0	5.2	0	0	0	0	0
212	all_deer	N	212-10	11	4.6	0	0	4.6	0	0	0	1.2	3.4	0
212	all_deer	N	322-00	19	0	0	0	0	0	0	0	0	0	0
212	all_deer	N	Deer_A	24213	0	46	0	0	42.2	3.7	0	16.9	24.6	0
212	all_deer	N	none	.	0	0	0	0	0	0	3.8	0	0	0
212	all_deer	N	SUM	24335	4.6	56.2	0	4.6	52.5	3.7	3.8	18	33	0
212	all_deer	R	002-10	1152	5.3	2.4	0	5.3	2.4	0	0	0	0	0
212	all_deer	R	210-00	194	0	0	0	0	0	0	0	0	0	0
212	all_deer	R	212-00	46	0	31.7	0	0	31.7	0	0	0	0	0
212	all_deer	R	212-01	135	0	32.9	0	0	32.9	0	0	1.6	0	0
212	all_deer	R	212-10	194	7.1	10.2	0	7.1	8.6	1.6	0	6.2	5.4	0
212	all_deer	R	322-00	581	0	1.6	0	0	1.6	0	0	0	1.6	0
212	all_deer	R	Deer_A	150577	9.2	364.8	0	5.4	368.6	0	0	177.9	158.5	3.4
212	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
212	all_deer	R	SUM	152879	21.5	447.6	0	17.7	449.8	1.6	0	185.7	165.4	3.4
212	all_deer	SUM	002-10	1219	5.3	2.4	0	5.3	2.4	0	0	0	0	0
212	all_deer	SUM	210-00	200	0	5	0	0	5	0	0	0	5	0
212	all_deer	SUM	212-00	50	0	31.7	0	0	31.7	0	0	0	0	0
212	all_deer	SUM	212-01	150	0	38.1	0	0	38.1	0	0	1.6	0	0
212	all_deer	SUM	212-10	205	11.6	10.2	0	11.6	8.6	1.6	0	7.3	8.8	0
212	all_deer	SUM	322-00	600	0	1.6	0	0	1.6	0	0	0	1.6	0
212	all_deer	SUM	Deer_A	174790	9.2	410.8	0	5.4	410.8	3.7	0	194.7	183	3.4
212	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	3.8	0	0	0
212	all_deer	SUM	SUM	177214	26.1	503.8	0	22.3	502.2	5.3	3.8	203.7	198.4	3.4
212	md	N	210-00	6	0	5	0	0	5	0	0	0	5	0
212	md	N	212-00	4	0	0	0	0	0	0	0	0	0	0
212	md	N	212-01	15	0	0	0	0	0	0	0	0	0	0
212	md	N	212-10	11	0	0	0	0	0	0	0	0	0	0
212	md	N	322-00	19	0	0	0	0	0	0	0	0	0	0
212	md	N	Deer_A	24213	0	32.4	0	0	28.7	3.7	0	9.4	21	0
212	md	N	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
212	md	N	SUM	24268	0	37.4	0	0	33.7	3.7	0	9.4	26	0
212	md	R	210-00	194	0	0	0	0	0	0	0	0	0	0
212	md	R	212-00	46	0	31.7	0	0	31.7	0	0	0	0	0
212	md	R	212-01	135	0	1.6	0	0	1.6	0	0	1.6	0	0
212	md	R	212-10	194	0	2	0	0	2	0	0	0	2	0
212	md	R	322-00	581	0	1.6	0	0	1.6	0	0	0	1.6	0
212	md	R	Deer_A	150577	7.8	250.4	0	3.8	254.4	0	0	149.9	92.4	3.4
212	md	R	none	.	0	0	0	0	0	0	0	0	0	0
212	md	R	SUM	151727	7.8	287.2	0	3.8	291.3	0	0	151.5	96	3.4
212	md	SUM	210-00	200	0	5	0	0	5	0	0	0	5	0
212	md	SUM	212-00	50	0	31.7	0	0	31.7	0	0	0	0	0
212	md	SUM	212-01	150	0	1.6	0	0	1.6	0	0	1.6	0	0
212	md	SUM	212-10	205	0	2	0	0	2	0	0	0	2	0
212	md	SUM	322-00	600	0	1.6	0	0	1.6	0	0	0	1.6	0
212	md	SUM	Deer_A	174790	7.8	282.7	0	3.8	283.1	3.7	0	159.3	113.4	3.4
212	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
212	md	SUM	SUM	175995	7.8	324.6	0	3.8	324.9	3.7	0	161	122	3.4
212	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
212	wt	N	212-01	15	0	5.2	0	0	5.2	0	0	0	0	0
212	wt	N	212-10	11	4.6	0	0	4.6	0	0	0	1.2	3.4	0
212	wt	N	Deer_A	24213	0	13.6	0	0	13.6	0	0	7.5	3.6	0
212	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
212	wt	N	SUM	24306	4.6	18.8	0	4.6	18.8	0	0	8.6	7	0
212	wt	R	002-10	1152	5.3	2.4	0	5.3	2.4	0	0	0	0	0
212	wt	R	212-01	135	0	31.3	0	0	31.3	0	0	0	0	0
212	wt	R	212-10	194	7.1	8.2	0	7.1	6.6	1.6	0	6.2	3.4	0
212	wt	R	Deer_A	150577	1.4	114.4	0	1.6	114.2	0	0	27.9	66	0
212	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
212	wt	R	SUM	152058	13.7	160.4	0	14	158.5	1.6	0	34.1	69.4	0
212	wt	SUM	002-10	1219	5.3	2.4	0	5.3	2.4	0	0	0	0	0
212	wt	SUM	212-01	150	0	36.5	0	0	36.5	0	0	0	0	0
212	wt	SUM	212-10	205	11.6	8.2	0	11.6	6.6	1.6	0	7.3	6.8	0
212	wt	SUM	Deer_A	174790	1.4	128	0	1.6	127.8	0	0	35.4	69.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
212	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
212	wt	SUM	SUM	176364	18.3	179.2	0	18.5	177.3	1.6	0	42.7	76.3	0
213	all_deer	N	213-00	3	0	1.5	0	0	1.5	0	0	0	0	0
213	all_deer	N	Deer_A	24213	3.7	11.2	0	3.7	11.2	0	0	0	11.2	0
213	all_deer	N	SUM	24216	3.7	12.7	0	3.7	12.7	0	0	0	11.2	0
213	all_deer	R	213-00	47	0	9.3	0	0	9.3	0	0	0	0	0
213	all_deer	R	Deer_A	150577	0	120.1	0	0	116	0	4.1	39.7	60.1	4.1
213	all_deer	R	SUM	150624	0	129.4	0	0	125.3	0	4.1	39.7	60.1	4.1
213	all_deer	SUM	213-00	50	0	10.8	0	0	10.8	0	0	0	0	0
213	all_deer	SUM	Deer_A	174790	3.7	131.2	0	3.7	127.2	0	4.1	39.7	71.3	4.1
213	all_deer	SUM	SUM	174840	3.7	142.1	0	3.7	138	0	4.1	39.7	71.3	4.1
213	md	N	Deer_A	24213	3.7	11.2	0	3.7	11.2	0	0	0	11.2	0
213	md	N	SUM	24213	3.7	11.2	0	3.7	11.2	0	0	0	11.2	0
213	md	R	Deer_A	150577	0	80.4	0	0	76.4	0	4.1	39.7	40.7	0
213	md	R	SUM	150577	0	80.4	0	0	76.4	0	4.1	39.7	40.7	0
213	md	SUM	Deer_A	174790	3.7	91.6	0	3.7	87.5	0	4.1	39.7	51.9	0
213	md	SUM	SUM	174790	3.7	91.6	0	3.7	87.5	0	4.1	39.7	51.9	0
213	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
213	wt	N	213-00	3	0	1.5	0	0	1.5	0	0	0	0	0
213	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
213	wt	N	SUM	24283	0	1.5	0	0	1.5	0	0	0	0	0
213	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
213	wt	R	213-00	47	0	9.3	0	0	9.3	0	0	0	0	0
213	wt	R	Deer_A	150577	0	39.7	0	0	39.7	0	0	0	19.4	4.1
213	wt	R	SUM	151776	0	49	0	0	49	0	0	0	19.4	4.1
213	wt	SUM	002-10	1219	0	0	0	0	0	0	0	0	0	0
213	wt	SUM	213-00	50	0	10.8	0	0	10.8	0	0	0	0	0
213	wt	SUM	Deer_A	174790	0	39.7	0	0	39.7	0	0	0	19.4	4.1
213	wt	SUM	SUM	176059	0	50.5	0	0	50.5	0	0	0	19.4	4.1
214	all_deer	N	326-01	24	0	0	0	0	0	0	0	0	0	0
214	all_deer	N	640-00	74	0	1.5	0	0	1.5	0	0	0	0	0
214	all_deer	N	Deer_A	24213	0	8.9	0	0	8.9	0	0	0	8.9	0
214	all_deer	N	SUM	24311	0	10.5	0	0	10.5	0	0	0	8.9	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
214	all_deer	R	326-01	155	0	2.1	0	0	2.1	0	0	0	0	0
214	all_deer	R	640-00	223	0	0	0	0	0	0	0	0	0	0
214	all_deer	R	Deer_A	150577	3.7	106.2	0	3.7	106.2	0	0	53.9	53.6	0
214	all_deer	R	SUM	150955	3.7	108.3	0	3.7	108.3	0	0	53.9	53.6	0
214	all_deer	SUM	326-01	179	0	2.1	0	0	2.1	0	0	0	0	0
214	all_deer	SUM	640-00	297	0	1.5	0	0	1.5	0	0	0	0	0
214	all_deer	SUM	Deer_A	174790	3.7	115.1	0	3.7	115.1	0	0	53.9	62.5	0
214	all_deer	SUM	SUM	175266	3.7	118.8	0	3.7	118.8	0	0	53.9	62.5	0
214	md	N	640-00	74	0	1.5	0	0	1.5	0	0	0	0	0
214	md	N	Deer_A	24213	0	8.9	0	0	8.9	0	0	0	8.9	0
214	md	N	SUM	24287	0	10.5	0	0	10.5	0	0	0	8.9	0
214	md	R	640-00	223	0	0	0	0	0	0	0	0	0	0
214	md	R	Deer_A	150577	3.7	92.3	0	3.7	92.3	0	0	49.9	43.8	0
214	md	R	SUM	150800	3.7	92.3	0	3.7	92.3	0	0	49.9	43.8	0
214	md	SUM	640-00	297	0	1.5	0	0	1.5	0	0	0	0	0
214	md	SUM	Deer_A	174790	3.7	101.2	0	3.7	101.2	0	0	49.9	52.7	0
214	md	SUM	SUM	175087	3.7	102.8	0	3.7	102.8	0	0	49.9	52.7	0
214	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
214	wt	N	326-01	24	0	0	0	0	0	0	0	0	0	0
214	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
214	wt	N	SUM	24304	0	0	0	0	0	0	0	0	0	0
214	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
214	wt	R	326-01	155	0	2.1	0	0	2.1	0	0	0	0	0
214	wt	R	Deer_A	150577	0	13.9	0	0	13.9	0	0	4.1	9.8	0
214	wt	R	SUM	151884	0	16	0	0	16	0	0	4.1	9.8	0
214	wt	SUM	002-10	1219	0	0	0	0	0	0	0	0	0	0
214	wt	SUM	326-01	179	0	2.1	0	0	2.1	0	0	0	0	0
214	wt	SUM	Deer_A	174790	0	13.9	0	0	13.9	0	0	4.1	9.8	0
214	wt	SUM	SUM	176188	0	16	0	0	16	0	0	4.1	9.8	0
215	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
215	all_deer	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
215	all_deer	N	212-01	15	0	0	0	0	0	0	0	0	0	0
215	all_deer	N	212-10	11	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
215	all_deer	N	215-00	3	0	0	0	0	0	0	0	0	0	0
215	all_deer	N	315-00	31	0	0	0	0	0	0	0	0	0	0
215	all_deer	N	Deer_A	24213	3.7	17.1	0	3.7	17.1	0	0	9.6	3.7	3.7
215	all_deer	N	SUM	25117	3.7	21.1	0	3.7	21.1	0	0	9.6	3.7	3.7
215	all_deer	R	002-10	1152	3.3	0	0	3.3	0	0	0	0	0	0
215	all_deer	R	212-01	135	0	1.9	0	0	1.9	0	0	0	0	0
215	all_deer	R	212-10	194	1.6	3	0	0	1.5	3.1	0	0	1.5	0
215	all_deer	R	215-00	47	0	22	0	0	22	0	0	0	0	0
215	all_deer	R	315-00	269	0	1.6	0	0	1.6	0	0	0	0	0
215	all_deer	R	Deer_A	150577	5.7	345.8	0	9.7	341.8	0	0	139.3	155.7	4.1
215	all_deer	R	SUM	152374	10.6	374.3	0	13	368.8	3.1	0	139.3	157.2	4.1
215	all_deer	SUM	002-10	1219	3.3	0	0	3.3	0	0	0	0	0	0
215	all_deer	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
215	all_deer	SUM	212-01	150	0	1.9	0	0	1.9	0	0	0	0	0
215	all_deer	SUM	212-10	205	1.6	3	0	0	1.5	3.1	0	0	1.5	0
215	all_deer	SUM	215-00	50	0	22	0	0	22	0	0	0	0	0
215	all_deer	SUM	315-00	300	0	1.6	0	0	1.6	0	0	0	0	0
215	all_deer	SUM	Deer_A	174790	9.4	362.9	0	13.5	358.8	0	0	148.9	159.4	7.8
215	all_deer	SUM	SUM	177491	14.3	395.5	0	16.8	389.9	3.1	0	148.9	160.9	7.8
215	md	N	315-00	31	0	0	0	0	0	0	0	0	0	0
215	md	N	Deer_A	24213	0	17.1	0	0	17.1	0	0	9.6	3.7	3.7
215	md	N	SUM	24244	0	17.1	0	0	17.1	0	0	9.6	3.7	3.7
215	md	R	315-00	269	0	1.6	0	0	1.6	0	0	0	0	0
215	md	R	Deer_A	150577	5.7	196.3	0	1.6	200.4	0	0	102	89.6	4.1
215	md	R	SUM	150846	5.7	197.9	0	1.6	202	0	0	102	89.6	4.1
215	md	SUM	315-00	300	0	1.6	0	0	1.6	0	0	0	0	0
215	md	SUM	Deer_A	174790	5.7	213.4	0	1.6	217.4	0	0	111.6	93.3	7.8
215	md	SUM	SUM	175090	5.7	215	0	1.6	219	0	0	111.6	93.3	7.8
215	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
215	wt	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
215	wt	N	212-01	15	0	0	0	0	0	0	0	0	0	0
215	wt	N	212-10	11	0	0	0	0	0	0	0	0	0	0
215	wt	N	215-00	3	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
215	wt	N	Deer_A	24213	3.7	0	0	3.7	0	0	0	0	0	0
215	wt	N	SUM	25086	3.7	4.1	0	3.7	4.1	0	0	0	0	0
215	wt	R	002-10	1152	3.3	0	0	3.3	0	0	0	0	0	0
215	wt	R	212-01	135	0	1.9	0	0	1.9	0	0	0	0	0
215	wt	R	212-10	194	1.6	1.5	0	0	0	3.1	0	0	0	0
215	wt	R	215-00	47	0	22	0	0	22	0	0	0	0	0
215	wt	R	Deer_A	150577	0	149.5	0	8.1	141.4	0	0	37.3	66.1	0
215	wt	R	SUM	152105	4.9	174.9	0	11.4	165.3	3.1	0	37.3	66.1	0
215	wt	SUM	002-10	1219	3.3	0	0	3.3	0	0	0	0	0	0
215	wt	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
215	wt	SUM	212-01	150	0	1.9	0	0	1.9	0	0	0	0	0
215	wt	SUM	212-10	205	1.6	1.5	0	0	0	3.1	0	0	0	0
215	wt	SUM	215-00	50	0	22	0	0	22	0	0	0	0	0
215	wt	SUM	Deer_A	174790	3.7	149.5	0	11.8	141.4	0	0	37.3	66.1	0
215	wt	SUM	SUM	177191	8.6	179	0	15.1	169.4	3.1	0	37.3	66.1	0
216	all_deer	N	216-00	2	0	0	0	0	0	0	0	0	0	0
216	all_deer	N	Deer_A	24213	0	11.5	0	0	7.8	0	3.7	6	5.5	0
216	all_deer	N	SUM	24215	0	11.5	0	0	7.8	0	3.7	6	5.5	0
216	all_deer	R	216-00	18	0	4.2	0	0	4.2	0	0	0	0	0
216	all_deer	R	Deer_A	150577	3	140.9	0	3	136.8	0	4.1	51.7	74.9	0
216	all_deer	R	SUM	150595	3	145	0	3	141	0	4.1	51.7	74.9	0
216	all_deer	SUM	216-00	20	0	4.2	0	0	4.2	0	0	0	0	0
216	all_deer	SUM	Deer_A	174790	3	152.4	0	3	144.6	0	7.8	57.8	80.4	0
216	all_deer	SUM	SUM	174810	3	156.5	0	3	148.8	0	7.8	57.8	80.4	0
216	md	N	Deer_A	24213	0	11.5	0	0	7.8	0	3.7	6	5.5	0
216	md	N	SUM	24213	0	11.5	0	0	7.8	0	3.7	6	5.5	0
216	md	R	Deer_A	150577	3	77.1	0	3	73.1	0	4.1	30.9	45.2	0
216	md	R	SUM	150577	3	77.1	0	3	73.1	0	4.1	30.9	45.2	0
216	md	SUM	Deer_A	174790	3	88.7	0	3	80.9	0	7.8	37	50.6	0
216	md	SUM	SUM	174790	3	88.7	0	3	80.9	0	7.8	37	50.6	0
216	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
216	wt	N	216-00	2	0	0	0	0	0	0	0	0	0	0
216	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
216	wt	N	SUM	24282	0	0	0	0	0	0	0	0	0	0
216	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
216	wt	R	216-00	18	0	4.2	0	0	4.2	0	0	0	0	0
216	wt	R	Deer_A	150577	0	63.7	0	0	63.7	0	0	20.8	29.8	0
216	wt	R	SUM	151747	0	67.9	0	0	67.9	0	0	20.8	29.8	0
216	wt	SUM	002-10	1219	0	0	0	0	0	0	0	0	0	0
216	wt	SUM	216-00	20	0	4.2	0	0	4.2	0	0	0	0	0
216	wt	SUM	Deer_A	174790	0	63.7	0	0	63.7	0	0	20.8	29.8	0
216	wt	SUM	SUM	176029	0	67.9	0	0	67.9	0	0	20.8	29.8	0
240	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
240	all_deer	N	240-00	1	0	1	0	0	1	0	0	0	0	0
240	all_deer	N	240-40	73	3.5	7	0	1.7	8.7	0	0	3.5	5.2	0
240	all_deer	N	260-10	81	0	0	0	0	0	0	0	0	0	0
240	all_deer	N	260-20	6	0	0	0	0	0	0	0	0	0	0
240	all_deer	N	Deer_A	24213	1.5	39.4	0	1.5	39.4	0	0	12.1	19.7	0
240	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
240	all_deer	N	SUM	24441	5	47.3	0	3.2	49	0	0	15.6	24.9	0
240	all_deer	R	002-10	1152	8.2	0	0	8.2	0	0	0	0	0	0
240	all_deer	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
240	all_deer	R	240-00	49	0	17.5	1.7	0	19.1	0	0	0	0	0
240	all_deer	R	240-40	508	1.6	89.6	0	1.6	89.6	0	0	56.3	34.9	0
240	all_deer	R	260-10	4029	105.1	42.5	0	71.6	32.5	43.5	0	0	2.1	0
240	all_deer	R	260-20	294	0	1.4	0	0	0	1.4	0	0	1.4	0
240	all_deer	R	260-60	500	0	10.4	0	0	0	10.4	0	0	0	0
240	all_deer	R	Deer_A	150577	25.7	799.7	5.2	17.4	807.7	0	5.5	254.5	393.2	1.7
240	all_deer	R	none	.	1.5	4.1	0	0	5.5	0	0	4.1	0	0
240	all_deer	R	SUM	162561	142.1	969.1	6.8	98.8	958.3	55.3	5.5	314.8	431.7	1.7
240	all_deer	SUM	002-10	1219	8.2	0	0	8.2	0	0	0	0	0	0
240	all_deer	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
240	all_deer	SUM	240-00	50	0	18.5	1.7	0	20.1	0	0	0	0	0
240	all_deer	SUM	240-40	581	5	96.6	0	3.3	98.3	0	0	59.7	40.1	0
240	all_deer	SUM	260-10	4110	105.1	42.5	0	71.6	32.5	43.5	0	0	2.1	0
240	all_deer	SUM	260-20	300	0	1.4	0	0	0	1.4	0	0	1.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
240	all_deer	SUM	260-60	500	0	10.4	0	0	0	10.4	0	0	0	0
240	all_deer	SUM	Deer_A	174790	27.2	839.1	5.2	18.9	847	0	5.5	266.6	412.9	1.7
240	all_deer	SUM	none	.	1.5	4.1	0	0	5.5	0	0	4.1	0	0
240	all_deer	SUM	SUM	187002	147	1016.4	6.8	102	1007.4	55.3	5.5	330.4	456.6	1.7
240	md	N	240-40	73	3.5	7	0	1.7	8.7	0	0	3.5	5.2	0
240	md	N	Deer_A	24213	1.5	9.8	0	1.5	9.8	0	0	6.7	4.6	0
240	md	N	none	.	0	0	0	0	0	0	0	0	0	0
240	md	N	SUM	24286	5	16.8	0	3.2	18.5	0	0	10.2	9.8	0
240	md	R	240-40	508	1.6	86.5	0	1.6	86.5	0	0	56.3	31.8	0
240	md	R	Deer_A	150577	0	43.8	1.5	0	43.8	0	1.5	23	20.6	1.7
240	md	R	none	.	0	0	0	0	0	0	0	0	0	0
240	md	R	SUM	151085	1.6	130.3	1.5	1.6	130.3	0	1.5	79.2	52.4	1.7
240	md	SUM	240-40	581	5	93.4	0	3.3	95.2	0	0	59.7	37	0
240	md	SUM	Deer_A	174790	1.5	53.6	1.5	1.5	53.6	0	1.5	29.7	25.3	1.7
240	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
240	md	SUM	SUM	175371	6.5	147.1	1.5	4.8	148.8	0	1.5	89.4	62.3	1.7
240	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
240	wt	N	240-00	1	0	1	0	0	1	0	0	0	0	0
240	wt	N	240-40	73	0	0	0	0	0	0	0	0	0	0
240	wt	N	260-10	81	0	0	0	0	0	0	0	0	0	0
240	wt	N	260-20	6	0	0	0	0	0	0	0	0	0	0
240	wt	N	Deer_A	24213	0	29.5	0	0	29.5	0	0	5.4	15.1	0
240	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
240	wt	N	SUM	24441	0	30.5	0	0	30.5	0	0	5.4	15.1	0
240	wt	R	002-10	1152	8.2	0	0	8.2	0	0	0	0	0	0
240	wt	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
240	wt	R	240-00	49	0	17.5	1.7	0	19.1	0	0	0	0	0
240	wt	R	240-40	508	0	3.1	0	0	3.1	0	0	0	3.1	0
240	wt	R	260-10	4029	105.1	42.5	0	71.6	32.5	43.5	0	0	2.1	0
240	wt	R	260-20	294	0	1.4	0	0	0	1.4	0	0	1.4	0
240	wt	R	260-60	500	0	10.4	0	0	0	10.4	0	0	0	0
240	wt	R	Deer_A	150577	25.7	755.9	3.7	17.4	763.9	0	4.1	231.5	372.6	0
240	wt	R	none	.	1.5	4.1	0	0	5.5	0	0	4.1	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
240	wt	R	SUM	162561	140.5	838.8	5.4	97.2	828.1	55.3	4.1	235.6	379.3	0
240	wt	SUM	002-10	1219	8.2	0	0	8.2	0	0	0	0	0	0
240	wt	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
240	wt	SUM	240-00	50	0	18.5	1.7	0	20.1	0	0	0	0	0
240	wt	SUM	240-40	581	0	3.1	0	0	3.1	0	0	0	3.1	0
240	wt	SUM	260-10	4110	105.1	42.5	0	71.6	32.5	43.5	0	0	2.1	0
240	wt	SUM	260-20	300	0	1.4	0	0	0	1.4	0	0	1.4	0
240	wt	SUM	260-60	500	0	10.4	0	0	0	10.4	0	0	0	0
240	wt	SUM	Deer_A	174790	25.7	785.4	3.7	17.4	793.4	0	4.1	236.9	387.7	0
240	wt	SUM	none	.	1.5	4.1	0	0	5.5	0	0	4.1	0	0
240	wt	SUM	SUM	187002	140.5	869.3	5.4	97.2	858.6	55.3	4.1	241	394.4	0
250	all_deer	N	002-10	67	1.2	0	0	1.2	0	0	0	0	1.2	0
250	all_deer	N	250-40	230	7.6	46.4	1.5	7.6	47.9	0	0	32.8	22.8	0
250	all_deer	N	260-10	81	0	0	0	0	0	0	0	0	0	0
250	all_deer	N	260-20	6	0	0	0	0	0	0	0	0	0	0
250	all_deer	N	620-00	38	0	0	0	0	0	0	0	0	0	0
250	all_deer	N	Deer_A	24213	1.5	30.5	0	1.5	30.5	0	0	16.4	14.1	0
250	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
250	all_deer	N	SUM	24635	10.3	76.9	1.5	10.3	78.5	0	0	49.2	38	0
250	all_deer	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
250	all_deer	R	250-40	753	44.8	119.6	0	40.8	123.6	0	0	81.3	78.8	2.1
250	all_deer	R	260-10	4029	24.2	6.8	0	17.8	6.8	6.3	0	0	0	0
250	all_deer	R	260-20	294	1.7	0	0	1.7	0	0	0	0	1.7	0
250	all_deer	R	620-00	162	0	1.8	0	0	1.8	0	0	0	1.8	0
250	all_deer	R	Deer_A	150577	9.2	303.4	4.1	5.6	311	0	0	94.3	134.7	1.7
250	all_deer	R	none	.	0	1.8	0	0	1.8	0	0	1.8	0	0
250	all_deer	R	SUM	156967	79.8	433.4	4.1	65.9	445.1	6.3	0	177.4	217	3.8
250	all_deer	SUM	002-10	1219	1.2	0	0	1.2	0	0	0	0	1.2	0
250	all_deer	SUM	250-40	983	52.4	166	1.5	48.4	171.5	0	0	114.1	101.6	2.1
250	all_deer	SUM	260-10	4110	24.2	6.8	0	17.8	6.8	6.3	0	0	0	0
250	all_deer	SUM	260-20	300	1.7	0	0	1.7	0	0	0	0	1.7	0
250	all_deer	SUM	620-00	200	0	1.8	0	0	1.8	0	0	0	1.8	0
250	all_deer	SUM	Deer_A	174790	10.7	333.9	4.1	7.1	341.5	0	0	110.7	148.8	1.7

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
250	all_deer	SUM	none	.	0	1.8	0	0	1.8	0	0	1.8	0	0
250	all_deer	SUM	SUM	181602	90	510.4	5.6	76.1	523.5	6.3	0	226.6	255	3.8
250	md	N	250-40	230	7.6	46.4	1.5	7.6	47.9	0	0	32.8	22.8	0
250	md	N	620-00	38	0	0	0	0	0	0	0	0	0	0
250	md	N	Deer_A	24213	0	13.5	0	0	13.5	0	0	7.5	6	0
250	md	N	none	.	0	0	0	0	0	0	0	0	0	0
250	md	N	SUM	24481	7.6	59.9	1.5	7.6	61.4	0	0	40.3	28.8	0
250	md	R	250-40	753	44.8	119.6	0	40.8	123.6	0	0	81.3	78.8	2.1
250	md	R	620-00	162	0	1.8	0	0	1.8	0	0	0	1.8	0
250	md	R	Deer_A	150577	0	29	0	0	29	0	0	17.2	11.8	0
250	md	R	none	.	0	0	0	0	0	0	0	0	0	0
250	md	R	SUM	151492	44.8	150.4	0	40.8	154.4	0	0	98.5	92.4	2.1
250	md	SUM	250-40	983	52.4	166	1.5	48.4	171.5	0	0	114.1	101.6	2.1
250	md	SUM	620-00	200	0	1.8	0	0	1.8	0	0	0	1.8	0
250	md	SUM	Deer_A	174790	0	42.4	0	0	42.4	0	0	24.7	17.8	0
250	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
250	md	SUM	SUM	175973	52.4	210.3	1.5	48.4	215.8	0	0	138.7	121.2	2.1
250	wt	N	002-10	67	1.2	0	0	1.2	0	0	0	0	1.2	0
250	wt	N	260-10	81	0	0	0	0	0	0	0	0	0	0
250	wt	N	260-20	6	0	0	0	0	0	0	0	0	0	0
250	wt	N	Deer_A	24213	1.5	17	0	1.5	17	0	0	9	8.1	0
250	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
250	wt	N	SUM	24367	2.7	17	0	2.7	17	0	0	9	9.3	0
250	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
250	wt	R	260-10	4029	24.2	6.8	0	17.8	6.8	6.3	0	0	0	0
250	wt	R	260-20	294	1.7	0	0	1.7	0	0	0	0	1.7	0
250	wt	R	Deer_A	150577	9.2	274.4	4.1	5.6	282	0	0	77.1	122.9	1.7
250	wt	R	none	.	0	1.8	0	0	1.8	0	0	1.8	0	0
250	wt	R	SUM	156052	35	283	4.1	25	290.7	6.3	0	78.9	124.6	1.7
250	wt	SUM	002-10	1219	1.2	0	0	1.2	0	0	0	0	1.2	0
250	wt	SUM	260-10	4110	24.2	6.8	0	17.8	6.8	6.3	0	0	0	0
250	wt	SUM	260-20	300	1.7	0	0	1.7	0	0	0	0	1.7	0
250	wt	SUM	Deer_A	174790	10.7	291.4	4.1	7.1	299.1	0	0	86.1	131	1.7

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
250	wt	SUM	none	.	0	1.8	0	0	1.8	0	0	1.8	0	0
250	wt	SUM	SUM	180419	37.6	300.1	4.1	27.7	307.7	6.3	0	87.9	133.8	1.7
260	all_deer	N	002-10	67	0	0	1.9	0	1.9	0	0	0	0	0
260	all_deer	N	260-10	81	16.2	7.6	0	10.9	9	4	0	0	1.9	0
260	all_deer	N	260-20	6	2.5	0	0	1.2	1.3	0	0	0	2.5	0
260	all_deer	N	270-00	6	0	0	0	0	0	0	0	0	0	0
260	all_deer	N	530-50	88	0	0	0	0	0	0	0	0	0	0
260	all_deer	N	Deer_A	24213	0	1.1	0	0	1.1	0	0	1.1	0	0
260	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
260	all_deer	N	SUM	24461	18.7	8.8	1.9	12.1	13.3	4	0	1.1	4.4	0
260	all_deer	R	002-10	1152	56.4	2.2	0	41.7	6.6	10.2	0	0	0	0
260	all_deer	R	260-10	4029	704.2	153.8	0	415.5	161.2	274.9	6.5	2.1	12.8	0
260	all_deer	R	260-20	294	104.4	6.9	0	38.9	37.5	34.9	0	8.6	35.6	0
260	all_deer	R	260-60	500	10.9	69.4	0	0	0	80.4	0	0	0	0
260	all_deer	R	270-00	344	1.4	0	0	1.4	0	0	0	0	0	0
260	all_deer	R	530-50	561	1.8	0	0	0	0	1.8	0	0	0	0
260	all_deer	R	Deer_A	150577	146.8	28.8	0	76.5	59.3	39.8	0	32.3	89.9	1.7
260	all_deer	R	none	.	15.2	0	0	12.2	0	3	0	0	0	0
260	all_deer	R	SUM	157457	1041.1	261.2	0	586.2	264.7	444.9	6.5	43	138.3	1.7
260	all_deer	SUM	002-10	1219	56.4	2.2	1.9	41.7	8.5	10.2	0	0	0	0
260	all_deer	SUM	260-10	4110	720.5	161.5	0	426.5	170.2	278.8	6.5	2.1	14.7	0
260	all_deer	SUM	260-20	300	106.9	6.9	0	40.1	38.8	34.9	0	8.6	38.1	0
260	all_deer	SUM	260-60	500	10.9	69.4	0	0	0	80.4	0	0	0	0
260	all_deer	SUM	270-00	350	1.4	0	0	1.4	0	0	0	0	0	0
260	all_deer	SUM	530-50	649	1.8	0	0	0	0	1.8	0	0	0	0
260	all_deer	SUM	Deer_A	174790	146.8	30	0	76.5	60.5	39.8	0	33.5	89.9	1.7
260	all_deer	SUM	none	.	15.2	0	0	12.2	0	3	0	0	0	0
260	all_deer	SUM	SUM	181918	1059.8	270	1.9	598.3	278	448.9	6.5	44.2	142.7	1.7
260	md	N	260-10	81	0	0	0	0	0	0	0	0	0	0
260	md	N	Deer_A	24213	0	1.1	0	0	1.1	0	0	1.1	0	0
260	md	N	none	.	0	0	0	0	0	0	0	0	0	0
260	md	N	SUM	24294	0	1.1	0	0	1.1	0	0	1.1	0	0
260	md	R	260-10	4029	2.1	0	0	2.1	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
260	md	R	Deer_A	150577	0	3.9	0	0	3.9	0	0	0	3.9	0
260	md	R	none	.	0	0	0	0	0	0	0	0	0	0
260	md	R	SUM	154606	2.1	3.9	0	2.1	3.9	0	0	0	3.9	0
260	md	SUM	260-10	4110	2.1	0	0	2.1	0	0	0	0	0	0
260	md	SUM	Deer_A	174790	0	5	0	0	5	0	0	1.1	3.9	0
260	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
260	md	SUM	SUM	178900	2.1	5	0	2.1	5	0	0	1.1	3.9	0
260	wt	N	002-10	67	0	0	1.9	0	1.9	0	0	0	0	0
260	wt	N	260-10	81	16.2	7.6	0	10.9	9	4	0	0	1.9	0
260	wt	N	260-20	6	2.5	0	0	1.2	1.3	0	0	0	2.5	0
260	wt	N	270-00	6	0	0	0	0	0	0	0	0	0	0
260	wt	N	530-50	88	0	0	0	0	0	0	0	0	0	0
260	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
260	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
260	wt	N	SUM	24461	18.7	7.6	1.9	12.1	12.1	4	0	0	4.4	0
260	wt	R	002-10	1152	56.4	2.2	0	41.7	6.6	10.2	0	0	0	0
260	wt	R	260-10	4029	702.1	153.8	0	413.4	161.2	274.9	6.5	2.1	12.8	0
260	wt	R	260-20	294	104.4	6.9	0	38.9	37.5	34.9	0	8.6	35.6	0
260	wt	R	260-60	500	10.9	69.4	0	0	0	80.4	0	0	0	0
260	wt	R	270-00	344	1.4	0	0	1.4	0	0	0	0	0	0
260	wt	R	530-50	561	1.8	0	0	0	0	1.8	0	0	0	0
260	wt	R	Deer_A	150577	146.8	25	0	76.5	55.4	39.8	0	32.3	86	1.7
260	wt	R	none	.	15.2	0	0	12.2	0	3	0	0	0	0
260	wt	R	SUM	157457	1039	257.3	0	584.1	260.8	444.9	6.5	43	134.4	1.7
260	wt	SUM	002-10	1219	56.4	2.2	1.9	41.7	8.5	10.2	0	0	0	0
260	wt	SUM	260-10	4110	718.3	161.5	0	424.3	170.2	278.8	6.5	2.1	14.7	0
260	wt	SUM	260-20	300	106.9	6.9	0	40.1	38.8	34.9	0	8.6	38.1	0
260	wt	SUM	260-60	500	10.9	69.4	0	0	0	80.4	0	0	0	0
260	wt	SUM	270-00	350	1.4	0	0	1.4	0	0	0	0	0	0
260	wt	SUM	530-50	649	1.8	0	0	0	0	1.8	0	0	0	0
260	wt	SUM	Deer_A	174790	146.8	25	0	76.5	55.4	39.8	0	32.3	86	1.7
260	wt	SUM	none	.	15.2	0	0	12.2	0	3	0	0	0	0
260	wt	SUM	SUM	181918	1057.6	265	1.9	596.2	272.9	448.9	6.5	43	138.8	1.7

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
261	all_deer	N	260-10	81	1.9	0	0	0	1.9	0	0	0	0	0
261	all_deer	N	261-00	1	0	0	0	0	0	0	0	0	0	0
261	all_deer	N	261-50	1	0	0	0	0	0	0	0	0	0	0
261	all_deer	N	Deer_A	24213	0	3.2	0	0	3.2	0	0	0	3.2	0
261	all_deer	N	SUM	24296	1.9	3.2	0	0	5.1	0	0	0	3.2	0
261	all_deer	R	260-10	4029	17.2	4.6	0	4.3	8.9	8.6	0	0	2.2	0
261	all_deer	R	260-60	500	0	1.7	0	0	0	1.7	0	0	0	0
261	all_deer	R	261-00	49	0	8.7	0	0	8.7	0	0	0	0	0
261	all_deer	R	261-01	74	0	48.2	0	0	48.2	0	0	0	0	0
261	all_deer	R	261-50	49	0	36.5	0	0	36.5	0	0	3.6	32.9	0
261	all_deer	R	Deer_A	150577	9.3	148.5	1.4	7.9	151.4	0	0	41.8	98.9	1.4
261	all_deer	R	SUM	155278	26.5	248.1	1.4	12.2	253.5	10.3	0	45.4	134	1.4
261	all_deer	SUM	260-10	4110	19.1	4.6	0	4.3	10.8	8.6	0	0	2.2	0
261	all_deer	SUM	260-60	500	0	1.7	0	0	0	1.7	0	0	0	0
261	all_deer	SUM	261-00	50	0	8.7	0	0	8.7	0	0	0	0	0
261	all_deer	SUM	261-01	74	0	48.2	0	0	48.2	0	0	0	0	0
261	all_deer	SUM	261-50	50	0	36.5	0	0	36.5	0	0	3.6	32.9	0
261	all_deer	SUM	Deer_A	174790	9.3	151.8	1.4	7.9	154.6	0	0	41.8	102.1	1.4
261	all_deer	SUM	SUM	179574	28.4	251.4	1.4	12.2	258.7	10.3	0	45.4	137.2	1.4
261	md	N	261-50	1	0	0	0	0	0	0	0	0	0	0
261	md	N	Deer_A	24213	0	1.6	0	0	1.6	0	0	0	1.6	0
261	md	N	SUM	24214	0	1.6	0	0	1.6	0	0	0	1.6	0
261	md	R	261-01	74	0	48.2	0	0	48.2	0	0	0	0	0
261	md	R	261-50	49	0	36.5	0	0	36.5	0	0	3.6	32.9	0
261	md	R	Deer_A	150577	0	5.7	1.4	1.4	5.7	0	0	0	5.5	0
261	md	R	SUM	150700	0	90.4	1.4	1.4	90.4	0	0	3.6	38.4	0
261	md	SUM	261-01	74	0	48.2	0	0	48.2	0	0	0	0	0
261	md	SUM	261-50	50	0	36.5	0	0	36.5	0	0	3.6	32.9	0
261	md	SUM	Deer_A	174790	0	7.4	1.4	1.4	7.4	0	0	0	7.1	0
261	md	SUM	SUM	174914	0	92	1.4	1.4	92	0	0	3.6	40	0
261	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
261	wt	N	260-10	81	1.9	0	0	0	1.9	0	0	0	0	0
261	wt	N	261-00	1	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
261	wt	N	Deer_A	24213	0	1.6	0	0	1.6	0	0	0	1.6	0
261	wt	N	SUM	24362	1.9	1.6	0	0	3.5	0	0	0	1.6	0
261	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
261	wt	R	260-10	4029	17.2	4.6	0	4.3	8.9	8.6	0	0	2.2	0
261	wt	R	260-60	500	0	1.7	0	0	0	1.7	0	0	0	0
261	wt	R	261-00	49	0	8.7	0	0	8.7	0	0	0	0	0
261	wt	R	Deer_A	150577	9.3	142.8	0	6.5	145.6	0	0	41.8	93.4	1.4
261	wt	R	SUM	156307	26.5	157.8	0	10.8	163.1	10.3	0	41.8	95.6	1.4
261	wt	SUM	002-10	1219	0	0	0	0	0	0	0	0	0	0
261	wt	SUM	260-10	4110	19.1	4.6	0	4.3	10.8	8.6	0	0	2.2	0
261	wt	SUM	260-60	500	0	1.7	0	0	0	1.7	0	0	0	0
261	wt	SUM	261-00	50	0	8.7	0	0	8.7	0	0	0	0	0
261	wt	SUM	Deer_A	174790	9.3	144.4	0	6.5	147.2	0	0	41.8	95	1.4
261	wt	SUM	SUM	180669	28.4	159.4	0	10.8	166.6	10.3	0	41.8	97.2	1.4
270	all_deer	N	002-10	67	1.5	0	0	1.5	0	0	0	0	0	0
270	all_deer	N	260-10	81	0	1.4	0	1.4	0	0	0	0	0	0
270	all_deer	N	270-00	6	0	4.7	0	0	4.7	0	0	0	0	0
270	all_deer	N	270-01	6	0	0	0	0	0	0	0	0	0	0
270	all_deer	N	270-02	4	0	4	0	0	4	0	0	0	0	0
270	all_deer	N	270-50	14	3.1	10.9	0	3.1	10.9	0	0	1.6	12.4	0
270	all_deer	N	Deer_A	24213	0	15.7	0	0	15.7	0	0	3	5.2	0
270	all_deer	N	SUM	24391	4.6	36.6	0	6	35.3	0	0	4.6	17.7	0
270	all_deer	R	002-10	1152	2.3	0	0	2.3	0	0	0	0	0	0
270	all_deer	R	003-10	7329	0	2.2	0	0	2.2	0	0	0	0	0
270	all_deer	R	260-10	4029	11.6	11.3	0	9.4	11.3	2.2	0	0	0	0
270	all_deer	R	270-00	344	26.7	109.9	1.5	26.7	110	1.4	0	0	0	0
270	all_deer	R	270-01	342	3	107.1	0	3	105.7	0	1.5	0	0	0
270	all_deer	R	270-02	46	1.2	26.4	0	1.2	26.4	0	0	0	0	0
270	all_deer	R	270-50	136	10.4	102.8	0	10.4	102.8	0	0	2.8	107.7	0
270	all_deer	R	282-00	50	0	1.3	0	0	1.3	0	0	1.3	0	0
270	all_deer	R	Deer_A	150577	2.9	319.3	0	2.9	319.3	0	0	65.3	140.5	0
270	all_deer	R	SUM	164005	58.2	680.3	1.5	56	678.9	3.6	1.5	69.3	248.3	0
270	all_deer	SUM	002-10	1219	3.8	0	0	3.8	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
270	all_deer	SUM	003-10	7329	0	2.2	0	0	2.2	0	0	0	0	0
270	all_deer	SUM	260-10	4110	11.6	12.6	0	10.8	11.3	2.2	0	0	0	0
270	all_deer	SUM	270-00	350	26.7	114.6	1.5	26.7	114.7	1.4	0	0	0	0
270	all_deer	SUM	270-01	348	3	107.1	0	3	105.7	0	1.5	0	0	0
270	all_deer	SUM	270-02	50	1.2	30.4	0	1.2	30.4	0	0	0	0	0
270	all_deer	SUM	270-50	150	13.5	113.7	0	13.5	113.7	0	0	4.3	120.2	0
270	all_deer	SUM	282-00	50	0	1.3	0	0	1.3	0	0	1.3	0	0
270	all_deer	SUM	Deer_A	174790	2.9	335	0	2.9	335	0	0	68.3	145.8	0
270	all_deer	SUM	SUM	188396	62.8	716.9	1.5	62	714.2	3.6	1.5	73.9	265.9	0
270	md	N	270-00	6	0	4.7	0	0	4.7	0	0	0	0	0
270	md	N	270-01	6	0	0	0	0	0	0	0	0	0	0
270	md	N	270-02	4	0	4	0	0	4	0	0	0	0	0
270	md	N	270-50	14	3.1	10.9	0	3.1	10.9	0	0	1.6	12.4	0
270	md	N	Deer_A	24213	0	3	0	0	3	0	0	3	0	0
270	md	N	SUM	24243	3.1	22.6	0	3.1	22.6	0	0	4.6	12.4	0
270	md	R	003-10	7329	0	2.2	0	0	2.2	0	0	0	0	0
270	md	R	270-00	344	26.7	109.9	1.5	26.7	110	1.4	0	0	0	0
270	md	R	270-01	342	3	105.7	0	3	105.7	0	0	0	0	0
270	md	R	270-02	46	1.2	26.4	0	1.2	26.4	0	0	0	0	0
270	md	R	270-50	136	10.4	102.8	0	10.4	102.8	0	0	2.8	107.7	0
270	md	R	Deer_A	150577	0	21.7	0	0	21.7	0	0	3	14.1	0
270	md	R	SUM	158774	41.4	368.6	1.5	41.4	368.7	1.4	0	5.8	121.9	0
270	md	SUM	003-10	7329	0	2.2	0	0	2.2	0	0	0	0	0
270	md	SUM	270-00	350	26.7	114.6	1.5	26.7	114.7	1.4	0	0	0	0
270	md	SUM	270-01	348	3	105.7	0	3	105.7	0	0	0	0	0
270	md	SUM	270-02	50	1.2	30.4	0	1.2	30.4	0	0	0	0	0
270	md	SUM	270-50	150	13.5	113.7	0	13.5	113.7	0	0	4.3	120.2	0
270	md	SUM	Deer_A	174790	0	24.7	0	0	24.7	0	0	6	14.1	0
270	md	SUM	SUM	183017	44.5	391.2	1.5	44.5	391.3	1.4	0	10.4	134.3	0
270	wt	N	002-10	67	1.5	0	0	1.5	0	0	0	0	0	0
270	wt	N	260-10	81	0	1.4	0	1.4	0	0	0	0	0	0
270	wt	N	270-01	6	0	0	0	0	0	0	0	0	0	0
270	wt	N	Deer_A	24213	0	12.7	0	0	12.7	0	0	0	5.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
270	wt	N	SUM	24367	1.5	14	0	2.9	12.7	0	0	0	5.2	0
270	wt	R	002-10	1152	2.3	0	0	2.3	0	0	0	0	0	0
270	wt	R	260-10	4029	11.6	11.3	0	9.4	11.3	2.2	0	0	0	0
270	wt	R	260-60	500	0	0	0	0	0	0	0	0	0	0
270	wt	R	270-01	342	0	1.5	0	0	0	0	1.5	0	0	0
270	wt	R	282-00	50	0	1.3	0	0	1.3	0	0	1.3	0	0
270	wt	R	Deer_A	150577	2.9	297.7	0	2.9	297.7	0	0	62.2	126.4	0
270	wt	R	SUM	156650	16.8	311.7	0	14.6	310.2	2.2	1.5	63.5	126.4	0
270	wt	SUM	002-10	1219	3.8	0	0	3.8	0	0	0	0	0	0
270	wt	SUM	260-10	4110	11.6	12.6	0	10.8	11.3	2.2	0	0	0	0
270	wt	SUM	260-60	500	0	0	0	0	0	0	0	0	0	0
270	wt	SUM	270-01	348	0	1.5	0	0	0	0	1.5	0	0	0
270	wt	SUM	282-00	50	0	1.3	0	0	1.3	0	0	1.3	0	0
270	wt	SUM	Deer_A	174790	2.9	310.3	0	2.9	310.3	0	0	62.2	131.6	0
270	wt	SUM	SUM	181017	18.4	325.7	0	17.5	322.9	2.2	1.5	63.5	131.6	0
280	all_deer	N	Deer_A	24213	3.7	33.5	0	18.6	18.6	0	0	3.7	33.5	0
280	all_deer	N	SUM	24213	3.7	33.5	0	18.6	18.6	0	0	3.7	33.5	0
280	all_deer	R	Deer_A	150577	0	42.6	0	0	42.6	0	0	14.9	16.2	4.1
280	all_deer	R	SUM	150577	0	42.6	0	0	42.6	0	0	14.9	16.2	4.1
280	all_deer	SUM	Deer_A	174790	3.7	76.1	0	18.6	61.2	0	0	18.7	49.7	4.1
280	all_deer	SUM	SUM	174790	3.7	76.1	0	18.6	61.2	0	0	18.7	49.7	4.1
280	md	N	Deer_A	24213	3.7	33.5	0	18.6	18.6	0	0	3.7	33.5	0
280	md	N	SUM	24213	3.7	33.5	0	18.6	18.6	0	0	3.7	33.5	0
280	md	R	Deer_A	150577	0	27.1	0	0	27.1	0	0	14.9	12.2	0
280	md	R	SUM	150577	0	27.1	0	0	27.1	0	0	14.9	12.2	0
280	md	SUM	Deer_A	174790	3.7	60.6	0	18.6	45.7	0	0	18.7	45.7	0
280	md	SUM	SUM	174790	3.7	60.6	0	18.6	45.7	0	0	18.7	45.7	0
280	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
280	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
280	wt	N	SUM	24280	0	0	0	0	0	0	0	0	0	0
280	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
280	wt	R	Deer_A	150577	0	15.5	0	0	15.5	0	0	0	4.1	4.1
280	wt	R	SUM	151729	0	15.5	0	0	15.5	0	0	0	4.1	4.1

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
280	wt	SUM	002-10	1219	0	0	0	0	0	0	0	0	0	0
280	wt	SUM	Deer_A	174790	0	15.5	0	0	15.5	0	0	0	4.1	4.1
280	wt	SUM	SUM	176009	0	15.5	0	0	15.5	0	0	0	4.1	4.1
281	all_deer	N	002-10	67	0	1.9	0	0	1.9	0	0	0	0	0
281	all_deer	N	281-00	3	0	3	0	0	3	0	0	0	0	0
281	all_deer	N	281-40	42	0	14.7	0	0	14.7	0	0	1.7	13	0
281	all_deer	N	285-00	9	0	0	0	0	0	0	0	0	0	0
281	all_deer	N	339-40	12	0	0	0	0	0	0	0	0	0	0
281	all_deer	N	445-00	61	0	0	0	0	0	0	0	0	0	0
281	all_deer	N	Deer_A	24213	1.3	45.9	0	1.3	45.9	0	0	12.7	34.4	0
281	all_deer	N	SUM	24407	1.3	65.5	0	1.3	65.5	0	0	14.4	47.4	0
281	all_deer	R	002-10	1152	2.3	2.3	0	2.3	2.3	0	0	0	0	0
281	all_deer	R	281-00	97	2.9	39.7	1.4	2.9	41.1	0	0	0	0	0
281	all_deer	R	281-40	355	2.8	80.3	0	1.3	81.9	0	0	23.6	59.6	0
281	all_deer	R	285-00	291	0	1.5	0	0	1.5	0	0	0	0	0
281	all_deer	R	339-40	340	0	2.6	0	0	2.6	0	0	0	0	0
281	all_deer	R	445-00	439	0	1.3	0	0	1.3	0	0	0	0	0
281	all_deer	R	Deer_A	150577	5.6	440.8	5.4	10.9	438.6	2.2	0	99.9	281.4	0
281	all_deer	R	SUM	153251	13.6	568.3	6.8	17.4	569.2	2.2	0	123.5	340.9	0
281	all_deer	SUM	002-10	1219	2.3	4.2	0	2.3	4.2	0	0	0	0	0
281	all_deer	SUM	281-00	100	2.9	42.7	1.4	2.9	44.1	0	0	0	0	0
281	all_deer	SUM	281-40	397	2.8	95	0	1.3	96.5	0	0	25.3	72.5	0
281	all_deer	SUM	285-00	300	0	1.5	0	0	1.5	0	0	0	0	0
281	all_deer	SUM	339-40	352	0	2.6	0	0	2.6	0	0	0	0	0
281	all_deer	SUM	445-00	500	0	1.3	0	0	1.3	0	0	0	0	0
281	all_deer	SUM	Deer_A	174790	6.9	486.7	5.4	12.2	484.5	2.2	0	112.6	315.8	0
281	all_deer	SUM	SUM	177658	14.9	633.8	6.8	18.6	634.6	2.2	0	137.9	388.3	0
281	md	N	281-40	42	0	14.7	0	0	14.7	0	0	1.7	13	0
281	md	N	339-40	12	0	0	0	0	0	0	0	0	0	0
281	md	N	445-00	61	0	0	0	0	0	0	0	0	0	0
281	md	N	Deer_A	24213	1.3	17.8	0	1.3	17.8	0	0	7.5	11.6	0
281	md	N	SUM	24328	1.3	32.5	0	1.3	32.5	0	0	9.1	24.6	0
281	md	R	281-40	355	2.8	80.3	0	1.3	81.9	0	0	23.6	59.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
281	md	R	339-40	340	0	2.6	0	0	2.6	0	0	0	0	0
281	md	R	445-00	439	0	1.3	0	0	1.3	0	0	0	0	0
281	md	R	Deer_A	150577	4.1	43	1.4	7.1	41.3	0	0	21.9	18.4	0
281	md	R	SUM	151711	6.9	127.2	1.4	8.4	127	0	0	45.5	77.9	0
281	md	SUM	281-40	397	2.8	95	0	1.3	96.5	0	0	25.3	72.5	0
281	md	SUM	339-40	352	0	2.6	0	0	2.6	0	0	0	0	0
281	md	SUM	445-00	500	0	1.3	0	0	1.3	0	0	0	0	0
281	md	SUM	Deer_A	174790	5.3	60.8	1.4	8.4	59.1	0	0	29.4	30	0
281	md	SUM	SUM	176039	8.1	159.6	1.4	9.7	159.5	0	0	54.7	102.5	0
281	wt	N	002-10	67	0	1.9	0	0	1.9	0	0	0	0	0
281	wt	N	281-00	3	0	3	0	0	3	0	0	0	0	0
281	wt	N	285-00	9	0	0	0	0	0	0	0	0	0	0
281	wt	N	Deer_A	24213	0	28.1	0	0	28.1	0	0	5.3	22.8	0
281	wt	N	SUM	24292	0	33	0	0	33	0	0	5.3	22.8	0
281	wt	R	002-10	1152	2.3	2.3	0	2.3	2.3	0	0	0	0	0
281	wt	R	281-00	97	2.9	39.7	1.4	2.9	41.1	0	0	0	0	0
281	wt	R	285-00	291	0	1.5	0	0	1.5	0	0	0	0	0
281	wt	R	Deer_A	150577	1.6	397.8	4.1	3.8	397.3	2.2	0	78	263	0
281	wt	R	SUM	152117	6.7	441.2	5.5	9	442.2	2.2	0	78	263	0
281	wt	SUM	002-10	1219	2.3	4.2	0	2.3	4.2	0	0	0	0	0
281	wt	SUM	281-00	100	2.9	42.7	1.4	2.9	44.1	0	0	0	0	0
281	wt	SUM	285-00	300	0	1.5	0	0	1.5	0	0	0	0	0
281	wt	SUM	Deer_A	174790	1.6	425.9	4.1	3.8	425.4	2.2	0	83.3	285.8	0
281	wt	SUM	SUM	176409	6.7	474.2	5.5	9	475.2	2.2	0	83.3	285.8	0
282	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
282	all_deer	N	201-01	4	0	0	0	0	0	0	0	0	0	0
282	all_deer	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
282	all_deer	N	SUM	24284	0	0	0	0	0	0	0	0	0	0
282	all_deer	R	002-10	1152	2.6	0	0	2.6	0	0	0	0	0	0
282	all_deer	R	201-01	37	0	1.5	0	0	1.5	0	0	0	0	0
282	all_deer	R	282-00	50	1.3	12.5	0	8.8	5	0	0	1.2	1.3	0
282	all_deer	R	Deer_A	150577	6.7	69.2	0	14.5	61.4	0	0	19.9	39.3	0
282	all_deer	R	SUM	151816	10.6	83.2	0	25.9	67.9	0	0	21	40.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
282	all_deer	SUM	002-10	1219	2.6	0	0	2.6	0	0	0	0	0	0
282	all_deer	SUM	201-01	41	0	1.5	0	0	1.5	0	0	0	0	0
282	all_deer	SUM	282-00	50	1.3	12.5	0	8.8	5	0	0	1.2	1.3	0
282	all_deer	SUM	Deer_A	174790	6.7	69.2	0	14.5	61.4	0	0	19.9	39.3	0
282	all_deer	SUM	SUM	176100	10.6	83.2	0	25.9	67.9	0	0	21	40.6	0
282	md	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
282	md	N	SUM	24213	0	0	0	0	0	0	0	0	0	0
282	md	R	282-00	50	0	0	0	0	0	0	0	0	0	0
282	md	R	Deer_A	150577	1.6	13.7	0	1.6	13.7	0	0	4.1	4.9	0
282	md	R	SUM	150627	1.6	13.7	0	1.6	13.7	0	0	4.1	4.9	0
282	md	SUM	282-00	50	0	0	0	0	0	0	0	0	0	0
282	md	SUM	Deer_A	174790	1.6	13.7	0	1.6	13.7	0	0	4.1	4.9	0
282	md	SUM	SUM	174840	1.6	13.7	0	1.6	13.7	0	0	4.1	4.9	0
282	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
282	wt	N	201-01	4	0	0	0	0	0	0	0	0	0	0
282	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
282	wt	N	SUM	24284	0	0	0	0	0	0	0	0	0	0
282	wt	R	002-10	1152	2.6	0	0	2.6	0	0	0	0	0	0
282	wt	R	201-01	37	0	1.5	0	0	1.5	0	0	0	0	0
282	wt	R	282-00	50	1.3	12.5	0	8.8	5	0	0	1.2	1.3	0
282	wt	R	Deer_A	150577	5.2	55.5	0	12.9	47.8	0	0	15.8	34.4	0
282	wt	R	SUM	151816	9	69.6	0	24.3	54.3	0	0	17	35.7	0
282	wt	SUM	002-10	1219	2.6	0	0	2.6	0	0	0	0	0	0
282	wt	SUM	201-01	41	0	1.5	0	0	1.5	0	0	0	0	0
282	wt	SUM	282-00	50	1.3	12.5	0	8.8	5	0	0	1.2	1.3	0
282	wt	SUM	Deer_A	174790	5.2	55.5	0	12.9	47.8	0	0	15.8	34.4	0
282	wt	SUM	SUM	176100	9	69.6	0	24.3	54.3	0	0	17	35.7	0
283	all_deer	N	002-10	67	1.9	0	0	1.9	0	0	0	0	0	0
283	all_deer	N	201-01	4	0	0	0	0	0	0	0	0	0	0
283	all_deer	N	260-10	81	0	0	0	0	0	0	0	0	0	0
283	all_deer	N	Deer_A	24213	3.7	27.2	0	0	30.9	0	0	7.5	23.5	0
283	all_deer	N	SUM	24365	5.6	27.2	0	1.9	30.9	0	0	7.5	23.5	0
283	all_deer	R	002-10	1152	4.2	0	0	4.2	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
283	all_deer	R	201-01	37	0	1.5	0	0	1.5	0	0	0	1.5	0
283	all_deer	R	260-10	4029	27.6	4.4	0	14.2	4.4	13.4	0	0	0	0
283	all_deer	R	Deer_A	150577	0	438.1	1.8	4.1	435.8	0	0	154.5	246	0
283	all_deer	R	SUM	155795	31.7	444	1.8	22.4	441.7	13.4	0	154.5	247.6	0
283	all_deer	SUM	002-10	1219	6	0	0	6	0	0	0	0	0	0
283	all_deer	SUM	201-01	41	0	1.5	0	0	1.5	0	0	0	1.5	0
283	all_deer	SUM	260-10	4110	27.6	4.4	0	14.2	4.4	13.4	0	0	0	0
283	all_deer	SUM	Deer_A	174790	3.7	465.3	1.8	4.1	466.7	0	0	162	269.5	0
283	all_deer	SUM	SUM	180160	37.3	471.2	1.8	24.2	472.7	13.4	0	162	271.1	0
283	md	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	3.7	0	0
283	md	N	SUM	24213	0	3.7	0	0	3.7	0	0	3.7	0	0
283	md	R	Deer_A	150577	0	139.1	1.8	0	140.8	0	0	50.5	86.3	0
283	md	R	SUM	150577	0	139.1	1.8	0	140.8	0	0	50.5	86.3	0
283	md	SUM	Deer_A	174790	0	142.8	1.8	0	144.5	0	0	54.2	86.3	0
283	md	SUM	SUM	174790	0	142.8	1.8	0	144.5	0	0	54.2	86.3	0
283	wt	N	002-10	67	1.9	0	0	1.9	0	0	0	0	0	0
283	wt	N	201-01	4	0	0	0	0	0	0	0	0	0	0
283	wt	N	260-10	81	0	0	0	0	0	0	0	0	0	0
283	wt	N	Deer_A	24213	3.7	23.5	0	0	27.2	0	0	3.7	23.5	0
283	wt	N	SUM	24365	5.6	23.5	0	1.9	27.2	0	0	3.7	23.5	0
283	wt	R	002-10	1152	4.2	0	0	4.2	0	0	0	0	0	0
283	wt	R	201-01	37	0	1.5	0	0	1.5	0	0	0	1.5	0
283	wt	R	260-10	4029	27.6	4.4	0	14.2	4.4	13.4	0	0	0	0
283	wt	R	Deer_A	150577	0	299	0	4.1	295	0	0	104.1	159.8	0
283	wt	R	SUM	155795	31.7	305	0	22.4	300.9	13.4	0	104.1	161.3	0
283	wt	SUM	002-10	1219	6	0	0	6	0	0	0	0	0	0
283	wt	SUM	201-01	41	0	1.5	0	0	1.5	0	0	0	1.5	0
283	wt	SUM	260-10	4110	27.6	4.4	0	14.2	4.4	13.4	0	0	0	0
283	wt	SUM	Deer_A	174790	3.7	322.5	0	4.1	322.2	0	0	107.8	183.3	0
283	wt	SUM	SUM	180160	37.3	328.5	0	24.2	328.1	13.4	0	107.8	184.8	0
284	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
284	all_deer	N	281-00	3	0	0	0	0	0	0	0	0	0	0
284	all_deer	N	284-10	8	5	0	0	5	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
284	all_deer	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
284	all_deer	N	SUM	24291	5	3.7	0	5	3.7	0	0	0	3.7	0
284	all_deer	R	002-10	1152	5.4	0	0	3.3	2.1	0	0	0	0	0
284	all_deer	R	281-00	97	0	1.4	0	0	1.4	0	0	0	0	0
284	all_deer	R	284-10	109	31.6	1.6	0	19.2	13.9	0	0	0	0	0
284	all_deer	R	Deer_A	150577	16.7	31.9	0	7.5	41.1	0	0	15.7	27.5	1.5
284	all_deer	R	SUM	151935	53.7	34.9	0	30.1	58.4	0	0	15.7	27.5	1.5
284	all_deer	SUM	002-10	1219	5.4	0	0	3.3	2.1	0	0	0	0	0
284	all_deer	SUM	281-00	100	0	1.4	0	0	1.4	0	0	0	0	0
284	all_deer	SUM	284-10	117	36.6	1.6	0	24.2	13.9	0	0	0	0	0
284	all_deer	SUM	Deer_A	174790	16.7	35.7	0	7.5	44.9	0	0	15.7	31.2	1.5
284	all_deer	SUM	SUM	176226	58.6	38.6	0	35	62.2	0	0	15.7	31.2	1.5
284	md	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
284	md	N	SUM	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
284	md	R	Deer_A	150577	0	7.1	0	0	7.1	0	0	7.1	0	0
284	md	R	SUM	150577	0	7.1	0	0	7.1	0	0	7.1	0	0
284	md	SUM	Deer_A	174790	0	10.9	0	0	10.9	0	0	7.1	3.7	0
284	md	SUM	SUM	174790	0	10.9	0	0	10.9	0	0	7.1	3.7	0
284	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
284	wt	N	281-00	3	0	0	0	0	0	0	0	0	0	0
284	wt	N	284-10	8	5	0	0	5	0	0	0	0	0	0
284	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
284	wt	N	SUM	24291	5	0	0	5	0	0	0	0	0	0
284	wt	R	002-10	1152	5.4	0	0	3.3	2.1	0	0	0	0	0
284	wt	R	281-00	97	0	1.4	0	0	1.4	0	0	0	0	0
284	wt	R	284-10	109	31.6	1.6	0	19.2	13.9	0	0	0	0	0
284	wt	R	Deer_A	150577	16.7	24.8	0	7.5	34	0	0	8.5	27.5	1.5
284	wt	R	SUM	151935	53.7	27.7	0	30.1	51.3	0	0	8.5	27.5	1.5
284	wt	SUM	002-10	1219	5.4	0	0	3.3	2.1	0	0	0	0	0
284	wt	SUM	281-00	100	0	1.4	0	0	1.4	0	0	0	0	0
284	wt	SUM	284-10	117	36.6	1.6	0	24.2	13.9	0	0	0	0	0
284	wt	SUM	Deer_A	174790	16.7	24.8	0	7.5	34	0	0	8.5	27.5	1.5
284	wt	SUM	SUM	176226	58.6	27.7	0	35	51.3	0	0	8.5	27.5	1.5

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
285	all_deer	N	002-10	67	1.9	0	0	1.9	0	0	0	0	0	0
285	all_deer	N	260-10	81	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	281-40	42	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	285-00	9	0	5.1	0	0	5.1	0	0	0	0	0
285	all_deer	N	285-01	2	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	292-40	51	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	325-00	45	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	Deer_A	24213	3.7	77.5	0	3.7	77.5	0	0	3.7	77.5	0
285	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
285	all_deer	N	SUM	24510	5.6	82.6	0	5.6	82.6	0	0	3.7	77.5	0
285	all_deer	R	002-10	1152	42.7	4.3	0	44.7	2.3	0	0	0	2.3	0
285	all_deer	R	260-10	4029	2.2	0	0	2.2	0	0	0	0	0	0
285	all_deer	R	260-60	500	0	1.7	0	0	1.7	0	0	0	0	0
285	all_deer	R	281-40	355	0	1.2	0	0	1.2	0	0	0	1.2	0
285	all_deer	R	285-00	291	9.4	156.3	4.3	9.4	160.6	0	0	0	0	0
285	all_deer	R	285-01	23	1.2	8.6	0	0	9.8	0	0	0	0	0
285	all_deer	R	292-40	881	0	1.7	0	0	1.7	0	0	0	0	0
285	all_deer	R	325-00	405	0	1.4	0	0	1.4	0	0	0	1.4	0
285	all_deer	R	Deer_A	150577	14.8	955.9	5.7	13	959.3	4.1	0	254.7	548.1	0
285	all_deer	R	none	.	0	2	0	0	2	0	0	0	2	0
285	all_deer	R	SUM	158213	70.2	1133.2	10	69.3	1140.1	4.1	0	254.7	555	0
285	all_deer	SUM	002-10	1219	44.5	4.3	0	46.5	2.3	0	0	0	2.3	0
285	all_deer	SUM	260-10	4110	2.2	0	0	2.2	0	0	0	0	0	0
285	all_deer	SUM	260-60	500	0	1.7	0	0	1.7	0	0	0	0	0
285	all_deer	SUM	281-40	397	0	1.2	0	0	1.2	0	0	0	1.2	0
285	all_deer	SUM	285-00	300	9.4	161.4	4.3	9.4	165.8	0	0	0	0	0
285	all_deer	SUM	285-01	25	1.2	8.6	0	0	9.8	0	0	0	0	0
285	all_deer	SUM	292-40	932	0	1.7	0	0	1.7	0	0	0	0	0
285	all_deer	SUM	325-00	450	0	1.4	0	0	1.4	0	0	0	1.4	0
285	all_deer	SUM	Deer_A	174790	18.5	1033.4	5.7	16.7	1036.8	4.1	0	258.4	625.5	0
285	all_deer	SUM	none	.	0	2	0	0	2	0	0	0	2	0
285	all_deer	SUM	SUM	182723	75.8	1215.8	10	74.9	1222.7	4.1	0	258.4	632.4	0
285	md	N	281-40	42	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
285	md	N	292-40	51	0	0	0	0	0	0	0	0	0	0
285	md	N	Deer_A	24213	0	20.2	0	0	20.2	0	0	0	20.2	0
285	md	N	none	.	0	0	0	0	0	0	0	0	0	0
285	md	N	SUM	24306	0	20.2	0	0	20.2	0	0	0	20.2	0
285	md	R	281-40	355	0	1.2	0	0	1.2	0	0	0	1.2	0
285	md	R	292-40	881	0	1.7	0	0	1.7	0	0	0	0	0
285	md	R	Deer_A	150577	0	118.3	0	4.1	114.2	0	0	28.8	85.4	0
285	md	R	none	.	0	0	0	0	0	0	0	0	0	0
285	md	R	SUM	151813	0	121.2	0	4.1	117.2	0	0	28.8	86.6	0
285	md	SUM	281-40	397	0	1.2	0	0	1.2	0	0	0	1.2	0
285	md	SUM	292-40	932	0	1.7	0	0	1.7	0	0	0	0	0
285	md	SUM	Deer_A	174790	0	138.5	0	4.1	134.5	0	0	28.8	105.6	0
285	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
285	md	SUM	SUM	176119	0	141.5	0	4.1	137.4	0	0	28.8	106.8	0
285	wt	N	002-10	67	1.9	0	0	1.9	0	0	0	0	0	0
285	wt	N	260-10	81	0	0	0	0	0	0	0	0	0	0
285	wt	N	285-00	9	0	5.1	0	0	5.1	0	0	0	0	0
285	wt	N	285-01	2	0	0	0	0	0	0	0	0	0	0
285	wt	N	325-00	45	0	0	0	0	0	0	0	0	0	0
285	wt	N	Deer_A	24213	3.7	57.2	0	3.7	57.2	0	0	3.7	57.2	0
285	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
285	wt	N	SUM	24417	5.6	62.4	0	5.6	62.4	0	0	3.7	57.2	0
285	wt	R	002-10	1152	42.7	4.3	0	44.7	2.3	0	0	0	2.3	0
285	wt	R	260-10	4029	2.2	0	0	2.2	0	0	0	0	0	0
285	wt	R	260-60	500	0	1.7	0	0	1.7	0	0	0	0	0
285	wt	R	285-00	291	9.4	156.3	4.3	9.4	160.6	0	0	0	0	0
285	wt	R	285-01	23	1.2	8.6	0	0	9.8	0	0	0	0	0
285	wt	R	325-00	405	0	1.4	0	0	1.4	0	0	0	1.4	0
285	wt	R	Deer_A	150577	14.8	837.6	5.7	9	845.1	4.1	0	225.8	462.7	0
285	wt	R	none	.	0	2	0	0	2	0	0	0	2	0
285	wt	R	SUM	156977	70.2	1012	10	65.2	1023	4.1	0	225.8	468.3	0
285	wt	SUM	002-10	1219	44.5	4.3	0	46.5	2.3	0	0	0	2.3	0
285	wt	SUM	260-10	4110	2.2	0	0	2.2	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
285	wt	SUM	260-60	500	0	1.7	0	0	1.7	0	0	0	0	0
285	wt	SUM	285-00	300	9.4	161.4	4.3	9.4	165.8	0	0	0	0	0
285	wt	SUM	285-01	25	1.2	8.6	0	0	9.8	0	0	0	0	0
285	wt	SUM	325-00	450	0	1.4	0	0	1.4	0	0	0	1.4	0
285	wt	SUM	Deer_A	174790	18.5	894.9	5.7	12.7	902.4	4.1	0	229.6	519.9	0
285	wt	SUM	none	.	0	2	0	0	2	0	0	0	2	0
285	wt	SUM	SUM	181394	75.8	1074.3	10	70.8	1085.3	4.1	0	229.6	525.6	0
290	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
290	all_deer	N	212-10	11	0	0	0	0	0	0	0	0	0	0
290	all_deer	N	290-10	6	0	3	0	3	0	0	0	0	0	0
290	all_deer	N	290-20	5	1.3	0	0	1.3	0	0	0	0	1.3	0
290	all_deer	N	Deer_A	24213	7.5	3.7	0	7.5	3.7	0	0	0	11.2	0
290	all_deer	N	SUM	24302	8.7	6.7	0	11.7	3.7	0	0	0	12.5	0
290	all_deer	R	002-10	1152	4	0	0	2	0	0	2	0	0	0
290	all_deer	R	212-10	194	0	1.5	0	1.5	0	0	0	0	0	0
290	all_deer	R	290-10	192	56.9	5.8	1.4	31.4	10.6	17.9	4.3	0	0	0
290	all_deer	R	290-20	45	14.7	1.5	0	4.6	3.7	7.9	0	1.6	9.9	0
290	all_deer	R	Deer_A	150577	27	33.2	0	4.3	51.9	4.1	0	1.9	50.2	0
290	all_deer	R	SUM	152160	102.7	42.1	1.4	43.8	66.2	29.8	6.3	3.4	60.1	0
290	all_deer	SUM	002-10	1219	4	0	0	2	0	0	2	0	0	0
290	all_deer	SUM	212-10	205	0	1.5	0	1.5	0	0	0	0	0	0
290	all_deer	SUM	290-10	198	56.9	8.8	1.4	34.4	10.6	17.9	4.3	0	0	0
290	all_deer	SUM	290-20	50	16	1.5	0	5.9	3.7	7.9	0	1.6	11.2	0
290	all_deer	SUM	Deer_A	174790	34.5	36.9	0	11.7	55.6	4.1	0	1.9	61.4	0
290	all_deer	SUM	SUM	176462	111.4	48.8	1.4	55.5	70	29.8	6.3	3.4	72.5	0
290	md	N	290-20	5	0	0	0	0	0	0	0	0	0	0
290	md	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
290	md	N	SUM	24218	0	0	0	0	0	0	0	0	0	0
290	md	R	290-20	45	0	1.5	0	0	0	1.5	0	0	1.5	0
290	md	R	Deer_A	150577	2.8	1.4	0	0	4.2	0	0	0	4.2	0
290	md	R	SUM	150622	2.8	2.9	0	0	4.2	1.5	0	0	5.7	0
290	md	SUM	290-20	50	0	1.5	0	0	0	1.5	0	0	1.5	0
290	md	SUM	Deer_A	174790	2.8	1.4	0	0	4.2	0	0	0	4.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
290	md	SUM	SUM	174840	2.8	2.9	0	0	4.2	1.5	0	0	5.7	0
290	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
290	wt	N	212-10	11	0	0	0	0	0	0	0	0	0	0
290	wt	N	290-10	6	0	3	0	3	0	0	0	0	0	0
290	wt	N	290-20	5	1.3	0	0	1.3	0	0	0	0	1.3	0
290	wt	N	Deer_A	24213	7.5	3.7	0	7.5	3.7	0	0	0	11.2	0
290	wt	N	SUM	24302	8.7	6.7	0	11.7	3.7	0	0	0	12.5	0
290	wt	R	002-10	1152	4	0	0	2	0	0	2	0	0	0
290	wt	R	212-10	194	0	1.5	0	1.5	0	0	0	0	0	0
290	wt	R	290-10	192	56.9	5.8	1.4	31.4	10.6	17.9	4.3	0	0	0
290	wt	R	290-20	45	14.7	0	0	4.6	3.7	6.4	0	1.6	8.3	0
290	wt	R	Deer_A	150577	24.2	31.8	0	4.3	47.7	4.1	0	1.9	46	0
290	wt	R	SUM	152160	99.9	39.1	1.4	43.8	62.1	28.3	6.3	3.4	54.4	0
290	wt	SUM	002-10	1219	4	0	0	2	0	0	2	0	0	0
290	wt	SUM	212-10	205	0	1.5	0	1.5	0	0	0	0	0	0
290	wt	SUM	290-10	198	56.9	8.8	1.4	34.4	10.6	17.9	4.3	0	0	0
290	wt	SUM	290-20	50	16	0	0	5.9	3.7	6.4	0	1.6	9.6	0
290	wt	SUM	Deer_A	174790	31.7	35.5	0	11.7	51.4	4.1	0	1.9	57.2	0
290	wt	SUM	SUM	176462	108.6	45.9	1.4	55.5	65.8	28.3	6.3	3.4	66.8	0
291	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
291	all_deer	N	201-00	10	0	0	0	0	0	0	0	0	0	0
291	all_deer	N	212-01	15	0	0	0	0	0	0	0	0	0	0
291	all_deer	N	291-00	1	1	0	0	1	0	0	0	0	0	0
291	all_deer	N	291-50	6	0	3	0	0	3	0	0	0	3	0
291	all_deer	N	Deer_A	24213	1.3	7.5	0	1.3	7.5	0	0	1.3	7.5	0
291	all_deer	N	SUM	24312	2.3	10.5	0	2.3	10.5	0	0	1.3	10.5	0
291	all_deer	R	002-10	1152	2.1	0	0	0	0	2.1	0	0	0	0
291	all_deer	R	201-00	340	1.6	0	0	1.6	0	0	0	0	0	0
291	all_deer	R	212-01	135	0	1.6	0	0	1.6	0	0	0	0	0
291	all_deer	R	291-00	49	1.2	20.4	0	1.2	20.4	0	0	0	0	0
291	all_deer	R	291-50	94	1.3	56.9	0	0	58.2	0	0	9.9	48.3	0
291	all_deer	R	291-51	25	0	12.8	0	0	12.8	0	0	6.4	6.4	0
291	all_deer	R	Deer_A	150577	4	58.5	0	4	58.5	0	0	15.6	32.5	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
291	all_deer	R	SUM	152372	10.1	150.1	0	6.7	151.4	2.1	0	31.9	87.2	0
291	all_deer	SUM	002-10	1219	2.1	0	0	0	0	2.1	0	0	0	0
291	all_deer	SUM	201-00	350	1.6	0	0	1.6	0	0	0	0	0	0
291	all_deer	SUM	212-01	150	0	1.6	0	0	1.6	0	0	0	0	0
291	all_deer	SUM	291-00	50	2.2	20.4	0	2.2	20.4	0	0	0	0	0
291	all_deer	SUM	291-50	100	1.3	59.9	0	0	61.2	0	0	9.9	51.3	0
291	all_deer	SUM	291-51	25	0	12.8	0	0	12.8	0	0	6.4	6.4	0
291	all_deer	SUM	Deer_A	174790	5.3	65.9	0	5.3	65.9	0	0	16.9	40	0
291	all_deer	SUM	SUM	176684	12.4	160.6	0	9	161.9	2.1	0	33.2	97.6	0
291	md	N	212-01	15	0	0	0	0	0	0	0	0	0	0
291	md	N	291-00	1	1	0	0	1	0	0	0	0	0	0
291	md	N	291-50	6	0	3	0	0	3	0	0	0	3	0
291	md	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
291	md	N	SUM	24235	1	6.7	0	1	6.7	0	0	0	6.7	0
291	md	R	212-01	135	0	1.6	0	0	1.6	0	0	0	0	0
291	md	R	291-00	49	1.2	20.4	0	1.2	20.4	0	0	0	0	0
291	md	R	291-50	94	1.3	56.9	0	0	58.2	0	0	9.9	48.3	0
291	md	R	291-51	25	0	12.8	0	0	12.8	0	0	6.4	6.4	0
291	md	R	Deer_A	150577	0	16.6	0	0	16.6	0	0	5.8	7.6	0
291	md	R	SUM	150880	2.4	108.2	0	1.2	109.5	0	0	22.1	62.3	0
291	md	SUM	212-01	150	0	1.6	0	0	1.6	0	0	0	0	0
291	md	SUM	291-00	50	2.2	20.4	0	2.2	20.4	0	0	0	0	0
291	md	SUM	291-50	100	1.3	59.9	0	0	61.2	0	0	9.9	51.3	0
291	md	SUM	291-51	25	0	12.8	0	0	12.8	0	0	6.4	6.4	0
291	md	SUM	Deer_A	174790	0	20.3	0	0	20.3	0	0	5.8	11.3	0
291	md	SUM	SUM	175115	3.4	115	0	2.2	116.2	0	0	22.1	69	0
291	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
291	wt	N	201-00	10	0	0	0	0	0	0	0	0	0	0
291	wt	N	Deer_A	24213	1.3	3.7	0	1.3	3.7	0	0	1.3	3.7	0
291	wt	N	SUM	24290	1.3	3.7	0	1.3	3.7	0	0	1.3	3.7	0
291	wt	R	002-10	1152	2.1	0	0	0	0	2.1	0	0	0	0
291	wt	R	201-00	340	1.6	0	0	1.6	0	0	0	0	0	0
291	wt	R	Deer_A	150577	4	40.2	0	4	40.2	0	0	9.8	23.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
291	wt	R	SUM	152069	7.6	40.2	0	5.6	40.2	2.1	0	9.8	23.2	0
291	wt	SUM	002-10	1219	2.1	0	0	0	0	2.1	0	0	0	0
291	wt	SUM	201-00	350	1.6	0	0	1.6	0	0	0	0	0	0
291	wt	SUM	Deer_A	174790	5.3	44	0	5.3	44	0	0	11.1	26.9	0
291	wt	SUM	SUM	176359	8.9	44	0	6.9	44	2.1	0	11.1	26.9	0
292	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
292	all_deer	N	292-00	1	0	0	0	0	0	0	0	0	0	0
292	all_deer	N	292-40	51	0	11.8	0	0	11.8	0	0	6.6	5.2	0
292	all_deer	N	412-00	113	0	0	0	0	0	0	0	0	0	0
292	all_deer	N	Deer_A	24213	1.6	24.9	0	1.6	24.9	0	0	3.7	22.8	0
292	all_deer	N	SUM	24445	1.6	36.7	0	1.6	36.7	0	0	10.3	28	0
292	all_deer	R	002-10	1152	10.7	0	0	10.7	0	0	0	0	0	0
292	all_deer	R	292-00	49	1.4	25.5	0	1.4	25.5	0	0	0	0	0
292	all_deer	R	292-40	881	5.9	331.4	10.8	5.9	342.2	0	0	144.7	197.6	0
292	all_deer	R	412-00	487	0	1.8	0	0	1.8	0	0	0	1.8	0
292	all_deer	R	Deer_A	150577	9.8	349.4	9.1	7.6	359	0	1.7	95.7	218.7	1.4
292	all_deer	R	SUM	153146	27.8	708	19.9	25.6	728.5	0	1.7	240.3	418.1	1.4
292	all_deer	SUM	002-10	1219	10.7	0	0	10.7	0	0	0	0	0	0
292	all_deer	SUM	292-00	50	1.4	25.5	0	1.4	25.5	0	0	0	0	0
292	all_deer	SUM	292-40	932	5.9	343.2	10.8	5.9	354	0	0	151.2	202.8	0
292	all_deer	SUM	412-00	600	0	1.8	0	0	1.8	0	0	0	1.8	0
292	all_deer	SUM	Deer_A	174790	11.4	374.3	9.1	9.2	383.9	0	1.7	99.4	241.5	1.4
292	all_deer	SUM	SUM	177591	29.4	744.7	19.9	27.2	765.2	0	1.7	250.6	446.1	1.4
292	md	N	292-40	51	0	11.8	0	0	11.8	0	0	6.6	5.2	0
292	md	N	412-00	113	0	0	0	0	0	0	0	0	0	0
292	md	N	Deer_A	24213	0	6.8	0	0	6.8	0	0	0	6.8	0
292	md	N	SUM	24377	0	18.6	0	0	18.6	0	0	6.6	12.1	0
292	md	R	292-40	881	2	329.4	10.8	2	340.2	0	0	144.7	195.6	0
292	md	R	412-00	487	0	1.8	0	0	1.8	0	0	0	1.8	0
292	md	R	Deer_A	150577	3.7	16.1	0	1.5	18.3	0	0	7.2	12.6	0
292	md	R	SUM	151945	5.7	347.3	10.8	3.5	360.3	0	0	151.8	210	0
292	md	SUM	292-40	932	2	341.2	10.8	2	352	0	0	151.2	200.8	0
292	md	SUM	412-00	600	0	1.8	0	0	1.8	0	0	0	1.8	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
292	md	SUM	Deer_A	174790	3.7	23	0	1.5	25.2	0	0	7.2	19.5	0
292	md	SUM	SUM	176322	5.7	365.9	10.8	3.5	378.9	0	0	158.4	222.1	0
292	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
292	wt	N	292-00	1	0	0	0	0	0	0	0	0	0	0
292	wt	N	292-40	51	0	0	0	0	0	0	0	0	0	0
292	wt	N	Deer_A	24213	1.6	18.1	0	1.6	18.1	0	0	3.7	16	0
292	wt	N	SUM	24332	1.6	18.1	0	1.6	18.1	0	0	3.7	16	0
292	wt	R	002-10	1152	10.7	0	0	10.7	0	0	0	0	0	0
292	wt	R	292-00	49	1.4	25.5	0	1.4	25.5	0	0	0	0	0
292	wt	R	292-40	881	3.9	2	0	3.9	2	0	0	0	2	0
292	wt	R	Deer_A	150577	6.2	333.2	9.1	6.2	340.7	0	1.7	88.5	206.1	1.4
292	wt	R	SUM	152659	22.1	360.7	9.1	22.1	368.1	0	1.7	88.5	208.1	1.4
292	wt	SUM	002-10	1219	10.7	0	0	10.7	0	0	0	0	0	0
292	wt	SUM	292-00	50	1.4	25.5	0	1.4	25.5	0	0	0	0	0
292	wt	SUM	292-40	932	3.9	2	0	3.9	2	0	0	0	2	0
292	wt	SUM	Deer_A	174790	7.8	351.3	9.1	7.8	358.7	0	1.7	92.2	222	1.4
292	wt	SUM	SUM	176991	23.7	378.8	9.1	23.7	386.2	0	1.7	92.2	224	1.4
293	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
293	all_deer	N	212-10	11	0	0	0	0	0	0	0	0	0	0
293	all_deer	N	260-20	6	0	0	0	0	0	0	0	0	0	0
293	all_deer	N	293-00	3	0	1	0	0	1	0	0	0	0	0
293	all_deer	N	Deer_A	24213	0	30.9	0	0	30.9	0	0	19.8	11.2	0
293	all_deer	N	SUM	24300	0	31.9	0	0	31.9	0	0	19.8	11.2	0
293	all_deer	R	002-10	1152	2.1	0	0	2.1	0	0	0	0	0	0
293	all_deer	R	212-10	194	0	3.1	0	0	3.1	0	0	0	0	0
293	all_deer	R	260-20	294	0	1.7	0	0	1.7	0	0	0	1.7	0
293	all_deer	R	293-00	46	0	18.9	0	0	18.9	0	0	0	0	0
293	all_deer	R	339-00	150	0	1.9	0	0	1.9	0	0	1.9	0	0
293	all_deer	R	Deer_A	150577	26.1	312.1	0	21.7	316.4	0	0	111.5	185.7	4.1
293	all_deer	R	SUM	152413	28.2	337.7	0	23.9	342	0	0	113.4	187.3	4.1
293	all_deer	SUM	002-10	1219	2.1	0	0	2.1	0	0	0	0	0	0
293	all_deer	SUM	212-10	205	0	3.1	0	0	3.1	0	0	0	0	0
293	all_deer	SUM	260-20	300	0	1.7	0	0	1.7	0	0	0	1.7	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
293	all_deer	SUM	293-00	49	0	19.9	0	0	19.9	0	0	0	0	0
293	all_deer	SUM	339-00	150	0	1.9	0	0	1.9	0	0	1.9	0	0
293	all_deer	SUM	Deer_A	174790	26.1	343	0	21.7	347.4	0	0	131.3	196.8	4.1
293	all_deer	SUM	SUM	176713	28.2	369.6	0	23.9	374	0	0	133.2	198.5	4.1
293	md	N	Deer_A	24213	0	12.3	0	0	12.3	0	0	12.3	0	0
293	md	N	SUM	24213	0	12.3	0	0	12.3	0	0	12.3	0	0
293	md	R	Deer_A	150577	13.9	173.2	0	8.1	179.1	0	0	84.3	94.8	4.1
293	md	R	SUM	150577	13.9	173.2	0	8.1	179.1	0	0	84.3	94.8	4.1
293	md	SUM	Deer_A	174790	13.9	185.6	0	8.1	191.4	0	0	96.6	94.8	4.1
293	md	SUM	SUM	174790	13.9	185.6	0	8.1	191.4	0	0	96.6	94.8	4.1
293	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
293	wt	N	212-10	11	0	0	0	0	0	0	0	0	0	0
293	wt	N	260-20	6	0	0	0	0	0	0	0	0	0	0
293	wt	N	293-00	3	0	1	0	0	1	0	0	0	0	0
293	wt	N	Deer_A	24213	0	18.6	0	0	18.6	0	0	7.5	11.2	0
293	wt	N	SUM	24300	0	19.6	0	0	19.6	0	0	7.5	11.2	0
293	wt	R	002-10	1152	2.1	0	0	2.1	0	0	0	0	0	0
293	wt	R	212-10	194	0	3.1	0	0	3.1	0	0	0	0	0
293	wt	R	260-20	294	0	1.7	0	0	1.7	0	0	0	1.7	0
293	wt	R	293-00	46	0	18.9	0	0	18.9	0	0	0	0	0
293	wt	R	339-00	150	0	1.9	0	0	1.9	0	0	1.9	0	0
293	wt	R	Deer_A	150577	12.2	138.8	0	13.6	137.3	0	0	27.2	90.9	0
293	wt	R	SUM	152413	14.3	164.5	0	15.7	163	0	0	29.2	92.5	0
293	wt	SUM	002-10	1219	2.1	0	0	2.1	0	0	0	0	0	0
293	wt	SUM	212-10	205	0	3.1	0	0	3.1	0	0	0	0	0
293	wt	SUM	260-20	300	0	1.7	0	0	1.7	0	0	0	1.7	0
293	wt	SUM	293-00	49	0	19.9	0	0	19.9	0	0	0	0	0
293	wt	SUM	339-00	150	0	1.9	0	0	1.9	0	0	1.9	0	0
293	wt	SUM	Deer_A	174790	12.2	157.5	0	13.6	156	0	0	34.7	102	0
293	wt	SUM	SUM	176713	14.3	184.1	0	15.7	182.6	0	0	36.6	103.7	0
2XX	all_deer	N	698-00	712	0	3	0	0	3	0	0	0	0	0
2XX	all_deer	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
2XX	all_deer	N	SUM	24925	0	6.7	0	0	6.7	0	0	0	3.7	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
2XX	all_deer	R	210-00	18	1.1	0	0	1.1	0	0	0	0	0	0
2XX	all_deer	R	270-01	132	0	1.3	0	0	1.3	0	0	0	0	0
2XX	all_deer	R	322-00	173	0	1.3	0	0	1.3	0	0	0	0	0
2XX	all_deer	R	Deer_A	150577	0	17.6	0	0	17.6	0	0	4.1	13.5	0
2XX	all_deer	R	SUM	150900	1.1	20.2	0	1.1	20.2	0	0	4.1	13.5	0
2XX	all_deer	SUM	210-00	18	1.1	0	0	1.1	0	0	0	0	0	0
2XX	all_deer	SUM	270-01	132	0	1.3	0	0	1.3	0	0	0	0	0
2XX	all_deer	SUM	322-00	173	0	1.3	0	0	1.3	0	0	0	0	0
2XX	all_deer	SUM	698-00	712	0	3	0	0	3	0	0	0	0	0
2XX	all_deer	SUM	Deer_A	174790	0	21.3	0	0	21.3	0	0	4.1	17.2	0
2XX	all_deer	SUM	SUM	175825	1.1	27	0	1.1	27	0	0	4.1	17.2	0
2XX	md	R	270-01	132	0	1.3	0	0	1.3	0	0	0	0	0
2XX	md	R	Deer_A	150577	0	9.8	0	0	9.8	0	0	4.1	5.7	0
2XX	md	R	SUM	150709	0	11.1	0	0	11.1	0	0	4.1	5.7	0
2XX	md	SUM	270-01	132	0	1.3	0	0	1.3	0	0	0	0	0
2XX	md	SUM	Deer_A	150577	0	9.8	0	0	9.8	0	0	4.1	5.7	0
2XX	md	SUM	SUM	150709	0	11.1	0	0	11.1	0	0	4.1	5.7	0
2XX	wt	N	698-00	712	0	3	0	0	3	0	0	0	0	0
2XX	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
2XX	wt	N	SUM	24925	0	6.7	0	0	6.7	0	0	0	3.7	0
2XX	wt	R	210-00	18	1.1	0	0	1.1	0	0	0	0	0	0
2XX	wt	R	322-00	173	0	1.3	0	0	1.3	0	0	0	0	0
2XX	wt	R	Deer_A	150577	0	7.8	0	0	7.8	0	0	0	7.8	0
2XX	wt	R	SUM	150768	1.1	9.1	0	1.1	9.1	0	0	0	7.8	0
2XX	wt	SUM	210-00	18	1.1	0	0	1.1	0	0	0	0	0	0
2XX	wt	SUM	322-00	173	0	1.3	0	0	1.3	0	0	0	0	0
2XX	wt	SUM	698-00	712	0	3	0	0	3	0	0	0	0	0
2XX	wt	SUM	Deer_A	174790	0	11.5	0	0	11.5	0	0	0	11.5	0
2XX	wt	SUM	SUM	175693	1.1	15.9	0	1.1	15.9	0	0	0	11.5	0
300	all_deer	N	300-00	13	0	3.8	0	0	3.8	0	0	0	0	0
300	all_deer	N	300-50	2	0	0	0	0	0	0	0	0	0	0
300	all_deer	N	309-01	3	0	0	0	0	0	0	0	0	0	0
300	all_deer	N	326-00	60	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
300	all_deer	N	Deer_A	24213	7.5	16.6	0	7.5	16.6	0	0	11.2	5.4	0
300	all_deer	N	SUM	24291	7.5	20.3	0	7.5	20.3	0	0	11.2	5.4	0
300	all_deer	R	003-10	7329	0	14.3	0	0	14.3	0	0	0	0	0
300	all_deer	R	300-00	137	0	41.3	0	0	41.3	0	0	0	0	0
300	all_deer	R	300-50	38	0	21.2	0	0	21.2	0	0	1.6	19.6	0
300	all_deer	R	309-01	497	1.6	0	0	0	1.6	0	0	1.6	0	0
300	all_deer	R	326-00	440	0	1.5	0	0	1.5	0	0	0	0	0
300	all_deer	R	Deer_A	150577	0	30	0	0	30	0	0	6.4	18.8	0
300	all_deer	R	SUM	159018	1.6	108.3	0	0	109.9	0	0	9.6	38.4	0
300	all_deer	SUM	003-10	7329	0	14.3	0	0	14.3	0	0	0	0	0
300	all_deer	SUM	300-00	150	0	45.1	0	0	45.1	0	0	0	0	0
300	all_deer	SUM	300-50	40	0	21.2	0	0	21.2	0	0	1.6	19.6	0
300	all_deer	SUM	309-01	500	1.6	0	0	0	1.6	0	0	1.6	0	0
300	all_deer	SUM	326-00	500	0	1.5	0	0	1.5	0	0	0	0	0
300	all_deer	SUM	Deer_A	174790	7.5	46.5	0	7.5	46.5	0	0	17.6	24.2	0
300	all_deer	SUM	SUM	183309	9.1	128.6	0	7.5	130.2	0	0	20.8	43.8	0
300	md	N	300-00	13	0	3.8	0	0	3.8	0	0	0	0	0
300	md	N	300-50	2	0	0	0	0	0	0	0	0	0	0
300	md	N	326-00	60	0	0	0	0	0	0	0	0	0	0
300	md	N	Deer_A	24213	7.5	16.6	0	7.5	16.6	0	0	11.2	5.4	0
300	md	N	SUM	24288	7.5	20.3	0	7.5	20.3	0	0	11.2	5.4	0
300	md	R	003-10	7329	0	2	0	0	2	0	0	0	0	0
300	md	R	300-00	137	0	41.3	0	0	41.3	0	0	0	0	0
300	md	R	300-50	38	0	21.2	0	0	21.2	0	0	1.6	19.6	0
300	md	R	326-00	440	0	1.5	0	0	1.5	0	0	0	0	0
300	md	R	Deer_A	150577	0	9.5	0	0	9.5	0	0	4.1	4.1	0
300	md	R	SUM	158521	0	75.5	0	0	75.5	0	0	5.7	23.6	0
300	md	SUM	003-10	7329	0	2	0	0	2	0	0	0	0	0
300	md	SUM	300-00	150	0	45.1	0	0	45.1	0	0	0	0	0
300	md	SUM	300-50	40	0	21.2	0	0	21.2	0	0	1.6	19.6	0
300	md	SUM	326-00	500	0	1.5	0	0	1.5	0	0	0	0	0
300	md	SUM	Deer_A	174790	7.5	26.1	0	7.5	26.1	0	0	15.2	9.4	0
300	md	SUM	SUM	182809	7.5	95.8	0	7.5	95.8	0	0	16.8	29	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
300	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
300	wt	N	309-01	3	0	0	0	0	0	0	0	0	0	0
300	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
300	wt	N	SUM	24993	0	0	0	0	0	0	0	0	0	0
300	wt	R	003-10	7329	0	12.3	0	0	12.3	0	0	0	0	0
300	wt	R	309-01	497	1.6	0	0	0	1.6	0	0	1.6	0	0
300	wt	R	Deer_A	150577	0	20.5	0	0	20.5	0	0	2.3	14.8	0
300	wt	R	SUM	158403	1.6	32.8	0	0	34.4	0	0	3.9	14.8	0
300	wt	SUM	003-10	7329	0	12.3	0	0	12.3	0	0	0	0	0
300	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
300	wt	SUM	309-01	500	1.6	0	0	0	1.6	0	0	1.6	0	0
300	wt	SUM	Deer_A	174790	0	20.5	0	0	20.5	0	0	2.3	14.8	0
300	wt	SUM	SUM	183396	1.6	32.8	0	0	34.4	0	0	3.9	14.8	0
301	all_deer	N	003-12	777	2.5	5.4	0	2.5	5.4	0	0	0	0	0
301	all_deer	N	301-00	1	0	1	0	0	1	0	0	0	0	0
301	all_deer	N	309-01	3	0	0	0	0	0	0	0	0	0	0
301	all_deer	N	315-01	20	0	0	0	0	0	0	0	0	0	0
301	all_deer	N	598-00	236	0	1.3	0	0	1.3	0	0	0	0	0
301	all_deer	N	Deer_A	24213	0	11	0	0	11	0	0	0	11	0
301	all_deer	N	SUM	25250	2.5	18.6	0	2.5	18.6	0	0	0	11	0
301	all_deer	R	003-10	7329	12	60.9	0	9.5	60.9	2.5	0	0	0	0
301	all_deer	R	007-10	3970	0	4	0	0	4	0	0	0	4	0
301	all_deer	R	301-00	24	0	8.2	0	0	8.2	0	0	0	0	0
301	all_deer	R	301-01	16	1.2	6.6	0	0	7.8	0	0	0	0	0
301	all_deer	R	309-01	497	0	1.7	0	0	1.7	0	0	0	1.7	0
301	all_deer	R	315-01	230	0	1.3	0	0	1.3	0	0	0	0	0
301	all_deer	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
301	all_deer	R	Deer_A	150577	18.2	197	1.5	15.4	199.7	1.5	0	52.6	128	0
301	all_deer	R	SUM	164657	31.4	279.7	1.5	24.9	283.7	4	0	52.6	133.7	0
301	all_deer	SUM	003-10	7329	12	60.9	0	9.5	60.9	2.5	0	0	0	0
301	all_deer	SUM	003-12	777	2.5	5.4	0	2.5	5.4	0	0	0	0	0
301	all_deer	SUM	007-10	3970	0	4	0	0	4	0	0	0	4	0
301	all_deer	SUM	301-00	25	0	9.2	0	0	9.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
301	all_deer	SUM	301-01	16	1.2	6.6	0	0	7.8	0	0	0	0	0
301	all_deer	SUM	309-01	500	0	1.7	0	0	1.7	0	0	0	1.7	0
301	all_deer	SUM	315-01	250	0	1.3	0	0	1.3	0	0	0	0	0
301	all_deer	SUM	598-00	2250	0	1.3	0	0	1.3	0	0	0	0	0
301	all_deer	SUM	Deer_A	174790	18.2	207.9	1.5	15.4	210.7	1.5	0	52.6	139	0
301	all_deer	SUM	SUM	189907	33.9	298.3	1.5	27.4	302.3	4	0	52.6	144.7	0
301	md	N	301-00	1	0	1	0	0	1	0	0	0	0	0
301	md	N	Deer_A	24213	0	11	0	0	11	0	0	0	11	0
301	md	N	SUM	24214	0	12	0	0	12	0	0	0	11	0
301	md	R	003-10	7329	0	5.6	0	0	5.6	0	0	0	0	0
301	md	R	301-00	24	0	8.2	0	0	8.2	0	0	0	0	0
301	md	R	Deer_A	150577	6.4	81.5	0	6.4	81.5	0	0	34	43.4	0
301	md	R	SUM	157930	6.4	95.3	0	6.4	95.3	0	0	34	43.4	0
301	md	SUM	003-10	7329	0	5.6	0	0	5.6	0	0	0	0	0
301	md	SUM	301-00	25	0	9.2	0	0	9.2	0	0	0	0	0
301	md	SUM	Deer_A	174790	6.4	92.5	0	6.4	92.5	0	0	34	54.4	0
301	md	SUM	SUM	182144	6.4	107.2	0	6.4	107.2	0	0	34	54.4	0
301	wt	N	003-12	777	2.5	5.4	0	2.5	5.4	0	0	0	0	0
301	wt	N	309-01	3	0	0	0	0	0	0	0	0	0	0
301	wt	N	315-01	20	0	0	0	0	0	0	0	0	0	0
301	wt	N	598-00	236	0	1.3	0	0	1.3	0	0	0	0	0
301	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
301	wt	N	SUM	25249	2.5	6.6	0	2.5	6.6	0	0	0	0	0
301	wt	R	003-10	7329	12	51.9	0	9.5	51.9	2.5	0	0	0	0
301	wt	R	007-10	3970	0	4	0	0	4	0	0	0	4	0
301	wt	R	301-01	16	1.2	6.6	0	0	7.8	0	0	0	0	0
301	wt	R	309-01	497	0	1.7	0	0	1.7	0	0	0	1.7	0
301	wt	R	315-01	230	0	1.3	0	0	1.3	0	0	0	0	0
301	wt	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
301	wt	R	Deer_A	150577	11.8	115.5	1.5	9.1	118.3	1.5	0	18.6	84.6	0
301	wt	R	SUM	164633	25	180.9	1.5	18.5	184.9	4	0	18.6	90.3	0
301	wt	SUM	003-10	7329	12	51.9	0	9.5	51.9	2.5	0	0	0	0
301	wt	SUM	003-12	777	2.5	5.4	0	2.5	5.4	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
301	wt	SUM	007-10	3970	0	4	0	0	4	0	0	0	4	0
301	wt	SUM	301-01	16	1.2	6.6	0	0	7.8	0	0	0	0	0
301	wt	SUM	309-01	500	0	1.7	0	0	1.7	0	0	0	1.7	0
301	wt	SUM	315-01	250	0	1.3	0	0	1.3	0	0	0	0	0
301	wt	SUM	598-00	2250	0	1.3	0	0	1.3	0	0	0	0	0
301	wt	SUM	Deer_A	174790	11.8	115.5	1.5	9.1	118.3	1.5	0	18.6	84.6	0
301	wt	SUM	SUM	189882	27.5	187.6	1.5	21	191.6	4	0	18.6	90.3	0
302	all_deer	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
302	all_deer	N	302-00	20	0	10.4	0	0	10.4	0	0	0	2	0
302	all_deer	N	Deer_A	24213	0	47.9	0	0	47.9	0	0	14.4	22.4	0
302	all_deer	N	SUM	25010	0	62.4	0	0	62.4	0	0	14.4	24.3	0
302	all_deer	R	003-10	7329	0	17.1	0	0	17.1	0	0	0	0	0
302	all_deer	R	302-00	130	0	40.1	0	0	40.1	0	0	0	0	0
302	all_deer	R	Deer_A	150577	0	71.6	0	0	71.6	0	0	42.3	22	0
302	all_deer	R	SUM	158036	0	128.8	0	0	128.8	0	0	42.3	22	0
302	all_deer	SUM	003-10	7329	0	17.1	0	0	17.1	0	0	0	0	0
302	all_deer	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
302	all_deer	SUM	302-00	150	0	50.5	0	0	50.5	0	0	0	2	0
302	all_deer	SUM	Deer_A	174790	0	119.5	0	0	119.5	0	0	56.6	44.4	0
302	all_deer	SUM	SUM	183046	0	191.2	0	0	191.2	0	0	56.6	46.4	0
302	md	N	302-00	20	0	8.8	0	0	8.8	0	0	0	2	0
302	md	N	Deer_A	24213	0	47.9	0	0	47.9	0	0	14.4	22.4	0
302	md	N	SUM	24233	0	56.7	0	0	56.7	0	0	14.4	24.3	0
302	md	R	302-00	130	0	40.1	0	0	40.1	0	0	0	0	0
302	md	R	Deer_A	150577	0	50.7	0	0	50.7	0	0	34.1	15.1	0
302	md	R	SUM	150707	0	90.8	0	0	90.8	0	0	34.1	15.1	0
302	md	SUM	302-00	150	0	48.9	0	0	48.9	0	0	0	2	0
302	md	SUM	Deer_A	174790	0	98.6	0	0	98.6	0	0	48.5	37.4	0
302	md	SUM	SUM	174940	0	147.5	0	0	147.5	0	0	48.5	39.4	0
302	wt	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
302	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
302	wt	N	SUM	24990	0	4.1	0	0	4.1	0	0	0	0	0
302	wt	R	003-10	7329	0	17.1	0	0	17.1	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
302	wt	R	Deer_A	150577	0	20.9	0	0	20.9	0	0	8.2	7	0
302	wt	R	SUM	157906	0	37.9	0	0	37.9	0	0	8.2	7	0
302	wt	SUM	003-10	7329	0	17.1	0	0	17.1	0	0	0	0	0
302	wt	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
302	wt	SUM	Deer_A	174790	0	20.9	0	0	20.9	0	0	8.2	7	0
302	wt	SUM	SUM	182896	0	42	0	0	42	0	0	8.2	7	0
309	all_deer	N	309-01	3	0	0	0	0	0	0	0	0	0	0
309	all_deer	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
309	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
309	all_deer	N	SUM	24216	0	0	0	0	0	0	0	0	0	0
309	all_deer	R	003-10	7329	42.9	80.3	0	34.8	81.5	3.4	3.4	0	5.9	0
309	all_deer	R	309-00	15	1.2	1.2	0	0	1.2	1.2	0	0	0	0
309	all_deer	R	309-01	497	46.2	140.9	2	21.7	107.1	58.3	2	0	4.1	0
309	all_deer	R	Deer_A	150577	37.9	187.4	4.1	10.7	180.1	38.6	0	49.3	126.2	2.3
309	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
309	all_deer	R	SUM	158418	128.2	413.8	6.1	67.1	373.9	101.6	5.5	49.3	136.2	2.3
309	all_deer	SUM	003-10	7329	42.9	80.3	0	34.8	81.5	3.4	3.4	0	5.9	0
309	all_deer	SUM	309-00	15	1.2	1.2	0	0	1.2	1.2	0	0	0	0
309	all_deer	SUM	309-01	500	46.2	140.9	2	21.7	107.1	58.3	2	0	4.1	0
309	all_deer	SUM	Deer_A	174790	37.9	187.4	4.1	10.7	180.1	38.6	0	49.3	126.2	2.3
309	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
309	all_deer	SUM	SUM	182634	128.2	413.8	6.1	67.1	373.9	101.6	5.5	49.3	136.2	2.3
309	md	N	309-01	3	0	0	0	0	0	0	0	0	0	0
309	md	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
309	md	N	none	.	0	0	0	0	0	0	0	0	0	0
309	md	N	SUM	24216	0	0	0	0	0	0	0	0	0	0
309	md	R	309-00	15	0	1.2	0	0	1.2	0	0	0	0	0
309	md	R	309-01	497	2	1.8	0	2	1.8	0	0	0	0	0
309	md	R	Deer_A	150577	0	19.7	0	0	19.7	0	0	18.3	1.4	0
309	md	R	none	.	0	0	0	0	0	0	0	0	0	0
309	md	R	SUM	151089	2	22.7	0	2	22.7	0	0	18.3	1.4	0
309	md	SUM	309-00	15	0	1.2	0	0	1.2	0	0	0	0	0
309	md	SUM	309-01	500	2	1.8	0	2	1.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
309	md	SUM	Deer_A	174790	0	19.7	0	0	19.7	0	0	18.3	1.4	0
309	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
309	md	SUM	SUM	175305	2	22.7	0	2	22.7	0	0	18.3	1.4	0
309	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
309	wt	N	309-01	3	0	0	0	0	0	0	0	0	0	0
309	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
309	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
309	wt	N	SUM	24993	0	0	0	0	0	0	0	0	0	0
309	wt	R	003-10	7329	42.9	80.3	0	34.8	81.5	3.4	3.4	0	5.9	0
309	wt	R	309-00	15	1.2	0	0	0	0	1.2	0	0	0	0
309	wt	R	309-01	497	44.2	139.1	2	19.7	105.3	58.3	2	0	4.1	0
309	wt	R	Deer_A	150577	37.9	167.7	4.1	10.7	160.4	38.6	0	31	124.8	2.3
309	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
309	wt	R	SUM	158418	126.2	391.2	6.1	65.1	351.3	101.6	5.5	31	134.9	2.3
309	wt	SUM	003-10	7329	42.9	80.3	0	34.8	81.5	3.4	3.4	0	5.9	0
309	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
309	wt	SUM	309-00	15	1.2	0	0	0	0	1.2	0	0	0	0
309	wt	SUM	309-01	500	44.2	139.1	2	19.7	105.3	58.3	2	0	4.1	0
309	wt	SUM	Deer_A	174790	37.9	167.7	4.1	10.7	160.4	38.6	0	31	124.8	2.3
309	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
309	wt	SUM	SUM	183411	126.2	391.2	6.1	65.1	351.3	101.6	5.5	31	134.9	2.3
310	all_deer	N	310-00	2	0	2	0	0	2	0	0	0	0	0
310	all_deer	N	Deer_A	24213	0	1.1	0	0	1.1	0	0	1.1	0	0
310	all_deer	N	SUM	24215	0	3.1	0	0	3.1	0	0	1.1	0	0
310	all_deer	R	003-10	7329	0	9.1	0	0	9.1	0	0	0	0	0
310	all_deer	R	310-00	23	0	5.2	0	0	5.2	0	0	0	0	0
310	all_deer	R	Deer_A	150577	5.4	41.9	0	0	45.9	0	1.4	9.5	32.3	0
310	all_deer	R	SUM	157929	5.4	56.2	0	0	60.3	0	1.4	9.5	32.3	0
310	all_deer	SUM	003-10	7329	0	9.1	0	0	9.1	0	0	0	0	0
310	all_deer	SUM	310-00	25	0	7.2	0	0	7.2	0	0	0	0	0
310	all_deer	SUM	Deer_A	174790	5.4	43	0	0	47.1	0	1.4	10.6	32.3	0
310	all_deer	SUM	SUM	182144	5.4	59.4	0	0	63.4	0	1.4	10.6	32.3	0
310	md	N	310-00	2	0	2	0	0	2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
310	md	N	Deer_A	24213	0	1.1	0	0	1.1	0	0	1.1	0	0
310	md	N	SUM	24215	0	3.1	0	0	3.1	0	0	1.1	0	0
310	md	R	310-00	23	0	5.2	0	0	5.2	0	0	0	0	0
310	md	R	Deer_A	150577	5.4	33.1	0	0	37.2	0	1.4	9.5	23.6	0
310	md	R	SUM	150600	5.4	38.4	0	0	42.4	0	1.4	9.5	23.6	0
310	md	SUM	310-00	25	0	7.2	0	0	7.2	0	0	0	0	0
310	md	SUM	Deer_A	174790	5.4	34.3	0	0	38.3	0	1.4	10.6	23.6	0
310	md	SUM	SUM	174815	5.4	41.5	0	0	45.6	0	1.4	10.6	23.6	0
310	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
310	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
310	wt	N	SUM	24990	0	0	0	0	0	0	0	0	0	0
310	wt	R	003-10	7329	0	9.1	0	0	9.1	0	0	0	0	0
310	wt	R	Deer_A	150577	0	8.7	0	0	8.7	0	0	0	8.7	0
310	wt	R	SUM	157906	0	17.9	0	0	17.9	0	0	0	8.7	0
310	wt	SUM	003-10	7329	0	9.1	0	0	9.1	0	0	0	0	0
310	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
310	wt	SUM	Deer_A	174790	0	8.7	0	0	8.7	0	0	0	8.7	0
310	wt	SUM	SUM	182896	0	17.9	0	0	17.9	0	0	0	8.7	0
311	all_deer	N	003-12	777	4.1	10	0	0	14	0	0	0	0	0
311	all_deer	N	301-00	1	0	0	0	0	0	0	0	0	0	0
311	all_deer	N	311-00	2	0	0	0	0	0	0	0	0	0	0
311	all_deer	N	311-02	12	1.2	6.5	0	1.2	6.5	0	0	0	0	0
311	all_deer	N	312-01	1	0	0	0	0	0	0	0	0	0	0
311	all_deer	N	330-00	35	0	2.7	0	0	2.7	0	0	0	0	0
311	all_deer	N	333-01	15	0	0	0	0	0	0	0	0	0	0
311	all_deer	N	333-02	6	0	0	0	0	0	0	0	0	0	0
311	all_deer	N	333-03	37	0	1.4	0	0	1.4	0	0	0	0	0
311	all_deer	N	Deer_A	24213	0	17.1	0	0	17.1	0	0	3.7	13.3	0
311	all_deer	N	none	.	0	0	0	0	0	0	3.8	0	0	0
311	all_deer	N	SUM	25099	5.3	37.7	0	1.2	41.7	0	3.8	3.7	13.3	0
311	all_deer	R	003-10	7329	29.7	246.9	2.1	18.6	256.6	0	3.4	5.7	0	0
311	all_deer	R	301-00	24	0	1.7	0	0	1.7	0	0	0	0	0
311	all_deer	R	311-00	48	0	29.8	0	0	29.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
311	all_deer	R	311-01	50	1.4	14.4	0	1.4	14.4	0	0	0	0	0
311	all_deer	R	311-02	288	1.6	126.2	1.5	1.6	127.7	0	0	1.5	0	0
311	all_deer	R	312-01	74	1.3	0	0	1.3	0	0	0	0	0	0
311	all_deer	R	330-00	215	0	0	0	0	0	0	0	0	0	0
311	all_deer	R	333-01	285	0	1.5	0	0	1.5	0	0	0	0	0
311	all_deer	R	333-02	218	0	4.1	0	0	4.1	0	0	1.5	1.3	0
311	all_deer	R	333-03	299	0	4.5	0	0	4.5	0	0	0	0	0
311	all_deer	R	Deer_A	150577	21	660.1	0	15.9	661.2	4.1	0	246.9	330.1	0
311	all_deer	R	none	.	0	8.1	0	0	8.1	0	0	0	0	0
311	all_deer	R	SUM	159407	55	1097.3	3.6	38.8	1109.5	4.1	3.4	255.6	331.4	0
311	all_deer	SUM	003-10	7329	29.7	246.9	2.1	18.6	256.6	0	3.4	5.7	0	0
311	all_deer	SUM	003-12	777	4.1	10	0	0	14	0	0	0	0	0
311	all_deer	SUM	301-00	25	0	1.7	0	0	1.7	0	0	0	0	0
311	all_deer	SUM	311-00	50	0	29.8	0	0	29.8	0	0	0	0	0
311	all_deer	SUM	311-01	50	1.4	14.4	0	1.4	14.4	0	0	0	0	0
311	all_deer	SUM	311-02	300	2.8	132.6	1.5	2.8	134.1	0	0	1.5	0	0
311	all_deer	SUM	312-01	75	1.3	0	0	1.3	0	0	0	0	0	0
311	all_deer	SUM	330-00	250	0	2.7	0	0	2.7	0	0	0	0	0
311	all_deer	SUM	333-01	300	0	1.5	0	0	1.5	0	0	0	0	0
311	all_deer	SUM	333-02	224	0	4.1	0	0	4.1	0	0	1.5	1.3	0
311	all_deer	SUM	333-03	336	0	5.9	0	0	5.9	0	0	0	0	0
311	all_deer	SUM	Deer_A	174790	21	677.2	0	15.9	678.3	4.1	0	250.6	343.4	0
311	all_deer	SUM	none	.	0	8.1	0	0	8.1	0	3.8	0	0	0
311	all_deer	SUM	SUM	184506	60.3	1134.9	3.6	40	1151.3	4.1	7.2	259.3	344.7	0
311	md	N	301-00	1	0	0	0	0	0	0	0	0	0	0
311	md	N	311-00	2	0	0	0	0	0	0	0	0	0	0
311	md	N	311-02	12	1.2	6.5	0	1.2	6.5	0	0	0	0	0
311	md	N	330-00	35	0	2.7	0	0	2.7	0	0	0	0	0
311	md	N	333-01	15	0	0	0	0	0	0	0	0	0	0
311	md	N	333-02	6	0	0	0	0	0	0	0	0	0	0
311	md	N	333-03	37	0	1.4	0	0	1.4	0	0	0	0	0
311	md	N	Deer_A	24213	0	11.2	0	0	11.2	0	0	3.7	7.5	0
311	md	N	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
311	md	N	SUM	24321	1.2	21.8	0	1.2	21.8	0	0	3.7	7.5	0
311	md	R	301-00	24	0	1.7	0	0	1.7	0	0	0	0	0
311	md	R	311-00	48	0	28	0	0	28	0	0	0	0	0
311	md	R	311-02	288	1.6	124.9	1.5	1.6	126.4	0	0	1.5	0	0
311	md	R	330-00	215	0	0	0	0	0	0	0	0	0	0
311	md	R	333-01	285	0	1.5	0	0	1.5	0	0	0	0	0
311	md	R	333-02	218	0	1.5	0	0	1.5	0	0	1.5	0	0
311	md	R	333-03	299	0	2.8	0	0	2.8	0	0	0	0	0
311	md	R	Deer_A	150577	5.5	244.8	0	5.5	244.8	0	0	130.5	104.3	0
311	md	R	none	.	0	0	0	0	0	0	0	0	0	0
311	md	R	SUM	151954	7.1	405.1	1.5	7.1	406.6	0	0	133.5	104.3	0
311	md	SUM	301-00	25	0	1.7	0	0	1.7	0	0	0	0	0
311	md	SUM	311-00	50	0	28	0	0	28	0	0	0	0	0
311	md	SUM	311-02	300	2.8	131.3	1.5	2.8	132.8	0	0	1.5	0	0
311	md	SUM	330-00	250	0	2.7	0	0	2.7	0	0	0	0	0
311	md	SUM	333-01	300	0	1.5	0	0	1.5	0	0	0	0	0
311	md	SUM	333-02	224	0	1.5	0	0	1.5	0	0	1.5	0	0
311	md	SUM	333-03	336	0	4.3	0	0	4.3	0	0	0	0	0
311	md	SUM	Deer_A	174790	5.5	255.9	0	5.5	255.9	0	0	134.2	111.7	0
311	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
311	md	SUM	SUM	176275	8.3	426.9	1.5	8.3	428.5	0	0	137.2	111.7	0
311	wt	N	003-12	777	4.1	10	0	0	14	0	0	0	0	0
311	wt	N	311-02	12	0	0	0	0	0	0	0	0	0	0
311	wt	N	312-01	1	0	0	0	0	0	0	0	0	0	0
311	wt	N	333-02	6	0	0	0	0	0	0	0	0	0	0
311	wt	N	333-03	37	0	0	0	0	0	0	0	0	0	0
311	wt	N	Deer_A	24213	0	5.9	0	0	5.9	0	0	0	5.9	0
311	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
311	wt	N	SUM	25046	4.1	15.9	0	0	19.9	0	0	0	5.9	0
311	wt	R	003-10	7329	29.7	246.9	2.1	18.6	256.6	0	3.4	5.7	0	0
311	wt	R	311-00	48	0	1.9	0	0	1.9	0	0	0	0	0
311	wt	R	311-01	50	1.4	14.4	0	1.4	14.4	0	0	0	0	0
311	wt	R	311-02	288	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
311	wt	R	312-01	74	1.3	0	0	1.3	0	0	0	0	0	0
311	wt	R	333-02	218	0	2.6	0	0	2.6	0	0	0	1.3	0
311	wt	R	333-03	299	0	1.6	0	0	1.6	0	0	0	0	0
311	wt	R	Deer_A	150577	15.5	415.4	0	10.3	416.5	4.1	0	116.4	225.8	0
311	wt	R	none	.	0	8.1	0	0	8.1	0	0	0	0	0
311	wt	R	SUM	158883	47.9	692.1	2.1	31.7	702.9	4.1	3.4	122.1	227.1	0
311	wt	SUM	003-10	7329	29.7	246.9	2.1	18.6	256.6	0	3.4	5.7	0	0
311	wt	SUM	003-12	777	4.1	10	0	0	14	0	0	0	0	0
311	wt	SUM	311-00	48	0	1.9	0	0	1.9	0	0	0	0	0
311	wt	SUM	311-01	50	1.4	14.4	0	1.4	14.4	0	0	0	0	0
311	wt	SUM	311-02	300	0	1.3	0	0	1.3	0	0	0	0	0
311	wt	SUM	312-01	75	1.3	0	0	1.3	0	0	0	0	0	0
311	wt	SUM	333-02	224	0	2.6	0	0	2.6	0	0	0	1.3	0
311	wt	SUM	333-03	336	0	1.6	0	0	1.6	0	0	0	0	0
311	wt	SUM	Deer_A	174790	15.5	421.2	0	10.3	422.3	4.1	0	116.4	231.7	0
311	wt	SUM	none	.	0	8.1	0	0	8.1	0	0	0	0	0
311	wt	SUM	SUM	183929	51.9	708	2.1	31.7	722.8	4.1	3.4	122.1	233	0
312	all_deer	N	003-12	777	0	11.6	0	0	11.6	0	0	0	0	0
312	all_deer	N	309-01	3	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	311-02	12	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	312-00	6	0	3.1	0	0	3.1	0	0	0	0	0
312	all_deer	N	312-01	1	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	312-50	1	0	1	0	0	1	0	0	0	1	0
312	all_deer	N	322-02	36	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	391-40	53	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	393-00	9	0	0	0	0	0	0	0	0	0	0
312	all_deer	N	Deer_A	24213	0	82	0	0	82	0	0	11.2	70.8	0
312	all_deer	N	SUM	25111	0	97.7	0	0	97.7	0	0	11.2	71.8	0
312	all_deer	R	003-10	7329	21.4	234.4	0	13.4	242.4	0	0	0	0	3.4
312	all_deer	R	004-10	7610	0	6.7	0	0	6.7	0	0	0	3.4	0
312	all_deer	R	309-01	497	0	2.4	0	0	2.4	0	0	0	2.4	0
312	all_deer	R	311-02	288	0	2.9	0	0	2.9	0	0	0	0	0
312	all_deer	R	312-00	237	14.1	67.8	0	14.1	67.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
312	all_deer	R	312-01	74	5.7	24.3	2.7	7.1	24.1	0	1.6	0	0	0
312	all_deer	R	312-50	124	3	34.2	0	1.3	35.9	0	0	7.5	29.8	0
312	all_deer	R	322-02	446	0	3.9	0	0	3.9	0	0	0	0	0
312	all_deer	R	391-40	376	0	1.4	0	0	1.4	0	0	0	0	0
312	all_deer	R	393-00	182	0	1.5	0	0	1.5	0	0	0	0	0
312	all_deer	R	Deer_A	150577	31.2	550.6	4.1	17.8	561	5.3	1.7	190.5	286.5	0
312	all_deer	R	SUM	167740	75.5	930.1	6.7	53.8	949.9	5.3	3.3	198	322	3.4
312	all_deer	SUM	003-10	7329	21.4	234.4	0	13.4	242.4	0	0	0	0	3.4
312	all_deer	SUM	003-12	777	0	11.6	0	0	11.6	0	0	0	0	0
312	all_deer	SUM	004-10	7610	0	6.7	0	0	6.7	0	0	0	3.4	0
312	all_deer	SUM	309-01	500	0	2.4	0	0	2.4	0	0	0	2.4	0
312	all_deer	SUM	311-02	300	0	2.9	0	0	2.9	0	0	0	0	0
312	all_deer	SUM	312-00	243	14.1	70.9	0	14.1	70.9	0	0	0	0	0
312	all_deer	SUM	312-01	75	5.7	24.3	2.7	7.1	24.1	0	1.6	0	0	0
312	all_deer	SUM	312-50	125	3	35.2	0	1.3	36.9	0	0	7.5	30.8	0
312	all_deer	SUM	322-02	482	0	3.9	0	0	3.9	0	0	0	0	0
312	all_deer	SUM	391-40	429	0	1.4	0	0	1.4	0	0	0	0	0
312	all_deer	SUM	393-00	191	0	1.5	0	0	1.5	0	0	0	0	0
312	all_deer	SUM	Deer_A	174790	31.2	632.6	4.1	17.8	642.9	5.3	1.7	201.7	357.3	0
312	all_deer	SUM	SUM	192851	75.5	1027.8	6.7	53.8	1047.6	5.3	3.3	209.2	393.8	3.4
312	md	N	311-02	12	0	0	0	0	0	0	0	0	0	0
312	md	N	312-00	6	0	3.1	0	0	3.1	0	0	0	0	0
312	md	N	312-01	1	0	0	0	0	0	0	0	0	0	0
312	md	N	312-50	1	0	1	0	0	1	0	0	0	1	0
312	md	N	391-40	53	0	0	0	0	0	0	0	0	0	0
312	md	N	393-00	9	0	0	0	0	0	0	0	0	0	0
312	md	N	Deer_A	24213	0	55.9	0	0	55.9	0	0	7.5	48.4	0
312	md	N	SUM	24295	0	60	0	0	60	0	0	7.5	49.4	0
312	md	R	003-10	7329	0	2.1	0	0	2.1	0	0	0	0	0
312	md	R	311-02	288	0	2.9	0	0	2.9	0	0	0	0	0
312	md	R	312-00	237	14.1	67.8	0	14.1	67.8	0	0	0	0	0
312	md	R	312-01	74	0	1.3	0	0	1.3	0	0	0	0	0
312	md	R	312-50	124	3	34.2	0	1.3	35.9	0	0	7.5	29.8	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
312	md	R	391-40	376	0	1.4	0	0	1.4	0	0	0	0	0
312	md	R	393-00	182	0	1.5	0	0	1.5	0	0	0	0	0
312	md	R	Deer_A	150577	1.7	168.5	4.1	1.7	169.2	3.4	0	58.6	106.9	0
312	md	R	SUM	159187	18.9	279.7	4.1	17.2	282.1	3.4	0	66	136.7	0
312	md	SUM	003-10	7329	0	2.1	0	0	2.1	0	0	0	0	0
312	md	SUM	311-02	300	0	2.9	0	0	2.9	0	0	0	0	0
312	md	SUM	312-00	243	14.1	70.9	0	14.1	70.9	0	0	0	0	0
312	md	SUM	312-01	75	0	1.3	0	0	1.3	0	0	0	0	0
312	md	SUM	312-50	125	3	35.2	0	1.3	36.9	0	0	7.5	30.8	0
312	md	SUM	391-40	429	0	1.4	0	0	1.4	0	0	0	0	0
312	md	SUM	393-00	191	0	1.5	0	0	1.5	0	0	0	0	0
312	md	SUM	Deer_A	174790	1.7	224.4	4.1	1.7	225	3.4	0	66	155.3	0
312	md	SUM	SUM	183482	18.9	339.7	4.1	17.2	342.1	3.4	0	73.5	186.1	0
312	wt	N	003-12	777	0	11.6	0	0	11.6	0	0	0	0	0
312	wt	N	309-01	3	0	0	0	0	0	0	0	0	0	0
312	wt	N	312-01	1	0	0	0	0	0	0	0	0	0	0
312	wt	N	322-02	36	0	0	0	0	0	0	0	0	0	0
312	wt	N	Deer_A	24213	0	26.1	0	0	26.1	0	0	3.7	22.4	0
312	wt	N	SUM	25030	0	37.7	0	0	37.7	0	0	3.7	22.4	0
312	wt	R	003-10	7329	21.4	232.3	0	13.4	240.3	0	0	0	0	3.4
312	wt	R	004-10	7610	0	6.7	0	0	6.7	0	0	0	3.4	0
312	wt	R	309-01	497	0	2.4	0	0	2.4	0	0	0	2.4	0
312	wt	R	312-01	74	5.7	23	2.7	7.1	22.7	0	1.6	0	0	0
312	wt	R	322-02	446	0	3.9	0	0	3.9	0	0	0	0	0
312	wt	R	Deer_A	150577	29.5	382.2	0	16.1	391.8	2	1.7	132	179.6	0
312	wt	R	SUM	166533	56.7	650.4	2.7	36.6	667.8	2	3.3	132	185.3	3.4
312	wt	SUM	003-10	7329	21.4	232.3	0	13.4	240.3	0	0	0	0	3.4
312	wt	SUM	003-12	777	0	11.6	0	0	11.6	0	0	0	0	0
312	wt	SUM	004-10	7610	0	6.7	0	0	6.7	0	0	0	3.4	0
312	wt	SUM	309-01	500	0	2.4	0	0	2.4	0	0	0	2.4	0
312	wt	SUM	312-01	75	5.7	23	2.7	7.1	22.7	0	1.6	0	0	0
312	wt	SUM	322-02	482	0	3.9	0	0	3.9	0	0	0	0	0
312	wt	SUM	Deer_A	174790	29.5	408.3	0	16.1	417.9	2	1.7	135.7	201.9	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
312	wt	SUM	SUM	191563	56.7	688.1	2.7	36.6	705.5	2	3.3	135.7	207.7	3.4
313	all_deer	N	312-00	6	0	0	0	0	0	0	0	0	0	0
313	all_deer	N	313-00	6	0	2	0	0	2	0	0	0	0	0
313	all_deer	N	313-01	1	0	0	0	0	0	0	0	0	0	0
313	all_deer	N	313-02	1	0	0	0	0	0	0	0	0	0	0
313	all_deer	N	314-00	16	0	0	0	0	0	0	0	0	0	0
313	all_deer	N	Deer_A	24213	3.7	94.3	0	3.7	94.3	0	0	22.4	70.8	0
313	all_deer	N	SUM	24243	3.7	96.3	0	3.7	96.3	0	0	22.4	70.8	0
313	all_deer	R	003-10	7329	0	6.2	0	0	6.2	0	0	0	0	0
313	all_deer	R	312-00	237	0	1.5	0	0	1.5	0	0	0	1.5	0
313	all_deer	R	313-00	95	0	25.2	1.5	0	25.2	1.5	0	0	0	0
313	all_deer	R	313-01	38	1.1	25.8	0	1.1	25.8	0	0	0	0	0
313	all_deer	R	313-02	24	1.2	16.9	0	1.2	16.9	0	0	0	0	0
313	all_deer	R	314-00	209	0	2.9	1.3	1.3	2.9	0	0	0	0	0
313	all_deer	R	Deer_A	150577	1.5	158.5	4.1	5.6	158.5	0	0	79.1	79.3	0
313	all_deer	R	SUM	158509	3.9	237	6.8	9.2	237	1.5	0	79.1	80.8	0
313	all_deer	SUM	003-10	7329	0	6.2	0	0	6.2	0	0	0	0	0
313	all_deer	SUM	312-00	243	0	1.5	0	0	1.5	0	0	0	1.5	0
313	all_deer	SUM	313-00	101	0	27.2	1.5	0	27.2	1.5	0	0	0	0
313	all_deer	SUM	313-01	39	1.1	25.8	0	1.1	25.8	0	0	0	0	0
313	all_deer	SUM	313-02	25	1.2	16.9	0	1.2	16.9	0	0	0	0	0
313	all_deer	SUM	314-00	225	0	2.9	1.3	1.3	2.9	0	0	0	0	0
313	all_deer	SUM	Deer_A	174790	5.2	252.8	4.1	9.3	252.8	0	0	101.4	150.1	0
313	all_deer	SUM	SUM	182752	7.6	333.3	6.8	13	333.2	1.5	0	101.4	151.6	0
313	md	N	312-00	6	0	0	0	0	0	0	0	0	0	0
313	md	N	313-00	6	0	2	0	0	2	0	0	0	0	0
313	md	N	313-01	1	0	0	0	0	0	0	0	0	0	0
313	md	N	313-02	1	0	0	0	0	0	0	0	0	0	0
313	md	N	314-00	16	0	0	0	0	0	0	0	0	0	0
313	md	N	Deer_A	24213	3.7	93.1	0	3.7	93.1	0	0	22.4	70.8	0
313	md	N	SUM	24243	3.7	95.1	0	3.7	95.1	0	0	22.4	70.8	0
313	md	R	312-00	237	0	1.5	0	0	1.5	0	0	0	1.5	0
313	md	R	313-00	95	0	25.2	1.5	0	25.2	1.5	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
313	md	R	313-01	38	1.1	25.8	0	1.1	25.8	0	0	0	0	0
313	md	R	313-02	24	1.2	16.9	0	1.2	16.9	0	0	0	0	0
313	md	R	314-00	209	0	2.9	1.3	1.3	2.9	0	0	0	0	0
313	md	R	Deer_A	150577	0	155.2	4.1	4.1	155.2	0	0	77.4	76.1	0
313	md	R	SUM	151180	2.3	227.4	6.8	7.7	227.4	1.5	0	77.4	77.6	0
313	md	SUM	312-00	243	0	1.5	0	0	1.5	0	0	0	1.5	0
313	md	SUM	313-00	101	0	27.2	1.5	0	27.2	1.5	0	0	0	0
313	md	SUM	313-01	39	1.1	25.8	0	1.1	25.8	0	0	0	0	0
313	md	SUM	313-02	25	1.2	16.9	0	1.2	16.9	0	0	0	0	0
313	md	SUM	314-00	225	0	2.9	1.3	1.3	2.9	0	0	0	0	0
313	md	SUM	Deer_A	174790	3.7	248.3	4.1	7.8	248.3	0	0	99.7	146.9	0
313	md	SUM	SUM	175423	6.1	322.6	6.8	11.4	322.5	1.5	0	99.7	148.4	0
313	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
313	wt	N	Deer_A	24213	0	1.1	0	0	1.1	0	0	0	0	0
313	wt	N	SUM	24990	0	1.1	0	0	1.1	0	0	0	0	0
313	wt	R	003-10	7329	0	6.2	0	0	6.2	0	0	0	0	0
313	wt	R	Deer_A	150577	1.5	3.3	0	1.5	3.3	0	0	1.7	3.2	0
313	wt	R	SUM	157906	1.5	9.6	0	1.5	9.6	0	0	1.7	3.2	0
313	wt	SUM	003-10	7329	0	6.2	0	0	6.2	0	0	0	0	0
313	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
313	wt	SUM	Deer_A	174790	1.5	4.5	0	1.5	4.5	0	0	1.7	3.2	0
313	wt	SUM	SUM	182896	1.5	10.7	0	1.5	10.7	0	0	1.7	3.2	0
314	all_deer	N	003-12	777	0	7.8	0	0	7.8	0	0	0	0	0
314	all_deer	N	314-00	16	0	4.6	0	0	4.6	0	0	0	0	0
314	all_deer	N	315-00	31	0	0	0	0	0	0	0	0	0	0
314	all_deer	N	315-01	20	0	0	0	0	0	0	0	0	0	0
314	all_deer	N	Deer_A	24213	3.7	72.9	0	3.7	72.9	0	0	22.4	54.3	0
314	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
314	all_deer	N	SUM	25057	3.7	85.3	0	3.7	85.3	0	0	22.4	54.3	0
314	all_deer	R	003-10	7329	2.3	52.7	0	2.3	52.7	0	0	0	0	0
314	all_deer	R	314-00	209	0	80.4	0	1.3	79.1	0	0	0	0	0
314	all_deer	R	315-00	269	0	1.9	0	0	1.9	0	0	0	1.9	0
314	all_deer	R	315-01	230	0	1.6	0	0	1.6	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
314	all_deer	R	Deer_A	150577	12.6	339.4	0	5.3	344.9	1.7	0	153	160.6	0
314	all_deer	R	none	.	0	8.1	0	0	8.1	0	0	4.1	0	0
314	all_deer	R	SUM	158614	14.9	484.2	0	9	488.4	1.7	0	157.1	162.5	0
314	all_deer	SUM	003-10	7329	2.3	52.7	0	2.3	52.7	0	0	0	0	0
314	all_deer	SUM	003-12	777	0	7.8	0	0	7.8	0	0	0	0	0
314	all_deer	SUM	314-00	225	0	85	0	1.3	83.7	0	0	0	0	0
314	all_deer	SUM	315-00	300	0	1.9	0	0	1.9	0	0	0	1.9	0
314	all_deer	SUM	315-01	250	0	1.6	0	0	1.6	0	0	0	0	0
314	all_deer	SUM	Deer_A	174790	16.3	412.3	0	9.1	417.9	1.7	0	175.4	214.9	0
314	all_deer	SUM	none	.	0	8.1	0	0	8.1	0	0	4.1	0	0
314	all_deer	SUM	SUM	183671	18.6	569.4	0	12.7	573.6	1.7	0	179.4	216.8	0
314	md	N	314-00	16	0	4.6	0	0	4.6	0	0	0	0	0
314	md	N	315-00	31	0	0	0	0	0	0	0	0	0	0
314	md	N	315-01	20	0	0	0	0	0	0	0	0	0	0
314	md	N	Deer_A	24213	0	58	0	0	58	0	0	18.6	39.4	0
314	md	N	none	.	0	0	0	0	0	0	0	0	0	0
314	md	N	SUM	24280	0	62.6	0	0	62.6	0	0	18.6	39.4	0
314	md	R	314-00	209	0	80.4	0	1.3	79.1	0	0	0	0	0
314	md	R	315-00	269	0	1.9	0	0	1.9	0	0	0	1.9	0
314	md	R	315-01	230	0	1.6	0	0	1.6	0	0	0	0	0
314	md	R	Deer_A	150577	1.8	227.9	0	1.8	226.2	1.7	0	113.6	112	0
314	md	R	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
314	md	R	SUM	151285	1.8	315.9	0	3.1	312.9	1.7	0	117.7	113.9	0
314	md	SUM	314-00	225	0	85	0	1.3	83.7	0	0	0	0	0
314	md	SUM	315-00	300	0	1.9	0	0	1.9	0	0	0	1.9	0
314	md	SUM	315-01	250	0	1.6	0	0	1.6	0	0	0	0	0
314	md	SUM	Deer_A	174790	1.8	285.9	0	1.8	284.2	1.7	0	132.2	151.4	0
314	md	SUM	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
314	md	SUM	SUM	175565	1.8	378.5	0	3.1	375.5	1.7	0	136.3	153.3	0
314	wt	N	003-12	777	0	7.8	0	0	7.8	0	0	0	0	0
314	wt	N	Deer_A	24213	3.7	14.9	0	3.7	14.9	0	0	3.7	14.9	0
314	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
314	wt	N	SUM	24990	3.7	22.7	0	3.7	22.7	0	0	3.7	14.9	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
314	wt	R	003-10	7329	2.3	52.7	0	2.3	52.7	0	0	0	0	0
314	wt	R	Deer_A	150577	10.8	111.5	0	3.6	118.7	0	0	39.4	48.6	0
314	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
314	wt	R	SUM	157906	13.1	168.3	0	5.9	175.5	0	0	39.4	48.6	0
314	wt	SUM	003-10	7329	2.3	52.7	0	2.3	52.7	0	0	0	0	0
314	wt	SUM	003-12	777	0	7.8	0	0	7.8	0	0	0	0	0
314	wt	SUM	Deer_A	174790	14.5	126.4	0	7.3	133.6	0	0	43.1	63.5	0
314	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
314	wt	SUM	SUM	182896	16.9	190.9	0	9.6	198.2	0	0	43.1	63.5	0
315	all_deer	N	003-12	777	6.7	13.9	0	5	15.6	0	0	0	0	0
315	all_deer	N	315-00	31	0	24.9	1.1	1.1	24.9	0	0	0	0	0
315	all_deer	N	315-01	20	3.3	6.8	0	3.3	6.8	0	0	0	0	0
315	all_deer	N	339-40	12	0	0	0	0	0	0	0	0	0	0
315	all_deer	N	598-00	236	0	1.4	0	0	1.4	0	0	0	1.4	0
315	all_deer	N	Deer_A	24213	11.8	115.2	0	11.8	115.2	0	0	33.6	71.2	0
315	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
315	all_deer	N	SUM	25289	21.7	162.1	1.1	21.2	163.8	0	0	33.6	72.6	0
315	all_deer	R	003-10	7329	4.1	158	5.8	4.1	163.7	0	0	2.1	0	0
315	all_deer	R	315-00	269	8.9	140.1	0	9.2	139.8	0	0	0	0	0
315	all_deer	R	315-01	230	14.6	70	0	13.3	71.3	0	0	0	0	0
315	all_deer	R	339-40	340	0	1.5	0	0	1.5	0	0	0	0	0
315	all_deer	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
315	all_deer	R	Deer_A	150577	11.3	639	4.5	9.2	640.2	0	5.5	185.6	282.9	0
315	all_deer	R	none	.	0	4.4	0	0	4.4	0	0	2.1	0	0
315	all_deer	R	SUM	160759	38.9	1013	10.3	35.8	1020.9	0	5.5	189.8	282.9	0
315	all_deer	SUM	003-10	7329	4.1	158	5.8	4.1	163.7	0	0	2.1	0	0
315	all_deer	SUM	003-12	777	6.7	13.9	0	5	15.6	0	0	0	0	0
315	all_deer	SUM	315-00	300	8.9	165	1.1	10.3	164.7	0	0	0	0	0
315	all_deer	SUM	315-01	250	17.9	76.7	0	16.6	78.1	0	0	0	0	0
315	all_deer	SUM	339-40	352	0	1.5	0	0	1.5	0	0	0	0	0
315	all_deer	SUM	598-00	2250	0	1.4	0	0	1.4	0	0	0	1.4	0
315	all_deer	SUM	Deer_A	174790	23.1	754.2	4.5	20.9	755.4	0	5.5	219.1	354.1	0
315	all_deer	SUM	none	.	0	4.4	0	0	4.4	0	0	2.1	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
315	all_deer	SUM	SUM	186048	60.6	1175.2	11.4	56.9	1184.8	0	5.5	223.3	355.5	0
315	md	N	315-00	31	0	23.3	1.1	1.1	23.3	0	0	0	0	0
315	md	N	315-01	20	0	0	0	0	0	0	0	0	0	0
315	md	N	Deer_A	24213	0	73.1	0	0	73.1	0	0	26.1	32.2	0
315	md	N	none	.	0	0	0	0	0	0	0	0	0	0
315	md	N	SUM	24264	0	96.4	1.1	1.1	96.4	0	0	26.1	32.2	0
315	md	R	003-10	7329	0	2.1	0	0	2.1	0	0	2.1	0	0
315	md	R	315-00	269	8.9	135.7	0	9.2	135.4	0	0	0	0	0
315	md	R	315-01	230	1.5	5.1	0	1.5	5.1	0	0	0	0	0
315	md	R	Deer_A	150577	4.1	351.5	3.1	5.5	353.1	0	0	137.5	118.5	0
315	md	R	none	.	0	2.1	0	0	2.1	0	0	2.1	0	0
315	md	R	SUM	158405	14.4	496.6	3.1	16.2	497.9	0	0	141.7	118.5	0
315	md	SUM	003-10	7329	0	2.1	0	0	2.1	0	0	2.1	0	0
315	md	SUM	315-00	300	8.9	159	1.1	10.3	158.7	0	0	0	0	0
315	md	SUM	315-01	250	1.5	5.1	0	1.5	5.1	0	0	0	0	0
315	md	SUM	Deer_A	174790	4.1	424.6	3.1	5.5	426.2	0	0	163.5	150.8	0
315	md	SUM	none	.	0	2.1	0	0	2.1	0	0	2.1	0	0
315	md	SUM	SUM	182669	14.4	592.9	4.2	17.4	594.2	0	0	167.8	150.8	0
315	wt	N	003-12	777	6.7	13.9	0	5	15.6	0	0	0	0	0
315	wt	N	315-00	31	0	1.6	0	0	1.6	0	0	0	0	0
315	wt	N	315-01	20	3.3	6.8	0	3.3	6.8	0	0	0	0	0
315	wt	N	339-40	12	0	0	0	0	0	0	0	0	0	0
315	wt	N	598-00	236	0	1.4	0	0	1.4	0	0	0	1.4	0
315	wt	N	Deer_A	24213	11.8	42.1	0	11.8	42.1	0	0	7.5	39	0
315	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
315	wt	N	SUM	25289	21.7	65.7	0	20	67.4	0	0	7.5	40.3	0
315	wt	R	003-10	7329	4.1	155.8	5.8	4.1	161.6	0	0	0	0	0
315	wt	R	315-00	269	0	4.4	0	0	4.4	0	0	0	0	0
315	wt	R	315-01	230	13.1	64.9	0	11.8	66.2	0	0	0	0	0
315	wt	R	339-40	340	0	1.5	0	0	1.5	0	0	0	0	0
315	wt	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
315	wt	R	Deer_A	150577	7.2	287.5	1.5	3.6	287	0	5.5	48.1	164.3	0
315	wt	R	none	.	0	2.3	0	0	2.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
315	wt	R	SUM	160759	24.4	516.5	7.2	19.5	523.1	0	5.5	48.1	164.3	0
315	wt	SUM	003-10	7329	4.1	155.8	5.8	4.1	161.6	0	0	0	0	0
315	wt	SUM	003-12	777	6.7	13.9	0	5	15.6	0	0	0	0	0
315	wt	SUM	315-00	300	0	6	0	0	6	0	0	0	0	0
315	wt	SUM	315-01	250	16.4	71.6	0	15	73	0	0	0	0	0
315	wt	SUM	339-40	352	0	1.5	0	0	1.5	0	0	0	0	0
315	wt	SUM	598-00	2250	0	1.4	0	0	1.4	0	0	0	1.4	0
315	wt	SUM	Deer_A	174790	19	329.6	1.5	15.4	329.2	0	5.5	55.6	203.3	0
315	wt	SUM	none	.	0	2.3	0	0	2.3	0	0	0	0	0
315	wt	SUM	SUM	186048	46.2	582.2	7.2	39.6	590.5	0	5.5	55.6	204.7	0
316	all_deer	N	Deer_A	24213	0	22.4	0	14.9	7.5	0	0	3.7	18.6	0
316	all_deer	N	SUM	24213	0	22.4	0	14.9	7.5	0	0	3.7	18.6	0
316	all_deer	R	Deer_A	150577	0	16.2	0	12.2	4.1	0	0	16.2	0	0
316	all_deer	R	SUM	150577	0	16.2	0	12.2	4.1	0	0	16.2	0	0
316	all_deer	SUM	Deer_A	174790	0	38.6	0	27.1	11.5	0	0	19.9	18.6	0
316	all_deer	SUM	SUM	174790	0	38.6	0	27.1	11.5	0	0	19.9	18.6	0
316	md	N	Deer_A	24213	0	22.4	0	14.9	7.5	0	0	3.7	18.6	0
316	md	N	SUM	24213	0	22.4	0	14.9	7.5	0	0	3.7	18.6	0
316	md	R	Deer_A	150577	0	12.2	0	12.2	0	0	0	12.2	0	0
316	md	R	SUM	150577	0	12.2	0	12.2	0	0	0	12.2	0	0
316	md	SUM	Deer_A	174790	0	34.5	0	27.1	7.5	0	0	15.9	18.6	0
316	md	SUM	SUM	174790	0	34.5	0	27.1	7.5	0	0	15.9	18.6	0
316	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
316	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
316	wt	N	SUM	24990	0	0	0	0	0	0	0	0	0	0
316	wt	R	003-10	7329	0	0	0	0	0	0	0	0	0	0
316	wt	R	Deer_A	150577	0	4.1	0	0	4.1	0	0	4.1	0	0
316	wt	R	SUM	157906	0	4.1	0	0	4.1	0	0	4.1	0	0
316	wt	SUM	003-10	7329	0	0	0	0	0	0	0	0	0	0
316	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
316	wt	SUM	Deer_A	174790	0	4.1	0	0	4.1	0	0	4.1	0	0
316	wt	SUM	SUM	182896	0	4.1	0	0	4.1	0	0	4.1	0	0
317	all_deer	N	002-10	67	1.1	0	0	1.1	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
317	all_deer	N	003-12	777	0	1.8	0	0	1.8	0	0	0	0	0
317	all_deer	N	284-10	8	1.5	0	0	1.5	0	0	0	0	0	0
317	all_deer	N	314-00	16	0	0	0	0	0	0	0	0	0	0
317	all_deer	N	317-00	5	0	2.6	0	0	2.6	0	0	0	0	0
317	all_deer	N	Deer_A	24213	0	29.1	0	0	29.1	0	0	11.2	10.5	0
317	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
317	all_deer	N	SUM	25086	2.7	33.5	0	2.7	33.5	0	0	11.2	10.5	0
317	all_deer	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
317	all_deer	R	003-10	7329	13.2	80.8	0	10.9	83.1	0	0	0	2.3	0
317	all_deer	R	284-10	109	0	0	0	0	0	0	0	0	0	0
317	all_deer	R	314-00	209	0	2.7	0	0	2.7	0	0	0	0	0
317	all_deer	R	317-00	70	2.7	36.3	1.2	2.7	37.5	0	0	0	1.5	0
317	all_deer	R	Deer_A	150577	6.2	305.3	0	3.8	303.6	4.1	0	118.4	163.9	0
317	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
317	all_deer	R	SUM	159446	22	429.1	1.2	17.4	431	4.1	0	118.4	167.8	0
317	all_deer	SUM	002-10	1219	1.1	0	0	1.1	0	0	0	0	0	0
317	all_deer	SUM	003-10	7329	13.2	80.8	0	10.9	83.1	0	0	0	2.3	0
317	all_deer	SUM	003-12	777	0	1.8	0	0	1.8	0	0	0	0	0
317	all_deer	SUM	284-10	117	1.5	0	0	1.5	0	0	0	0	0	0
317	all_deer	SUM	314-00	225	0	2.7	0	0	2.7	0	0	0	0	0
317	all_deer	SUM	317-00	75	2.7	38.9	1.2	2.7	40.1	0	0	0	1.5	0
317	all_deer	SUM	Deer_A	174790	6.2	334.4	0	3.8	332.8	4.1	0	129.5	174.4	0
317	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
317	all_deer	SUM	SUM	184532	24.7	462.7	1.2	20.1	464.5	4.1	0	129.5	178.3	0
317	md	N	314-00	16	0	0	0	0	0	0	0	0	0	0
317	md	N	317-00	5	0	2.6	0	0	2.6	0	0	0	0	0
317	md	N	Deer_A	24213	0	19.9	0	0	19.9	0	0	11.2	8.8	0
317	md	N	none	.	0	0	0	0	0	0	0	0	0	0
317	md	N	SUM	24234	0	22.5	0	0	22.5	0	0	11.2	8.8	0
317	md	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	2.3	0
317	md	R	314-00	209	0	2.7	0	0	2.7	0	0	0	0	0
317	md	R	317-00	70	2.7	36.3	1.2	2.7	37.5	0	0	0	1.5	0
317	md	R	Deer_A	150577	6.2	137.7	0	3.8	136.1	4.1	0	79.8	60.1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
317	md	R	none	.	0	0	0	0	0	0	0	0	0	0
317	md	R	SUM	158185	8.9	179	1.2	6.5	178.6	4.1	0	79.8	64	0
317	md	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	2.3	0
317	md	SUM	314-00	225	0	2.7	0	0	2.7	0	0	0	0	0
317	md	SUM	317-00	75	2.7	38.9	1.2	2.7	40.1	0	0	0	1.5	0
317	md	SUM	Deer_A	174790	6.2	157.6	0	3.8	156	4.1	0	91	68.8	0
317	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
317	md	SUM	SUM	182419	8.9	201.5	1.2	6.5	201.1	4.1	0	91	72.7	0
317	wt	N	002-10	67	1.1	0	0	1.1	0	0	0	0	0	0
317	wt	N	003-12	777	0	1.8	0	0	1.8	0	0	0	0	0
317	wt	N	284-10	8	1.5	0	0	1.5	0	0	0	0	0	0
317	wt	N	Deer_A	24213	0	9.2	0	0	9.2	0	0	0	1.8	0
317	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
317	wt	N	SUM	25065	2.7	11.1	0	2.7	11.1	0	0	0	1.8	0
317	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
317	wt	R	003-10	7329	13.2	78.5	0	10.9	80.7	0	0	0	0	0
317	wt	R	284-10	109	0	0	0	0	0	0	0	0	0	0
317	wt	R	Deer_A	150577	0	167.6	0	0	167.6	0	0	38.5	103.8	0
317	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
317	wt	R	SUM	159167	13.2	250.1	0	10.9	252.4	0	0	38.5	103.8	0
317	wt	SUM	002-10	1219	1.1	0	0	1.1	0	0	0	0	0	0
317	wt	SUM	003-10	7329	13.2	78.5	0	10.9	80.7	0	0	0	0	0
317	wt	SUM	003-12	777	0	1.8	0	0	1.8	0	0	0	0	0
317	wt	SUM	284-10	117	1.5	0	0	1.5	0	0	0	0	0	0
317	wt	SUM	Deer_A	174790	0	176.8	0	0	176.8	0	0	38.5	105.6	0
317	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
317	wt	SUM	SUM	184232	15.8	261.2	0	13.6	263.4	0	0	38.5	105.6	0
318	all_deer	N	318-40	5	0	2.5	0	0	2.5	0	0	2.5	0	0
318	all_deer	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
318	all_deer	N	SUM	24218	0	6.2	0	0	6.2	0	0	2.5	3.7	0
318	all_deer	R	318-00	50	2.5	21.5	0	2.5	21.5	0	0	0	0	0
318	all_deer	R	318-40	204	1.2	83.3	3.9	1.2	86	0	1.2	52.4	32.2	0
318	all_deer	R	Deer_A	150577	0	21.5	0	0	21.5	0	0	4.1	6.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
318	all_deer	R	SUM	150831	3.7	126.4	3.9	3.7	129	0	1.2	56.4	38.6	0
318	all_deer	SUM	318-00	50	2.5	21.5	0	2.5	21.5	0	0	0	0	0
318	all_deer	SUM	318-40	209	1.2	85.8	3.9	1.2	88.5	0	1.2	54.9	32.2	0
318	all_deer	SUM	Deer_A	174790	0	25.2	0	0	25.2	0	0	4.1	10.1	0
318	all_deer	SUM	SUM	175049	3.7	132.6	3.9	3.7	135.2	0	1.2	58.9	42.3	0
318	md	N	318-40	5	0	2.5	0	0	2.5	0	0	2.5	0	0
318	md	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
318	md	N	SUM	24218	0	2.5	0	0	2.5	0	0	2.5	0	0
318	md	R	318-00	50	2.5	20.3	0	2.5	20.3	0	0	0	0	0
318	md	R	318-40	204	1.2	83.3	2.7	1.2	86	0	0	52.4	32.2	0
318	md	R	Deer_A	150577	0	9.7	0	0	9.7	0	0	0	4.1	0
318	md	R	SUM	150831	3.7	113.3	2.7	3.7	115.9	0	0	52.4	36.2	0
318	md	SUM	318-00	50	2.5	20.3	0	2.5	20.3	0	0	0	0	0
318	md	SUM	318-40	209	1.2	85.8	2.7	1.2	88.5	0	0	54.9	32.2	0
318	md	SUM	Deer_A	174790	0	9.7	0	0	9.7	0	0	0	4.1	0
318	md	SUM	SUM	175049	3.7	115.8	2.7	3.7	118.4	0	0	54.9	36.2	0
318	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
318	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
318	wt	N	SUM	24990	0	3.7	0	0	3.7	0	0	0	3.7	0
318	wt	R	003-10	7329	0	0	0	0	0	0	0	0	0	0
318	wt	R	Deer_A	150577	0	11.8	0	0	11.8	0	0	4.1	2.3	0
318	wt	R	SUM	157906	0	11.8	0	0	11.8	0	0	4.1	2.3	0
318	wt	SUM	003-10	7329	0	0	0	0	0	0	0	0	0	0
318	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
318	wt	SUM	Deer_A	174790	0	15.6	0	0	15.6	0	0	4.1	6.1	0
318	wt	SUM	SUM	182896	0	15.6	0	0	15.6	0	0	4.1	6.1	0
319	all_deer	N	003-12	777	0	8.1	0	0	8.1	0	0	0	0	0
319	all_deer	N	319-00	8	0	3	0	0	3	0	0	0	0	0
319	all_deer	N	319-40	61	0	14.6	0	0	14.6	0	0	5.4	9.2	0
319	all_deer	N	332-00	5	0	0	0	0	0	0	0	0	0	0
319	all_deer	N	Deer_A	24213	7.5	7.5	0	7.5	7.5	0	0	7.5	7.5	0
319	all_deer	N	SUM	25064	7.5	33.2	0	7.5	33.2	0	0	12.9	16.6	0
319	all_deer	R	003-10	7329	0	9.2	0	3.4	5.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
319	all_deer	R	319-00	142	8.7	62.5	0	8.6	62.6	0	0	0	0	0
319	all_deer	R	319-40	204	5.4	74.2	0	5.4	74.2	0	0	45.4	32.8	1.2
319	all_deer	R	332-00	45	0	1.3	0	0	1.3	0	0	0	0	0
319	all_deer	R	341-00	75	0	1.4	0	0	1.4	0	0	0	0	0
319	all_deer	R	Deer_A	150577	4.1	60.5	0	4.1	60.5	0	0	29.1	26.7	0
319	all_deer	R	SUM	158372	18.1	209.2	0	21.5	205.8	0	0	74.5	59.6	1.2
319	all_deer	SUM	003-10	7329	0	9.2	0	3.4	5.8	0	0	0	0	0
319	all_deer	SUM	003-12	777	0	8.1	0	0	8.1	0	0	0	0	0
319	all_deer	SUM	319-00	150	8.7	65.6	0	8.6	65.7	0	0	0	0	0
319	all_deer	SUM	319-40	265	5.4	88.8	0	5.4	88.8	0	0	50.9	42	1.2
319	all_deer	SUM	332-00	50	0	1.3	0	0	1.3	0	0	0	0	0
319	all_deer	SUM	341-00	75	0	1.4	0	0	1.4	0	0	0	0	0
319	all_deer	SUM	Deer_A	174790	11.5	67.9	0	11.5	67.9	0	0	36.5	34.2	0
319	all_deer	SUM	SUM	183436	25.6	242.4	0	29	239	0	0	87.4	76.2	1.2
319	md	N	319-00	8	0	3	0	0	3	0	0	0	0	0
319	md	N	319-40	61	0	14.6	0	0	14.6	0	0	5.4	9.2	0
319	md	N	332-00	5	0	0	0	0	0	0	0	0	0	0
319	md	N	Deer_A	24213	7.5	3.7	0	7.5	3.7	0	0	7.5	3.7	0
319	md	N	SUM	24287	7.5	21.4	0	7.5	21.4	0	0	12.9	12.9	0
319	md	R	319-00	142	8.7	62.5	0	8.6	62.6	0	0	0	0	0
319	md	R	319-40	204	5.4	74.2	0	5.4	74.2	0	0	45.4	32.8	1.2
319	md	R	332-00	45	0	1.3	0	0	1.3	0	0	0	0	0
319	md	R	341-00	75	0	1.4	0	0	1.4	0	0	0	0	0
319	md	R	Deer_A	150577	4.1	38.9	0	4.1	38.9	0	0	15.4	20.3	0
319	md	R	SUM	151043	18.1	178.4	0	18.1	178.5	0	0	60.9	53.1	1.2
319	md	SUM	319-00	150	8.7	65.6	0	8.6	65.7	0	0	0	0	0
319	md	SUM	319-40	265	5.4	88.8	0	5.4	88.8	0	0	50.9	42	1.2
319	md	SUM	332-00	50	0	1.3	0	0	1.3	0	0	0	0	0
319	md	SUM	341-00	75	0	1.4	0	0	1.4	0	0	0	0	0
319	md	SUM	Deer_A	174790	11.5	42.7	0	11.5	42.7	0	0	22.9	24	0
319	md	SUM	SUM	175330	25.6	199.8	0	25.5	199.8	0	0	73.8	66	1.2
319	wt	N	003-12	777	0	8.1	0	0	8.1	0	0	0	0	0
319	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
319	wt	N	SUM	24990	0	11.9	0	0	11.9	0	0	0	3.7	0
319	wt	R	003-10	7329	0	9.2	0	3.4	5.8	0	0	0	0	0
319	wt	R	Deer_A	150577	0	21.5	0	0	21.5	0	0	13.7	6.5	0
319	wt	R	SUM	157906	0	30.8	0	3.4	27.3	0	0	13.7	6.5	0
319	wt	SUM	003-10	7329	0	9.2	0	3.4	5.8	0	0	0	0	0
319	wt	SUM	003-12	777	0	8.1	0	0	8.1	0	0	0	0	0
319	wt	SUM	Deer_A	174790	0	25.3	0	0	25.3	0	0	13.7	10.2	0
319	wt	SUM	SUM	182896	0	42.6	0	3.4	39.2	0	0	13.7	10.2	0
320	all_deer	N	003-12	777	0	13.7	0	0	13.7	0	0	0	4.1	0
320	all_deer	N	320-00	2	0	2	0	1	1	0	0	1	0	0
320	all_deer	N	320-01	21	0	14	0	0	14	0	0	0	0	0
320	all_deer	N	320-02	14	0	8.2	0	0	8.2	0	0	0	0	0
320	all_deer	N	322-00	19	0	1.4	0	0	1.4	0	0	0	0	0
320	all_deer	N	322-01	23	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	322-02	36	0	1.3	0	0	1.3	0	0	0	0	0
320	all_deer	N	325-00	45	0	1.3	0	0	1.3	0	0	0	0	0
320	all_deer	N	325-01	10	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	330-01	12	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	333-03	37	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	335-40	8	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	Deer_A	24213	0	76.6	0	0	76.6	0	0	13	54	0
320	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
320	all_deer	N	SUM	25217	0	118.5	0	1	117.5	0	0	14	58.1	0
320	all_deer	R	003-10	7329	11.1	144	2	8.9	145.8	0	2.3	0	0	0
320	all_deer	R	320-00	147	2.4	49.9	0	45.8	6.6	0	0	1.4	2.4	0
320	all_deer	R	320-01	279	8.1	91.1	1.4	8.1	87.5	0	5	0	1.7	0
320	all_deer	R	320-02	136	10.2	47	0	11.8	45.4	0	0	3.1	0	0
320	all_deer	R	322-00	581	0	3.2	0	0	3.2	0	0	0	1.6	0
320	all_deer	R	322-01	277	0	4	0	0	4	0	0	0	1.1	0
320	all_deer	R	322-02	446	0	8.8	0	0	8.8	0	0	0	2.8	0
320	all_deer	R	325-00	405	0	0	0	0	0	0	0	0	0	0
320	all_deer	R	325-01	140	0	2	0	0	2	0	0	0	2	0
320	all_deer	R	330-01	88	0	2.6	0	0	0	0	2.6	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
320	all_deer	R	333-03	299	0	1.5	0	0	1.5	0	0	0	0	0
320	all_deer	R	335-40	322	1.2	0	0	1.2	0	0	0	0	0	0
320	all_deer	R	370-00	50	0	1.6	0	0	1.6	0	0	0	0	0
320	all_deer	R	Deer_A	150577	27.2	452.4	3.7	26.5	456.7	0	0	141.9	278.3	0
320	all_deer	R	none	.	0	5.1	0	0	5.1	0	0	0	3.8	0
320	all_deer	R	SUM	161076	60.2	813.1	7.1	102.4	768.2	0	9.8	146.3	293.7	0
320	all_deer	SUM	003-10	7329	11.1	144	2	8.9	145.8	0	2.3	0	0	0
320	all_deer	SUM	003-12	777	0	13.7	0	0	13.7	0	0	0	4.1	0
320	all_deer	SUM	320-00	149	2.4	51.9	0	46.8	7.6	0	0	2.4	2.4	0
320	all_deer	SUM	320-01	300	8.1	105.1	1.4	8.1	101.5	0	5	0	1.7	0
320	all_deer	SUM	320-02	150	10.2	55.2	0	11.8	53.6	0	0	3.1	0	0
320	all_deer	SUM	322-00	600	0	4.6	0	0	4.6	0	0	0	1.6	0
320	all_deer	SUM	322-01	300	0	4	0	0	4	0	0	0	1.1	0
320	all_deer	SUM	322-02	482	0	10.1	0	0	10.1	0	0	0	2.8	0
320	all_deer	SUM	325-00	450	0	1.3	0	0	1.3	0	0	0	0	0
320	all_deer	SUM	325-01	150	0	2	0	0	2	0	0	0	2	0
320	all_deer	SUM	330-01	100	0	2.6	0	0	0	0	2.6	0	0	0
320	all_deer	SUM	333-03	336	0	1.5	0	0	1.5	0	0	0	0	0
320	all_deer	SUM	335-40	330	1.2	0	0	1.2	0	0	0	0	0	0
320	all_deer	SUM	370-00	50	0	1.6	0	0	1.6	0	0	0	0	0
320	all_deer	SUM	Deer_A	174790	27.2	529	3.7	26.5	533.4	0	0	154.9	332.4	0
320	all_deer	SUM	none	.	0	5.1	0	0	5.1	0	0	0	3.8	0
320	all_deer	SUM	SUM	186293	60.2	931.6	7.1	103.4	885.7	0	9.8	160.3	351.8	0
320	md	N	320-00	2	0	0	0	0	0	0	0	0	0	0
320	md	N	320-01	21	0	11.2	0	0	11.2	0	0	0	0	0
320	md	N	320-02	14	0	0	0	0	0	0	0	0	0	0
320	md	N	322-00	19	0	0	0	0	0	0	0	0	0	0
320	md	N	322-01	23	0	0	0	0	0	0	0	0	0	0
320	md	N	322-02	36	0	0	0	0	0	0	0	0	0	0
320	md	N	325-00	45	0	1.3	0	0	1.3	0	0	0	0	0
320	md	N	Deer_A	24213	0	41.9	0	0	41.9	0	0	9.3	28.9	0
320	md	N	none	.	0	0	0	0	0	0	0	0	0	0
320	md	N	SUM	24373	0	54.4	0	0	54.4	0	0	9.3	28.9	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
320	md	R	003-10	7329	0	5.2	0	0	5.2	0	0	0	0	0
320	md	R	320-00	147	0	1.4	0	0	1.4	0	0	1.4	0	0
320	md	R	320-01	279	8.1	86.1	1.4	8.1	85.9	0	1.6	0	0	0
320	md	R	320-02	136	0	1.5	0	0	1.5	0	0	1.5	0	0
320	md	R	322-00	581	0	1.6	0	0	1.6	0	0	0	1.6	0
320	md	R	322-01	277	0	2.5	0	0	2.5	0	0	0	1.1	0
320	md	R	322-02	446	0	2.3	0	0	2.3	0	0	0	0	0
320	md	R	325-00	405	0	0	0	0	0	0	0	0	0	0
320	md	R	370-00	50	0	1.6	0	0	1.6	0	0	0	0	0
320	md	R	Deer_A	150577	9.6	125.9	2.3	5.6	132.3	0	0	73.5	59.4	0
320	md	R	none	.	0	1.7	0	0	1.7	0	0	0	1.7	0
320	md	R	SUM	160227	17.8	229.8	3.7	13.7	236	0	1.6	76.4	63.9	0
320	md	SUM	003-10	7329	0	5.2	0	0	5.2	0	0	0	0	0
320	md	SUM	320-00	149	0	1.4	0	0	1.4	0	0	1.4	0	0
320	md	SUM	320-01	300	8.1	97.3	1.4	8.1	97.1	0	1.6	0	0	0
320	md	SUM	320-02	150	0	1.5	0	0	1.5	0	0	1.5	0	0
320	md	SUM	322-00	600	0	1.6	0	0	1.6	0	0	0	1.6	0
320	md	SUM	322-01	300	0	2.5	0	0	2.5	0	0	0	1.1	0
320	md	SUM	322-02	482	0	2.3	0	0	2.3	0	0	0	0	0
320	md	SUM	325-00	450	0	1.3	0	0	1.3	0	0	0	0	0
320	md	SUM	370-00	50	0	1.6	0	0	1.6	0	0	0	0	0
320	md	SUM	Deer_A	174790	9.6	167.8	2.3	5.6	174.2	0	0	82.8	88.3	0
320	md	SUM	none	.	0	1.7	0	0	1.7	0	0	0	1.7	0
320	md	SUM	SUM	184600	17.8	284.2	3.7	13.7	290.4	0	1.6	85.7	92.8	0
320	wt	N	003-12	777	0	13.7	0	0	13.7	0	0	0	4.1	0
320	wt	N	320-00	2	0	2	0	1	1	0	0	1	0	0
320	wt	N	320-01	21	0	2.7	0	0	2.7	0	0	0	0	0
320	wt	N	320-02	14	0	8.2	0	0	8.2	0	0	0	0	0
320	wt	N	322-00	19	0	1.4	0	0	1.4	0	0	0	0	0
320	wt	N	322-01	23	0	0	0	0	0	0	0	0	0	0
320	wt	N	322-02	36	0	1.3	0	0	1.3	0	0	0	0	0
320	wt	N	325-01	10	0	0	0	0	0	0	0	0	0	0
320	wt	N	330-01	12	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
320	wt	N	333-03	37	0	0	0	0	0	0	0	0	0	0
320	wt	N	335-40	8	0	0	0	0	0	0	0	0	0	0
320	wt	N	Deer_A	24213	0	34.7	0	0	34.7	0	0	3.7	25.1	0
320	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
320	wt	N	SUM	25172	0	64.1	0	1	63.1	0	0	4.7	29.2	0
320	wt	R	003-10	7329	11.1	138.8	2	8.9	140.7	0	2.3	0	0	0
320	wt	R	320-00	147	2.4	48.6	0	45.8	5.2	0	0	0	2.4	0
320	wt	R	320-01	279	0	5	0	0	1.7	0	3.4	0	1.7	0
320	wt	R	320-02	136	10.2	45.5	0	11.8	43.9	0	0	1.5	0	0
320	wt	R	322-00	581	0	1.6	0	0	1.6	0	0	0	0	0
320	wt	R	322-01	277	0	1.4	0	0	1.4	0	0	0	0	0
320	wt	R	322-02	446	0	6.5	0	0	6.5	0	0	0	2.8	0
320	wt	R	325-01	140	0	2	0	0	2	0	0	0	2	0
320	wt	R	330-01	88	0	2.6	0	0	0	0	2.6	0	0	0
320	wt	R	333-03	299	0	1.5	0	0	1.5	0	0	0	0	0
320	wt	R	335-40	322	1.2	0	0	1.2	0	0	0	0	0	0
320	wt	R	Deer_A	150577	17.5	326.5	1.4	20.9	324.4	0	0	68.4	218.9	0
320	wt	R	none	.	0	3.4	0	0	3.4	0	0	0	2	0
320	wt	R	SUM	160621	42.4	583.3	3.4	88.7	532.2	0	8.2	69.9	229.8	0
320	wt	SUM	003-10	7329	11.1	138.8	2	8.9	140.7	0	2.3	0	0	0
320	wt	SUM	003-12	777	0	13.7	0	0	13.7	0	0	0	4.1	0
320	wt	SUM	320-00	149	2.4	50.6	0	46.8	6.2	0	0	1	2.4	0
320	wt	SUM	320-01	300	0	7.8	0	0	4.4	0	3.4	0	1.7	0
320	wt	SUM	320-02	150	10.2	53.7	0	11.8	52.1	0	0	1.5	0	0
320	wt	SUM	322-00	600	0	3	0	0	3	0	0	0	0	0
320	wt	SUM	322-01	300	0	1.4	0	0	1.4	0	0	0	0	0
320	wt	SUM	322-02	482	0	7.8	0	0	7.8	0	0	0	2.8	0
320	wt	SUM	325-01	150	0	2	0	0	2	0	0	0	2	0
320	wt	SUM	330-01	100	0	2.6	0	0	0	0	2.6	0	0	0
320	wt	SUM	333-03	336	0	1.5	0	0	1.5	0	0	0	0	0
320	wt	SUM	335-40	330	1.2	0	0	1.2	0	0	0	0	0	0
320	wt	SUM	Deer_A	174790	17.5	361.2	1.4	20.9	359.1	0	0	72.1	244	0
320	wt	SUM	none	.	0	3.4	0	0	3.4	0	0	0	2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
320	wt	SUM	SUM	185793	42.4	647.4	3.4	89.7	595.3	0	8.2	74.6	259	0
321	all_deer	N	291-00	1	0	0	0	0	0	0	0	0	0	0
321	all_deer	N	321-00	1	0	0	0	0	0	0	0	0	0	0
321	all_deer	N	322-00	19	0	0	0	0	0	0	0	0	0	0
321	all_deer	N	322-01	23	0	0	0	0	0	0	0	0	0	0
321	all_deer	N	325-00	45	0	0	0	0	0	0	0	0	0	0
321	all_deer	N	Deer_A	24213	3.7	10.4	0	3.7	10.4	0	0	7.5	6.6	0
321	all_deer	N	SUM	24302	3.7	10.4	0	3.7	10.4	0	0	7.5	6.6	0
321	all_deer	R	003-10	7329	0	13.2	0	0	13.2	0	0	0	0	0
321	all_deer	R	291-00	49	0	1.1	0	0	1.1	0	0	0	0	0
321	all_deer	R	321-00	23	0	1.3	0	0	1.3	0	0	0	0	0
321	all_deer	R	322-00	581	0	2.6	0	2.6	0	0	0	0	0	0
321	all_deer	R	322-01	277	0	1.3	0	0	1.3	0	0	0	0	0
321	all_deer	R	325-00	405	0	3.7	0	0	3.7	0	0	0	0	0
321	all_deer	R	Deer_A	150577	7.7	50.3	0	13	45	0	0	16.4	32.1	0
321	all_deer	R	SUM	159241	7.7	73.6	0	15.6	65.7	0	0	16.4	32.1	0
321	all_deer	SUM	003-10	7329	0	13.2	0	0	13.2	0	0	0	0	0
321	all_deer	SUM	291-00	50	0	1.1	0	0	1.1	0	0	0	0	0
321	all_deer	SUM	321-00	24	0	1.3	0	0	1.3	0	0	0	0	0
321	all_deer	SUM	322-00	600	0	2.6	0	2.6	0	0	0	0	0	0
321	all_deer	SUM	322-01	300	0	1.3	0	0	1.3	0	0	0	0	0
321	all_deer	SUM	325-00	450	0	3.7	0	0	3.7	0	0	0	0	0
321	all_deer	SUM	Deer_A	174790	11.5	60.7	0	16.8	55.4	0	0	23.8	38.7	0
321	all_deer	SUM	SUM	183543	11.5	83.9	0	19.3	76.1	0	0	23.8	38.7	0
321	md	N	291-00	1	0	0	0	0	0	0	0	0	0	0
321	md	N	321-00	1	0	0	0	0	0	0	0	0	0	0
321	md	N	322-01	23	0	0	0	0	0	0	0	0	0	0
321	md	N	325-00	45	0	0	0	0	0	0	0	0	0	0
321	md	N	Deer_A	24213	3.7	10.4	0	3.7	10.4	0	0	7.5	6.6	0
321	md	N	SUM	24283	3.7	10.4	0	3.7	10.4	0	0	7.5	6.6	0
321	md	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
321	md	R	291-00	49	0	1.1	0	0	1.1	0	0	0	0	0
321	md	R	321-00	23	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
321	md	R	322-01	277	0	1.3	0	0	1.3	0	0	0	0	0
321	md	R	325-00	405	0	3.7	0	0	3.7	0	0	0	0	0
321	md	R	Deer_A	150577	7.7	26.7	0	10.3	24.1	0	0	6.8	24	0
321	md	R	SUM	158660	7.7	36.4	0	10.3	33.9	0	0	6.8	24	0
321	md	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
321	md	SUM	291-00	50	0	1.1	0	0	1.1	0	0	0	0	0
321	md	SUM	321-00	24	0	1.3	0	0	1.3	0	0	0	0	0
321	md	SUM	322-01	300	0	1.3	0	0	1.3	0	0	0	0	0
321	md	SUM	325-00	450	0	3.7	0	0	3.7	0	0	0	0	0
321	md	SUM	Deer_A	174790	11.5	37	0	14	34.5	0	0	14.3	30.7	0
321	md	SUM	SUM	182943	11.5	46.8	0	14	44.2	0	0	14.3	30.7	0
321	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
321	wt	N	322-00	19	0	0	0	0	0	0	0	0	0	0
321	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
321	wt	N	SUM	25009	0	0	0	0	0	0	0	0	0	0
321	wt	R	003-10	7329	0	10.9	0	0	10.9	0	0	0	0	0
321	wt	R	322-00	581	0	2.6	0	2.6	0	0	0	0	0	0
321	wt	R	Deer_A	150577	0	23.7	0	2.7	20.9	0	0	9.6	8	0
321	wt	R	SUM	158487	0	37.1	0	5.3	31.8	0	0	9.6	8	0
321	wt	SUM	003-10	7329	0	10.9	0	0	10.9	0	0	0	0	0
321	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
321	wt	SUM	322-00	600	0	2.6	0	2.6	0	0	0	0	0	0
321	wt	SUM	Deer_A	174790	0	23.7	0	2.7	20.9	0	0	9.6	8	0
321	wt	SUM	SUM	183496	0	37.1	0	5.3	31.8	0	0	9.6	8	0
322	all_deer	N	003-12	777	13	25.5	0	10.5	28	0	0	0	0	0
322	all_deer	N	320-00	2	0	0	0	0	0	0	0	0	0	0
322	all_deer	N	320-01	21	0	0	0	0	0	0	0	0	0	0
322	all_deer	N	320-02	14	0	0	0	0	0	0	0	0	0	0
322	all_deer	N	322-00	19	0	8.8	0	7.3	1.5	0	0	0	0	0
322	all_deer	N	322-01	23	0	13.6	0	0	13.6	0	0	0	1.3	0
322	all_deer	N	322-02	36	2	14.3	0	2	14.3	0	0	0	0	0
322	all_deer	N	326-01	24	0	1.8	0	0	1.8	0	0	0	0	0
322	all_deer	N	340-00	1	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
322	all_deer	N	Deer_A	24213	10.6	65.1	0	10.6	65.1	0	0	11.2	64.5	0
322	all_deer	N	none	.	0	3.8	0	0	3.8	0	0	0	0	0
322	all_deer	N	SUM	25130	25.5	132.9	0	30.3	128.1	0	0	11.2	65.8	0
322	all_deer	R	003-10	7329	20.8	146.7	0	19.3	148.2	0	0	0	0	0
322	all_deer	R	320-00	147	1.2	2.4	0	2.4	1.2	0	0	1.2	1.2	0
322	all_deer	R	320-01	279	0	2.9	0	0	2.9	0	0	0	1.3	0
322	all_deer	R	320-02	136	0	3	0	0	3	0	0	0	0	0
322	all_deer	R	322-00	581	15.9	231.4	5.2	225.8	24.8	0	1.9	0	3.9	0
322	all_deer	R	322-01	277	1.4	103.3	0	1.4	101.9	0	1.4	0	0	0
322	all_deer	R	322-02	446	5.9	126.8	1.8	14.7	119.8	0	0	0	0	0
322	all_deer	R	326-01	155	0	0	0	0	0	0	0	0	0	0
322	all_deer	R	340-00	49	0	2	0	2	0	0	0	0	0	0
322	all_deer	R	Deer_A	150577	26	516.7	0	24.1	510.4	1.4	6.8	146.9	308.1	0
322	all_deer	R	none	.	0	0	0	0	0	0	0	0	0	0
322	all_deer	R	SUM	159976	71.2	1135.3	6.9	289.7	912.2	1.4	10.1	148.1	314.4	0
322	all_deer	SUM	003-10	7329	20.8	146.7	0	19.3	148.2	0	0	0	0	0
322	all_deer	SUM	003-12	777	13	25.5	0	10.5	28	0	0	0	0	0
322	all_deer	SUM	320-00	149	1.2	2.4	0	2.4	1.2	0	0	1.2	1.2	0
322	all_deer	SUM	320-01	300	0	2.9	0	0	2.9	0	0	0	1.3	0
322	all_deer	SUM	320-02	150	0	3	0	0	3	0	0	0	0	0
322	all_deer	SUM	322-00	600	15.9	240.2	5.2	233.1	26.2	0	1.9	0	3.9	0
322	all_deer	SUM	322-01	300	1.4	116.9	0	1.4	115.5	0	1.4	0	1.3	0
322	all_deer	SUM	322-02	482	7.9	141.1	1.8	16.6	134.1	0	0	0	0	0
322	all_deer	SUM	326-01	179	0	1.8	0	0	1.8	0	0	0	0	0
322	all_deer	SUM	340-00	50	0	2	0	2	0	0	0	0	0	0
322	all_deer	SUM	Deer_A	174790	36.6	581.9	0	34.7	575.5	1.4	6.8	158.1	372.6	0
322	all_deer	SUM	none	.	0	3.8	0	0	3.8	0	0	0	0	0
322	all_deer	SUM	SUM	185106	96.7	1268.2	6.9	320.1	1040.3	1.4	10.1	159.3	380.2	0
322	md	N	320-01	21	0	0	0	0	0	0	0	0	0	0
322	md	N	322-00	19	0	0	0	0	0	0	0	0	0	0
322	md	N	322-01	23	0	13.6	0	0	13.6	0	0	0	1.3	0
322	md	N	Deer_A	24213	0	27.5	0	0	27.5	0	0	11.2	16.3	0
322	md	N	none	.	0	3.8	0	0	3.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
322	md	N	SUM	24276	0	44.9	0	0	44.9	0	0	11.2	17.6	0
322	md	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
322	md	R	320-01	279	0	1.6	0	0	1.6	0	0	0	0	0
322	md	R	322-00	581	1.4	5.9	0	3	4.3	0	0	0	0	0
322	md	R	322-01	277	1.4	100.5	0	1.4	99.1	0	1.4	0	0	0
322	md	R	Deer_A	150577	1.4	191.2	0	1.4	185.7	0	5.5	84.7	99.2	0
322	md	R	none	.	0	0	0	0	0	0	0	0	0	0
322	md	R	SUM	159043	4.3	301.5	0	5.9	293	0	6.9	84.7	99.2	0
322	md	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
322	md	SUM	320-01	300	0	1.6	0	0	1.6	0	0	0	0	0
322	md	SUM	322-00	600	1.4	5.9	0	3	4.3	0	0	0	0	0
322	md	SUM	322-01	300	1.4	114.1	0	1.4	112.7	0	1.4	0	1.3	0
322	md	SUM	Deer_A	174790	1.4	218.7	0	1.4	213.3	0	5.5	95.9	115.5	0
322	md	SUM	none	.	0	3.8	0	0	3.8	0	0	0	0	0
322	md	SUM	SUM	183319	4.3	346.4	0	5.9	337.9	0	6.9	95.9	116.8	0
322	wt	N	003-12	777	13	25.5	0	10.5	28	0	0	0	0	0
322	wt	N	320-00	2	0	0	0	0	0	0	0	0	0	0
322	wt	N	320-01	21	0	0	0	0	0	0	0	0	0	0
322	wt	N	320-02	14	0	0	0	0	0	0	0	0	0	0
322	wt	N	322-00	19	0	8.8	0	7.3	1.5	0	0	0	0	0
322	wt	N	322-01	23	0	0	0	0	0	0	0	0	0	0
322	wt	N	322-02	36	2	14.3	0	2	14.3	0	0	0	0	0
322	wt	N	326-01	24	0	1.8	0	0	1.8	0	0	0	0	0
322	wt	N	340-00	1	0	0	0	0	0	0	0	0	0	0
322	wt	N	Deer_A	24213	10.6	37.6	0	10.6	37.6	0	0	0	48.2	0
322	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
322	wt	N	SUM	25130	25.5	88	0	30.3	83.2	0	0	0	48.2	0
322	wt	R	003-10	7329	20.8	144.4	0	19.3	145.8	0	0	0	0	0
322	wt	R	320-00	147	1.2	1.2	0	1.2	1.2	0	0	1.2	1.2	0
322	wt	R	320-01	279	0	1.3	0	0	1.3	0	0	0	1.3	0
322	wt	R	320-02	136	0	3	0	0	3	0	0	0	0	0
322	wt	R	322-00	581	14.4	225.5	5.2	222.8	20.5	0	1.9	0	3.9	0
322	wt	R	322-01	277	0	2.8	0	0	2.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
322	wt	R	322-02	446	5.9	126.8	1.8	14.7	119.8	0	0	0	0	0
322	wt	R	326-01	155	0	0	0	0	0	0	0	0	0	0
322	wt	R	340-00	49	0	2	0	2	0	0	0	0	0	0
322	wt	R	Deer_A	150577	24.6	325.5	0	22.7	324.7	1.4	1.4	62.2	208.9	0
322	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
322	wt	R	SUM	159976	66.9	832.6	6.9	282.7	619.1	1.4	3.2	63.4	215.2	0
322	wt	SUM	003-10	7329	20.8	144.4	0	19.3	145.8	0	0	0	0	0
322	wt	SUM	003-12	777	13	25.5	0	10.5	28	0	0	0	0	0
322	wt	SUM	320-00	149	1.2	1.2	0	1.2	1.2	0	0	1.2	1.2	0
322	wt	SUM	320-01	300	0	1.3	0	0	1.3	0	0	0	1.3	0
322	wt	SUM	320-02	150	0	3	0	0	3	0	0	0	0	0
322	wt	SUM	322-00	600	14.4	234.3	5.2	230.1	21.9	0	1.9	0	3.9	0
322	wt	SUM	322-01	300	0	2.8	0	0	2.8	0	0	0	0	0
322	wt	SUM	322-02	482	7.9	141.1	1.8	16.6	134.1	0	0	0	0	0
322	wt	SUM	326-01	179	0	1.8	0	0	1.8	0	0	0	0	0
322	wt	SUM	340-00	50	0	2	0	2	0	0	0	0	0	0
322	wt	SUM	Deer_A	174790	35.2	363.1	0	33.3	362.3	1.4	1.4	62.2	257	0
322	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
322	wt	SUM	SUM	185106	92.4	920.6	6.9	313	702.3	1.4	3.2	63.4	263.4	0
323	all_deer	N	003-12	777	0	1.3	0	0	1.3	0	0	0	0	0
323	all_deer	N	322-02	36	0	0	0	0	0	0	0	0	0	0
323	all_deer	N	323-00	8	0	2.3	0	0	2.3	0	0	0	0	0
323	all_deer	N	Deer_A	24213	0	16.2	0	0	16.2	0	0	11.2	5	0
323	all_deer	N	none	.	0	0	0	0	0	0	3.8	0	0	0
323	all_deer	N	SUM	25034	0	19.7	0	0	19.7	0	3.8	11.2	5	0
323	all_deer	R	003-10	7329	2.3	16.1	0	0	18.4	0	0	0	0	0
323	all_deer	R	322-02	446	0	2.3	0	0	2.3	0	0	0	0	0
323	all_deer	R	323-00	31	0	7.8	0	0	7.8	0	0	0	0	0
323	all_deer	R	Deer_A	150577	6	50.5	0	6	50.5	0	0	29.1	19.1	0
323	all_deer	R	none	.	0	1.7	0	0	1.7	0	0	0	0	0
323	all_deer	R	SUM	158383	8.2	78.4	0	6	80.6	0	0	29.1	19.1	0
323	all_deer	SUM	003-10	7329	2.3	16.1	0	0	18.4	0	0	0	0	0
323	all_deer	SUM	003-12	777	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
323	all_deer	SUM	322-02	482	0	2.3	0	0	2.3	0	0	0	0	0
323	all_deer	SUM	323-00	39	0	10.1	0	0	10.1	0	0	0	0	0
323	all_deer	SUM	Deer_A	174790	6	66.7	0	6	66.7	0	0	40.3	24	0
323	all_deer	SUM	none	.	0	1.7	0	0	1.7	0	3.8	0	0	0
323	all_deer	SUM	SUM	183417	8.2	98.1	0	6	100.4	0	3.8	40.3	24	0
323	md	N	323-00	8	0	2.3	0	0	2.3	0	0	0	0	0
323	md	N	Deer_A	24213	0	12.4	0	0	12.4	0	0	7.5	5	0
323	md	N	none	.	0	0	0	0	0	0	0	0	0	0
323	md	N	SUM	24221	0	14.7	0	0	14.7	0	0	7.5	5	0
323	md	R	323-00	31	0	7.8	0	0	7.8	0	0	0	0	0
323	md	R	Deer_A	150577	6	29.3	0	6	29.3	0	0	20	9.3	0
323	md	R	none	.	0	1.7	0	0	1.7	0	0	0	0	0
323	md	R	SUM	150608	6	38.8	0	6	38.8	0	0	20	9.3	0
323	md	SUM	323-00	39	0	10.1	0	0	10.1	0	0	0	0	0
323	md	SUM	Deer_A	174790	6	41.8	0	6	41.8	0	0	27.5	14.3	0
323	md	SUM	none	.	0	1.7	0	0	1.7	0	0	0	0	0
323	md	SUM	SUM	174829	6	53.5	0	6	53.5	0	0	27.5	14.3	0
323	wt	N	003-12	777	0	1.3	0	0	1.3	0	0	0	0	0
323	wt	N	322-02	36	0	0	0	0	0	0	0	0	0	0
323	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	3.7	0	0
323	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
323	wt	N	SUM	25026	0	5	0	0	5	0	0	3.7	0	0
323	wt	R	003-10	7329	0	16.1	0	0	16.1	0	0	0	0	0
323	wt	R	322-02	446	0	2.3	0	0	2.3	0	0	0	0	0
323	wt	R	Deer_A	150577	0	21.2	0	0	21.2	0	0	9	9.8	0
323	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
323	wt	R	SUM	158352	0	39.5	0	0	39.5	0	0	9	9.8	0
323	wt	SUM	003-10	7329	0	16.1	0	0	16.1	0	0	0	0	0
323	wt	SUM	003-12	777	0	1.3	0	0	1.3	0	0	0	0	0
323	wt	SUM	322-02	482	0	2.3	0	0	2.3	0	0	0	0	0
323	wt	SUM	Deer_A	174790	0	24.9	0	0	24.9	0	0	12.8	9.8	0
323	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
323	wt	SUM	SUM	183378	0	44.6	0	0	44.6	0	0	12.8	9.8	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
324	all_deer	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
324	all_deer	N	322-02	36	0	0	0	0	0	0	0	0	0	0
324	all_deer	N	324-00	5	0	3	0	0	3	0	0	0	0	0
324	all_deer	N	324-01	14	0	8.1	0	0	8.1	0	0	0	0	0
324	all_deer	N	324-50	5	0	1.7	0	0	1.7	0	0	0	1.7	0
324	all_deer	N	326-00	60	0	1.7	0	0	1.7	0	0	0	0	0
324	all_deer	N	Deer_A	24213	3.7	5.4	0	3.7	5.4	0	0	3.7	1.6	0
324	all_deer	N	SUM	25110	3.7	23.9	0	3.7	23.9	0	0	3.7	3.3	0
324	all_deer	R	003-10	7329	0	16.9	0	0	16.9	0	0	0	0	0
324	all_deer	R	322-02	446	0	2.8	0	2.8	0	0	0	0	0	0
324	all_deer	R	324-00	45	0	18.4	0	0	18.4	0	0	0	0	0
324	all_deer	R	324-01	36	1.3	4	0	1.3	4	0	0	0	0	0
324	all_deer	R	324-50	45	0	12.1	0	0	12.1	0	0	1.3	10.7	0
324	all_deer	R	326-00	440	0	2.9	0	0	2.9	0	0	0	0	0
324	all_deer	R	Deer_A	150577	1.4	36.1	0	3.5	33.9	0	0	7.5	21.8	0
324	all_deer	R	SUM	158918	2.7	93.1	0	7.5	88.2	0	0	8.8	32.5	0
324	all_deer	SUM	003-10	7329	0	16.9	0	0	16.9	0	0	0	0	0
324	all_deer	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
324	all_deer	SUM	322-02	482	0	2.8	0	2.8	0	0	0	0	0	0
324	all_deer	SUM	324-00	50	0	21.4	0	0	21.4	0	0	0	0	0
324	all_deer	SUM	324-01	50	1.3	12.1	0	1.3	12.1	0	0	0	0	0
324	all_deer	SUM	324-50	50	0	13.7	0	0	13.7	0	0	1.3	12.4	0
324	all_deer	SUM	326-00	500	0	4.6	0	0	4.6	0	0	0	0	0
324	all_deer	SUM	Deer_A	174790	5.1	41.4	0	7.2	39.3	0	0	11.2	23.4	0
324	all_deer	SUM	SUM	184028	6.4	116.9	0	11.3	112.1	0	0	12.5	35.8	0
324	md	N	324-00	5	0	3	0	0	3	0	0	0	0	0
324	md	N	324-50	5	0	1.7	0	0	1.7	0	0	0	1.7	0
324	md	N	326-00	60	0	1.7	0	0	1.7	0	0	0	0	0
324	md	N	Deer_A	24213	3.7	0	0	3.7	0	0	0	3.7	0	0
324	md	N	SUM	24283	3.7	6.4	0	3.7	6.4	0	0	3.7	1.7	0
324	md	R	324-00	45	0	18.4	0	0	18.4	0	0	0	0	0
324	md	R	324-50	45	0	12.1	0	0	12.1	0	0	1.3	10.7	0
324	md	R	326-00	440	0	2.9	0	0	2.9	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
324	md	R	Deer_A	150577	1.4	23.4	0	1.4	23.4	0	0	7.5	10.5	0
324	md	R	SUM	151107	1.4	56.7	0	1.4	56.7	0	0	8.8	21.2	0
324	md	SUM	324-00	50	0	21.4	0	0	21.4	0	0	0	0	0
324	md	SUM	324-50	50	0	13.7	0	0	13.7	0	0	1.3	12.4	0
324	md	SUM	326-00	500	0	4.6	0	0	4.6	0	0	0	0	0
324	md	SUM	Deer_A	174790	5.1	23.4	0	5.1	23.4	0	0	11.2	10.5	0
324	md	SUM	SUM	175390	5.1	63	0	5.1	63	0	0	12.5	22.8	0
324	wt	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
324	wt	N	322-02	36	0	0	0	0	0	0	0	0	0	0
324	wt	N	324-01	14	0	8.1	0	0	8.1	0	0	0	0	0
324	wt	N	Deer_A	24213	0	5.4	0	0	5.4	0	0	0	1.6	0
324	wt	N	SUM	25040	0	17.5	0	0	17.5	0	0	0	1.6	0
324	wt	R	003-10	7329	0	16.9	0	0	16.9	0	0	0	0	0
324	wt	R	322-02	446	0	2.8	0	2.8	0	0	0	0	0	0
324	wt	R	324-01	36	1.3	4	0	1.3	4	0	0	0	0	0
324	wt	R	Deer_A	150577	0	12.7	0	2.1	10.6	0	0	0	11.4	0
324	wt	R	SUM	158388	1.3	36.4	0	6.2	31.5	0	0	0	11.4	0
324	wt	SUM	003-10	7329	0	16.9	0	0	16.9	0	0	0	0	0
324	wt	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
324	wt	SUM	322-02	482	0	2.8	0	2.8	0	0	0	0	0	0
324	wt	SUM	324-01	50	1.3	12.1	0	1.3	12.1	0	0	0	0	0
324	wt	SUM	Deer_A	174790	0	18.1	0	2.1	15.9	0	0	0	13	0
324	wt	SUM	SUM	183428	1.3	53.9	0	6.2	49	0	0	0	13	0
325	all_deer	N	003-12	777	0	17.1	0	0	17.1	0	0	0	0	0
325	all_deer	N	322-01	23	0	0	0	0	0	0	0	0	0	0
325	all_deer	N	325-00	45	0	25	0	0	25	0	0	0	1.9	0
325	all_deer	N	325-01	10	0	7.1	0	0	7.1	0	0	0	0	0
325	all_deer	N	326-00	60	0	0	0	0	0	0	0	0	0	0
325	all_deer	N	326-01	24	0	0	0	0	0	0	0	0	0	0
325	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
325	all_deer	N	Deer_A	24213	0	64.7	0	0	64.7	0	0	24.9	36.1	0
325	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
325	all_deer	N	SUM	25195	0	114	0	0	114	0	0	24.9	38	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
325	all_deer	R	003-10	7329	5.7	42.9	2.3	2.3	45.2	0	3.4	0	0	0
325	all_deer	R	322-01	277	0	7.4	0	0	7.4	0	0	0	0	0
325	all_deer	R	325-00	405	6.2	183.1	0	7.6	180.4	1.3	0	0	0	0
325	all_deer	R	325-01	140	7.1	16.6	0	5.3	18.5	0	0	0	0	0
325	all_deer	R	326-00	440	0	6.7	0	0	6.7	0	0	0	0	0
325	all_deer	R	326-01	155	0	2.5	0	0	2.5	0	0	0	2.5	0
325	all_deer	R	404-00	754	0	1.4	0	0	1.4	0	0	0	1.4	0
325	all_deer	R	Deer_A	150577	3.7	256.7	1.4	2	256	0	3.7	103.9	138.8	0
325	all_deer	R	none	.	0	1.8	0	0	1.8	0	0	0	0	0
325	all_deer	R	SUM	160077	22.8	519.1	3.7	17.3	519.8	1.3	7.2	103.9	142.8	0
325	all_deer	SUM	003-10	7329	5.7	42.9	2.3	2.3	45.2	0	3.4	0	0	0
325	all_deer	SUM	003-12	777	0	17.1	0	0	17.1	0	0	0	0	0
325	all_deer	SUM	322-01	300	0	7.4	0	0	7.4	0	0	0	0	0
325	all_deer	SUM	325-00	450	6.2	208	0	7.6	205.3	1.3	0	0	1.9	0
325	all_deer	SUM	325-01	150	7.1	23.8	0	5.3	25.6	0	0	0	0	0
325	all_deer	SUM	326-00	500	0	6.7	0	0	6.7	0	0	0	0	0
325	all_deer	SUM	326-01	179	0	2.5	0	0	2.5	0	0	0	2.5	0
325	all_deer	SUM	404-00	797	0	1.4	0	0	1.4	0	0	0	1.4	0
325	all_deer	SUM	Deer_A	174790	3.7	321.4	1.4	2	320.8	0	3.7	128.8	174.9	0
325	all_deer	SUM	none	.	0	1.8	0	0	1.8	0	0	0	0	0
325	all_deer	SUM	SUM	185272	22.8	633	3.7	17.3	633.8	1.3	7.2	128.8	180.8	0
325	md	N	003-12	777	0	1.8	0	0	1.8	0	0	0	0	0
325	md	N	322-01	23	0	0	0	0	0	0	0	0	0	0
325	md	N	325-00	45	0	25	0	0	25	0	0	0	1.9	0
325	md	N	326-00	60	0	0	0	0	0	0	0	0	0	0
325	md	N	404-00	43	0	0	0	0	0	0	0	0	0	0
325	md	N	Deer_A	24213	0	49.8	0	0	49.8	0	0	24.9	24.9	0
325	md	N	none	.	0	0	0	0	0	0	0	0	0	0
325	md	N	SUM	25161	0	76.6	0	0	76.6	0	0	24.9	26.8	0
325	md	R	003-10	7329	0	2.1	0	0	2.1	0	0	0	0	0
325	md	R	322-01	277	0	7.4	0	0	7.4	0	0	0	0	0
325	md	R	325-00	405	6.2	181.8	0	7.6	179.1	1.3	0	0	0	0
325	md	R	326-00	440	0	4.7	0	0	4.7	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
325	md	R	404-00	754	0	1.4	0	0	1.4	0	0	0	1.4	0
325	md	R	Deer_A	150577	0	176.1	0	0	174.7	0	1.4	96.6	69.9	0
325	md	R	none	.	0	1.8	0	0	1.8	0	0	0	0	0
325	md	R	SUM	159782	6.2	375.3	0	7.6	371.2	1.3	1.4	96.6	71.3	0
325	md	SUM	003-10	7329	0	2.1	0	0	2.1	0	0	0	0	0
325	md	SUM	003-12	777	0	1.8	0	0	1.8	0	0	0	0	0
325	md	SUM	322-01	300	0	7.4	0	0	7.4	0	0	0	0	0
325	md	SUM	325-00	450	6.2	206.8	0	7.6	204.1	1.3	0	0	1.9	0
325	md	SUM	326-00	500	0	4.7	0	0	4.7	0	0	0	0	0
325	md	SUM	404-00	797	0	1.4	0	0	1.4	0	0	0	1.4	0
325	md	SUM	Deer_A	174790	0	225.9	0	0	224.5	0	1.4	121.5	94.8	0
325	md	SUM	none	.	0	1.8	0	0	1.8	0	0	0	0	0
325	md	SUM	SUM	184943	6.2	451.9	0	7.6	447.8	1.3	1.4	121.5	98.1	0
325	wt	N	003-12	777	0	15.3	0	0	15.3	0	0	0	0	0
325	wt	N	325-00	45	0	0	0	0	0	0	0	0	0	0
325	wt	N	325-01	10	0	7.1	0	0	7.1	0	0	0	0	0
325	wt	N	326-00	60	0	0	0	0	0	0	0	0	0	0
325	wt	N	326-01	24	0	0	0	0	0	0	0	0	0	0
325	wt	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	0	11.2	0
325	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
325	wt	N	SUM	25129	0	37.4	0	0	37.4	0	0	0	11.2	0
325	wt	R	003-10	7329	5.7	40.8	2.3	2.3	43.1	0	3.4	0	0	0
325	wt	R	325-00	405	0	1.3	0	0	1.3	0	0	0	0	0
325	wt	R	325-01	140	7.1	16.6	0	5.3	18.5	0	0	0	0	0
325	wt	R	326-00	440	0	1.9	0	0	1.9	0	0	0	0	0
325	wt	R	326-01	155	0	2.5	0	0	2.5	0	0	0	2.5	0
325	wt	R	Deer_A	150577	3.7	80.6	1.4	2	81.4	0	2.3	7.3	68.9	0
325	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
325	wt	R	SUM	159046	16.5	143.8	3.7	9.6	148.6	0	5.8	7.3	71.4	0
325	wt	SUM	003-10	7329	5.7	40.8	2.3	2.3	43.1	0	3.4	0	0	0
325	wt	SUM	003-12	777	0	15.3	0	0	15.3	0	0	0	0	0
325	wt	SUM	325-00	450	0	1.3	0	0	1.3	0	0	0	0	0
325	wt	SUM	325-01	150	7.1	23.8	0	5.3	25.6	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
325	wt	SUM	326-00	500	0	1.9	0	0	1.9	0	0	0	0	0
325	wt	SUM	326-01	179	0	2.5	0	0	2.5	0	0	0	2.5	0
325	wt	SUM	Deer_A	174790	3.7	95.5	1.4	2	96.3	0	2.3	7.3	80.1	0
325	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
325	wt	SUM	SUM	184175	16.5	181.2	3.7	9.6	186	0	5.8	7.3	82.6	0
326	all_deer	N	003-12	777	0	2.9	0	0	2.9	0	0	0	0	0
326	all_deer	N	325-00	45	0	0	0	0	0	0	0	0	0	0
326	all_deer	N	326-00	60	0	24	1.4	0	24	0	1.4	0	0	0
326	all_deer	N	326-01	24	1.5	5.8	0	1.5	5.8	0	0	0	0	0
326	all_deer	N	597-00	27	0	0	0	0	0	0	0	0	0	0
326	all_deer	N	Deer_A	24213	2.2	27.5	0	2.2	27.5	0	0	16.3	13.3	0
326	all_deer	N	SUM	25146	3.6	60.3	1.4	3.6	60.3	0	1.4	16.3	13.3	0
326	all_deer	R	003-10	7329	0	31.4	0	0	31.4	0	0	0	0	0
326	all_deer	R	325-00	405	0	1.2	0	0	1.2	0	0	1.2	0	0
326	all_deer	R	326-00	440	3.5	162	1.5	3.5	163.5	0	0	1.5	0	0
326	all_deer	R	326-01	155	4.3	40.1	4	4.3	44.1	0	0	0	0	0
326	all_deer	R	597-00	573	0	1.6	0	0	1.6	0	0	0	0	0
326	all_deer	R	Deer_A	150577	1.4	217	3.4	1.4	220.3	0	0	104.1	93.4	0
326	all_deer	R	SUM	159479	9.1	453.3	8.9	9.1	462.2	0	0	106.8	93.4	0
326	all_deer	SUM	003-10	7329	0	31.4	0	0	31.4	0	0	0	0	0
326	all_deer	SUM	003-12	777	0	2.9	0	0	2.9	0	0	0	0	0
326	all_deer	SUM	325-00	450	0	1.2	0	0	1.2	0	0	1.2	0	0
326	all_deer	SUM	326-00	500	3.5	186	2.9	3.5	187.5	0	1.4	1.5	0	0
326	all_deer	SUM	326-01	179	5.7	45.9	4	5.7	49.9	0	0	0	0	0
326	all_deer	SUM	597-00	600	0	1.6	0	0	1.6	0	0	0	0	0
326	all_deer	SUM	Deer_A	174790	3.6	244.5	3.4	3.6	247.9	0	0	120.5	106.8	0
326	all_deer	SUM	SUM	184625	12.8	513.6	10.3	12.8	522.5	0	1.4	123.2	106.8	0
326	md	N	326-00	60	0	24	0	0	24	0	0	0	0	0
326	md	N	326-01	24	0	0	0	0	0	0	0	0	0	0
326	md	N	Deer_A	24213	0	27.5	0	0	27.5	0	0	16.3	11.2	0
326	md	N	SUM	24297	0	51.6	0	0	51.6	0	0	16.3	11.2	0
326	md	R	326-00	440	3.5	160	1.5	3.5	161.5	0	0	1.5	0	0
326	md	R	326-01	155	1.7	2.1	0	1.7	2.1	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
326	md	R	Deer_A	150577	1.4	178	3.4	1.4	181.4	0	0	97.6	67.9	0
326	md	R	SUM	151172	6.6	340.1	4.9	6.6	345	0	0	99	67.9	0
326	md	SUM	326-00	500	3.5	184	1.5	3.5	185.5	0	0	1.5	0	0
326	md	SUM	326-01	179	1.7	2.1	0	1.7	2.1	0	0	0	0	0
326	md	SUM	Deer_A	174790	1.4	205.5	3.4	1.4	208.9	0	0	113.9	79.1	0
326	md	SUM	SUM	175469	6.6	391.7	4.9	6.6	396.6	0	0	115.4	79.1	0
326	wt	N	003-12	777	0	2.9	0	0	2.9	0	0	0	0	0
326	wt	N	325-00	45	0	0	0	0	0	0	0	0	0	0
326	wt	N	326-00	60	0	0	0	0	0	0	0	0	0	0
326	wt	N	326-01	24	1.5	5.8	0	1.5	5.8	0	0	0	0	0
326	wt	N	597-00	27	0	0	0	0	0	0	0	0	0	0
326	wt	N	Deer_A	24213	2.2	0	0	2.2	0	0	0	0	2.2	0
326	wt	N	SUM	25146	3.6	8.7	0	3.6	8.7	0	0	0	2.2	0
326	wt	R	003-10	7329	0	31.4	0	0	31.4	0	0	0	0	0
326	wt	R	325-00	405	0	1.2	0	0	1.2	0	0	1.2	0	0
326	wt	R	326-00	440	0	2	0	0	2	0	0	0	0	0
326	wt	R	326-01	155	2.5	38	4	2.5	42	0	0	0	0	0
326	wt	R	597-00	573	0	1.6	0	0	1.6	0	0	0	0	0
326	wt	R	Deer_A	150577	0	38.9	0	0	38.9	0	0	6.6	25.5	0
326	wt	R	SUM	159479	2.5	113.2	4	2.5	117.2	0	0	7.8	25.5	0
326	wt	SUM	003-10	7329	0	31.4	0	0	31.4	0	0	0	0	0
326	wt	SUM	003-12	777	0	2.9	0	0	2.9	0	0	0	0	0
326	wt	SUM	325-00	450	0	1.2	0	0	1.2	0	0	1.2	0	0
326	wt	SUM	326-00	500	0	2	0	0	2	0	0	0	0	0
326	wt	SUM	326-01	179	4	43.8	4	4	47.8	0	0	0	0	0
326	wt	SUM	597-00	600	0	1.6	0	0	1.6	0	0	0	0	0
326	wt	SUM	Deer_A	174790	2.2	38.9	0	2.2	38.9	0	0	6.6	27.7	0
326	wt	SUM	SUM	184625	6.1	121.9	4	6.1	125.9	0	0	7.8	27.7	0
327	all_deer	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	7.5	7.5	0
327	all_deer	N	SUM	24213	0	14.9	0	0	14.9	0	0	7.5	7.5	0
327	all_deer	R	Deer_A	150577	0	24.9	0	0	24.9	0	0	11	9.9	0
327	all_deer	R	SUM	150577	0	24.9	0	0	24.9	0	0	11	9.9	0
327	all_deer	SUM	Deer_A	174790	0	39.8	0	0	39.8	0	0	18.4	17.3	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
327	all_deer	SUM	SUM	174790	0	39.8	0	0	39.8	0	0	18.4	17.3	0
327	md	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	7.5	7.5	0
327	md	N	SUM	24213	0	14.9	0	0	14.9	0	0	7.5	7.5	0
327	md	R	Deer_A	150577	0	16.8	0	0	16.8	0	0	8.7	4.1	0
327	md	R	SUM	150577	0	16.8	0	0	16.8	0	0	8.7	4.1	0
327	md	SUM	Deer_A	174790	0	31.7	0	0	31.7	0	0	16.1	11.5	0
327	md	SUM	SUM	174790	0	31.7	0	0	31.7	0	0	16.1	11.5	0
327	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
327	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
327	wt	N	SUM	24990	0	0	0	0	0	0	0	0	0	0
327	wt	R	003-10	7329	0	0	0	0	0	0	0	0	0	0
327	wt	R	Deer_A	150577	0	8.2	0	0	8.2	0	0	2.3	5.8	0
327	wt	R	SUM	157906	0	8.2	0	0	8.2	0	0	2.3	5.8	0
327	wt	SUM	003-10	7329	0	0	0	0	0	0	0	0	0	0
327	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
327	wt	SUM	Deer_A	174790	0	8.2	0	0	8.2	0	0	2.3	5.8	0
327	wt	SUM	SUM	182896	0	8.2	0	0	8.2	0	0	2.3	5.8	0
328	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
328	all_deer	N	302-00	20	0	0	0	0	0	0	0	0	0	0
328	all_deer	N	328-00	1	0	1	0	0	1	0	0	0	0	0
328	all_deer	N	Deer_A	24213	0	11.2	0	0	7.5	3.7	0	3.7	3.7	0
328	all_deer	N	SUM	24301	0	12.2	0	0	8.5	3.7	0	3.7	3.7	0
328	all_deer	R	002-10	1152	3.3	0	0	0	3.3	0	0	0	0	0
328	all_deer	R	302-00	130	0	1.5	0	0	1.5	0	0	0	0	0
328	all_deer	R	328-00	24	0	7.6	0	0	7.6	0	0	0	0	0
328	all_deer	R	Deer_A	150577	2.2	44.8	0	0	47	0	0	29.5	15.8	0
328	all_deer	R	SUM	151883	5.5	53.9	0	0	59.4	0	0	29.5	15.8	0
328	all_deer	SUM	002-10	1219	3.3	0	0	0	3.3	0	0	0	0	0
328	all_deer	SUM	302-00	150	0	1.5	0	0	1.5	0	0	0	0	0
328	all_deer	SUM	328-00	25	0	8.6	0	0	8.6	0	0	0	0	0
328	all_deer	SUM	Deer_A	174790	2.2	55.9	0	0	54.4	3.7	0	33.2	19.5	0
328	all_deer	SUM	SUM	176184	5.5	66	0	0	67.9	3.7	0	33.2	19.5	0
328	md	N	302-00	20	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
328	md	N	328-00	1	0	1	0	0	1	0	0	0	0	0
328	md	N	Deer_A	24213	0	7.5	0	0	3.7	3.7	0	3.7	3.7	0
328	md	N	SUM	24234	0	8.5	0	0	4.7	3.7	0	3.7	3.7	0
328	md	R	302-00	130	0	1.5	0	0	1.5	0	0	0	0	0
328	md	R	328-00	24	0	7.6	0	0	7.6	0	0	0	0	0
328	md	R	Deer_A	150577	0	30.9	0	0	30.9	0	0	21.4	9.5	0
328	md	R	SUM	150731	0	40	0	0	40	0	0	21.4	9.5	0
328	md	SUM	302-00	150	0	1.5	0	0	1.5	0	0	0	0	0
328	md	SUM	328-00	25	0	8.6	0	0	8.6	0	0	0	0	0
328	md	SUM	Deer_A	174790	0	38.3	0	0	34.6	3.7	0	25.1	13.2	0
328	md	SUM	SUM	174965	0	48.4	0	0	44.7	3.7	0	25.1	13.2	0
328	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
328	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
328	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	0	0
328	wt	N	SUM	25057	0	3.7	0	0	3.7	0	0	0	0	0
328	wt	R	002-10	1152	3.3	0	0	0	3.3	0	0	0	0	0
328	wt	R	003-10	7329	0	0	0	0	0	0	0	0	0	0
328	wt	R	Deer_A	150577	2.2	13.9	0	0	16.1	0	0	8.1	6.3	0
328	wt	R	SUM	159058	5.5	13.9	0	0	19.4	0	0	8.1	6.3	0
328	wt	SUM	002-10	1219	3.3	0	0	0	3.3	0	0	0	0	0
328	wt	SUM	003-10	7329	0	0	0	0	0	0	0	0	0	0
328	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
328	wt	SUM	Deer_A	174790	2.2	17.6	0	0	19.8	0	0	8.1	6.3	0
328	wt	SUM	SUM	184115	5.5	17.6	0	0	23.1	0	0	8.1	6.3	0
329	all_deer	N	003-12	777	0	9.5	0	0	9.5	0	0	0	0	0
329	all_deer	N	325-00	45	0	0	0	0	0	0	0	0	0	0
329	all_deer	N	329-00	5	0	1.7	0	0	1.7	0	0	0	0	0
329	all_deer	N	Deer_A	24213	7.5	37.7	0	7.5	37.7	0	0	17	17.1	0
329	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
329	all_deer	N	SUM	25040	7.5	48.9	0	7.5	48.9	0	0	17	17.1	0
329	all_deer	R	003-10	7329	4.5	16.8	0	4.5	16.8	0	0	0	0	0
329	all_deer	R	325-00	405	0	1.4	0	0	1.4	0	0	0	0	0
329	all_deer	R	329-00	45	1.3	25.3	0	1.3	25.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
329	all_deer	R	Deer_A	150577	16	81.8	1.5	16	83.3	0	0	68.2	20.5	1.6
329	all_deer	R	none	.	0	1.6	0	0	1.6	0	0	0	0	0
329	all_deer	R	SUM	158356	21.8	127	1.5	21.8	128.5	0	0	68.2	20.5	1.6
329	all_deer	SUM	003-10	7329	4.5	16.8	0	4.5	16.8	0	0	0	0	0
329	all_deer	SUM	003-12	777	0	9.5	0	0	9.5	0	0	0	0	0
329	all_deer	SUM	325-00	450	0	1.4	0	0	1.4	0	0	0	0	0
329	all_deer	SUM	329-00	50	1.3	27	0	1.3	27	0	0	0	0	0
329	all_deer	SUM	Deer_A	174790	23.4	119.5	1.5	23.4	121	0	0	85.2	37.5	1.6
329	all_deer	SUM	none	.	0	1.6	0	0	1.6	0	0	0	0	0
329	all_deer	SUM	SUM	183396	29.2	175.8	1.5	29.2	177.4	0	0	85.2	37.5	1.6
329	md	N	325-00	45	0	0	0	0	0	0	0	0	0	0
329	md	N	329-00	5	0	1.7	0	0	1.7	0	0	0	0	0
329	md	N	Deer_A	24213	7.5	22.9	0	7.5	22.9	0	0	11.8	7.5	0
329	md	N	none	.	0	0	0	0	0	0	0	0	0	0
329	md	N	SUM	24263	7.5	24.6	0	7.5	24.6	0	0	11.8	7.5	0
329	md	R	325-00	405	0	1.4	0	0	1.4	0	0	0	0	0
329	md	R	329-00	45	1.3	23.9	0	1.3	23.9	0	0	0	0	0
329	md	R	Deer_A	150577	7.9	68.6	1.5	7.9	70.2	0	0	55.6	13.3	1.6
329	md	R	none	.	0	1.6	0	0	1.6	0	0	0	0	0
329	md	R	SUM	151027	9.2	95.6	1.5	9.2	97.1	0	0	55.6	13.3	1.6
329	md	SUM	325-00	450	0	1.4	0	0	1.4	0	0	0	0	0
329	md	SUM	329-00	50	1.3	25.5	0	1.3	25.5	0	0	0	0	0
329	md	SUM	Deer_A	174790	15.3	91.6	1.5	15.3	93.1	0	0	67.4	20.8	1.6
329	md	SUM	none	.	0	1.6	0	0	1.6	0	0	0	0	0
329	md	SUM	SUM	175290	16.6	120.2	1.5	16.6	121.7	0	0	67.4	20.8	1.6
329	wt	N	003-12	777	0	9.5	0	0	9.5	0	0	0	0	0
329	wt	N	329-00	5	0	0	0	0	0	0	0	0	0	0
329	wt	N	Deer_A	24213	0	14.8	0	0	14.8	0	0	5.2	9.6	0
329	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
329	wt	N	SUM	24995	0	24.3	0	0	24.3	0	0	5.2	9.6	0
329	wt	R	003-10	7329	4.5	16.8	0	4.5	16.8	0	0	0	0	0
329	wt	R	329-00	45	0	1.4	0	0	1.4	0	0	0	0	0
329	wt	R	Deer_A	150577	8.1	13.1	0	8.1	13.1	0	0	12.6	7.1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
329	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
329	wt	R	SUM	157951	12.6	31.4	0	12.6	31.4	0	0	12.6	7.1	0
329	wt	SUM	003-10	7329	4.5	16.8	0	4.5	16.8	0	0	0	0	0
329	wt	SUM	003-12	777	0	9.5	0	0	9.5	0	0	0	0	0
329	wt	SUM	329-00	50	0	1.4	0	0	1.4	0	0	0	0	0
329	wt	SUM	Deer_A	174790	8.1	27.9	0	8.1	27.9	0	0	17.8	16.7	0
329	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
329	wt	SUM	SUM	182946	12.6	55.7	0	12.6	55.7	0	0	17.8	16.7	0
330	all_deer	N	003-12	777	0	11.2	0	0	11.2	0	0	0	0	0
330	all_deer	N	330-00	35	0	8.4	0	0	8.4	0	0	0	0	0
330	all_deer	N	330-01	12	2.8	4	0	2.8	4	0	0	0	0	0
330	all_deer	N	333-00	4	0	0	0	0	0	0	0	0	0	0
330	all_deer	N	333-01	15	0	0	0	0	0	0	0	0	0	0
330	all_deer	N	Deer_A	24213	0	88.5	3.7	0	88.5	0	3.7	35	46.1	0
330	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
330	all_deer	N	SUM	25056	2.8	112.2	3.7	2.8	112.2	0	3.7	35	46.1	0
330	all_deer	R	003-10	7329	9.7	34.8	0	9.7	34.8	0	0	0	0	0
330	all_deer	R	007-13	5452	0	2.5	0	0	2.5	0	0	0	0	0
330	all_deer	R	330-00	215	0	77.5	0	0	76.1	1.4	0	0	0	0
330	all_deer	R	330-01	88	7.8	14.5	0	7.8	14.5	0	0	0	0	0
330	all_deer	R	333-00	171	0	1.5	0	0	1.5	0	0	0	0	0
330	all_deer	R	333-01	285	0	1.6	0	0	1.6	0	0	0	1.6	0
330	all_deer	R	Deer_A	150577	7.4	200.8	0	5.2	199.1	0	3.9	87.3	99.3	0
330	all_deer	R	none	.	0	2	0	0	2	0	0	2	0	0
330	all_deer	R	SUM	164117	24.9	335.2	0	22.7	332.1	1.4	3.9	89.3	100.8	0
330	all_deer	SUM	003-10	7329	9.7	34.8	0	9.7	34.8	0	0	0	0	0
330	all_deer	SUM	003-12	777	0	11.2	0	0	11.2	0	0	0	0	0
330	all_deer	SUM	007-13	5452	0	2.5	0	0	2.5	0	0	0	0	0
330	all_deer	SUM	330-00	250	0	86	0	0	84.5	1.4	0	0	0	0
330	all_deer	SUM	330-01	100	10.6	18.5	0	10.6	18.5	0	0	0	0	0
330	all_deer	SUM	333-00	175	0	1.5	0	0	1.5	0	0	0	0	0
330	all_deer	SUM	333-01	300	0	1.6	0	0	1.6	0	0	0	1.6	0
330	all_deer	SUM	Deer_A	174790	7.4	289.3	3.7	5.2	287.7	0	7.6	122.3	145.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
330	all_deer	SUM	none	.	0	2	0	0	2	0	0	2	0	0
330	all_deer	SUM	SUM	189173	27.7	447.4	3.7	25.5	444.3	1.4	7.6	124.3	147	0
330	md	N	330-00	35	0	8.4	0	0	8.4	0	0	0	0	0
330	md	N	333-00	4	0	0	0	0	0	0	0	0	0	0
330	md	N	333-01	15	0	0	0	0	0	0	0	0	0	0
330	md	N	Deer_A	24213	0	47.5	3.7	0	47.5	0	3.7	31.2	16.3	0
330	md	N	none	.	0	0	0	0	0	0	0	0	0	0
330	md	N	SUM	24267	0	56	3.7	0	56	0	3.7	31.2	16.3	0
330	md	R	003-10	7329	2.2	0	0	2.2	0	0	0	0	0	0
330	md	R	007-13	5452	0	2.5	0	0	2.5	0	0	0	0	0
330	md	R	330-00	215	0	74.3	0	0	74.3	0	0	0	0	0
330	md	R	333-00	171	0	1.5	0	0	1.5	0	0	0	0	0
330	md	R	333-01	285	0	1.6	0	0	1.6	0	0	0	1.6	0
330	md	R	Deer_A	150577	1.4	115	0	0	116.3	0	0	67	49.3	0
330	md	R	none	.	0	2	0	0	2	0	0	2	0	0
330	md	R	SUM	164029	3.5	196.8	0	2.2	198.2	0	0	69	50.8	0
330	md	SUM	003-10	7329	2.2	0	0	2.2	0	0	0	0	0	0
330	md	SUM	007-13	5452	0	2.5	0	0	2.5	0	0	0	0	0
330	md	SUM	330-00	250	0	82.7	0	0	82.7	0	0	0	0	0
330	md	SUM	333-00	175	0	1.5	0	0	1.5	0	0	0	0	0
330	md	SUM	333-01	300	0	1.6	0	0	1.6	0	0	0	1.6	0
330	md	SUM	Deer_A	174790	1.4	162.5	3.7	0	163.9	0	3.7	98.3	65.6	0
330	md	SUM	none	.	0	2	0	0	2	0	0	2	0	0
330	md	SUM	SUM	188296	3.5	252.8	3.7	2.2	254.2	0	3.7	100.3	67.2	0
330	wt	N	003-12	777	0	11.2	0	0	11.2	0	0	0	0	0
330	wt	N	330-00	35	0	0	0	0	0	0	0	0	0	0
330	wt	N	330-01	12	2.8	4	0	2.8	4	0	0	0	0	0
330	wt	N	Deer_A	24213	0	41	0	0	41	0	0	3.7	29.8	0
330	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
330	wt	N	SUM	25037	2.8	56.2	0	2.8	56.2	0	0	3.7	29.8	0
330	wt	R	003-10	7329	7.5	34.8	0	7.5	34.8	0	0	0	0	0
330	wt	R	330-00	215	0	3.2	0	0	1.8	1.4	0	0	0	0
330	wt	R	330-01	88	7.8	14.5	0	7.8	14.5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
330	wt	R	Deer_A	150577	3.7	85.8	0	5.2	82.8	0	1.6	20.3	50	0
330	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
330	wt	R	SUM	158209	19	138.3	0	20.5	133.9	1.4	1.6	20.3	50	0
330	wt	SUM	003-10	7329	7.5	34.8	0	7.5	34.8	0	0	0	0	0
330	wt	SUM	003-12	777	0	11.2	0	0	11.2	0	0	0	0	0
330	wt	SUM	330-00	250	0	3.2	0	0	1.8	1.4	0	0	0	0
330	wt	SUM	330-01	100	10.6	18.5	0	10.6	18.5	0	0	0	0	0
330	wt	SUM	Deer_A	174790	3.7	126.8	0	5.2	123.8	0	1.6	24	79.8	0
330	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
330	wt	SUM	SUM	183246	21.8	194.5	0	23.3	190.1	1.4	1.6	24	79.8	0
331	all_deer	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
331	all_deer	N	302-00	20	0	1.6	0	0	1.6	0	0	0	0	0
331	all_deer	N	322-00	19	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	322-02	36	0	2.7	0	0	2.7	0	0	0	0	0
331	all_deer	N	326-00	60	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	331-01	11	0	7.7	0	0	7.7	0	0	0	0	0
331	all_deer	N	331-02	2	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	332-00	5	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	333-00	4	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	333-02	6	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	360-01	23	0	0	0	0	0	0	0	0	0	0
331	all_deer	N	Deer_A	24213	3.7	60.9	0	3.7	60.9	0	0	33.7	25.7	1.6
331	all_deer	N	SUM	25176	3.7	77	0	3.7	77	0	0	33.7	25.7	1.6
331	all_deer	R	003-10	7329	4.4	51.6	0	2.3	53.7	0	0	0	0	0
331	all_deer	R	302-00	130	0	0	0	0	0	0	0	0	0	0
331	all_deer	R	322-00	581	0	1.5	0	0	1.5	0	0	1.5	0	0
331	all_deer	R	322-02	446	0	0	0	0	0	0	0	0	0	0
331	all_deer	R	326-00	440	0	1.6	0	0	1.6	0	0	0	0	0
331	all_deer	R	331-00	25	0	4.8	0	4.8	0	0	0	0	0	0
331	all_deer	R	331-01	138	0	72.8	1.4	1.4	72.8	0	0	0	0	0
331	all_deer	R	331-02	8	0	5.8	0	0	5.8	0	0	0	0	0
331	all_deer	R	332-00	45	0	1.3	0	0	1.3	0	0	0	0	0
331	all_deer	R	333-00	171	0	1.2	0	0	1.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
331	all_deer	R	333-02	218	0	2.5	0	0	2.5	0	0	0	0	0
331	all_deer	R	360-01	177	0	1.6	0	0	1.6	0	0	0	1.6	0
331	all_deer	R	Deer_A	150577	5.6	322.3	3.1	8	319	0	4.1	191.5	111.9	0
331	all_deer	R	SUM	160285	10	467.1	4.5	16.5	461	0	4.1	193	113.4	0
331	all_deer	SUM	003-10	7329	4.4	51.6	0	2.3	53.7	0	0	0	0	0
331	all_deer	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
331	all_deer	SUM	302-00	150	0	1.6	0	0	1.6	0	0	0	0	0
331	all_deer	SUM	322-00	600	0	1.5	0	0	1.5	0	0	1.5	0	0
331	all_deer	SUM	322-02	482	0	2.7	0	0	2.7	0	0	0	0	0
331	all_deer	SUM	326-00	500	0	1.6	0	0	1.6	0	0	0	0	0
331	all_deer	SUM	331-00	25	0	4.8	0	4.8	0	0	0	0	0	0
331	all_deer	SUM	331-01	149	0	80.5	1.4	1.4	80.5	0	0	0	0	0
331	all_deer	SUM	331-02	10	0	5.8	0	0	5.8	0	0	0	0	0
331	all_deer	SUM	332-00	50	0	1.3	0	0	1.3	0	0	0	0	0
331	all_deer	SUM	333-00	175	0	1.2	0	0	1.2	0	0	0	0	0
331	all_deer	SUM	333-02	224	0	2.5	0	0	2.5	0	0	0	0	0
331	all_deer	SUM	360-01	200	0	1.6	0	0	1.6	0	0	0	1.6	0
331	all_deer	SUM	Deer_A	174790	9.3	383.2	3.1	11.7	379.9	0	4.1	225.2	137.5	1.6
331	all_deer	SUM	SUM	185461	13.7	544.1	4.5	20.2	538	0	4.1	226.7	139.1	1.6
331	md	N	302-00	20	0	1.6	0	0	1.6	0	0	0	0	0
331	md	N	322-00	19	0	0	0	0	0	0	0	0	0	0
331	md	N	326-00	60	0	0	0	0	0	0	0	0	0	0
331	md	N	331-01	11	0	7.7	0	0	7.7	0	0	0	0	0
331	md	N	332-00	5	0	0	0	0	0	0	0	0	0	0
331	md	N	Deer_A	24213	3.7	46.8	0	3.7	46.8	0	0	28.2	17.1	1.6
331	md	N	SUM	24328	3.7	56.2	0	3.7	56.2	0	0	28.2	17.1	1.6
331	md	R	003-10	7329	0	2.2	0	0	2.2	0	0	0	0	0
331	md	R	302-00	130	0	0	0	0	0	0	0	0	0	0
331	md	R	322-00	581	0	1.5	0	0	1.5	0	0	1.5	0	0
331	md	R	326-00	440	0	1.6	0	0	1.6	0	0	0	0	0
331	md	R	331-01	138	0	72.8	1.4	1.4	72.8	0	0	0	0	0
331	md	R	332-00	45	0	1.3	0	0	1.3	0	0	0	0	0
331	md	R	Deer_A	150577	4.1	244.5	3.1	6.4	245.2	0	0	169.9	67.3	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
331	md	R	SUM	159240	4.1	323.9	4.5	7.8	324.6	0	0	171.4	67.3	0
331	md	SUM	003-10	7329	0	2.2	0	0	2.2	0	0	0	0	0
331	md	SUM	302-00	150	0	1.6	0	0	1.6	0	0	0	0	0
331	md	SUM	322-00	600	0	1.5	0	0	1.5	0	0	1.5	0	0
331	md	SUM	326-00	500	0	1.6	0	0	1.6	0	0	0	0	0
331	md	SUM	331-01	149	0	80.5	1.4	1.4	80.5	0	0	0	0	0
331	md	SUM	332-00	50	0	1.3	0	0	1.3	0	0	0	0	0
331	md	SUM	Deer_A	174790	7.8	291.3	3.1	10.1	292	0	0	198.1	84.4	1.6
331	md	SUM	SUM	183568	7.8	380.1	4.5	11.6	380.8	0	0	199.6	84.4	1.6
331	wt	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
331	wt	N	322-02	36	0	2.7	0	0	2.7	0	0	0	0	0
331	wt	N	331-02	2	0	0	0	0	0	0	0	0	0	0
331	wt	N	333-00	4	0	0	0	0	0	0	0	0	0	0
331	wt	N	333-02	6	0	0	0	0	0	0	0	0	0	0
331	wt	N	360-01	23	0	0	0	0	0	0	0	0	0	0
331	wt	N	Deer_A	24213	0	14.1	0	0	14.1	0	0	5.5	8.6	0
331	wt	N	SUM	25061	0	20.8	0	0	20.8	0	0	5.5	8.6	0
331	wt	R	003-10	7329	4.4	49.4	0	2.3	51.5	0	0	0	0	0
331	wt	R	322-02	446	0	0	0	0	0	0	0	0	0	0
331	wt	R	331-00	25	0	4.8	0	4.8	0	0	0	0	0	0
331	wt	R	331-02	8	0	5.8	0	0	5.8	0	0	0	0	0
331	wt	R	333-00	171	0	1.2	0	0	1.2	0	0	0	0	0
331	wt	R	333-02	218	0	2.5	0	0	2.5	0	0	0	0	0
331	wt	R	360-01	177	0	1.6	0	0	1.6	0	0	0	1.6	0
331	wt	R	Deer_A	150577	1.6	77.9	0	1.6	73.8	0	4.1	21.6	44.6	0
331	wt	R	SUM	158951	5.9	143.2	0	8.7	136.4	0	4.1	21.6	46.1	0
331	wt	SUM	003-10	7329	4.4	49.4	0	2.3	51.5	0	0	0	0	0
331	wt	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
331	wt	SUM	322-02	482	0	2.7	0	0	2.7	0	0	0	0	0
331	wt	SUM	331-00	25	0	4.8	0	4.8	0	0	0	0	0	0
331	wt	SUM	331-02	10	0	5.8	0	0	5.8	0	0	0	0	0
331	wt	SUM	333-00	175	0	1.2	0	0	1.2	0	0	0	0	0
331	wt	SUM	333-02	224	0	2.5	0	0	2.5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
331	wt	SUM	360-01	200	0	1.6	0	0	1.6	0	0	0	1.6	0
331	wt	SUM	Deer_A	174790	1.6	91.9	0	1.6	87.9	0	4.1	27.1	53.2	0
331	wt	SUM	SUM	184012	5.9	164	0	8.7	157.2	0	4.1	27.1	54.7	0
332	all_deer	N	003-12	777	0	1.9	0	0	1.9	0	0	0	0	0
332	all_deer	N	330-00	35	0	2.1	0	0	2.1	0	0	0	0	0
332	all_deer	N	332-00	5	0	4	0	0	4	0	0	0	0	0
332	all_deer	N	Deer_A	24213	11.2	46.3	0	11.2	46.3	0	0	31.4	7.5	0
332	all_deer	N	SUM	25030	11.2	54.4	0	11.2	54.4	0	0	31.4	7.5	0
332	all_deer	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
332	all_deer	R	330-00	215	0	0	0	0	0	0	0	0	0	0
332	all_deer	R	332-00	45	1.2	10.8	0	1.2	10.8	0	0	0	0	0
332	all_deer	R	Deer_A	150577	13.6	85.6	0	13.6	85.6	0	0	63.2	25.6	5.6
332	all_deer	R	SUM	158166	14.8	99.9	0	14.8	99.9	0	0	63.2	25.6	5.6
332	all_deer	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
332	all_deer	SUM	003-12	777	0	1.9	0	0	1.9	0	0	0	0	0
332	all_deer	SUM	330-00	250	0	2.1	0	0	2.1	0	0	0	0	0
332	all_deer	SUM	332-00	50	1.2	14.8	0	1.2	14.8	0	0	0	0	0
332	all_deer	SUM	Deer_A	174790	24.8	132	0	24.8	132	0	0	94.6	33	5.6
332	all_deer	SUM	SUM	183196	26	154.3	0	26	154.3	0	0	94.6	33	5.6
332	md	N	330-00	35	0	2.1	0	0	2.1	0	0	0	0	0
332	md	N	332-00	5	0	4	0	0	4	0	0	0	0	0
332	md	N	Deer_A	24213	11.2	38.9	0	11.2	38.9	0	0	31.4	3.7	0
332	md	N	SUM	24253	11.2	45	0	11.2	45	0	0	31.4	3.7	0
332	md	R	330-00	215	0	0	0	0	0	0	0	0	0	0
332	md	R	332-00	45	1.2	10.8	0	1.2	10.8	0	0	0	0	0
332	md	R	Deer_A	150577	9.9	74.9	0	9.9	74.9	0	0	53.8	23.9	5.6
332	md	R	SUM	150837	11.1	85.7	0	11.1	85.7	0	0	53.8	23.9	5.6
332	md	SUM	330-00	250	0	2.1	0	0	2.1	0	0	0	0	0
332	md	SUM	332-00	50	1.2	14.8	0	1.2	14.8	0	0	0	0	0
332	md	SUM	Deer_A	174790	21.1	113.8	0	21.1	113.8	0	0	85.2	27.6	5.6
332	md	SUM	SUM	175090	22.3	130.7	0	22.3	130.7	0	0	85.2	27.6	5.6
332	wt	N	003-12	777	0	1.9	0	0	1.9	0	0	0	0	0
332	wt	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	3.7	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
332	wt	N	SUM	24990	0	9.4	0	0	9.4	0	0	0	3.7	0
332	wt	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
332	wt	R	Deer_A	150577	3.7	10.7	0	3.7	10.7	0	0	9.4	1.7	0
332	wt	R	SUM	157906	3.7	14.2	0	3.7	14.2	0	0	9.4	1.7	0
332	wt	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
332	wt	SUM	003-12	777	0	1.9	0	0	1.9	0	0	0	0	0
332	wt	SUM	Deer_A	174790	3.7	18.2	0	3.7	18.2	0	0	9.4	5.4	0
332	wt	SUM	SUM	182896	3.7	23.6	0	3.7	23.6	0	0	9.4	5.4	0
333	all_deer	N	003-12	777	0	13.4	0	0	13.4	0	0	0	0	0
333	all_deer	N	320-02	14	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	322-02	36	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	326-00	60	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	330-00	35	0	1.4	0	0	1.4	0	0	0	0	0
333	all_deer	N	331-01	11	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	333-00	4	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	333-01	15	0	10.1	0	0	10.1	0	0	0	0	0
333	all_deer	N	333-02	6	0	2	0	0	2	0	0	0	0	0
333	all_deer	N	333-03	37	0	8.8	0	0	8.8	0	0	1.8	0	0
333	all_deer	N	335-00	2	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	340-02	12	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	Deer_A	24213	7.5	43.3	0	7.5	43.3	0	0	5.2	45.6	0
333	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
333	all_deer	N	SUM	25222	7.5	79	0	7.5	79	0	0	7	45.6	0
333	all_deer	R	003-10	7329	22.5	265.6	2.1	20.3	269.9	0	0	0	0	0
333	all_deer	R	006-10	2581	0	2.1	0	0	2.1	0	0	0	0	0
333	all_deer	R	320-02	136	1.5	4.5	0	3	3	0	0	0	0	0
333	all_deer	R	322-02	446	0	2.3	0	0	2.3	0	0	2.3	0	0
333	all_deer	R	326-00	440	0	3	0	0	3	0	0	0	0	0
333	all_deer	R	330-00	215	0	0	0	0	0	0	0	0	0	0
333	all_deer	R	331-00	25	0	1.1	0	0	1.1	0	0	0	0	0
333	all_deer	R	331-01	138	0	1.4	0	0	1.4	0	0	0	0	0
333	all_deer	R	333-00	171	2.3	66.1	3.9	58.6	12.3	0	1.4	0	1.3	0
333	all_deer	R	333-01	285	8.5	101.1	2.8	9.4	101.9	0	1.2	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
333	all_deer	R	333-02	218	8.2	66.3	0	11.2	62	0	1.3	0	0	0
333	all_deer	R	333-03	299	0	108.2	0	1.8	104.9	0	1.4	0	0	0
333	all_deer	R	335-00	148	0	1.5	0	0	1.5	0	0	0	0	0
333	all_deer	R	340-02	78	0	1.4	0	0	1.4	0	0	0	0	0
333	all_deer	R	350-00	75	0	1.3	0	0	1.3	0	0	0	1.3	0
333	all_deer	R	Deer_A	150577	13.5	717.3	4.7	19.6	712.8	0	3.1	175	416.7	1.7
333	all_deer	R	none	.	0	11.7	0	0	11.7	0	0	0	0	0
333	all_deer	R	SUM	163161	56.5	1354.9	13.6	123.9	1292.6	0	8.4	177.3	419.3	1.7
333	all_deer	SUM	003-10	7329	22.5	265.6	2.1	20.3	269.9	0	0	0	0	0
333	all_deer	SUM	003-12	777	0	13.4	0	0	13.4	0	0	0	0	0
333	all_deer	SUM	006-10	2581	0	2.1	0	0	2.1	0	0	0	0	0
333	all_deer	SUM	320-02	150	1.5	4.5	0	3	3	0	0	0	0	0
333	all_deer	SUM	322-02	482	0	2.3	0	0	2.3	0	0	2.3	0	0
333	all_deer	SUM	326-00	500	0	3	0	0	3	0	0	0	0	0
333	all_deer	SUM	330-00	250	0	1.4	0	0	1.4	0	0	0	0	0
333	all_deer	SUM	331-00	25	0	1.1	0	0	1.1	0	0	0	0	0
333	all_deer	SUM	331-01	149	0	1.4	0	0	1.4	0	0	0	0	0
333	all_deer	SUM	333-00	175	2.3	66.1	3.9	58.6	12.3	0	1.4	0	1.3	0
333	all_deer	SUM	333-01	300	8.5	111.1	2.8	9.4	111.9	0	1.2	0	0	0
333	all_deer	SUM	333-02	224	8.2	68.3	0	11.2	64	0	1.3	0	0	0
333	all_deer	SUM	333-03	336	0	117	0	1.8	113.7	0	1.4	1.8	0	0
333	all_deer	SUM	335-00	150	0	1.5	0	0	1.5	0	0	0	0	0
333	all_deer	SUM	340-02	90	0	1.4	0	0	1.4	0	0	0	0	0
333	all_deer	SUM	350-00	75	0	1.3	0	0	1.3	0	0	0	1.3	0
333	all_deer	SUM	Deer_A	174790	20.9	760.6	4.7	27.1	756.1	0	3.1	180.2	462.3	1.7
333	all_deer	SUM	none	.	0	11.7	0	0	11.7	0	0	0	0	0
333	all_deer	SUM	SUM	188383	64	1433.9	13.6	131.4	1371.6	0	8.4	184.2	464.8	1.7
333	md	N	326-00	60	0	0	0	0	0	0	0	0	0	0
333	md	N	330-00	35	0	1.4	0	0	1.4	0	0	0	0	0
333	md	N	331-01	11	0	0	0	0	0	0	0	0	0	0
333	md	N	333-00	4	0	0	0	0	0	0	0	0	0	0
333	md	N	333-01	15	0	10.1	0	0	10.1	0	0	0	0	0
333	md	N	333-03	37	0	7	0	0	7	0	0	1.8	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
333	md	N	Deer_A	24213	0	15.1	0	0	15.1	0	0	1.5	13.6	0
333	md	N	none	.	0	0	0	0	0	0	0	0	0	0
333	md	N	SUM	24375	0	33.7	0	0	33.7	0	0	3.3	13.6	0
333	md	R	326-00	440	0	3	0	0	3	0	0	0	0	0
333	md	R	330-00	215	0	0	0	0	0	0	0	0	0	0
333	md	R	331-01	138	0	1.4	0	0	1.4	0	0	0	0	0
333	md	R	333-00	171	0	3.8	0	1.2	2.7	0	0	0	0	0
333	md	R	333-01	285	8.5	98.7	2.8	8.2	101.9	0	0	0	0	0
333	md	R	333-03	299	0	104.9	0	1.8	103.1	0	0	0	0	0
333	md	R	Deer_A	150577	0	204.3	0	2.9	201.4	0	0	96.8	100.2	1.7
333	md	R	none	.	0	1.4	0	0	1.4	0	0	0	0	0
333	md	R	SUM	152125	8.5	417.6	2.8	14.1	414.9	0	0	96.8	100.2	1.7
333	md	SUM	326-00	500	0	3	0	0	3	0	0	0	0	0
333	md	SUM	330-00	250	0	1.4	0	0	1.4	0	0	0	0	0
333	md	SUM	331-01	149	0	1.4	0	0	1.4	0	0	0	0	0
333	md	SUM	333-00	175	0	3.8	0	1.2	2.7	0	0	0	0	0
333	md	SUM	333-01	300	8.5	108.7	2.8	8.2	111.9	0	0	0	0	0
333	md	SUM	333-03	336	0	112	0	1.8	110.1	0	0	1.8	0	0
333	md	SUM	Deer_A	174790	0	219.4	0	2.9	216.5	0	0	98.3	113.8	1.7
333	md	SUM	none	.	0	1.4	0	0	1.4	0	0	0	0	0
333	md	SUM	SUM	176500	8.5	451.2	2.8	14.1	448.5	0	0	100.1	113.8	1.7
333	wt	N	003-12	777	0	13.4	0	0	13.4	0	0	0	0	0
333	wt	N	320-02	14	0	0	0	0	0	0	0	0	0	0
333	wt	N	322-02	36	0	0	0	0	0	0	0	0	0	0
333	wt	N	333-00	4	0	0	0	0	0	0	0	0	0	0
333	wt	N	333-01	15	0	0	0	0	0	0	0	0	0	0
333	wt	N	333-02	6	0	2	0	0	2	0	0	0	0	0
333	wt	N	333-03	37	0	1.8	0	0	1.8	0	0	0	0	0
333	wt	N	335-00	2	0	0	0	0	0	0	0	0	0	0
333	wt	N	340-02	12	0	0	0	0	0	0	0	0	0	0
333	wt	N	Deer_A	24213	7.5	28.2	0	7.5	28.2	0	0	3.7	32	0
333	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
333	wt	N	SUM	25116	7.5	45.3	0	7.5	45.3	0	0	3.7	32	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
333	wt	R	003-10	7329	22.5	263.4	2.1	20.3	267.6	0	0	0	0	0
333	wt	R	006-10	2581	0	2.1	0	0	2.1	0	0	0	0	0
333	wt	R	320-02	136	1.5	4.5	0	3	3	0	0	0	0	0
333	wt	R	322-02	446	0	2.3	0	0	2.3	0	0	2.3	0	0
333	wt	R	331-00	25	0	1.1	0	0	1.1	0	0	0	0	0
333	wt	R	333-00	171	2.3	62.2	3.9	57.4	9.6	0	1.4	0	1.3	0
333	wt	R	333-01	285	0	2.4	0	1.2	0	0	1.2	0	0	0
333	wt	R	333-02	218	8.2	66.3	0	11.2	62	0	1.3	0	0	0
333	wt	R	333-03	299	0	3.2	0	0	1.8	0	1.4	0	0	0
333	wt	R	335-00	148	0	1.5	0	0	1.5	0	0	0	0	0
333	wt	R	340-02	78	0	1.4	0	0	1.4	0	0	0	0	0
333	wt	R	350-00	75	0	1.3	0	0	1.3	0	0	0	1.3	0
333	wt	R	Deer_A	150577	13.5	511.5	4.7	16.7	509.9	0	3.1	78.1	315	0
333	wt	R	none	.	0	10.4	0	0	10.4	0	0	0	0	0
333	wt	R	SUM	162368	48	933.5	10.7	109.9	874	0	8.4	80.4	317.6	0
333	wt	SUM	003-10	7329	22.5	263.4	2.1	20.3	267.6	0	0	0	0	0
333	wt	SUM	003-12	777	0	13.4	0	0	13.4	0	0	0	0	0
333	wt	SUM	006-10	2581	0	2.1	0	0	2.1	0	0	0	0	0
333	wt	SUM	320-02	150	1.5	4.5	0	3	3	0	0	0	0	0
333	wt	SUM	322-02	482	0	2.3	0	0	2.3	0	0	2.3	0	0
333	wt	SUM	331-00	25	0	1.1	0	0	1.1	0	0	0	0	0
333	wt	SUM	333-00	175	2.3	62.2	3.9	57.4	9.6	0	1.4	0	1.3	0
333	wt	SUM	333-01	300	0	2.4	0	1.2	0	0	1.2	0	0	0
333	wt	SUM	333-02	224	8.2	68.3	0	11.2	64	0	1.3	0	0	0
333	wt	SUM	333-03	336	0	5	0	0	3.6	0	1.4	0	0	0
333	wt	SUM	335-00	150	0	1.5	0	0	1.5	0	0	0	0	0
333	wt	SUM	340-02	90	0	1.4	0	0	1.4	0	0	0	0	0
333	wt	SUM	350-00	75	0	1.3	0	0	1.3	0	0	0	1.3	0
333	wt	SUM	Deer_A	174790	20.9	539.7	4.7	24.2	538.1	0	3.1	81.9	347	0
333	wt	SUM	none	.	0	10.4	0	0	10.4	0	0	0	0	0
333	wt	SUM	SUM	187484	55.4	978.9	10.7	117.3	919.3	0	8.4	84.1	349.5	0
335	all_deer	N	335-00	2	0	1	0	0	1	0	0	0	0	0
335	all_deer	N	335-40	8	0	2.7	0	0	2.7	0	0	1.4	1.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
335	all_deer	N	Deer_A	24213	0	5	0	0	5	0	0	1.2	3.7	0
335	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
335	all_deer	N	SUM	24223	0	8.7	0	0	8.7	0	0	2.6	5.1	0
335	all_deer	R	003-10	7329	0	4.8	0	0	4.8	0	0	0	0	0
335	all_deer	R	335-00	148	0	61.6	4.2	1.4	64.5	0	0	0	0	0
335	all_deer	R	335-40	322	0	149.8	4.1	0	153.9	0	0	61.7	89.4	0
335	all_deer	R	Deer_A	150577	0	48.6	0	0	48.6	0	0	22	11.1	0
335	all_deer	R	none	.	0	1.9	0	0	1.9	0	0	0	0	0
335	all_deer	R	SUM	158376	0	266.7	8.4	1.4	273.7	0	0	83.7	100.4	0
335	all_deer	SUM	003-10	7329	0	4.8	0	0	4.8	0	0	0	0	0
335	all_deer	SUM	335-00	150	0	62.6	4.2	1.4	65.5	0	0	0	0	0
335	all_deer	SUM	335-40	330	0	152.5	4.1	0	156.6	0	0	63.1	90.7	0
335	all_deer	SUM	Deer_A	174790	0	53.5	0	0	53.5	0	0	23.2	14.8	0
335	all_deer	SUM	none	.	0	1.9	0	0	1.9	0	0	0	0	0
335	all_deer	SUM	SUM	182599	0	275.4	8.4	1.4	282.4	0	0	86.3	105.5	0
335	md	N	335-00	2	0	1	0	0	1	0	0	0	0	0
335	md	N	335-40	8	0	2.7	0	0	2.7	0	0	1.4	1.4	0
335	md	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
335	md	N	none	.	0	0	0	0	0	0	0	0	0	0
335	md	N	SUM	24223	0	3.7	0	0	3.7	0	0	1.4	1.4	0
335	md	R	335-00	148	0	61.6	4.2	1.4	64.5	0	0	0	0	0
335	md	R	335-40	322	0	149.8	4.1	0	153.9	0	0	61.7	89.4	0
335	md	R	Deer_A	150577	0	28.7	0	0	28.7	0	0	9.1	6.4	0
335	md	R	none	.	0	1.9	0	0	1.9	0	0	0	0	0
335	md	R	SUM	151047	0	242	8.4	1.4	249	0	0	70.8	95.7	0
335	md	SUM	335-00	150	0	62.6	4.2	1.4	65.5	0	0	0	0	0
335	md	SUM	335-40	330	0	152.5	4.1	0	156.6	0	0	63.1	90.7	0
335	md	SUM	Deer_A	174790	0	28.7	0	0	28.7	0	0	9.1	6.4	0
335	md	SUM	none	.	0	1.9	0	0	1.9	0	0	0	0	0
335	md	SUM	SUM	175270	0	245.7	8.4	1.4	252.7	0	0	72.2	97.1	0
335	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
335	wt	N	Deer_A	24213	0	5	0	0	5	0	0	1.2	3.7	0
335	wt	N	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
335	wt	N	SUM	24990	0	5	0	0	5	0	0	1.2	3.7	0
335	wt	R	003-10	7329	0	4.8	0	0	4.8	0	0	0	0	0
335	wt	R	Deer_A	150577	0	19.9	0	0	19.9	0	0	12.9	4.7	0
335	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
335	wt	R	SUM	157906	0	24.7	0	0	24.7	0	0	12.9	4.7	0
335	wt	SUM	003-10	7329	0	4.8	0	0	4.8	0	0	0	0	0
335	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
335	wt	SUM	Deer_A	174790	0	24.9	0	0	24.9	0	0	14.1	8.4	0
335	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
335	wt	SUM	SUM	182896	0	29.7	0	0	29.7	0	0	14.1	8.4	0
339	all_deer	N	339-40	12	0	5.9	0	0	5.9	0	0	4.9	1.1	0
339	all_deer	N	380-40	51	0	0	0	0	0	0	0	0	0	0
339	all_deer	N	445-00	61	0	0	0	0	0	0	0	0	0	0
339	all_deer	N	Deer_A	24213	0	22.4	0	0	22.4	0	0	3.7	18.6	0
339	all_deer	N	SUM	24337	0	28.3	0	0	28.3	0	0	8.6	19.7	0
339	all_deer	R	003-10	7329	5.5	37.6	0	3.4	39.7	0	0	0	0	0
339	all_deer	R	339-00	150	3	64.2	3.1	1.5	68.7	0	0	0	0	0
339	all_deer	R	339-01	50	1.2	24.7	0	9.8	13.7	2.4	0	0	0	0
339	all_deer	R	339-40	340	1.3	123.1	0	1.3	123.1	0	0	62.1	59.7	1.3
339	all_deer	R	380-40	1176	0	2.3	0	0	2.3	0	0	0	0	0
339	all_deer	R	445-00	439	0	2.8	0	0	2.8	0	0	0	0	0
339	all_deer	R	Deer_A	150577	4.2	113.6	3.1	2.4	116.9	0	1.7	39.6	46.9	0
339	all_deer	R	SUM	160061	15.3	368.3	6.2	18.4	367.3	2.4	1.7	101.7	106.5	1.3
339	all_deer	SUM	003-10	7329	5.5	37.6	0	3.4	39.7	0	0	0	0	0
339	all_deer	SUM	339-00	150	3	64.2	3.1	1.5	68.7	0	0	0	0	0
339	all_deer	SUM	339-01	50	1.2	24.7	0	9.8	13.7	2.4	0	0	0	0
339	all_deer	SUM	339-40	352	1.3	129.1	0	1.3	129.1	0	0	67	60.7	1.3
339	all_deer	SUM	380-40	1227	0	2.3	0	0	2.3	0	0	0	0	0
339	all_deer	SUM	445-00	500	0	2.8	0	0	2.8	0	0	0	0	0
339	all_deer	SUM	Deer_A	174790	4.2	135.9	3.1	2.4	139.2	0	1.7	43.3	65.5	0
339	all_deer	SUM	SUM	184398	15.3	396.6	6.2	18.4	395.6	2.4	1.7	110.3	126.2	1.3
339	md	N	339-40	12	0	5.9	0	0	5.9	0	0	4.9	1.1	0
339	md	N	380-40	51	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
339	md	N	445-00	61	0	0	0	0	0	0	0	0	0	0
339	md	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	3.7	11.2	0
339	md	N	SUM	24337	0	20.8	0	0	20.8	0	0	8.6	12.2	0
339	md	R	339-00	150	3	64.2	3.1	1.5	68.7	0	0	0	0	0
339	md	R	339-01	50	1.2	24.7	0	9.8	13.7	2.4	0	0	0	0
339	md	R	339-40	340	1.3	123.1	0	1.3	123.1	0	0	62.1	59.7	1.3
339	md	R	380-40	1176	0	2.3	0	0	2.3	0	0	0	0	0
339	md	R	445-00	439	0	2.8	0	0	2.8	0	0	0	0	0
339	md	R	Deer_A	150577	0	43.8	3.1	0	45.3	0	1.7	28.9	4	0
339	md	R	SUM	152732	5.5	261	6.2	12.6	256	2.4	1.7	91	63.7	1.3
339	md	SUM	339-00	150	3	64.2	3.1	1.5	68.7	0	0	0	0	0
339	md	SUM	339-01	50	1.2	24.7	0	9.8	13.7	2.4	0	0	0	0
339	md	SUM	339-40	352	1.3	129.1	0	1.3	129.1	0	0	67	60.7	1.3
339	md	SUM	380-40	1227	0	2.3	0	0	2.3	0	0	0	0	0
339	md	SUM	445-00	500	0	2.8	0	0	2.8	0	0	0	0	0
339	md	SUM	Deer_A	174790	0	58.7	3.1	0	60.2	0	1.7	32.6	15.2	0
339	md	SUM	SUM	177069	5.5	281.8	6.2	12.6	276.8	2.4	1.7	99.6	75.9	1.3
339	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
339	wt	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
339	wt	N	SUM	24990	0	7.5	0	0	7.5	0	0	0	7.5	0
339	wt	R	003-10	7329	5.5	37.6	0	3.4	39.7	0	0	0	0	0
339	wt	R	Deer_A	150577	4.2	69.8	0	2.4	71.6	0	0	10.7	42.9	0
339	wt	R	SUM	157906	9.8	107.4	0	5.8	111.3	0	0	10.7	42.9	0
339	wt	SUM	003-10	7329	5.5	37.6	0	3.4	39.7	0	0	0	0	0
339	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
339	wt	SUM	Deer_A	174790	4.2	77.2	0	2.4	79.1	0	0	10.7	50.3	0
339	wt	SUM	SUM	182896	9.8	114.8	0	5.8	118.8	0	0	10.7	50.3	0
340	all_deer	N	003-12	777	2.1	13.1	0	2.1	13.1	0	0	0	0	0
340	all_deer	N	320-00	2	0	0	0	0	0	0	0	0	0	0
340	all_deer	N	320-02	14	0	0	0	0	0	0	0	0	0	0
340	all_deer	N	322-00	19	0	3.8	0	0	3.8	0	0	0	0	0
340	all_deer	N	322-02	36	0	0	0	0	0	0	0	0	0	0
340	all_deer	N	325-00	45	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
340	all_deer	N	333-01	15	0	0	0	0	0	0	0	0	0	0
340	all_deer	N	333-03	37	0	1.8	0	0	1.8	0	0	0	0	0
340	all_deer	N	340-00	1	0	1	0	1	0	0	0	0	0	0
340	all_deer	N	340-01	4	0	4	0	0	4	0	0	0	0	0
340	all_deer	N	340-02	12	0	6.3	0	0	6.3	0	0	2.3	0	0
340	all_deer	N	Deer_A	24213	0	39.4	0	0	39.4	0	0	5.9	29.8	0
340	all_deer	N	none	.	0	0	0	0	0	0	3.8	0	0	0
340	all_deer	N	SUM	25175	2.1	69.3	0	3.1	68.3	0	3.8	8.1	29.8	0
340	all_deer	R	003-10	7329	19.7	108.8	0	15.3	113.2	0	0	0	0	0
340	all_deer	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
340	all_deer	R	320-00	147	0	4.1	0	0	4.1	0	0	0	0	0
340	all_deer	R	320-02	136	0	1.5	0	0	1.5	0	0	0	0	0
340	all_deer	R	322-00	581	0	2.6	0	2.6	0	0	0	0	0	0
340	all_deer	R	322-02	446	0	2.3	0	0	2.3	0	0	2.3	0	0
340	all_deer	R	325-00	405	0	1.4	0	0	1.4	0	0	0	0	0
340	all_deer	R	333-01	285	0	1.7	0	0	1.7	0	0	0	0	0
340	all_deer	R	333-03	299	0	0	0	0	0	0	0	0	0	0
340	all_deer	R	340-00	49	0	6.4	0	6.4	0	0	0	0	0	0
340	all_deer	R	340-01	146	2.4	76.1	0	2.4	76.1	0	0	2.8	0	0
340	all_deer	R	340-02	78	7	33	0	5.4	34.6	0	0	0	0	0
340	all_deer	R	Deer_A	150577	25.7	474	1.5	24	473.3	0	4	200.8	233.1	1.4
340	all_deer	R	none	.	0	1.6	0	0	1.6	0	0	0	1.6	0
340	all_deer	R	SUM	168088	54.8	716.9	1.5	56.1	713.2	0	4	205.8	238.1	1.4
340	all_deer	SUM	003-10	7329	19.7	108.8	0	15.3	113.2	0	0	0	0	0
340	all_deer	SUM	003-12	777	2.1	13.1	0	2.1	13.1	0	0	0	0	0
340	all_deer	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
340	all_deer	SUM	320-00	149	0	4.1	0	0	4.1	0	0	0	0	0
340	all_deer	SUM	320-02	150	0	1.5	0	0	1.5	0	0	0	0	0
340	all_deer	SUM	322-00	600	0	6.4	0	2.6	3.8	0	0	0	0	0
340	all_deer	SUM	322-02	482	0	2.3	0	0	2.3	0	0	2.3	0	0
340	all_deer	SUM	325-00	450	0	1.4	0	0	1.4	0	0	0	0	0
340	all_deer	SUM	333-01	300	0	1.7	0	0	1.7	0	0	0	0	0
340	all_deer	SUM	333-03	336	0	1.8	0	0	1.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
340	all_deer	SUM	340-00	50	0	7.4	0	7.4	0	0	0	0	0	0
340	all_deer	SUM	340-01	150	2.4	80.1	0	2.4	80.1	0	0	2.8	0	0
340	all_deer	SUM	340-02	90	7	39.3	0	5.4	40.8	0	0	2.3	0	0
340	all_deer	SUM	Deer_A	174790	25.7	513.4	1.5	24	512.7	0	4	206.7	263	1.4
340	all_deer	SUM	none	.	0	1.6	0	0	1.6	0	3.8	0	1.6	0
340	all_deer	SUM	SUM	193263	56.8	786.3	1.5	59.2	781.5	0	7.7	214	268	1.4
340	md	N	325-00	45	0	0	0	0	0	0	0	0	0	0
340	md	N	333-01	15	0	0	0	0	0	0	0	0	0	0
340	md	N	333-03	37	0	1.8	0	0	1.8	0	0	0	0	0
340	md	N	340-01	4	0	4	0	0	4	0	0	0	0	0
340	md	N	340-02	12	0	2.3	0	0	2.3	0	0	0	0	0
340	md	N	Deer_A	24213	0	11.4	0	0	11.4	0	0	2.2	9.2	0
340	md	N	none	.	0	0	0	0	0	0	0	0	0	0
340	md	N	SUM	24326	0	19.4	0	0	19.4	0	0	2.2	9.2	0
340	md	R	325-00	405	0	1.4	0	0	1.4	0	0	0	0	0
340	md	R	333-01	285	0	1.7	0	0	1.7	0	0	0	0	0
340	md	R	333-03	299	0	0	0	0	0	0	0	0	0	0
340	md	R	340-01	146	2.4	73.4	0	2.4	73.4	0	0	0	0	0
340	md	R	340-02	78	0	0	0	0	0	0	0	0	0	0
340	md	R	Deer_A	150577	11.2	234.3	1.5	9.6	237.4	0	0	139.2	96	1.4
340	md	R	none	.	0	1.6	0	0	1.6	0	0	0	1.6	0
340	md	R	SUM	151790	13.7	312.4	1.5	12	315.6	0	0	139.2	97.6	1.4
340	md	SUM	325-00	450	0	1.4	0	0	1.4	0	0	0	0	0
340	md	SUM	333-01	300	0	1.7	0	0	1.7	0	0	0	0	0
340	md	SUM	333-03	336	0	1.8	0	0	1.8	0	0	0	0	0
340	md	SUM	340-01	150	2.4	77.4	0	2.4	77.4	0	0	0	0	0
340	md	SUM	340-02	90	0	2.3	0	0	2.3	0	0	0	0	0
340	md	SUM	Deer_A	174790	11.2	245.7	1.5	9.6	248.8	0	0	141.4	105.2	1.4
340	md	SUM	none	.	0	1.6	0	0	1.6	0	0	0	1.6	0
340	md	SUM	SUM	176116	13.7	331.8	1.5	12	335	0	0	141.4	106.8	1.4
340	wt	N	003-12	777	2.1	13.1	0	2.1	13.1	0	0	0	0	0
340	wt	N	320-00	2	0	0	0	0	0	0	0	0	0	0
340	wt	N	320-02	14	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
340	wt	N	322-00	19	0	3.8	0	0	3.8	0	0	0	0	0
340	wt	N	322-02	36	0	0	0	0	0	0	0	0	0	0
340	wt	N	340-00	1	0	1	0	1	0	0	0	0	0	0
340	wt	N	340-01	4	0	0	0	0	0	0	0	0	0	0
340	wt	N	340-02	12	0	4	0	0	4	0	0	2.3	0	0
340	wt	N	Deer_A	24213	0	28.1	0	0	28.1	0	0	3.7	20.6	0
340	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
340	wt	N	SUM	25078	2.1	49.9	0	3.1	48.9	0	0	6	20.6	0
340	wt	R	003-10	7329	19.7	108.8	0	15.3	113.2	0	0	0	0	0
340	wt	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
340	wt	R	320-00	147	0	4.1	0	0	4.1	0	0	0	0	0
340	wt	R	320-02	136	0	1.5	0	0	1.5	0	0	0	0	0
340	wt	R	322-00	581	0	2.6	0	2.6	0	0	0	0	0	0
340	wt	R	322-02	446	0	2.3	0	0	2.3	0	0	2.3	0	0
340	wt	R	340-00	49	0	6.4	0	6.4	0	0	0	0	0	0
340	wt	R	340-01	146	0	2.8	0	0	2.8	0	0	2.8	0	0
340	wt	R	340-02	78	7	33	0	5.4	34.6	0	0	0	0	0
340	wt	R	Deer_A	150577	14.5	239.7	0	14.4	235.8	0	4	61.6	137.2	0
340	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
340	wt	R	SUM	167099	41.1	404.5	0	44.1	397.6	0	4	66.6	140.5	0
340	wt	SUM	003-10	7329	19.7	108.8	0	15.3	113.2	0	0	0	0	0
340	wt	SUM	003-12	777	2.1	13.1	0	2.1	13.1	0	0	0	0	0
340	wt	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
340	wt	SUM	320-00	149	0	4.1	0	0	4.1	0	0	0	0	0
340	wt	SUM	320-02	150	0	1.5	0	0	1.5	0	0	0	0	0
340	wt	SUM	322-00	600	0	6.4	0	2.6	3.8	0	0	0	0	0
340	wt	SUM	322-02	482	0	2.3	0	0	2.3	0	0	2.3	0	0
340	wt	SUM	340-00	50	0	7.4	0	7.4	0	0	0	0	0	0
340	wt	SUM	340-01	150	0	2.8	0	0	2.8	0	0	2.8	0	0
340	wt	SUM	340-02	90	7	37	0	5.4	38.6	0	0	2.3	0	0
340	wt	SUM	Deer_A	174790	14.5	267.7	0	14.4	263.9	0	4	65.3	157.8	0
340	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
340	wt	SUM	SUM	192177	43.2	454.5	0	47.1	446.6	0	4	72.6	161.1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
341	all_deer	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
341	all_deer	N	Deer_A	24213	0	18.6	0	0	18.6	0	0	7.5	11.2	0
341	all_deer	N	SUM	24990	0	22.7	0	0	22.7	0	0	7.5	11.2	0
341	all_deer	R	003-10	7329	0	4.5	0	2.2	2.3	0	0	0	0	0
341	all_deer	R	341-00	75	0	31.4	0	0	31.4	0	0	0	0	0
341	all_deer	R	Deer_A	150577	4.1	98.1	0	4.1	98.1	0	0	50.1	49	0
341	all_deer	R	SUM	157981	4.1	134.1	0	6.3	131.8	0	0	50.1	49	0
341	all_deer	SUM	003-10	7329	0	4.5	0	2.2	2.3	0	0	0	0	0
341	all_deer	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
341	all_deer	SUM	341-00	75	0	31.4	0	0	31.4	0	0	0	0	0
341	all_deer	SUM	Deer_A	174790	4.1	116.8	0	4.1	116.8	0	0	57.5	60.1	0
341	all_deer	SUM	SUM	182971	4.1	156.8	0	6.3	154.5	0	0	57.5	60.1	0
341	md	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	7.5	7.5	0
341	md	N	SUM	24213	0	14.9	0	0	14.9	0	0	7.5	7.5	0
341	md	R	341-00	75	0	31.4	0	0	31.4	0	0	0	0	0
341	md	R	Deer_A	150577	0	92.1	0	0	92.1	0	0	47	41.9	0
341	md	R	SUM	150652	0	123.5	0	0	123.5	0	0	47	41.9	0
341	md	SUM	341-00	75	0	31.4	0	0	31.4	0	0	0	0	0
341	md	SUM	Deer_A	174790	0	107	0	0	107	0	0	54.5	49.3	0
341	md	SUM	SUM	174865	0	138.4	0	0	138.4	0	0	54.5	49.3	0
341	wt	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
341	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
341	wt	N	SUM	24990	0	7.8	0	0	7.8	0	0	0	3.7	0
341	wt	R	003-10	7329	0	4.5	0	2.2	2.3	0	0	0	0	0
341	wt	R	341-00	75	0	0	0	0	0	0	0	0	0	0
341	wt	R	Deer_A	150577	4.1	6.1	0	4.1	6.1	0	0	3	7.1	0
341	wt	R	SUM	157981	4.1	10.6	0	6.3	8.3	0	0	3	7.1	0
341	wt	SUM	003-10	7329	0	4.5	0	2.2	2.3	0	0	0	0	0
341	wt	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
341	wt	SUM	341-00	75	0	0	0	0	0	0	0	0	0	0
341	wt	SUM	Deer_A	174790	4.1	9.8	0	4.1	9.8	0	0	3	10.8	0
341	wt	SUM	SUM	182971	4.1	18.4	0	6.3	16.1	0	0	3	10.8	0
343	all_deer	N	343-00	1	0	1	0	0	1	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
343	all_deer	N	343-40	31	0	10.9	0	0	10.9	0	0	5.5	3.6	1.8
343	all_deer	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
343	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
343	all_deer	N	SUM	24245	0	19.4	0	0	19.4	0	0	5.5	11.1	1.8
343	all_deer	R	003-10	7329	0	21.8	0	0	21.8	0	0	0	0	0
343	all_deer	R	339-00	150	0	2.3	0	0	2.3	0	0	0	0	0
343	all_deer	R	343-00	149	2.8	64.3	1.8	1.4	67.4	0	0	0	0	0
343	all_deer	R	343-40	396	0	147.3	0	0	147.3	0	0	72.8	70.2	4.4
343	all_deer	R	Deer_A	150577	5.7	85.6	1.6	5.5	87.3	0	0	31.2	33	0
343	all_deer	R	none	.	0	1.8	0	0	1.8	0	0	0	0	0
343	all_deer	R	SUM	158601	8.5	323.1	3.3	6.9	328	0	0	104	103.2	4.4
343	all_deer	SUM	003-10	7329	0	21.8	0	0	21.8	0	0	0	0	0
343	all_deer	SUM	339-00	150	0	2.3	0	0	2.3	0	0	0	0	0
343	all_deer	SUM	343-00	150	2.8	65.3	1.8	1.4	68.4	0	0	0	0	0
343	all_deer	SUM	343-40	427	0	158.3	0	0	158.3	0	0	78.3	73.8	6.2
343	all_deer	SUM	Deer_A	174790	5.7	93	1.6	5.5	94.8	0	0	31.2	40.5	0
343	all_deer	SUM	none	.	0	1.8	0	0	1.8	0	0	0	0	0
343	all_deer	SUM	SUM	182846	8.5	342.5	3.3	6.9	347.4	0	0	109.5	114.3	6.2
343	md	N	343-00	1	0	1	0	0	1	0	0	0	0	0
343	md	N	343-40	31	0	10.9	0	0	10.9	0	0	5.5	3.6	1.8
343	md	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
343	md	N	none	.	0	0	0	0	0	0	0	0	0	0
343	md	N	SUM	24245	0	19.4	0	0	19.4	0	0	5.5	11.1	1.8
343	md	R	339-00	150	0	2.3	0	0	2.3	0	0	0	0	0
343	md	R	343-00	149	1.4	64.3	1.8	1.4	66	0	0	0	0	0
343	md	R	343-40	396	0	147.3	0	0	147.3	0	0	72.8	70.2	4.4
343	md	R	Deer_A	150577	2.3	24.5	1.6	3.9	24.5	0	0	13.6	7.1	0
343	md	R	none	.	0	1.8	0	0	1.8	0	0	0	0	0
343	md	R	SUM	151272	3.7	240.2	3.3	5.3	241.9	0	0	86.4	77.3	4.4
343	md	SUM	339-00	150	0	2.3	0	0	2.3	0	0	0	0	0
343	md	SUM	343-00	150	1.4	65.3	1.8	1.4	67	0	0	0	0	0
343	md	SUM	343-40	427	0	158.3	0	0	158.3	0	0	78.3	73.8	6.2
343	md	SUM	Deer_A	174790	2.3	31.9	1.6	3.9	31.9	0	0	13.6	14.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
343	md	SUM	none	.	0	1.8	0	0	1.8	0	0	0	0	0
343	md	SUM	SUM	175517	3.7	259.6	3.3	5.3	261.3	0	0	91.9	88.4	6.2
343	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
343	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
343	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
343	wt	N	SUM	24990	0	0	0	0	0	0	0	0	0	0
343	wt	R	003-10	7329	0	21.8	0	0	21.8	0	0	0	0	0
343	wt	R	Deer_A	150577	3.4	61.1	0	1.6	62.8	0	0	17.6	25.9	0
343	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
343	wt	R	SUM	157906	3.4	82.9	0	1.6	84.7	0	0	17.6	25.9	0
343	wt	SUM	003-10	7329	0	21.8	0	0	21.8	0	0	0	0	0
343	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
343	wt	SUM	Deer_A	174790	3.4	61.1	0	1.6	62.8	0	0	17.6	25.9	0
343	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
343	wt	SUM	SUM	182896	3.4	82.9	0	1.6	84.7	0	0	17.6	25.9	0
350	all_deer	N	003-12	777	2.5	0	0	2.5	0	0	0	0	0	0
350	all_deer	N	322-01	23	0	0	0	0	0	0	0	0	0	0
350	all_deer	N	340-02	12	0	0	0	0	0	0	0	0	0	0
350	all_deer	N	Deer_A	24213	2.2	32	0	2.2	32	0	0	5.9	20.8	0
350	all_deer	N	SUM	25025	4.6	32	0	4.6	32	0	0	5.9	20.8	0
350	all_deer	R	003-10	7329	3.4	10	0	3.4	10	0	0	0	0	0
350	all_deer	R	322-01	277	0	1.8	0	0	1.8	0	0	0	0	0
350	all_deer	R	340-02	78	0	1.5	0	0	1.5	0	0	0	1.5	0
350	all_deer	R	350-00	75	0	24.8	0	0	24.8	0	0	1.2	0	0
350	all_deer	R	Deer_A	150577	0	183.6	0	0	182.2	0	1.4	83.1	83.9	0
350	all_deer	R	SUM	158336	3.4	221.7	0	3.4	220.3	0	1.4	84.3	85.5	0
350	all_deer	SUM	003-10	7329	3.4	10	0	3.4	10	0	0	0	0	0
350	all_deer	SUM	003-12	777	2.5	0	0	2.5	0	0	0	0	0	0
350	all_deer	SUM	322-01	300	0	1.8	0	0	1.8	0	0	0	0	0
350	all_deer	SUM	340-02	90	0	1.5	0	0	1.5	0	0	0	1.5	0
350	all_deer	SUM	350-00	75	0	24.8	0	0	24.8	0	0	1.2	0	0
350	all_deer	SUM	Deer_A	174790	2.2	215.5	0	2.2	214.2	0	1.4	89	104.7	0
350	all_deer	SUM	SUM	183361	8.1	253.7	0	8.1	252.3	0	1.4	90.2	106.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
350	md	N	Deer_A	24213	0	29.8	0	0	29.8	0	0	3.7	18.6	0
350	md	N	SUM	24213	0	29.8	0	0	29.8	0	0	3.7	18.6	0
350	md	R	350-00	75	0	24.8	0	0	24.8	0	0	1.2	0	0
350	md	R	Deer_A	150577	0	141.9	0	0	140.5	0	1.4	81.7	50.9	0
350	md	R	SUM	150652	0	166.7	0	0	165.3	0	1.4	82.9	50.9	0
350	md	SUM	350-00	75	0	24.8	0	0	24.8	0	0	1.2	0	0
350	md	SUM	Deer_A	174790	0	171.7	0	0	170.3	0	1.4	85.5	69.5	0
350	md	SUM	SUM	174865	0	196.5	0	0	195.1	0	1.4	86.6	69.5	0
350	wt	N	003-12	777	2.5	0	0	2.5	0	0	0	0	0	0
350	wt	N	322-01	23	0	0	0	0	0	0	0	0	0	0
350	wt	N	340-02	12	0	0	0	0	0	0	0	0	0	0
350	wt	N	Deer_A	24213	2.2	2.2	0	2.2	2.2	0	0	2.2	2.2	0
350	wt	N	SUM	25025	4.6	2.2	0	4.6	2.2	0	0	2.2	2.2	0
350	wt	R	003-10	7329	3.4	10	0	3.4	10	0	0	0	0	0
350	wt	R	322-01	277	0	1.8	0	0	1.8	0	0	0	0	0
350	wt	R	340-02	78	0	1.5	0	0	1.5	0	0	0	1.5	0
350	wt	R	Deer_A	150577	0	41.7	0	0	41.7	0	0	1.4	33.1	0
350	wt	R	SUM	158261	3.4	55	0	3.4	55	0	0	1.4	34.6	0
350	wt	SUM	003-10	7329	3.4	10	0	3.4	10	0	0	0	0	0
350	wt	SUM	003-12	777	2.5	0	0	2.5	0	0	0	0	0	0
350	wt	SUM	322-01	300	0	1.8	0	0	1.8	0	0	0	0	0
350	wt	SUM	340-02	90	0	1.5	0	0	1.5	0	0	0	1.5	0
350	wt	SUM	Deer_A	174790	2.2	43.8	0	2.2	43.8	0	0	3.5	35.2	0
350	wt	SUM	SUM	183286	8.1	57.2	0	8.1	57.2	0	0	3.5	36.8	0
360	all_deer	N	003-12	777	1.8	14	0	1.8	14	0	0	0	0	0
360	all_deer	N	311-02	12	0	1.6	0	0	1.6	0	0	0	0	0
360	all_deer	N	320-01	21	1.6	0	0	1.6	0	0	0	0	0	0
360	all_deer	N	320-02	14	0	4	0	0	4	0	0	0	0	0
360	all_deer	N	322-00	19	0	0	0	0	0	0	0	0	0	0
360	all_deer	N	322-02	36	0	2.7	0	0	2.7	0	0	0	0	0
360	all_deer	N	333-02	6	0	0	0	0	0	0	0	0	0	0
360	all_deer	N	333-03	37	0	0	0	0	0	0	0	0	0	0
360	all_deer	N	360-00	2	0	2	0	0	2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
360	all_deer	N	360-01	23	0	11.1	0	0	11.1	0	0	0	0	0
360	all_deer	N	361-00	2	0	2	0	0	2	0	0	0	0	0
360	all_deer	N	560-00	68	0	0	0	0	0	0	0	0	0	0
360	all_deer	N	Deer_A	24213	7.5	83.6	0	7.5	83.6	0	0	18.6	56.1	0
360	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
360	all_deer	N	SUM	25230	10.9	120.9	0	10.9	120.9	0	0	18.6	56.1	0
360	all_deer	R	003-10	7329	17	111.3	0	7.5	120.8	0	0	0	3.4	0
360	all_deer	R	311-02	288	0	0	0	0	0	0	0	0	0	0
360	all_deer	R	320-01	279	0	0	0	0	0	0	0	0	0	0
360	all_deer	R	320-02	136	0	0	0	0	0	0	0	0	0	0
360	all_deer	R	322-00	581	0	1.3	0	0	1.3	0	0	0	1.3	0
360	all_deer	R	322-02	446	0	0	0	0	0	0	0	0	0	0
360	all_deer	R	333-02	218	0	1.6	0	0	1.6	0	0	0	0	0
360	all_deer	R	333-03	299	0	1.8	0	0	1.8	0	0	0	0	0
360	all_deer	R	360-00	23	3.7	7.1	0	3.7	7.1	0	0	0	0	0
360	all_deer	R	360-01	177	10.4	49.5	1.9	8.3	53.5	0	0	1.6	0	0
360	all_deer	R	361-00	23	0	0	0	0	0	0	0	0	0	0
360	all_deer	R	560-00	282	0	1.4	0	0	1.4	0	0	0	0	0
360	all_deer	R	Deer_A	150577	22.2	233.4	4.1	14.1	239.7	0	5.8	65.9	152.6	0
360	all_deer	R	none	.	4.1	0	0	4.1	0	0	0	0	0	0
360	all_deer	R	SUM	160658	57.4	407.4	5.9	37.6	427.3	0	5.8	67.5	157.4	0
360	all_deer	SUM	003-10	7329	17	111.3	0	7.5	120.8	0	0	0	3.4	0
360	all_deer	SUM	003-12	777	1.8	14	0	1.8	14	0	0	0	0	0
360	all_deer	SUM	311-02	300	0	1.6	0	0	1.6	0	0	0	0	0
360	all_deer	SUM	320-01	300	1.6	0	0	1.6	0	0	0	0	0	0
360	all_deer	SUM	320-02	150	0	4	0	0	4	0	0	0	0	0
360	all_deer	SUM	322-00	600	0	1.3	0	0	1.3	0	0	0	1.3	0
360	all_deer	SUM	322-02	482	0	2.7	0	0	2.7	0	0	0	0	0
360	all_deer	SUM	333-02	224	0	1.6	0	0	1.6	0	0	0	0	0
360	all_deer	SUM	333-03	336	0	1.8	0	0	1.8	0	0	0	0	0
360	all_deer	SUM	360-00	25	3.7	9.1	0	3.7	9.1	0	0	0	0	0
360	all_deer	SUM	360-01	200	10.4	60.6	1.9	8.3	64.6	0	0	1.6	0	0
360	all_deer	SUM	361-00	25	0	2	0	0	2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
360	all_deer	SUM	560-00	350	0	1.4	0	0	1.4	0	0	0	0	0
360	all_deer	SUM	Deer_A	174790	29.7	317	4.1	21.5	323.4	0	5.8	84.6	208.6	0
360	all_deer	SUM	none	.	4.1	0	0	4.1	0	0	0	0	0	0
360	all_deer	SUM	SUM	185888	68.3	528.3	5.9	48.5	548.2	0	5.8	86.1	213.4	0
360	md	N	311-02	12	0	1.6	0	0	1.6	0	0	0	0	0
360	md	N	320-01	21	1.6	0	0	1.6	0	0	0	0	0	0
360	md	N	360-00	2	0	2	0	0	2	0	0	0	0	0
360	md	N	360-01	23	0	0	0	0	0	0	0	0	0	0
360	md	N	361-00	2	0	2	0	0	2	0	0	0	0	0
360	md	N	560-00	68	0	0	0	0	0	0	0	0	0	0
360	md	N	Deer_A	24213	3.7	39.5	0	3.7	39.5	0	0	14.9	24.6	0
360	md	N	none	.	0	0	0	0	0	0	0	0	0	0
360	md	N	SUM	24341	5.4	45.1	0	5.4	45.1	0	0	14.9	24.6	0
360	md	R	003-10	7329	0	2.4	0	0	2.4	0	0	0	0	0
360	md	R	311-02	288	0	0	0	0	0	0	0	0	0	0
360	md	R	320-01	279	0	0	0	0	0	0	0	0	0	0
360	md	R	360-00	23	3.7	5.7	0	3.7	5.7	0	0	0	0	0
360	md	R	360-01	177	0	3.5	1.9	0	5.4	0	0	0	0	0
360	md	R	361-00	23	0	0	0	0	0	0	0	0	0	0
360	md	R	560-00	282	0	1.4	0	0	1.4	0	0	0	0	0
360	md	R	Deer_A	150577	9.7	95.4	0	5.7	99.4	0	0	36.4	63.2	0
360	md	R	none	.	0	0	0	0	0	0	0	0	0	0
360	md	R	SUM	158978	13.4	108.3	1.9	9.3	114.3	0	0	36.4	63.2	0
360	md	SUM	003-10	7329	0	2.4	0	0	2.4	0	0	0	0	0
360	md	SUM	311-02	300	0	1.6	0	0	1.6	0	0	0	0	0
360	md	SUM	320-01	300	1.6	0	0	1.6	0	0	0	0	0	0
360	md	SUM	360-00	25	3.7	7.7	0	3.7	7.7	0	0	0	0	0
360	md	SUM	360-01	200	0	3.5	1.9	0	5.4	0	0	0	0	0
360	md	SUM	361-00	25	0	2	0	0	2	0	0	0	0	0
360	md	SUM	560-00	350	0	1.4	0	0	1.4	0	0	0	0	0
360	md	SUM	Deer_A	174790	13.5	134.9	0	9.4	139	0	0	51.3	87.8	0
360	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
360	md	SUM	SUM	183319	18.8	153.5	1.9	14.7	159.4	0	0	51.3	87.8	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
360	wt	N	003-12	777	1.8	14	0	1.8	14	0	0	0	0	0
360	wt	N	320-02	14	0	4	0	0	4	0	0	0	0	0
360	wt	N	322-00	19	0	0	0	0	0	0	0	0	0	0
360	wt	N	322-02	36	0	2.7	0	0	2.7	0	0	0	0	0
360	wt	N	333-02	6	0	0	0	0	0	0	0	0	0	0
360	wt	N	333-03	37	0	0	0	0	0	0	0	0	0	0
360	wt	N	360-00	2	0	0	0	0	0	0	0	0	0	0
360	wt	N	360-01	23	0	11.1	0	0	11.1	0	0	0	0	0
360	wt	N	Deer_A	24213	3.7	44.1	0	3.7	44.1	0	0	3.7	31.4	0
360	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
360	wt	N	SUM	25127	5.5	75.8	0	5.5	75.8	0	0	3.7	31.4	0
360	wt	R	003-10	7329	17	108.9	0	7.5	118.4	0	0	0	3.4	0
360	wt	R	320-02	136	0	0	0	0	0	0	0	0	0	0
360	wt	R	322-00	581	0	1.3	0	0	1.3	0	0	0	1.3	0
360	wt	R	322-02	446	0	0	0	0	0	0	0	0	0	0
360	wt	R	333-02	218	0	1.6	0	0	1.6	0	0	0	0	0
360	wt	R	333-03	299	0	1.8	0	0	1.8	0	0	0	0	0
360	wt	R	360-00	23	0	1.4	0	0	1.4	0	0	0	0	0
360	wt	R	360-01	177	10.4	46	0	8.3	48.2	0	0	1.6	0	0
360	wt	R	Deer_A	150577	12.5	138	4.1	8.4	140.3	0	5.8	29.5	89.4	0
360	wt	R	none	.	4.1	0	0	4.1	0	0	0	0	0	0
360	wt	R	SUM	159786	44	299.1	4.1	28.3	313.1	0	5.8	31.1	94.2	0
360	wt	SUM	003-10	7329	17	108.9	0	7.5	118.4	0	0	0	3.4	0
360	wt	SUM	003-12	777	1.8	14	0	1.8	14	0	0	0	0	0
360	wt	SUM	320-02	150	0	4	0	0	4	0	0	0	0	0
360	wt	SUM	322-00	600	0	1.3	0	0	1.3	0	0	0	1.3	0
360	wt	SUM	322-02	482	0	2.7	0	0	2.7	0	0	0	0	0
360	wt	SUM	333-02	224	0	1.6	0	0	1.6	0	0	0	0	0
360	wt	SUM	333-03	336	0	1.8	0	0	1.8	0	0	0	0	0
360	wt	SUM	360-00	25	0	1.4	0	0	1.4	0	0	0	0	0
360	wt	SUM	360-01	200	10.4	57.1	0	8.3	59.3	0	0	1.6	0	0
360	wt	SUM	Deer_A	174790	16.2	182.1	4.1	12.1	184.4	0	5.8	33.2	120.9	0
360	wt	SUM	none	.	4.1	0	0	4.1	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
360	wt	SUM	SUM	184913	49.5	374.9	4.1	33.8	388.8	0	5.8	34.8	125.6	0
361	all_deer	N	361-00	2	0	0	0	0	0	0	0	0	0	0
361	all_deer	N	Deer_A	24213	0	18.6	3.7	0	22.4	0	0	14.9	7.5	0
361	all_deer	N	none	.	0	3.8	0	0	3.8	0	0	0	0	0
361	all_deer	N	SUM	24215	0	22.4	3.7	0	26.1	0	0	14.9	7.5	0
361	all_deer	R	361-00	23	0	1.7	0	0	1.7	0	0	0	0	0
361	all_deer	R	Deer_A	150577	0	3.2	0	0	3.2	0	0	3.2	0	0
361	all_deer	R	none	.	0	0	0	0	0	0	0	0	0	0
361	all_deer	R	SUM	150600	0	4.9	0	0	4.9	0	0	3.2	0	0
361	all_deer	SUM	361-00	25	0	1.7	0	0	1.7	0	0	0	0	0
361	all_deer	SUM	Deer_A	174790	0	21.8	3.7	0	25.6	0	0	18.1	7.5	0
361	all_deer	SUM	none	.	0	3.8	0	0	3.8	0	0	0	0	0
361	all_deer	SUM	SUM	174815	0	27.3	3.7	0	31	0	0	18.1	7.5	0
361	md	N	361-00	2	0	0	0	0	0	0	0	0	0	0
361	md	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	7.5	0	0
361	md	N	none	.	0	0	0	0	0	0	0	0	0	0
361	md	N	SUM	24215	0	7.5	0	0	7.5	0	0	7.5	0	0
361	md	R	361-00	23	0	1.7	0	0	1.7	0	0	0	0	0
361	md	R	Deer_A	150577	0	3.2	0	0	3.2	0	0	3.2	0	0
361	md	R	none	.	0	0	0	0	0	0	0	0	0	0
361	md	R	SUM	150600	0	4.9	0	0	4.9	0	0	3.2	0	0
361	md	SUM	361-00	25	0	1.7	0	0	1.7	0	0	0	0	0
361	md	SUM	Deer_A	174790	0	10.7	0	0	10.7	0	0	10.7	0	0
361	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
361	md	SUM	SUM	174815	0	12.3	0	0	12.3	0	0	10.7	0	0
361	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
361	wt	N	Deer_A	24213	0	11.2	3.7	0	14.9	0	0	7.5	7.5	0
361	wt	N	none	.	0	3.8	0	0	3.8	0	0	0	0	0
361	wt	N	SUM	24990	0	14.9	3.7	0	18.7	0	0	7.5	7.5	0
361	wt	R	003-10	7329	0	0	0	0	0	0	0	0	0	0
361	wt	R	Deer_A	150577	0	0	0	0	0	0	0	0	0	0
361	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
361	wt	R	SUM	157906	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
361	wt	SUM	003-10	7329	0	0	0	0	0	0	0	0	0	0
361	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
361	wt	SUM	Deer_A	174790	0	11.2	3.7	0	14.9	0	0	7.5	7.5	0
361	wt	SUM	none	.	0	3.8	0	0	3.8	0	0	0	0	0
361	wt	SUM	SUM	182896	0	14.9	3.7	0	18.7	0	0	7.5	7.5	0
362	all_deer	N	362-00	2	0	0	0	0	0	0	0	0	0	0
362	all_deer	N	Deer_A	24213	3.7	29.8	0	3.7	29.8	0	0	11.2	18.6	0
362	all_deer	N	SUM	24215	3.7	29.8	0	3.7	29.8	0	0	11.2	18.6	0
362	all_deer	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
362	all_deer	R	362-00	23	1.3	1.2	0	1.3	1.2	0	0	0	0	0
362	all_deer	R	Deer_A	150577	1.6	24.6	0	0	24.6	0	1.6	8.1	14	0
362	all_deer	R	SUM	157929	2.9	28.1	0	1.3	28.1	0	1.6	8.1	14	0
362	all_deer	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
362	all_deer	SUM	362-00	25	1.3	1.2	0	1.3	1.2	0	0	0	0	0
362	all_deer	SUM	Deer_A	174790	5.3	54.4	0	3.7	54.4	0	1.6	19.3	32.7	0
362	all_deer	SUM	SUM	182144	6.6	57.9	0	5	57.9	0	1.6	19.3	32.7	0
362	md	N	362-00	2	0	0	0	0	0	0	0	0	0	0
362	md	N	Deer_A	24213	3.7	22.4	0	3.7	22.4	0	0	7.5	18.6	0
362	md	N	SUM	24215	3.7	22.4	0	3.7	22.4	0	0	7.5	18.6	0
362	md	R	362-00	23	1.3	1.2	0	1.3	1.2	0	0	0	0	0
362	md	R	Deer_A	150577	1.6	18.1	0	0	18.1	0	1.6	8.1	10	0
362	md	R	SUM	150600	2.9	19.3	0	1.3	19.3	0	1.6	8.1	10	0
362	md	SUM	362-00	25	1.3	1.2	0	1.3	1.2	0	0	0	0	0
362	md	SUM	Deer_A	174790	5.3	40.4	0	3.7	40.4	0	1.6	15.6	28.6	0
362	md	SUM	SUM	174815	6.6	41.7	0	5	41.7	0	1.6	15.6	28.6	0
362	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
362	wt	N	362-00	2	0	0	0	0	0	0	0	0	0	0
362	wt	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	3.7	0	0
362	wt	N	SUM	24992	0	7.5	0	0	7.5	0	0	3.7	0	0
362	wt	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
362	wt	R	362-00	23	0	0	0	0	0	0	0	0	0	0
362	wt	R	Deer_A	150577	0	6.5	0	0	6.5	0	0	0	4.1	0
362	wt	R	SUM	157929	0	8.8	0	0	8.8	0	0	0	4.1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
362	wt	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	0	0
362	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
362	wt	SUM	362-00	25	0	0	0	0	0	0	0	0	0	0
362	wt	SUM	Deer_A	174790	0	13.9	0	0	13.9	0	0	3.7	4.1	0
362	wt	SUM	SUM	182921	0	16.2	0	0	16.2	0	0	3.7	4.1	0
370	all_deer	N	322-02	36	0	0	0	0	0	0	0	0	0	0
370	all_deer	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	3.7	0	0
370	all_deer	N	SUM	24249	0	3.7	0	0	3.7	0	0	3.7	0	0
370	all_deer	R	003-10	7329	0	8.2	0	0	8.2	0	0	0	0	0
370	all_deer	R	322-02	446	0	2.8	0	0	2.8	0	0	0	2.8	0
370	all_deer	R	370-00	50	0	12.5	0	0	12.5	0	0	0	0	0
370	all_deer	R	Deer_A	150577	0	76	0	0	76	0	0	45	21	1.9
370	all_deer	R	SUM	158402	0	99.4	0	0	99.4	0	0	45	23.7	1.9
370	all_deer	SUM	003-10	7329	0	8.2	0	0	8.2	0	0	0	0	0
370	all_deer	SUM	322-02	482	0	2.8	0	0	2.8	0	0	0	2.8	0
370	all_deer	SUM	370-00	50	0	12.5	0	0	12.5	0	0	0	0	0
370	all_deer	SUM	Deer_A	174790	0	79.7	0	0	79.7	0	0	48.7	21	1.9
370	all_deer	SUM	SUM	182651	0	103.1	0	0	103.1	0	0	48.7	23.7	1.9
370	md	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	3.7	0	0
370	md	N	SUM	24213	0	3.7	0	0	3.7	0	0	3.7	0	0
370	md	R	370-00	50	0	12.5	0	0	12.5	0	0	0	0	0
370	md	R	Deer_A	150577	0	55.7	0	0	55.7	0	0	35.2	18.6	1.9
370	md	R	SUM	150627	0	68.2	0	0	68.2	0	0	35.2	18.6	1.9
370	md	SUM	370-00	50	0	12.5	0	0	12.5	0	0	0	0	0
370	md	SUM	Deer_A	174790	0	59.5	0	0	59.5	0	0	38.9	18.6	1.9
370	md	SUM	SUM	174840	0	72	0	0	72	0	0	38.9	18.6	1.9
370	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
370	wt	N	322-02	36	0	0	0	0	0	0	0	0	0	0
370	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
370	wt	N	SUM	25026	0	0	0	0	0	0	0	0	0	0
370	wt	R	003-10	7329	0	8.2	0	0	8.2	0	0	0	0	0
370	wt	R	322-02	446	0	2.8	0	0	2.8	0	0	0	2.8	0
370	wt	R	Deer_A	150577	0	20.2	0	0	20.2	0	0	9.8	2.3	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
370	wt	R	SUM	158352	0	31.2	0	0	31.2	0	0	9.8	5.1	0
370	wt	SUM	003-10	7329	0	8.2	0	0	8.2	0	0	0	0	0
370	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
370	wt	SUM	322-02	482	0	2.8	0	0	2.8	0	0	0	2.8	0
370	wt	SUM	Deer_A	174790	0	20.2	0	0	20.2	0	0	9.8	2.3	0
370	wt	SUM	SUM	183378	0	31.2	0	0	31.2	0	0	9.8	5.1	0
380	all_deer	N	003-12	777	0	19.9	0	0	19.9	0	0	0	0	0
380	all_deer	N	309-01	3	0	0	0	0	0	0	0	0	0	0
380	all_deer	N	315-00	31	0	0	0	0	0	0	0	0	0	0
380	all_deer	N	322-00	19	0	0	0	0	0	0	0	0	0	0
380	all_deer	N	335-40	8	0	0	0	0	0	0	0	0	0	0
380	all_deer	N	360-01	23	0	0	0	0	0	0	0	0	0	0
380	all_deer	N	380-00	2	0	2	0	0	2	0	0	0	0	0
380	all_deer	N	380-02	5	0	3.5	0	0	3.5	0	0	0	0	0
380	all_deer	N	380-40	51	0	20.2	0	0	20.2	0	0	6.6	13.5	0
380	all_deer	N	Deer_A	24213	2.6	49.8	0	2.6	49.8	0	0	4.8	38.5	3.7
380	all_deer	N	SUM	25132	2.6	95.3	0	2.6	95.3	0	0	11.4	52	3.7
380	all_deer	R	003-10	7329	8.3	101.6	2.3	8.3	103.9	0	0	0	3.4	0
380	all_deer	R	309-00	15	0	1.3	0	0	1.3	0	0	0	0	0
380	all_deer	R	309-01	497	0	2.4	0	0	2.4	0	0	0	0	0
380	all_deer	R	315-00	269	0	1.5	0	0	1.5	0	0	0	0	0
380	all_deer	R	322-00	581	0	1.2	0	0	1.2	0	0	0	0	0
380	all_deer	R	335-40	322	0	1.3	0	0	1.3	0	0	0	0	0
380	all_deer	R	360-01	177	1.7	0	0	1.7	0	0	0	0	1.7	0
380	all_deer	R	380-00	98	1.4	45.2	0	1.4	45.2	0	0	0	0	0
380	all_deer	R	380-01	50	0	10.8	0	0	10.8	0	0	0	0	0
380	all_deer	R	380-02	195	4.1	91.6	0	25.3	70.4	0	0	0	0	0
380	all_deer	R	380-40	1176	11.7	463.2	2.6	6.2	469.3	1.9	0	229.4	238.1	0
380	all_deer	R	Deer_A	150577	9.2	260.2	5.6	11.1	262.4	0	1.5	82.4	113.5	0
380	all_deer	R	SUM	161286	36.3	980.3	10.4	54	969.6	1.9	1.5	311.8	356.7	0
380	all_deer	SUM	003-10	7329	8.3	101.6	2.3	8.3	103.9	0	0	0	3.4	0
380	all_deer	SUM	003-12	777	0	19.9	0	0	19.9	0	0	0	0	0
380	all_deer	SUM	309-00	15	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
380	all_deer	SUM	309-01	500	0	2.4	0	0	2.4	0	0	0	0	0
380	all_deer	SUM	315-00	300	0	1.5	0	0	1.5	0	0	0	0	0
380	all_deer	SUM	322-00	600	0	1.2	0	0	1.2	0	0	0	0	0
380	all_deer	SUM	335-40	330	0	1.3	0	0	1.3	0	0	0	0	0
380	all_deer	SUM	360-01	200	1.7	0	0	1.7	0	0	0	0	1.7	0
380	all_deer	SUM	380-00	100	1.4	47.2	0	1.4	47.2	0	0	0	0	0
380	all_deer	SUM	380-01	50	0	10.8	0	0	10.8	0	0	0	0	0
380	all_deer	SUM	380-02	200	4.1	95.1	0	25.3	73.9	0	0	0	0	0
380	all_deer	SUM	380-40	1227	11.7	483.3	2.6	6.2	489.4	1.9	0	236	251.6	0
380	all_deer	SUM	Deer_A	174790	11.8	310	5.6	13.6	312.2	0	1.5	87.2	152	3.7
380	all_deer	SUM	SUM	186418	38.9	1075.6	10.4	56.5	1064.9	1.9	1.5	323.2	408.8	3.7
380	md	N	315-00	31	0	0	0	0	0	0	0	0	0	0
380	md	N	335-40	8	0	0	0	0	0	0	0	0	0	0
380	md	N	380-00	2	0	2	0	0	2	0	0	0	0	0
380	md	N	380-02	5	0	3.5	0	0	3.5	0	0	0	0	0
380	md	N	380-40	51	0	20.2	0	0	20.2	0	0	6.6	13.5	0
380	md	N	Deer_A	24213	1.2	27.8	0	1.2	27.8	0	0	2.7	21.4	3.7
380	md	N	SUM	24310	1.2	53.4	0	1.2	53.4	0	0	9.3	35	3.7
380	md	R	309-00	15	0	1.3	0	0	1.3	0	0	0	0	0
380	md	R	315-00	269	0	1.5	0	0	1.5	0	0	0	0	0
380	md	R	335-40	322	0	1.3	0	0	1.3	0	0	0	0	0
380	md	R	380-00	98	1.4	45.2	0	1.4	45.2	0	0	0	0	0
380	md	R	380-02	195	4.1	89	0	25.3	67.8	0	0	0	0	0
380	md	R	380-40	1176	11.7	461.2	2.6	6.2	469.3	0	0	229.4	238.1	0
380	md	R	Deer_A	150577	2.3	73.2	1.7	5.7	71.5	0	0	38.3	16	0
380	md	R	SUM	152652	19.5	672.8	4.3	38.6	657.9	0	0	267.6	254.1	0
380	md	SUM	309-00	15	0	1.3	0	0	1.3	0	0	0	0	0
380	md	SUM	315-00	300	0	1.5	0	0	1.5	0	0	0	0	0
380	md	SUM	335-40	330	0	1.3	0	0	1.3	0	0	0	0	0
380	md	SUM	380-00	100	1.4	47.2	0	1.4	47.2	0	0	0	0	0
380	md	SUM	380-02	200	4.1	92.5	0	25.3	71.3	0	0	0	0	0
380	md	SUM	380-40	1227	11.7	481.4	2.6	6.2	489.4	0	0	236	251.6	0
380	md	SUM	Deer_A	174790	3.5	101	1.7	6.9	99.4	0	0	40.9	37.4	3.7

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
380	md	SUM	SUM	176962	20.7	726.2	4.3	39.8	711.4	0	0	276.9	289.1	3.7
380	wt	N	003-12	777	0	19.9	0	0	19.9	0	0	0	0	0
380	wt	N	309-01	3	0	0	0	0	0	0	0	0	0	0
380	wt	N	322-00	19	0	0	0	0	0	0	0	0	0	0
380	wt	N	360-01	23	0	0	0	0	0	0	0	0	0	0
380	wt	N	380-02	5	0	0	0	0	0	0	0	0	0	0
380	wt	N	380-40	51	0	0	0	0	0	0	0	0	0	0
380	wt	N	Deer_A	24213	1.4	22	0	1.4	22	0	0	2.2	17.1	0
380	wt	N	SUM	25091	1.4	41.9	0	1.4	41.9	0	0	2.2	17.1	0
380	wt	R	003-10	7329	8.3	101.6	0	8.3	101.6	0	0	0	3.4	0
380	wt	R	309-01	497	0	2.4	0	0	2.4	0	0	0	0	0
380	wt	R	322-00	581	0	1.2	0	0	1.2	0	0	0	0	0
380	wt	R	360-01	177	1.7	0	0	1.7	0	0	0	0	1.7	0
380	wt	R	380-01	50	0	10.8	0	0	10.8	0	0	0	0	0
380	wt	R	380-02	195	0	2.6	0	0	2.6	0	0	0	0	0
380	wt	R	380-40	1176	0	1.9	0	0	0	1.9	0	0	0	0
380	wt	R	Deer_A	150577	6.8	187	2.3	5.4	190.8	0	0	44.2	97.5	0
380	wt	R	SUM	160582	16.8	307.5	2.3	15.3	309.4	1.9	0	44.2	102.6	0
380	wt	SUM	003-10	7329	8.3	101.6	0	8.3	101.6	0	0	0	3.4	0
380	wt	SUM	003-12	777	0	19.9	0	0	19.9	0	0	0	0	0
380	wt	SUM	309-01	500	0	2.4	0	0	2.4	0	0	0	0	0
380	wt	SUM	322-00	600	0	1.2	0	0	1.2	0	0	0	0	0
380	wt	SUM	360-01	200	1.7	0	0	1.7	0	0	0	0	1.7	0
380	wt	SUM	380-01	50	0	10.8	0	0	10.8	0	0	0	0	0
380	wt	SUM	380-02	200	0	2.6	0	0	2.6	0	0	0	0	0
380	wt	SUM	380-40	1227	0	1.9	0	0	0	1.9	0	0	0	0
380	wt	SUM	Deer_A	174790	8.2	209	2.3	6.7	212.8	0	0	46.3	114.6	0
380	wt	SUM	SUM	185673	18.2	349.4	2.3	16.7	351.3	1.9	0	46.3	119.7	0
390	all_deer	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
390	all_deer	N	390-00	2	0	1	0	0	1	0	0	0	0	0
390	all_deer	N	390-40	18	0	6.9	0	0	6.9	0	0	0	6.9	0
390	all_deer	N	391-40	53	0	0	0	0	0	0	0	0	0	0
390	all_deer	N	393-00	9	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
390	all_deer	N	Deer_A	24213	3.7	18.5	0	3.7	18.5	0	0	8.9	9.6	0
390	all_deer	N	SUM	25072	3.7	30.5	0	3.7	30.5	0	0	8.9	16.6	0
390	all_deer	R	003-10	7329	3.4	23.9	0	3.4	23.9	0	0	0	0	0
390	all_deer	R	390-00	33	0	6.8	0	0	6.8	0	0	0	0	0
390	all_deer	R	390-40	55	0	20.1	0	0	20.1	0	0	11.2	8.9	0
390	all_deer	R	391-40	376	0	1.3	0	0	1.3	0	0	0	0	0
390	all_deer	R	393-00	182	1.2	0	0	1.2	0	0	0	0	1.2	0
390	all_deer	R	Deer_A	150577	0	54.2	0	0	54.2	0	0	22	30.7	0
390	all_deer	R	SUM	158552	4.7	106.3	0	4.7	106.3	0	0	33.2	40.9	0
390	all_deer	SUM	003-10	7329	3.4	23.9	0	3.4	23.9	0	0	0	0	0
390	all_deer	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
390	all_deer	SUM	390-00	35	0	7.8	0	0	7.8	0	0	0	0	0
390	all_deer	SUM	390-40	73	0	27.1	0	0	27.1	0	0	11.2	15.9	0
390	all_deer	SUM	391-40	429	0	1.3	0	0	1.3	0	0	0	0	0
390	all_deer	SUM	393-00	191	1.2	0	0	1.2	0	0	0	0	1.2	0
390	all_deer	SUM	Deer_A	174790	3.7	72.7	0	3.7	72.7	0	0	30.8	40.3	0
390	all_deer	SUM	SUM	183624	8.4	136.8	0	8.4	136.8	0	0	42	57.4	0
390	md	N	390-00	2	0	1	0	0	1	0	0	0	0	0
390	md	N	390-40	18	0	6.9	0	0	6.9	0	0	0	6.9	0
390	md	N	391-40	53	0	0	0	0	0	0	0	0	0	0
390	md	N	393-00	9	0	0	0	0	0	0	0	0	0	0
390	md	N	Deer_A	24213	3.7	16.3	0	3.7	16.3	0	0	8.9	7.5	0
390	md	N	SUM	24295	3.7	24.3	0	3.7	24.3	0	0	8.9	14.4	0
390	md	R	390-00	33	0	6.8	0	0	6.8	0	0	0	0	0
390	md	R	390-40	55	0	20.1	0	0	20.1	0	0	11.2	8.9	0
390	md	R	391-40	376	0	1.3	0	0	1.3	0	0	0	0	0
390	md	R	393-00	182	1.2	0	0	1.2	0	0	0	0	1.2	0
390	md	R	Deer_A	150577	0	33.9	0	0	33.9	0	0	13.1	20.8	0
390	md	R	SUM	151223	1.2	62.1	0	1.2	62.1	0	0	24.3	30.9	0
390	md	SUM	390-00	35	0	7.8	0	0	7.8	0	0	0	0	0
390	md	SUM	390-40	73	0	27.1	0	0	27.1	0	0	11.2	15.9	0
390	md	SUM	391-40	429	0	1.3	0	0	1.3	0	0	0	0	0
390	md	SUM	393-00	191	1.2	0	0	1.2	0	0	0	0	1.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
390	md	SUM	Deer_A	174790	3.7	50.2	0	3.7	50.2	0	0	21.9	28.2	0
390	md	SUM	SUM	175518	5	86.3	0	5	86.3	0	0	33.2	45.3	0
390	wt	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
390	wt	N	Deer_A	24213	0	2.2	0	0	2.2	0	0	0	2.2	0
390	wt	N	SUM	24990	0	6.2	0	0	6.2	0	0	0	2.2	0
390	wt	R	003-10	7329	3.4	23.9	0	3.4	23.9	0	0	0	0	0
390	wt	R	Deer_A	150577	0	20.3	0	0	20.3	0	0	8.9	9.9	0
390	wt	R	SUM	157906	3.4	44.2	0	3.4	44.2	0	0	8.9	9.9	0
390	wt	SUM	003-10	7329	3.4	23.9	0	3.4	23.9	0	0	0	0	0
390	wt	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
390	wt	SUM	Deer_A	174790	0	22.5	0	0	22.5	0	0	8.9	12.1	0
390	wt	SUM	SUM	182896	3.4	50.4	0	3.4	50.4	0	0	8.9	12.1	0
391	all_deer	N	343-40	31	0	0	0	0	0	0	0	0	0	0
391	all_deer	N	390-00	2	0	0	0	0	0	0	0	0	0	0
391	all_deer	N	391-40	53	0	23.1	0	0	23.1	0	0	9.5	13.6	0
391	all_deer	N	Deer_A	24213	5.1	51.4	3.7	5.1	55.1	0	0	11.2	44	0
391	all_deer	N	SUM	24299	5.1	74.5	3.7	5.1	78.2	0	0	20.7	57.5	0
391	all_deer	R	003-10	7329	2.3	32.2	0	2.3	32.2	0	0	0	0	0
391	all_deer	R	343-40	396	0	1.7	0	0	1.7	0	0	0	0	0
391	all_deer	R	380-01	50	0	4.1	0	0	4.1	0	0	0	0	0
391	all_deer	R	390-00	33	0	1.3	0	0	1.3	0	0	0	0	0
391	all_deer	R	391-00	50	4.2	23.1	0	4.2	23.1	0	0	0	0	0
391	all_deer	R	391-40	376	3.1	134.7	0	1.5	136.3	0	0	73.2	63.1	1.5
391	all_deer	R	Deer_A	150577	3.1	105.2	2.3	7.2	99.7	1.4	2.3	44.6	49.1	0
391	all_deer	R	SUM	158811	12.7	302.2	2.3	15.2	298.3	1.4	2.3	117.7	112.2	1.5
391	all_deer	SUM	003-10	7329	2.3	32.2	0	2.3	32.2	0	0	0	0	0
391	all_deer	SUM	343-40	427	0	1.7	0	0	1.7	0	0	0	0	0
391	all_deer	SUM	380-01	50	0	4.1	0	0	4.1	0	0	0	0	0
391	all_deer	SUM	390-00	35	0	1.3	0	0	1.3	0	0	0	0	0
391	all_deer	SUM	391-00	50	4.2	23.1	0	4.2	23.1	0	0	0	0	0
391	all_deer	SUM	391-40	429	3.1	157.8	0	1.5	159.4	0	0	82.7	76.7	1.5
391	all_deer	SUM	Deer_A	174790	8.3	156.6	6.1	12.3	154.9	1.4	2.3	55.7	93	0
391	all_deer	SUM	SUM	183110	17.8	376.7	6.1	20.4	376.5	1.4	2.3	138.4	169.7	1.5

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
391	md	N	390-00	2	0	0	0	0	0	0	0	0	0	0
391	md	N	391-40	53	0	23.1	0	0	23.1	0	0	9.5	13.6	0
391	md	N	Deer_A	24213	5.1	42.6	3.7	5.1	46.4	0	0	11.2	35.2	0
391	md	N	SUM	24268	5.1	65.7	3.7	5.1	69.5	0	0	20.7	48.8	0
391	md	R	390-00	33	0	1.3	0	0	1.3	0	0	0	0	0
391	md	R	391-00	50	4.2	23.1	0	4.2	23.1	0	0	0	0	0
391	md	R	391-40	376	3.1	134.7	0	1.5	136.3	0	0	73.2	63.1	1.5
391	md	R	Deer_A	150577	3.1	36	2.3	3.1	34.6	1.4	2.3	23.9	12.5	0
391	md	R	SUM	151036	10.4	195	2.3	8.9	195.2	1.4	2.3	97.1	75.6	1.5
391	md	SUM	390-00	35	0	1.3	0	0	1.3	0	0	0	0	0
391	md	SUM	391-00	50	4.2	23.1	0	4.2	23.1	0	0	0	0	0
391	md	SUM	391-40	429	3.1	157.8	0	1.5	159.4	0	0	82.7	76.7	1.5
391	md	SUM	Deer_A	174790	8.3	78.6	6.1	8.3	80.9	1.4	2.3	35.1	47.7	0
391	md	SUM	SUM	175304	15.5	260.8	6.1	14	264.6	1.4	2.3	117.8	124.4	1.5
391	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
391	wt	N	343-40	31	0	0	0	0	0	0	0	0	0	0
391	wt	N	Deer_A	24213	0	8.8	0	0	8.8	0	0	0	8.8	0
391	wt	N	SUM	25021	0	8.8	0	0	8.8	0	0	0	8.8	0
391	wt	R	003-10	7329	2.3	32.2	0	2.3	32.2	0	0	0	0	0
391	wt	R	343-40	396	0	1.7	0	0	1.7	0	0	0	0	0
391	wt	R	380-01	50	0	4.1	0	0	4.1	0	0	0	0	0
391	wt	R	Deer_A	150577	0	69.2	0	4.1	65.2	0	0	20.6	36.6	0
391	wt	R	SUM	158352	2.3	107.2	0	6.4	103.1	0	0	20.6	36.6	0
391	wt	SUM	003-10	7329	2.3	32.2	0	2.3	32.2	0	0	0	0	0
391	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
391	wt	SUM	343-40	427	0	1.7	0	0	1.7	0	0	0	0	0
391	wt	SUM	380-01	50	0	4.1	0	0	4.1	0	0	0	0	0
391	wt	SUM	Deer_A	174790	0	78	0	4.1	73.9	0	0	20.6	45.4	0
391	wt	SUM	SUM	183373	2.3	115.9	0	6.4	111.9	0	0	20.6	45.4	0
392	all_deer	N	339-40	12	0	0	0	0	0	0	0	0	0	0
392	all_deer	N	380-02	5	0	0	0	0	0	0	0	0	0	0
392	all_deer	N	392-00	1	0	1	0	0	1	0	0	0	0	0
392	all_deer	N	392-40	52	2.5	14.8	0	2.5	14.8	0	0	7.5	9.8	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
392	all_deer	N	445-00	61	0	0	0	0	0	0	0	0	0	0
392	all_deer	N	Deer_A	24213	1.3	12.2	0	1.3	12.2	0	0	1.3	10.9	0
392	all_deer	N	SUM	24344	3.8	27.9	0	3.8	27.9	0	0	8.8	20.6	0
392	all_deer	R	003-10	7329	2.3	29	0	2.3	25.6	0	3.4	0	0	0
392	all_deer	R	339-40	340	0	2.5	0	0	2.5	0	0	0	0	0
392	all_deer	R	380-02	195	0	1.4	0	0	1.4	0	0	0	0	0
392	all_deer	R	392-00	49	1.6	17.1	0	1.6	17.1	0	0	0	0	0
392	all_deer	R	392-40	725	4.6	292.7	0	4.6	292.7	0	0	133	159.1	3.2
392	all_deer	R	445-00	439	0	1.3	0	0	1.3	0	0	0	0	0
392	all_deer	R	Deer_A	150577	5.4	67.5	0	7.8	65.2	0	0	19.3	36.7	0
392	all_deer	R	SUM	159654	14	411.5	0	16.3	405.7	0	3.4	152.2	195.9	3.2
392	all_deer	SUM	003-10	7329	2.3	29	0	2.3	25.6	0	3.4	0	0	0
392	all_deer	SUM	339-40	352	0	2.5	0	0	2.5	0	0	0	0	0
392	all_deer	SUM	380-02	200	0	1.4	0	0	1.4	0	0	0	0	0
392	all_deer	SUM	392-00	50	1.6	18.1	0	1.6	18.1	0	0	0	0	0
392	all_deer	SUM	392-40	777	7.1	307.4	0	7.1	307.4	0	0	140.4	168.9	3.2
392	all_deer	SUM	445-00	500	0	1.3	0	0	1.3	0	0	0	0	0
392	all_deer	SUM	Deer_A	174790	6.7	79.7	0	9.1	77.3	0	0	20.6	47.6	0
392	all_deer	SUM	SUM	183998	17.8	439.4	0	20.1	433.6	0	3.4	161	216.5	3.2
392	md	N	339-40	12	0	0	0	0	0	0	0	0	0	0
392	md	N	380-02	5	0	0	0	0	0	0	0	0	0	0
392	md	N	392-00	1	0	1	0	0	1	0	0	0	0	0
392	md	N	392-40	52	2.5	14.8	0	2.5	14.8	0	0	7.5	9.8	0
392	md	N	445-00	61	0	0	0	0	0	0	0	0	0	0
392	md	N	Deer_A	24213	1.3	1.6	0	1.3	1.6	0	0	0	1.6	0
392	md	N	SUM	24344	3.8	17.3	0	3.8	17.3	0	0	7.5	11.4	0
392	md	R	339-40	340	0	2.5	0	0	2.5	0	0	0	0	0
392	md	R	380-02	195	0	1.4	0	0	1.4	0	0	0	0	0
392	md	R	392-00	49	1.6	17.1	0	1.6	17.1	0	0	0	0	0
392	md	R	392-40	725	4.6	292.7	0	4.6	292.7	0	0	133	159.1	3.2
392	md	R	445-00	439	0	1.3	0	0	1.3	0	0	0	0	0
392	md	R	Deer_A	150577	4.1	24.6	0	4.1	24.6	0	0	11.1	8.8	0
392	md	R	SUM	152325	10.3	339.6	0	10.3	339.6	0	0	144	167.9	3.2

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
392	md	SUM	339-40	352	0	2.5	0	0	2.5	0	0	0	0	0
392	md	SUM	380-02	200	0	1.4	0	0	1.4	0	0	0	0	0
392	md	SUM	392-00	50	1.6	18.1	0	1.6	18.1	0	0	0	0	0
392	md	SUM	392-40	777	7.1	307.4	0	7.1	307.4	0	0	140.4	168.9	3.2
392	md	SUM	445-00	500	0	1.3	0	0	1.3	0	0	0	0	0
392	md	SUM	Deer_A	174790	5.4	26.2	0	5.4	26.2	0	0	11.1	10.4	0
392	md	SUM	SUM	176669	14.1	356.9	0	14.1	356.9	0	0	151.5	179.3	3.2
392	wt	N	003-12	777	0	0	0	0	0	0	0	0	0	0
392	wt	N	Deer_A	24213	0	9.3	0	0	9.3	0	0	1.3	7.9	0
392	wt	N	SUM	24990	0	9.3	0	0	9.3	0	0	1.3	7.9	0
392	wt	R	003-10	7329	2.3	29	0	2.3	25.6	0	3.4	0	0	0
392	wt	R	Deer_A	150577	1.4	42.9	0	3.7	40.6	0	0	8.2	28	0
392	wt	R	SUM	157906	3.7	71.9	0	6	66.1	0	3.4	8.2	28	0
392	wt	SUM	003-10	7329	2.3	29	0	2.3	25.6	0	3.4	0	0	0
392	wt	SUM	003-12	777	0	0	0	0	0	0	0	0	0	0
392	wt	SUM	Deer_A	174790	1.4	52.2	0	3.7	49.8	0	0	9.5	35.9	0
392	wt	SUM	SUM	182896	3.7	81.2	0	6	75.4	0	3.4	9.5	35.9	0
393	all_deer	N	003-12	777	5	10.3	0	5	10.3	0	0	0	0	0
393	all_deer	N	284-10	8	1.5	0	0	1.5	0	0	0	0	0	0
393	all_deer	N	312-00	6	0	0	0	0	0	0	0	0	0	0
393	all_deer	N	312-01	1	0	0	0	0	0	0	0	0	0	0
393	all_deer	N	315-00	31	0	1.6	0	0	1.6	0	0	0	0	0
393	all_deer	N	315-01	20	0	0	0	0	0	0	0	0	0	0
393	all_deer	N	325-01	10	0	0	0	0	0	0	0	0	0	0
393	all_deer	N	390-00	2	0	0	0	0	0	0	0	0	0	0
393	all_deer	N	393-00	9	0	1.6	0	0	1.6	0	0	0	0	0
393	all_deer	N	598-00	236	0	1.2	0	0	1.2	0	0	0	0	0
393	all_deer	N	Deer_A	24213	25.1	124.8	3.7	22.9	130.6	0	0	32.5	109.8	0
393	all_deer	N	SUM	25313	31.6	139.3	3.7	29.4	145.2	0	0	32.5	109.8	0
393	all_deer	R	003-10	7329	4.4	73.5	3.4	2.3	79.1	0	0	3.4	0	0
393	all_deer	R	284-10	109	0	0	0	0	0	0	0	0	0	0
393	all_deer	R	312-00	237	0	1.5	0	0	1.5	0	0	0	0	0
393	all_deer	R	312-01	74	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
393	all_deer	R	315-00	269	0	3.1	0	0	3.1	0	0	1.6	0	0
393	all_deer	R	315-01	230	0	2.7	0	0	2.7	0	0	0	0	0
393	all_deer	R	325-01	140	0	1.8	0	0	1.8	0	0	0	1.8	0
393	all_deer	R	390-00	33	0	1.5	0	0	1.5	0	0	0	0	0
393	all_deer	R	393-00	182	2.8	84.5	0	2.8	84.5	0	0	0	0	0
393	all_deer	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
393	all_deer	R	Deer_A	150577	19.9	452.7	0	12.9	455.7	4.1	0	195.8	241.8	1.4
393	all_deer	R	SUM	161194	27.1	622.7	3.4	17.9	631.3	4.1	0	200.9	243.6	1.4
393	all_deer	SUM	003-10	7329	4.4	73.5	3.4	2.3	79.1	0	0	3.4	0	0
393	all_deer	SUM	003-12	777	5	10.3	0	5	10.3	0	0	0	0	0
393	all_deer	SUM	284-10	117	1.5	0	0	1.5	0	0	0	0	0	0
393	all_deer	SUM	312-00	243	0	1.5	0	0	1.5	0	0	0	0	0
393	all_deer	SUM	312-01	75	0	1.3	0	0	1.3	0	0	0	0	0
393	all_deer	SUM	315-00	300	0	4.7	0	0	4.7	0	0	1.6	0	0
393	all_deer	SUM	315-01	250	0	2.7	0	0	2.7	0	0	0	0	0
393	all_deer	SUM	325-01	150	0	1.8	0	0	1.8	0	0	0	1.8	0
393	all_deer	SUM	390-00	35	0	1.5	0	0	1.5	0	0	0	0	0
393	all_deer	SUM	393-00	191	2.8	86.1	0	2.8	86.1	0	0	0	0	0
393	all_deer	SUM	598-00	2250	0	1.2	0	0	1.2	0	0	0	0	0
393	all_deer	SUM	Deer_A	174790	45	577.5	3.7	35.8	586.3	4.1	0	228.4	351.6	1.4
393	all_deer	SUM	SUM	186507	58.7	762.1	7.2	47.4	776.5	4.1	0	233.4	353.5	1.4
393	md	N	312-00	6	0	0	0	0	0	0	0	0	0	0
393	md	N	315-00	31	0	1.6	0	0	1.6	0	0	0	0	0
393	md	N	325-01	10	0	0	0	0	0	0	0	0	0	0
393	md	N	390-00	2	0	0	0	0	0	0	0	0	0	0
393	md	N	393-00	9	0	1.6	0	0	1.6	0	0	0	0	0
393	md	N	Deer_A	24213	14.9	100.9	0	14.9	100.9	0	0	32.5	72.1	0
393	md	N	SUM	24271	14.9	104	0	14.9	104	0	0	32.5	72.1	0
393	md	R	003-10	7329	0	7.8	0	0	7.8	0	0	3.4	0	0
393	md	R	312-00	237	0	1.5	0	0	1.5	0	0	0	0	0
393	md	R	315-00	269	0	3.1	0	0	3.1	0	0	1.6	0	0
393	md	R	325-01	140	0	1.8	0	0	1.8	0	0	0	1.8	0
393	md	R	390-00	33	0	1.5	0	0	1.5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
393	md	R	393-00	182	2.8	80.9	0	2.8	80.9	0	0	0	0	0
393	md	R	Deer_A	150577	17.1	310.6	0	11.5	312.2	4.1	0	163.1	146.4	1.4
393	md	R	SUM	158767	19.9	407.2	0	14.3	408.7	4.1	0	168.1	148.2	1.4
393	md	SUM	003-10	7329	0	7.8	0	0	7.8	0	0	3.4	0	0
393	md	SUM	312-00	243	0	1.5	0	0	1.5	0	0	0	0	0
393	md	SUM	315-00	300	0	4.7	0	0	4.7	0	0	1.6	0	0
393	md	SUM	325-01	150	0	1.8	0	0	1.8	0	0	0	1.8	0
393	md	SUM	390-00	35	0	1.5	0	0	1.5	0	0	0	0	0
393	md	SUM	393-00	191	2.8	82.4	0	2.8	82.4	0	0	0	0	0
393	md	SUM	Deer_A	174790	32	411.5	0	26.4	413	4.1	0	195.6	218.5	1.4
393	md	SUM	SUM	183038	34.8	511.2	0	29.2	512.8	4.1	0	200.6	220.3	1.4
393	wt	N	003-12	777	5	10.3	0	5	10.3	0	0	0	0	0
393	wt	N	284-10	8	1.5	0	0	1.5	0	0	0	0	0	0
393	wt	N	312-01	1	0	0	0	0	0	0	0	0	0	0
393	wt	N	315-01	20	0	0	0	0	0	0	0	0	0	0
393	wt	N	393-00	9	0	0	0	0	0	0	0	0	0	0
393	wt	N	598-00	236	0	1.2	0	0	1.2	0	0	0	0	0
393	wt	N	Deer_A	24213	10.2	23.9	3.7	8	29.8	0	0	0	37.8	0
393	wt	N	SUM	25264	16.7	35.3	3.7	14.5	41.2	0	0	0	37.8	0
393	wt	R	003-10	7329	4.4	65.8	3.4	2.3	71.3	0	0	0	0	0
393	wt	R	284-10	109	0	0	0	0	0	0	0	0	0	0
393	wt	R	312-01	74	0	1.3	0	0	1.3	0	0	0	0	0
393	wt	R	315-01	230	0	2.7	0	0	2.7	0	0	0	0	0
393	wt	R	393-00	182	0	3.7	0	0	3.7	0	0	0	0	0
393	wt	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
393	wt	R	Deer_A	150577	2.8	142.1	0	1.4	143.5	0	0	32.8	95.4	0
393	wt	R	SUM	160515	7.2	215.5	3.4	3.6	222.6	0	0	32.8	95.4	0
393	wt	SUM	003-10	7329	4.4	65.8	3.4	2.3	71.3	0	0	0	0	0
393	wt	SUM	003-12	777	5	10.3	0	5	10.3	0	0	0	0	0
393	wt	SUM	284-10	117	1.5	0	0	1.5	0	0	0	0	0	0
393	wt	SUM	312-01	75	0	1.3	0	0	1.3	0	0	0	0	0
393	wt	SUM	315-01	250	0	2.7	0	0	2.7	0	0	0	0	0
393	wt	SUM	393-00	191	0	3.7	0	0	3.7	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
393	wt	SUM	598-00	2250	0	1.2	0	0	1.2	0	0	0	0	0
393	wt	SUM	Deer_A	174790	13	166	3.7	9.4	173.3	0	0	32.8	133.2	0
393	wt	SUM	SUM	185779	23.9	250.9	7.2	18.2	263.7	0	0	32.8	133.2	0
3XX	all_deer	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
3XX	all_deer	N	Deer_A	24213	3.7	11.2	0	3.7	11.2	0	0	0	7.5	0
3XX	all_deer	N	SUM	24990	3.7	15.2	0	3.7	15.2	0	0	0	7.5	0
3XX	all_deer	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
3XX	all_deer	R	335-00	148	0	1.4	0	0	1.4	0	0	0	0	0
3XX	all_deer	R	Deer_A	150577	0	24.3	4.1	0	28.3	0	0	5.5	20.9	0
3XX	all_deer	R	SUM	158054	0	29.1	4.1	0	33.1	0	0	5.5	20.9	0
3XX	all_deer	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
3XX	all_deer	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
3XX	all_deer	SUM	335-00	148	0	1.4	0	0	1.4	0	0	0	0	0
3XX	all_deer	SUM	Deer_A	174790	3.7	35.4	4.1	3.7	39.5	0	0	5.5	28.3	0
3XX	all_deer	SUM	SUM	183044	3.7	44.3	4.1	3.7	48.4	0	0	5.5	28.3	0
3XX	md	N	Deer_A	24213	3.7	7.5	0	3.7	7.5	0	0	0	7.5	0
3XX	md	N	SUM	24213	3.7	7.5	0	3.7	7.5	0	0	0	7.5	0
3XX	md	R	Deer_A	150577	0	24.3	0	0	24.3	0	0	5.5	16.8	0
3XX	md	R	SUM	150577	0	24.3	0	0	24.3	0	0	5.5	16.8	0
3XX	md	SUM	Deer_A	174790	3.7	31.7	0	3.7	31.7	0	0	5.5	24.3	0
3XX	md	SUM	SUM	174790	3.7	31.7	0	3.7	31.7	0	0	5.5	24.3	0
3XX	wt	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
3XX	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	0	0
3XX	wt	N	SUM	24990	0	7.8	0	0	7.8	0	0	0	0	0
3XX	wt	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
3XX	wt	R	Deer_A	150577	0	0	4.1	0	4.1	0	0	0	4.1	0
3XX	wt	R	SUM	157906	0	3.4	4.1	0	7.5	0	0	0	4.1	0
3XX	wt	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
3XX	wt	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
3XX	wt	SUM	Deer_A	174790	0	3.7	4.1	0	7.8	0	0	0	4.1	0
3XX	wt	SUM	SUM	182896	0	11.2	4.1	0	15.3	0	0	0	4.1	0
400	all_deer	N	400-00	40	1.2	25	0	1.2	25	0	0	0	1.4	0
400	all_deer	N	401-00	42	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
400	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	406-00	42	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	411-00	89	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	421-00	20	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	445-00	61	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	447-00	44	0	0	0	0	0	0	0	0	0	0
400	all_deer	N	Deer_A	24213	0	26.5	0	0	26.5	0	0	10.2	14.9	0
400	all_deer	N	none	.	0	0	1.6	1.6	0	0	0	0	1.6	0
400	all_deer	N	SUM	24594	1.2	51.5	1.6	2.8	51.5	0	0	10.2	17.8	0
400	all_deer	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
400	all_deer	R	004-10	7610	8.1	124.7	3.4	8.1	125.8	2.2	0	2.2	6.7	0
400	all_deer	R	006-10	2581	0	2.1	0	0	2.1	0	0	0	0	0
400	all_deer	R	400-00	654	10.6	269.1	1.5	10.6	265	1.5	4.1	1.3	0	0
400	all_deer	R	401-00	358	0	3	0	0	3	0	0	0	0	0
400	all_deer	R	404-00	754	1.4	2.9	0	0	4.4	0	0	1.3	1.6	0
400	all_deer	R	406-00	358	0	2.6	0	0	2.6	0	0	0	0	0
400	all_deer	R	411-00	509	0	1.4	0	0	1.4	0	0	0	1.4	0
400	all_deer	R	421-00	230	0	5.1	0	0	5.1	0	0	0	0	0
400	all_deer	R	445-00	439	0	2.5	0	0	2.5	0	0	0	1.2	0
400	all_deer	R	447-00	356	0	2.7	0	0	2.7	0	0	0	1.4	0
400	all_deer	R	Deer_A	150577	18	749	1.7	18	746.6	4.1	0	213.4	378.4	5.4
400	all_deer	R	none	.	0	0	0	0	0	0	0	0	0	0
400	all_deer	R	SUM	171755	38.2	1168.4	6.5	36.8	1164.5	7.7	4.1	218.2	390.7	5.4
400	all_deer	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
400	all_deer	SUM	004-10	7610	8.1	124.7	3.4	8.1	125.8	2.2	0	2.2	6.7	0
400	all_deer	SUM	006-10	2581	0	2.1	0	0	2.1	0	0	0	0	0
400	all_deer	SUM	400-00	694	11.9	294.1	1.5	11.9	290	1.5	4.1	1.3	1.4	0
400	all_deer	SUM	401-00	400	0	3	0	0	3	0	0	0	0	0
400	all_deer	SUM	404-00	797	1.4	2.9	0	0	4.4	0	0	1.3	1.6	0
400	all_deer	SUM	406-00	400	0	2.6	0	0	2.6	0	0	0	0	0
400	all_deer	SUM	411-00	598	0	1.4	0	0	1.4	0	0	0	1.4	0
400	all_deer	SUM	421-00	250	0	5.1	0	0	5.1	0	0	0	0	0
400	all_deer	SUM	445-00	500	0	2.5	0	0	2.5	0	0	0	1.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
400	all_deer	SUM	447-00	400	0	2.7	0	0	2.7	0	0	0	1.4	0
400	all_deer	SUM	Deer_A	174790	18	775.5	1.7	18	773.1	4.1	0	223.6	393.3	5.4
400	all_deer	SUM	none	.	0	0	1.6	1.6	0	0	0	0	1.6	0
400	all_deer	SUM	SUM	196349	39.5	1219.9	8	39.6	1216	7.7	4.1	228.5	408.5	5.4
400	md	N	400-00	40	1.2	22.2	0	1.2	22.2	0	0	0	0	0
400	md	N	401-00	42	0	0	0	0	0	0	0	0	0	0
400	md	N	404-00	43	0	0	0	0	0	0	0	0	0	0
400	md	N	406-00	42	0	0	0	0	0	0	0	0	0	0
400	md	N	411-00	89	0	0	0	0	0	0	0	0	0	0
400	md	N	445-00	61	0	0	0	0	0	0	0	0	0	0
400	md	N	447-00	44	0	0	0	0	0	0	0	0	0	0
400	md	N	Deer_A	24213	0	22.8	0	0	22.8	0	0	6.5	14.9	0
400	md	N	none	.	0	0	0	0	0	0	0	0	0	0
400	md	N	SUM	24574	1.2	45	0	1.2	45	0	0	6.5	14.9	0
400	md	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
400	md	R	004-10	7610	0	20.8	0	0	20.8	0	0	0	3.4	0
400	md	R	400-00	654	10.6	265	1.5	10.6	263.6	0	2.9	1.3	0	0
400	md	R	401-00	358	0	3	0	0	3	0	0	0	0	0
400	md	R	404-00	754	1.4	1.6	0	0	3	0	0	0	1.6	0
400	md	R	406-00	358	0	1.3	0	0	1.3	0	0	0	0	0
400	md	R	411-00	509	0	1.4	0	0	1.4	0	0	0	1.4	0
400	md	R	445-00	439	0	2.5	0	0	2.5	0	0	0	1.2	0
400	md	R	447-00	356	0	1.4	0	0	1.4	0	0	0	0	0
400	md	R	Deer_A	150577	8.2	610.1	1.7	8.2	607.7	4.1	0	195	273.3	5.4
400	md	R	none	.	0	0	0	0	0	0	0	0	0	0
400	md	R	SUM	168944	20.3	910.5	3.1	18.8	908.1	4.1	2.9	196.4	280.9	5.4
400	md	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
400	md	SUM	004-10	7610	0	20.8	0	0	20.8	0	0	0	3.4	0
400	md	SUM	400-00	694	11.9	287.3	1.5	11.9	285.8	0	2.9	1.3	0	0
400	md	SUM	401-00	400	0	3	0	0	3	0	0	0	0	0
400	md	SUM	404-00	797	1.4	1.6	0	0	3	0	0	0	1.6	0
400	md	SUM	406-00	400	0	1.3	0	0	1.3	0	0	0	0	0
400	md	SUM	411-00	598	0	1.4	0	0	1.4	0	0	0	1.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
400	md	SUM	445-00	500	0	2.5	0	0	2.5	0	0	0	1.2	0
400	md	SUM	447-00	400	0	1.4	0	0	1.4	0	0	0	0	0
400	md	SUM	Deer_A	174790	8.2	632.9	1.7	8.2	630.5	4.1	0	201.5	288.2	5.4
400	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
400	md	SUM	SUM	193518	21.5	955.5	3.1	20.1	953.1	4.1	2.9	202.9	295.8	5.4
400	wt	N	400-00	40	0	2.8	0	0	2.8	0	0	0	1.4	0
400	wt	N	404-00	43	0	0	0	0	0	0	0	0	0	0
400	wt	N	406-00	42	0	0	0	0	0	0	0	0	0	0
400	wt	N	421-00	20	0	0	0	0	0	0	0	0	0	0
400	wt	N	447-00	44	0	0	0	0	0	0	0	0	0	0
400	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
400	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	3.7	0	0
400	wt	N	none	.	0	0	1.6	1.6	0	0	0	0	1.6	0
400	wt	N	SUM	24702	0	6.5	1.6	1.6	6.5	0	0	3.7	2.9	0
400	wt	R	004-10	7610	8.1	103.8	3.4	8.1	105	2.2	0	2.2	3.4	0
400	wt	R	006-10	2581	0	2.1	0	0	2.1	0	0	0	0	0
400	wt	R	400-00	654	0	4	0	0	1.4	1.5	1.2	0	0	0
400	wt	R	404-00	754	0	1.3	0	0	1.3	0	0	1.3	0	0
400	wt	R	406-00	358	0	1.3	0	0	1.3	0	0	0	0	0
400	wt	R	421-00	230	0	5.1	0	0	5.1	0	0	0	0	0
400	wt	R	447-00	356	0	1.4	0	0	1.4	0	0	0	1.4	0
400	wt	R	Deer_A	150577	9.9	138.9	0	9.9	138.9	0	0	18.3	105.1	0
400	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
400	wt	R	SUM	163120	18	257.9	3.4	18	256.4	3.7	1.2	21.8	109.8	0
400	wt	SUM	004-10	7610	8.1	103.8	3.4	8.1	105	2.2	0	2.2	3.4	0
400	wt	SUM	006-10	2581	0	2.1	0	0	2.1	0	0	0	0	0
400	wt	SUM	400-00	694	0	6.8	0	0	4.1	1.5	1.2	0	1.4	0
400	wt	SUM	404-00	797	0	1.3	0	0	1.3	0	0	1.3	0	0
400	wt	SUM	406-00	400	0	1.3	0	0	1.3	0	0	0	0	0
400	wt	SUM	421-00	250	0	5.1	0	0	5.1	0	0	0	0	0
400	wt	SUM	447-00	400	0	1.4	0	0	1.4	0	0	0	1.4	0
400	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
400	wt	SUM	Deer_A	174790	9.9	142.6	0	9.9	142.6	0	0	22.1	105.1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
400	wt	SUM	none	.	0	0	1.6	1.6	0	0	0	0	1.6	0
400	wt	SUM	SUM	187822	18	264.4	4.9	19.5	262.9	3.7	1.2	25.6	112.8	0
401	all_deer	N	002-10	67	1.5	0	0	1.5	0	0	0	0	0	0
401	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
401	all_deer	N	401-00	42	1.2	24.8	0	1.2	24.8	0	0	0	1.3	0
401	all_deer	N	498-00	300	0	7	0	0	7	0	0	0	0	0
401	all_deer	N	670-00	132	0	1.5	0	0	1.5	0	0	0	0	0
401	all_deer	N	Deer_A	24213	8	51.5	0	8	51.5	0	0	5.2	53.1	1.1
401	all_deer	N	SUM	24794	10.7	84.8	0	10.7	84.8	0	0	5.2	54.3	1.1
401	all_deer	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
401	all_deer	R	004-10	7610	2	142.9	0	2	142.9	0	0	0	0	0
401	all_deer	R	400-00	654	0	1.6	0	0	1.6	0	0	0	1.6	0
401	all_deer	R	401-00	358	0	164.7	3.6	0	166.9	0	1.4	0	5.9	0
401	all_deer	R	670-00	268	0	0	0	0	0	0	0	0	0	0
401	all_deer	R	Deer_A	150577	2.4	533.3	9.7	4.1	537.3	2.4	1.6	139.5	311.2	1.5
401	all_deer	R	SUM	160619	4.5	842.5	13.2	6.1	848.7	2.4	3	139.5	318.7	1.5
401	all_deer	SUM	002-10	1219	1.5	0	0	1.5	0	0	0	0	0	0
401	all_deer	SUM	004-10	7610	2	142.9	0	2	142.9	0	0	0	0	0
401	all_deer	SUM	400-00	694	0	1.6	0	0	1.6	0	0	0	1.6	0
401	all_deer	SUM	401-00	400	1.2	189.6	3.6	1.2	191.7	0	1.4	0	7.1	0
401	all_deer	SUM	498-00	300	0	7	0	0	7	0	0	0	0	0
401	all_deer	SUM	670-00	400	0	1.5	0	0	1.5	0	0	0	0	0
401	all_deer	SUM	Deer_A	174790	10.4	584.8	9.7	12	588.8	2.4	1.6	144.7	364.3	2.7
401	all_deer	SUM	SUM	185413	15.1	927.3	13.2	16.7	933.5	2.4	3	144.7	373	2.7
401	md	N	400-00	40	0	0	0	0	0	0	0	0	0	0
401	md	N	401-00	42	1.2	21.1	0	1.2	21.1	0	0	0	0	0
401	md	N	670-00	132	0	1.5	0	0	1.5	0	0	0	0	0
401	md	N	Deer_A	24213	5.3	47.8	0	5.3	47.8	0	0	5.2	46.7	1.1
401	md	N	SUM	24427	6.5	70.3	0	6.5	70.3	0	0	5.2	46.7	1.1
401	md	R	004-10	7610	0	2.2	0	0	2.2	0	0	0	0	0
401	md	R	400-00	654	0	1.6	0	0	1.6	0	0	0	1.6	0
401	md	R	401-00	358	0	157.8	1.7	0	158.1	0	1.4	0	1.3	0
401	md	R	670-00	268	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
401	md	R	Deer_A	150577	2.4	361.4	4.1	0	363.8	2.4	1.6	96.1	206.9	1.5
401	md	R	SUM	159467	2.4	523	5.7	0	525.7	2.4	3	96.1	209.7	1.5
401	md	SUM	004-10	7610	0	2.2	0	0	2.2	0	0	0	0	0
401	md	SUM	400-00	694	0	1.6	0	0	1.6	0	0	0	1.6	0
401	md	SUM	401-00	400	1.2	178.9	1.7	1.2	179.1	0	1.4	0	1.3	0
401	md	SUM	670-00	400	0	1.5	0	0	1.5	0	0	0	0	0
401	md	SUM	Deer_A	174790	7.8	409.2	4.1	5.3	411.6	2.4	1.6	101.4	253.6	2.7
401	md	SUM	SUM	183894	9	593.3	5.7	6.5	596	2.4	3	101.4	256.5	2.7
401	wt	N	002-10	67	1.5	0	0	1.5	0	0	0	0	0	0
401	wt	N	401-00	42	0	3.8	0	0	3.8	0	0	0	1.3	0
401	wt	N	498-00	300	0	7	0	0	7	0	0	0	0	0
401	wt	N	Deer_A	24213	2.6	3.7	0	2.6	3.7	0	0	0	6.3	0
401	wt	N	SUM	24622	4.2	14.5	0	4.2	14.5	0	0	0	7.6	0
401	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
401	wt	R	004-10	7610	2	140.7	0	2	140.7	0	0	0	0	0
401	wt	R	401-00	358	0	6.9	1.9	0	8.8	0	0	0	4.6	0
401	wt	R	Deer_A	150577	0	171.9	5.6	4.1	173.5	0	0	43.4	104.3	0
401	wt	R	SUM	159697	2	319.5	7.5	6.1	322.9	0	0	43.4	108.9	0
401	wt	SUM	002-10	1219	1.5	0	0	1.5	0	0	0	0	0	0
401	wt	SUM	004-10	7610	2	140.7	0	2	140.7	0	0	0	0	0
401	wt	SUM	401-00	400	0	10.7	1.9	0	12.6	0	0	0	5.8	0
401	wt	SUM	498-00	300	0	7	0	0	7	0	0	0	0	0
401	wt	SUM	Deer_A	174790	2.6	175.6	5.6	6.7	177.2	0	0	43.4	110.7	0
401	wt	SUM	SUM	184319	6.2	334	7.5	10.2	337.5	0	0	43.4	116.5	0
403	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
403	all_deer	N	498-00	300	0	2.8	0	0	2.8	0	0	0	0	0
403	all_deer	N	Deer_A	24213	0	5.1	0	0	5.1	0	0	0	5.1	0
403	all_deer	N	SUM	24553	0	7.9	0	0	7.9	0	0	0	5.1	0
403	all_deer	R	004-10	7610	0	10.1	3.4	0	13.5	0	0	0	0	0
403	all_deer	R	400-00	654	0	1.4	0	0	1.4	0	0	0	0	0
403	all_deer	R	Deer_A	150577	0	70.9	0	0	70.9	0	0	21.7	32.4	4.1
403	all_deer	R	SUM	158841	0	82.4	3.4	0	85.8	0	0	21.7	32.4	4.1
403	all_deer	SUM	004-10	7610	0	10.1	3.4	0	13.5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
403	all_deer	SUM	400-00	694	0	1.4	0	0	1.4	0	0	0	0	0
403	all_deer	SUM	498-00	300	0	2.8	0	0	2.8	0	0	0	0	0
403	all_deer	SUM	Deer_A	174790	0	76.1	0	0	76.1	0	0	21.7	37.5	4.1
403	all_deer	SUM	SUM	183394	0	90.4	3.4	0	93.7	0	0	21.7	37.5	4.1
403	md	N	400-00	40	0	0	0	0	0	0	0	0	0	0
403	md	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
403	md	N	SUM	24253	0	3.7	0	0	3.7	0	0	0	3.7	0
403	md	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
403	md	R	400-00	654	0	1.4	0	0	1.4	0	0	0	0	0
403	md	R	Deer_A	150577	0	51.7	0	0	51.7	0	0	17.6	19.6	4.1
403	md	R	SUM	158841	0	56.5	0	0	56.5	0	0	17.6	19.6	4.1
403	md	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
403	md	SUM	400-00	694	0	1.4	0	0	1.4	0	0	0	0	0
403	md	SUM	Deer_A	174790	0	55.5	0	0	55.5	0	0	17.6	23.3	4.1
403	md	SUM	SUM	183094	0	60.2	0	0	60.2	0	0	17.6	23.3	4.1
403	wt	N	498-00	300	0	2.8	0	0	2.8	0	0	0	0	0
403	wt	N	Deer_A	24213	0	1.4	0	0	1.4	0	0	0	1.4	0
403	wt	N	SUM	24513	0	4.2	0	0	4.2	0	0	0	1.4	0
403	wt	R	004-10	7610	0	6.7	3.4	0	10.1	0	0	0	0	0
403	wt	R	Deer_A	150577	0	19.2	0	0	19.2	0	0	4.1	12.8	0
403	wt	R	SUM	158187	0	25.9	3.4	0	29.3	0	0	4.1	12.8	0
403	wt	SUM	004-10	7610	0	6.7	3.4	0	10.1	0	0	0	0	0
403	wt	SUM	498-00	300	0	2.8	0	0	2.8	0	0	0	0	0
403	wt	SUM	Deer_A	174790	0	20.6	0	0	20.6	0	0	4.1	14.2	0
403	wt	SUM	SUM	182700	0	30.1	3.4	0	33.5	0	0	4.1	14.2	0
404	all_deer	N	102-00	6	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	392-40	52	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	404-00	43	0	21.2	0	0	21.2	0	0	0	0	0
404	all_deer	N	404-10	12	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	405-00	13	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	444-00	18	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	445-00	61	0	2.5	0	0	2.5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
404	all_deer	N	447-00	44	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	450-00	23	0	1.3	0	0	1.3	0	0	0	0	0
404	all_deer	N	471-00	12	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	498-00	300	0	10.1	0	0	10.1	0	0	1.5	1.5	0
404	all_deer	N	Deer_A	24213	5.4	125.2	0	5.4	125.2	0	0	11.6	106.2	1.6
404	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
404	all_deer	N	SUM	24837	5.4	160.3	0	5.4	160.3	0	0	13.1	107.7	1.6
404	all_deer	R	004-10	7610	30.6	344.7	2	26.3	338.8	10.2	2	5.4	6.7	0
404	all_deer	R	102-00	394	0	1.5	0	0	1.5	0	0	0	1.5	0
404	all_deer	R	392-40	725	0	1.8	0	0	0	1.8	0	0	0	0
404	all_deer	R	400-00	654	0	1.2	0	0	0	1.2	0	0	0	0
404	all_deer	R	404-00	754	16	289.3	12.5	12.8	297.2	2.8	5	1.6	0	0
404	all_deer	R	404-10	824	17.9	146.1	1.5	5.5	70.8	80	9.2	0	3.9	0
404	all_deer	R	405-00	286	0	4.3	0	0	4.3	0	0	1.5	0	0
404	all_deer	R	444-00	232	0	1.7	0	0	1.7	0	0	0	0	0
404	all_deer	R	445-00	439	0	0	0	0	0	0	0	0	0	0
404	all_deer	R	447-00	356	0	1.2	0	0	1.2	0	0	0	0	0
404	all_deer	R	450-00	127	0	2.8	0	0	1.5	1.3	0	1.5	0	0
404	all_deer	R	471-00	88	0	1.3	0	0	1.3	0	0	0	0	0
404	all_deer	R	Deer_A	150577	27.7	1348.3	11.2	14.6	1310.6	58.3	3.7	454.8	632.8	8.1
404	all_deer	R	none	.	1.8	28.1	0	1.8	20	8.1	0	0	0	0
404	all_deer	R	SUM	163066	94	2172.4	27.1	61	2048.8	163.7	19.9	464.7	645	8.1
404	all_deer	SUM	004-10	7610	30.6	344.7	2	26.3	338.8	10.2	2	5.4	6.7	0
404	all_deer	SUM	102-00	400	0	1.5	0	0	1.5	0	0	0	1.5	0
404	all_deer	SUM	392-40	777	0	1.8	0	0	0	1.8	0	0	0	0
404	all_deer	SUM	400-00	694	0	1.2	0	0	0	1.2	0	0	0	0
404	all_deer	SUM	404-00	797	16	310.5	12.5	12.8	318.4	2.8	5	1.6	0	0
404	all_deer	SUM	404-10	836	17.9	146.1	1.5	5.5	70.8	80	9.2	0	3.9	0
404	all_deer	SUM	405-00	299	0	4.3	0	0	4.3	0	0	1.5	0	0
404	all_deer	SUM	444-00	250	0	1.7	0	0	1.7	0	0	0	0	0
404	all_deer	SUM	445-00	500	0	2.5	0	0	2.5	0	0	0	0	0
404	all_deer	SUM	447-00	400	0	1.2	0	0	1.2	0	0	0	0	0
404	all_deer	SUM	450-00	150	0	4.1	0	0	2.8	1.3	0	1.5	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
404	all_deer	SUM	471-00	100	0	1.3	0	0	1.3	0	0	0	0	0
404	all_deer	SUM	498-00	300	0	10.1	0	0	10.1	0	0	1.5	1.5	0
404	all_deer	SUM	Deer_A	174790	33	1473.5	11.2	20	1435.7	58.3	3.7	466.3	739	9.7
404	all_deer	SUM	none	.	1.8	28.1	0	1.8	20	8.1	0	0	0	0
404	all_deer	SUM	SUM	187903	99.3	2332.7	27.1	66.4	2209.1	163.7	19.9	477.7	752.6	9.7
404	md	N	102-00	6	0	0	0	0	0	0	0	0	0	0
404	md	N	404-00	43	0	21.2	0	0	21.2	0	0	0	0	0
404	md	N	404-10	12	0	0	0	0	0	0	0	0	0	0
404	md	N	405-00	13	0	0	0	0	0	0	0	0	0	0
404	md	N	444-00	18	0	0	0	0	0	0	0	0	0	0
404	md	N	445-00	61	0	2.5	0	0	2.5	0	0	0	0	0
404	md	N	447-00	44	0	0	0	0	0	0	0	0	0	0
404	md	N	450-00	23	0	1.3	0	0	1.3	0	0	0	0	0
404	md	N	471-00	12	0	0	0	0	0	0	0	0	0	0
404	md	N	Deer_A	24213	0	103.7	0	0	103.7	0	0	7.9	86.8	1.6
404	md	N	none	.	0	0	0	0	0	0	0	0	0	0
404	md	N	SUM	24445	0	128.7	0	0	128.7	0	0	7.9	86.8	1.6
404	md	R	004-10	7610	0	10.9	0	0	10.9	0	0	5.4	0	0
404	md	R	102-00	394	0	1.5	0	0	1.5	0	0	0	1.5	0
404	md	R	404-00	754	16	283.6	12.5	11.5	295.5	0	5	1.6	0	0
404	md	R	404-10	824	4.8	27.1	1.5	2	25.2	0	6.3	0	0	0
404	md	R	405-00	286	0	4.3	0	0	4.3	0	0	1.5	0	0
404	md	R	444-00	232	0	1.7	0	0	1.7	0	0	0	0	0
404	md	R	445-00	439	0	0	0	0	0	0	0	0	0	0
404	md	R	447-00	356	0	1.2	0	0	1.2	0	0	0	0	0
404	md	R	450-00	127	0	1.5	0	0	1.5	0	0	1.5	0	0
404	md	R	471-00	88	0	1.3	0	0	1.3	0	0	0	0	0
404	md	R	Deer_A	150577	8.6	838.9	3.3	2.9	829.4	16.2	2.3	325.7	368.8	0
404	md	R	none	.	0	0	0	0	0	0	0	0	0	0
404	md	R	SUM	161687	29.4	1172	17.2	16.4	1172.4	16.2	13.7	335.6	370.3	0
404	md	SUM	004-10	7610	0	10.9	0	0	10.9	0	0	5.4	0	0
404	md	SUM	102-00	400	0	1.5	0	0	1.5	0	0	0	1.5	0
404	md	SUM	404-00	797	16	304.8	12.5	11.5	316.7	0	5	1.6	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
404	md	SUM	404-10	836	4.8	27.1	1.5	2	25.2	0	6.3	0	0	0
404	md	SUM	405-00	299	0	4.3	0	0	4.3	0	0	1.5	0	0
404	md	SUM	444-00	250	0	1.7	0	0	1.7	0	0	0	0	0
404	md	SUM	445-00	500	0	2.5	0	0	2.5	0	0	0	0	0
404	md	SUM	447-00	400	0	1.2	0	0	1.2	0	0	0	0	0
404	md	SUM	450-00	150	0	2.8	0	0	2.8	0	0	1.5	0	0
404	md	SUM	471-00	100	0	1.3	0	0	1.3	0	0	0	0	0
404	md	SUM	Deer_A	174790	8.6	942.6	3.3	2.9	933.1	16.2	2.3	333.5	455.6	1.6
404	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
404	md	SUM	SUM	186132	29.4	1300.7	17.2	16.4	1301.1	16.2	13.7	343.5	457.1	1.6
404	wt	N	392-40	52	0	0	0	0	0	0	0	0	0	0
404	wt	N	400-00	40	0	0	0	0	0	0	0	0	0	0
404	wt	N	404-00	43	0	0	0	0	0	0	0	0	0	0
404	wt	N	404-10	12	0	0	0	0	0	0	0	0	0	0
404	wt	N	450-00	23	0	0	0	0	0	0	0	0	0	0
404	wt	N	498-00	300	0	10.1	0	0	10.1	0	0	1.5	1.5	0
404	wt	N	Deer_A	24213	5.4	21.5	0	5.4	21.5	0	0	3.7	19.4	0
404	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
404	wt	N	SUM	24683	5.4	31.6	0	5.4	31.6	0	0	5.2	20.9	0
404	wt	R	004-10	7610	30.6	333.8	2	26.3	327.9	10.2	2	0	6.7	0
404	wt	R	392-40	725	0	1.8	0	0	0	1.8	0	0	0	0
404	wt	R	400-00	654	0	1.2	0	0	0	1.2	0	0	0	0
404	wt	R	404-00	754	0	5.7	0	1.3	1.6	2.8	0	0	0	0
404	wt	R	404-10	824	13	118.9	0	3.5	45.6	80	2.9	0	3.9	0
404	wt	R	450-00	127	0	1.3	0	0	0	1.3	0	0	0	0
404	wt	R	Deer_A	150577	19	508	7.9	11.7	479.8	42.1	1.4	127.7	264	8.1
404	wt	R	none	.	1.8	28.1	0	1.8	20	8.1	0	0	0	0
404	wt	R	SUM	161271	64.5	998.9	9.9	44.7	874.9	147.5	6.2	127.7	274.6	8.1
404	wt	SUM	004-10	7610	30.6	333.8	2	26.3	327.9	10.2	2	0	6.7	0
404	wt	SUM	392-40	777	0	1.8	0	0	0	1.8	0	0	0	0
404	wt	SUM	400-00	694	0	1.2	0	0	0	1.2	0	0	0	0
404	wt	SUM	404-00	797	0	5.7	0	1.3	1.6	2.8	0	0	0	0
404	wt	SUM	404-10	836	13	118.9	0	3.5	45.6	80	2.9	0	3.9	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
404	wt	SUM	450-00	150	0	1.3	0	0	0	1.3	0	0	0	0
404	wt	SUM	498-00	300	0	10.1	0	0	10.1	0	0	1.5	1.5	0
404	wt	SUM	Deer_A	174790	24.4	529.4	7.9	17	501.3	42.1	1.4	131.4	283.4	8.1
404	wt	SUM	none	.	1.8	28.1	0	1.8	20	8.1	0	0	0	0
404	wt	SUM	SUM	185954	69.9	1030.5	9.9	50	906.5	147.5	6.2	132.9	295.5	8.1
405	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
405	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
405	all_deer	N	405-00	13	0	9.2	0	0	9.2	0	0	1.3	0	0
405	all_deer	N	406-00	42	0	0	0	0	0	0	0	0	0	0
405	all_deer	N	426-00	98	0	2.6	0	0	2.6	0	0	0	0	0
405	all_deer	N	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
405	all_deer	N	Deer_A	24213	0	21.7	0	0	21.7	0	0	6.3	11.6	0
405	all_deer	N	none	.	0	0	0	0	0	0	3.8	0	0	0
405	all_deer	N	SUM	24749	0	34.8	0	0	34.8	0	3.8	7.6	11.6	0
405	all_deer	R	004-10	7610	2.2	44.5	0	0	46.7	0	0	0	2.2	0
405	all_deer	R	400-00	654	0	1.2	0	0	1.2	0	0	0	0	0
405	all_deer	R	404-00	754	0	9.5	0	0	9.5	0	0	1.6	1.4	0
405	all_deer	R	405-00	286	1.4	125.5	4.2	0	129.7	0	1.4	0	1.4	0
405	all_deer	R	406-00	358	0	1.4	0	0	1.4	0	0	0	0	0
405	all_deer	R	426-00	439	0	0	0	0	0	0	0	0	0	0
405	all_deer	R	Deer_A	150577	4	338	23.4	0	357.3	0	8.1	114.5	164.7	0
405	all_deer	R	none	.	0	1.9	0	0	1.9	0	0	1.9	0	0
405	all_deer	R	SUM	160678	7.6	522	27.6	0	547.7	0	9.5	117.9	169.8	0
405	all_deer	SUM	004-10	7610	2.2	44.5	0	0	46.7	0	0	0	2.2	0
405	all_deer	SUM	400-00	694	0	1.2	0	0	1.2	0	0	0	0	0
405	all_deer	SUM	404-00	797	0	9.5	0	0	9.5	0	0	1.6	1.4	0
405	all_deer	SUM	405-00	299	1.4	134.7	4.2	0	138.9	0	1.4	1.3	1.4	0
405	all_deer	SUM	406-00	400	0	1.4	0	0	1.4	0	0	0	0	0
405	all_deer	SUM	426-00	537	0	2.6	0	0	2.6	0	0	0	0	0
405	all_deer	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
405	all_deer	SUM	Deer_A	174790	4	359.6	23.4	0	379	0	8.1	120.7	176.4	0
405	all_deer	SUM	none	.	0	1.9	0	0	1.9	0	3.8	1.9	0	0
405	all_deer	SUM	SUM	185427	7.6	556.8	27.6	0	582.5	0	13.3	125.5	181.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
405	md	N	400-00	40	0	0	0	0	0	0	0	0	0	0
405	md	N	404-00	43	0	0	0	0	0	0	0	0	0	0
405	md	N	405-00	13	0	9.2	0	0	9.2	0	0	1.3	0	0
405	md	N	406-00	42	0	0	0	0	0	0	0	0	0	0
405	md	N	426-00	98	0	2.6	0	0	2.6	0	0	0	0	0
405	md	N	Deer_A	24213	0	16.5	0	0	16.5	0	0	6.3	6.5	0
405	md	N	none	.	0	0	0	0	0	0	0	0	0	0
405	md	N	SUM	24449	0	28.3	0	0	28.3	0	0	7.6	6.5	0
405	md	R	400-00	654	0	1.2	0	0	1.2	0	0	0	0	0
405	md	R	404-00	754	0	9.5	0	0	9.5	0	0	1.6	1.4	0
405	md	R	405-00	286	1.4	124.1	4.2	0	128.3	0	1.4	0	0	0
405	md	R	406-00	358	0	1.4	0	0	1.4	0	0	0	0	0
405	md	R	426-00	439	0	0	0	0	0	0	0	0	0	0
405	md	R	Deer_A	150577	1.7	297.2	15.3	0	306.1	0	8.1	104.9	131.1	0
405	md	R	none	.	0	1.9	0	0	1.9	0	0	1.9	0	0
405	md	R	SUM	153068	3.1	435.2	19.5	0	448.3	0	9.5	108.3	132.6	0
405	md	SUM	400-00	694	0	1.2	0	0	1.2	0	0	0	0	0
405	md	SUM	404-00	797	0	9.5	0	0	9.5	0	0	1.6	1.4	0
405	md	SUM	405-00	299	1.4	133.3	4.2	0	137.5	0	1.4	1.3	0	0
405	md	SUM	406-00	400	0	1.4	0	0	1.4	0	0	0	0	0
405	md	SUM	426-00	537	0	2.6	0	0	2.6	0	0	0	0	0
405	md	SUM	Deer_A	174790	1.7	313.7	15.3	0	322.6	0	8.1	111.2	137.6	0
405	md	SUM	none	.	0	1.9	0	0	1.9	0	0	1.9	0	0
405	md	SUM	SUM	177517	3.1	463.5	19.5	0	476.6	0	9.5	115.9	139.1	0
405	wt	N	405-00	13	0	0	0	0	0	0	0	0	0	0
405	wt	N	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
405	wt	N	Deer_A	24213	0	5.1	0	0	5.1	0	0	0	5.1	0
405	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
405	wt	N	SUM	24526	0	6.5	0	0	6.5	0	0	0	5.1	0
405	wt	R	004-10	7610	2.2	44.5	0	0	46.7	0	0	0	2.2	0
405	wt	R	405-00	286	0	1.4	0	0	1.4	0	0	0	1.4	0
405	wt	R	Deer_A	150577	2.3	40.8	8.1	0	51.3	0	0	9.6	33.6	0
405	wt	R	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
405	wt	R	SUM	158473	4.5	86.8	8.1	0	99.4	0	0	9.6	37.2	0
405	wt	SUM	004-10	7610	2.2	44.5	0	0	46.7	0	0	0	2.2	0
405	wt	SUM	405-00	299	0	1.4	0	0	1.4	0	0	0	1.4	0
405	wt	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
405	wt	SUM	Deer_A	174790	2.3	46	8.1	0	56.4	0	0	9.6	38.7	0
405	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
405	wt	SUM	SUM	182999	4.5	93.2	8.1	0	105.9	0	0	9.6	42.4	0
406	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
406	all_deer	N	401-00	42	0	0	0	0	0	0	0	0	0	0
406	all_deer	N	406-00	42	0	25	1	0	26	0	0	0	1.4	0
406	all_deer	N	447-00	44	0	0	0	0	0	0	0	0	0	0
406	all_deer	N	498-00	300	0	11.2	0	0	11.2	0	0	0	0	0
406	all_deer	N	Deer_A	24213	0	23.3	0	0	23.3	0	0	8.6	14.7	0
406	all_deer	N	none	.	0	1.2	0	0	1.2	0	0	0	0	0
406	all_deer	N	SUM	24681	0	60.6	1	0	61.6	0	0	8.6	16.1	0
406	all_deer	R	004-10	7610	2.2	107.3	0	2.2	107.3	0	0	0	0	0
406	all_deer	R	400-00	654	0	3	0	0	3	0	0	1.6	0	0
406	all_deer	R	401-00	358	1.6	0	0	1.6	0	0	0	0	0	0
406	all_deer	R	406-00	358	1.3	116.8	7	2.7	120.7	0	1.6	2.8	0	0
406	all_deer	R	447-00	356	0	1.4	0	1.4	0	0	0	0	0	0
406	all_deer	R	Deer_A	150577	0	333.8	1.6	1.4	334.1	0	0	68.5	177.7	4.1
406	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
406	all_deer	R	SUM	159913	5.1	566.3	8.6	9.2	569.1	0	1.6	72.9	177.7	4.1
406	all_deer	SUM	004-10	7610	2.2	107.3	0	2.2	107.3	0	0	0	0	0
406	all_deer	SUM	400-00	694	0	3	0	0	3	0	0	1.6	0	0
406	all_deer	SUM	401-00	400	1.6	0	0	1.6	0	0	0	0	0	0
406	all_deer	SUM	406-00	400	1.3	141.8	8	2.7	146.7	0	1.6	2.8	1.4	0
406	all_deer	SUM	447-00	400	0	1.4	0	1.4	0	0	0	0	0	0
406	all_deer	SUM	498-00	300	0	11.2	0	0	11.2	0	0	0	0	0
406	all_deer	SUM	Deer_A	174790	0	357.1	1.6	1.4	357.4	0	0	77.1	192.4	4.1
406	all_deer	SUM	none	.	0	5.3	0	0	5.3	0	0	0	0	0
406	all_deer	SUM	SUM	184594	5.1	626.9	9.6	9.2	630.8	0	1.6	81.5	193.8	4.1
406	md	N	400-00	40	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
406	md	N	406-00	42	0	24	1	0	25	0	0	0	1.4	0
406	md	N	Deer_A	24213	0	8.6	0	0	8.6	0	0	0	8.6	0
406	md	N	none	.	0	1.2	0	0	1.2	0	0	0	0	0
406	md	N	SUM	24295	0	33.8	1	0	34.8	0	0	0	10	0
406	md	R	004-10	7610	0	10	0	0	10	0	0	0	0	0
406	md	R	400-00	654	0	1.6	0	0	1.6	0	0	1.6	0	0
406	md	R	406-00	358	1.3	112.7	7	2.7	116.6	0	1.6	1.4	0	0
406	md	R	Deer_A	150577	0	213.7	1.6	1.4	213.9	0	0	57.5	104.4	4.1
406	md	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
406	md	R	SUM	159199	1.3	342	8.6	4.1	346.2	0	1.6	60.5	104.4	4.1
406	md	SUM	004-10	7610	0	10	0	0	10	0	0	0	0	0
406	md	SUM	400-00	694	0	1.6	0	0	1.6	0	0	1.6	0	0
406	md	SUM	406-00	400	1.3	136.7	8	2.7	141.6	0	1.6	1.4	1.4	0
406	md	SUM	Deer_A	174790	0	222.3	1.6	1.4	222.5	0	0	57.5	113	4.1
406	md	SUM	none	.	0	5.3	0	0	5.3	0	0	0	0	0
406	md	SUM	SUM	183494	1.3	375.8	9.6	4.1	381	0	1.6	60.5	114.4	4.1
406	wt	N	400-00	40	0	0	0	0	0	0	0	0	0	0
406	wt	N	401-00	42	0	0	0	0	0	0	0	0	0	0
406	wt	N	406-00	42	0	1	0	0	1	0	0	0	0	0
406	wt	N	447-00	44	0	0	0	0	0	0	0	0	0	0
406	wt	N	498-00	300	0	11.2	0	0	11.2	0	0	0	0	0
406	wt	N	Deer_A	24213	0	13.5	0	0	13.5	0	0	7.5	6.1	0
406	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
406	wt	N	SUM	24681	0	25.7	0	0	25.7	0	0	7.5	6.1	0
406	wt	R	004-10	7610	2.2	97.3	0	2.2	97.3	0	0	0	0	0
406	wt	R	400-00	654	0	1.4	0	0	1.4	0	0	0	0	0
406	wt	R	401-00	358	1.6	0	0	1.6	0	0	0	0	0	0
406	wt	R	406-00	358	0	4.1	0	0	4.1	0	0	1.4	0	0
406	wt	R	447-00	356	0	1.4	0	1.4	0	0	0	0	0	0
406	wt	R	Deer_A	150577	0	120.2	0	0	120.2	0	0	11	73.3	0
406	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
406	wt	R	SUM	159913	3.8	224.3	0	5.1	223	0	0	12.4	73.3	0
406	wt	SUM	004-10	7610	2.2	97.3	0	2.2	97.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
406	wt	SUM	400-00	694	0	1.4	0	0	1.4	0	0	0	0	0
406	wt	SUM	401-00	400	1.6	0	0	1.6	0	0	0	0	0	0
406	wt	SUM	406-00	400	0	5.1	0	0	5.1	0	0	1.4	0	0
406	wt	SUM	447-00	400	0	1.4	0	1.4	0	0	0	0	0	0
406	wt	SUM	498-00	300	0	11.2	0	0	11.2	0	0	0	0	0
406	wt	SUM	Deer_A	174790	0	133.7	0	0	133.7	0	0	18.4	79.4	0
406	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
406	wt	SUM	SUM	184594	3.8	250	0	5.1	248.6	0	0	19.9	79.4	0
410	all_deer	N	003-12	777	0	1.6	0	0	1.6	0	0	0	0	0
410	all_deer	N	390-00	2	0	0	0	0	0	0	0	0	0	0
410	all_deer	N	411-00	89	0	1.3	0	0	1.3	0	0	0	0	0
410	all_deer	N	412-00	113	0	1.6	0	0	1.6	0	0	0	0	0
410	all_deer	N	498-00	300	0	1.3	0	0	1.3	0	0	0	1.3	0
410	all_deer	N	530-00	27	0	0	0	0	0	0	0	0	0	0
410	all_deer	N	Deer_A	24213	17.6	217.2	0	17.6	217.2	0	0	42.8	192	0
410	all_deer	N	SUM	25521	17.6	223	0	17.6	223	0	0	42.8	193.3	0
410	all_deer	R	004-10	7610	2.6	28.4	0	6	25	0	0	0	0	0
410	all_deer	R	390-00	33	0	1.4	0	0	1.4	0	0	0	1.4	0
410	all_deer	R	411-00	509	0	1.4	0	0	1.4	0	0	0	0	0
410	all_deer	R	412-00	487	0	0	0	0	0	0	0	0	0	0
410	all_deer	R	530-00	223	0	1.7	0	0	1.7	0	0	0	1.7	0
410	all_deer	R	Deer_A	150577	9.3	510.9	5.8	11.4	510.6	0	4.1	165.5	345.1	1.5
410	all_deer	R	SUM	159439	11.9	543.8	5.8	17.4	540.1	0	4.1	165.5	348.2	1.5
410	all_deer	SUM	003-12	777	0	1.6	0	0	1.6	0	0	0	0	0
410	all_deer	SUM	004-10	7610	2.6	28.4	0	6	25	0	0	0	0	0
410	all_deer	SUM	390-00	35	0	1.4	0	0	1.4	0	0	0	1.4	0
410	all_deer	SUM	411-00	598	0	2.7	0	0	2.7	0	0	0	0	0
410	all_deer	SUM	412-00	600	0	1.6	0	0	1.6	0	0	0	0	0
410	all_deer	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	1.3	0
410	all_deer	SUM	530-00	250	0	1.7	0	0	1.7	0	0	0	1.7	0
410	all_deer	SUM	Deer_A	174790	26.9	728.2	5.8	29	727.8	0	4.1	208.3	537.1	1.5
410	all_deer	SUM	SUM	184960	29.5	766.8	5.8	35	763.1	0	4.1	208.3	541.5	1.5
410	md	N	003-12	777	0	1.6	0	0	1.6	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
410	md	N	390-00	2	0	0	0	0	0	0	0	0	0	0
410	md	N	411-00	89	0	1.3	0	0	1.3	0	0	0	0	0
410	md	N	412-00	113	0	1.6	0	0	1.6	0	0	0	0	0
410	md	N	498-00	300	0	1.3	0	0	1.3	0	0	0	1.3	0
410	md	N	Deer_A	24213	13.8	195.6	0	13.8	195.6	0	0	39.1	170.4	0
410	md	N	SUM	25494	13.8	201.4	0	13.8	201.4	0	0	39.1	171.7	0
410	md	R	390-00	33	0	1.4	0	0	1.4	0	0	0	1.4	0
410	md	R	411-00	509	0	1.4	0	0	1.4	0	0	0	0	0
410	md	R	412-00	487	0	0	0	0	0	0	0	0	0	0
410	md	R	Deer_A	150577	9.3	449.9	5.8	11.4	449.6	0	4.1	148.2	307.5	1.5
410	md	R	SUM	151606	9.3	452.7	5.8	11.4	452.4	0	4.1	148.2	308.9	1.5
410	md	SUM	003-12	777	0	1.6	0	0	1.6	0	0	0	0	0
410	md	SUM	390-00	35	0	1.4	0	0	1.4	0	0	0	1.4	0
410	md	SUM	411-00	598	0	2.7	0	0	2.7	0	0	0	0	0
410	md	SUM	412-00	600	0	1.6	0	0	1.6	0	0	0	0	0
410	md	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	1.3	0
410	md	SUM	Deer_A	174790	23.2	645.6	5.8	25.3	645.2	0	4.1	187.3	477.9	1.5
410	md	SUM	SUM	177100	23.2	654.1	5.8	25.3	653.7	0	4.1	187.3	480.6	1.5
410	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
410	wt	N	530-00	27	0	0	0	0	0	0	0	0	0	0
410	wt	N	Deer_A	24213	3.7	21.6	0	3.7	21.6	0	0	3.7	21.6	0
410	wt	N	SUM	24540	3.7	21.6	0	3.7	21.6	0	0	3.7	21.6	0
410	wt	R	004-10	7610	2.6	28.4	0	6	25	0	0	0	0	0
410	wt	R	530-00	223	0	1.7	0	0	1.7	0	0	0	1.7	0
410	wt	R	Deer_A	150577	0	61	0	0	61	0	0	17.3	37.6	0
410	wt	R	SUM	158410	2.6	91.1	0	6	87.7	0	0	17.3	39.3	0
410	wt	SUM	004-10	7610	2.6	28.4	0	6	25	0	0	0	0	0
410	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
410	wt	SUM	530-00	250	0	1.7	0	0	1.7	0	0	0	1.7	0
410	wt	SUM	Deer_A	174790	3.7	82.6	0	3.7	82.6	0	0	21	59.2	0
410	wt	SUM	SUM	182950	6.3	112.7	0	9.7	109.3	0	0	21	60.9	0
411	all_deer	N	400-00	40	0	1.4	0	0	1.4	0	0	0	0	0
411	all_deer	N	404-10	12	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
411	all_deer	N	406-00	42	0	1.2	0	0	1.2	0	0	0	1.2	0
411	all_deer	N	411-00	89	1.3	63.1	0	1.3	63.1	0	0	0	2.8	0
411	all_deer	N	412-00	113	0	2.7	0	0	2.7	0	0	0	0	0
411	all_deer	N	417-00	57	0	1.2	0	0	1.2	0	0	0	1.2	0
411	all_deer	N	418-00	68	0	2.7	0	0	2.7	0	0	0	0	0
411	all_deer	N	419-00	17	0	0	0	0	0	0	0	0	0	0
411	all_deer	N	426-00	98	0	0	0	0	0	0	0	0	0	0
411	all_deer	N	498-00	300	2.6	28.8	0	2.6	28.8	0	0	0	1.3	0
411	all_deer	N	511-00	25	0	0	0	0	0	0	0	0	0	0
411	all_deer	N	598-00	236	0	1.8	0	0	1.8	0	0	0	0	0
411	all_deer	N	698-00	798	0	3	0	0	3	0	0	0	0	0
411	all_deer	N	Deer_A	24213	0	292.8	0	0	292.8	0	0	46	220.8	3.7
411	all_deer	N	none	.	0	1.5	0	0	1.5	0	0	1.5	0	0
411	all_deer	N	SUM	26108	3.8	400.2	0	3.8	400.2	0	0	47.5	227.2	3.7
411	all_deer	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
411	all_deer	R	004-10	7610	32.7	463.2	8	16.4	484.1	0	3.4	0	7.7	0
411	all_deer	R	400-00	654	0	0	0	0	0	0	0	0	0	0
411	all_deer	R	404-10	824	0	0	2	2	0	0	0	0	2	0
411	all_deer	R	406-00	358	0	0	0	0	0	0	0	0	0	0
411	all_deer	R	411-00	509	19.5	233.2	1.4	14.7	238	0	1.4	5	1.6	0
411	all_deer	R	412-00	487	0	0	0	0	0	0	0	0	0	0
411	all_deer	R	417-00	243	0	0	0	0	0	0	0	0	0	0
411	all_deer	R	418-00	182	0	0	0	0	0	0	0	0	0	0
411	all_deer	R	419-00	108	0	4.3	0	0	4.3	0	0	0	0	0
411	all_deer	R	426-00	439	0	1.3	0	0	1.3	0	0	1.3	0	0
411	all_deer	R	511-00	125	1.2	0	0	1.2	0	0	0	0	1.2	0
411	all_deer	R	598-00	2014	0	3.4	0	0	3.4	0	0	3.4	0	0
411	all_deer	R	Deer_A	150577	33.9	1419.9	3.5	9.2	1439.9	4.1	4.1	326.6	894.5	5.6
411	all_deer	R	none	.	0	9.7	0	0	9.7	0	0	4.1	0	0
411	all_deer	R	SUM	171459	87.3	2138.5	14.9	43.6	2184.2	4.1	8.8	340.4	906.9	5.6
411	all_deer	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
411	all_deer	SUM	004-10	7610	32.7	463.2	8	16.4	484.1	0	3.4	0	7.7	0
411	all_deer	SUM	400-00	694	0	1.4	0	0	1.4	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
411	all_deer	SUM	404-10	836	0	0	2	2	0	0	0	0	2	0
411	all_deer	SUM	406-00	400	0	1.2	0	0	1.2	0	0	0	1.2	0
411	all_deer	SUM	411-00	598	20.8	296.3	1.4	16	301.1	0	1.4	5	4.3	0
411	all_deer	SUM	412-00	600	0	2.7	0	0	2.7	0	0	0	0	0
411	all_deer	SUM	417-00	300	0	1.2	0	0	1.2	0	0	0	1.2	0
411	all_deer	SUM	418-00	250	0	2.7	0	0	2.7	0	0	0	0	0
411	all_deer	SUM	419-00	125	0	4.3	0	0	4.3	0	0	0	0	0
411	all_deer	SUM	426-00	537	0	1.3	0	0	1.3	0	0	1.3	0	0
411	all_deer	SUM	498-00	300	2.6	28.8	0	2.6	28.8	0	0	0	1.3	0
411	all_deer	SUM	511-00	150	1.2	0	0	1.2	0	0	0	0	1.2	0
411	all_deer	SUM	598-00	2250	0	5.2	0	0	5.2	0	0	3.4	0	0
411	all_deer	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
411	all_deer	SUM	Deer_A	174790	33.9	1712.7	3.5	9.2	1732.8	4.1	4.1	372.6	1115.3	9.3
411	all_deer	SUM	none	.	0	11.2	0	0	11.2	0	0	5.6	0	0
411	all_deer	SUM	SUM	197567	91.2	2538.6	14.9	47.5	2584.4	4.1	8.8	387.9	1134.2	9.3
411	md	N	400-00	40	0	1.4	0	0	1.4	0	0	0	0	0
411	md	N	411-00	89	1.3	61.7	0	1.3	61.7	0	0	0	1.4	0
411	md	N	412-00	113	0	2.7	0	0	2.7	0	0	0	0	0
411	md	N	417-00	57	0	1.2	0	0	1.2	0	0	0	1.2	0
411	md	N	419-00	17	0	0	0	0	0	0	0	0	0	0
411	md	N	498-00	300	0	2.9	0	0	2.9	0	0	0	0	0
411	md	N	511-00	25	0	0	0	0	0	0	0	0	0	0
411	md	N	Deer_A	24213	0	224.8	0	0	224.8	0	0	39.4	164.4	3.7
411	md	N	none	.	0	1.5	0	0	1.5	0	0	1.5	0	0
411	md	N	SUM	24854	1.3	296.2	0	1.3	296.2	0	0	41	167	3.7
411	md	R	004-10	7610	0	11.1	0	0	11.1	0	0	0	0	0
411	md	R	400-00	654	0	0	0	0	0	0	0	0	0	0
411	md	R	411-00	509	19.5	230.2	1.4	14.7	235	0	1.4	3.5	1.6	0
411	md	R	412-00	487	0	0	0	0	0	0	0	0	0	0
411	md	R	417-00	243	0	0	0	0	0	0	0	0	0	0
411	md	R	419-00	108	0	4.3	0	0	4.3	0	0	0	0	0
411	md	R	511-00	125	1.2	0	0	1.2	0	0	0	0	1.2	0
411	md	R	Deer_A	150577	3.1	685.9	3.5	1.7	682.6	4.1	4.1	185.9	389.8	5.6

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
411	md	R	none	.	0	5.6	0	0	5.6	0	0	4.1	0	0
411	md	R	SUM	160313	23.8	937.1	4.9	17.7	938.7	4.1	5.5	193.4	392.6	5.6
411	md	SUM	004-10	7610	0	11.1	0	0	11.1	0	0	0	0	0
411	md	SUM	400-00	694	0	1.4	0	0	1.4	0	0	0	0	0
411	md	SUM	411-00	598	20.8	292	1.4	16	296.8	0	1.4	3.5	2.9	0
411	md	SUM	412-00	600	0	2.7	0	0	2.7	0	0	0	0	0
411	md	SUM	417-00	300	0	1.2	0	0	1.2	0	0	0	1.2	0
411	md	SUM	419-00	125	0	4.3	0	0	4.3	0	0	0	0	0
411	md	SUM	498-00	300	0	2.9	0	0	2.9	0	0	0	0	0
411	md	SUM	511-00	150	1.2	0	0	1.2	0	0	0	0	1.2	0
411	md	SUM	Deer_A	174790	3.1	910.7	3.5	1.7	907.4	4.1	4.1	225.3	554.2	9.3
411	md	SUM	none	.	0	7.2	0	0	7.2	0	0	5.6	0	0
411	md	SUM	SUM	185167	25.1	1233.3	4.9	18.9	1234.9	4.1	5.5	234.4	559.6	9.3
411	wt	N	404-10	12	0	0	0	0	0	0	0	0	0	0
411	wt	N	406-00	42	0	1.2	0	0	1.2	0	0	0	1.2	0
411	wt	N	411-00	89	0	1.4	0	0	1.4	0	0	0	1.4	0
411	wt	N	418-00	68	0	2.7	0	0	2.7	0	0	0	0	0
411	wt	N	426-00	98	0	0	0	0	0	0	0	0	0	0
411	wt	N	498-00	300	2.6	25.9	0	2.6	25.9	0	0	0	1.3	0
411	wt	N	598-00	236	0	1.8	0	0	1.8	0	0	0	0	0
411	wt	N	698-00	798	0	3	0	0	3	0	0	0	0	0
411	wt	N	Deer_A	24213	0	68.1	0	0	68.1	0	0	6.6	56.4	0
411	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
411	wt	N	SUM	25856	2.6	104	0	2.6	104	0	0	6.6	60.3	0
411	wt	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
411	wt	R	004-10	7610	32.7	452.1	8	16.4	473.1	0	3.4	0	7.7	0
411	wt	R	404-10	824	0	0	2	2	0	0	0	0	2	0
411	wt	R	406-00	358	0	0	0	0	0	0	0	0	0	0
411	wt	R	411-00	509	0	1.6	0	0	1.6	0	0	1.6	0	0
411	wt	R	418-00	182	0	0	0	0	0	0	0	0	0	0
411	wt	R	426-00	439	0	1.3	0	0	1.3	0	0	1.3	0	0
411	wt	R	598-00	2014	0	3.4	0	0	3.4	0	0	3.4	0	0
411	wt	R	Deer_A	150577	30.8	734	0	7.5	757.3	0	0	140.7	504.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
411	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
411	wt	R	SUM	169842	63.5	1199.9	10	25.9	1244.1	0	3.4	147	514.3	0
411	wt	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
411	wt	SUM	004-10	7610	32.7	452.1	8	16.4	473.1	0	3.4	0	7.7	0
411	wt	SUM	404-10	836	0	0	2	2	0	0	0	0	2	0
411	wt	SUM	406-00	400	0	1.2	0	0	1.2	0	0	0	1.2	0
411	wt	SUM	411-00	598	0	2.9	0	0	2.9	0	0	1.6	1.4	0
411	wt	SUM	418-00	250	0	2.7	0	0	2.7	0	0	0	0	0
411	wt	SUM	426-00	537	0	1.3	0	0	1.3	0	0	1.3	0	0
411	wt	SUM	498-00	300	2.6	25.9	0	2.6	25.9	0	0	0	1.3	0
411	wt	SUM	598-00	2250	0	5.2	0	0	5.2	0	0	3.4	0	0
411	wt	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
411	wt	SUM	Deer_A	174790	30.8	802.1	0	7.5	825.4	0	0	147.3	561	0
411	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
411	wt	SUM	SUM	195698	66.1	1303.9	10	28.5	1348.1	0	3.4	153.6	574.6	0
412	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
412	all_deer	N	411-00	89	0	2.8	0	0	2.8	0	0	0	0	0
412	all_deer	N	412-00	113	0	80.1	0	0	80.1	0	0	0	0	0
412	all_deer	N	417-00	57	0	0	0	0	0	0	0	0	0	0
412	all_deer	N	418-00	68	0	0	0	0	0	0	0	0	0	0
412	all_deer	N	419-00	17	0	1.9	0	0	1.9	0	0	0	0	0
412	all_deer	N	426-00	98	0	2.8	0	0	2.8	0	0	0	0	0
412	all_deer	N	498-00	300	2.9	40.8	0	4.4	39.3	0	0	0	0	0
412	all_deer	N	598-00	236	0	0	0	0	0	0	0	0	0	0
412	all_deer	N	Deer_A	24213	0	211.3	0	0	211.3	0	0	33	166.3	1.6
412	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
412	all_deer	N	SUM	25231	2.9	339.7	0	4.4	338.2	0	0	33	166.3	1.6
412	all_deer	R	004-10	7610	8.9	322.8	3.4	7.8	321.9	0	5.3	6.7	5.6	0
412	all_deer	R	400-00	654	0	4.3	0	0	4.3	0	0	0	0	0
412	all_deer	R	411-00	509	0	1.9	0	0	1.9	0	0	0	0	0
412	all_deer	R	412-00	487	8.4	244.6	0	5.5	247.5	0	0	1.4	1.4	0
412	all_deer	R	417-00	243	0	0	1.6	0	0	0	1.6	0	0	0
412	all_deer	R	418-00	182	1.8	1.5	0	1.8	1.5	0	0	1.5	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
412	all_deer	R	419-00	108	0	2.5	0	0	2.5	0	0	0	0	0
412	all_deer	R	426-00	439	0	7.3	0	0	7.3	0	0	2.8	0	0
412	all_deer	R	598-00	2014	0	2.4	0	0	2.4	0	0	0	0	0
412	all_deer	R	Deer_A	150577	19.9	861	2.3	12.8	860	0	10.5	215.3	535.7	0
412	all_deer	R	none	.	0	9.8	0	0	9.8	0	0	0	4.1	0
412	all_deer	R	SUM	162823	39.1	1457.9	7.3	27.9	1459.1	0	17.4	227.8	546.8	0
412	all_deer	SUM	004-10	7610	8.9	322.8	3.4	7.8	321.9	0	5.3	6.7	5.6	0
412	all_deer	SUM	400-00	694	0	4.3	0	0	4.3	0	0	0	0	0
412	all_deer	SUM	411-00	598	0	4.7	0	0	4.7	0	0	0	0	0
412	all_deer	SUM	412-00	600	8.4	324.7	0	5.5	327.7	0	0	1.4	1.4	0
412	all_deer	SUM	417-00	300	0	0	1.6	0	0	0	1.6	0	0	0
412	all_deer	SUM	418-00	250	1.8	1.5	0	1.8	1.5	0	0	1.5	0	0
412	all_deer	SUM	419-00	125	0	4.3	0	0	4.3	0	0	0	0	0
412	all_deer	SUM	426-00	537	0	10.1	0	0	10.1	0	0	2.8	0	0
412	all_deer	SUM	498-00	300	2.9	40.8	0	4.4	39.3	0	0	0	0	0
412	all_deer	SUM	598-00	2250	0	2.4	0	0	2.4	0	0	0	0	0
412	all_deer	SUM	Deer_A	174790	19.9	1072.3	2.3	12.8	1071.3	0	10.5	248.3	702	1.6
412	all_deer	SUM	none	.	0	9.8	0	0	9.8	0	0	0	4.1	0
412	all_deer	SUM	SUM	188054	42.1	1797.6	7.3	32.3	1797.3	0	17.4	260.8	713.1	1.6
412	md	N	400-00	40	0	0	0	0	0	0	0	0	0	0
412	md	N	411-00	89	0	2.8	0	0	2.8	0	0	0	0	0
412	md	N	412-00	113	0	78.6	0	0	78.6	0	0	0	0	0
412	md	N	418-00	68	0	0	0	0	0	0	0	0	0	0
412	md	N	419-00	17	0	1.9	0	0	1.9	0	0	0	0	0
412	md	N	426-00	98	0	2.8	0	0	2.8	0	0	0	0	0
412	md	N	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
412	md	N	Deer_A	24213	0	156.7	0	0	156.7	0	0	29.8	115	1.6
412	md	N	none	.	0	0	0	0	0	0	0	0	0	0
412	md	N	SUM	24938	0	244.1	0	0	244.1	0	0	29.8	115	1.6
412	md	R	004-10	7610	0	13.8	0	0	13.8	0	0	3.4	0	0
412	md	R	400-00	654	0	2.9	0	0	2.9	0	0	0	0	0
412	md	R	411-00	509	0	1.9	0	0	1.9	0	0	0	0	0
412	md	R	412-00	487	7	239.2	0	5.5	240.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
412	md	R	418-00	182	1.8	1.5	0	1.8	1.5	0	0	1.5	0	0
412	md	R	419-00	108	0	2.5	0	0	2.5	0	0	0	0	0
412	md	R	426-00	439	0	4.5	0	0	4.5	0	0	0	0	0
412	md	R	Deer_A	150577	4.1	476.6	0	4.1	472.6	0	4.1	147.5	254.6	0
412	md	R	none	.	0	1.7	0	0	1.7	0	0	0	0	0
412	md	R	SUM	160566	12.9	744.5	0	11.3	742	0	4.1	152.4	254.6	0
412	md	SUM	004-10	7610	0	13.8	0	0	13.8	0	0	3.4	0	0
412	md	SUM	400-00	694	0	2.9	0	0	2.9	0	0	0	0	0
412	md	SUM	411-00	598	0	4.7	0	0	4.7	0	0	0	0	0
412	md	SUM	412-00	600	7	317.9	0	5.5	319.4	0	0	0	0	0
412	md	SUM	418-00	250	1.8	1.5	0	1.8	1.5	0	0	1.5	0	0
412	md	SUM	419-00	125	0	4.3	0	0	4.3	0	0	0	0	0
412	md	SUM	426-00	537	0	7.3	0	0	7.3	0	0	0	0	0
412	md	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
412	md	SUM	Deer_A	174790	4.1	633.3	0	4.1	629.3	0	4.1	177.3	369.5	1.6
412	md	SUM	none	.	0	1.7	0	0	1.7	0	0	0	0	0
412	md	SUM	SUM	185504	12.9	988.6	0	11.3	986.1	0	4.1	182.1	369.5	1.6
412	wt	N	400-00	40	0	0	0	0	0	0	0	0	0	0
412	wt	N	412-00	113	0	0	0	0	0	0	0	0	0	0
412	wt	N	426-00	98	0	0	0	0	0	0	0	0	0	0
412	wt	N	498-00	300	2.9	39.5	0	4.4	38	0	0	0	0	0
412	wt	N	598-00	236	0	0	0	0	0	0	0	0	0	0
412	wt	N	Deer_A	24213	0	54.6	0	0	54.6	0	0	3.2	51.4	0
412	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
412	wt	N	SUM	25000	2.9	94.1	0	4.4	92.6	0	0	3.2	51.4	0
412	wt	R	004-10	7610	8.9	309	3.4	7.8	308.1	0	5.3	3.4	5.6	0
412	wt	R	400-00	654	0	1.4	0	0	1.4	0	0	0	0	0
412	wt	R	412-00	487	1.4	4.1	0	0	5.5	0	0	1.4	1.4	0
412	wt	R	426-00	439	0	2.8	0	0	2.8	0	0	2.8	0	0
412	wt	R	598-00	2014	0	2.4	0	0	2.4	0	0	0	0	0
412	wt	R	Deer_A	150577	15.9	384.4	2.3	8.7	387.4	0	6.4	67.8	281.1	0
412	wt	R	none	.	0	8.1	0	0	8.1	0	0	0	4.1	0
412	wt	R	SUM	161781	26.2	712.2	5.7	16.6	715.8	0	11.7	75.4	292.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
412	wt	SUM	004-10	7610	8.9	309	3.4	7.8	308.1	0	5.3	3.4	5.6	0
412	wt	SUM	400-00	694	0	1.4	0	0	1.4	0	0	0	0	0
412	wt	SUM	412-00	600	1.4	4.1	0	0	5.5	0	0	1.4	1.4	0
412	wt	SUM	426-00	537	0	2.8	0	0	2.8	0	0	2.8	0	0
412	wt	SUM	498-00	300	2.9	39.5	0	4.4	38	0	0	0	0	0
412	wt	SUM	598-00	2250	0	2.4	0	0	2.4	0	0	0	0	0
412	wt	SUM	Deer_A	174790	15.9	439	2.3	8.7	442	0	6.4	71	332.5	0
412	wt	SUM	none	.	0	8.1	0	0	8.1	0	0	0	4.1	0
412	wt	SUM	SUM	186781	29.2	806.3	5.7	21	808.4	0	11.7	78.6	343.6	0
413	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
413	all_deer	N	404-10	12	0	0	0	0	0	0	0	0	0	0
413	all_deer	N	405-00	13	0	0	0	0	0	0	0	0	0	0
413	all_deer	N	413-00	19	0	16.2	0	0	16.2	0	0	0	0	0
413	all_deer	N	421-00	20	0	0	0	0	0	0	0	0	0	0
413	all_deer	N	445-00	61	0	5.3	0	0	5.3	0	0	0	0	0
413	all_deer	N	450-00	23	0	2.2	0	0	2.2	0	0	0	0	0
413	all_deer	N	498-00	300	0	8.5	0	0	8.5	0	0	0	0	0
413	all_deer	N	Deer_A	24213	3.7	104.1	0	7.5	100.3	0	0	26.5	73.8	0
413	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
413	all_deer	N	SUM	24704	3.7	136.2	0	7.5	132.5	0	0	26.5	73.8	0
413	all_deer	R	004-10	7610	37.9	178.7	7.4	23.4	197.2	0	3.4	3.4	5.6	0
413	all_deer	R	404-00	754	0	3.2	0	0	3.2	0	0	0	0	0
413	all_deer	R	404-10	824	0	2.5	0	0	2.5	0	0	0	0	0
413	all_deer	R	405-00	286	0	5.3	0	0	5.3	0	0	0	1.2	0
413	all_deer	R	413-00	282	5.3	119.6	0	5.3	119.6	0	0	0	0	0
413	all_deer	R	421-00	230	0	1.4	0	0	1.4	0	0	0	0	0
413	all_deer	R	445-00	439	0	25	0	0	25	0	0	0	0	0
413	all_deer	R	450-00	127	0	0	0	0	0	0	0	0	0	0
413	all_deer	R	Deer_A	150577	18.3	847	5.7	12.7	852.6	2.3	3.4	209.2	525.4	0
413	all_deer	R	none	.	0	22	0	4.1	17.9	0	0	0	0	0
413	all_deer	R	SUM	161129	61.4	1204.7	13.1	45.4	1224.7	2.3	6.7	212.6	532.1	0
413	all_deer	SUM	004-10	7610	37.9	178.7	7.4	23.4	197.2	0	3.4	3.4	5.6	0
413	all_deer	SUM	404-00	797	0	3.2	0	0	3.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
413	all_deer	SUM	404-10	836	0	2.5	0	0	2.5	0	0	0	0	0
413	all_deer	SUM	405-00	299	0	5.3	0	0	5.3	0	0	0	1.2	0
413	all_deer	SUM	413-00	301	5.3	135.8	0	5.3	135.8	0	0	0	0	0
413	all_deer	SUM	421-00	250	0	1.4	0	0	1.4	0	0	0	0	0
413	all_deer	SUM	445-00	500	0	30.2	0	0	30.2	0	0	0	0	0
413	all_deer	SUM	450-00	150	0	2.2	0	0	2.2	0	0	0	0	0
413	all_deer	SUM	498-00	300	0	8.5	0	0	8.5	0	0	0	0	0
413	all_deer	SUM	Deer_A	174790	22	951	5.7	20.1	952.9	2.3	3.4	235.8	599.2	0
413	all_deer	SUM	none	.	0	22	0	4.1	17.9	0	0	0	0	0
413	all_deer	SUM	SUM	185833	65.2	1340.9	13.1	52.9	1357.2	2.3	6.7	239.1	605.9	0
413	md	N	404-00	43	0	0	0	0	0	0	0	0	0	0
413	md	N	404-10	12	0	0	0	0	0	0	0	0	0	0
413	md	N	405-00	13	0	0	0	0	0	0	0	0	0	0
413	md	N	413-00	19	0	16.2	0	0	16.2	0	0	0	0	0
413	md	N	421-00	20	0	0	0	0	0	0	0	0	0	0
413	md	N	445-00	61	0	5.3	0	0	5.3	0	0	0	0	0
413	md	N	450-00	23	0	2.2	0	0	2.2	0	0	0	0	0
413	md	N	Deer_A	24213	3.7	89.2	0	7.5	85.4	0	0	22.8	62.6	0
413	md	N	none	.	0	0	0	0	0	0	0	0	0	0
413	md	N	SUM	24404	3.7	112.8	0	7.5	109	0	0	22.8	62.6	0
413	md	R	004-10	7610	0	16	0	0	16	0	0	3.4	3.4	0
413	md	R	404-00	754	0	3.2	0	0	3.2	0	0	0	0	0
413	md	R	404-10	824	0	2.5	0	0	2.5	0	0	0	0	0
413	md	R	405-00	286	0	4.1	0	0	4.1	0	0	0	0	0
413	md	R	413-00	282	5.3	116.9	0	5.3	116.9	0	0	0	0	0
413	md	R	421-00	230	0	1.4	0	0	1.4	0	0	0	0	0
413	md	R	445-00	439	0	25	0	0	25	0	0	0	0	0
413	md	R	450-00	127	0	0	0	0	0	0	0	0	0	0
413	md	R	Deer_A	150577	9.8	644.9	5.7	8.2	648.8	0	3.4	161.7	386.6	0
413	md	R	none	.	0	8.1	0	0	8.1	0	0	0	0	0
413	md	R	SUM	161129	15	822.1	5.7	13.5	826	0	3.4	165.1	390	0
413	md	SUM	004-10	7610	0	16	0	0	16	0	0	3.4	3.4	0
413	md	SUM	404-00	797	0	3.2	0	0	3.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
413	md	SUM	404-10	836	0	2.5	0	0	2.5	0	0	0	0	0
413	md	SUM	405-00	299	0	4.1	0	0	4.1	0	0	0	0	0
413	md	SUM	413-00	301	5.3	133.1	0	5.3	133.1	0	0	0	0	0
413	md	SUM	421-00	250	0	1.4	0	0	1.4	0	0	0	0	0
413	md	SUM	445-00	500	0	30.2	0	0	30.2	0	0	0	0	0
413	md	SUM	450-00	150	0	2.2	0	0	2.2	0	0	0	0	0
413	md	SUM	Deer_A	174790	13.5	734.1	5.7	15.7	734.3	0	3.4	184.5	449.3	0
413	md	SUM	none	.	0	8.1	0	0	8.1	0	0	0	0	0
413	md	SUM	SUM	185533	18.7	934.9	5.7	20.9	935.1	0	3.4	187.9	452.6	0
413	wt	N	405-00	13	0	0	0	0	0	0	0	0	0	0
413	wt	N	413-00	19	0	0	0	0	0	0	0	0	0	0
413	wt	N	498-00	300	0	8.5	0	0	8.5	0	0	0	0	0
413	wt	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	3.7	11.2	0
413	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
413	wt	N	SUM	24545	0	23.4	0	0	23.4	0	0	3.7	11.2	0
413	wt	R	004-10	7610	37.9	162.7	7.4	23.4	181.2	0	3.4	0	2.2	0
413	wt	R	405-00	286	0	1.2	0	0	1.2	0	0	0	1.2	0
413	wt	R	413-00	282	0	1.4	0	0	1.4	0	0	0	0	0
413	wt	R	Deer_A	150577	8.5	202	0	4.4	203.8	2.3	0	47.5	138.7	0
413	wt	R	none	.	0	13.9	0	4.1	9.8	0	0	0	0	0
413	wt	R	SUM	158755	46.4	381.2	7.4	31.9	397.3	2.3	3.4	47.5	142.1	0
413	wt	SUM	004-10	7610	37.9	162.7	7.4	23.4	181.2	0	3.4	0	2.2	0
413	wt	SUM	405-00	299	0	1.2	0	0	1.2	0	0	0	1.2	0
413	wt	SUM	413-00	301	0	1.4	0	0	1.4	0	0	0	0	0
413	wt	SUM	498-00	300	0	8.5	0	0	8.5	0	0	0	0	0
413	wt	SUM	Deer_A	174790	8.5	216.9	0	4.4	218.7	2.3	0	51.3	149.9	0
413	wt	SUM	none	.	0	13.9	0	4.1	9.8	0	0	0	0	0
413	wt	SUM	SUM	183300	46.4	404.6	7.4	31.9	420.8	2.3	3.4	51.3	153.3	0
415	all_deer	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
415	all_deer	N	SUM	24213	0	0	0	0	0	0	0	0	0	0
415	all_deer	R	Deer_A	150577	0	14.1	0	0	14.1	0	0	2	12.2	0
415	all_deer	R	SUM	150577	0	14.1	0	0	14.1	0	0	2	12.2	0
415	all_deer	SUM	Deer_A	174790	0	14.1	0	0	14.1	0	0	2	12.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
415	all_deer	SUM	SUM	174790	0	14.1	0	0	14.1	0	0	2	12.2	0
415	md	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
415	md	N	SUM	24213	0	0	0	0	0	0	0	0	0	0
415	md	R	Deer_A	150577	0	10.1	0	0	10.1	0	0	2	8.1	0
415	md	R	SUM	150577	0	10.1	0	0	10.1	0	0	2	8.1	0
415	md	SUM	Deer_A	174790	0	10.1	0	0	10.1	0	0	2	8.1	0
415	md	SUM	SUM	174790	0	10.1	0	0	10.1	0	0	2	8.1	0
415	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
415	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
415	wt	N	SUM	24513	0	0	0	0	0	0	0	0	0	0
415	wt	R	004-10	7610	0	0	0	0	0	0	0	0	0	0
415	wt	R	Deer_A	150577	0	4.1	0	0	4.1	0	0	0	4.1	0
415	wt	R	SUM	158187	0	4.1	0	0	4.1	0	0	0	4.1	0
415	wt	SUM	004-10	7610	0	0	0	0	0	0	0	0	0	0
415	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
415	wt	SUM	Deer_A	174790	0	4.1	0	0	4.1	0	0	0	4.1	0
415	wt	SUM	SUM	182700	0	4.1	0	0	4.1	0	0	0	4.1	0
416	all_deer	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
416	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
416	all_deer	N	413-00	19	0	0	0	0	0	0	0	0	0	0
416	all_deer	N	416-00	1	0	0	0	0	0	0	0	0	0	0
416	all_deer	N	445-00	61	0	0	0	0	0	0	0	0	0	0
416	all_deer	N	498-00	300	0	2.9	0	0	2.9	0	0	0	0	0
416	all_deer	N	Deer_A	24213	11.2	81.1	0	18.6	73.6	0	0	36.4	37.3	3.7
416	all_deer	N	SUM	25414	11.2	88.1	0	18.6	80.6	0	0	36.4	37.3	3.7
416	all_deer	R	004-10	7610	0	48.5	0	0	48.5	0	0	0	3.4	0
416	all_deer	R	404-00	754	0	1.6	0	0	1.6	0	0	1.6	0	0
416	all_deer	R	413-00	282	0	1.4	0	0	1.4	0	0	0	1.4	0
416	all_deer	R	416-00	14	1.6	2	0	1.6	2	0	0	0	0	0
416	all_deer	R	445-00	439	0	1.3	0	0	1.3	0	0	0	1.3	0
416	all_deer	R	Deer_A	150577	18.4	267	0	14.4	271	0	0	105.5	116.6	0
416	all_deer	R	SUM	159676	20	321.9	0	16	325.9	0	0	107.1	122.7	0
416	all_deer	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
416	all_deer	SUM	004-10	7610	0	48.5	0	0	48.5	0	0	0	3.4	0
416	all_deer	SUM	404-00	797	0	1.6	0	0	1.6	0	0	1.6	0	0
416	all_deer	SUM	413-00	301	0	1.4	0	0	1.4	0	0	0	1.4	0
416	all_deer	SUM	416-00	15	1.6	2	0	1.6	2	0	0	0	0	0
416	all_deer	SUM	445-00	500	0	1.3	0	0	1.3	0	0	0	1.3	0
416	all_deer	SUM	498-00	300	0	2.9	0	0	2.9	0	0	0	0	0
416	all_deer	SUM	Deer_A	174790	29.6	348.1	0	33	344.7	0	0	141.9	153.9	3.7
416	all_deer	SUM	SUM	185090	31.2	409.9	0	34.6	406.5	0	0	143.5	159.9	3.7
416	md	N	404-00	43	0	0	0	0	0	0	0	0	0	0
416	md	N	413-00	19	0	0	0	0	0	0	0	0	0	0
416	md	N	416-00	1	0	0	0	0	0	0	0	0	0	0
416	md	N	Deer_A	24213	3.7	58.7	0	11.2	51.3	0	0	21.5	22.4	3.7
416	md	N	SUM	24276	3.7	58.7	0	11.2	51.3	0	0	21.5	22.4	3.7
416	md	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
416	md	R	404-00	754	0	1.6	0	0	1.6	0	0	1.6	0	0
416	md	R	413-00	282	0	1.4	0	0	1.4	0	0	0	1.4	0
416	md	R	416-00	14	1.6	2	0	1.6	2	0	0	0	0	0
416	md	R	Deer_A	150577	18.4	177.6	0	14.4	181.6	0	0	75.6	73.3	0
416	md	R	SUM	159237	20	185.9	0	16	190	0	0	77.2	78.1	0
416	md	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
416	md	SUM	404-00	797	0	1.6	0	0	1.6	0	0	1.6	0	0
416	md	SUM	413-00	301	0	1.4	0	0	1.4	0	0	0	1.4	0
416	md	SUM	416-00	15	1.6	2	0	1.6	2	0	0	0	0	0
416	md	SUM	Deer_A	174790	22.1	236.3	0	25.5	232.9	0	0	97.1	95.7	3.7
416	md	SUM	SUM	183513	23.8	244.7	0	27.2	241.3	0	0	98.7	100.5	3.7
416	wt	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
416	wt	N	445-00	61	0	0	0	0	0	0	0	0	0	0
416	wt	N	498-00	300	0	2.9	0	0	2.9	0	0	0	0	0
416	wt	N	Deer_A	24213	7.5	22.4	0	7.5	22.4	0	0	14.9	14.9	0
416	wt	N	SUM	25351	7.5	29.4	0	7.5	29.4	0	0	14.9	14.9	0
416	wt	R	004-10	7610	0	45.2	0	0	45.2	0	0	0	0	0
416	wt	R	445-00	439	0	1.3	0	0	1.3	0	0	0	1.3	0
416	wt	R	Deer_A	150577	0	89.4	0	0	89.4	0	0	29.9	43.3	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
416	wt	R	SUM	158626	0	135.9	0	0	135.9	0	0	29.9	44.6	0
416	wt	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
416	wt	SUM	004-10	7610	0	45.2	0	0	45.2	0	0	0	0	0
416	wt	SUM	445-00	500	0	1.3	0	0	1.3	0	0	0	1.3	0
416	wt	SUM	498-00	300	0	2.9	0	0	2.9	0	0	0	0	0
416	wt	SUM	Deer_A	174790	7.5	111.8	0	7.5	111.8	0	0	44.8	58.2	0
416	wt	SUM	SUM	183977	7.5	165.3	0	7.5	165.3	0	0	44.8	59.5	0
417	all_deer	N	400-00	40	0	1	0	0	1	0	0	0	0	0
417	all_deer	N	404-10	12	0	0	0	0	0	0	0	0	0	0
417	all_deer	N	411-00	89	0	0	0	0	0	0	0	0	0	0
417	all_deer	N	417-00	57	0	37.1	0	0	37.1	0	0	0	0	0
417	all_deer	N	426-00	98	0	0	0	0	0	0	0	0	0	0
417	all_deer	N	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
417	all_deer	N	Deer_A	24213	3.7	110.2	0	3.7	110.2	0	0	23.6	86.5	0
417	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
417	all_deer	N	SUM	24809	3.7	149.8	0	3.7	149.8	0	0	23.6	86.5	0
417	all_deer	R	004-10	7610	2	26.1	0	2	23.9	2.2	0	0	0	0
417	all_deer	R	400-00	654	0	0	0	0	0	0	0	0	0	0
417	all_deer	R	404-10	824	0	5.5	0	0	0	5.5	0	0	0	0
417	all_deer	R	411-00	509	0	1.6	0	0	1.6	0	0	0	0	0
417	all_deer	R	417-00	243	2.8	85.5	0	2.8	85.5	0	0	0	1.3	0
417	all_deer	R	426-00	439	0	1.3	0	0	1.3	0	0	0	0	0
417	all_deer	R	Deer_A	150577	10.1	353.5	1.5	10.1	355	0	0	102.3	242.2	2.3
417	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
417	all_deer	R	SUM	160856	14.9	477.6	1.5	14.9	471.4	7.7	0	102.3	243.5	2.3
417	all_deer	SUM	004-10	7610	2	26.1	0	2	23.9	2.2	0	0	0	0
417	all_deer	SUM	400-00	694	0	1	0	0	1	0	0	0	0	0
417	all_deer	SUM	404-10	836	0	5.5	0	0	0	5.5	0	0	0	0
417	all_deer	SUM	411-00	598	0	1.6	0	0	1.6	0	0	0	0	0
417	all_deer	SUM	417-00	300	2.8	122.7	0	2.8	122.7	0	0	0	1.3	0
417	all_deer	SUM	426-00	537	0	1.3	0	0	1.3	0	0	0	0	0
417	all_deer	SUM	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
417	all_deer	SUM	Deer_A	174790	13.9	463.7	1.5	13.9	465.2	0	0	126	328.8	2.3

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
417	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
417	all_deer	SUM	SUM	185665	18.6	627.4	1.5	18.6	621.2	7.7	0	126	330	2.3
417	md	N	400-00	40	0	1	0	0	1	0	0	0	0	0
417	md	N	411-00	89	0	0	0	0	0	0	0	0	0	0
417	md	N	417-00	57	0	37.1	0	0	37.1	0	0	0	0	0
417	md	N	Deer_A	24213	3.7	97.6	0	3.7	97.6	0	0	23.6	73.9	0
417	md	N	none	.	0	0	0	0	0	0	0	0	0	0
417	md	N	SUM	24399	3.7	135.7	0	3.7	135.7	0	0	23.6	73.9	0
417	md	R	004-10	7610	0	2.2	0	0	2.2	0	0	0	0	0
417	md	R	400-00	654	0	0	0	0	0	0	0	0	0	0
417	md	R	411-00	509	0	1.6	0	0	1.6	0	0	0	0	0
417	md	R	417-00	243	2.8	84.2	0	2.8	84.2	0	0	0	1.3	0
417	md	R	Deer_A	150577	0	307.2	1.5	0	308.7	0	0	94.6	198.6	2.3
417	md	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
417	md	R	SUM	159593	2.8	399.1	1.5	2.8	400.6	0	0	94.6	199.8	2.3
417	md	SUM	004-10	7610	0	2.2	0	0	2.2	0	0	0	0	0
417	md	SUM	400-00	694	0	1	0	0	1	0	0	0	0	0
417	md	SUM	411-00	598	0	1.6	0	0	1.6	0	0	0	0	0
417	md	SUM	417-00	300	2.8	121.3	0	2.8	121.3	0	0	0	1.3	0
417	md	SUM	Deer_A	174790	3.7	404.7	1.5	3.7	406.2	0	0	118.2	272.5	2.3
417	md	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
417	md	SUM	SUM	183992	6.5	534.8	1.5	6.5	536.3	0	0	118.2	273.8	2.3
417	wt	N	404-10	12	0	0	0	0	0	0	0	0	0	0
417	wt	N	417-00	57	0	0	0	0	0	0	0	0	0	0
417	wt	N	426-00	98	0	0	0	0	0	0	0	0	0	0
417	wt	N	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
417	wt	N	Deer_A	24213	0	12.6	0	0	12.6	0	0	0	12.6	0
417	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
417	wt	N	SUM	24680	0	14.1	0	0	14.1	0	0	0	12.6	0
417	wt	R	004-10	7610	2	24	0	2	21.8	2.2	0	0	0	0
417	wt	R	404-10	824	0	5.5	0	0	0	5.5	0	0	0	0
417	wt	R	417-00	243	0	1.4	0	0	1.4	0	0	0	0	0
417	wt	R	426-00	439	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
417	wt	R	Deer_A	150577	10.1	46.3	0	10.1	46.3	0	0	7.8	43.7	0
417	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
417	wt	R	SUM	159693	12.1	78.5	0	12.1	70.8	7.7	0	7.8	43.7	0
417	wt	SUM	004-10	7610	2	24	0	2	21.8	2.2	0	0	0	0
417	wt	SUM	404-10	836	0	5.5	0	0	0	5.5	0	0	0	0
417	wt	SUM	417-00	300	0	1.4	0	0	1.4	0	0	0	0	0
417	wt	SUM	426-00	537	0	1.3	0	0	1.3	0	0	0	0	0
417	wt	SUM	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
417	wt	SUM	Deer_A	174790	10.1	58.9	0	10.1	58.9	0	0	7.8	56.3	0
417	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
417	wt	SUM	SUM	184373	12.1	92.6	0	12.1	84.9	7.7	0	7.8	56.3	0
418	all_deer	N	418-00	68	0	37.5	0	0	37.5	0	0	0	0	0
418	all_deer	N	426-00	98	0	0	0	0	0	0	0	0	0	0
418	all_deer	N	498-00	300	0	2.7	0	0	2.7	0	0	0	0	0
418	all_deer	N	511-00	25	0	0	0	0	0	0	0	0	0	0
418	all_deer	N	698-00	798	0	2.2	0	0	2.2	0	0	0	2.2	0
418	all_deer	N	Deer_A	24213	0	40.1	0	0	40.1	0	0	10.4	20.4	0
418	all_deer	N	SUM	25502	0	82.5	0	0	82.5	0	0	10.4	22.5	0
418	all_deer	R	004-10	7610	0	60.7	0	0	60.7	0	0	2.3	0	0
418	all_deer	R	418-00	182	1.8	63.1	0	1.8	63.1	0	0	0	0	0
418	all_deer	R	426-00	439	0	1.5	0	0	1.5	0	0	0	0	0
418	all_deer	R	511-00	125	0	1.3	0	0	1.3	0	0	1.3	0	0
418	all_deer	R	Deer_A	150577	4.1	158.5	0	0	162.6	0	0	45.4	95.9	0
418	all_deer	R	SUM	158933	5.9	285.1	0	1.8	289.1	0	0	48.9	95.9	0
418	all_deer	SUM	004-10	7610	0	60.7	0	0	60.7	0	0	2.3	0	0
418	all_deer	SUM	418-00	250	1.8	100.6	0	1.8	100.6	0	0	0	0	0
418	all_deer	SUM	426-00	537	0	1.5	0	0	1.5	0	0	0	0	0
418	all_deer	SUM	498-00	300	0	2.7	0	0	2.7	0	0	0	0	0
418	all_deer	SUM	511-00	150	0	1.3	0	0	1.3	0	0	1.3	0	0
418	all_deer	SUM	698-00	798	0	2.2	0	0	2.2	0	0	0	2.2	0
418	all_deer	SUM	Deer_A	174790	4.1	198.7	0	0	202.7	0	0	55.9	116.3	0
418	all_deer	SUM	SUM	184435	5.9	367.6	0	1.8	371.6	0	0	59.4	118.4	0
418	md	N	418-00	68	0	17.8	0	0	17.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
418	md	N	698-00	798	0	2.2	0	0	2.2	0	0	0	2.2	0
418	md	N	Deer_A	24213	0	31.8	0	0	31.8	0	0	8.6	15.7	0
418	md	N	SUM	25079	0	51.7	0	0	51.7	0	0	8.6	17.9	0
418	md	R	418-00	182	0	31.8	0	0	31.8	0	0	0	0	0
418	md	R	Deer_A	150577	0	79	0	0	79	0	0	26.6	52.4	0
418	md	R	SUM	150759	0	110.8	0	0	110.8	0	0	26.6	52.4	0
418	md	SUM	418-00	250	0	49.5	0	0	49.5	0	0	0	0	0
418	md	SUM	698-00	798	0	2.2	0	0	2.2	0	0	0	2.2	0
418	md	SUM	Deer_A	174790	0	110.8	0	0	110.8	0	0	35.2	68.1	0
418	md	SUM	SUM	175838	0	162.5	0	0	162.5	0	0	35.2	70.3	0
418	wt	N	418-00	68	0	19.7	0	0	19.7	0	0	0	0	0
418	wt	N	426-00	98	0	0	0	0	0	0	0	0	0	0
418	wt	N	498-00	300	0	2.7	0	0	2.7	0	0	0	0	0
418	wt	N	511-00	25	0	0	0	0	0	0	0	0	0	0
418	wt	N	Deer_A	24213	0	8.4	0	0	8.4	0	0	1.8	4.7	0
418	wt	N	SUM	24704	0	30.8	0	0	30.8	0	0	1.8	4.7	0
418	wt	R	004-10	7610	0	58.4	0	0	58.4	0	0	2.3	0	0
418	wt	R	418-00	182	1.8	31.4	0	1.8	31.4	0	0	0	0	0
418	wt	R	426-00	439	0	1.5	0	0	1.5	0	0	0	0	0
418	wt	R	511-00	125	0	1.3	0	0	1.3	0	0	1.3	0	0
418	wt	R	Deer_A	150577	4.1	79.5	0	0	83.6	0	0	18.8	43.5	0
418	wt	R	SUM	158933	5.9	172.1	0	1.8	176.1	0	0	22.3	43.5	0
418	wt	SUM	004-10	7610	0	58.4	0	0	58.4	0	0	2.3	0	0
418	wt	SUM	418-00	250	1.8	51.1	0	1.8	51.1	0	0	0	0	0
418	wt	SUM	426-00	537	0	1.5	0	0	1.5	0	0	0	0	0
418	wt	SUM	498-00	300	0	2.7	0	0	2.7	0	0	0	0	0
418	wt	SUM	511-00	150	0	1.3	0	0	1.3	0	0	1.3	0	0
418	wt	SUM	Deer_A	174790	4.1	87.9	0	0	91.9	0	0	20.6	48.2	0
418	wt	SUM	SUM	183637	5.9	202.9	0	1.8	206.9	0	0	24.2	48.2	0
419	all_deer	N	412-00	113	0	0	0	0	0	0	0	0	0	0
419	all_deer	N	419-00	17	0	9.9	0	0	9.9	0	0	0	0	0
419	all_deer	N	Deer_A	24213	0	21.2	0	0	21.2	0	0	0	21.2	0
419	all_deer	N	none	.	0	0	0	0	0	0	3.8	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
419	all_deer	N	SUM	24343	0	31.1	0	0	31.1	0	3.8	0	21.2	0
419	all_deer	R	004-10	7610	2	38.7	1.9	2	40.6	0	0	0	0	0
419	all_deer	R	412-00	487	0	1.5	0	0	1.5	0	0	0	1.5	0
419	all_deer	R	419-00	108	0	44.3	0	0	44.3	0	0	0	0	0
419	all_deer	R	Deer_A	150577	0	279.4	0	0	279.4	0	0	71.4	158.4	0
419	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
419	all_deer	R	SUM	158782	2	368	1.9	2	369.9	0	0	71.4	160	0
419	all_deer	SUM	004-10	7610	2	38.7	1.9	2	40.6	0	0	0	0	0
419	all_deer	SUM	412-00	600	0	1.5	0	0	1.5	0	0	0	1.5	0
419	all_deer	SUM	419-00	125	0	54.2	0	0	54.2	0	0	0	0	0
419	all_deer	SUM	Deer_A	174790	0	300.6	0	0	300.6	0	0	71.4	179.6	0
419	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	3.8	0	0	0
419	all_deer	SUM	SUM	183125	2	399.1	1.9	2	401	0	3.8	71.4	181.2	0
419	md	N	419-00	17	0	9.9	0	0	9.9	0	0	0	0	0
419	md	N	Deer_A	24213	0	21.2	0	0	21.2	0	0	0	21.2	0
419	md	N	none	.	0	0	0	0	0	0	0	0	0	0
419	md	N	SUM	24230	0	31.1	0	0	31.1	0	0	0	21.2	0
419	md	R	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
419	md	R	419-00	108	0	44.3	0	0	44.3	0	0	0	0	0
419	md	R	Deer_A	150577	0	217.1	0	0	217.1	0	0	61.9	119.4	0
419	md	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
419	md	R	SUM	158295	0	271	0	0	271	0	0	61.9	119.4	0
419	md	SUM	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
419	md	SUM	419-00	125	0	54.2	0	0	54.2	0	0	0	0	0
419	md	SUM	Deer_A	174790	0	238.3	0	0	238.3	0	0	61.9	140.6	0
419	md	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
419	md	SUM	SUM	182525	0	302.1	0	0	302.1	0	0	61.9	140.6	0
419	wt	N	412-00	113	0	0	0	0	0	0	0	0	0	0
419	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
419	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
419	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
419	wt	N	SUM	24626	0	0	0	0	0	0	0	0	0	0
419	wt	R	004-10	7610	2	33.1	1.9	2	35	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
419	wt	R	412-00	487	0	1.5	0	0	1.5	0	0	0	1.5	0
419	wt	R	Deer_A	150577	0	62.3	0	0	62.3	0	0	9.5	39.1	0
419	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
419	wt	R	SUM	158674	2	96.9	1.9	2	98.9	0	0	9.5	40.6	0
419	wt	SUM	004-10	7610	2	33.1	1.9	2	35	0	0	0	0	0
419	wt	SUM	412-00	600	0	1.5	0	0	1.5	0	0	0	1.5	0
419	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
419	wt	SUM	Deer_A	174790	0	62.3	0	0	62.3	0	0	9.5	39.1	0
419	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
419	wt	SUM	SUM	183300	2	96.9	1.9	2	98.9	0	0	9.5	40.6	0
420	all_deer	N	421-00	20	0	0	0	0	0	0	0	0	0	0
420	all_deer	N	426-00	98	0	2.5	0	0	2.5	0	0	0	0	0
420	all_deer	N	Deer_A	24213	0	27.4	0	0	27.4	0	0	3.7	22.4	0
420	all_deer	N	SUM	24331	0	30	0	0	30	0	0	3.7	22.4	0
420	all_deer	R	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
420	all_deer	R	421-00	230	0	1.4	0	0	1.4	0	0	0	0	0
420	all_deer	R	426-00	439	0	0	0	0	0	0	0	0	0	0
420	all_deer	R	Deer_A	150577	0	24.9	0	0	24.9	0	0	8	15.3	0
420	all_deer	R	SUM	158856	0	31.9	0	0	31.9	0	0	8	15.3	0
420	all_deer	SUM	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
420	all_deer	SUM	421-00	250	0	1.4	0	0	1.4	0	0	0	0	0
420	all_deer	SUM	426-00	537	0	2.5	0	0	2.5	0	0	0	0	0
420	all_deer	SUM	Deer_A	174790	0	52.4	0	0	52.4	0	0	11.8	37.7	0
420	all_deer	SUM	SUM	183187	0	61.9	0	0	61.9	0	0	11.8	37.7	0
420	md	N	Deer_A	24213	0	23.7	0	0	23.7	0	0	3.7	18.6	0
420	md	N	SUM	24213	0	23.7	0	0	23.7	0	0	3.7	18.6	0
420	md	R	Deer_A	150577	0	16.9	0	0	16.9	0	0	0	15.3	0
420	md	R	SUM	150577	0	16.9	0	0	16.9	0	0	0	15.3	0
420	md	SUM	Deer_A	174790	0	40.6	0	0	40.6	0	0	3.7	33.9	0
420	md	SUM	SUM	174790	0	40.6	0	0	40.6	0	0	3.7	33.9	0
420	wt	N	421-00	20	0	0	0	0	0	0	0	0	0	0
420	wt	N	426-00	98	0	2.5	0	0	2.5	0	0	0	0	0
420	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
420	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
420	wt	N	SUM	24631	0	6.2	0	0	6.2	0	0	0	3.7	0
420	wt	R	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
420	wt	R	421-00	230	0	1.4	0	0	1.4	0	0	0	0	0
420	wt	R	426-00	439	0	0	0	0	0	0	0	0	0	0
420	wt	R	Deer_A	150577	0	8	0	0	8	0	0	8	0	0
420	wt	R	SUM	158856	0	15.1	0	0	15.1	0	0	8	0	0
420	wt	SUM	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
420	wt	SUM	421-00	250	0	1.4	0	0	1.4	0	0	0	0	0
420	wt	SUM	426-00	537	0	2.5	0	0	2.5	0	0	0	0	0
420	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
420	wt	SUM	Deer_A	174790	0	11.8	0	0	11.8	0	0	8	3.7	0
420	wt	SUM	SUM	183487	0	21.3	0	0	21.3	0	0	8	3.7	0
421	all_deer	N	404-10	12	0	0	0	0	0	0	0	0	0	0
421	all_deer	N	405-00	13	0	0	0	0	0	0	0	0	0	0
421	all_deer	N	413-00	19	0	0	0	0	0	0	0	0	0	0
421	all_deer	N	421-00	20	0	18.7	0	0	18.7	0	0	0	0	0
421	all_deer	N	423-00	3	0	0	0	0	0	0	0	0	0	0
421	all_deer	N	445-00	61	0	0	0	0	0	0	0	0	0	0
421	all_deer	N	Deer_A	24213	0	44	0	0	44	0	0	3.7	40.2	0
421	all_deer	N	SUM	24341	0	62.7	0	0	62.7	0	0	3.7	40.2	0
421	all_deer	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	3.4	0
421	all_deer	R	004-10	7610	2.1	87.3	0	2.1	87.3	0	0	0	0	0
421	all_deer	R	404-10	824	0	3	0	0	3	0	0	0	3	0
421	all_deer	R	405-00	286	0	1.4	0	0	1.4	0	0	1.4	0	0
421	all_deer	R	413-00	282	0	4.2	0	0	4.2	0	0	0	0	0
421	all_deer	R	421-00	230	0	96.6	3.4	0	97.9	0	2.1	0	0	0
421	all_deer	R	423-00	72	0	1.1	0	0	1.1	0	0	0	0	0
421	all_deer	R	445-00	439	0	2.7	0	0	2.7	0	0	0	0	0
421	all_deer	R	Deer_A	150577	15.2	365.9	2.3	13.5	365.9	4.1	0	104.4	210.5	0
421	all_deer	R	SUM	167649	17.3	565.6	5.7	15.6	566.9	4.1	2.1	105.8	216.9	0
421	all_deer	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	3.4	0
421	all_deer	SUM	004-10	7610	2.1	87.3	0	2.1	87.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
421	all_deer	SUM	404-10	836	0	3	0	0	3	0	0	0	3	0
421	all_deer	SUM	405-00	299	0	1.4	0	0	1.4	0	0	1.4	0	0
421	all_deer	SUM	413-00	301	0	4.2	0	0	4.2	0	0	0	0	0
421	all_deer	SUM	421-00	250	0	115.3	3.4	0	116.6	0	2.1	0	0	0
421	all_deer	SUM	423-00	75	0	1.1	0	0	1.1	0	0	0	0	0
421	all_deer	SUM	445-00	500	0	2.7	0	0	2.7	0	0	0	0	0
421	all_deer	SUM	Deer_A	174790	15.2	409.9	2.3	13.5	409.8	4.1	0	108.1	250.8	0
421	all_deer	SUM	SUM	191990	17.3	628.3	5.7	15.6	629.6	4.1	2.1	109.5	257.2	0
421	md	N	404-10	12	0	0	0	0	0	0	0	0	0	0
421	md	N	405-00	13	0	0	0	0	0	0	0	0	0	0
421	md	N	413-00	19	0	0	0	0	0	0	0	0	0	0
421	md	N	421-00	20	0	17.1	0	0	17.1	0	0	0	0	0
421	md	N	423-00	3	0	0	0	0	0	0	0	0	0	0
421	md	N	445-00	61	0	0	0	0	0	0	0	0	0	0
421	md	N	Deer_A	24213	0	36.5	0	0	36.5	0	0	3.7	32.8	0
421	md	N	SUM	24341	0	53.6	0	0	53.6	0	0	3.7	32.8	0
421	md	R	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
421	md	R	404-10	824	0	3	0	0	3	0	0	0	3	0
421	md	R	405-00	286	0	1.4	0	0	1.4	0	0	1.4	0	0
421	md	R	413-00	282	0	4.2	0	0	4.2	0	0	0	0	0
421	md	R	421-00	230	0	96.6	3.4	0	97.9	0	2.1	0	0	0
421	md	R	423-00	72	0	1.1	0	0	1.1	0	0	0	0	0
421	md	R	445-00	439	0	2.7	0	0	2.7	0	0	0	0	0
421	md	R	Deer_A	150577	7.2	274.9	0	5.5	276.5	0	0	75.7	155.2	0
421	md	R	SUM	160320	7.2	389.4	3.4	5.5	392.4	0	2.1	77.1	158.2	0
421	md	SUM	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
421	md	SUM	404-10	836	0	3	0	0	3	0	0	0	3	0
421	md	SUM	405-00	299	0	1.4	0	0	1.4	0	0	1.4	0	0
421	md	SUM	413-00	301	0	4.2	0	0	4.2	0	0	0	0	0
421	md	SUM	421-00	250	0	113.7	3.4	0	115	0	2.1	0	0	0
421	md	SUM	423-00	75	0	1.1	0	0	1.1	0	0	0	0	0
421	md	SUM	445-00	500	0	2.7	0	0	2.7	0	0	0	0	0
421	md	SUM	Deer_A	174790	7.2	311.4	0	5.5	313	0	0	79.4	188	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
421	md	SUM	SUM	184661	7.2	443	3.4	5.5	446	0	2.1	80.8	191	0
421	wt	N	421-00	20	0	1.6	0	0	1.6	0	0	0	0	0
421	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
421	wt	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
421	wt	N	SUM	24533	0	9.1	0	0	9.1	0	0	0	7.5	0
421	wt	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	3.4	0
421	wt	R	004-10	7610	2.1	81.7	0	2.1	81.7	0	0	0	0	0
421	wt	R	421-00	230	0	0	0	0	0	0	0	0	0	0
421	wt	R	Deer_A	150577	8	91	2.3	8	89.3	4.1	0	28.7	55.3	0
421	wt	R	SUM	165746	10.1	176.2	2.3	10.1	174.5	4.1	0	28.7	58.7	0
421	wt	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	3.4	0
421	wt	SUM	004-10	7610	2.1	81.7	0	2.1	81.7	0	0	0	0	0
421	wt	SUM	421-00	250	0	1.6	0	0	1.6	0	0	0	0	0
421	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
421	wt	SUM	Deer_A	174790	8	98.5	2.3	8	96.8	4.1	0	28.7	62.7	0
421	wt	SUM	SUM	190279	10.1	185.3	2.3	10.1	183.6	4.1	0	28.7	66.2	0
422	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
422	all_deer	N	404-10	12	0	0	0	0	0	0	0	0	0	0
422	all_deer	N	444-00	18	0	0	0	0	0	0	0	0	0	0
422	all_deer	N	Deer_A	24213	0	29.8	0	0	29.8	0	0	7.5	22.4	0
422	all_deer	N	SUM	24283	0	29.8	0	0	29.8	0	0	7.5	22.4	0
422	all_deer	R	004-10	7610	5.8	26.9	0	3.4	29.3	0	0	0	0	0
422	all_deer	R	400-00	654	0	1.5	0	0	1.5	0	0	0	0	0
422	all_deer	R	404-10	824	0	2	0	0	2	0	0	0	0	0
422	all_deer	R	444-00	232	0	3.4	0	0	3.4	0	0	0	0	0
422	all_deer	R	Deer_A	150577	5.5	155.6	5.4	5.5	161	0	0	40.4	109.9	4
422	all_deer	R	SUM	159897	11.2	189.2	5.4	8.8	197	0	0	40.4	109.9	4
422	all_deer	SUM	004-10	7610	5.8	26.9	0	3.4	29.3	0	0	0	0	0
422	all_deer	SUM	400-00	694	0	1.5	0	0	1.5	0	0	0	0	0
422	all_deer	SUM	404-10	836	0	2	0	0	2	0	0	0	0	0
422	all_deer	SUM	444-00	250	0	3.4	0	0	3.4	0	0	0	0	0
422	all_deer	SUM	Deer_A	174790	5.5	185.4	5.4	5.5	190.8	0	0	47.9	132.3	4
422	all_deer	SUM	SUM	184180	11.2	219	5.4	8.8	226.8	0	0	47.9	132.3	4

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
422	md	N	400-00	40	0	0	0	0	0	0	0	0	0	0
422	md	N	444-00	18	0	0	0	0	0	0	0	0	0	0
422	md	N	Deer_A	24213	0	29.8	0	0	29.8	0	0	7.5	22.4	0
422	md	N	SUM	24271	0	29.8	0	0	29.8	0	0	7.5	22.4	0
422	md	R	400-00	654	0	1.5	0	0	1.5	0	0	0	0	0
422	md	R	444-00	232	0	3.4	0	0	3.4	0	0	0	0	0
422	md	R	Deer_A	150577	1.6	122.4	5.4	1.6	127.8	0	0	32.3	82.6	2.3
422	md	R	SUM	151463	1.6	127.2	5.4	1.6	132.6	0	0	32.3	82.6	2.3
422	md	SUM	400-00	694	0	1.5	0	0	1.5	0	0	0	0	0
422	md	SUM	444-00	250	0	3.4	0	0	3.4	0	0	0	0	0
422	md	SUM	Deer_A	174790	1.6	152.2	5.4	1.6	157.6	0	0	39.8	104.9	2.3
422	md	SUM	SUM	175734	1.6	157	5.4	1.6	162.4	0	0	39.8	104.9	2.3
422	wt	N	404-10	12	0	0	0	0	0	0	0	0	0	0
422	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
422	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
422	wt	N	SUM	24525	0	0	0	0	0	0	0	0	0	0
422	wt	R	004-10	7610	5.8	26.9	0	3.4	29.3	0	0	0	0	0
422	wt	R	404-10	824	0	2	0	0	2	0	0	0	0	0
422	wt	R	Deer_A	150577	3.9	33.2	0	3.9	33.2	0	0	8.1	27.3	1.7
422	wt	R	SUM	159011	9.7	62	0	7.3	64.4	0	0	8.1	27.3	1.7
422	wt	SUM	004-10	7610	5.8	26.9	0	3.4	29.3	0	0	0	0	0
422	wt	SUM	404-10	836	0	2	0	0	2	0	0	0	0	0
422	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
422	wt	SUM	Deer_A	174790	3.9	33.2	0	3.9	33.2	0	0	8.1	27.3	1.7
422	wt	SUM	SUM	183536	9.7	62	0	7.3	64.4	0	0	8.1	27.3	1.7
423	all_deer	N	421-00	20	0	0	0	0	0	0	0	0	0	0
423	all_deer	N	423-00	3	0	1	0	0	1	0	0	0	0	0
423	all_deer	N	444-00	18	0	0	0	0	0	0	0	0	0	0
423	all_deer	N	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
423	all_deer	N	Deer_A	24213	0	36.3	0	0	36.3	0	0	3.7	28.8	0
423	all_deer	N	SUM	24554	0	38.6	0	0	38.6	0	0	3.7	28.8	0
423	all_deer	R	004-10	7610	1.9	18	0	1.9	16	1.9	0	1.9	0	0
423	all_deer	R	421-00	230	0	1.8	0	0	1.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
423	all_deer	R	423-00	72	2.9	20.2	0	2.9	18.9	1.3	0	0	0	0
423	all_deer	R	444-00	232	0	1.7	0	0	1.7	0	0	0	0	0
423	all_deer	R	Deer_A	150577	4.1	225.2	0	0	229.3	0	0	63.7	140.8	1.4
423	all_deer	R	SUM	158721	8.9	266.9	0	4.8	267.7	3.3	0	65.7	140.8	1.4
423	all_deer	SUM	004-10	7610	1.9	18	0	1.9	16	1.9	0	1.9	0	0
423	all_deer	SUM	421-00	250	0	1.8	0	0	1.8	0	0	0	0	0
423	all_deer	SUM	423-00	75	2.9	21.2	0	2.9	19.9	1.3	0	0	0	0
423	all_deer	SUM	444-00	250	0	1.7	0	0	1.7	0	0	0	0	0
423	all_deer	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
423	all_deer	SUM	Deer_A	174790	4.1	261.5	0	0	265.5	0	0	67.4	169.6	1.4
423	all_deer	SUM	SUM	183275	8.9	305.5	0	4.8	306.3	3.3	0	69.4	169.6	1.4
423	md	N	421-00	20	0	0	0	0	0	0	0	0	0	0
423	md	N	423-00	3	0	1	0	0	1	0	0	0	0	0
423	md	N	444-00	18	0	0	0	0	0	0	0	0	0	0
423	md	N	Deer_A	24213	0	26.1	0	0	26.1	0	0	3.7	18.6	0
423	md	N	SUM	24254	0	27.1	0	0	27.1	0	0	3.7	18.6	0
423	md	R	004-10	7610	0	3.9	0	0	1.9	1.9	0	1.9	0	0
423	md	R	421-00	230	0	1.8	0	0	1.8	0	0	0	0	0
423	md	R	423-00	72	2.9	18.9	0	2.9	17.6	1.3	0	0	0	0
423	md	R	444-00	232	0	1.7	0	0	1.7	0	0	0	0	0
423	md	R	Deer_A	150577	4.1	170.7	0	0	174.8	0	0	63.7	96.2	1.4
423	md	R	SUM	158721	6.9	197	0	2.9	197.8	3.3	0	65.7	96.2	1.4
423	md	SUM	004-10	7610	0	3.9	0	0	1.9	1.9	0	1.9	0	0
423	md	SUM	421-00	250	0	1.8	0	0	1.8	0	0	0	0	0
423	md	SUM	423-00	75	2.9	19.9	0	2.9	18.6	1.3	0	0	0	0
423	md	SUM	444-00	250	0	1.7	0	0	1.7	0	0	0	0	0
423	md	SUM	Deer_A	174790	4.1	196.8	0	0	200.8	0	0	67.4	114.8	1.4
423	md	SUM	SUM	182975	6.9	224.1	0	2.9	224.9	3.3	0	69.4	114.8	1.4
423	wt	N	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
423	wt	N	Deer_A	24213	0	10.2	0	0	10.2	0	0	0	10.2	0
423	wt	N	SUM	24513	0	11.5	0	0	11.5	0	0	0	10.2	0
423	wt	R	004-10	7610	1.9	14.1	0	1.9	14.1	0	0	0	0	0
423	wt	R	Deer_A	150577	0	54.5	0	0	54.5	0	0	0	44.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
423	wt	R	SUM	158187	1.9	68.6	0	1.9	68.6	0	0	0	44.6	0
423	wt	SUM	004-10	7610	1.9	14.1	0	1.9	14.1	0	0	0	0	0
423	wt	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
423	wt	SUM	Deer_A	174790	0	64.7	0	0	64.7	0	0	0	54.8	0
423	wt	SUM	SUM	182700	1.9	80.1	0	1.9	80.1	0	0	0	54.8	0
424	all_deer	N	Deer_A	24213	0	22.4	0	0	22.4	0	0	0	22.4	0
424	all_deer	N	SUM	24213	0	22.4	0	0	22.4	0	0	0	22.4	0
424	all_deer	R	004-10	7610	0	8.9	0	0	8.9	0	0	0	0	0
424	all_deer	R	Deer_A	150577	0	45.6	0	0	45.6	0	0	8.7	32.8	0
424	all_deer	R	SUM	158187	0	54.5	0	0	54.5	0	0	8.7	32.8	0
424	all_deer	SUM	004-10	7610	0	8.9	0	0	8.9	0	0	0	0	0
424	all_deer	SUM	Deer_A	174790	0	67.9	0	0	67.9	0	0	8.7	55.1	0
424	all_deer	SUM	SUM	182400	0	76.9	0	0	76.9	0	0	8.7	55.1	0
424	md	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	0	14.9	0
424	md	N	SUM	24213	0	14.9	0	0	14.9	0	0	0	14.9	0
424	md	R	Deer_A	150577	0	37.5	0	0	37.5	0	0	8.7	24.7	0
424	md	R	SUM	150577	0	37.5	0	0	37.5	0	0	8.7	24.7	0
424	md	SUM	Deer_A	174790	0	52.4	0	0	52.4	0	0	8.7	39.6	0
424	md	SUM	SUM	174790	0	52.4	0	0	52.4	0	0	8.7	39.6	0
424	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
424	wt	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
424	wt	N	SUM	24513	0	7.5	0	0	7.5	0	0	0	7.5	0
424	wt	R	004-10	7610	0	8.9	0	0	8.9	0	0	0	0	0
424	wt	R	Deer_A	150577	0	8.1	0	0	8.1	0	0	0	8.1	0
424	wt	R	SUM	158187	0	17.1	0	0	17.1	0	0	0	8.1	0
424	wt	SUM	004-10	7610	0	8.9	0	0	8.9	0	0	0	0	0
424	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
424	wt	SUM	Deer_A	174790	0	15.6	0	0	15.6	0	0	0	15.6	0
424	wt	SUM	SUM	182700	0	24.5	0	0	24.5	0	0	0	15.6	0
425	all_deer	N	421-00	20	0	0	0	0	0	0	0	0	0	0
425	all_deer	N	Deer_A	24213	0	63.3	0	3.7	59.6	0	0	3.7	59.6	0
425	all_deer	N	SUM	24233	0	63.3	0	3.7	59.6	0	0	3.7	59.6	0
425	all_deer	R	004-10	7610	0	14.5	0	0	14.5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
425	all_deer	R	421-00	230	0	3.5	0	0	3.5	0	0	0	0	0
425	all_deer	R	Deer_A	150577	0	84.1	1.6	0	80	0	5.7	24.8	43.1	0
425	all_deer	R	SUM	158417	0	102.1	1.6	0	98.1	0	5.7	24.8	43.1	0
425	all_deer	SUM	004-10	7610	0	14.5	0	0	14.5	0	0	0	0	0
425	all_deer	SUM	421-00	250	0	3.5	0	0	3.5	0	0	0	0	0
425	all_deer	SUM	Deer_A	174790	0	147.4	1.6	3.7	139.6	0	5.7	28.5	102.7	0
425	all_deer	SUM	SUM	182650	0	165.4	1.6	3.7	157.7	0	5.7	28.5	102.7	0
425	md	N	421-00	20	0	0	0	0	0	0	0	0	0	0
425	md	N	Deer_A	24213	0	44.7	0	0	44.7	0	0	3.7	41	0
425	md	N	SUM	24233	0	44.7	0	0	44.7	0	0	3.7	41	0
425	md	R	421-00	230	0	3.5	0	0	3.5	0	0	0	0	0
425	md	R	Deer_A	150577	0	48.2	0	0	44.1	0	4.1	16.1	20	0
425	md	R	SUM	150807	0	51.7	0	0	47.6	0	4.1	16.1	20	0
425	md	SUM	421-00	250	0	3.5	0	0	3.5	0	0	0	0	0
425	md	SUM	Deer_A	174790	0	92.9	0	0	88.8	0	4.1	19.8	61	0
425	md	SUM	SUM	175040	0	96.4	0	0	92.3	0	4.1	19.8	61	0
425	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
425	wt	N	Deer_A	24213	0	18.6	0	3.7	14.9	0	0	0	18.6	0
425	wt	N	SUM	24513	0	18.6	0	3.7	14.9	0	0	0	18.6	0
425	wt	R	004-10	7610	0	14.5	0	0	14.5	0	0	0	0	0
425	wt	R	Deer_A	150577	0	35.9	1.6	0	35.9	0	1.6	8.7	23.1	0
425	wt	R	SUM	158187	0	50.4	1.6	0	50.4	0	1.6	8.7	23.1	0
425	wt	SUM	004-10	7610	0	14.5	0	0	14.5	0	0	0	0	0
425	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
425	wt	SUM	Deer_A	174790	0	54.5	1.6	3.7	50.8	0	1.6	8.7	41.7	0
425	wt	SUM	SUM	182700	0	69.1	1.6	3.7	65.3	0	1.6	8.7	41.7	0
426	all_deer	N	170-10	58	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	417-00	57	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	418-00	68	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	419-00	17	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	426-00	98	0	57.3	0	0	57.3	0	0	0	0	0
426	all_deer	N	498-00	300	0	2.8	0	0	2.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
426	all_deer	N	598-00	236	0	0	0	0	0	0	0	0	0	0
426	all_deer	N	Deer_A	24213	1.5	148.5	0	1.5	148.5	0	0	27.8	117.1	0
426	all_deer	N	SUM	25087	1.5	208.5	0	1.5	208.5	0	0	27.8	117.1	0
426	all_deer	R	004-10	7610	0	38.4	0	0	38.4	0	0	0	0	0
426	all_deer	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	3.9	0
426	all_deer	R	170-10	1946	0	2.5	0	0	2.5	0	0	0	2.5	0
426	all_deer	R	400-00	654	0	1.3	0	0	1.3	0	0	0	1.3	0
426	all_deer	R	417-00	243	0	1.4	0	0	1.4	0	0	0	1.4	0
426	all_deer	R	418-00	182	0	1.5	0	0	1.5	0	0	1.5	0	0
426	all_deer	R	419-00	108	0	3.9	0	0	3.9	0	0	1.3	1.3	0
426	all_deer	R	426-00	439	1.4	194.8	3	1.4	196.3	0	1.5	1.5	0	1.5
426	all_deer	R	598-00	2014	0	1.9	0	0	1.9	0	0	0	0	0
426	all_deer	R	Deer_A	150577	1.5	505.6	1.5	1.5	501.7	0	5.5	110.5	323.8	0
426	all_deer	R	SUM	169225	3	755.2	4.5	3	752.8	0	6.9	114.7	334.2	1.5
426	all_deer	SUM	004-10	7610	0	38.4	0	0	38.4	0	0	0	0	0
426	all_deer	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	3.9	0
426	all_deer	SUM	170-10	2004	0	2.5	0	0	2.5	0	0	0	2.5	0
426	all_deer	SUM	400-00	694	0	1.3	0	0	1.3	0	0	0	1.3	0
426	all_deer	SUM	417-00	300	0	1.4	0	0	1.4	0	0	0	1.4	0
426	all_deer	SUM	418-00	250	0	1.5	0	0	1.5	0	0	1.5	0	0
426	all_deer	SUM	419-00	125	0	3.9	0	0	3.9	0	0	1.3	1.3	0
426	all_deer	SUM	426-00	537	1.4	252.1	3	1.4	253.6	0	1.5	1.5	0	1.5
426	all_deer	SUM	498-00	300	0	2.8	0	0	2.8	0	0	0	0	0
426	all_deer	SUM	598-00	2250	0	1.9	0	0	1.9	0	0	0	0	0
426	all_deer	SUM	Deer_A	174790	3	654.1	1.5	3	650.2	0	5.5	138.2	440.9	0
426	all_deer	SUM	SUM	194312	4.4	963.8	4.5	4.4	961.3	0	6.9	142.5	451.3	1.5
426	md	N	170-10	58	0	0	0	0	0	0	0	0	0	0
426	md	N	417-00	57	0	0	0	0	0	0	0	0	0	0
426	md	N	419-00	17	0	0	0	0	0	0	0	0	0	0
426	md	N	426-00	98	0	54	0	0	54	0	0	0	0	0
426	md	N	Deer_A	24213	0	130.9	0	0	130.9	0	0	27.8	99.5	0
426	md	N	SUM	24443	0	185	0	0	185	0	0	27.8	99.5	0
426	md	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	3.9	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
426	md	R	170-10	1946	0	2.5	0	0	2.5	0	0	0	2.5	0
426	md	R	417-00	243	0	1.4	0	0	1.4	0	0	0	1.4	0
426	md	R	419-00	108	0	3.9	0	0	3.9	0	0	1.3	1.3	0
426	md	R	426-00	439	1.4	193.4	1.5	1.4	194.9	0	0	1.5	0	0
426	md	R	Deer_A	150577	0	449.1	1.5	0	445.1	0	5.5	100.7	284.5	0
426	md	R	SUM	158765	1.4	654.1	3.1	1.4	651.6	0	5.5	103.5	293.5	0
426	md	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	3.9	0
426	md	SUM	170-10	2004	0	2.5	0	0	2.5	0	0	0	2.5	0
426	md	SUM	417-00	300	0	1.4	0	0	1.4	0	0	0	1.4	0
426	md	SUM	419-00	125	0	3.9	0	0	3.9	0	0	1.3	1.3	0
426	md	SUM	426-00	537	1.4	247.4	1.5	1.4	248.9	0	0	1.5	0	0
426	md	SUM	Deer_A	174790	0	580	1.5	0	576.1	0	5.5	128.5	383.9	0
426	md	SUM	SUM	183208	1.4	839	3.1	1.4	836.6	0	5.5	131.2	393	0
426	wt	N	400-00	40	0	0	0	0	0	0	0	0	0	0
426	wt	N	418-00	68	0	0	0	0	0	0	0	0	0	0
426	wt	N	426-00	98	0	3.2	0	0	3.2	0	0	0	0	0
426	wt	N	498-00	300	0	2.8	0	0	2.8	0	0	0	0	0
426	wt	N	598-00	236	0	0	0	0	0	0	0	0	0	0
426	wt	N	Deer_A	24213	1.5	17.5	0	1.5	17.5	0	0	0	17.6	0
426	wt	N	SUM	24955	1.5	23.5	0	1.5	23.5	0	0	0	17.6	0
426	wt	R	004-10	7610	0	38.4	0	0	38.4	0	0	0	0	0
426	wt	R	400-00	654	0	1.3	0	0	1.3	0	0	0	1.3	0
426	wt	R	418-00	182	0	1.5	0	0	1.5	0	0	1.5	0	0
426	wt	R	426-00	439	0	1.4	0	0	1.4	0	0	0	0	0
426	wt	R	598-00	2014	0	1.9	0	0	1.9	0	0	0	0	0
426	wt	R	Deer_A	150577	1.5	56.6	0	1.5	56.6	0	0	9.8	39.4	0
426	wt	R	SUM	161476	1.5	101.2	0	1.5	101.2	0	0	11.3	40.7	0
426	wt	SUM	004-10	7610	0	38.4	0	0	38.4	0	0	0	0	0
426	wt	SUM	400-00	694	0	1.3	0	0	1.3	0	0	0	1.3	0
426	wt	SUM	418-00	250	0	1.5	0	0	1.5	0	0	1.5	0	0
426	wt	SUM	426-00	537	0	4.7	0	0	4.7	0	0	0	0	0
426	wt	SUM	498-00	300	0	2.8	0	0	2.8	0	0	0	0	0
426	wt	SUM	598-00	2250	0	1.9	0	0	1.9	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
426	wt	SUM	Deer_A	174790	3	74.1	0	3	74.1	0	0	9.8	57	0
426	wt	SUM	SUM	186431	3	124.7	0	3	124.7	0	0	11.3	58.3	0
432	all_deer	N	432-00	13	0	5.7	0	0	5.7	0	0	0	0	0
432	all_deer	N	447-00	44	0	0	0	0	0	0	0	0	0	0
432	all_deer	N	448-00	7	0	0	0	0	0	0	0	0	0	0
432	all_deer	N	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
432	all_deer	N	Deer_A	24213	0	32.5	0	0	32.5	0	0	1.3	31.3	0
432	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
432	all_deer	N	SUM	24577	0	39.5	0	0	39.5	0	0	1.3	31.3	0
432	all_deer	R	004-10	7610	0	43.1	0	0	43.1	0	0	0	0	0
432	all_deer	R	432-00	80	1.3	31.1	0	1.3	31.1	0	0	0	0	0
432	all_deer	R	447-00	356	0	2.8	0	0	2.8	0	0	1.4	0	0
432	all_deer	R	448-00	68	0	7.1	0	0	7.1	0	0	1.5	1.2	0
432	all_deer	R	Deer_A	150577	8.2	316.1	0	4.1	314.4	1.6	4.1	105.3	156.7	0
432	all_deer	R	none	.	0	10.5	0	0	10.5	0	0	2.4	0	0
432	all_deer	R	SUM	158691	9.4	410.7	0	5.4	409.1	1.6	4.1	110.6	158	0
432	all_deer	SUM	004-10	7610	0	43.1	0	0	43.1	0	0	0	0	0
432	all_deer	SUM	432-00	93	1.3	36.8	0	1.3	36.8	0	0	0	0	0
432	all_deer	SUM	447-00	400	0	2.8	0	0	2.8	0	0	1.4	0	0
432	all_deer	SUM	448-00	75	0	7.1	0	0	7.1	0	0	1.5	1.2	0
432	all_deer	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
432	all_deer	SUM	Deer_A	174790	8.2	348.6	0	4.1	346.9	1.6	4.1	106.6	188	0
432	all_deer	SUM	none	.	0	10.5	0	0	10.5	0	0	2.4	0	0
432	all_deer	SUM	SUM	183268	9.4	450.2	0	5.4	448.6	1.6	4.1	111.9	189.2	0
432	md	N	432-00	13	0	5.7	0	0	5.7	0	0	0	0	0
432	md	N	447-00	44	0	0	0	0	0	0	0	0	0	0
432	md	N	448-00	7	0	0	0	0	0	0	0	0	0	0
432	md	N	Deer_A	24213	0	28.8	0	0	28.8	0	0	1.3	27.5	0
432	md	N	none	.	0	0	0	0	0	0	0	0	0	0
432	md	N	SUM	24277	0	34.5	0	0	34.5	0	0	1.3	27.5	0
432	md	R	432-00	80	1.3	31.1	0	1.3	31.1	0	0	0	0	0
432	md	R	447-00	356	0	2.8	0	0	2.8	0	0	1.4	0	0
432	md	R	448-00	68	0	7.1	0	0	7.1	0	0	1.5	1.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
432	md	R	Deer_A	150577	8.2	261.5	0	4.1	259.9	1.6	4.1	91.5	130.1	0
432	md	R	none	.	0	8.1	0	0	8.1	0	0	0	0	0
432	md	R	SUM	151081	9.4	310.7	0	5.4	309.1	1.6	4.1	94.5	131.3	0
432	md	SUM	432-00	93	1.3	36.8	0	1.3	36.8	0	0	0	0	0
432	md	SUM	447-00	400	0	2.8	0	0	2.8	0	0	1.4	0	0
432	md	SUM	448-00	75	0	7.1	0	0	7.1	0	0	1.5	1.2	0
432	md	SUM	Deer_A	174790	8.2	290.4	0	4.1	288.7	1.6	4.1	92.8	157.6	0
432	md	SUM	none	.	0	8.1	0	0	8.1	0	0	0	0	0
432	md	SUM	SUM	175358	9.4	345.2	0	5.4	343.6	1.6	4.1	95.7	158.9	0
432	wt	N	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
432	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
432	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
432	wt	N	SUM	24513	0	5	0	0	5	0	0	0	3.7	0
432	wt	R	004-10	7610	0	43.1	0	0	43.1	0	0	0	0	0
432	wt	R	Deer_A	150577	0	54.5	0	0	54.5	0	0	13.8	26.6	0
432	wt	R	none	.	0	2.4	0	0	2.4	0	0	2.4	0	0
432	wt	R	SUM	158187	0	100	0	0	100	0	0	16.2	26.6	0
432	wt	SUM	004-10	7610	0	43.1	0	0	43.1	0	0	0	0	0
432	wt	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
432	wt	SUM	Deer_A	174790	0	58.2	0	0	58.2	0	0	13.8	30.3	0
432	wt	SUM	none	.	0	2.4	0	0	2.4	0	0	2.4	0	0
432	wt	SUM	SUM	182700	0	105	0	0	105	0	0	16.2	30.3	0
441	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
441	all_deer	N	406-00	42	0	0	0	0	0	0	0	0	0	0
441	all_deer	N	441-00	8	0	8	0	0	8	0	0	0	0	0
441	all_deer	N	447-00	44	0	0	0	0	0	0	0	0	0	0
441	all_deer	N	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
441	all_deer	N	Deer_A	24213	0	20.7	0	3.7	17	0	0	0	20.7	0
441	all_deer	N	SUM	24650	0	30.2	0	3.7	26.5	0	0	0	20.7	0
441	all_deer	R	004-10	7610	1.9	62.9	0	1.9	62.9	0	0	0	0	0
441	all_deer	R	404-00	754	0	1.4	0	0	1.4	0	0	0	1.4	0
441	all_deer	R	406-00	358	0	1.3	0	0	1.3	0	0	1.3	0	0
441	all_deer	R	441-00	142	1.6	37.9	1.6	1.6	39.5	0	0	0	1.3	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
441	all_deer	R	447-00	356	0	1.5	0	0	1.5	0	0	0	0	0
441	all_deer	R	Deer_A	150577	0	238.1	0	0	236.6	1.5	0	38.4	171.6	0
441	all_deer	R	SUM	159797	3.6	343.2	1.6	3.6	343.2	1.5	0	39.7	174.4	0
441	all_deer	SUM	004-10	7610	1.9	62.9	0	1.9	62.9	0	0	0	0	0
441	all_deer	SUM	404-00	797	0	1.4	0	0	1.4	0	0	0	1.4	0
441	all_deer	SUM	406-00	400	0	1.3	0	0	1.3	0	0	1.3	0	0
441	all_deer	SUM	441-00	150	1.6	45.9	1.6	1.6	47.5	0	0	0	1.3	0
441	all_deer	SUM	447-00	400	0	1.5	0	0	1.5	0	0	0	0	0
441	all_deer	SUM	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
441	all_deer	SUM	Deer_A	174790	0	258.9	0	3.7	253.6	1.5	0	38.4	192.4	0
441	all_deer	SUM	SUM	184447	3.6	373.4	1.6	7.3	369.7	1.5	0	39.7	195.2	0
441	md	N	406-00	42	0	0	0	0	0	0	0	0	0	0
441	md	N	441-00	8	0	8	0	0	8	0	0	0	0	0
441	md	N	441-50	1	0	0	0	0	0	0	0	0	0	0
441	md	N	447-00	44	0	0	0	0	0	0	0	0	0	0
441	md	N	Deer_A	24213	0	13.3	0	3.7	9.6	0	0	0	13.3	0
441	md	N	SUM	24308	0	21.3	0	3.7	17.6	0	0	0	13.3	0
441	md	R	406-00	358	0	1.3	0	0	1.3	0	0	1.3	0	0
441	md	R	441-00	142	1.6	36.5	1.6	1.6	38.1	0	0	0	0	0
441	md	R	441-50	49	0	0	0	0	0	0	0	0	0	0
441	md	R	447-00	356	0	1.5	0	0	1.5	0	0	0	0	0
441	md	R	Deer_A	150577	0	128.2	0	0	126.7	1.5	0	16.6	105.9	0
441	md	R	SUM	151482	1.6	167.6	1.6	1.6	167.7	1.5	0	18	105.9	0
441	md	SUM	406-00	400	0	1.3	0	0	1.3	0	0	1.3	0	0
441	md	SUM	441-00	150	1.6	44.5	1.6	1.6	46.1	0	0	0	0	0
441	md	SUM	441-50	50	0	0	0	0	0	0	0	0	0	0
441	md	SUM	447-00	400	0	1.5	0	0	1.5	0	0	0	0	0
441	md	SUM	Deer_A	174790	0	141.5	0	3.7	136.3	1.5	0	16.6	119.2	0
441	md	SUM	SUM	175790	1.6	188.9	1.6	5.4	185.2	1.5	0	18	119.2	0
441	wt	N	404-00	43	0	0	0	0	0	0	0	0	0	0
441	wt	N	441-00	8	0	0	0	0	0	0	0	0	0	0
441	wt	N	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
441	wt	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
441	wt	N	SUM	24564	0	8.9	0	0	8.9	0	0	0	7.5	0
441	wt	R	004-10	7610	1.9	62.9	0	1.9	62.9	0	0	0	0	0
441	wt	R	404-00	754	0	1.4	0	0	1.4	0	0	0	1.4	0
441	wt	R	441-00	142	0	1.3	0	0	1.3	0	0	0	1.3	0
441	wt	R	Deer_A	150577	0	109.9	0	0	109.9	0	0	21.8	65.7	0
441	wt	R	SUM	159083	1.9	175.6	0	1.9	175.6	0	0	21.8	68.5	0
441	wt	SUM	004-10	7610	1.9	62.9	0	1.9	62.9	0	0	0	0	0
441	wt	SUM	404-00	797	0	1.4	0	0	1.4	0	0	0	1.4	0
441	wt	SUM	441-00	150	0	1.3	0	0	1.3	0	0	0	1.3	0
441	wt	SUM	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
441	wt	SUM	Deer_A	174790	0	117.3	0	0	117.3	0	0	21.8	73.2	0
441	wt	SUM	SUM	183647	1.9	184.5	0	1.9	184.5	0	0	21.8	75.9	0
442	all_deer	N	Deer_A	24213	0	38.7	0	0	38.7	0	0	11.2	27.6	0
442	all_deer	N	SUM	24213	0	38.7	0	0	38.7	0	0	11.2	27.6	0
442	all_deer	R	004-10	7610	0	9.7	0	0	9.7	0	0	0	0	0
442	all_deer	R	Deer_A	150577	0	89.6	0	0	89.6	0	0	23.4	54.7	0
442	all_deer	R	SUM	158187	0	99.4	0	0	99.4	0	0	23.4	54.7	0
442	all_deer	SUM	004-10	7610	0	9.7	0	0	9.7	0	0	0	0	0
442	all_deer	SUM	Deer_A	174790	0	128.4	0	0	128.4	0	0	34.6	82.3	0
442	all_deer	SUM	SUM	182400	0	138.1	0	0	138.1	0	0	34.6	82.3	0
442	md	N	Deer_A	24213	0	35	0	0	35	0	0	11.2	23.8	0
442	md	N	SUM	24213	0	35	0	0	35	0	0	11.2	23.8	0
442	md	R	Deer_A	150577	0	54.3	0	0	54.3	0	0	14.6	32.2	0
442	md	R	SUM	150577	0	54.3	0	0	54.3	0	0	14.6	32.2	0
442	md	SUM	Deer_A	174790	0	89.4	0	0	89.4	0	0	25.8	56	0
442	md	SUM	SUM	174790	0	89.4	0	0	89.4	0	0	25.8	56	0
442	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
442	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
442	wt	N	SUM	24513	0	3.7	0	0	3.7	0	0	0	3.7	0
442	wt	R	004-10	7610	0	9.7	0	0	9.7	0	0	0	0	0
442	wt	R	Deer_A	150577	0	35.3	0	0	35.3	0	0	8.7	22.5	0
442	wt	R	SUM	158187	0	45	0	0	45	0	0	8.7	22.5	0
442	wt	SUM	004-10	7610	0	9.7	0	0	9.7	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
442	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
442	wt	SUM	Deer_A	174790	0	39	0	0	39	0	0	8.7	26.2	0
442	wt	SUM	SUM	182700	0	48.8	0	0	48.8	0	0	8.7	26.2	0
444	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
444	all_deer	N	404-10	12	0	0	0	0	0	0	0	0	0	0
444	all_deer	N	444-00	18	0	18	0	0	18	0	0	1.3	0	0
444	all_deer	N	450-00	23	0	0	0	0	0	0	0	0	0	0
444	all_deer	N	498-00	300	1.5	0	0	1.5	0	0	0	0	0	0
444	all_deer	N	Deer_A	24213	1.6	44.7	0	1.6	44.7	0	0	7.5	38.9	0
444	all_deer	N	SUM	24609	3.1	62.7	0	3.1	62.7	0	0	8.8	38.9	0
444	all_deer	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
444	all_deer	R	004-10	7610	9.7	52.5	0	4.1	58.1	0	0	0	0	0
444	all_deer	R	404-00	754	0	1.6	0	0	1.6	0	0	0	0	0
444	all_deer	R	404-10	824	0	0	2.7	0	0	0	2.7	0	0	0
444	all_deer	R	444-00	232	0	106.4	0	0	106.4	0	0	0	0	0
444	all_deer	R	450-00	127	0	2.9	1.3	0	4.2	0	0	0	0	0
444	all_deer	R	Deer_A	150577	11.2	282.8	4.1	13.8	276.1	0	8.1	84.7	176.3	1.4
444	all_deer	R	SUM	167453	20.9	449.7	8.1	18	449.9	0	10.8	84.7	176.3	1.4
444	all_deer	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
444	all_deer	SUM	004-10	7610	9.7	52.5	0	4.1	58.1	0	0	0	0	0
444	all_deer	SUM	404-00	797	0	1.6	0	0	1.6	0	0	0	0	0
444	all_deer	SUM	404-10	836	0	0	2.7	0	0	0	2.7	0	0	0
444	all_deer	SUM	444-00	250	0	124.4	0	0	124.4	0	0	1.3	0	0
444	all_deer	SUM	450-00	150	0	2.9	1.3	0	4.2	0	0	0	0	0
444	all_deer	SUM	498-00	300	1.5	0	0	1.5	0	0	0	0	0	0
444	all_deer	SUM	Deer_A	174790	12.8	327.5	4.1	15.5	320.8	0	8.1	92.1	215.2	1.4
444	all_deer	SUM	SUM	192062	24	512.4	8.1	21.1	512.6	0	10.8	93.4	215.2	1.4
444	md	N	404-00	43	0	0	0	0	0	0	0	0	0	0
444	md	N	444-00	18	0	18	0	0	18	0	0	1.3	0	0
444	md	N	450-00	23	0	0	0	0	0	0	0	0	0	0
444	md	N	Deer_A	24213	0	29.8	0	0	29.8	0	0	3.7	26.1	0
444	md	N	SUM	24297	0	47.8	0	0	47.8	0	0	5.1	26.1	0
444	md	R	004-10	7610	0	6.7	0	0	6.7	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
444	md	R	404-00	754	0	1.6	0	0	1.6	0	0	0	0	0
444	md	R	444-00	232	0	106.4	0	0	106.4	0	0	0	0	0
444	md	R	450-00	127	0	2.9	1.3	0	4.2	0	0	0	0	0
444	md	R	Deer_A	150577	8.1	139.3	0	8.1	135.2	0	4.1	60	74.2	0
444	md	R	SUM	159300	8.1	257	1.3	8.1	254.2	0	4.1	60	74.2	0
444	md	SUM	004-10	7610	0	6.7	0	0	6.7	0	0	0	0	0
444	md	SUM	404-00	797	0	1.6	0	0	1.6	0	0	0	0	0
444	md	SUM	444-00	250	0	124.4	0	0	124.4	0	0	1.3	0	0
444	md	SUM	450-00	150	0	2.9	1.3	0	4.2	0	0	0	0	0
444	md	SUM	Deer_A	174790	8.1	169.1	0	8.1	165	0	4.1	63.8	100.3	0
444	md	SUM	SUM	183597	8.1	304.8	1.3	8.1	302	0	4.1	65.1	100.3	0
444	wt	N	404-10	12	0	0	0	0	0	0	0	0	0	0
444	wt	N	498-00	300	1.5	0	0	1.5	0	0	0	0	0	0
444	wt	N	Deer_A	24213	1.6	14.9	0	1.6	14.9	0	0	3.7	12.8	0
444	wt	N	SUM	24525	3.1	14.9	0	3.1	14.9	0	0	3.7	12.8	0
444	wt	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
444	wt	R	004-10	7610	9.7	45.8	0	4.1	51.3	0	0	0	0	0
444	wt	R	404-10	824	0	0	2.7	0	0	0	2.7	0	0	0
444	wt	R	Deer_A	150577	3.1	143.6	4.1	5.7	140.9	0	4.1	24.6	102.1	1.4
444	wt	R	SUM	166340	12.8	192.8	6.8	9.9	195.7	0	6.8	24.6	102.1	1.4
444	wt	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
444	wt	SUM	004-10	7610	9.7	45.8	0	4.1	51.3	0	0	0	0	0
444	wt	SUM	404-10	836	0	0	2.7	0	0	0	2.7	0	0	0
444	wt	SUM	498-00	300	1.5	0	0	1.5	0	0	0	0	0	0
444	wt	SUM	Deer_A	174790	4.7	158.5	4.1	7.3	155.8	0	4.1	28.3	114.9	1.4
444	wt	SUM	SUM	190865	15.9	207.7	6.8	13	210.6	0	6.8	28.3	114.9	1.4
445	all_deer	N	002-10	67	0	0	0	0	0	0	0	0	0	0
445	all_deer	N	404-10	12	0	0	0	0	0	0	0	0	0	0
445	all_deer	N	413-00	19	0	0	0	0	0	0	0	0	0	0
445	all_deer	N	445-00	61	0	34.3	0	0	34.3	0	0	0	1.4	0
445	all_deer	N	498-00	300	1.5	5.6	0	0	7.1	0	0	0	0	0
445	all_deer	N	Deer_A	24213	0	83.6	0	0	83.6	0	0	9.2	74.4	0
445	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
445	all_deer	N	SUM	24672	1.5	123.4	0	0	124.9	0	0	9.2	75.7	0
445	all_deer	R	002-10	1152	0	2.3	0	0	2.3	0	0	2.3	0	0
445	all_deer	R	004-10	7610	29.3	156.9	0	25.9	160.3	0	0	3.4	0	3.4
445	all_deer	R	404-10	824	0	1.5	0	0	1.5	0	0	0	0	0
445	all_deer	R	413-00	282	0	1.5	0	0	1.5	0	0	0	1.5	0
445	all_deer	R	445-00	439	2.7	173.6	0	4.2	170.9	0	1.2	0	2.4	0
445	all_deer	R	Deer_A	150577	15.1	585.1	0	15.1	583.6	0	1.5	159.8	307.9	9.5
445	all_deer	R	none	.	0	11.5	0	0	11.5	0	0	1.8	0	0
445	all_deer	R	SUM	160884	47.1	932.3	0	45.2	931.5	0	2.7	167.3	311.8	12.9
445	all_deer	SUM	002-10	1219	0	2.3	0	0	2.3	0	0	2.3	0	0
445	all_deer	SUM	004-10	7610	29.3	156.9	0	25.9	160.3	0	0	3.4	0	3.4
445	all_deer	SUM	404-10	836	0	1.5	0	0	1.5	0	0	0	0	0
445	all_deer	SUM	413-00	301	0	1.5	0	0	1.5	0	0	0	1.5	0
445	all_deer	SUM	445-00	500	2.7	207.9	0	4.2	205.2	0	1.2	0	3.8	0
445	all_deer	SUM	498-00	300	1.5	5.6	0	0	7.1	0	0	0	0	0
445	all_deer	SUM	Deer_A	174790	15.1	668.7	0	15.1	667.2	0	1.5	169	382.3	9.5
445	all_deer	SUM	none	.	0	11.5	0	0	11.5	0	0	1.8	0	0
445	all_deer	SUM	SUM	185556	48.6	1055.7	0	45.2	1056.4	0	2.7	176.5	387.6	12.9
445	md	N	404-10	12	0	0	0	0	0	0	0	0	0	0
445	md	N	445-00	61	0	31.5	0	0	31.5	0	0	0	0	0
445	md	N	Deer_A	24213	0	69.3	0	0	69.3	0	0	7.8	61.5	0
445	md	N	none	.	0	0	0	0	0	0	0	0	0	0
445	md	N	SUM	24286	0	100.8	0	0	100.8	0	0	7.8	61.5	0
445	md	R	004-10	7610	0	3.4	0	0	3.4	0	0	3.4	0	0
445	md	R	404-10	824	0	1.5	0	0	1.5	0	0	0	0	0
445	md	R	445-00	439	2.7	171.1	0	4.2	169.7	0	0	0	1.2	0
445	md	R	Deer_A	150577	5.7	383	0	7.2	380	0	1.5	115.7	184.1	1.6
445	md	R	none	.	0	7.4	0	0	7.4	0	0	1.8	0	0
445	md	R	SUM	159450	8.4	566.4	0	11.4	561.9	0	1.5	120.9	185.3	1.6
445	md	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	3.4	0	0
445	md	SUM	404-10	836	0	1.5	0	0	1.5	0	0	0	0	0
445	md	SUM	445-00	500	2.7	202.7	0	4.2	201.2	0	0	0	1.2	0
445	md	SUM	Deer_A	174790	5.7	452.3	0	7.2	449.2	0	1.5	123.5	245.6	1.6

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
445	md	SUM	none	.	0	7.4	0	0	7.4	0	0	1.8	0	0
445	md	SUM	SUM	183736	8.4	667.2	0	11.4	662.7	0	1.5	128.7	246.8	1.6
445	wt	N	002-10	67	0	0	0	0	0	0	0	0	0	0
445	wt	N	413-00	19	0	0	0	0	0	0	0	0	0	0
445	wt	N	445-00	61	0	2.7	0	0	2.7	0	0	0	1.4	0
445	wt	N	498-00	300	1.5	5.6	0	0	7.1	0	0	0	0	0
445	wt	N	Deer_A	24213	0	14.3	0	0	14.3	0	0	1.4	12.9	0
445	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
445	wt	N	SUM	24660	1.5	22.6	0	0	24.1	0	0	1.4	14.3	0
445	wt	R	002-10	1152	0	2.3	0	0	2.3	0	0	2.3	0	0
445	wt	R	004-10	7610	29.3	153.5	0	25.9	156.9	0	0	0	0	3.4
445	wt	R	413-00	282	0	1.5	0	0	1.5	0	0	0	1.5	0
445	wt	R	445-00	439	0	2.5	0	0	1.2	0	1.2	0	1.2	0
445	wt	R	Deer_A	150577	9.4	202.1	0	7.9	203.6	0	0	44.1	123.9	7.9
445	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
445	wt	R	SUM	160060	38.7	365.9	0	33.8	369.6	0	1.2	46.4	126.5	11.3
445	wt	SUM	002-10	1219	0	2.3	0	0	2.3	0	0	2.3	0	0
445	wt	SUM	004-10	7610	29.3	153.5	0	25.9	156.9	0	0	0	0	3.4
445	wt	SUM	413-00	301	0	1.5	0	0	1.5	0	0	0	1.5	0
445	wt	SUM	445-00	500	0	5.2	0	0	4	0	1.2	0	2.6	0
445	wt	SUM	498-00	300	1.5	5.6	0	0	7.1	0	0	0	0	0
445	wt	SUM	Deer_A	174790	9.4	216.4	0	7.9	217.9	0	0	45.5	136.7	7.9
445	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
445	wt	SUM	SUM	184720	40.2	388.5	0	33.8	393.7	0	1.2	47.7	140.8	11.3
446	all_deer	N	445-00	61	0	0	0	0	0	0	0	0	0	0
446	all_deer	N	498-00	300	0	5.2	0	0	5.2	0	0	0	0	0
446	all_deer	N	Deer_A	24213	3.7	82.4	0	3.7	82.4	0	0	18.6	66.3	0
446	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
446	all_deer	N	SUM	24574	3.7	87.6	0	3.7	87.6	0	0	18.6	66.3	0
446	all_deer	R	004-10	7610	0	29.5	0	0	29.5	0	0	0	0	0
446	all_deer	R	445-00	439	0	1.3	0	0	1.3	0	0	0	1.3	0
446	all_deer	R	Deer_A	150577	20.6	175.1	4.1	14.5	185.2	0	0	70.1	96.8	0
446	all_deer	R	none	.	4.1	1.7	0	4.1	1.7	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
446	all_deer	R	SUM	158626	24.7	207.6	4.1	18.5	217.8	0	0	70.1	98.1	0
446	all_deer	SUM	004-10	7610	0	29.5	0	0	29.5	0	0	0	0	0
446	all_deer	SUM	445-00	500	0	1.3	0	0	1.3	0	0	0	1.3	0
446	all_deer	SUM	498-00	300	0	5.2	0	0	5.2	0	0	0	0	0
446	all_deer	SUM	Deer_A	174790	24.3	257.5	4.1	18.2	267.6	0	0	88.7	163.1	0
446	all_deer	SUM	none	.	4.1	1.7	0	4.1	1.7	0	0	0	0	0
446	all_deer	SUM	SUM	183200	28.4	295.2	4.1	22.3	305.4	0	0	88.7	164.4	0
446	md	N	Deer_A	24213	3.7	39.8	0	3.7	39.8	0	0	11.2	31.2	0
446	md	N	none	.	0	0	0	0	0	0	0	0	0	0
446	md	N	SUM	24213	3.7	39.8	0	3.7	39.8	0	0	11.2	31.2	0
446	md	R	Deer_A	150577	19.2	104.7	4.1	14.5	113.4	0	0	53.5	51.2	0
446	md	R	none	.	0	0	0	0	0	0	0	0	0	0
446	md	R	SUM	150577	19.2	104.7	4.1	14.5	113.4	0	0	53.5	51.2	0
446	md	SUM	Deer_A	174790	22.9	144.4	4.1	18.2	153.2	0	0	64.7	82.4	0
446	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
446	md	SUM	SUM	174790	22.9	144.4	4.1	18.2	153.2	0	0	64.7	82.4	0
446	wt	N	445-00	61	0	0	0	0	0	0	0	0	0	0
446	wt	N	498-00	300	0	5.2	0	0	5.2	0	0	0	0	0
446	wt	N	Deer_A	24213	0	42.6	0	0	42.6	0	0	7.5	35.2	0
446	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
446	wt	N	SUM	24574	0	47.8	0	0	47.8	0	0	7.5	35.2	0
446	wt	R	004-10	7610	0	29.5	0	0	29.5	0	0	0	0	0
446	wt	R	445-00	439	0	1.3	0	0	1.3	0	0	0	1.3	0
446	wt	R	Deer_A	150577	1.4	70.4	0	0	71.8	0	0	16.6	45.6	0
446	wt	R	none	.	4.1	1.7	0	4.1	1.7	0	0	0	0	0
446	wt	R	SUM	158626	5.5	102.9	0	4.1	104.4	0	0	16.6	46.9	0
446	wt	SUM	004-10	7610	0	29.5	0	0	29.5	0	0	0	0	0
446	wt	SUM	445-00	500	0	1.3	0	0	1.3	0	0	0	1.3	0
446	wt	SUM	498-00	300	0	5.2	0	0	5.2	0	0	0	0	0
446	wt	SUM	Deer_A	174790	1.4	113	0	0	114.5	0	0	24	80.8	0
446	wt	SUM	none	.	4.1	1.7	0	4.1	1.7	0	0	0	0	0
446	wt	SUM	SUM	183200	5.5	150.8	0	4.1	152.2	0	0	24	82.1	0
447	all_deer	N	413-00	19	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
447	all_deer	N	444-00	18	0	0	0	0	0	0	0	0	0	0
447	all_deer	N	447-00	44	1.4	32.1	0	1.4	32.1	0	0	0	1.4	0
447	all_deer	N	498-00	300	0	2.7	0	0	2.7	0	0	0	0	0
447	all_deer	N	Deer_A	24213	3.7	101.2	0	3.7	99.8	0	1.4	22.7	78.4	0
447	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
447	all_deer	N	SUM	24594	5.2	136	0	5.2	134.6	0	1.4	22.7	79.9	0
447	all_deer	R	004-10	7610	6.2	109.5	0	9.6	106.2	0	0	0	3.4	0
447	all_deer	R	413-00	282	0	1.3	0	0	1.3	0	0	1.3	0	0
447	all_deer	R	444-00	232	0	3	0	0	3	0	0	1.5	0	0
447	all_deer	R	447-00	356	2.7	151.2	4.4	2.7	155.6	0	0	1.4	1.2	0
447	all_deer	R	Deer_A	150577	15.5	803.8	7.3	9.2	815	2.4	0	156.6	534.7	5.7
447	all_deer	R	none	.	0	5.4	0	0	5.4	0	0	0	0	0
447	all_deer	R	SUM	159057	24.4	1074.3	11.7	21.5	1086.5	2.4	0	160.9	539.3	5.7
447	all_deer	SUM	004-10	7610	6.2	109.5	0	9.6	106.2	0	0	0	3.4	0
447	all_deer	SUM	413-00	301	0	1.3	0	0	1.3	0	0	1.3	0	0
447	all_deer	SUM	444-00	250	0	3	0	0	3	0	0	1.5	0	0
447	all_deer	SUM	447-00	400	4.2	183.3	4.4	4.2	187.7	0	0	1.4	2.6	0
447	all_deer	SUM	498-00	300	0	2.7	0	0	2.7	0	0	0	0	0
447	all_deer	SUM	Deer_A	174790	19.2	905	7.3	12.9	914.7	2.4	1.4	179.4	613.1	5.7
447	all_deer	SUM	none	.	0	5.4	0	0	5.4	0	0	0	0	0
447	all_deer	SUM	SUM	183651	29.5	1210.3	11.7	26.6	1221.1	2.4	1.4	183.6	619.2	5.7
447	md	N	413-00	19	0	0	0	0	0	0	0	0	0	0
447	md	N	444-00	18	0	0	0	0	0	0	0	0	0	0
447	md	N	447-00	44	1.4	30.6	0	1.4	30.6	0	0	0	0	0
447	md	N	Deer_A	24213	0	84.9	0	0	83.5	0	1.4	19	65.9	0
447	md	N	none	.	0	0	0	0	0	0	0	0	0	0
447	md	N	SUM	24294	1.4	115.5	0	1.4	114.1	0	1.4	19	65.9	0
447	md	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
447	md	R	413-00	282	0	1.3	0	0	1.3	0	0	1.3	0	0
447	md	R	444-00	232	0	3	0	0	3	0	0	1.5	0	0
447	md	R	447-00	356	2.7	148.8	4.4	2.7	153.2	0	0	1.4	1.2	0
447	md	R	Deer_A	150577	5.4	601.1	7.3	3	608.4	2.4	0	124.4	392.8	0
447	md	R	none	.	0	5.4	0	0	5.4	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
447	md	R	SUM	159057	8.1	763	11.7	5.7	774.7	2.4	0	128.6	397.4	0
447	md	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	3.4	0
447	md	SUM	413-00	301	0	1.3	0	0	1.3	0	0	1.3	0	0
447	md	SUM	444-00	250	0	3	0	0	3	0	0	1.5	0	0
447	md	SUM	447-00	400	4.2	179.4	4.4	4.2	183.8	0	0	1.4	1.2	0
447	md	SUM	Deer_A	174790	5.4	686	7.3	3	691.9	2.4	1.4	143.4	458.7	0
447	md	SUM	none	.	0	5.4	0	0	5.4	0	0	0	0	0
447	md	SUM	SUM	183351	9.6	878.5	11.7	7.2	888.8	2.4	1.4	147.6	463.3	0
447	wt	N	447-00	44	0	1.4	0	0	1.4	0	0	0	1.4	0
447	wt	N	498-00	300	0	2.7	0	0	2.7	0	0	0	0	0
447	wt	N	Deer_A	24213	3.7	16.3	0	3.7	16.3	0	0	3.7	12.6	0
447	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
447	wt	N	SUM	24557	3.7	20.5	0	3.7	20.5	0	0	3.7	14	0
447	wt	R	004-10	7610	6.2	106.2	0	9.6	102.8	0	0	0	0	0
447	wt	R	447-00	356	0	2.4	0	0	2.4	0	0	0	0	0
447	wt	R	Deer_A	150577	10.1	202.7	0	6.2	206.6	0	0	32.3	141.9	5.7
447	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
447	wt	R	SUM	158543	16.3	311.3	0	15.7	311.8	0	0	32.3	141.9	5.7
447	wt	SUM	004-10	7610	6.2	106.2	0	9.6	102.8	0	0	0	0	0
447	wt	SUM	447-00	400	0	3.9	0	0	3.9	0	0	0	1.4	0
447	wt	SUM	498-00	300	0	2.7	0	0	2.7	0	0	0	0	0
447	wt	SUM	Deer_A	174790	13.8	219	0	9.9	222.8	0	0	36	154.4	5.7
447	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
447	wt	SUM	SUM	183100	20	331.7	0	19.5	332.2	0	0	36	155.9	5.7
448	all_deer	N	418-00	68	0	1.5	0	0	1.5	0	0	0	0	0
448	all_deer	N	448-00	7	0	4.7	0	0	4.7	0	0	0	1.1	0
448	all_deer	N	498-00	300	1.3	2.8	0	1.3	2.8	0	0	0	0	0
448	all_deer	N	Deer_A	24213	1.4	21.8	0	1.4	21.8	0	0	6.4	15.5	0
448	all_deer	N	SUM	24588	2.7	30.7	0	2.7	30.7	0	0	6.4	16.6	0
448	all_deer	R	004-10	7610	0	15.1	0	0	15.1	0	0	0	0	0
448	all_deer	R	418-00	182	0	1.5	0	0	1.5	0	0	0	0	0
448	all_deer	R	448-00	68	0	14.8	0	0	14.8	0	0	0	0	0
448	all_deer	R	Deer_A	150577	2.2	124.4	0	2.2	120.3	4.1	0	41.4	68.8	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
448	all_deer	R	SUM	158437	2.2	155.8	0	2.2	151.8	4.1	0	41.4	68.8	0
448	all_deer	SUM	004-10	7610	0	15.1	0	0	15.1	0	0	0	0	0
448	all_deer	SUM	418-00	250	0	3	0	0	3	0	0	0	0	0
448	all_deer	SUM	448-00	75	0	19.5	0	0	19.5	0	0	0	1.1	0
448	all_deer	SUM	498-00	300	1.3	2.8	0	1.3	2.8	0	0	0	0	0
448	all_deer	SUM	Deer_A	174790	3.7	146.1	0	3.7	142.1	4.1	0	47.8	84.3	0
448	all_deer	SUM	SUM	183025	5	186.5	0	5	182.5	4.1	0	47.8	85.4	0
448	md	N	418-00	68	0	1.5	0	0	1.5	0	0	0	0	0
448	md	N	448-00	7	0	3.6	0	0	3.6	0	0	0	0	0
448	md	N	Deer_A	24213	1.4	11.4	0	1.4	11.4	0	0	6.4	6.4	0
448	md	N	SUM	24288	1.4	16.4	0	1.4	16.4	0	0	6.4	6.4	0
448	md	R	418-00	182	0	0	0	0	0	0	0	0	0	0
448	md	R	448-00	68	0	14.8	0	0	14.8	0	0	0	0	0
448	md	R	Deer_A	150577	2.2	87.5	0	2.2	87.5	0	0	25.2	48.1	0
448	md	R	SUM	150827	2.2	102.3	0	2.2	102.3	0	0	25.2	48.1	0
448	md	SUM	418-00	250	0	1.5	0	0	1.5	0	0	0	0	0
448	md	SUM	448-00	75	0	18.4	0	0	18.4	0	0	0	0	0
448	md	SUM	Deer_A	174790	3.7	98.9	0	3.7	98.9	0	0	31.6	54.5	0
448	md	SUM	SUM	175115	3.7	118.7	0	3.7	118.7	0	0	31.6	54.5	0
448	wt	N	418-00	68	0	0	0	0	0	0	0	0	0	0
448	wt	N	448-00	7	0	1.1	0	0	1.1	0	0	0	1.1	0
448	wt	N	498-00	300	1.3	2.8	0	1.3	2.8	0	0	0	0	0
448	wt	N	Deer_A	24213	0	10.3	0	0	10.3	0	0	0	9.1	0
448	wt	N	SUM	24588	1.3	14.3	0	1.3	14.3	0	0	0	10.2	0
448	wt	R	004-10	7610	0	15.1	0	0	15.1	0	0	0	0	0
448	wt	R	418-00	182	0	1.5	0	0	1.5	0	0	0	0	0
448	wt	R	448-00	68	0	0	0	0	0	0	0	0	0	0
448	wt	R	Deer_A	150577	0	36.9	0	0	32.8	4.1	0	16.2	20.7	0
448	wt	R	SUM	158437	0	53.5	0	0	49.5	4.1	0	16.2	20.7	0
448	wt	SUM	004-10	7610	0	15.1	0	0	15.1	0	0	0	0	0
448	wt	SUM	418-00	250	0	1.5	0	0	1.5	0	0	0	0	0
448	wt	SUM	448-00	75	0	1.1	0	0	1.1	0	0	0	1.1	0
448	wt	SUM	498-00	300	1.3	2.8	0	1.3	2.8	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
448	wt	SUM	Deer_A	174790	0	47.2	0	0	43.2	4.1	0	16.2	29.7	0
448	wt	SUM	SUM	183025	1.3	67.8	0	1.3	63.8	4.1	0	16.2	30.9	0
449	all_deer	N	598-00	236	0	0	0	0	0	0	0	0	0	0
449	all_deer	N	Deer_A	24213	0	25.2	0	0	25.2	0	0	8.9	16.3	0
449	all_deer	N	SUM	24449	0	25.2	0	0	25.2	0	0	8.9	16.3	0
449	all_deer	R	004-10	7610	0	38.1	0	0	38.1	0	0	3.4	0	0
449	all_deer	R	598-00	2014	0	10	0	0	10	0	0	0	0	0
449	all_deer	R	Deer_A	150577	0	152.1	8.1	0	158.6	0	1.5	38.2	87.9	0
449	all_deer	R	SUM	160201	0	200.1	8.1	0	206.7	0	1.5	41.6	87.9	0
449	all_deer	SUM	004-10	7610	0	38.1	0	0	38.1	0	0	3.4	0	0
449	all_deer	SUM	598-00	2250	0	10	0	0	10	0	0	0	0	0
449	all_deer	SUM	Deer_A	174790	0	177.2	8.1	0	183.8	0	1.5	47.1	104.2	0
449	all_deer	SUM	SUM	184650	0	225.3	8.1	0	231.8	0	1.5	50.4	104.2	0
449	md	N	Deer_A	24213	0	21.5	0	0	21.5	0	0	8.9	12.6	0
449	md	N	SUM	24213	0	21.5	0	0	21.5	0	0	8.9	12.6	0
449	md	R	004-10	7610	0	3.4	0	0	3.4	0	0	3.4	0	0
449	md	R	Deer_A	150577	0	111.8	4.1	0	114.3	0	1.5	30.1	59.1	0
449	md	R	SUM	158187	0	115.1	4.1	0	117.6	0	1.5	33.5	59.1	0
449	md	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	3.4	0	0
449	md	SUM	Deer_A	174790	0	133.2	4.1	0	135.7	0	1.5	39	71.7	0
449	md	SUM	SUM	182400	0	136.6	4.1	0	139.1	0	1.5	42.3	71.7	0
449	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
449	wt	N	598-00	236	0	0	0	0	0	0	0	0	0	0
449	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
449	wt	N	SUM	24749	0	3.7	0	0	3.7	0	0	0	3.7	0
449	wt	R	004-10	7610	0	34.7	0	0	34.7	0	0	0	0	0
449	wt	R	598-00	2014	0	10	0	0	10	0	0	0	0	0
449	wt	R	Deer_A	150577	0	40.3	4.1	0	44.3	0	0	8.1	28.8	0
449	wt	R	SUM	160201	0	85	4.1	0	89	0	0	8.1	28.8	0
449	wt	SUM	004-10	7610	0	34.7	0	0	34.7	0	0	0	0	0
449	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
449	wt	SUM	598-00	2250	0	10	0	0	10	0	0	0	0	0
449	wt	SUM	Deer_A	174790	0	44	4.1	0	48.1	0	0	8.1	32.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
449	wt	SUM	SUM	184950	0	88.7	4.1	0	92.7	0	0	8.1	32.6	0
450	all_deer	N	339-40	12	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	404-10	12	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	406-00	42	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	441-00	8	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	450-00	23	0	9.1	0	0	9.1	0	0	0	0	0
450	all_deer	N	498-00	300	0	4.3	0	0	4.3	0	0	0	0	0
450	all_deer	N	Deer_A	24213	0	43.9	0	0	43.9	0	0	11.2	29	0
450	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
450	all_deer	N	SUM	24693	0	57.2	0	0	57.2	0	0	11.2	29	0
450	all_deer	R	003-10	7329	0	2	0	0	2	0	0	0	0	0
450	all_deer	R	004-10	7610	7.8	49.1	0	0	48.8	6.1	2	0	0	0
450	all_deer	R	339-40	340	0	1.5	0	0	1.5	0	0	0	0	0
450	all_deer	R	400-00	654	0	1.4	0	0	0	1.4	0	0	0	0
450	all_deer	R	404-00	754	0	2.5	0	0	0	2.5	0	0	0	1.2
450	all_deer	R	404-10	824	6.1	32.4	0	1.7	6.9	29.9	0	0	0	0
450	all_deer	R	406-00	358	0	6.7	0	0	0	5.3	1.4	0	0	0
450	all_deer	R	441-00	142	0	3.1	0	0	3.1	0	0	0	0	0
450	all_deer	R	450-00	127	2.7	24.2	0	2.7	24.2	0	0	0	0	0
450	all_deer	R	Deer_A	150577	3.7	165.5	0	1.4	151.5	16.4	0	36.3	95	0
450	all_deer	R	none	.	0	1.4	1.4	0	0	2.7	0	0	0	0
450	all_deer	R	SUM	168715	20.2	289.8	1.4	5.8	237.9	64.3	3.4	36.3	95	1.2
450	all_deer	SUM	003-10	7329	0	2	0	0	2	0	0	0	0	0
450	all_deer	SUM	004-10	7610	7.8	49.1	0	0	48.8	6.1	2	0	0	0
450	all_deer	SUM	339-40	352	0	1.5	0	0	1.5	0	0	0	0	0
450	all_deer	SUM	400-00	694	0	1.4	0	0	0	1.4	0	0	0	0
450	all_deer	SUM	404-00	797	0	2.5	0	0	0	2.5	0	0	0	1.2
450	all_deer	SUM	404-10	836	6.1	32.4	0	1.7	6.9	29.9	0	0	0	0
450	all_deer	SUM	406-00	400	0	6.7	0	0	0	5.3	1.4	0	0	0
450	all_deer	SUM	441-00	150	0	3.1	0	0	3.1	0	0	0	0	0
450	all_deer	SUM	450-00	150	2.7	33.2	0	2.7	33.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
450	all_deer	SUM	498-00	300	0	4.3	0	0	4.3	0	0	0	0	0
450	all_deer	SUM	Deer_A	174790	3.7	209.4	0	1.4	195.3	16.4	0	47.5	124	0
450	all_deer	SUM	none	.	0	1.4	1.4	0	0	2.7	0	0	0	0
450	all_deer	SUM	SUM	193408	20.2	347	1.4	5.8	295.1	64.3	3.4	47.5	124	1.2
450	md	N	404-00	43	0	0	0	0	0	0	0	0	0	0
450	md	N	404-10	12	0	0	0	0	0	0	0	0	0	0
450	md	N	406-00	42	0	0	0	0	0	0	0	0	0	0
450	md	N	441-00	8	0	0	0	0	0	0	0	0	0	0
450	md	N	450-00	23	0	9.1	0	0	9.1	0	0	0	0	0
450	md	N	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
450	md	N	Deer_A	24213	0	26.1	0	0	26.1	0	0	11.2	14.9	0
450	md	N	none	.	0	0	0	0	0	0	0	0	0	0
450	md	N	SUM	24641	0	36.6	0	0	36.6	0	0	11.2	14.9	0
450	md	R	003-10	7329	0	2	0	0	2	0	0	0	0	0
450	md	R	004-10	7610	0	2	0	0	0	0	2	0	0	0
450	md	R	404-00	754	0	1.3	0	0	0	1.3	0	0	0	0
450	md	R	404-10	824	0	0	0	0	0	0	0	0	0	0
450	md	R	406-00	358	0	1.4	0	0	0	0	1.4	0	0	0
450	md	R	441-00	142	0	3.1	0	0	3.1	0	0	0	0	0
450	md	R	450-00	127	2.7	24.2	0	2.7	24.2	0	0	0	0	0
450	md	R	Deer_A	150577	1.4	82	0	1.4	80.5	1.5	0	23.5	44.9	0
450	md	R	none	.	0	0	0	0	0	0	0	0	0	0
450	md	R	SUM	167721	4.1	116.1	0	4.1	109.8	2.9	3.4	23.5	44.9	0
450	md	SUM	003-10	7329	0	2	0	0	2	0	0	0	0	0
450	md	SUM	004-10	7610	0	2	0	0	0	0	2	0	0	0
450	md	SUM	404-00	797	0	1.3	0	0	0	1.3	0	0	0	0
450	md	SUM	404-10	836	0	0	0	0	0	0	0	0	0	0
450	md	SUM	406-00	400	0	1.4	0	0	0	0	1.4	0	0	0
450	md	SUM	441-00	150	0	3.1	0	0	3.1	0	0	0	0	0
450	md	SUM	450-00	150	2.7	33.2	0	2.7	33.2	0	0	0	0	0
450	md	SUM	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
450	md	SUM	Deer_A	174790	1.4	108.1	0	1.4	106.6	1.5	0	34.7	59.8	0
450	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
450	md	SUM	SUM	192362	4.1	152.7	0	4.1	146.4	2.9	3.4	34.7	59.8	0
450	wt	N	339-40	12	0	0	0	0	0	0	0	0	0	0
450	wt	N	400-00	40	0	0	0	0	0	0	0	0	0	0
450	wt	N	404-00	43	0	0	0	0	0	0	0	0	0	0
450	wt	N	404-10	12	0	0	0	0	0	0	0	0	0	0
450	wt	N	406-00	42	0	0	0	0	0	0	0	0	0	0
450	wt	N	498-00	300	0	2.8	0	0	2.8	0	0	0	0	0
450	wt	N	Deer_A	24213	0	17.8	0	0	17.8	0	0	0	14.1	0
450	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
450	wt	N	SUM	24662	0	20.6	0	0	20.6	0	0	0	14.1	0
450	wt	R	004-10	7610	7.8	47.1	0	0	48.8	6.1	0	0	0	0
450	wt	R	339-40	340	0	1.5	0	0	1.5	0	0	0	0	0
450	wt	R	400-00	654	0	1.4	0	0	0	1.4	0	0	0	0
450	wt	R	404-00	754	0	1.2	0	0	0	1.2	0	0	0	1.2
450	wt	R	404-10	824	6.1	32.4	0	1.7	6.9	29.9	0	0	0	0
450	wt	R	406-00	358	0	5.3	0	0	0	5.3	0	0	0	0
450	wt	R	Deer_A	150577	2.3	83.5	0	0	71	14.9	0	12.8	50.1	0
450	wt	R	none	.	0	1.4	1.4	0	0	2.7	0	0	0	0
450	wt	R	SUM	161117	16.2	173.7	1.4	1.7	128.1	61.5	0	12.8	50.1	1.2
450	wt	SUM	004-10	7610	7.8	47.1	0	0	48.8	6.1	0	0	0	0
450	wt	SUM	339-40	352	0	1.5	0	0	1.5	0	0	0	0	0
450	wt	SUM	400-00	694	0	1.4	0	0	0	1.4	0	0	0	0
450	wt	SUM	404-00	797	0	1.2	0	0	0	1.2	0	0	0	1.2
450	wt	SUM	404-10	836	6.1	32.4	0	1.7	6.9	29.9	0	0	0	0
450	wt	SUM	406-00	400	0	5.3	0	0	0	5.3	0	0	0	0
450	wt	SUM	498-00	300	0	2.8	0	0	2.8	0	0	0	0	0
450	wt	SUM	Deer_A	174790	2.3	101.3	0	0	88.8	14.9	0	12.8	64.1	0
450	wt	SUM	none	.	0	1.4	1.4	0	0	2.7	0	0	0	0
450	wt	SUM	SUM	185779	16.2	194.3	1.4	1.7	148.7	61.5	0	12.8	64.1	1.2
452	all_deer	N	322-00	19	0	0	0	0	0	0	0	0	0	0
452	all_deer	N	598-00	236	0	1.3	0	0	1.3	0	0	0	0	0
452	all_deer	N	Deer_A	24213	0	20.2	0	0	20.2	0	0	7.5	11.2	0
452	all_deer	N	SUM	24468	0	21.5	0	0	21.5	0	0	7.5	11.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
452	all_deer	R	004-10	7610	0	17.7	0	0	17.7	0	0	0	0	0
452	all_deer	R	322-00	581	0	1.4	0	0	1.4	0	0	0	1.4	0
452	all_deer	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
452	all_deer	R	Deer_A	150577	0	83.3	0	0	83.3	0	0	29.1	40.6	0
452	all_deer	R	SUM	160782	0	102.5	0	0	102.5	0	0	29.1	42	0
452	all_deer	SUM	004-10	7610	0	17.7	0	0	17.7	0	0	0	0	0
452	all_deer	SUM	322-00	600	0	1.4	0	0	1.4	0	0	0	1.4	0
452	all_deer	SUM	598-00	2250	0	1.3	0	0	1.3	0	0	0	0	0
452	all_deer	SUM	Deer_A	174790	0	103.5	0	0	103.5	0	0	36.6	51.8	0
452	all_deer	SUM	SUM	185250	0	124	0	0	124	0	0	36.6	53.2	0
452	md	N	Deer_A	24213	0	11.2	0	0	11.2	0	0	3.7	7.5	0
452	md	N	SUM	24213	0	11.2	0	0	11.2	0	0	3.7	7.5	0
452	md	R	Deer_A	150577	0	56.4	0	0	56.4	0	0	16.2	26.6	0
452	md	R	SUM	150577	0	56.4	0	0	56.4	0	0	16.2	26.6	0
452	md	SUM	Deer_A	174790	0	67.6	0	0	67.6	0	0	19.9	34.1	0
452	md	SUM	SUM	174790	0	67.6	0	0	67.6	0	0	19.9	34.1	0
452	wt	N	322-00	19	0	0	0	0	0	0	0	0	0	0
452	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
452	wt	N	598-00	236	0	1.3	0	0	1.3	0	0	0	0	0
452	wt	N	Deer_A	24213	0	9.1	0	0	9.1	0	0	3.7	3.7	0
452	wt	N	SUM	24768	0	10.3	0	0	10.3	0	0	3.7	3.7	0
452	wt	R	004-10	7610	0	17.7	0	0	17.7	0	0	0	0	0
452	wt	R	322-00	581	0	1.4	0	0	1.4	0	0	0	1.4	0
452	wt	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
452	wt	R	Deer_A	150577	0	26.9	0	0	26.9	0	0	12.9	14	0
452	wt	R	SUM	160782	0	46	0	0	46	0	0	12.9	15.4	0
452	wt	SUM	004-10	7610	0	17.7	0	0	17.7	0	0	0	0	0
452	wt	SUM	322-00	600	0	1.4	0	0	1.4	0	0	0	1.4	0
452	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
452	wt	SUM	598-00	2250	0	1.3	0	0	1.3	0	0	0	0	0
452	wt	SUM	Deer_A	174790	0	35.9	0	0	35.9	0	0	16.6	17.7	0
452	wt	SUM	SUM	185550	0	56.4	0	0	56.4	0	0	16.6	19.1	0
454	all_deer	N	Deer_A	24213	3.7	55.9	0	3.7	55.9	0	0	14.9	44.7	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
454	all_deer	N	SUM	24213	3.7	55.9	0	3.7	55.9	0	0	14.9	44.7	0
454	all_deer	R	004-10	7610	0	19.2	0	0	15.8	0	3.4	0	0	0
454	all_deer	R	Deer_A	150577	4.7	121.5	0	4.7	119.1	0	2.3	34.8	74.6	0
454	all_deer	R	SUM	158187	4.7	140.7	0	4.7	134.9	0	5.7	34.8	74.6	0
454	all_deer	SUM	004-10	7610	0	19.2	0	0	15.8	0	3.4	0	0	0
454	all_deer	SUM	Deer_A	174790	8.4	177.3	0	8.4	175	0	2.3	49.7	119.3	0
454	all_deer	SUM	SUM	182400	8.4	196.5	0	8.4	190.8	0	5.7	49.7	119.3	0
454	md	N	Deer_A	24213	3.7	41	0	3.7	41	0	0	14.9	29.8	0
454	md	N	SUM	24213	3.7	41	0	3.7	41	0	0	14.9	29.8	0
454	md	R	Deer_A	150577	4.7	100.5	0	4.7	100.5	0	0	28.4	62.5	0
454	md	R	SUM	150577	4.7	100.5	0	4.7	100.5	0	0	28.4	62.5	0
454	md	SUM	Deer_A	174790	8.4	141.4	0	8.4	141.4	0	0	43.3	92.3	0
454	md	SUM	SUM	174790	8.4	141.4	0	8.4	141.4	0	0	43.3	92.3	0
454	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
454	wt	N	Deer_A	24213	0	14.9	0	0	14.9	0	0	0	14.9	0
454	wt	N	SUM	24513	0	14.9	0	0	14.9	0	0	0	14.9	0
454	wt	R	004-10	7610	0	19.2	0	0	15.8	0	3.4	0	0	0
454	wt	R	Deer_A	150577	0	21	0	0	18.7	0	2.3	6.4	12.2	0
454	wt	R	SUM	158187	0	40.2	0	0	34.5	0	5.7	6.4	12.2	0
454	wt	SUM	004-10	7610	0	19.2	0	0	15.8	0	3.4	0	0	0
454	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
454	wt	SUM	Deer_A	174790	0	35.9	0	0	33.6	0	2.3	6.4	27.1	0
454	wt	SUM	SUM	182700	0	55.1	0	0	49.4	0	5.7	6.4	27.1	0
455	all_deer	N	400-00	40	0	0	0	0	0	0	0	0	0	0
455	all_deer	N	445-00	61	0	0	0	0	0	0	0	0	0	0
455	all_deer	N	455-70	5	0	3.3	0	0	3.3	0	0	0	3.3	0
455	all_deer	N	498-00	300	0	1.9	0	0	1.9	0	0	0	0	0
455	all_deer	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
455	all_deer	N	SUM	24619	0	5.2	0	0	5.2	0	0	0	3.3	0
455	all_deer	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
455	all_deer	R	400-00	654	0	1.5	0	0	1.5	0	0	0	0	0
455	all_deer	R	445-00	439	0	2.8	0	0	2.8	0	0	0	0	0
455	all_deer	R	455-70	45	1.4	34.5	0	0	35.9	0	0	4.5	31.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
455	all_deer	R	Deer_A	150577	0	14.3	0	0	14.3	0	0	3.2	2.3	0
455	all_deer	R	SUM	159325	1.4	56.5	0	0	57.8	0	0	7.7	33.8	0
455	all_deer	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
455	all_deer	SUM	400-00	694	0	1.5	0	0	1.5	0	0	0	0	0
455	all_deer	SUM	445-00	500	0	2.8	0	0	2.8	0	0	0	0	0
455	all_deer	SUM	455-70	50	1.4	37.9	0	0	39.2	0	0	4.5	34.8	0
455	all_deer	SUM	498-00	300	0	1.9	0	0	1.9	0	0	0	0	0
455	all_deer	SUM	Deer_A	174790	0	14.3	0	0	14.3	0	0	3.2	2.3	0
455	all_deer	SUM	SUM	183944	1.4	61.7	0	0	63.1	0	0	7.7	37.1	0
455	md	N	445-00	61	0	0	0	0	0	0	0	0	0	0
455	md	N	455-70	5	0	3.3	0	0	3.3	0	0	0	3.3	0
455	md	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
455	md	N	SUM	24279	0	3.3	0	0	3.3	0	0	0	3.3	0
455	md	R	445-00	439	0	2.8	0	0	2.8	0	0	0	0	0
455	md	R	455-70	45	1.4	27.3	0	0	28.7	0	0	2.9	25.8	0
455	md	R	Deer_A	150577	0	7.9	0	0	7.9	0	0	3.2	0	0
455	md	R	SUM	151061	1.4	38	0	0	39.4	0	0	6.1	25.8	0
455	md	SUM	445-00	500	0	2.8	0	0	2.8	0	0	0	0	0
455	md	SUM	455-70	50	1.4	30.6	0	0	32	0	0	2.9	29.1	0
455	md	SUM	Deer_A	174790	0	7.9	0	0	7.9	0	0	3.2	0	0
455	md	SUM	SUM	175340	1.4	41.4	0	0	42.7	0	0	6.1	29.1	0
455	wt	N	400-00	40	0	0	0	0	0	0	0	0	0	0
455	wt	N	455-70	5	0	0	0	0	0	0	0	0	0	0
455	wt	N	498-00	300	0	1.9	0	0	1.9	0	0	0	0	0
455	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
455	wt	N	SUM	24558	0	1.9	0	0	1.9	0	0	0	0	0
455	wt	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
455	wt	R	400-00	654	0	1.5	0	0	1.5	0	0	0	0	0
455	wt	R	455-70	45	0	7.2	0	0	7.2	0	0	1.6	5.7	0
455	wt	R	Deer_A	150577	0	6.4	0	0	6.4	0	0	0	2.3	0
455	wt	R	SUM	158886	0	18.4	0	0	18.4	0	0	1.6	8	0
455	wt	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
455	wt	SUM	400-00	694	0	1.5	0	0	1.5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
455	wt	SUM	455-70	50	0	7.2	0	0	7.2	0	0	1.6	5.7	0
455	wt	SUM	498-00	300	0	1.9	0	0	1.9	0	0	0	0	0
455	wt	SUM	Deer_A	174790	0	6.4	0	0	6.4	0	0	0	2.3	0
455	wt	SUM	SUM	183444	0	20.4	0	0	20.4	0	0	1.6	8	0
471	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
471	all_deer	N	404-10	12	0	0	0	0	0	0	0	0	0	0
471	all_deer	N	405-00	13	0	1.2	0	0	1.2	0	0	0	0	0
471	all_deer	N	426-00	98	0	0	0	0	0	0	0	0	0	0
471	all_deer	N	471-00	12	0	7.6	0	0	7.6	0	0	0	0	0
471	all_deer	N	Deer_A	24213	3.7	26	0	3.7	26	0	0	12.4	16.1	0
471	all_deer	N	SUM	24391	3.7	34.8	0	3.7	34.8	0	0	12.4	16.1	0
471	all_deer	R	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
471	all_deer	R	404-00	754	0	3.6	0	0	3.6	0	0	0	2.1	0
471	all_deer	R	404-10	824	0	1.5	0	0	1.5	0	0	0	1.5	0
471	all_deer	R	405-00	286	0	1.4	0	0	1.4	0	0	0	0	0
471	all_deer	R	426-00	439	0	4.3	0	0	4.3	0	0	0	0	0
471	all_deer	R	471-00	88	0	33.8	1.1	0	33.8	1.1	0	0	0	0
471	all_deer	R	Deer_A	150577	1.5	279.9	1.8	1.5	279.9	0	1.8	60.8	161	0
471	all_deer	R	SUM	160578	1.5	330.2	2.8	1.5	330.2	1.1	1.8	60.8	164.6	0
471	all_deer	SUM	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
471	all_deer	SUM	404-00	797	0	3.6	0	0	3.6	0	0	0	2.1	0
471	all_deer	SUM	404-10	836	0	1.5	0	0	1.5	0	0	0	1.5	0
471	all_deer	SUM	405-00	299	0	2.6	0	0	2.6	0	0	0	0	0
471	all_deer	SUM	426-00	537	0	4.3	0	0	4.3	0	0	0	0	0
471	all_deer	SUM	471-00	100	0	41.3	1.1	0	41.3	1.1	0	0	0	0
471	all_deer	SUM	Deer_A	174790	5.3	306	1.8	5.3	306	0	1.8	73.2	177.1	0
471	all_deer	SUM	SUM	184969	5.3	364.9	2.8	5.3	364.9	1.1	1.8	73.2	180.8	0
471	md	N	404-00	43	0	0	0	0	0	0	0	0	0	0
471	md	N	404-10	12	0	0	0	0	0	0	0	0	0	0
471	md	N	405-00	13	0	1.2	0	0	1.2	0	0	0	0	0
471	md	N	426-00	98	0	0	0	0	0	0	0	0	0	0
471	md	N	471-00	12	0	7.6	0	0	7.6	0	0	0	0	0
471	md	N	Deer_A	24213	3.7	22.3	0	3.7	22.3	0	0	12.4	12.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
471	md	N	SUM	24391	3.7	31	0	3.7	31	0	0	12.4	12.4	0
471	md	R	404-00	754	0	3.6	0	0	3.6	0	0	0	2.1	0
471	md	R	404-10	824	0	1.5	0	0	1.5	0	0	0	1.5	0
471	md	R	405-00	286	0	1.4	0	0	1.4	0	0	0	0	0
471	md	R	426-00	439	0	4.3	0	0	4.3	0	0	0	0	0
471	md	R	471-00	88	0	33.8	1.1	0	33.8	1.1	0	0	0	0
471	md	R	Deer_A	150577	0	252.3	1.8	0	252.3	0	1.8	47.1	149	0
471	md	R	SUM	152968	0	296.8	2.8	0	296.8	1.1	1.8	47.1	152.6	0
471	md	SUM	404-00	797	0	3.6	0	0	3.6	0	0	0	2.1	0
471	md	SUM	404-10	836	0	1.5	0	0	1.5	0	0	0	1.5	0
471	md	SUM	405-00	299	0	2.6	0	0	2.6	0	0	0	0	0
471	md	SUM	426-00	537	0	4.3	0	0	4.3	0	0	0	0	0
471	md	SUM	471-00	100	0	41.3	1.1	0	41.3	1.1	0	0	0	0
471	md	SUM	Deer_A	174790	3.7	274.6	1.8	3.7	274.6	0	1.8	59.5	161.4	0
471	md	SUM	SUM	177359	3.7	327.9	2.8	3.7	327.9	1.1	1.8	59.5	165	0
471	wt	N	498-00	300	0	0	0	0	0	0	0	0	0	0
471	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
471	wt	N	SUM	24513	0	3.7	0	0	3.7	0	0	0	3.7	0
471	wt	R	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
471	wt	R	Deer_A	150577	1.5	27.7	0	1.5	27.7	0	0	13.7	12	0
471	wt	R	SUM	158187	1.5	33.3	0	1.5	33.3	0	0	13.7	12	0
471	wt	SUM	004-10	7610	0	5.6	0	0	5.6	0	0	0	0	0
471	wt	SUM	498-00	300	0	0	0	0	0	0	0	0	0	0
471	wt	SUM	Deer_A	174790	1.5	31.4	0	1.5	31.4	0	0	13.7	15.7	0
471	wt	SUM	SUM	182700	1.5	37.1	0	1.5	37.1	0	0	13.7	15.7	0
4XX	all_deer	N	400-00	35	0	1.4	0	0	1.4	0	0	0	0	0
4XX	all_deer	N	447-00	44	0	1.2	0	0	1.2	0	0	0	0	0
4XX	all_deer	N	498-00	300	0	5.3	0	1.3	4	0	0	0	1.5	0
4XX	all_deer	N	Deer_A	24213	0	26.7	0	0	26.7	0	0	3.9	21.5	0
4XX	all_deer	N	SUM	24592	0	34.5	0	1.3	33.2	0	0	3.9	22.9	0
4XX	all_deer	R	004-10	7610	0	23.2	0	0	23.2	0	0	0	3.4	0
4XX	all_deer	R	406-00	231	1.3	0	0	1.3	0	0	0	0	0	0
4XX	all_deer	R	412-00	316	0	1.2	0	0	1.2	0	0	0	1.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
4XX	all_deer	R	419-00	39	0	0	1.4	0	1.4	0	0	0	0	0
4XX	all_deer	R	432-00	80	0	0	1.3	0	0	0	1.3	0	0	0
4XX	all_deer	R	445-00	358	0	1.4	0	0	1.4	0	0	0	0	0
4XX	all_deer	R	Deer_A	150577	0	93.7	2.4	0	94.7	0	1.4	23.5	54.7	0
4XX	all_deer	R	SUM	159211	1.3	119.5	5.1	1.3	121.9	0	2.7	23.5	59.3	0
4XX	all_deer	SUM	004-10	7610	0	23.2	0	0	23.2	0	0	0	3.4	0
4XX	all_deer	SUM	400-00	35	0	1.4	0	0	1.4	0	0	0	0	0
4XX	all_deer	SUM	406-00	231	1.3	0	0	1.3	0	0	0	0	0	0
4XX	all_deer	SUM	412-00	316	0	1.2	0	0	1.2	0	0	0	1.2	0
4XX	all_deer	SUM	419-00	39	0	0	1.4	0	1.4	0	0	0	0	0
4XX	all_deer	SUM	432-00	80	0	0	1.3	0	0	0	1.3	0	0	0
4XX	all_deer	SUM	445-00	358	0	1.4	0	0	1.4	0	0	0	0	0
4XX	all_deer	SUM	447-00	44	0	1.2	0	0	1.2	0	0	0	0	0
4XX	all_deer	SUM	498-00	300	0	5.3	0	1.3	4	0	0	0	1.5	0
4XX	all_deer	SUM	Deer_A	174790	0	120.4	2.4	0	121.4	0	1.4	27.4	76.2	0
4XX	all_deer	SUM	SUM	183803	1.3	154.1	5.1	2.6	155.1	0	2.7	27.4	82.2	0
4XX	md	N	447-00	44	0	1.2	0	0	1.2	0	0	0	0	0
4XX	md	N	Deer_A	24213	0	21.5	0	0	21.5	0	0	3.9	16.3	0
4XX	md	N	SUM	24257	0	22.7	0	0	22.7	0	0	3.9	16.3	0
4XX	md	R	406-00	231	1.3	0	0	1.3	0	0	0	0	0	0
4XX	md	R	412-00	316	0	1.2	0	0	1.2	0	0	0	1.2	0
4XX	md	R	419-00	39	0	0	1.4	0	1.4	0	0	0	0	0
4XX	md	R	445-00	358	0	1.4	0	0	1.4	0	0	0	0	0
4XX	md	R	Deer_A	150577	0	66.6	2.4	0	67.6	0	1.4	17	38.2	0
4XX	md	R	SUM	151521	1.3	69.2	3.8	1.3	71.6	0	1.4	17	39.4	0
4XX	md	SUM	406-00	231	1.3	0	0	1.3	0	0	0	0	0	0
4XX	md	SUM	412-00	316	0	1.2	0	0	1.2	0	0	0	1.2	0
4XX	md	SUM	419-00	39	0	0	1.4	0	1.4	0	0	0	0	0
4XX	md	SUM	445-00	358	0	1.4	0	0	1.4	0	0	0	0	0
4XX	md	SUM	447-00	44	0	1.2	0	0	1.2	0	0	0	0	0
4XX	md	SUM	Deer_A	174790	0	88.1	2.4	0	89.2	0	1.4	20.9	54.5	0
4XX	md	SUM	SUM	175778	1.3	91.9	3.8	1.3	94.3	0	1.4	20.9	55.7	0
4XX	wt	N	400-00	35	0	1.4	0	0	1.4	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
4XX	wt	N	498-00	300	0	5.3	0	1.3	4	0	0	0	1.5	0
4XX	wt	N	Deer_A	24213	0	5.1	0	0	5.1	0	0	0	5.1	0
4XX	wt	N	SUM	24548	0	11.8	0	1.3	10.5	0	0	0	6.6	0
4XX	wt	R	004-10	7610	0	23.2	0	0	23.2	0	0	0	3.4	0
4XX	wt	R	432-00	80	0	0	1.3	0	0	0	1.3	0	0	0
4XX	wt	R	Deer_A	150577	0	27.1	0	0	27.1	0	0	6.5	16.5	0
4XX	wt	R	SUM	158267	0	50.3	1.3	0	50.3	0	1.3	6.5	19.9	0
4XX	wt	SUM	004-10	7610	0	23.2	0	0	23.2	0	0	0	3.4	0
4XX	wt	SUM	400-00	35	0	1.4	0	0	1.4	0	0	0	0	0
4XX	wt	SUM	432-00	80	0	0	1.3	0	0	0	1.3	0	0	0
4XX	wt	SUM	498-00	300	0	5.3	0	1.3	4	0	0	0	1.5	0
4XX	wt	SUM	Deer_A	174790	0	32.2	0	0	32.2	0	0	6.5	21.7	0
4XX	wt	SUM	SUM	182815	0	62.1	1.3	1.3	60.8	0	1.3	6.5	26.5	0
500	all_deer	N	007-12	1566	0	1.8	0	0	1.8	0	0	0	0	0
500	all_deer	N	500-00	6	0	1.2	0	0	1.2	0	0	0	0	0
500	all_deer	N	511-00	25	0	0	0	0	0	0	0	0	0	0
500	all_deer	N	597-00	27	0	0	0	0	0	0	0	0	0	0
500	all_deer	N	598-00	236	0	0	0	0	0	0	0	0	0	0
500	all_deer	N	599-00	73	0	0	0	0	0	0	0	0	0	0
500	all_deer	N	Deer_A	24213	0	19.7	0	0	19.7	0	0	5	13.3	0
500	all_deer	N	none	.	0	0	0	0	0	0	3.8	0	0	0
500	all_deer	N	SUM	26146	0	22.7	0	0	22.7	0	3.8	5	13.3	0
500	all_deer	R	500-00	94	2.3	38.5	1.3	2.3	38.5	0	1.3	0	0	0
500	all_deer	R	511-00	125	1.3	0	0	1.3	0	0	0	0	0	0
500	all_deer	R	597-00	573	2.2	9.7	0	2.2	9.7	0	0	0	0	0
500	all_deer	R	598-00	2014	0	5.3	0	0	5.3	0	0	0	2.5	0
500	all_deer	R	599-00	1926	0	9.7	0	0	6.2	0	3.5	0	0	0
500	all_deer	R	Deer_A	150577	8	502.4	0	4.1	500.8	4.1	1.6	204.4	235.5	0
500	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
500	all_deer	R	SUM	155309	13.9	569.6	1.3	9.9	564.5	4.1	6.3	204.4	238	0
500	all_deer	SUM	007-12	1566	0	1.8	0	0	1.8	0	0	0	0	0
500	all_deer	SUM	500-00	100	2.3	39.7	1.3	2.3	39.7	0	1.3	0	0	0
500	all_deer	SUM	511-00	150	1.3	0	0	1.3	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
500	all_deer	SUM	597-00	600	2.2	9.7	0	2.2	9.7	0	0	0	0	0
500	all_deer	SUM	598-00	2250	0	5.3	0	0	5.3	0	0	0	2.5	0
500	all_deer	SUM	599-00	1999	0	9.7	0	0	6.2	0	3.5	0	0	0
500	all_deer	SUM	Deer_A	174790	8	522.1	0	4.1	520.5	4.1	1.6	209.4	248.8	0
500	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	3.8	0	0	0
500	all_deer	SUM	SUM	181455	13.9	592.3	1.3	9.9	587.2	4.1	10.1	209.4	251.3	0
500	md	N	500-00	6	0	1.2	0	0	1.2	0	0	0	0	0
500	md	N	511-00	25	0	0	0	0	0	0	0	0	0	0
500	md	N	597-00	27	0	0	0	0	0	0	0	0	0	0
500	md	N	Deer_A	24213	0	16.2	0	0	16.2	0	0	5	11.2	0
500	md	N	none	.	0	0	0	0	0	0	0	0	0	0
500	md	N	SUM	24271	0	17.4	0	0	17.4	0	0	5	11.2	0
500	md	R	500-00	94	2.3	37.2	1.3	2.3	37.2	0	1.3	0	0	0
500	md	R	511-00	125	1.3	0	0	1.3	0	0	0	0	0	0
500	md	R	597-00	573	0	1.9	0	0	1.9	0	0	0	0	0
500	md	R	Deer_A	150577	6	400.9	0	4.1	397.3	4.1	1.6	194.2	186.9	0
500	md	R	none	.	0	0	0	0	0	0	0	0	0	0
500	md	R	SUM	151369	9.6	440	1.3	7.7	436.3	4.1	2.9	194.2	186.9	0
500	md	SUM	500-00	100	2.3	38.4	1.3	2.3	38.4	0	1.3	0	0	0
500	md	SUM	511-00	150	1.3	0	0	1.3	0	0	0	0	0	0
500	md	SUM	597-00	600	0	1.9	0	0	1.9	0	0	0	0	0
500	md	SUM	Deer_A	174790	6	417.1	0	4.1	413.5	4.1	1.6	199.2	198.1	0
500	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
500	md	SUM	SUM	175640	9.6	457.4	1.3	7.7	453.7	4.1	2.9	199.2	198.1	0
500	wt	N	007-12	1566	0	1.8	0	0	1.8	0	0	0	0	0
500	wt	N	597-00	27	0	0	0	0	0	0	0	0	0	0
500	wt	N	598-00	236	0	0	0	0	0	0	0	0	0	0
500	wt	N	599-00	73	0	0	0	0	0	0	0	0	0	0
500	wt	N	Deer_A	24213	0	3.5	0	0	3.5	0	0	0	2.2	0
500	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
500	wt	N	SUM	26115	0	5.3	0	0	5.3	0	0	0	2.2	0
500	wt	R	597-00	573	2.2	7.8	0	2.2	7.8	0	0	0	0	0
500	wt	R	598-00	2014	0	5.3	0	0	5.3	0	0	0	2.5	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
500	wt	R	599-00	1926	0	9.7	0	0	6.2	0	3.5	0	0	0
500	wt	R	Deer_A	150577	2	101.5	0	0	103.5	0	0	10.2	48.6	0
500	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
500	wt	R	SUM	155090	4.2	128.3	0	2.2	126.9	0	3.5	10.2	51.1	0
500	wt	SUM	007-12	1566	0	1.8	0	0	1.8	0	0	0	0	0
500	wt	SUM	597-00	600	2.2	7.8	0	2.2	7.8	0	0	0	0	0
500	wt	SUM	598-00	2250	0	5.3	0	0	5.3	0	0	0	2.5	0
500	wt	SUM	599-00	1999	0	9.7	0	0	6.2	0	3.5	0	0	0
500	wt	SUM	Deer_A	174790	2	105	0	0	107	0	0	10.2	50.7	0
500	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
500	wt	SUM	SUM	181205	4.2	133.7	0	2.2	132.2	0	3.5	10.2	53.2	0
502	all_deer	N	502-00	2	0	2	0	0	2	0	0	0	0	0
502	all_deer	N	510-00	7	0	2.9	0	0	2.9	0	0	0	0	0
502	all_deer	N	597-00	27	0	0	0	0	0	0	0	0	0	0
502	all_deer	N	598-00	236	0	0	0	0	0	0	0	0	0	0
502	all_deer	N	599-00	73	0	14.6	0	0	14.6	0	0	0	0	0
502	all_deer	N	Deer_A	24213	0	31.3	0	0	31.3	0	0	26.1	5.3	0
502	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
502	all_deer	N	SUM	24558	0	50.8	0	0	50.8	0	0	26.1	5.3	0
502	all_deer	R	502-00	198	5.3	84.3	0	5.3	84.3	0	0	1.4	0	0
502	all_deer	R	510-00	143	0	0	0	0	0	0	0	0	0	0
502	all_deer	R	597-00	573	0	2.2	0	0	2.2	0	0	0	0	0
502	all_deer	R	598-00	2014	0	2.2	0	0	0	2.2	0	0	0	0
502	all_deer	R	599-00	1926	18.6	148.1	2.3	16.3	117.9	29.3	5.4	0	0	0
502	all_deer	R	Deer_A	150577	14.6	1076.3	1.6	8.5	1075.9	0	8.1	422.7	381.2	4.1
502	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
502	all_deer	R	SUM	155431	38.5	1317.1	3.9	30.2	1284.3	31.5	13.5	428.1	381.2	4.1
502	all_deer	SUM	502-00	200	5.3	86.3	0	5.3	86.3	0	0	1.4	0	0
502	all_deer	SUM	510-00	150	0	2.9	0	0	2.9	0	0	0	0	0
502	all_deer	SUM	597-00	600	0	2.2	0	0	2.2	0	0	0	0	0
502	all_deer	SUM	598-00	2250	0	2.2	0	0	0	2.2	0	0	0	0
502	all_deer	SUM	599-00	1999	18.6	162.7	2.3	16.3	132.5	29.3	5.4	0	0	0
502	all_deer	SUM	Deer_A	174790	14.6	1107.6	1.6	8.5	1107.2	0	8.1	448.8	386.5	4.1

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
502	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
502	all_deer	SUM	SUM	179989	38.5	1367.8	3.9	30.2	1335.1	31.5	13.5	454.2	386.5	4.1
502	md	N	502-00	2	0	2	0	0	2	0	0	0	0	0
502	md	N	510-00	7	0	2.9	0	0	2.9	0	0	0	0	0
502	md	N	597-00	27	0	0	0	0	0	0	0	0	0	0
502	md	N	599-00	73	0	0	0	0	0	0	0	0	0	0
502	md	N	Deer_A	24213	0	27.6	0	0	27.6	0	0	26.1	1.5	0
502	md	N	none	.	0	0	0	0	0	0	0	0	0	0
502	md	N	SUM	24322	0	32.5	0	0	32.5	0	0	26.1	1.5	0
502	md	R	502-00	198	5.3	82.9	0	5.3	82.9	0	0	0	0	0
502	md	R	510-00	143	0	0	0	0	0	0	0	0	0	0
502	md	R	597-00	573	0	2.2	0	0	2.2	0	0	0	0	0
502	md	R	599-00	1926	0	2.5	0	0	2.5	0	0	0	0	0
502	md	R	Deer_A	150577	4.1	720.4	1.6	0	726.1	0	0	322.4	203.4	0
502	md	R	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
502	md	R	SUM	153417	9.4	812.1	1.6	5.3	817.8	0	0	326.5	203.4	0
502	md	SUM	502-00	200	5.3	84.9	0	5.3	84.9	0	0	0	0	0
502	md	SUM	510-00	150	0	2.9	0	0	2.9	0	0	0	0	0
502	md	SUM	597-00	600	0	2.2	0	0	2.2	0	0	0	0	0
502	md	SUM	599-00	1999	0	2.5	0	0	2.5	0	0	0	0	0
502	md	SUM	Deer_A	174790	4.1	748	1.6	0	753.7	0	0	348.5	204.9	0
502	md	SUM	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
502	md	SUM	SUM	177739	9.4	844.6	1.6	5.3	850.2	0	0	352.5	204.9	0
502	wt	N	502-00	2	0	0	0	0	0	0	0	0	0	0
502	wt	N	598-00	236	0	0	0	0	0	0	0	0	0	0
502	wt	N	599-00	73	0	14.6	0	0	14.6	0	0	0	0	0
502	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	0	3.7	0
502	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
502	wt	N	SUM	24524	0	18.3	0	0	18.3	0	0	0	3.7	0
502	wt	R	502-00	198	0	1.4	0	0	1.4	0	0	1.4	0	0
502	wt	R	598-00	2014	0	2.2	0	0	0	2.2	0	0	0	0
502	wt	R	599-00	1926	18.6	145.5	2.3	16.3	115.4	29.3	5.4	0	0	0
502	wt	R	Deer_A	150577	10.6	355.9	0	8.5	349.8	0	8.1	100.3	177.8	4.1

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
502	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
502	wt	R	SUM	154715	29.1	505	2.3	24.8	466.6	31.5	13.5	101.7	177.8	4.1
502	wt	SUM	502-00	200	0	1.4	0	0	1.4	0	0	1.4	0	0
502	wt	SUM	598-00	2250	0	2.2	0	0	0	2.2	0	0	0	0
502	wt	SUM	599-00	1999	18.6	160.1	2.3	16.3	130	29.3	5.4	0	0	0
502	wt	SUM	Deer_A	174790	10.6	359.6	0	8.5	353.5	0	8.1	100.3	181.5	4.1
502	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
502	wt	SUM	SUM	179239	29.1	523.3	2.3	24.8	484.9	31.5	13.5	101.7	181.5	4.1
510	all_deer	N	510-00	7	0	1.4	0	0	1.4	0	0	0	0	0
510	all_deer	N	510-40	11	0	4.7	0	0	4.7	0	0	0	4.7	0
510	all_deer	N	511-00	25	0	0	0	0	0	0	0	0	0	0
510	all_deer	N	575-00	51	0	0	0	0	0	0	0	0	0	0
510	all_deer	N	598-00	236	0	0	0	0	0	0	0	0	0	0
510	all_deer	N	599-00	73	0	0	0	0	0	0	0	0	0	0
510	all_deer	N	Deer_A	24213	0	18.6	0	0	18.6	0	0	0	18.6	0
510	all_deer	N	SUM	24616	0	24.7	0	0	24.7	0	0	0	23.3	0
510	all_deer	R	510-00	143	0	63.1	1.5	0	64.6	0	0	0	0	0
510	all_deer	R	510-40	304	4.5	109.8	0	1.6	112.7	0	0	35.5	75.9	0
510	all_deer	R	511-00	125	0	1.5	0	0	1.5	0	0	0	0	0
510	all_deer	R	575-00	448	0	1.1	0	0	1.1	0	0	0	0	0
510	all_deer	R	598-00	2014	0	6.1	0	0	6.1	0	0	0	0	0
510	all_deer	R	599-00	1926	0	9.2	0	0	9.2	0	0	2.5	0	0
510	all_deer	R	Deer_A	150577	0	50.1	0	0	50.1	0	0	21	14	0
510	all_deer	R	SUM	155537	4.5	241	1.5	1.6	245.4	0	0	59	89.9	0
510	all_deer	SUM	510-00	150	0	64.5	1.5	0	66	0	0	0	0	0
510	all_deer	SUM	510-40	315	4.5	114.4	0	1.6	117.3	0	0	35.5	80.6	0
510	all_deer	SUM	511-00	150	0	1.5	0	0	1.5	0	0	0	0	0
510	all_deer	SUM	575-00	499	0	1.1	0	0	1.1	0	0	0	0	0
510	all_deer	SUM	598-00	2250	0	6.1	0	0	6.1	0	0	0	0	0
510	all_deer	SUM	599-00	1999	0	9.2	0	0	9.2	0	0	2.5	0	0
510	all_deer	SUM	Deer_A	174790	0	68.7	0	0	68.7	0	0	21	32.6	0
510	all_deer	SUM	SUM	180153	4.5	265.7	1.5	1.6	270.1	0	0	59	113.2	0
510	md	N	510-00	7	0	1.4	0	0	1.4	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
510	md	N	510-40	11	0	4.7	0	0	4.7	0	0	0	4.7	0
510	md	N	511-00	25	0	0	0	0	0	0	0	0	0	0
510	md	N	575-00	51	0	0	0	0	0	0	0	0	0	0
510	md	N	599-00	73	0	0	0	0	0	0	0	0	0	0
510	md	N	Deer_A	24213	0	18.6	0	0	18.6	0	0	0	18.6	0
510	md	N	SUM	24380	0	24.7	0	0	24.7	0	0	0	23.3	0
510	md	R	510-00	143	0	61.6	1.5	0	63.1	0	0	0	0	0
510	md	R	510-40	304	4.5	108.1	0	1.6	111	0	0	35.5	75.9	0
510	md	R	511-00	125	0	1.5	0	0	1.5	0	0	0	0	0
510	md	R	575-00	448	0	1.1	0	0	1.1	0	0	0	0	0
510	md	R	599-00	1926	0	2.5	0	0	2.5	0	0	2.5	0	0
510	md	R	Deer_A	150577	0	33.8	0	0	33.8	0	0	16.9	7.2	0
510	md	R	SUM	153523	4.5	208.8	1.5	1.6	213.2	0	0	54.9	83.1	0
510	md	SUM	510-00	150	0	63	1.5	0	64.6	0	0	0	0	0
510	md	SUM	510-40	315	4.5	112.8	0	1.6	115.7	0	0	35.5	80.6	0
510	md	SUM	511-00	150	0	1.5	0	0	1.5	0	0	0	0	0
510	md	SUM	575-00	499	0	1.1	0	0	1.1	0	0	0	0	0
510	md	SUM	599-00	1999	0	2.5	0	0	2.5	0	0	2.5	0	0
510	md	SUM	Deer_A	174790	0	52.5	0	0	52.5	0	0	16.9	25.8	0
510	md	SUM	SUM	177903	4.5	233.5	1.5	1.6	237.9	0	0	54.9	106.4	0
510	wt	N	510-00	7	0	0	0	0	0	0	0	0	0	0
510	wt	N	598-00	236	0	0	0	0	0	0	0	0	0	0
510	wt	N	599-00	73	0	0	0	0	0	0	0	0	0	0
510	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
510	wt	N	SUM	24529	0	0	0	0	0	0	0	0	0	0
510	wt	R	510-00	143	0	1.5	0	0	1.5	0	0	0	0	0
510	wt	R	598-00	2014	0	6.1	0	0	6.1	0	0	0	0	0
510	wt	R	599-00	1926	0	6.7	0	0	6.7	0	0	0	0	0
510	wt	R	Deer_A	150577	0	16.2	0	0	16.2	0	0	4.1	6.8	0
510	wt	R	SUM	154660	0	30.6	0	0	30.6	0	0	4.1	6.8	0
510	wt	SUM	510-00	150	0	1.5	0	0	1.5	0	0	0	0	0
510	wt	SUM	598-00	2250	0	6.1	0	0	6.1	0	0	0	0	0
510	wt	SUM	599-00	1999	0	6.7	0	0	6.7	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
510	wt	SUM	Deer_A	174790	0	16.2	0	0	16.2	0	0	4.1	6.8	0
510	wt	SUM	SUM	179189	0	30.6	0	0	30.6	0	0	4.1	6.8	0
511	all_deer	N	412-00	113	0	0	0	0	0	0	0	0	0	0
511	all_deer	N	511-00	25	0	16.3	0	0	16.3	0	0	0	0	0
511	all_deer	N	530-00	27	0	0	0	0	0	0	0	0	0	0
511	all_deer	N	570-00	10	0	4.4	0	0	4.4	0	0	0	4.4	0
511	all_deer	N	598-00	236	0	18.8	0	0	18.8	0	0	0	0	0
511	all_deer	N	Deer_A	24213	0	49.2	0	0	49.2	0	0	5.3	39	0
511	all_deer	N	SUM	24624	0	88.7	0	0	88.7	0	0	5.3	43.4	0
511	all_deer	R	412-00	487	0	1.4	0	0	1.4	0	0	0	0	0
511	all_deer	R	511-00	125	1.3	58.6	0	0	59.9	0	0	0	1.3	0
511	all_deer	R	530-00	223	0	1.4	0	0	1.4	0	0	0	0	0
511	all_deer	R	570-00	90	0	0	0	0	0	0	0	0	0	0
511	all_deer	R	598-00	2014	3.4	29.9	2.3	3.4	32.2	0	0	0	0	0
511	all_deer	R	Deer_A	150577	3.2	309	0	3.8	308.4	0	0	91	156.1	1.6
511	all_deer	R	SUM	153516	7.9	400.3	2.3	7.2	403.3	0	0	91	157.4	1.6
511	all_deer	SUM	412-00	600	0	1.4	0	0	1.4	0	0	0	0	0
511	all_deer	SUM	511-00	150	1.3	74.9	0	0	76.2	0	0	0	1.3	0
511	all_deer	SUM	530-00	250	0	1.4	0	0	1.4	0	0	0	0	0
511	all_deer	SUM	570-00	100	0	4.4	0	0	4.4	0	0	0	4.4	0
511	all_deer	SUM	598-00	2250	3.4	48.7	2.3	3.4	51	0	0	0	0	0
511	all_deer	SUM	Deer_A	174790	3.2	358.2	0	3.8	357.6	0	0	96.4	195.1	1.6
511	all_deer	SUM	SUM	178140	7.9	489.1	2.3	7.2	492	0	0	96.4	200.8	1.6
511	md	N	412-00	113	0	0	0	0	0	0	0	0	0	0
511	md	N	511-00	25	0	16.3	0	0	16.3	0	0	0	0	0
511	md	N	530-00	27	0	0	0	0	0	0	0	0	0	0
511	md	N	Deer_A	24213	0	23.9	0	0	23.9	0	0	3.7	15.2	0
511	md	N	SUM	24378	0	40.2	0	0	40.2	0	0	3.7	15.2	0
511	md	R	412-00	487	0	1.4	0	0	1.4	0	0	0	0	0
511	md	R	511-00	125	1.3	57.3	0	0	58.6	0	0	0	0	0
511	md	R	530-00	223	0	1.4	0	0	1.4	0	0	0	0	0
511	md	R	Deer_A	150577	1.6	192	0	2.2	191.3	0	0	77.2	87.5	1.6
511	md	R	SUM	151412	2.9	252	0	2.2	252.7	0	0	77.2	87.5	1.6

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
511	md	SUM	412-00	600	0	1.4	0	0	1.4	0	0	0	0	0
511	md	SUM	511-00	150	1.3	73.6	0	0	74.9	0	0	0	0	0
511	md	SUM	530-00	250	0	1.4	0	0	1.4	0	0	0	0	0
511	md	SUM	Deer_A	174790	1.6	215.9	0	2.2	215.2	0	0	80.9	102.7	1.6
511	md	SUM	SUM	175790	2.9	292.3	0	2.2	292.9	0	0	80.9	102.7	1.6
511	wt	N	511-00	25	0	0	0	0	0	0	0	0	0	0
511	wt	N	570-00	10	0	4.4	0	0	4.4	0	0	0	4.4	0
511	wt	N	598-00	236	0	18.8	0	0	18.8	0	0	0	0	0
511	wt	N	Deer_A	24213	0	25.3	0	0	25.3	0	0	1.6	23.7	0
511	wt	N	SUM	24484	0	48.5	0	0	48.5	0	0	1.6	28.1	0
511	wt	R	511-00	125	0	1.3	0	0	1.3	0	0	0	1.3	0
511	wt	R	570-00	90	0	0	0	0	0	0	0	0	0	0
511	wt	R	598-00	2014	3.4	29.9	2.3	3.4	32.2	0	0	0	0	0
511	wt	R	Deer_A	150577	1.6	117	0	1.6	117	0	0	13.9	68.6	0
511	wt	R	SUM	152806	5	148.3	2.3	5	150.6	0	0	13.9	70	0
511	wt	SUM	511-00	150	0	1.3	0	0	1.3	0	0	0	1.3	0
511	wt	SUM	570-00	100	0	4.4	0	0	4.4	0	0	0	4.4	0
511	wt	SUM	598-00	2250	3.4	48.7	2.3	3.4	51	0	0	0	0	0
511	wt	SUM	Deer_A	174790	1.6	142.3	0	1.6	142.3	0	0	15.5	92.4	0
511	wt	SUM	SUM	177290	5	196.8	2.3	5	199.1	0	0	15.5	98.1	0
520	all_deer	N	315-01	20	0	0	0	0	0	0	0	0	0	0
520	all_deer	N	326-00	60	0	0	0	0	0	0	0	0	0	0
520	all_deer	N	520-00	20	0	15.1	0	0	15.1	0	0	0	0	0
520	all_deer	N	575-00	51	0	1.5	0	0	1.5	0	0	0	0	0
520	all_deer	N	598-00	236	0	0	0	0	0	0	0	0	0	0
520	all_deer	N	599-00	73	1.9	6.8	0	1.9	6.8	0	0	0	0	0
520	all_deer	N	Deer_A	24213	0	109.1	0	0	109.1	0	0	27.8	81.3	0
520	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
520	all_deer	N	SUM	24673	1.9	132.4	0	1.9	132.4	0	0	27.8	81.3	0
520	all_deer	R	315-01	230	0	4	0	0	4	0	0	0	0	0
520	all_deer	R	326-00	440	0	1.5	0	0	0	0	1.5	1.5	0	0
520	all_deer	R	520-00	284	6.7	147.9	1.5	6.7	148.2	0	1.3	1.4	1.3	0
520	all_deer	R	575-00	448	0	1.6	0	0	1.6	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
520	all_deer	R	598-00	2014	0	5.3	0	0	5.3	0	0	0	0	0
520	all_deer	R	599-00	1926	12	261.5	2.2	9.8	228.8	34.9	2.2	0	0	0
520	all_deer	R	Deer_A	150577	12.6	913	5.8	11	910.5	0	9.8	316.1	425.3	8
520	all_deer	R	none	.	0	12.2	0	0	12.2	0	0	0	4.1	0
520	all_deer	R	SUM	155919	31.4	1347.1	9.4	27.6	1310.7	34.9	14.8	319.1	430.6	8
520	all_deer	SUM	315-01	250	0	4	0	0	4	0	0	0	0	0
520	all_deer	SUM	326-00	500	0	1.5	0	0	0	0	1.5	1.5	0	0
520	all_deer	SUM	520-00	304	6.7	163	1.5	6.7	163.2	0	1.3	1.4	1.3	0
520	all_deer	SUM	575-00	499	0	3.2	0	0	3.2	0	0	0	0	0
520	all_deer	SUM	598-00	2250	0	5.3	0	0	5.3	0	0	0	0	0
520	all_deer	SUM	599-00	1999	13.9	268.2	2.2	11.7	235.6	34.9	2.2	0	0	0
520	all_deer	SUM	Deer_A	174790	12.6	1022.1	5.8	11	1019.6	0	9.8	343.9	506.6	8
520	all_deer	SUM	none	.	0	12.2	0	0	12.2	0	0	0	4.1	0
520	all_deer	SUM	SUM	180592	33.3	1479.5	9.4	29.5	1443.1	34.9	14.8	346.9	511.9	8
520	md	N	520-00	20	0	13.1	0	0	13.1	0	0	0	0	0
520	md	N	575-00	51	0	1.5	0	0	1.5	0	0	0	0	0
520	md	N	599-00	73	0	0	0	0	0	0	0	0	0	0
520	md	N	Deer_A	24213	0	57.4	0	0	57.4	0	0	18.6	38.8	0
520	md	N	none	.	0	0	0	0	0	0	0	0	0	0
520	md	N	SUM	24357	0	72.1	0	0	72.1	0	0	18.6	38.8	0
520	md	R	520-00	284	6.7	143.8	1.5	6.7	144	0	1.3	0	1.3	0
520	md	R	575-00	448	0	1.6	0	0	1.6	0	0	0	0	0
520	md	R	599-00	1926	0	2	0	0	2	0	0	0	0	0
520	md	R	Deer_A	150577	5.8	468.3	0	8.2	465.8	0	0	239.2	185.3	1.5
520	md	R	none	.	0	8.1	0	0	8.1	0	0	0	4.1	0
520	md	R	SUM	153235	12.6	623.8	1.5	15	621.6	0	1.3	239.2	190.6	1.5
520	md	SUM	520-00	304	6.7	156.9	1.5	6.7	157.1	0	1.3	0	1.3	0
520	md	SUM	575-00	499	0	3.2	0	0	3.2	0	0	0	0	0
520	md	SUM	599-00	1999	0	2	0	0	2	0	0	0	0	0
520	md	SUM	Deer_A	174790	5.8	525.7	0	8.2	523.2	0	0	257.8	224.1	1.5
520	md	SUM	none	.	0	8.1	0	0	8.1	0	0	0	4.1	0
520	md	SUM	SUM	177592	12.6	695.9	1.5	15	693.7	0	1.3	257.8	229.4	1.5
520	wt	N	315-01	20	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
520	wt	N	326-00	60	0	0	0	0	0	0	0	0	0	0
520	wt	N	520-00	20	0	1.9	0	0	1.9	0	0	0	0	0
520	wt	N	598-00	236	0	0	0	0	0	0	0	0	0	0
520	wt	N	599-00	73	1.9	6.8	0	1.9	6.8	0	0	0	0	0
520	wt	N	Deer_A	24213	0	51.7	0	0	51.7	0	0	9.2	42.5	0
520	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
520	wt	N	SUM	24622	1.9	60.4	0	1.9	60.4	0	0	9.2	42.5	0
520	wt	R	315-01	230	0	4	0	0	4	0	0	0	0	0
520	wt	R	326-00	440	0	1.5	0	0	0	0	1.5	1.5	0	0
520	wt	R	520-00	284	0	4.2	0	0	4.2	0	0	1.4	0	0
520	wt	R	598-00	2014	0	5.3	0	0	5.3	0	0	0	0	0
520	wt	R	599-00	1926	12	259.4	2.2	9.8	226.8	34.9	2.2	0	0	0
520	wt	R	Deer_A	150577	6.8	444.7	1.7	2.8	444.7	0	5.8	76.9	240	6.5
520	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
520	wt	R	SUM	155471	18.8	723.3	3.9	12.6	689.1	34.9	9.5	79.9	240	6.5
520	wt	SUM	315-01	250	0	4	0	0	4	0	0	0	0	0
520	wt	SUM	326-00	500	0	1.5	0	0	0	0	1.5	1.5	0	0
520	wt	SUM	520-00	304	0	6.1	0	0	6.1	0	0	1.4	0	0
520	wt	SUM	598-00	2250	0	5.3	0	0	5.3	0	0	0	0	0
520	wt	SUM	599-00	1999	13.9	266.2	2.2	11.7	233.5	34.9	2.2	0	0	0
520	wt	SUM	Deer_A	174790	6.8	496.4	1.7	2.8	496.4	0	5.8	86.1	282.5	6.5
520	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
520	wt	SUM	SUM	180093	20.7	783.7	3.9	14.5	749.4	34.9	9.5	89.1	282.5	6.5
530	all_deer	N	007-12	1566	0	2.8	0	0	2.8	0	0	0	0	0
530	all_deer	N	530-00	27	0	13.7	0	0	13.7	0	0	0	0	0
530	all_deer	N	530-01	15	0	9.7	0	0	9.7	0	0	0	0	0
530	all_deer	N	530-50	88	0	36.8	0	0	36.8	0	0	6.5	30.3	0
530	all_deer	N	590-00	35	0	0	0	0	0	0	0	0	0	0
530	all_deer	N	597-00	27	0	1.6	0	0	1.6	0	0	0	0	0
530	all_deer	N	598-00	236	0	0	0	0	0	0	0	0	0	0
530	all_deer	N	599-00	73	0	0	0	0	0	0	0	0	0	0
530	all_deer	N	797-00	1495	0	5.8	0	0	5.8	0	0	0	0	0
530	all_deer	N	Deer_A	24213	0	112	0	0	112	0	0	26.3	84.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
530	all_deer	N	SUM	27775	0	182.4	0	0	182.4	0	0	32.8	114.9	0
530	all_deer	R	530-00	223	0	90.1	2.7	0	92.8	0	0	0	0	0
530	all_deer	R	530-01	110	0	41.6	1.6	0	43.3	0	0	0	0	0
530	all_deer	R	530-50	561	0	242.6	0	0	242.6	0	0	76.5	161.2	0
530	all_deer	R	590-00	313	0	2.7	0	0	2.7	0	0	0	0	0
530	all_deer	R	597-00	573	0	27.8	3.2	0	22.7	8.4	0	0	0	0
530	all_deer	R	598-00	2014	0	3.4	0	0	3.4	0	0	0	0	0
530	all_deer	R	599-00	1926	0	2.8	0	0	2.8	0	0	0	0	0
530	all_deer	R	Deer_A	150577	0	199.4	6.2	4.1	198.1	0	3.5	52	109.8	0
530	all_deer	R	SUM	156297	0	610.4	13.7	4.1	608.2	8.4	3.5	128.6	271	0
530	all_deer	SUM	007-12	1566	0	2.8	0	0	2.8	0	0	0	0	0
530	all_deer	SUM	530-00	250	0	103.8	2.7	0	106.5	0	0	0	0	0
530	all_deer	SUM	530-01	125	0	51.4	1.6	0	53	0	0	0	0	0
530	all_deer	SUM	530-50	649	0	279.4	0	0	279.4	0	0	83.1	191.5	0
530	all_deer	SUM	590-00	348	0	2.7	0	0	2.7	0	0	0	0	0
530	all_deer	SUM	597-00	600	0	29.4	3.2	0	24.3	8.4	0	0	0	0
530	all_deer	SUM	598-00	2250	0	3.4	0	0	3.4	0	0	0	0	0
530	all_deer	SUM	599-00	1999	0	2.8	0	0	2.8	0	0	0	0	0
530	all_deer	SUM	797-00	1495	0	5.8	0	0	5.8	0	0	0	0	0
530	all_deer	SUM	Deer_A	174790	0	311.5	6.2	4.1	310.1	0	3.5	78.3	194.4	0
530	all_deer	SUM	SUM	184072	0	792.8	13.7	4.1	790.6	8.4	3.5	161.4	385.9	0
530	md	N	530-00	27	0	13.7	0	0	13.7	0	0	0	0	0
530	md	N	530-01	15	0	9.7	0	0	9.7	0	0	0	0	0
530	md	N	530-50	88	0	36.8	0	0	36.8	0	0	6.5	30.3	0
530	md	N	590-00	35	0	0	0	0	0	0	0	0	0	0
530	md	N	599-00	73	0	0	0	0	0	0	0	0	0	0
530	md	N	797-00	1495	0	5.8	0	0	5.8	0	0	0	0	0
530	md	N	Deer_A	24213	0	79.9	0	0	79.9	0	0	18.8	61.1	0
530	md	N	SUM	25946	0	145.9	0	0	145.9	0	0	25.3	91.4	0
530	md	R	530-00	223	0	90.1	2.7	0	92.8	0	0	0	0	0
530	md	R	530-01	110	0	41.6	1.6	0	43.3	0	0	0	0	0
530	md	R	530-50	561	0	242.6	0	0	242.6	0	0	76.5	161.2	0
530	md	R	590-00	313	0	1.2	0	0	1.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
530	md	R	599-00	1926	0	2.8	0	0	2.8	0	0	0	0	0
530	md	R	Deer_A	150577	0	73.2	6.2	4.1	73.2	0	2.2	29.7	25.7	0
530	md	R	SUM	153710	0	451.5	10.5	4.1	455.8	0	2.2	106.2	186.9	0
530	md	SUM	530-00	250	0	103.8	2.7	0	106.5	0	0	0	0	0
530	md	SUM	530-01	125	0	51.4	1.6	0	53	0	0	0	0	0
530	md	SUM	530-50	649	0	279.4	0	0	279.4	0	0	83.1	191.5	0
530	md	SUM	590-00	348	0	1.2	0	0	1.2	0	0	0	0	0
530	md	SUM	599-00	1999	0	2.8	0	0	2.8	0	0	0	0	0
530	md	SUM	797-00	1495	0	5.8	0	0	5.8	0	0	0	0	0
530	md	SUM	Deer_A	174790	0	153.1	6.2	4.1	153.1	0	2.2	48.5	86.8	0
530	md	SUM	SUM	179656	0	597.5	10.5	4.1	601.7	0	2.2	131.5	278.3	0
530	wt	N	007-12	1566	0	2.8	0	0	2.8	0	0	0	0	0
530	wt	N	590-00	35	0	0	0	0	0	0	0	0	0	0
530	wt	N	597-00	27	0	1.6	0	0	1.6	0	0	0	0	0
530	wt	N	598-00	236	0	0	0	0	0	0	0	0	0	0
530	wt	N	Deer_A	24213	0	32.1	0	0	32.1	0	0	7.5	23.5	0
530	wt	N	SUM	26077	0	36.5	0	0	36.5	0	0	7.5	23.5	0
530	wt	R	590-00	313	0	1.5	0	0	1.5	0	0	0	0	0
530	wt	R	597-00	573	0	27.8	3.2	0	22.7	8.4	0	0	0	0
530	wt	R	598-00	2014	0	3.4	0	0	3.4	0	0	0	0	0
530	wt	R	Deer_A	150577	0	126.2	0	0	124.9	0	1.4	22.4	84.1	0
530	wt	R	SUM	153477	0	158.9	3.2	0	152.4	8.4	1.4	22.4	84.1	0
530	wt	SUM	007-12	1566	0	2.8	0	0	2.8	0	0	0	0	0
530	wt	SUM	590-00	348	0	1.5	0	0	1.5	0	0	0	0	0
530	wt	SUM	597-00	600	0	29.4	3.2	0	24.3	8.4	0	0	0	0
530	wt	SUM	598-00	2250	0	3.4	0	0	3.4	0	0	0	0	0
530	wt	SUM	Deer_A	174790	0	158.3	0	0	157	0	1.4	29.8	107.6	0
530	wt	SUM	SUM	179554	0	195.4	3.2	0	188.9	8.4	1.4	29.8	107.6	0
540	all_deer	N	315-01	20	0	0	0	0	0	0	0	0	0	0
540	all_deer	N	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
540	all_deer	N	598-00	236	2.5	9.2	1.1	3.6	9.2	0	0	1.1	0	0
540	all_deer	N	Deer_A	24213	0	83.7	0	0	83.7	0	0	13.9	69.8	0
540	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
540	all_deer	N	SUM	24769	2.5	94.3	1.1	3.6	94.3	0	0	15	69.8	0
540	all_deer	R	315-01	230	0	2.8	0	0	2.8	0	0	0	0	0
540	all_deer	R	598-00	2014	2.2	50	7.3	0	36.2	16.9	6.4	0	0	0
540	all_deer	R	Deer_A	150577	6.4	271.9	6.4	0	284.6	0	0	92.7	119.8	0
540	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
540	all_deer	R	SUM	152821	8.6	328.7	13.7	0	327.8	16.9	6.4	92.7	119.8	0
540	all_deer	SUM	315-01	250	0	2.8	0	0	2.8	0	0	0	0	0
540	all_deer	SUM	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
540	all_deer	SUM	598-00	2250	4.7	59.2	8.4	3.6	45.4	16.9	6.4	1.1	0	0
540	all_deer	SUM	Deer_A	174790	6.4	355.5	6.4	0	368.3	0	0	106.6	189.5	0
540	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
540	all_deer	SUM	SUM	177590	11.1	423	14.8	3.6	422.1	16.9	6.4	107.6	189.5	0
540	md	N	598-00	236	0	0	1.1	1.1	0	0	0	1.1	0	0
540	md	N	Deer_A	24213	0	73.5	0	0	73.5	0	0	13.9	59.6	0
540	md	N	none	.	0	0	0	0	0	0	0	0	0	0
540	md	N	SUM	24449	0	73.5	1.1	1.1	73.5	0	0	15	59.6	0
540	md	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
540	md	R	Deer_A	150577	4.1	191.2	0	0	195.2	0	0	75.2	63.8	0
540	md	R	none	.	0	0	0	0	0	0	0	0	0	0
540	md	R	SUM	152591	4.1	191.2	0	0	195.2	0	0	75.2	63.8	0
540	md	SUM	598-00	2250	0	0	1.1	1.1	0	0	0	1.1	0	0
540	md	SUM	Deer_A	174790	4.1	264.7	0	0	268.7	0	0	89.1	123.4	0
540	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
540	md	SUM	SUM	177040	4.1	264.7	1.1	1.1	268.7	0	0	90.2	123.4	0
540	wt	N	315-01	20	0	0	0	0	0	0	0	0	0	0
540	wt	N	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
540	wt	N	598-00	236	2.5	9.2	0	2.5	9.2	0	0	0	0	0
540	wt	N	Deer_A	24213	0	10.2	0	0	10.2	0	0	0	10.2	0
540	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
540	wt	N	SUM	24769	2.5	20.8	0	2.5	20.8	0	0	0	10.2	0
540	wt	R	315-01	230	0	1.4	0	0	1.4	0	0	0	0	0
540	wt	R	598-00	2014	2.2	50	7.3	0	36.2	16.9	6.4	0	0	0
540	wt	R	Deer_A	150577	2.3	80.7	6.4	0	89.4	0	0	17.4	56	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
540	wt	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
540	wt	R	SUM	152821	4.6	136.1	13.7	0	131.1	16.9	6.4	17.4	56	0
540	wt	SUM	315-01	250	0	1.4	0	0	1.4	0	0	0	0	0
540	wt	SUM	498-00	300	0	1.5	0	0	1.5	0	0	0	0	0
540	wt	SUM	598-00	2250	4.7	59.2	7.3	2.5	45.4	16.9	6.4	0	0	0
540	wt	SUM	Deer_A	174790	2.3	90.8	6.4	0	99.6	0	0	17.4	66.1	0
540	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
540	wt	SUM	SUM	177590	7.1	156.9	13.7	2.5	151.9	16.9	6.4	17.4	66.1	0
560	all_deer	N	314-00	16	0	0	0	0	0	0	0	0	0	0
560	all_deer	N	502-00	2	0	0	0	0	0	0	0	0	0	0
560	all_deer	N	560-00	68	3.1	41.2	0	3.1	41.2	0	0	0	1.9	0
560	all_deer	N	575-00	51	0	1.3	0	0	1.3	0	0	0	0	0
560	all_deer	N	580-00	37	0	0	0	0	0	0	0	0	0	0
560	all_deer	N	598-00	236	0	2.7	0	0	2.7	0	0	0	0	0
560	all_deer	N	599-00	73	0	4.2	0	0	4.2	0	0	0	0	0
560	all_deer	N	620-00	38	0	0	0	0	0	0	0	0	0	0
560	all_deer	N	Deer_A	24213	8.1	95.3	0	8.1	95.3	0	0	15.6	80.3	0
560	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
560	all_deer	N	SUM	24734	11.2	144.8	0	11.2	144.8	0	0	15.6	82.2	0
560	all_deer	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	2.3	0
560	all_deer	R	007-10	3970	0	4	0	0	4	0	0	0	0	0
560	all_deer	R	314-00	209	0	1.4	0	0	1.4	0	0	0	0	0
560	all_deer	R	502-00	198	0	1.4	0	0	1.4	0	0	0	0	0
560	all_deer	R	560-00	282	13.1	123.3	0	11.6	121.8	0	3	0	0	0
560	all_deer	R	575-00	448	0	1.5	0	0	1.5	0	0	0	0	0
560	all_deer	R	580-00	213	0	1.5	0	0	1.5	0	0	0	0	0
560	all_deer	R	598-00	2014	0	7	0	0	4.8	0	2.2	0	0	0
560	all_deer	R	599-00	1926	2.6	54.9	0	0	44.3	13.2	0	0	0	0
560	all_deer	R	620-00	162	0	1.6	0	0	1.6	0	0	0	0	0
560	all_deer	R	Deer_A	150577	1.6	404.6	4.1	1.6	378.6	26	4.1	128.7	232.4	0
560	all_deer	R	none	.	0	1.6	0	0	1.6	0	0	0	0	0
560	all_deer	R	SUM	167328	17.3	605	4.1	13.2	564.7	39.2	9.2	128.7	234.7	0
560	all_deer	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	2.3	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
560	all_deer	SUM	007-10	3970	0	4	0	0	4	0	0	0	0	0
560	all_deer	SUM	314-00	225	0	1.4	0	0	1.4	0	0	0	0	0
560	all_deer	SUM	502-00	200	0	1.4	0	0	1.4	0	0	0	0	0
560	all_deer	SUM	560-00	350	16.2	164.5	0	14.7	163	0	3	0	1.9	0
560	all_deer	SUM	575-00	499	0	2.8	0	0	2.8	0	0	0	0	0
560	all_deer	SUM	580-00	250	0	1.5	0	0	1.5	0	0	0	0	0
560	all_deer	SUM	598-00	2250	0	9.7	0	0	7.5	0	2.2	0	0	0
560	all_deer	SUM	599-00	1999	2.6	59.2	0	0	48.5	13.2	0	0	0	0
560	all_deer	SUM	620-00	200	0	1.6	0	0	1.6	0	0	0	0	0
560	all_deer	SUM	Deer_A	174790	9.7	499.9	4.1	9.7	473.9	26	4.1	144.4	312.8	0
560	all_deer	SUM	none	.	0	1.6	0	0	1.6	0	0	0	0	0
560	all_deer	SUM	SUM	192062	28.5	749.9	4.1	24.4	709.6	39.2	9.2	144.4	317	0
560	md	N	314-00	16	0	0	0	0	0	0	0	0	0	0
560	md	N	502-00	2	0	0	0	0	0	0	0	0	0	0
560	md	N	560-00	68	3.1	39.3	0	3.1	39.3	0	0	0	0	0
560	md	N	575-00	51	0	1.3	0	0	1.3	0	0	0	0	0
560	md	N	580-00	37	0	0	0	0	0	0	0	0	0	0
560	md	N	598-00	236	0	1.4	0	0	1.4	0	0	0	0	0
560	md	N	620-00	38	0	0	0	0	0	0	0	0	0	0
560	md	N	Deer_A	24213	1.6	80.4	0	1.6	80.4	0	0	11.9	70.1	0
560	md	N	none	.	0	0	0	0	0	0	0	0	0	0
560	md	N	SUM	24661	4.7	122.4	0	4.7	122.4	0	0	11.9	70.1	0
560	md	R	314-00	209	0	1.4	0	0	1.4	0	0	0	0	0
560	md	R	502-00	198	0	1.4	0	0	1.4	0	0	0	0	0
560	md	R	560-00	282	13.1	120.3	0	11.6	121.8	0	0	0	0	0
560	md	R	575-00	448	0	1.5	0	0	1.5	0	0	0	0	0
560	md	R	580-00	213	0	1.5	0	0	1.5	0	0	0	0	0
560	md	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
560	md	R	620-00	162	0	1.6	0	0	1.6	0	0	0	0	0
560	md	R	Deer_A	150577	0	254.3	4.1	0	246.2	8.1	4.1	101	149.3	0
560	md	R	none	.	0	0	0	0	0	0	0	0	0	0
560	md	R	SUM	154103	13.1	381.9	4.1	11.6	375.4	8.1	4.1	101	149.3	0
560	md	SUM	314-00	225	0	1.4	0	0	1.4	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
560	md	SUM	502-00	200	0	1.4	0	0	1.4	0	0	0	0	0
560	md	SUM	560-00	350	16.2	159.6	0	14.7	161.1	0	0	0	0	0
560	md	SUM	575-00	499	0	2.8	0	0	2.8	0	0	0	0	0
560	md	SUM	580-00	250	0	1.5	0	0	1.5	0	0	0	0	0
560	md	SUM	598-00	2250	0	1.4	0	0	1.4	0	0	0	0	0
560	md	SUM	620-00	200	0	1.6	0	0	1.6	0	0	0	0	0
560	md	SUM	Deer_A	174790	1.6	334.7	4.1	1.6	326.6	8.1	4.1	112.9	219.4	0
560	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
560	md	SUM	SUM	178764	17.9	504.4	4.1	16.3	497.8	8.1	4.1	112.9	219.4	0
560	wt	N	560-00	68	0	1.9	0	0	1.9	0	0	0	1.9	0
560	wt	N	598-00	236	0	1.4	0	0	1.4	0	0	0	0	0
560	wt	N	599-00	73	0	4.2	0	0	4.2	0	0	0	0	0
560	wt	N	Deer_A	24213	6.5	14.9	0	6.5	14.9	0	0	3.7	10.2	0
560	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
560	wt	N	SUM	24590	6.5	22.4	0	6.5	22.4	0	0	3.7	12.1	0
560	wt	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	2.3	0
560	wt	R	007-10	3970	0	4	0	0	4	0	0	0	0	0
560	wt	R	560-00	282	0	3	0	0	0	0	3	0	0	0
560	wt	R	598-00	2014	0	7	0	0	4.8	0	2.2	0	0	0
560	wt	R	599-00	1926	2.6	54.9	0	0	44.3	13.2	0	0	0	0
560	wt	R	Deer_A	150577	1.6	150.3	0	1.6	132.4	17.9	0	27.7	83.1	0
560	wt	R	none	.	0	1.6	0	0	1.6	0	0	0	0	0
560	wt	R	SUM	166098	4.2	223.1	0	1.6	189.4	31.1	5.2	27.7	85.5	0
560	wt	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	2.3	0
560	wt	SUM	007-10	3970	0	4	0	0	4	0	0	0	0	0
560	wt	SUM	560-00	350	0	4.9	0	0	1.9	0	3	0	1.9	0
560	wt	SUM	598-00	2250	0	8.3	0	0	6.2	0	2.2	0	0	0
560	wt	SUM	599-00	1999	2.6	59.2	0	0	48.5	13.2	0	0	0	0
560	wt	SUM	Deer_A	174790	8.1	165.2	0	8.1	147.3	17.9	0	31.5	93.4	0
560	wt	SUM	none	.	0	1.6	0	0	1.6	0	0	0	0	0
560	wt	SUM	SUM	190688	10.7	245.5	0	8.1	211.8	31.1	5.2	31.5	97.6	0
570	all_deer	N	500-00	6	0	0	0	0	0	0	0	0	0	0
570	all_deer	N	570-00	10	0	1.1	0	0	1.1	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
570	all_deer	N	580-00	37	0	1.3	0	0	1.3	0	0	0	0	0
570	all_deer	N	598-00	236	1.3	15.7	0	1.3	15.7	0	0	0	0	0
570	all_deer	N	Deer_A	24213	0	121.2	0	0	121.2	0	0	14.9	105	1.3
570	all_deer	N	none	.	0	7.5	0	0	7.5	0	0	0	0	0
570	all_deer	N	SUM	24502	1.3	146.9	0	1.3	146.9	0	0	14.9	105	1.3
570	all_deer	R	500-00	94	0	1.3	0	0	1.3	0	0	0	0	0
570	all_deer	R	570-00	90	0	37.2	0	0	37.2	0	0	0	0	0
570	all_deer	R	580-00	213	0	2.1	0	0	2.1	0	0	0	0	0
570	all_deer	R	598-00	2014	23.2	226.4	0	17.8	180.4	51.4	0	0	0	0
570	all_deer	R	Deer_A	150577	14	650.3	1.4	9.9	645.6	7.4	2.7	245.3	316.8	4.1
570	all_deer	R	none	.	0	1.6	0	0	1.6	0	0	0	0	0
570	all_deer	R	SUM	152988	37.2	918.9	1.4	27.8	868.2	58.8	2.7	245.3	316.8	4.1
570	all_deer	SUM	500-00	100	0	1.3	0	0	1.3	0	0	0	0	0
570	all_deer	SUM	570-00	100	0	38.3	0	0	38.3	0	0	0	0	0
570	all_deer	SUM	580-00	250	0	3.4	0	0	3.4	0	0	0	0	0
570	all_deer	SUM	598-00	2250	24.4	242.1	0	19.1	196.1	51.4	0	0	0	0
570	all_deer	SUM	Deer_A	174790	14	771.4	1.4	9.9	766.8	7.4	2.7	260.2	421.8	5.3
570	all_deer	SUM	none	.	0	9.2	0	0	9.2	0	0	0	0	0
570	all_deer	SUM	SUM	177490	38.4	1065.7	1.4	29	1015	58.8	2.7	260.2	421.8	5.3
570	md	N	500-00	6	0	0	0	0	0	0	0	0	0	0
570	md	N	570-00	10	0	1.1	0	0	1.1	0	0	0	0	0
570	md	N	580-00	37	0	1.3	0	0	1.3	0	0	0	0	0
570	md	N	598-00	236	0	2.5	0	0	2.5	0	0	0	0	0
570	md	N	Deer_A	24213	0	92.4	0	0	92.4	0	0	14.9	76.2	1.3
570	md	N	none	.	0	0	0	0	0	0	0	0	0	0
570	md	N	SUM	24502	0	97.4	0	0	97.4	0	0	14.9	76.2	1.3
570	md	R	500-00	94	0	1.3	0	0	1.3	0	0	0	0	0
570	md	R	570-00	90	0	37.2	0	0	37.2	0	0	0	0	0
570	md	R	580-00	213	0	2.1	0	0	2.1	0	0	0	0	0
570	md	R	598-00	2014	2.6	3.4	0	2.6	3.4	0	0	0	0	0
570	md	R	Deer_A	150577	1.5	385.2	1.4	1.5	382.4	1.4	2.7	208	158.1	4.1
570	md	R	none	.	0	0	0	0	0	0	0	0	0	0
570	md	R	SUM	152988	4.1	429.2	1.4	4.1	426.4	1.4	2.7	208	158.1	4.1

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
570	md	SUM	500-00	100	0	1.3	0	0	1.3	0	0	0	0	0
570	md	SUM	570-00	100	0	38.3	0	0	38.3	0	0	0	0	0
570	md	SUM	580-00	250	0	3.4	0	0	3.4	0	0	0	0	0
570	md	SUM	598-00	2250	2.6	5.9	0	2.6	5.9	0	0	0	0	0
570	md	SUM	Deer_A	174790	1.5	477.6	1.4	1.5	474.8	1.4	2.7	222.9	234.3	5.3
570	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
570	md	SUM	SUM	177490	4.1	526.5	1.4	4.1	523.7	1.4	2.7	222.9	234.3	5.3
570	wt	N	598-00	236	1.3	13.2	0	1.3	13.2	0	0	0	0	0
570	wt	N	Deer_A	24213	0	28.8	0	0	28.8	0	0	0	28.8	0
570	wt	N	none	.	0	7.5	0	0	7.5	0	0	0	0	0
570	wt	N	SUM	24449	1.3	49.5	0	1.3	49.5	0	0	0	28.8	0
570	wt	R	598-00	2014	20.5	223.1	0	15.2	177	51.4	0	0	0	0
570	wt	R	Deer_A	150577	12.5	261	0	8.4	259.1	6	0	33.3	158.7	0
570	wt	R	none	.	0	1.6	0	0	1.6	0	0	0	0	0
570	wt	R	SUM	152591	33.1	485.7	0	23.6	437.7	57.4	0	33.3	158.7	0
570	wt	SUM	598-00	2250	21.8	236.2	0	16.5	190.2	51.4	0	0	0	0
570	wt	SUM	Deer_A	174790	12.5	289.8	0	8.4	287.9	6	0	33.3	187.5	0
570	wt	SUM	none	.	0	9.2	0	0	9.2	0	0	0	0	0
570	wt	SUM	SUM	177040	34.3	535.2	0	24.9	487.2	57.4	0	33.3	187.5	0
575	all_deer	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
575	all_deer	N	412-00	113	0	0	0	0	0	0	0	0	0	0
575	all_deer	N	500-00	6	0	0	0	0	0	0	0	0	0	0
575	all_deer	N	520-00	20	0	0	0	0	0	0	0	0	0	0
575	all_deer	N	575-00	51	1.3	37.8	0	1.3	37.8	0	0	1.5	1.5	0
575	all_deer	N	598-00	236	0	0	0	0	0	0	0	0	0	0
575	all_deer	N	599-00	73	0	5.1	0	0	5.1	0	0	0	0	0
575	all_deer	N	Deer_A	24213	0	33.4	0	0	33.4	0	0	17	14.8	0
575	all_deer	N	none	.	0	0	0	0	0	0	3.8	0	0	0
575	all_deer	N	SUM	25489	1.3	80.3	0	1.3	80.3	0	3.8	18.6	16.4	0
575	all_deer	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
575	all_deer	R	412-00	487	0	1.5	0	0	1.5	0	0	0	0	0
575	all_deer	R	500-00	94	0	1.3	0	0	1.3	0	0	0	0	0
575	all_deer	R	520-00	284	0	4	0	0	4	0	0	0	1.3	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
575	all_deer	R	575-00	448	13.4	241	2.7	15.1	241	0	1.1	0	3.3	0
575	all_deer	R	598-00	2014	0	9.2	0	0	4.7	4.6	0	0	0	0
575	all_deer	R	599-00	1926	52.6	305	6.1	42.7	253	62.6	5.4	0	0	0
575	all_deer	R	Deer_A	150577	29.9	1204.1	23.8	34	1209.2	2.4	12.2	461.1	604.5	10.4
575	all_deer	R	none	.	0	11.3	0	0	11.3	0	0	0	0	0
575	all_deer	R	SUM	161282	96	1781.3	32.6	91.7	1729.9	69.6	18.7	461.1	609.1	10.4
575	all_deer	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
575	all_deer	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
575	all_deer	SUM	412-00	600	0	1.5	0	0	1.5	0	0	0	0	0
575	all_deer	SUM	500-00	100	0	1.3	0	0	1.3	0	0	0	0	0
575	all_deer	SUM	520-00	304	0	4	0	0	4	0	0	0	1.3	0
575	all_deer	SUM	575-00	499	14.8	278.8	2.7	16.4	278.8	0	1.1	1.5	4.8	0
575	all_deer	SUM	598-00	2250	0	9.2	0	0	4.7	4.6	0	0	0	0
575	all_deer	SUM	599-00	1999	52.6	310.1	6.1	42.7	258.1	62.6	5.4	0	0	0
575	all_deer	SUM	Deer_A	174790	29.9	1237.4	23.8	34	1242.5	2.4	12.2	478.1	619.4	10.4
575	all_deer	SUM	none	.	0	11.3	0	0	11.3	0	3.8	0	0	0
575	all_deer	SUM	SUM	186771	97.3	1861.6	32.6	93.1	1810.2	69.6	22.5	479.7	625.4	10.4
575	md	N	500-00	6	0	0	0	0	0	0	0	0	0	0
575	md	N	520-00	20	0	0	0	0	0	0	0	0	0	0
575	md	N	575-00	51	1.3	36.3	0	1.3	36.3	0	0	0	1.5	0
575	md	N	598-00	236	0	0	0	0	0	0	0	0	0	0
575	md	N	599-00	73	0	0	0	0	0	0	0	0	0	0
575	md	N	Deer_A	24213	0	29.6	0	0	29.6	0	0	13.3	14.8	0
575	md	N	none	.	0	0	0	0	0	0	0	0	0	0
575	md	N	SUM	24599	1.3	65.9	0	1.3	65.9	0	0	13.3	16.4	0
575	md	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
575	md	R	500-00	94	0	1.3	0	0	1.3	0	0	0	0	0
575	md	R	520-00	284	0	4	0	0	4	0	0	0	1.3	0
575	md	R	575-00	448	13.4	238.1	2.7	15.1	238.1	0	1.1	0	3.3	0
575	md	R	598-00	2014	0	2.7	0	0	2.7	0	0	0	0	0
575	md	R	599-00	1926	0	2.1	1.9	0	2.1	0	1.9	0	0	0
575	md	R	Deer_A	150577	14.5	756.9	15.7	18.5	760.4	0	8.1	367.4	354	0
575	md	R	none	.	0	9.9	0	0	9.9	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
575	md	R	SUM	160795	27.9	1018.8	20.4	33.6	1022.4	0	11.1	367.4	358.5	0
575	md	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
575	md	SUM	500-00	100	0	1.3	0	0	1.3	0	0	0	0	0
575	md	SUM	520-00	304	0	4	0	0	4	0	0	0	1.3	0
575	md	SUM	575-00	499	14.8	274.4	2.7	16.4	274.4	0	1.1	0	4.8	0
575	md	SUM	598-00	2250	0	2.7	0	0	2.7	0	0	0	0	0
575	md	SUM	599-00	1999	0	2.1	1.9	0	2.1	0	1.9	0	0	0
575	md	SUM	Deer_A	174790	14.5	786.5	15.7	18.5	790.1	0	8.1	380.7	368.8	0
575	md	SUM	none	.	0	9.9	0	0	9.9	0	0	0	0	0
575	md	SUM	SUM	185394	29.2	1084.7	20.4	34.9	1088.3	0	11.1	380.7	374.9	0
575	wt	N	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
575	wt	N	412-00	113	0	0	0	0	0	0	0	0	0	0
575	wt	N	575-00	51	0	1.5	0	0	1.5	0	0	1.5	0	0
575	wt	N	598-00	236	0	0	0	0	0	0	0	0	0	0
575	wt	N	599-00	73	0	5.1	0	0	5.1	0	0	0	0	0
575	wt	N	Deer_A	24213	0	3.7	0	0	3.7	0	0	3.7	0	0
575	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
575	wt	N	SUM	25463	0	14.4	0	0	14.4	0	0	5.3	0	0
575	wt	R	412-00	487	0	1.5	0	0	1.5	0	0	0	0	0
575	wt	R	575-00	448	0	1.4	0	0	1.4	0	0	0	0	0
575	wt	R	598-00	2014	0	6.6	0	0	2	4.6	0	0	0	0
575	wt	R	599-00	1926	52.6	303	4.1	42.7	250.9	62.6	3.5	0	0	0
575	wt	R	Deer_A	150577	15.4	444.8	8.1	15.4	446.3	2.4	4.1	93.7	250.5	10.4
575	wt	R	none	.	0	1.4	0	0	1.4	0	0	0	0	0
575	wt	R	SUM	155452	68.1	758.6	12.2	58.1	703.6	69.6	7.5	93.7	250.5	10.4
575	wt	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	0	0
575	wt	SUM	412-00	600	0	1.5	0	0	1.5	0	0	0	0	0
575	wt	SUM	575-00	499	0	2.9	0	0	2.9	0	0	1.5	0	0
575	wt	SUM	598-00	2250	0	6.6	0	0	2	4.6	0	0	0	0
575	wt	SUM	599-00	1999	52.6	308	4.1	42.7	256	62.6	3.5	0	0	0
575	wt	SUM	Deer_A	174790	15.4	448.5	8.1	15.4	450	2.4	4.1	97.4	250.5	10.4
575	wt	SUM	none	.	0	1.4	0	0	1.4	0	0	0	0	0
575	wt	SUM	SUM	180915	68.1	773	12.2	58.1	718	69.6	7.5	99	250.5	10.4

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
580	all_deer	N	003-12	777	0	2.5	0	0	2.5	0	0	0	0	0
580	all_deer	N	560-00	68	0	0	0	0	0	0	0	0	0	0
580	all_deer	N	570-00	10	0	0	0	0	0	0	0	0	0	0
580	all_deer	N	575-00	51	0	1.5	0	0	1.5	0	0	0	0	0
580	all_deer	N	580-00	37	0	16.8	0	0	16.8	0	0	0	0	0
580	all_deer	N	598-00	236	1.7	70.1	0	0	70.2	0	1.5	0	1.4	0
580	all_deer	N	Deer_A	24213	11.2	231	0	7.5	234.7	0	0	55	183.4	3.7
580	all_deer	N	none	.	0	10.2	0	0	10.2	0	0	1.5	0	0
580	all_deer	N	SUM	25392	12.9	332.1	0	7.5	336	0	1.5	56.5	184.8	3.7
580	all_deer	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	2.3	0
580	all_deer	R	004-10	7610	0	6.1	0	0	3.4	2.7	0	0	0	0
580	all_deer	R	560-00	282	0	1.6	0	0	1.6	0	0	0	0	0
580	all_deer	R	570-00	90	0	2.5	0	0	2.5	0	0	0	0	0
580	all_deer	R	575-00	448	0	0	0	0	0	0	0	0	0	0
580	all_deer	R	580-00	213	0	94.3	3	0	95.9	0	1.5	0	0	0
580	all_deer	R	598-00	2014	14.3	353.4	2.5	14.3	316.5	39.4	0	0	0	0
580	all_deer	R	699-00	1248	0	1.3	0	0	1.3	0	0	0	1.3	0
580	all_deer	R	Deer_A	150577	12.4	645.1	0	6.8	642.5	8.1	0	215.2	346.5	1.4
580	all_deer	R	none	.	0	3.1	0	0	3.1	0	0	1.7	0	0
580	all_deer	R	SUM	169811	26.7	1109.8	5.6	21.2	1069.1	50.2	1.5	216.9	350.2	1.4
580	all_deer	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	2.3	0
580	all_deer	SUM	003-12	777	0	2.5	0	0	2.5	0	0	0	0	0
580	all_deer	SUM	004-10	7610	0	6.1	0	0	3.4	2.7	0	0	0	0
580	all_deer	SUM	560-00	350	0	1.6	0	0	1.6	0	0	0	0	0
580	all_deer	SUM	570-00	100	0	2.5	0	0	2.5	0	0	0	0	0
580	all_deer	SUM	575-00	499	0	1.5	0	0	1.5	0	0	0	0	0
580	all_deer	SUM	580-00	250	0	111.1	3	0	112.6	0	1.5	0	0	0
580	all_deer	SUM	598-00	2250	16	423.5	2.5	14.3	386.7	39.4	1.5	0	1.4	0
580	all_deer	SUM	699-00	1248	0	1.3	0	0	1.3	0	0	0	1.3	0
580	all_deer	SUM	Deer_A	174790	23.5	876.1	0	14.3	877.3	8.1	0	270.2	530	5.2
580	all_deer	SUM	none	.	0	13.4	0	0	13.4	0	0	3.2	0	0
580	all_deer	SUM	SUM	195203	39.5	1441.9	5.6	28.6	1405.1	50.2	3	273.4	535	5.2
580	md	N	560-00	68	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
580	md	N	570-00	10	0	0	0	0	0	0	0	0	0	0
580	md	N	575-00	51	0	1.5	0	0	1.5	0	0	0	0	0
580	md	N	580-00	37	0	16.8	0	0	16.8	0	0	0	0	0
580	md	N	598-00	236	0	3.3	0	0	3.3	0	0	0	0	0
580	md	N	Deer_A	24213	3.7	148	0	3.7	148	0	0	45.4	106.3	0
580	md	N	none	.	0	5.3	0	0	5.3	0	0	1.5	0	0
580	md	N	SUM	24615	3.7	174.9	0	3.7	174.9	0	0	46.9	106.3	0
580	md	R	560-00	282	0	1.6	0	0	1.6	0	0	0	0	0
580	md	R	570-00	90	0	2.5	0	0	2.5	0	0	0	0	0
580	md	R	575-00	448	0	0	0	0	0	0	0	0	0	0
580	md	R	580-00	213	0	90.1	3	0	91.7	0	1.5	0	0	0
580	md	R	598-00	2014	0	8.8	0	0	4.5	4.2	0	0	0	0
580	md	R	Deer_A	150577	0	320.1	0	0	316	4.1	0	156.9	151.9	1.4
580	md	R	none	.	0	1.7	0	0	1.7	0	0	1.7	0	0
580	md	R	SUM	153624	0	424.8	3	0	418	8.3	1.5	158.6	151.9	1.4
580	md	SUM	560-00	350	0	1.6	0	0	1.6	0	0	0	0	0
580	md	SUM	570-00	100	0	2.5	0	0	2.5	0	0	0	0	0
580	md	SUM	575-00	499	0	1.5	0	0	1.5	0	0	0	0	0
580	md	SUM	580-00	250	0	106.9	3	0	108.4	0	1.5	0	0	0
580	md	SUM	598-00	2250	0	12.1	0	0	7.8	4.2	0	0	0	0
580	md	SUM	Deer_A	174790	3.7	468.1	0	3.7	464	4.1	0	202.3	258.2	1.4
580	md	SUM	none	.	0	7	0	0	7	0	0	3.2	0	0
580	md	SUM	SUM	178239	3.7	599.7	3	3.7	592.9	8.3	1.5	205.5	258.2	1.4
580	wt	N	003-12	777	0	2.5	0	0	2.5	0	0	0	0	0
580	wt	N	580-00	37	0	0	0	0	0	0	0	0	0	0
580	wt	N	598-00	236	1.7	66.8	0	0	67	0	1.5	0	1.4	0
580	wt	N	Deer_A	24213	7.5	83	0	3.7	86.7	0	0	9.6	77.1	3.7
580	wt	N	none	.	0	5	0	0	5	0	0	0	0	0
580	wt	N	SUM	25263	9.1	157.2	0	3.7	161.1	0	1.5	9.6	78.5	3.7
580	wt	R	003-10	7329	0	2.3	0	0	2.3	0	0	0	2.3	0
580	wt	R	004-10	7610	0	6.1	0	0	3.4	2.7	0	0	0	0
580	wt	R	580-00	213	0	4.2	0	0	4.2	0	0	0	0	0
580	wt	R	598-00	2014	14.3	344.6	2.5	14.3	312	35.2	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
580	wt	R	699-00	1248	0	1.3	0	0	1.3	0	0	0	1.3	0
580	wt	R	Deer_A	150577	12.4	325.1	0	6.8	326.5	4.1	0	58.3	194.7	0
580	wt	R	none	.	0	1.4	0	0	1.4	0	0	0	0	0
580	wt	R	SUM	168991	26.7	685	2.5	21.2	651.1	41.9	0	58.3	198.3	0
580	wt	SUM	003-10	7329	0	2.3	0	0	2.3	0	0	0	2.3	0
580	wt	SUM	003-12	777	0	2.5	0	0	2.5	0	0	0	0	0
580	wt	SUM	004-10	7610	0	6.1	0	0	3.4	2.7	0	0	0	0
580	wt	SUM	580-00	250	0	4.2	0	0	4.2	0	0	0	0	0
580	wt	SUM	598-00	2250	16	411.4	2.5	14.3	378.9	35.2	1.5	0	1.4	0
580	wt	SUM	699-00	1248	0	1.3	0	0	1.3	0	0	0	1.3	0
580	wt	SUM	Deer_A	174790	19.8	408	0	10.6	413.2	4.1	0	67.9	271.8	3.7
580	wt	SUM	none	.	0	6.4	0	0	6.4	0	0	0	0	0
580	wt	SUM	SUM	194254	35.8	842.2	2.5	24.9	812.2	41.9	1.5	67.9	276.8	3.7
590	all_deer	N	007-12	1566	0	9.4	0	0	9.4	0	0	0	0	0
590	all_deer	N	322-02	36	0	0	0	0	0	0	0	0	0	0
590	all_deer	N	500-00	6	0	0	0	0	0	0	0	0	0	0
590	all_deer	N	575-00	51	0	0	0	0	0	0	0	0	0	0
590	all_deer	N	590-00	35	0	15.7	0	0	15.7	0	0	0	0	0
590	all_deer	N	597-00	27	0	4.1	0	0	4.1	0	0	0	0	0
590	all_deer	N	598-00	236	0	4.9	0	0	4.9	0	0	0	1.4	0
590	all_deer	N	599-00	73	0	1.5	0	0	1.5	0	0	0	0	0
590	all_deer	N	Deer_A	24213	11.2	205.8	3.7	14.9	202.1	3.7	0	37.7	179.2	0
590	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
590	all_deer	N	SUM	26243	11.2	241.5	3.7	14.9	237.8	3.7	0	37.7	180.6	0
590	all_deer	R	007-10	3970	0	9.6	0	0	9.6	0	0	0	0	0
590	all_deer	R	007-13	5452	0	7.7	0	0	7.7	0	0	0	0	0
590	all_deer	R	322-02	446	0	2.8	0	0	2.8	0	0	0	2.8	0
590	all_deer	R	500-00	94	0	1.1	0	0	1.1	0	0	0	0	0
590	all_deer	R	575-00	448	0	1.6	0	0	1.6	0	0	0	0	0
590	all_deer	R	590-00	313	2.8	118.9	0	1.3	120.4	0	0	2.9	1.3	0
590	all_deer	R	597-00	573	23.2	103	0	15	94.8	16.4	0	0	2.2	0
590	all_deer	R	598-00	2014	0	13.3	0	0	13.3	0	0	0	2.1	0
590	all_deer	R	599-00	1926	19.4	7.8	0	15.9	9.1	2.2	0	3.5	5.5	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
590	all_deer	R	Deer_A	150577	44.6	1428.2	3.2	41.1	1415.5	8.1	11.3	546.5	739	4.1
590	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
590	all_deer	R	SUM	165813	90	1698.2	3.2	73.3	1680	26.7	11.3	552.9	752.9	4.1
590	all_deer	SUM	007-10	3970	0	9.6	0	0	9.6	0	0	0	0	0
590	all_deer	SUM	007-12	1566	0	9.4	0	0	9.4	0	0	0	0	0
590	all_deer	SUM	007-13	5452	0	7.7	0	0	7.7	0	0	0	0	0
590	all_deer	SUM	322-02	482	0	2.8	0	0	2.8	0	0	0	2.8	0
590	all_deer	SUM	500-00	100	0	1.1	0	0	1.1	0	0	0	0	0
590	all_deer	SUM	575-00	499	0	1.6	0	0	1.6	0	0	0	0	0
590	all_deer	SUM	590-00	348	2.8	134.6	0	1.3	136.1	0	0	2.9	1.3	0
590	all_deer	SUM	597-00	600	23.2	107.1	0	15	98.9	16.4	0	0	2.2	0
590	all_deer	SUM	598-00	2250	0	18.3	0	0	18.3	0	0	0	3.5	0
590	all_deer	SUM	599-00	1999	19.4	9.3	0	15.9	10.6	2.2	0	3.5	5.5	0
590	all_deer	SUM	Deer_A	174790	55.8	1634	6.9	56	1617.6	11.8	11.3	584.2	918.3	4.1
590	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
590	all_deer	SUM	SUM	192056	101.2	1939.6	6.9	88.2	1917.8	30.4	11.3	590.6	933.5	4.1
590	md	N	007-12	1566	0	4.7	0	0	4.7	0	0	0	0	0
590	md	N	500-00	6	0	0	0	0	0	0	0	0	0	0
590	md	N	575-00	51	0	0	0	0	0	0	0	0	0	0
590	md	N	590-00	35	0	15.7	0	0	15.7	0	0	0	0	0
590	md	N	597-00	27	0	0	0	0	0	0	0	0	0	0
590	md	N	598-00	236	0	1.4	0	0	1.4	0	0	0	1.4	0
590	md	N	599-00	73	0	0	0	0	0	0	0	0	0	0
590	md	N	Deer_A	24213	7.5	162	3.7	11.2	158.3	3.7	0	36.5	136.8	0
590	md	N	none	.	0	0	0	0	0	0	0	0	0	0
590	md	N	SUM	26207	7.5	183.8	3.7	11.2	180.1	3.7	0	36.5	138.1	0
590	md	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
590	md	R	500-00	94	0	1.1	0	0	1.1	0	0	0	0	0
590	md	R	575-00	448	0	1.6	0	0	1.6	0	0	0	0	0
590	md	R	590-00	313	2.8	117.5	0	1.3	118.9	0	0	2.9	1.3	0
590	md	R	597-00	573	0	2.2	0	0	2.2	0	0	0	0	0
590	md	R	598-00	2014	0	2.5	0	0	2.5	0	0	0	0	0
590	md	R	599-00	1926	3.5	5.6	0	3.5	5.6	0	0	3.5	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
590	md	R	Deer_A	150577	7.9	942.6	1.5	7.9	928.7	8.1	7.2	421.9	476.9	4.1
590	md	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
590	md	R	SUM	161397	14.1	1081	1.5	12.7	1068.6	8.1	7.2	428.3	478.3	4.1
590	md	SUM	007-12	1566	0	4.7	0	0	4.7	0	0	0	0	0
590	md	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
590	md	SUM	500-00	100	0	1.1	0	0	1.1	0	0	0	0	0
590	md	SUM	575-00	499	0	1.6	0	0	1.6	0	0	0	0	0
590	md	SUM	590-00	348	2.8	133.2	0	1.3	134.6	0	0	2.9	1.3	0
590	md	SUM	597-00	600	0	2.2	0	0	2.2	0	0	0	0	0
590	md	SUM	598-00	2250	0	3.9	0	0	3.9	0	0	0	1.4	0
590	md	SUM	599-00	1999	3.5	5.6	0	3.5	5.6	0	0	3.5	0	0
590	md	SUM	Deer_A	174790	15.3	1104.6	5.2	19	1087	11.8	7.2	458.4	613.7	4.1
590	md	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0
590	md	SUM	SUM	187604	21.6	1264.9	5.2	23.9	1248.7	11.8	7.2	464.7	616.4	4.1
590	wt	N	007-12	1566	0	4.7	0	0	4.7	0	0	0	0	0
590	wt	N	322-02	36	0	0	0	0	0	0	0	0	0	0
590	wt	N	590-00	35	0	0	0	0	0	0	0	0	0	0
590	wt	N	597-00	27	0	4.1	0	0	4.1	0	0	0	0	0
590	wt	N	598-00	236	0	3.6	0	0	3.6	0	0	0	0	0
590	wt	N	599-00	73	0	1.5	0	0	1.5	0	0	0	0	0
590	wt	N	Deer_A	24213	3.7	43.7	0	3.7	43.7	0	0	1.3	42.5	0
590	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
590	wt	N	SUM	26186	3.7	57.7	0	3.7	57.7	0	0	1.3	42.5	0
590	wt	R	007-10	3970	0	9.6	0	0	9.6	0	0	0	0	0
590	wt	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
590	wt	R	322-02	446	0	2.8	0	0	2.8	0	0	0	2.8	0
590	wt	R	590-00	313	0	1.5	0	0	1.5	0	0	0	0	0
590	wt	R	597-00	573	23.2	100.8	0	15	92.6	16.4	0	0	2.2	0
590	wt	R	598-00	2014	0	10.8	0	0	10.8	0	0	0	2.1	0
590	wt	R	599-00	1926	15.9	2.2	0	12.4	3.5	2.2	0	0	5.5	0
590	wt	R	Deer_A	150577	36.8	481.6	1.7	33.2	482.8	0	4.1	120.6	262.1	0
590	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
590	wt	R	SUM	165271	75.9	613.1	1.7	60.6	607.3	18.6	4.1	120.6	274.6	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
590	wt	SUM	007-10	3970	0	9.6	0	0	9.6	0	0	0	0	0
590	wt	SUM	007-12	1566	0	4.7	0	0	4.7	0	0	0	0	0
590	wt	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
590	wt	SUM	322-02	482	0	2.8	0	0	2.8	0	0	0	2.8	0
590	wt	SUM	590-00	348	0	1.5	0	0	1.5	0	0	0	0	0
590	wt	SUM	597-00	600	23.2	104.9	0	15	96.7	16.4	0	0	2.2	0
590	wt	SUM	598-00	2250	0	14.3	0	0	14.3	0	0	0	2.1	0
590	wt	SUM	599-00	1999	15.9	3.8	0	12.4	5	2.2	0	0	5.5	0
590	wt	SUM	Deer_A	174790	40.5	525.3	1.7	37	526.5	0	4.1	121.8	304.6	0
590	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
590	wt	SUM	SUM	191457	79.6	670.7	1.7	64.4	665	18.6	4.1	121.8	317.1	0
5XX	all_deer	N	598-00	108	0	2.5	0	0	2.5	0	0	0	0	0
5XX	all_deer	N	Deer_A	24213	0	22.9	0	0	22.9	0	0	0	22.9	0
5XX	all_deer	N	SUM	24321	0	25.5	0	0	25.5	0	0	0	22.9	0
5XX	all_deer	R	004-10	7610	0	2.2	0	0	2.2	0	0	0	0	0
5XX	all_deer	R	530-01	56	0	2.2	0	0	2.2	0	0	0	0	0
5XX	all_deer	R	590-00	313	0	1.2	0	0	1.2	0	0	0	0	0
5XX	all_deer	R	597-00	552	3.8	0	0	3.8	0	0	0	0	0	0
5XX	all_deer	R	598-00	2014	6.4	116.4	2.1	6.4	95.1	21.3	2.1	0	0	0
5XX	all_deer	R	599-00	1926	2.1	20.5	0	2.1	17.8	2.7	0	0	0	0
5XX	all_deer	R	Deer_A	150577	1.7	74.6	4.1	1.7	74.6	0	4.1	27.4	41.8	0
5XX	all_deer	R	SUM	163048	14	217.2	6.2	14	193.2	24	6.2	27.4	41.8	0
5XX	all_deer	SUM	004-10	7610	0	2.2	0	0	2.2	0	0	0	0	0
5XX	all_deer	SUM	530-01	56	0	2.2	0	0	2.2	0	0	0	0	0
5XX	all_deer	SUM	590-00	313	0	1.2	0	0	1.2	0	0	0	0	0
5XX	all_deer	SUM	597-00	552	3.8	0	0	3.8	0	0	0	0	0	0
5XX	all_deer	SUM	598-00	2122	6.4	118.9	2.1	6.4	97.6	21.3	2.1	0	0	0
5XX	all_deer	SUM	599-00	1926	2.1	20.5	0	2.1	17.8	2.7	0	0	0	0
5XX	all_deer	SUM	Deer_A	174790	1.7	97.6	4.1	1.7	97.6	0	4.1	27.4	64.8	0
5XX	all_deer	SUM	SUM	187369	14	242.7	6.2	14	218.7	24	6.2	27.4	64.8	0
5XX	md	N	Deer_A	24213	0	16.5	0	0	16.5	0	0	0	16.5	0
5XX	md	N	SUM	24213	0	16.5	0	0	16.5	0	0	0	16.5	0
5XX	md	R	530-01	56	0	2.2	0	0	2.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
5XX	md	R	590-00	313	0	1.2	0	0	1.2	0	0	0	0	0
5XX	md	R	597-00	552	1.6	0	0	1.6	0	0	0	0	0	0
5XX	md	R	Deer_A	150577	1.7	28.9	0	1.7	28.9	0	0	15.4	15.2	0
5XX	md	R	SUM	151498	3.3	32.4	0	3.3	32.4	0	0	15.4	15.2	0
5XX	md	SUM	530-01	56	0	2.2	0	0	2.2	0	0	0	0	0
5XX	md	SUM	590-00	313	0	1.2	0	0	1.2	0	0	0	0	0
5XX	md	SUM	597-00	552	1.6	0	0	1.6	0	0	0	0	0	0
5XX	md	SUM	Deer_A	174790	1.7	45.4	0	1.7	45.4	0	0	15.4	31.7	0
5XX	md	SUM	SUM	175711	3.3	48.9	0	3.3	48.9	0	0	15.4	31.7	0
5XX	wt	N	598-00	108	0	2.5	0	0	2.5	0	0	0	0	0
5XX	wt	N	Deer_A	24213	0	6.4	0	0	6.4	0	0	0	6.4	0
5XX	wt	N	SUM	24321	0	8.9	0	0	8.9	0	0	0	6.4	0
5XX	wt	R	004-10	7610	0	2.2	0	0	2.2	0	0	0	0	0
5XX	wt	R	597-00	552	2.2	0	0	2.2	0	0	0	0	0	0
5XX	wt	R	598-00	2014	6.4	114.1	0	6.4	92.8	21.3	0	0	0	0
5XX	wt	R	599-00	1926	2.1	20.5	0	2.1	17.8	2.7	0	0	0	0
5XX	wt	R	Deer_A	150577	0	45.7	4.1	0	45.7	0	4.1	11.9	26.6	0
5XX	wt	R	SUM	162679	10.7	182.5	4.1	10.7	158.5	24	4.1	11.9	26.6	0
5XX	wt	SUM	004-10	7610	0	2.2	0	0	2.2	0	0	0	0	0
5XX	wt	SUM	597-00	552	2.2	0	0	2.2	0	0	0	0	0	0
5XX	wt	SUM	598-00	2122	6.4	116.6	0	6.4	95.3	21.3	0	0	0	0
5XX	wt	SUM	599-00	1926	2.1	20.5	0	2.1	17.8	2.7	0	0	0	0
5XX	wt	SUM	Deer_A	174790	0	52.2	4.1	0	52.2	0	4.1	11.9	33.1	0
5XX	wt	SUM	SUM	187000	10.7	191.5	4.1	10.7	167.4	24	4.1	11.9	33.1	0
600	all_deer	N	326-00	60	0	0	0	0	0	0	0	0	0	0
600	all_deer	N	600-00	20	0	10.6	0	0	10.6	0	0	0	0	0
600	all_deer	N	620-00	38	0	0	0	0	0	0	0	0	0	0
600	all_deer	N	630-00	150	0	1.2	0	0	1.2	0	0	0	0	0
600	all_deer	N	670-00	132	0	0	0	0	0	0	0	0	0	0
600	all_deer	N	690-00	10	0	1.3	0	0	1.3	0	0	0	0	0
600	all_deer	N	698-00	798	0	21.8	0	0	21.8	0	0	0	0	0
600	all_deer	N	Deer_A	24213	0	77.8	1.5	0	79.4	0	0	8.9	70.4	0
600	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
600	all_deer	N	SUM	25421	0	112.8	1.5	0	114.4	0	0	8.9	70.4	0
600	all_deer	R	003-10	7329	0	2	0	0	2	0	0	0	2	0
600	all_deer	R	006-10	2581	2.1	88	2.1	2.1	90.1	0	0	0	0	0
600	all_deer	R	007-10	3970	0	2.4	0	0	2.4	0	0	0	0	0
600	all_deer	R	326-00	440	0	1.4	0	0	1.4	0	0	1.4	0	0
600	all_deer	R	600-00	180	1.2	68.5	1.5	1.2	69.9	0	0	0	0	0
600	all_deer	R	620-00	162	0	1.2	0	0	1.2	0	0	0	0	0
600	all_deer	R	630-00	348	0	0	0	0	0	0	0	0	0	0
600	all_deer	R	670-00	268	0	1.6	0	0	1.6	0	0	0	1.6	0
600	all_deer	R	690-00	90	0	1.5	0	0	1.5	0	0	0	0	0
600	all_deer	R	699-00	1248	4.3	52.3	0	4.3	52.3	0	0	0	0	0
600	all_deer	R	Deer_A	150577	2.9	738.1	1.7	2.9	739.8	0	0	186.6	425.1	1.7
600	all_deer	R	none	.	0	12.2	0	0	12.2	0	0	0	0	0
600	all_deer	R	SUM	167193	10.5	969.3	5.2	10.5	974.5	0	0	188	428.6	1.7
600	all_deer	SUM	003-10	7329	0	2	0	0	2	0	0	0	2	0
600	all_deer	SUM	006-10	2581	2.1	88	2.1	2.1	90.1	0	0	0	0	0
600	all_deer	SUM	007-10	3970	0	2.4	0	0	2.4	0	0	0	0	0
600	all_deer	SUM	326-00	500	0	1.4	0	0	1.4	0	0	1.4	0	0
600	all_deer	SUM	600-00	200	1.2	79.1	1.5	1.2	80.6	0	0	0	0	0
600	all_deer	SUM	620-00	200	0	1.2	0	0	1.2	0	0	0	0	0
600	all_deer	SUM	630-00	498	0	1.2	0	0	1.2	0	0	0	0	0
600	all_deer	SUM	670-00	400	0	1.6	0	0	1.6	0	0	0	1.6	0
600	all_deer	SUM	690-00	100	0	2.8	0	0	2.8	0	0	0	0	0
600	all_deer	SUM	698-00	798	0	21.8	0	0	21.8	0	0	0	0	0
600	all_deer	SUM	699-00	1248	4.3	52.3	0	4.3	52.3	0	0	0	0	0
600	all_deer	SUM	Deer_A	174790	2.9	816	3.2	2.9	819.2	0	0	195.5	495.5	1.7
600	all_deer	SUM	none	.	0	12.2	0	0	12.2	0	0	0	0	0
600	all_deer	SUM	SUM	192614	10.5	1082.1	6.7	10.5	1088.8	0	0	196.9	499.1	1.7
600	md	N	326-00	60	0	0	0	0	0	0	0	0	0	0
600	md	N	600-00	20	0	8.9	0	0	8.9	0	0	0	0	0
600	md	N	620-00	38	0	0	0	0	0	0	0	0	0	0
600	md	N	630-00	150	0	1.2	0	0	1.2	0	0	0	0	0
600	md	N	690-00	10	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
600	md	N	Deer_A	24213	0	67.1	1.5	0	68.6	0	0	8.9	59.7	0
600	md	N	none	.	0	0	0	0	0	0	0	0	0	0
600	md	N	SUM	24491	0	78.5	1.5	0	80	0	0	8.9	59.7	0
600	md	R	006-10	2581	0	8.8	0	0	8.8	0	0	0	0	0
600	md	R	326-00	440	0	1.4	0	0	1.4	0	0	1.4	0	0
600	md	R	600-00	180	1.2	68.5	1.5	1.2	69.9	0	0	0	0	0
600	md	R	620-00	162	0	1.2	0	0	1.2	0	0	0	0	0
600	md	R	630-00	348	0	0	0	0	0	0	0	0	0	0
600	md	R	690-00	90	0	1.5	0	0	1.5	0	0	0	0	0
600	md	R	699-00	1248	0	4.1	0	0	4.1	0	0	0	0	0
600	md	R	Deer_A	150577	0	560.9	1.7	0	562.6	0	0	147	302	1.7
600	md	R	none	.	0	0	0	0	0	0	0	0	0	0
600	md	R	SUM	155626	1.2	646.5	3.1	1.2	649.6	0	0	148.4	302	1.7
600	md	SUM	006-10	2581	0	8.8	0	0	8.8	0	0	0	0	0
600	md	SUM	326-00	500	0	1.4	0	0	1.4	0	0	1.4	0	0
600	md	SUM	600-00	200	1.2	77.4	1.5	1.2	78.9	0	0	0	0	0
600	md	SUM	620-00	200	0	1.2	0	0	1.2	0	0	0	0	0
600	md	SUM	630-00	498	0	1.2	0	0	1.2	0	0	0	0	0
600	md	SUM	690-00	100	0	2.8	0	0	2.8	0	0	0	0	0
600	md	SUM	699-00	1248	0	4.1	0	0	4.1	0	0	0	0	0
600	md	SUM	Deer_A	174790	0	628	3.2	0	631.2	0	0	155.9	361.7	1.7
600	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
600	md	SUM	SUM	180117	1.2	725	4.6	1.2	729.7	0	0	157.4	361.7	1.7
600	wt	N	600-00	20	0	1.7	0	0	1.7	0	0	0	0	0
600	wt	N	670-00	132	0	0	0	0	0	0	0	0	0	0
600	wt	N	698-00	798	0	21.8	0	0	21.8	0	0	0	0	0
600	wt	N	Deer_A	24213	0	10.8	0	0	10.8	0	0	0	10.8	0
600	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
600	wt	N	SUM	25163	0	34.3	0	0	34.3	0	0	0	10.8	0
600	wt	R	003-10	7329	0	2	0	0	2	0	0	0	2	0
600	wt	R	006-10	2581	2.1	79.2	2.1	2.1	81.3	0	0	0	0	0
600	wt	R	007-10	3970	0	2.4	0	0	2.4	0	0	0	0	0
600	wt	R	600-00	180	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
600	wt	R	670-00	268	0	1.6	0	0	1.6	0	0	0	1.6	0
600	wt	R	699-00	1248	4.3	48.2	0	4.3	48.2	0	0	0	0	0
600	wt	R	Deer_A	150577	2.9	177.2	0	2.9	177.2	0	0	39.6	123.1	0
600	wt	R	none	.	0	12.2	0	0	12.2	0	0	0	0	0
600	wt	R	SUM	166153	9.3	322.8	2.1	9.3	324.9	0	0	39.6	126.6	0
600	wt	SUM	003-10	7329	0	2	0	0	2	0	0	0	2	0
600	wt	SUM	006-10	2581	2.1	79.2	2.1	2.1	81.3	0	0	0	0	0
600	wt	SUM	007-10	3970	0	2.4	0	0	2.4	0	0	0	0	0
600	wt	SUM	600-00	200	0	1.7	0	0	1.7	0	0	0	0	0
600	wt	SUM	670-00	400	0	1.6	0	0	1.6	0	0	0	1.6	0
600	wt	SUM	698-00	798	0	21.8	0	0	21.8	0	0	0	0	0
600	wt	SUM	699-00	1248	4.3	48.2	0	4.3	48.2	0	0	0	0	0
600	wt	SUM	Deer_A	174790	2.9	188	0	2.9	188	0	0	39.6	133.8	0
600	wt	SUM	none	.	0	12.2	0	0	12.2	0	0	0	0	0
600	wt	SUM	SUM	191316	9.3	357.1	2.1	9.3	359.2	0	0	39.6	137.4	0
610	all_deer	N	401-00	42	0	0	0	0	0	0	0	0	0	0
610	all_deer	N	426-00	98	0	2.8	0	0	2.8	0	0	0	0	0
610	all_deer	N	610-00	2	0	2	0	0	2	0	0	0	0	0
610	all_deer	N	680-00	23	0	0	0	0	0	0	0	0	0	0
610	all_deer	N	698-00	798	0	6.1	0	0	6.1	0	0	0	0	0
610	all_deer	N	Deer_A	24213	0	45.4	0	0	45.4	0	0	3	42.4	0
610	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
610	all_deer	N	SUM	25176	0	56.3	0	0	56.3	0	0	3	42.4	0
610	all_deer	R	004-10	7610	0	3.4	0	0	3.4	0	0	3.4	0	0
610	all_deer	R	006-10	2581	0	34.3	0	0	34.3	0	0	0	0	0
610	all_deer	R	401-00	358	0	1.4	0	0	1.4	0	0	0	0	0
610	all_deer	R	426-00	439	0	0	0	0	0	0	0	0	0	0
610	all_deer	R	610-00	48	0	22.7	0	0	22.7	0	0	1.4	0	0
610	all_deer	R	680-00	177	0	2.6	0	0	2.6	0	0	0	2.6	0
610	all_deer	R	699-00	1248	0	10.7	0	0	10.7	0	0	0	0	0
610	all_deer	R	Deer_A	150577	0	459.6	6.5	2.4	463.7	0	0	105.8	252.5	0
610	all_deer	R	none	.	0	5.8	0	0	5.8	0	0	1.7	0	0
610	all_deer	R	SUM	163038	0	540.5	6.5	2.4	544.5	0	0	112.3	255.1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
610	all_deer	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	3.4	0	0
610	all_deer	SUM	006-10	2581	0	34.3	0	0	34.3	0	0	0	0	0
610	all_deer	SUM	401-00	400	0	1.4	0	0	1.4	0	0	0	0	0
610	all_deer	SUM	426-00	537	0	2.8	0	0	2.8	0	0	0	0	0
610	all_deer	SUM	610-00	50	0	24.7	0	0	24.7	0	0	1.4	0	0
610	all_deer	SUM	680-00	200	0	2.6	0	0	2.6	0	0	0	2.6	0
610	all_deer	SUM	698-00	798	0	6.1	0	0	6.1	0	0	0	0	0
610	all_deer	SUM	699-00	1248	0	10.7	0	0	10.7	0	0	0	0	0
610	all_deer	SUM	Deer_A	174790	0	505	6.5	2.4	509.1	0	0	108.8	294.8	0
610	all_deer	SUM	none	.	0	5.8	0	0	5.8	0	0	1.7	0	0
610	all_deer	SUM	SUM	188214	0	596.8	6.5	2.4	600.8	0	0	115.3	297.5	0
610	md	N	401-00	42	0	0	0	0	0	0	0	0	0	0
610	md	N	426-00	98	0	2.8	0	0	2.8	0	0	0	0	0
610	md	N	610-00	2	0	2	0	0	2	0	0	0	0	0
610	md	N	680-00	23	0	0	0	0	0	0	0	0	0	0
610	md	N	Deer_A	24213	0	44	0	0	44	0	0	3	41	0
610	md	N	none	.	0	0	0	0	0	0	0	0	0	0
610	md	N	SUM	24378	0	48.8	0	0	48.8	0	0	3	41	0
610	md	R	004-10	7610	0	3.4	0	0	3.4	0	0	3.4	0	0
610	md	R	401-00	358	0	1.4	0	0	1.4	0	0	0	0	0
610	md	R	426-00	439	0	0	0	0	0	0	0	0	0	0
610	md	R	610-00	48	0	22.7	0	0	22.7	0	0	1.4	0	0
610	md	R	680-00	177	0	2.6	0	0	2.6	0	0	0	2.6	0
610	md	R	Deer_A	150577	0	317.9	6.5	2.4	322	0	0	72.2	156.3	0
610	md	R	none	.	0	4.1	0	0	4.1	0	0	0	0	0
610	md	R	SUM	159209	0	352.1	6.5	2.4	356.2	0	0	77	159	0
610	md	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	3.4	0	0
610	md	SUM	401-00	400	0	1.4	0	0	1.4	0	0	0	0	0
610	md	SUM	426-00	537	0	2.8	0	0	2.8	0	0	0	0	0
610	md	SUM	610-00	50	0	24.7	0	0	24.7	0	0	1.4	0	0
610	md	SUM	680-00	200	0	2.6	0	0	2.6	0	0	0	2.6	0
610	md	SUM	Deer_A	174790	0	361.9	6.5	2.4	366	0	0	75.3	197.3	0
610	md	SUM	none	.	0	4.1	0	0	4.1	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
610	md	SUM	SUM	183587	0	400.9	6.5	2.4	404.9	0	0	80	200	0
610	wt	N	698-00	798	0	6.1	0	0	6.1	0	0	0	0	0
610	wt	N	Deer_A	24213	0	1.4	0	0	1.4	0	0	0	1.4	0
610	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
610	wt	N	SUM	25011	0	7.5	0	0	7.5	0	0	0	1.4	0
610	wt	R	006-10	2581	0	34.3	0	0	34.3	0	0	0	0	0
610	wt	R	699-00	1248	0	10.7	0	0	10.7	0	0	0	0	0
610	wt	R	Deer_A	150577	0	140	0	0	140	0	0	33.6	94.5	0
610	wt	R	none	.	0	1.7	0	0	1.7	0	0	1.7	0	0
610	wt	R	SUM	154406	0	186.7	0	0	186.7	0	0	35.3	94.5	0
610	wt	SUM	006-10	2581	0	34.3	0	0	34.3	0	0	0	0	0
610	wt	SUM	698-00	798	0	6.1	0	0	6.1	0	0	0	0	0
610	wt	SUM	699-00	1248	0	10.7	0	0	10.7	0	0	0	0	0
610	wt	SUM	Deer_A	174790	0	141.4	0	0	141.4	0	0	33.6	95.8	0
610	wt	SUM	none	.	0	1.7	0	0	1.7	0	0	1.7	0	0
610	wt	SUM	SUM	179417	0	194.2	0	0	194.2	0	0	35.3	95.8	0
611	all_deer	N	411-00	89	0	0	0	0	0	0	0	0	0	0
611	all_deer	N	611-00	16	0	14.7	0	0	14.7	0	0	0	0	0
611	all_deer	N	640-00	74	0	1.5	0	0	1.5	0	0	0	0	0
611	all_deer	N	670-00	132	0	1.3	0	0	1.3	0	0	0	0	0
611	all_deer	N	698-00	798	0	12	0	0	12	0	0	0	3	0
611	all_deer	N	Deer_A	24213	0	46.1	0	0	46.1	0	0	8.4	36.3	0
611	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
611	all_deer	N	SUM	25322	0	75.7	0	0	75.7	0	0	8.4	39.3	0
611	all_deer	R	006-10	2581	3.7	17.9	0	3.7	17.9	0	0	0	0	0
611	all_deer	R	411-00	509	0	1.4	0	0	1.4	0	0	1.4	0	0
611	all_deer	R	611-00	83	0	35.3	0	1.4	33.9	0	0	0	0	0
611	all_deer	R	640-00	223	0	0	0	0	0	0	0	0	0	0
611	all_deer	R	670-00	268	0	0	0	0	0	0	0	0	0	0
611	all_deer	R	699-00	1248	0	5.4	0	0	5.4	0	0	0	0	0
611	all_deer	R	Deer_A	150577	3.2	333.5	1.8	3.2	328.8	4.1	2.4	29.5	265.3	0
611	all_deer	R	none	.	0	1.7	0	0	1.7	0	0	0	1.7	0
611	all_deer	R	SUM	155489	6.9	395.1	1.8	8.2	389.1	4.1	2.4	30.9	267	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
611	all_deer	SUM	006-10	2581	3.7	17.9	0	3.7	17.9	0	0	0	0	0
611	all_deer	SUM	411-00	598	0	1.4	0	0	1.4	0	0	1.4	0	0
611	all_deer	SUM	611-00	99	0	50	0	1.4	48.6	0	0	0	0	0
611	all_deer	SUM	640-00	297	0	1.5	0	0	1.5	0	0	0	0	0
611	all_deer	SUM	670-00	400	0	1.3	0	0	1.3	0	0	0	0	0
611	all_deer	SUM	698-00	798	0	12	0	0	12	0	0	0	3	0
611	all_deer	SUM	699-00	1248	0	5.4	0	0	5.4	0	0	0	0	0
611	all_deer	SUM	Deer_A	174790	3.2	379.6	1.8	3.2	374.9	4.1	2.4	37.8	301.6	0
611	all_deer	SUM	none	.	0	1.7	0	0	1.7	0	0	0	1.7	0
611	all_deer	SUM	SUM	180811	6.9	470.8	1.8	8.2	464.7	4.1	2.4	39.3	306.3	0
611	md	N	611-00	16	0	14.7	0	0	14.7	0	0	0	0	0
611	md	N	640-00	74	0	1.5	0	0	1.5	0	0	0	0	0
611	md	N	670-00	132	0	1.3	0	0	1.3	0	0	0	0	0
611	md	N	Deer_A	24213	0	40.9	0	0	40.9	0	0	8.4	31.1	0
611	md	N	none	.	0	0	0	0	0	0	0	0	0	0
611	md	N	SUM	24435	0	58.5	0	0	58.5	0	0	8.4	31.1	0
611	md	R	611-00	83	0	33.6	0	1.4	32.2	0	0	0	0	0
611	md	R	640-00	223	0	0	0	0	0	0	0	0	0	0
611	md	R	670-00	268	0	0	0	0	0	0	0	0	0	0
611	md	R	Deer_A	150577	1.4	216.8	1.8	1.4	212.1	4.1	2.4	18.1	174.2	0
611	md	R	none	.	0	0	0	0	0	0	0	0	0	0
611	md	R	SUM	151151	1.4	250.3	1.8	2.7	244.3	4.1	2.4	18.1	174.2	0
611	md	SUM	611-00	99	0	48.3	0	1.4	46.9	0	0	0	0	0
611	md	SUM	640-00	297	0	1.5	0	0	1.5	0	0	0	0	0
611	md	SUM	670-00	400	0	1.3	0	0	1.3	0	0	0	0	0
611	md	SUM	Deer_A	174790	1.4	257.7	1.8	1.4	253	4.1	2.4	26.5	205.3	0
611	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
611	md	SUM	SUM	175586	1.4	308.8	1.8	2.7	302.8	4.1	2.4	26.5	205.3	0
611	wt	N	411-00	89	0	0	0	0	0	0	0	0	0	0
611	wt	N	611-00	16	0	0	0	0	0	0	0	0	0	0
611	wt	N	698-00	798	0	12	0	0	12	0	0	0	3	0
611	wt	N	Deer_A	24213	0	5.2	0	0	5.2	0	0	0	5.2	0
611	wt	N	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
611	wt	N	SUM	25116	0	17.2	0	0	17.2	0	0	0	8.2	0
611	wt	R	006-10	2581	3.7	17.9	0	3.7	17.9	0	0	0	0	0
611	wt	R	411-00	509	0	1.4	0	0	1.4	0	0	1.4	0	0
611	wt	R	611-00	83	0	1.7	0	0	1.7	0	0	0	0	0
611	wt	R	699-00	1248	0	5.4	0	0	5.4	0	0	0	0	0
611	wt	R	Deer_A	150577	1.9	116.7	0	1.9	116.7	0	0	11.3	91.1	0
611	wt	R	none	.	0	1.7	0	0	1.7	0	0	0	1.7	0
611	wt	R	SUM	154998	5.5	144.8	0	5.5	144.8	0	0	12.7	92.8	0
611	wt	SUM	006-10	2581	3.7	17.9	0	3.7	17.9	0	0	0	0	0
611	wt	SUM	411-00	598	0	1.4	0	0	1.4	0	0	1.4	0	0
611	wt	SUM	611-00	99	0	1.7	0	0	1.7	0	0	0	0	0
611	wt	SUM	698-00	798	0	12	0	0	12	0	0	0	3	0
611	wt	SUM	699-00	1248	0	5.4	0	0	5.4	0	0	0	0	0
611	wt	SUM	Deer_A	174790	1.9	121.9	0	1.9	121.9	0	0	11.3	96.3	0
611	wt	SUM	none	.	0	1.7	0	0	1.7	0	0	0	1.7	0
611	wt	SUM	SUM	180114	5.5	162	0	5.5	162	0	0	12.7	101	0
620	all_deer	N	104-00	4	0	0	0	0	0	0	0	0	0	0
620	all_deer	N	620-00	38	0	18.8	0	0	18.8	0	0	0	0	0
620	all_deer	N	630-00	150	0	2.6	0	0	2.6	0	0	0	1.3	0
620	all_deer	N	670-00	132	0	1.1	0	0	1.1	0	0	0	1.1	0
620	all_deer	N	698-00	798	0	25.5	0	0	25.5	0	0	0	0	0
620	all_deer	N	Deer_A	24213	23.8	81.2	0	23.8	81.2	0	0	16.8	74.5	0
620	all_deer	N	none	.	0	3.8	0	0	3.8	0	3.8	3.8	0	0
620	all_deer	N	SUM	25335	23.8	133.1	0	23.8	133.1	0	3.8	20.5	77	0
620	all_deer	R	006-10	2581	0	26.7	0	0	26.7	0	0	0	0	0
620	all_deer	R	104-00	196	0	1.5	0	0	1.5	0	0	0	1.5	0
620	all_deer	R	620-00	162	0	44.5	0	0	44.5	0	0	0	0	0
620	all_deer	R	630-00	348	0	1.5	0	0	1.5	0	0	0	0	0
620	all_deer	R	670-00	268	0	0	0	0	0	0	0	0	0	0
620	all_deer	R	699-00	1248	0	4.8	0	0	4.8	0	0	0	0	0
620	all_deer	R	Deer_A	150577	0	488.1	8.1	4.1	484.1	0	8.1	82.7	371.9	1.7
620	all_deer	R	none	.	0	2.3	0	0	2.3	0	0	0	2.3	0
620	all_deer	R	SUM	155380	0	569.4	8.1	4.1	565.4	0	8.1	82.7	375.7	1.7

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
620	all_deer	SUM	006-10	2581	0	26.7	0	0	26.7	0	0	0	0	0
620	all_deer	SUM	104-00	200	0	1.5	0	0	1.5	0	0	0	1.5	0
620	all_deer	SUM	620-00	200	0	63.2	0	0	63.2	0	0	0	0	0
620	all_deer	SUM	630-00	498	0	4.1	0	0	4.1	0	0	0	1.3	0
620	all_deer	SUM	670-00	400	0	1.1	0	0	1.1	0	0	0	1.1	0
620	all_deer	SUM	698-00	798	0	25.5	0	0	25.5	0	0	0	0	0
620	all_deer	SUM	699-00	1248	0	4.8	0	0	4.8	0	0	0	0	0
620	all_deer	SUM	Deer_A	174790	23.8	569.4	8.1	27.9	565.3	0	8.1	99.4	446.4	1.7
620	all_deer	SUM	none	.	0	6	0	0	6	0	3.8	3.8	2.3	0
620	all_deer	SUM	SUM	180715	23.8	702.5	8.1	27.9	698.4	0	11.9	103.2	452.7	1.7
620	md	N	104-00	4	0	0	0	0	0	0	0	0	0	0
620	md	N	620-00	38	0	18.8	0	0	18.8	0	0	0	0	0
620	md	N	630-00	150	0	1.3	0	0	1.3	0	0	0	0	0
620	md	N	670-00	132	0	1.1	0	0	1.1	0	0	0	1.1	0
620	md	N	698-00	798	0	1.6	0	0	1.6	0	0	0	0	0
620	md	N	Deer_A	24213	18.6	61.1	0	18.6	61.1	0	0	16.8	49.2	0
620	md	N	none	.	0	3.8	0	0	3.8	0	0	3.8	0	0
620	md	N	SUM	25335	18.6	87.6	0	18.6	87.6	0	0	20.5	50.4	0
620	md	R	006-10	2581	0	3.7	0	0	3.7	0	0	0	0	0
620	md	R	104-00	196	0	1.5	0	0	1.5	0	0	0	1.5	0
620	md	R	620-00	162	0	44.5	0	0	44.5	0	0	0	0	0
620	md	R	630-00	348	0	1.5	0	0	1.5	0	0	0	0	0
620	md	R	670-00	268	0	0	0	0	0	0	0	0	0	0
620	md	R	Deer_A	150577	0	384.5	8.1	4.1	380.5	0	8.1	61.6	303	1.7
620	md	R	none	.	0	0	0	0	0	0	0	0	0	0
620	md	R	SUM	154132	0	435.7	8.1	4.1	431.6	0	8.1	61.6	304.5	1.7
620	md	SUM	006-10	2581	0	3.7	0	0	3.7	0	0	0	0	0
620	md	SUM	104-00	200	0	1.5	0	0	1.5	0	0	0	1.5	0
620	md	SUM	620-00	200	0	63.2	0	0	63.2	0	0	0	0	0
620	md	SUM	630-00	498	0	2.8	0	0	2.8	0	0	0	0	0
620	md	SUM	670-00	400	0	1.1	0	0	1.1	0	0	0	1.1	0
620	md	SUM	698-00	798	0	1.6	0	0	1.6	0	0	0	0	0
620	md	SUM	Deer_A	174790	18.6	445.6	8.1	22.7	441.6	0	8.1	78.3	352.2	1.7

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
620	md	SUM	none	.	0	3.8	0	0	3.8	0	0	3.8	0	0
620	md	SUM	SUM	179467	18.6	523.3	8.1	22.7	519.3	0	8.1	82.1	354.9	1.7
620	wt	N	630-00	150	0	1.3	0	0	1.3	0	0	0	1.3	0
620	wt	N	698-00	798	0	24	0	0	24	0	0	0	0	0
620	wt	N	Deer_A	24213	5.2	14.9	0	5.2	14.9	0	0	0	20.1	0
620	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
620	wt	N	SUM	25161	5.2	40.2	0	5.2	40.2	0	0	0	21.4	0
620	wt	R	006-10	2581	0	23	0	0	23	0	0	0	0	0
620	wt	R	630-00	348	0	0	0	0	0	0	0	0	0	0
620	wt	R	699-00	1248	0	4.8	0	0	4.8	0	0	0	0	0
620	wt	R	Deer_A	150577	0	103.6	0	0	103.6	0	0	21.1	68.9	0
620	wt	R	none	.	0	2.3	0	0	2.3	0	0	0	2.3	0
620	wt	R	SUM	154754	0	133.7	0	0	133.7	0	0	21.1	71.1	0
620	wt	SUM	006-10	2581	0	23	0	0	23	0	0	0	0	0
620	wt	SUM	630-00	498	0	1.3	0	0	1.3	0	0	0	1.3	0
620	wt	SUM	698-00	798	0	24	0	0	24	0	0	0	0	0
620	wt	SUM	699-00	1248	0	4.8	0	0	4.8	0	0	0	0	0
620	wt	SUM	Deer_A	174790	5.2	118.5	0	5.2	118.5	0	0	21.1	89	0
620	wt	SUM	none	.	0	2.3	0	0	2.3	0	0	0	2.3	0
620	wt	SUM	SUM	179915	5.2	173.9	0	5.2	173.9	0	0	21.1	92.6	0
621	all_deer	N	620-00	38	0	3.5	0	0	3.5	0	0	0	0	0
621	all_deer	N	630-00	150	0	1.2	0	0	1.2	0	0	0	1.2	0
621	all_deer	N	698-00	798	0	2.2	0	0	2.2	0	0	0	0	0
621	all_deer	N	Deer_A	24213	3.7	92.5	0	3.7	92.5	0	0	24.9	67.6	0
621	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
621	all_deer	N	SUM	25199	3.7	99.4	0	3.7	99.4	0	0	24.9	68.8	0
621	all_deer	R	620-00	162	1.4	1.6	0	0	3	0	0	0	0	0
621	all_deer	R	630-00	348	0	0	0	0	0	0	0	0	0	0
621	all_deer	R	Deer_A	150577	0	170.9	0	0	170.9	0	0	43.6	99	0
621	all_deer	R	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
621	all_deer	R	SUM	151087	1.4	176.5	0	0	178	0	0	47.6	99	0
621	all_deer	SUM	620-00	200	1.4	5	0	0	6.5	0	0	0	0	0
621	all_deer	SUM	630-00	498	0	1.2	0	0	1.2	0	0	0	1.2	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
621	all_deer	SUM	698-00	798	0	2.2	0	0	2.2	0	0	0	0	0
621	all_deer	SUM	Deer_A	174790	3.7	263.4	0	3.7	263.4	0	0	68.5	166.6	0
621	all_deer	SUM	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
621	all_deer	SUM	SUM	176286	5.2	275.9	0	3.7	277.4	0	0	72.6	167.8	0
621	md	N	620-00	38	0	3.5	0	0	3.5	0	0	0	0	0
621	md	N	630-00	150	0	1.2	0	0	1.2	0	0	0	1.2	0
621	md	N	Deer_A	24213	3.7	85.1	0	3.7	85.1	0	0	24.9	60.2	0
621	md	N	none	.	0	0	0	0	0	0	0	0	0	0
621	md	N	SUM	24401	3.7	89.8	0	3.7	89.8	0	0	24.9	61.4	0
621	md	R	620-00	162	1.4	1.6	0	0	3	0	0	0	0	0
621	md	R	630-00	348	0	0	0	0	0	0	0	0	0	0
621	md	R	Deer_A	150577	0	134.5	0	0	134.5	0	0	29.9	80.3	0
621	md	R	none	.	0	0	0	0	0	0	0	0	0	0
621	md	R	SUM	151087	1.4	136.1	0	0	137.5	0	0	29.9	80.3	0
621	md	SUM	620-00	200	1.4	5	0	0	6.5	0	0	0	0	0
621	md	SUM	630-00	498	0	1.2	0	0	1.2	0	0	0	1.2	0
621	md	SUM	Deer_A	174790	3.7	219.6	0	3.7	219.6	0	0	54.8	140.5	0
621	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
621	md	SUM	SUM	175488	5.2	225.9	0	3.7	227.3	0	0	54.8	141.7	0
621	wt	N	698-00	798	0	2.2	0	0	2.2	0	0	0	0	0
621	wt	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
621	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
621	wt	N	SUM	25011	0	9.6	0	0	9.6	0	0	0	7.5	0
621	wt	R	006-10	2581	0	0	0	0	0	0	0	0	0	0
621	wt	R	699-00	1248	0	0	0	0	0	0	0	0	0	0
621	wt	R	Deer_A	150577	0	36.4	0	0	36.4	0	0	13.7	18.7	0
621	wt	R	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0
621	wt	R	SUM	154406	0	40.4	0	0	40.4	0	0	17.7	18.7	0
621	wt	SUM	006-10	2581	0	0	0	0	0	0	0	0	0	0
621	wt	SUM	698-00	798	0	2.2	0	0	2.2	0	0	0	0	0
621	wt	SUM	699-00	1248	0	0	0	0	0	0	0	0	0	0
621	wt	SUM	Deer_A	174790	0	43.8	0	0	43.8	0	0	13.7	26.1	0
621	wt	SUM	none	.	0	4.1	0	0	4.1	0	0	4.1	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
621	wt	SUM	SUM	179417	0	50.1	0	0	50.1	0	0	17.7	26.1	0
622	all_deer	N	620-00	38	0	0	0	0	0	0	0	0	0	0
622	all_deer	N	698-00	798	0	8.6	0	0	8.6	0	0	0	0	0
622	all_deer	N	Deer_A	24213	7.5	24.7	0	7.5	24.7	0	0	5.6	21.7	0
622	all_deer	N	SUM	25049	7.5	33.3	0	7.5	33.3	0	0	5.6	21.7	0
622	all_deer	R	261-00	49	0	1.3	0	0	1.3	0	0	0	1.3	0
622	all_deer	R	620-00	162	0	4.4	0	0	4.4	0	0	0	0	0
622	all_deer	R	Deer_A	150577	0	90.3	0	0	90.3	0	0	22.7	63.5	0
622	all_deer	R	SUM	150788	0	95.9	0	0	95.9	0	0	22.7	64.8	0
622	all_deer	SUM	261-00	49	0	1.3	0	0	1.3	0	0	0	1.3	0
622	all_deer	SUM	620-00	200	0	4.4	0	0	4.4	0	0	0	0	0
622	all_deer	SUM	698-00	798	0	8.6	0	0	8.6	0	0	0	0	0
622	all_deer	SUM	Deer_A	174790	7.5	115	0	7.5	115	0	0	28.3	85.2	0
622	all_deer	SUM	SUM	175837	7.5	129.2	0	7.5	129.2	0	0	28.3	86.4	0
622	md	N	620-00	38	0	0	0	0	0	0	0	0	0	0
622	md	N	Deer_A	24213	3.7	21	0	3.7	21	0	0	1.9	17.9	0
622	md	N	SUM	24251	3.7	21	0	3.7	21	0	0	1.9	17.9	0
622	md	R	261-00	49	0	1.3	0	0	1.3	0	0	0	1.3	0
622	md	R	620-00	162	0	4.4	0	0	4.4	0	0	0	0	0
622	md	R	Deer_A	150577	0	86.3	0	0	86.3	0	0	22.7	59.5	0
622	md	R	SUM	150788	0	91.9	0	0	91.9	0	0	22.7	60.7	0
622	md	SUM	261-00	49	0	1.3	0	0	1.3	0	0	0	1.3	0
622	md	SUM	620-00	200	0	4.4	0	0	4.4	0	0	0	0	0
622	md	SUM	Deer_A	174790	3.7	107.3	0	3.7	107.3	0	0	24.6	77.4	0
622	md	SUM	SUM	175039	3.7	112.9	0	3.7	112.9	0	0	24.6	78.7	0
622	wt	N	698-00	798	0	8.6	0	0	8.6	0	0	0	0	0
622	wt	N	Deer_A	24213	3.7	3.7	0	3.7	3.7	0	0	3.7	3.7	0
622	wt	N	SUM	25011	3.7	12.3	0	3.7	12.3	0	0	3.7	3.7	0
622	wt	R	006-10	2581	0	0	0	0	0	0	0	0	0	0
622	wt	R	699-00	1248	0	0	0	0	0	0	0	0	0	0
622	wt	R	Deer_A	150577	0	4.1	0	0	4.1	0	0	0	4.1	0
622	wt	R	SUM	154406	0	4.1	0	0	4.1	0	0	0	4.1	0
622	wt	SUM	006-10	2581	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
622	wt	SUM	698-00	798	0	8.6	0	0	8.6	0	0	0	0	0
622	wt	SUM	699-00	1248	0	0	0	0	0	0	0	0	0	0
622	wt	SUM	Deer_A	174790	3.7	7.8	0	3.7	7.8	0	0	3.7	7.8	0
622	wt	SUM	SUM	179417	3.7	16.4	0	3.7	16.4	0	0	3.7	7.8	0
630	all_deer	N	002-10	67	1.4	0	0	1.4	0	0	0	0	0	0
630	all_deer	N	170-10	58	1.3	0	0	1.3	0	0	0	0	0	0
630	all_deer	N	401-00	42	0	1.3	0	0	1.3	0	0	0	0	0
630	all_deer	N	630-00	150	0	79.9	0	0	79.9	0	0	0	3.3	0
630	all_deer	N	630-01	1	0	0	0	0	0	0	0	0	0	0
630	all_deer	N	640-00	74	0	2.5	0	0	2.5	0	0	0	0	0
630	all_deer	N	650-00	10	0	0	0	0	0	0	0	0	0	0
630	all_deer	N	670-00	132	0	1.3	0	0	1.3	0	0	1.3	0	0
630	all_deer	N	698-00	798	8.2	111.4	1.7	5.2	116.1	0	0	0	3	0
630	all_deer	N	Deer_A	24213	29.8	283.7	3.7	33.5	280	3.7	0	38.1	262	0
630	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
630	all_deer	N	SUM	25545	40.7	480	5.4	41.4	481	3.7	0	39.4	268.3	0
630	all_deer	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
630	all_deer	R	006-10	2581	10.8	153.3	0	4.3	156.2	0	3.7	0	5	0
630	all_deer	R	170-10	1946	0	0	0	0	0	0	0	0	0	0
630	all_deer	R	401-00	358	0	0	0	0	0	0	0	0	0	0
630	all_deer	R	630-00	348	1.6	96	0	1.6	96	0	0	0	0	0
630	all_deer	R	630-01	13	1.5	3.3	0	0	4.8	0	0	0	0	0
630	all_deer	R	640-00	223	0	0	0	0	0	0	0	0	0	0
630	all_deer	R	650-00	90	1.2	0	0	1.2	0	0	0	0	0	0
630	all_deer	R	670-00	268	0	6.7	0	0	6.7	0	0	0	0	0
630	all_deer	R	699-00	1248	34.4	106.1	0	28.2	112.3	0	0	0	6.3	0
630	all_deer	R	Deer_A	150577	21.9	572.8	0	16.1	576.1	0	2.4	109.1	405.7	5.4
630	all_deer	R	none	.	0	5.7	0	0	5.7	0	0	0	0	0
630	all_deer	R	SUM	158804	71.4	943.9	0	51.3	957.8	0	6.1	109.1	417	5.4
630	all_deer	SUM	002-10	1219	1.4	0	0	1.4	0	0	0	0	0	0
630	all_deer	SUM	006-10	2581	10.8	153.3	0	4.3	156.2	0	3.7	0	5	0
630	all_deer	SUM	170-10	2004	1.3	0	0	1.3	0	0	0	0	0	0
630	all_deer	SUM	401-00	400	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
630	all_deer	SUM	630-00	498	1.6	175.9	0	1.6	175.9	0	0	0	3.3	0
630	all_deer	SUM	630-01	14	1.5	3.3	0	0	4.8	0	0	0	0	0
630	all_deer	SUM	640-00	297	0	2.5	0	0	2.5	0	0	0	0	0
630	all_deer	SUM	650-00	100	1.2	0	0	1.2	0	0	0	0	0	0
630	all_deer	SUM	670-00	400	0	8	0	0	8	0	0	1.3	0	0
630	all_deer	SUM	698-00	798	8.2	111.4	1.7	5.2	116.1	0	0	0	3	0
630	all_deer	SUM	699-00	1248	34.4	106.1	0	28.2	112.3	0	0	0	6.3	0
630	all_deer	SUM	Deer_A	174790	51.7	856.6	3.7	49.7	856.1	3.7	2.4	147.2	667.7	5.4
630	all_deer	SUM	none	.	0	5.7	0	0	5.7	0	0	0	0	0
630	all_deer	SUM	SUM	184349	112.1	1423.9	5.4	92.8	1438.8	3.7	6.1	148.5	685.3	5.4
630	md	N	401-00	42	0	1.3	0	0	1.3	0	0	0	0	0
630	md	N	630-00	150	0	79.9	0	0	79.9	0	0	0	3.3	0
630	md	N	630-01	1	0	0	0	0	0	0	0	0	0	0
630	md	N	640-00	74	0	2.5	0	0	2.5	0	0	0	0	0
630	md	N	650-00	10	0	0	0	0	0	0	0	0	0	0
630	md	N	670-00	132	0	1.3	0	0	1.3	0	0	1.3	0	0
630	md	N	698-00	798	0	6.1	0	0	6.1	0	0	0	0	0
630	md	N	Deer_A	24213	3.7	166.7	3.7	7.5	166.7	0	0	34.4	125.7	0
630	md	N	none	.	0	0	0	0	0	0	0	0	0	0
630	md	N	SUM	25420	3.7	257.7	3.7	7.5	257.7	0	0	35.7	129	0
630	md	R	006-10	2581	0	5.9	0	0	5.9	0	0	0	2.2	0
630	md	R	401-00	358	0	0	0	0	0	0	0	0	0	0
630	md	R	630-00	348	1.6	91	0	1.6	91	0	0	0	0	0
630	md	R	630-01	13	1.5	0	0	0	1.5	0	0	0	0	0
630	md	R	640-00	223	0	0	0	0	0	0	0	0	0	0
630	md	R	650-00	90	1.2	0	0	1.2	0	0	0	0	0	0
630	md	R	670-00	268	0	6.7	0	0	6.7	0	0	0	0	0
630	md	R	699-00	1248	0	4.2	0	0	4.2	0	0	0	2	0
630	md	R	Deer_A	150577	1.9	327.9	0	1.9	327.9	0	0	68.8	213.9	0
630	md	R	none	.	0	0	0	0	0	0	0	0	0	0
630	md	R	SUM	155706	6.1	435.6	0	4.6	437.2	0	0	68.8	218.1	0
630	md	SUM	006-10	2581	0	5.9	0	0	5.9	0	0	0	2.2	0
630	md	SUM	401-00	400	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
630	md	SUM	630-00	498	1.6	170.9	0	1.6	170.9	0	0	0	3.3	0
630	md	SUM	630-01	14	1.5	0	0	0	1.5	0	0	0	0	0
630	md	SUM	640-00	297	0	2.5	0	0	2.5	0	0	0	0	0
630	md	SUM	650-00	100	1.2	0	0	1.2	0	0	0	0	0	0
630	md	SUM	670-00	400	0	8	0	0	8	0	0	1.3	0	0
630	md	SUM	698-00	798	0	6.1	0	0	6.1	0	0	0	0	0
630	md	SUM	699-00	1248	0	4.2	0	0	4.2	0	0	0	2	0
630	md	SUM	Deer_A	174790	5.6	494.6	3.7	9.3	494.6	0	0	103.2	339.5	0
630	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
630	md	SUM	SUM	181126	9.9	693.3	3.7	12.1	694.8	0	0	104.5	347.1	0
630	wt	N	002-10	67	1.4	0	0	1.4	0	0	0	0	0	0
630	wt	N	170-10	58	1.3	0	0	1.3	0	0	0	0	0	0
630	wt	N	630-00	150	0	0	0	0	0	0	0	0	0	0
630	wt	N	630-01	1	0	0	0	0	0	0	0	0	0	0
630	wt	N	698-00	798	8.2	105.3	1.7	5.2	110	0	0	0	3	0
630	wt	N	Deer_A	24213	26.1	113.3	0	26.1	113.3	0	0	3.7	132.6	0
630	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
630	wt	N	SUM	25287	37	218.6	1.7	34	223.3	0	0	3.7	135.6	0
630	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
630	wt	R	006-10	2581	8.4	143.8	0	4.3	144.2	0	3.7	0	2.8	0
630	wt	R	170-10	1946	0	0	0	0	0	0	0	0	0	0
630	wt	R	630-00	348	0	3.5	0	0	3.5	0	0	0	0	0
630	wt	R	630-01	13	0	3.3	0	0	3.3	0	0	0	0	0
630	wt	R	630-20	6	0	0	0	0	0	0	0	0	0	0
630	wt	R	699-00	1248	34.4	101.9	0	28.2	108.1	0	0	0	4.3	0
630	wt	R	Deer_A	150577	20	245	0	14.3	248.3	0	2.4	40.3	191.8	5.4
630	wt	R	none	.	0	5.7	0	0	5.7	0	0	0	0	0
630	wt	R	SUM	157871	62.8	503.1	0	46.7	513.1	0	6.1	40.3	198.9	5.4
630	wt	SUM	002-10	1219	1.4	0	0	1.4	0	0	0	0	0	0
630	wt	SUM	006-10	2581	8.4	143.8	0	4.3	144.2	0	3.7	0	2.8	0
630	wt	SUM	170-10	2004	1.3	0	0	1.3	0	0	0	0	0	0
630	wt	SUM	630-00	498	0	3.5	0	0	3.5	0	0	0	0	0
630	wt	SUM	630-01	14	0	3.3	0	0	3.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
630	wt	SUM	630-20	6	0	0	0	0	0	0	0	0	0	0
630	wt	SUM	698-00	798	8.2	105.3	1.7	5.2	110	0	0	0	3	0
630	wt	SUM	699-00	1248	34.4	101.9	0	28.2	108.1	0	0	0	4.3	0
630	wt	SUM	Deer_A	174790	46.1	358.3	0	40.4	361.6	0	2.4	44	324.4	5.4
630	wt	SUM	none	.	0	5.7	0	0	5.7	0	0	0	0	0
630	wt	SUM	SUM	183158	99.8	721.7	1.7	80.7	736.4	0	6.1	44	334.5	5.4
631	all_deer	N	630-00	150	0	4.9	0	0	3.4	0	1.6	0	0	0
631	all_deer	N	698-00	798	0	6	0	0	6	0	0	0	0	0
631	all_deer	N	Deer_A	24213	0	16.5	0	0	16.5	0	0	7.5	9	0
631	all_deer	N	SUM	25161	0	27.4	0	0	25.8	0	1.6	7.5	9	0
631	all_deer	R	630-00	348	0	3.4	0	0	3.4	0	0	0	0	0
631	all_deer	R	Deer_A	150577	0	27.4	0	0	27.4	0	0	5.8	17.6	0
631	all_deer	R	SUM	150925	0	30.7	0	0	30.7	0	0	5.8	17.6	0
631	all_deer	SUM	630-00	498	0	8.3	0	0	6.7	0	1.6	0	0	0
631	all_deer	SUM	698-00	798	0	6	0	0	6	0	0	0	0	0
631	all_deer	SUM	Deer_A	174790	0	43.8	0	0	43.8	0	0	13.2	26.6	0
631	all_deer	SUM	SUM	176086	0	58.1	0	0	56.6	0	1.6	13.2	26.6	0
631	md	N	630-00	150	0	4.9	0	0	3.4	0	1.6	0	0	0
631	md	N	Deer_A	24213	0	16.5	0	0	16.5	0	0	7.5	9	0
631	md	N	SUM	24363	0	21.4	0	0	19.8	0	1.6	7.5	9	0
631	md	R	630-00	348	0	3.4	0	0	3.4	0	0	0	0	0
631	md	R	Deer_A	150577	0	27.4	0	0	27.4	0	0	5.8	17.6	0
631	md	R	SUM	150925	0	30.7	0	0	30.7	0	0	5.8	17.6	0
631	md	SUM	630-00	498	0	8.3	0	0	6.7	0	1.6	0	0	0
631	md	SUM	Deer_A	174790	0	43.8	0	0	43.8	0	0	13.2	26.6	0
631	md	SUM	SUM	175288	0	52.1	0	0	50.6	0	1.6	13.2	26.6	0
631	wt	N	698-00	798	0	6	0	0	6	0	0	0	0	0
631	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
631	wt	N	SUM	25011	0	6	0	0	6	0	0	0	0	0
631	wt	R	006-10	2581	0	0	0	0	0	0	0	0	0	0
631	wt	R	699-00	1248	0	0	0	0	0	0	0	0	0	0
631	wt	R	Deer_A	150577	0	0	0	0	0	0	0	0	0	0
631	wt	R	SUM	154406	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
631	wt	SUM	006-10	2581	0	0	0	0	0	0	0	0	0	0
631	wt	SUM	698-00	798	0	6	0	0	6	0	0	0	0	0
631	wt	SUM	699-00	1248	0	0	0	0	0	0	0	0	0	0
631	wt	SUM	Deer_A	174790	0	0	0	0	0	0	0	0	0	0
631	wt	SUM	SUM	179417	0	6	0	0	6	0	0	0	0	0
632	all_deer	N	630-00	150	0	1.5	0	0	1.5	0	0	0	0	0
632	all_deer	N	698-00	798	0	3	0	0	3	0	0	0	0	0
632	all_deer	N	Deer_A	24213	0	81.2	3.7	3.7	81.2	0	0	11.2	70.1	0
632	all_deer	N	SUM	25161	0	85.8	3.7	3.7	85.8	0	0	11.2	70.1	0
632	all_deer	R	006-10	2581	0	2.3	0	0	2.3	0	0	0	0	0
632	all_deer	R	630-00	348	0	10.1	0	0	10.1	0	0	0	0	0
632	all_deer	R	Deer_A	150577	0	47.8	0	0	47.8	0	0	14	28	0
632	all_deer	R	SUM	153506	0	60.2	0	0	60.2	0	0	14	28	0
632	all_deer	SUM	006-10	2581	0	2.3	0	0	2.3	0	0	0	0	0
632	all_deer	SUM	630-00	498	0	11.6	0	0	11.6	0	0	0	0	0
632	all_deer	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
632	all_deer	SUM	Deer_A	174790	0	129	3.7	3.7	129	0	0	25.2	98.1	0
632	all_deer	SUM	SUM	178667	0	146	3.7	3.7	146	0	0	25.2	98.1	0
632	md	N	630-00	150	0	1.5	0	0	1.5	0	0	0	0	0
632	md	N	Deer_A	24213	0	70.1	3.7	3.7	70.1	0	0	11.2	58.9	0
632	md	N	SUM	24363	0	71.6	3.7	3.7	71.6	0	0	11.2	58.9	0
632	md	R	630-00	348	0	10.1	0	0	10.1	0	0	0	0	0
632	md	R	Deer_A	150577	0	44.4	0	0	44.4	0	0	14	24.6	0
632	md	R	SUM	150925	0	54.5	0	0	54.5	0	0	14	24.6	0
632	md	SUM	630-00	498	0	11.6	0	0	11.6	0	0	0	0	0
632	md	SUM	Deer_A	174790	0	114.4	3.7	3.7	114.4	0	0	25.2	83.5	0
632	md	SUM	SUM	175288	0	126.1	3.7	3.7	126.1	0	0	25.2	83.5	0
632	wt	N	698-00	798	0	3	0	0	3	0	0	0	0	0
632	wt	N	Deer_A	24213	0	11.2	0	0	11.2	0	0	0	11.2	0
632	wt	N	SUM	25011	0	14.2	0	0	14.2	0	0	0	11.2	0
632	wt	R	006-10	2581	0	2.3	0	0	2.3	0	0	0	0	0
632	wt	R	699-00	1248	0	0	0	0	0	0	0	0	0	0
632	wt	R	Deer_A	150577	0	3.4	0	0	3.4	0	0	0	3.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
632	wt	R	SUM	154406	0	5.7	0	0	5.7	0	0	0	3.4	0
632	wt	SUM	006-10	2581	0	2.3	0	0	2.3	0	0	0	0	0
632	wt	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
632	wt	SUM	699-00	1248	0	0	0	0	0	0	0	0	0	0
632	wt	SUM	Deer_A	174790	0	14.6	0	0	14.6	0	0	0	14.6	0
632	wt	SUM	SUM	179417	0	19.9	0	0	19.9	0	0	0	14.6	0
640	all_deer	N	640-00	74	3.1	42.1	0	0	45.1	0	0	0	0	0
640	all_deer	N	698-00	798	0	35.8	3	0	38.8	0	0	0	0	0
640	all_deer	N	Deer_A	24213	7.5	83.6	0	3.7	87.3	0	0	15.2	75.8	0
640	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
640	all_deer	N	SUM	25085	10.5	161.4	3	3.7	171.2	0	0	15.2	75.8	0
640	all_deer	R	006-10	2581	0	75.1	0	0	75.1	0	0	0	3.7	0
640	all_deer	R	640-00	223	1.3	86.8	0	1.3	86.8	0	0	0	0	0
640	all_deer	R	699-00	1248	0	56.8	0	0	56.8	0	0	2.1	0	0
640	all_deer	R	Deer_A	150577	11	495	1.8	2.9	497.5	5.7	1.8	58.3	384.4	0
640	all_deer	R	none	.	0	5.4	0	0	5.4	0	0	0	0	0
640	all_deer	R	SUM	154629	12.3	719.2	1.8	4.2	721.7	5.7	1.8	60.5	388	0
640	all_deer	SUM	006-10	2581	0	75.1	0	0	75.1	0	0	0	3.7	0
640	all_deer	SUM	640-00	297	4.4	128.9	0	1.3	132	0	0	0	0	0
640	all_deer	SUM	698-00	798	0	35.8	3	0	38.8	0	0	0	0	0
640	all_deer	SUM	699-00	1248	0	56.8	0	0	56.8	0	0	2.1	0	0
640	all_deer	SUM	Deer_A	174790	18.5	578.6	1.8	6.6	584.8	5.7	1.8	73.5	460.2	0
640	all_deer	SUM	none	.	0	5.4	0	0	5.4	0	0	0	0	0
640	all_deer	SUM	SUM	179714	22.8	880.7	4.8	7.9	892.9	5.7	1.8	75.6	463.9	0
640	md	N	640-00	74	3.1	42.1	0	0	45.1	0	0	0	0	0
640	md	N	698-00	798	0	3	0	0	3	0	0	0	0	0
640	md	N	Deer_A	24213	3.7	44.7	0	3.7	44.7	0	0	13.9	34.5	0
640	md	N	none	.	0	0	0	0	0	0	0	0	0	0
640	md	N	SUM	25085	6.8	89.7	0	3.7	92.8	0	0	13.9	34.5	0
640	md	R	006-10	2581	0	7.3	0	0	7.3	0	0	0	3.7	0
640	md	R	640-00	223	1.3	85.4	0	1.3	85.4	0	0	0	0	0
640	md	R	Deer_A	150577	5.5	252	0	1.4	250.3	5.7	0	30.8	190.2	0
640	md	R	none	.	0	5.4	0	0	5.4	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
640	md	R	SUM	153381	6.8	350.1	0	2.7	348.5	5.7	0	30.8	193.9	0
640	md	SUM	006-10	2581	0	7.3	0	0	7.3	0	0	0	3.7	0
640	md	SUM	640-00	297	4.4	127.5	0	1.3	130.5	0	0	0	0	0
640	md	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
640	md	SUM	Deer_A	174790	9.2	296.6	0	5.1	295	5.7	0	44.8	224.7	0
640	md	SUM	none	.	0	5.4	0	0	5.4	0	0	0	0	0
640	md	SUM	SUM	178466	13.6	439.9	0	6.5	441.3	5.7	0	44.8	228.3	0
640	wt	N	640-00	74	0	0	0	0	0	0	0	0	0	0
640	wt	N	698-00	798	0	32.8	3	0	35.8	0	0	0	0	0
640	wt	N	Deer_A	24213	3.7	38.9	0	0	42.7	0	0	1.3	41.4	0
640	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
640	wt	N	SUM	25085	3.7	71.7	3	0	78.4	0	0	1.3	41.4	0
640	wt	R	006-10	2581	0	67.7	0	0	67.7	0	0	0	0	0
640	wt	R	640-00	223	0	1.4	0	0	1.4	0	0	0	0	0
640	wt	R	699-00	1248	0	56.8	0	0	56.8	0	0	2.1	0	0
640	wt	R	Deer_A	150577	5.5	243.1	1.8	1.5	247.1	0	1.8	27.5	194.2	0
640	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
640	wt	R	SUM	154629	5.5	369.1	1.8	1.5	373.1	0	1.8	29.6	194.2	0
640	wt	SUM	006-10	2581	0	67.7	0	0	67.7	0	0	0	0	0
640	wt	SUM	640-00	297	0	1.4	0	0	1.4	0	0	0	0	0
640	wt	SUM	698-00	798	0	32.8	3	0	35.8	0	0	0	0	0
640	wt	SUM	699-00	1248	0	56.8	0	0	56.8	0	0	2.1	0	0
640	wt	SUM	Deer_A	174790	9.3	282	1.8	1.5	289.8	0	1.8	28.8	235.5	0
640	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
640	wt	SUM	SUM	179714	9.3	440.8	4.8	1.5	451.6	0	1.8	30.9	235.5	0
641	all_deer	N	007-12	1566	0	4.7	0	0	4.7	0	0	0	0	0
641	all_deer	N	698-00	798	0	21.4	0	0	21.4	0	0	0	0	0
641	all_deer	N	Deer_A	24213	0	65.8	0	0	62	3.7	0	3.7	62	0
641	all_deer	N	SUM	26577	0	91.9	0	0	88.2	3.7	0	3.7	62	0
641	all_deer	R	006-10	2581	0	59.6	0	0	59.6	0	0	0	0	0
641	all_deer	R	699-00	1248	0	34.1	0	0	34.1	0	0	0	0	0
641	all_deer	R	Deer_A	150577	4.1	249.5	0	0	251.1	0	2.4	28.3	191.6	1.6
641	all_deer	R	SUM	154406	4.1	343.2	0	0	344.8	0	2.4	28.3	191.6	1.6

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
641	all_deer	SUM	006-10	2581	0	59.6	0	0	59.6	0	0	0	0	0
641	all_deer	SUM	007-12	1566	0	4.7	0	0	4.7	0	0	0	0	0
641	all_deer	SUM	698-00	798	0	21.4	0	0	21.4	0	0	0	0	0
641	all_deer	SUM	699-00	1248	0	34.1	0	0	34.1	0	0	0	0	0
641	all_deer	SUM	Deer_A	174790	4.1	315.3	0	0	313.1	3.7	2.4	32	253.6	1.6
641	all_deer	SUM	SUM	180983	4.1	435.1	0	0	433	3.7	2.4	32	253.6	1.6
641	md	N	Deer_A	24213	0	8.8	0	0	8.8	0	0	3.7	5.1	0
641	md	N	SUM	24213	0	8.8	0	0	8.8	0	0	3.7	5.1	0
641	md	R	Deer_A	150577	4.1	45.2	0	0	46.8	0	2.4	8.1	21.1	1.6
641	md	R	SUM	150577	4.1	45.2	0	0	46.8	0	2.4	8.1	21.1	1.6
641	md	SUM	Deer_A	174790	4.1	54	0	0	55.6	0	2.4	11.8	26.2	1.6
641	md	SUM	SUM	174790	4.1	54	0	0	55.6	0	2.4	11.8	26.2	1.6
641	wt	N	007-12	1566	0	4.7	0	0	4.7	0	0	0	0	0
641	wt	N	698-00	798	0	21.4	0	0	21.4	0	0	0	0	0
641	wt	N	Deer_A	24213	0	57	0	0	53.2	3.7	0	0	57	0
641	wt	N	SUM	26577	0	83.1	0	0	79.4	3.7	0	0	57	0
641	wt	R	006-10	2581	0	59.6	0	0	59.6	0	0	0	0	0
641	wt	R	699-00	1248	0	34.1	0	0	34.1	0	0	0	0	0
641	wt	R	Deer_A	150577	0	204.3	0	0	204.3	0	0	20.2	170.5	0
641	wt	R	SUM	154406	0	298	0	0	298	0	0	20.2	170.5	0
641	wt	SUM	006-10	2581	0	59.6	0	0	59.6	0	0	0	0	0
641	wt	SUM	007-12	1566	0	4.7	0	0	4.7	0	0	0	0	0
641	wt	SUM	698-00	798	0	21.4	0	0	21.4	0	0	0	0	0
641	wt	SUM	699-00	1248	0	34.1	0	0	34.1	0	0	0	0	0
641	wt	SUM	Deer_A	174790	0	261.3	0	0	257.5	3.7	0	20.2	227.4	0
641	wt	SUM	SUM	180983	0	381.1	0	0	377.4	3.7	0	20.2	227.4	0
650	all_deer	N	007-12	1566	0	2.2	0	0	2.2	0	0	0	0	0
650	all_deer	N	590-00	35	0	0	0	0	0	0	0	0	0	0
650	all_deer	N	630-00	150	0	1.8	0	0	1.8	0	0	0	0	0
650	all_deer	N	640-00	74	0	0	0	0	0	0	0	0	0	0
650	all_deer	N	650-00	10	0	1.5	0	0	1.5	0	0	0	0	0
650	all_deer	N	698-00	798	0	20.7	0	0	20.7	0	0	0	1.9	0
650	all_deer	N	797-00	1495	0	5.2	0	0	5.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
650	all_deer	N	Deer_A	24213	0	102.9	0	0	102.9	0	0	20.2	82.7	0
650	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
650	all_deer	N	SUM	28341	0	134.3	0	0	134.3	0	0	20.2	84.6	0
650	all_deer	R	006-10	2581	2.1	54.2	0	2.1	54.2	0	0	0	0	0
650	all_deer	R	007-10	3970	0	6.1	0	0	6.1	0	0	0	0	0
650	all_deer	R	007-13	5452	0	5.3	0	0	5.3	0	0	0	0	0
650	all_deer	R	590-00	313	0	1.5	0	0	1.5	0	0	0	0	0
650	all_deer	R	630-00	348	0	3.1	0	0	1.6	0	1.6	0	0	0
650	all_deer	R	640-00	223	0	1.5	0	0	1.5	0	0	0	0	0
650	all_deer	R	650-00	90	1.3	30.6	0	0	30.7	0	1.3	0	0	0
650	all_deer	R	699-00	1248	5.3	38.8	0	5.3	38.8	0	0	0	0	0
650	all_deer	R	Deer_A	150577	1.5	379.5	1.4	0	380.4	0	2	76.3	278.7	0
650	all_deer	R	none	.	0	8.1	0	0	8.1	0	0	0	4.1	0
650	all_deer	R	SUM	164802	10.2	528.6	1.4	7.4	528	0	4.8	76.3	282.7	0
650	all_deer	SUM	006-10	2581	2.1	54.2	0	2.1	54.2	0	0	0	0	0
650	all_deer	SUM	007-10	3970	0	6.1	0	0	6.1	0	0	0	0	0
650	all_deer	SUM	007-12	1566	0	2.2	0	0	2.2	0	0	0	0	0
650	all_deer	SUM	007-13	5452	0	5.3	0	0	5.3	0	0	0	0	0
650	all_deer	SUM	590-00	348	0	1.5	0	0	1.5	0	0	0	0	0
650	all_deer	SUM	630-00	498	0	4.9	0	0	3.3	0	1.6	0	0	0
650	all_deer	SUM	640-00	297	0	1.5	0	0	1.5	0	0	0	0	0
650	all_deer	SUM	650-00	100	1.3	32.1	0	0	32.2	0	1.3	0	0	0
650	all_deer	SUM	698-00	798	0	20.7	0	0	20.7	0	0	0	1.9	0
650	all_deer	SUM	699-00	1248	5.3	38.8	0	5.3	38.8	0	0	0	0	0
650	all_deer	SUM	797-00	1495	0	5.2	0	0	5.2	0	0	0	0	0
650	all_deer	SUM	Deer_A	174790	1.5	482.4	1.4	0	483.3	0	2	96.5	361.4	0
650	all_deer	SUM	none	.	0	8.1	0	0	8.1	0	0	0	4.1	0
650	all_deer	SUM	SUM	193143	10.2	662.9	1.4	7.4	662.3	0	4.8	96.5	367.3	0
650	md	N	590-00	35	0	0	0	0	0	0	0	0	0	0
650	md	N	630-00	150	0	1.8	0	0	1.8	0	0	0	0	0
650	md	N	640-00	74	0	0	0	0	0	0	0	0	0	0
650	md	N	650-00	10	0	1.5	0	0	1.5	0	0	0	0	0
650	md	N	797-00	1495	0	5.2	0	0	5.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
650	md	N	Deer_A	24213	0	66.5	0	0	66.5	0	0	18.4	48.2	0
650	md	N	none	.	0	0	0	0	0	0	0	0	0	0
650	md	N	SUM	25977	0	74.9	0	0	74.9	0	0	18.4	48.2	0
650	md	R	007-13	5452	0	5.3	0	0	5.3	0	0	0	0	0
650	md	R	590-00	313	0	1.5	0	0	1.5	0	0	0	0	0
650	md	R	630-00	348	0	3.1	0	0	1.6	0	1.6	0	0	0
650	md	R	640-00	223	0	1.5	0	0	1.5	0	0	0	0	0
650	md	R	650-00	90	1.3	30.6	0	0	30.7	0	1.3	0	0	0
650	md	R	699-00	1248	1.2	2.4	0	1.2	2.4	0	0	0	0	0
650	md	R	Deer_A	150577	0	240.4	0	0	238.3	0	2	48.8	181.7	0
650	md	R	none	.	0	0	0	0	0	0	0	0	0	0
650	md	R	SUM	158251	2.5	284.7	0	1.2	281.2	0	4.8	48.8	181.7	0
650	md	SUM	007-13	5452	0	5.3	0	0	5.3	0	0	0	0	0
650	md	SUM	590-00	348	0	1.5	0	0	1.5	0	0	0	0	0
650	md	SUM	630-00	498	0	4.9	0	0	3.3	0	1.6	0	0	0
650	md	SUM	640-00	297	0	1.5	0	0	1.5	0	0	0	0	0
650	md	SUM	650-00	100	1.3	32.1	0	0	32.2	0	1.3	0	0	0
650	md	SUM	699-00	1248	1.2	2.4	0	1.2	2.4	0	0	0	0	0
650	md	SUM	797-00	1495	0	5.2	0	0	5.2	0	0	0	0	0
650	md	SUM	Deer_A	174790	0	306.9	0	0	304.8	0	2	67.1	229.9	0
650	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
650	md	SUM	SUM	184228	2.5	359.6	0	1.2	356.1	0	4.8	67.1	229.9	0
650	wt	N	007-12	1566	0	2.2	0	0	2.2	0	0	0	0	0
650	wt	N	698-00	798	0	20.7	0	0	20.7	0	0	0	1.9	0
650	wt	N	Deer_A	24213	0	36.4	0	0	36.4	0	0	1.9	34.5	0
650	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
650	wt	N	SUM	26577	0	59.4	0	0	59.4	0	0	1.9	36.5	0
650	wt	R	006-10	2581	2.1	54.2	0	2.1	54.2	0	0	0	0	0
650	wt	R	007-10	3970	0	6.1	0	0	6.1	0	0	0	0	0
650	wt	R	699-00	1248	4.1	36.4	0	4.1	36.4	0	0	0	0	0
650	wt	R	Deer_A	150577	1.5	139.2	1.4	0	142.1	0	0	27.5	97	0
650	wt	R	none	.	0	8.1	0	0	8.1	0	0	0	4.1	0
650	wt	R	SUM	158376	7.7	244	1.4	6.2	246.9	0	0	27.5	101	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
650	wt	SUM	006-10	2581	2.1	54.2	0	2.1	54.2	0	0	0	0	0
650	wt	SUM	007-10	3970	0	6.1	0	0	6.1	0	0	0	0	0
650	wt	SUM	007-12	1566	0	2.2	0	0	2.2	0	0	0	0	0
650	wt	SUM	698-00	798	0	20.7	0	0	20.7	0	0	0	1.9	0
650	wt	SUM	699-00	1248	4.1	36.4	0	4.1	36.4	0	0	0	0	0
650	wt	SUM	Deer_A	174790	1.5	175.6	1.4	0	178.5	0	0	29.4	131.5	0
650	wt	SUM	none	.	0	8.1	0	0	8.1	0	0	0	4.1	0
650	wt	SUM	SUM	184953	7.7	303.3	1.4	6.2	306.2	0	0	29.4	137.5	0
651	all_deer	N	007-12	1566	0	10.6	0	0	10.6	0	0	0	2.7	0
651	all_deer	N	640-00	74	0	1.3	0	0	1.3	0	0	0	0	0
651	all_deer	N	651-00	45	0	33	0	0	33	0	0	0	0	0
651	all_deer	N	698-00	798	6	53.6	0	2.6	52.5	0	4.5	0	0	0
651	all_deer	N	797-00	1495	0	5.2	0	0	5.2	0	0	0	0	0
651	all_deer	N	Deer_A	24213	6.7	101.8	0	6.7	101.8	0	0	8.7	92.2	0
651	all_deer	N	none	.	0	1.4	0	0	1.4	0	0	0	0	0
651	all_deer	N	SUM	28191	12.7	206.8	0	9.3	205.7	0	4.5	8.7	94.9	0
651	all_deer	R	006-10	2581	4.3	82.3	0	2.3	84.3	0	0	0	0	0
651	all_deer	R	007-10	3970	2.3	12.4	0	2.3	9.3	3.1	0	0	0	0
651	all_deer	R	007-11	996	0	4.7	0	0	4.7	0	0	0	0	0
651	all_deer	R	007-13	5452	0	9.1	0	0	9.1	0	0	0	6.1	0
651	all_deer	R	640-00	223	0	0	0	0	0	0	0	0	0	0
651	all_deer	R	651-00	55	2.6	18.2	0	2.6	18.2	0	0	0	0	0
651	all_deer	R	699-00	1248	11.1	36.3	0	7.6	39.8	0	0	0	2.2	0
651	all_deer	R	Deer_A	150577	11.6	527.3	0	11.6	521.8	4.1	1.5	87.6	362.1	0
651	all_deer	R	none	.	0	0	0	0	0	0	0	0	0	0
651	all_deer	R	SUM	165102	31.9	690.3	0	26.3	687.2	7.2	1.5	87.6	370.3	0
651	all_deer	SUM	006-10	2581	4.3	82.3	0	2.3	84.3	0	0	0	0	0
651	all_deer	SUM	007-10	3970	2.3	12.4	0	2.3	9.3	3.1	0	0	0	0
651	all_deer	SUM	007-11	996	0	4.7	0	0	4.7	0	0	0	0	0
651	all_deer	SUM	007-12	1566	0	10.6	0	0	10.6	0	0	0	2.7	0
651	all_deer	SUM	007-13	5452	0	9.1	0	0	9.1	0	0	0	6.1	0
651	all_deer	SUM	640-00	297	0	1.3	0	0	1.3	0	0	0	0	0
651	all_deer	SUM	651-00	100	2.6	51.2	0	2.6	51.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
651	all_deer	SUM	698-00	798	6	53.6	0	2.6	52.5	0	4.5	0	0	0
651	all_deer	SUM	699-00	1248	11.1	36.3	0	7.6	39.8	0	0	0	2.2	0
651	all_deer	SUM	797-00	1495	0	5.2	0	0	5.2	0	0	0	0	0
651	all_deer	SUM	Deer_A	174790	18.2	629.1	0	18.2	623.5	4.1	1.5	96.4	454.3	0
651	all_deer	SUM	none	.	0	1.4	0	0	1.4	0	0	0	0	0
651	all_deer	SUM	SUM	193293	44.5	897.2	0	35.6	892.9	7.2	6	96.4	465.2	0
651	md	N	007-12	1566	0	1.5	0	0	1.5	0	0	0	0	0
651	md	N	651-00	45	0	33	0	0	33	0	0	0	0	0
651	md	N	698-00	798	0	9.3	0	0	6.3	0	3	0	0	0
651	md	N	Deer_A	24213	1.5	37.3	0	1.5	37.3	0	0	8.7	24.9	0
651	md	N	none	.	0	0	0	0	0	0	0	0	0	0
651	md	N	SUM	26622	1.5	81.2	0	1.5	78.2	0	3	8.7	24.9	0
651	md	R	007-13	5452	0	3	0	0	3	0	0	0	0	0
651	md	R	651-00	55	1.3	16.9	0	1.3	16.9	0	0	0	0	0
651	md	R	Deer_A	150577	4	269.4	0	4	269.4	0	0	51	180.1	0
651	md	R	none	.	0	0	0	0	0	0	0	0	0	0
651	md	R	SUM	156084	5.3	289.3	0	5.3	289.3	0	0	51	180.1	0
651	md	SUM	007-12	1566	0	1.5	0	0	1.5	0	0	0	0	0
651	md	SUM	007-13	5452	0	3	0	0	3	0	0	0	0	0
651	md	SUM	651-00	100	1.3	49.9	0	1.3	49.9	0	0	0	0	0
651	md	SUM	698-00	798	0	9.3	0	0	6.3	0	3	0	0	0
651	md	SUM	Deer_A	174790	5.4	306.7	0	5.4	306.7	0	0	59.8	204.9	0
651	md	SUM	none	.	0	0	0	0	0	0	0	0	0	0
651	md	SUM	SUM	182706	6.7	370.5	0	6.7	367.5	0	3	59.8	204.9	0
651	wt	N	007-12	1566	0	9.1	0	0	9.1	0	0	0	2.7	0
651	wt	N	640-00	74	0	1.3	0	0	1.3	0	0	0	0	0
651	wt	N	651-00	45	0	0	0	0	0	0	0	0	0	0
651	wt	N	698-00	798	6	44.3	0	2.6	46.2	0	1.5	0	0	0
651	wt	N	797-00	1495	0	5.2	0	0	5.2	0	0	0	0	0
651	wt	N	Deer_A	24213	5.2	64.4	0	5.2	64.4	0	0	0	67.3	0
651	wt	N	none	.	0	1.4	0	0	1.4	0	0	0	0	0
651	wt	N	SUM	28191	11.2	125.6	0	7.8	127.6	0	1.5	0	70	0
651	wt	R	006-10	2581	4.3	82.3	0	2.3	84.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
651	wt	R	007-10	3970	2.3	12.4	0	2.3	9.3	3.1	0	0	0	0
651	wt	R	007-11	996	0	4.7	0	0	4.7	0	0	0	0	0
651	wt	R	007-13	5452	0	6.1	0	0	6.1	0	0	0	6.1	0
651	wt	R	640-00	223	0	0	0	0	0	0	0	0	0	0
651	wt	R	651-00	55	1.2	1.3	0	1.2	1.3	0	0	0	0	0
651	wt	R	699-00	1248	11.1	36.3	0	7.6	39.8	0	0	0	2.2	0
651	wt	R	Deer_A	150577	7.6	257.9	0	7.6	252.4	4.1	1.5	36.6	182	0
651	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
651	wt	R	SUM	165102	26.6	401.1	0	21.1	397.9	7.2	1.5	36.6	190.3	0
651	wt	SUM	006-10	2581	4.3	82.3	0	2.3	84.3	0	0	0	0	0
651	wt	SUM	007-10	3970	2.3	12.4	0	2.3	9.3	3.1	0	0	0	0
651	wt	SUM	007-11	996	0	4.7	0	0	4.7	0	0	0	0	0
651	wt	SUM	007-12	1566	0	9.1	0	0	9.1	0	0	0	2.7	0
651	wt	SUM	007-13	5452	0	6.1	0	0	6.1	0	0	0	6.1	0
651	wt	SUM	640-00	297	0	1.3	0	0	1.3	0	0	0	0	0
651	wt	SUM	651-00	100	1.2	1.3	0	1.2	1.3	0	0	0	0	0
651	wt	SUM	698-00	798	6	44.3	0	2.6	46.2	0	1.5	0	0	0
651	wt	SUM	699-00	1248	11.1	36.3	0	7.6	39.8	0	0	0	2.2	0
651	wt	SUM	797-00	1495	0	5.2	0	0	5.2	0	0	0	0	0
651	wt	SUM	Deer_A	174790	12.8	322.3	0	12.8	316.8	4.1	1.5	36.6	249.3	0
651	wt	SUM	none	.	0	1.4	0	0	1.4	0	0	0	0	0
651	wt	SUM	SUM	193293	37.8	526.7	0	28.9	525.4	7.2	3	36.6	260.3	0
652	all_deer	N	650-00	10	0	0	0	0	0	0	0	0	0	0
652	all_deer	N	652-00	3	0	3	0	0	3	0	0	0	0	0
652	all_deer	N	652-50	10	0	7.1	0	0	7.1	0	0	0	7.1	0
652	all_deer	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
652	all_deer	N	SUM	24236	0	17.6	0	0	17.6	0	0	0	14.6	0
652	all_deer	R	006-10	2581	0	4.5	0	0	4.5	0	0	0	0	0
652	all_deer	R	650-00	90	0	1.3	0	0	1.3	0	0	0	0	0
652	all_deer	R	652-00	22	0	7.9	0	0	7.9	0	0	0	0	0
652	all_deer	R	652-50	90	1.2	43.5	0	1.2	43.5	0	0	2.5	42.3	0
652	all_deer	R	699-00	1248	0	1.3	0	0	1.3	0	0	0	0	0
652	all_deer	R	Deer_A	150577	1.6	10	0	1.6	10	0	0	3.8	7.8	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
652	all_deer	R	SUM	154608	2.8	68.5	0	2.8	68.5	0	0	6.3	50.1	0
652	all_deer	SUM	006-10	2581	0	4.5	0	0	4.5	0	0	0	0	0
652	all_deer	SUM	650-00	100	0	1.3	0	0	1.3	0	0	0	0	0
652	all_deer	SUM	652-00	25	0	10.9	0	0	10.9	0	0	0	0	0
652	all_deer	SUM	652-50	100	1.2	50.7	0	1.2	50.7	0	0	2.5	49.4	0
652	all_deer	SUM	699-00	1248	0	1.3	0	0	1.3	0	0	0	0	0
652	all_deer	SUM	Deer_A	174790	1.6	17.5	0	1.6	17.5	0	0	3.8	15.3	0
652	all_deer	SUM	SUM	178844	2.8	86.1	0	2.8	86.1	0	0	6.3	64.7	0
652	md	N	650-00	10	0	0	0	0	0	0	0	0	0	0
652	md	N	652-00	3	0	3	0	0	3	0	0	0	0	0
652	md	N	652-50	10	0	7.1	0	0	7.1	0	0	0	7.1	0
652	md	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
652	md	N	SUM	24236	0	17.6	0	0	17.6	0	0	0	14.6	0
652	md	R	650-00	90	0	1.3	0	0	1.3	0	0	0	0	0
652	md	R	652-00	22	0	7.9	0	0	7.9	0	0	0	0	0
652	md	R	652-50	90	1.2	43.5	0	1.2	43.5	0	0	2.5	42.3	0
652	md	R	Deer_A	150577	0	3.8	0	0	3.8	0	0	3.8	0	0
652	md	R	SUM	150779	1.2	56.4	0	1.2	56.4	0	0	6.3	42.3	0
652	md	SUM	650-00	100	0	1.3	0	0	1.3	0	0	0	0	0
652	md	SUM	652-00	25	0	10.9	0	0	10.9	0	0	0	0	0
652	md	SUM	652-50	100	1.2	50.7	0	1.2	50.7	0	0	2.5	49.4	0
652	md	SUM	Deer_A	174790	0	11.2	0	0	11.2	0	0	3.8	7.5	0
652	md	SUM	SUM	175015	1.2	74	0	1.2	74	0	0	6.3	56.8	0
652	wt	N	698-00	798	0	0	0	0	0	0	0	0	0	0
652	wt	N	Deer_A	24213	0	0	0	0	0	0	0	0	0	0
652	wt	N	SUM	25011	0	0	0	0	0	0	0	0	0	0
652	wt	R	006-10	2581	0	4.5	0	0	4.5	0	0	0	0	0
652	wt	R	699-00	1248	0	1.3	0	0	1.3	0	0	0	0	0
652	wt	R	Deer_A	150577	1.6	6.2	0	1.6	6.2	0	0	0	7.8	0
652	wt	R	SUM	154406	1.6	12.1	0	1.6	12.1	0	0	0	7.8	0
652	wt	SUM	006-10	2581	0	4.5	0	0	4.5	0	0	0	0	0
652	wt	SUM	698-00	798	0	0	0	0	0	0	0	0	0	0
652	wt	SUM	699-00	1248	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
652	wt	SUM	Deer_A	174790	1.6	6.2	0	1.6	6.2	0	0	0	7.8	0
652	wt	SUM	SUM	179417	1.6	12.1	0	1.6	12.1	0	0	0	7.8	0
670	all_deer	N	650-00	10	0	0	0	0	0	0	0	0	0	0
670	all_deer	N	670-00	132	0	81.8	1.3	0	81.8	0	1.3	4.4	2.7	0
670	all_deer	N	698-00	798	2.8	71	1.7	4.6	71	0	0	0	0	0
670	all_deer	N	Deer_A	24213	12.4	198.8	3.7	10.5	200.7	0	3.7	20.6	184.3	3.7
670	all_deer	N	none	.	0	1.7	0	0	1.7	0	3.8	0	1.7	0
670	all_deer	N	SUM	25153	15.2	353.3	6.8	15.1	355.2	0	8.8	25	188.7	3.7
670	all_deer	R	006-10	2581	0	37.5	0	0	37.5	0	0	0	0	0
670	all_deer	R	650-00	90	0	0	1.2	1.2	0	0	0	0	0	0
670	all_deer	R	670-00	268	0	134.4	1.7	0	136.1	0	0	1.8	6.4	0
670	all_deer	R	699-00	1248	6.4	32.5	0	4.3	31.2	3.4	0	0	0	0
670	all_deer	R	Deer_A	150577	3.8	410.3	4.1	3.9	414.4	0	0	48.2	296	0
670	all_deer	R	none	.	0	0	0	0	0	0	0	0	0	0
670	all_deer	R	SUM	154764	10.3	614.8	7	9.4	619.2	3.4	0	50	302.4	0
670	all_deer	SUM	006-10	2581	0	37.5	0	0	37.5	0	0	0	0	0
670	all_deer	SUM	650-00	100	0	0	1.2	1.2	0	0	0	0	0	0
670	all_deer	SUM	670-00	400	0	216.2	3	0	217.9	0	1.3	6.2	9.1	0
670	all_deer	SUM	698-00	798	2.8	71	1.7	4.6	71	0	0	0	0	0
670	all_deer	SUM	699-00	1248	6.4	32.5	0	4.3	31.2	3.4	0	0	0	0
670	all_deer	SUM	Deer_A	174790	16.2	609.1	7.8	14.4	615	0	3.7	68.8	480.3	3.7
670	all_deer	SUM	none	.	0	1.7	0	0	1.7	0	3.8	0	1.7	0
670	all_deer	SUM	SUM	179917	25.5	968.1	13.7	24.5	974.4	3.4	8.8	75	491.1	3.7
670	md	N	650-00	10	0	0	0	0	0	0	0	0	0	0
670	md	N	670-00	132	0	72.3	1.3	0	72.3	0	1.3	2.9	1.3	0
670	md	N	Deer_A	24213	0	147.5	3.7	0	147.5	0	3.7	20.6	121.7	3.7
670	md	N	none	.	0	1.7	0	0	1.7	0	0	0	1.7	0
670	md	N	SUM	24355	0	221.5	5	0	221.5	0	5	23.5	124.7	3.7
670	md	R	006-10	2581	0	4.2	0	0	4.2	0	0	0	0	0
670	md	R	650-00	90	0	0	1.2	1.2	0	0	0	0	0	0
670	md	R	670-00	268	0	131.6	1.7	0	133.3	0	0	1.8	4.8	0
670	md	R	Deer_A	150577	0	277.3	4.1	1.4	279.9	0	0	32.7	201.9	0
670	md	R	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
670	md	R	SUM	153516	0	413.1	7	2.7	417.4	0	0	34.5	206.7	0
670	md	SUM	006-10	2581	0	4.2	0	0	4.2	0	0	0	0	0
670	md	SUM	650-00	100	0	0	1.2	1.2	0	0	0	0	0	0
670	md	SUM	670-00	400	0	203.8	3	0	205.5	0	1.3	4.8	6.1	0
670	md	SUM	Deer_A	174790	0	424.8	7.8	1.4	427.4	0	3.7	53.3	323.6	3.7
670	md	SUM	none	.	0	1.7	0	0	1.7	0	0	0	1.7	0
670	md	SUM	SUM	177871	0	634.6	12	2.7	638.9	0	5	58.1	331.4	3.7
670	wt	N	670-00	132	0	9.6	0	0	9.6	0	0	1.5	1.4	0
670	wt	N	698-00	798	2.8	71	1.7	4.6	71	0	0	0	0	0
670	wt	N	Deer_A	24213	12.4	51.3	0	10.5	53.2	0	0	0	62.6	0
670	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
670	wt	N	SUM	25143	15.2	131.9	1.7	15.1	133.7	0	0	1.5	64	0
670	wt	R	006-10	2581	0	33.3	0	0	33.3	0	0	0	0	0
670	wt	R	670-00	268	0	2.9	0	0	2.9	0	0	0	1.6	0
670	wt	R	699-00	1248	6.4	32.5	0	4.3	31.2	3.4	0	0	0	0
670	wt	R	Deer_A	150577	3.8	133	0	2.4	134.4	0	0	15.5	94.1	0
670	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
670	wt	R	SUM	154674	10.3	201.6	0	6.8	201.7	3.4	0	15.5	95.7	0
670	wt	SUM	006-10	2581	0	33.3	0	0	33.3	0	0	0	0	0
670	wt	SUM	670-00	400	0	12.4	0	0	12.4	0	0	1.5	3	0
670	wt	SUM	698-00	798	2.8	71	1.7	4.6	71	0	0	0	0	0
670	wt	SUM	699-00	1248	6.4	32.5	0	4.3	31.2	3.4	0	0	0	0
670	wt	SUM	Deer_A	174790	16.2	184.4	0	13	187.6	0	0	15.5	156.7	0
670	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
670	wt	SUM	SUM	179817	25.5	333.5	1.7	21.9	335.5	3.4	0	17	159.7	0
680	all_deer	N	401-00	42	0	0	0	0	0	0	0	0	0	0
680	all_deer	N	680-00	23	0	15.6	0	0	15.6	0	0	0	0	0
680	all_deer	N	698-00	798	0	3	0	0	3	0	0	0	0	0
680	all_deer	N	Deer_A	24213	0	62.4	0	0	62.4	0	0	1.5	60.9	0
680	all_deer	N	SUM	25076	0	81	0	0	81	0	0	1.5	60.9	0
680	all_deer	R	006-10	2581	0	6.6	0	0	6.6	0	0	0	2.2	0
680	all_deer	R	401-00	358	0	1.6	0	0	1.6	0	0	0	1.6	0
680	all_deer	R	680-00	177	3.9	89.3	0	3.9	89.3	0	0	1.3	1.3	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
680	all_deer	R	699-00	1248	0	6.8	0	0	6.8	0	0	0	2.6	0
680	all_deer	R	Deer_A	150577	0	266.3	0	0	262.3	4.1	0	72.4	136.7	0
680	all_deer	R	SUM	154941	3.9	370.6	0	3.9	366.6	4.1	0	73.7	144.3	0
680	all_deer	SUM	006-10	2581	0	6.6	0	0	6.6	0	0	0	2.2	0
680	all_deer	SUM	401-00	400	0	1.6	0	0	1.6	0	0	0	1.6	0
680	all_deer	SUM	680-00	200	3.9	104.8	0	3.9	104.8	0	0	1.3	1.3	0
680	all_deer	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
680	all_deer	SUM	699-00	1248	0	6.8	0	0	6.8	0	0	0	2.6	0
680	all_deer	SUM	Deer_A	174790	0	328.7	0	0	324.6	4.1	0	73.9	197.7	0
680	all_deer	SUM	SUM	180017	3.9	451.6	0	3.9	447.5	4.1	0	75.1	205.3	0
680	md	N	401-00	42	0	0	0	0	0	0	0	0	0	0
680	md	N	680-00	23	0	15.6	0	0	15.6	0	0	0	0	0
680	md	N	Deer_A	24213	0	54.9	0	0	54.9	0	0	1.5	53.5	0
680	md	N	SUM	24278	0	70.5	0	0	70.5	0	0	1.5	53.5	0
680	md	R	006-10	2581	0	2.2	0	0	2.2	0	0	0	2.2	0
680	md	R	401-00	358	0	1.6	0	0	1.6	0	0	0	1.6	0
680	md	R	680-00	177	3.9	88	0	3.9	88	0	0	0	1.3	0
680	md	R	699-00	1248	0	2.6	0	0	2.6	0	0	0	2.6	0
680	md	R	Deer_A	150577	0	238.1	0	0	238.1	0	0	68.4	121.4	0
680	md	R	SUM	154941	3.9	332.4	0	3.9	332.4	0	0	68.4	129	0
680	md	SUM	006-10	2581	0	2.2	0	0	2.2	0	0	0	2.2	0
680	md	SUM	401-00	400	0	1.6	0	0	1.6	0	0	0	1.6	0
680	md	SUM	680-00	200	3.9	103.6	0	3.9	103.6	0	0	0	1.3	0
680	md	SUM	699-00	1248	0	2.6	0	0	2.6	0	0	0	2.6	0
680	md	SUM	Deer_A	174790	0	293	0	0	293	0	0	69.8	174.8	0
680	md	SUM	SUM	179219	3.9	402.9	0	3.9	402.9	0	0	69.8	182.4	0
680	wt	N	680-00	23	0	0	0	0	0	0	0	0	0	0
680	wt	N	698-00	798	0	3	0	0	3	0	0	0	0	0
680	wt	N	Deer_A	24213	0	7.5	0	0	7.5	0	0	0	7.5	0
680	wt	N	SUM	25034	0	10.5	0	0	10.5	0	0	0	7.5	0
680	wt	R	006-10	2581	0	4.5	0	0	4.5	0	0	0	0	0
680	wt	R	680-00	177	0	1.3	0	0	1.3	0	0	1.3	0	0
680	wt	R	699-00	1248	0	4.2	0	0	4.2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
680	wt	R	Deer_A	150577	0	28.2	0	0	24.2	4.1	0	4.1	15.4	0
680	wt	R	SUM	154583	0	38.2	0	0	34.2	4.1	0	5.3	15.4	0
680	wt	SUM	006-10	2581	0	4.5	0	0	4.5	0	0	0	0	0
680	wt	SUM	680-00	200	0	1.3	0	0	1.3	0	0	1.3	0	0
680	wt	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
680	wt	SUM	699-00	1248	0	4.2	0	0	4.2	0	0	0	0	0
680	wt	SUM	Deer_A	174790	0	35.7	0	0	31.6	4.1	0	4.1	22.8	0
680	wt	SUM	SUM	179617	0	48.7	0	0	44.6	4.1	0	5.3	22.8	0
690	all_deer	N	002-10	67	1.3	0	0	1.3	0	0	0	0	0	0
690	all_deer	N	417-00	57	0	0	0	0	0	0	0	0	0	0
690	all_deer	N	530-00	27	0	0	0	0	0	0	0	0	0	0
690	all_deer	N	600-00	20	0	0	0	0	0	0	0	0	0	0
690	all_deer	N	680-00	23	0	0	0	0	0	0	0	0	0	0
690	all_deer	N	690-00	10	0	2.4	0	0	2.4	0	0	0	0	0
690	all_deer	N	698-00	798	1.6	26	0	1.6	26	0	0	0	0	0
690	all_deer	N	Deer_A	24213	1.4	228.9	0	1.4	228.9	0	0	26.3	189	0
690	all_deer	N	SUM	25215	4.3	257.3	0	4.3	257.3	0	0	26.3	189	0
690	all_deer	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
690	all_deer	R	006-10	2581	0	56.1	0	0	56.1	0	0	0	0	0
690	all_deer	R	417-00	243	0	1.6	0	0	1.6	0	0	0	1.6	0
690	all_deer	R	530-00	223	0	1.5	0	0	1.5	0	0	0	0	0
690	all_deer	R	600-00	180	0	5.7	0	0	5.7	0	0	2.9	1.3	0
690	all_deer	R	680-00	177	0	5.4	0	0	5.4	0	0	0	4.1	0
690	all_deer	R	690-00	90	1.5	37.7	0	1.5	37.7	0	0	1.4	1.5	0
690	all_deer	R	699-00	1248	6	35.6	0	6	35.6	0	0	0	0	0
690	all_deer	R	Deer_A	150577	2.9	623.7	0	1.4	621.1	0	4.1	95.6	407	0
690	all_deer	R	SUM	156471	10.4	767.3	0	8.9	764.8	0	4.1	99.9	415.6	0
690	all_deer	SUM	002-10	1219	1.3	0	0	1.3	0	0	0	0	0	0
690	all_deer	SUM	006-10	2581	0	56.1	0	0	56.1	0	0	0	0	0
690	all_deer	SUM	417-00	300	0	1.6	0	0	1.6	0	0	0	1.6	0
690	all_deer	SUM	530-00	250	0	1.5	0	0	1.5	0	0	0	0	0
690	all_deer	SUM	600-00	200	0	5.7	0	0	5.7	0	0	2.9	1.3	0
690	all_deer	SUM	680-00	200	0	5.4	0	0	5.4	0	0	0	4.1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
690	all_deer	SUM	690-00	100	1.5	40.2	0	1.5	40.2	0	0	1.4	1.5	0
690	all_deer	SUM	698-00	798	1.6	26	0	1.6	26	0	0	0	0	0
690	all_deer	SUM	699-00	1248	6	35.6	0	6	35.6	0	0	0	0	0
690	all_deer	SUM	Deer_A	174790	4.3	852.5	0	2.7	850	0	4.1	121.9	596	0
690	all_deer	SUM	SUM	181686	14.7	1024.6	0	13.2	1022	0	4.1	126.2	604.6	0
690	md	N	417-00	57	0	0	0	0	0	0	0	0	0	0
690	md	N	530-00	27	0	0	0	0	0	0	0	0	0	0
690	md	N	600-00	20	0	0	0	0	0	0	0	0	0	0
690	md	N	680-00	23	0	0	0	0	0	0	0	0	0	0
690	md	N	690-00	10	0	2.4	0	0	2.4	0	0	0	0	0
690	md	N	Deer_A	24213	0	181.4	0	0	181.4	0	0	26.3	140.1	0
690	md	N	SUM	24350	0	183.8	0	0	183.8	0	0	26.3	140.1	0
690	md	R	006-10	2581	0	2.3	0	0	2.3	0	0	0	0	0
690	md	R	417-00	243	0	1.6	0	0	1.6	0	0	0	1.6	0
690	md	R	530-00	223	0	1.5	0	0	1.5	0	0	0	0	0
690	md	R	600-00	180	0	4.3	0	0	4.3	0	0	1.5	1.3	0
690	md	R	680-00	177	0	5.4	0	0	5.4	0	0	0	4.1	0
690	md	R	690-00	90	0	33.3	0	0	33.3	0	0	0	0	0
690	md	R	699-00	1248	0	3.7	0	0	3.7	0	0	0	0	0
690	md	R	Deer_A	150577	0	478.2	0	0	474.1	0	4.1	81	290.3	0
690	md	R	SUM	155319	0	530.3	0	0	526.2	0	4.1	82.4	297.4	0
690	md	SUM	006-10	2581	0	2.3	0	0	2.3	0	0	0	0	0
690	md	SUM	417-00	300	0	1.6	0	0	1.6	0	0	0	1.6	0
690	md	SUM	530-00	250	0	1.5	0	0	1.5	0	0	0	0	0
690	md	SUM	600-00	200	0	4.3	0	0	4.3	0	0	1.5	1.3	0
690	md	SUM	680-00	200	0	5.4	0	0	5.4	0	0	0	4.1	0
690	md	SUM	690-00	100	0	35.8	0	0	35.8	0	0	0	0	0
690	md	SUM	699-00	1248	0	3.7	0	0	3.7	0	0	0	0	0
690	md	SUM	Deer_A	174790	0	659.5	0	0	655.5	0	4.1	107.3	430.4	0
690	md	SUM	SUM	179669	0	714.1	0	0	710	0	4.1	108.7	437.5	0
690	wt	N	002-10	67	1.3	0	0	1.3	0	0	0	0	0	0
690	wt	N	600-00	20	0	0	0	0	0	0	0	0	0	0
690	wt	N	690-00	10	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
690	wt	N	698-00	798	1.6	26	0	1.6	26	0	0	0	0	0
690	wt	N	Deer_A	24213	1.4	47.5	0	1.4	47.5	0	0	0	48.9	0
690	wt	N	SUM	25108	4.3	73.5	0	4.3	73.5	0	0	0	48.9	0
690	wt	R	002-10	1152	0	0	0	0	0	0	0	0	0	0
690	wt	R	006-10	2581	0	53.8	0	0	53.8	0	0	0	0	0
690	wt	R	600-00	180	0	1.5	0	0	1.5	0	0	1.5	0	0
690	wt	R	690-00	90	1.5	4.4	0	1.5	4.4	0	0	1.4	1.5	0
690	wt	R	699-00	1248	6	31.9	0	6	31.9	0	0	0	0	0
690	wt	R	Deer_A	150577	2.9	145.5	0	1.4	147	0	0	14.6	116.7	0
690	wt	R	SUM	155828	10.4	237	0	8.9	238.5	0	0	17.4	118.2	0
690	wt	SUM	002-10	1219	1.3	0	0	1.3	0	0	0	0	0	0
690	wt	SUM	006-10	2581	0	53.8	0	0	53.8	0	0	0	0	0
690	wt	SUM	600-00	200	0	1.5	0	0	1.5	0	0	1.5	0	0
690	wt	SUM	690-00	100	1.5	4.4	0	1.5	4.4	0	0	1.4	1.5	0
690	wt	SUM	698-00	798	1.6	26	0	1.6	26	0	0	0	0	0
690	wt	SUM	699-00	1248	6	31.9	0	6	31.9	0	0	0	0	0
690	wt	SUM	Deer_A	174790	4.3	193	0	2.7	194.5	0	0	14.6	165.6	0
690	wt	SUM	SUM	180936	14.7	310.5	0	13.2	312	0	0	17.4	167.1	0
6XX	all_deer	N	670-00	72	1.5	0	0	0	1.5	0	0	0	0	0
6XX	all_deer	N	698-00	712	2.2	2.2	0	2.2	2.2	0	0	0	0	0
6XX	all_deer	N	Deer_A	24213	5.6	8.9	0	5.6	8.9	0	0	0	12.6	0
6XX	all_deer	N	SUM	24997	9.2	11.1	0	7.8	12.5	0	0	0	12.6	0
6XX	all_deer	R	006-10	2581	0	5.7	0	0	5.7	0	0	0	0	0
6XX	all_deer	R	600-00	180	0	1.3	0	0	1.3	0	0	0	0	0
6XX	all_deer	R	699-00	1248	8.3	10.1	0	8.3	10.1	0	0	0	0	0
6XX	all_deer	R	Deer_A	150577	3.3	29.5	1.4	3.3	30.9	0	0	7.9	26.4	0
6XX	all_deer	R	SUM	154586	11.7	46.6	1.4	11.7	48	0	0	7.9	26.4	0
6XX	all_deer	SUM	006-10	2581	0	5.7	0	0	5.7	0	0	0	0	0
6XX	all_deer	SUM	600-00	180	0	1.3	0	0	1.3	0	0	0	0	0
6XX	all_deer	SUM	670-00	72	1.5	0	0	0	1.5	0	0	0	0	0
6XX	all_deer	SUM	698-00	712	2.2	2.2	0	2.2	2.2	0	0	0	0	0
6XX	all_deer	SUM	699-00	1248	8.3	10.1	0	8.3	10.1	0	0	0	0	0
6XX	all_deer	SUM	Deer_A	174790	8.9	38.5	1.4	8.9	39.8	0	0	7.9	39	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
6XX	all_deer	SUM	SUM	179583	20.9	57.7	1.4	19.4	60.6	0	0	7.9	39	0
6XX	md	N	670-00	72	1.5	0	0	0	1.5	0	0	0	0	0
6XX	md	N	698-00	712	0	2.2	0	0	2.2	0	0	0	0	0
6XX	md	N	Deer_A	24213	0	5.2	0	0	5.2	0	0	0	5.2	0
6XX	md	N	SUM	24997	1.5	7.4	0	0	8.8	0	0	0	5.2	0
6XX	md	R	600-00	180	0	1.3	0	0	1.3	0	0	0	0	0
6XX	md	R	Deer_A	150577	0	17.4	1.4	0	18.8	0	0	1.4	17.4	0
6XX	md	R	SUM	150757	0	18.6	1.4	0	20	0	0	1.4	17.4	0
6XX	md	SUM	600-00	180	0	1.3	0	0	1.3	0	0	0	0	0
6XX	md	SUM	670-00	72	1.5	0	0	0	1.5	0	0	0	0	0
6XX	md	SUM	698-00	712	0	2.2	0	0	2.2	0	0	0	0	0
6XX	md	SUM	Deer_A	174790	0	22.6	1.4	0	23.9	0	0	1.4	22.6	0
6XX	md	SUM	SUM	175754	1.5	26	1.4	0	28.8	0	0	1.4	22.6	0
6XX	wt	N	698-00	712	2.2	0	0	2.2	0	0	0	0	0	0
6XX	wt	N	Deer_A	24213	5.6	3.7	0	5.6	3.7	0	0	0	7.5	0
6XX	wt	N	SUM	24925	7.8	3.7	0	7.8	3.7	0	0	0	7.5	0
6XX	wt	R	006-10	2581	0	5.7	0	0	5.7	0	0	0	0	0
6XX	wt	R	699-00	1248	8.3	10.1	0	8.3	10.1	0	0	0	0	0
6XX	wt	R	Deer_A	150577	3.3	12.2	0	3.3	12.2	0	0	6.5	9	0
6XX	wt	R	SUM	154406	11.7	28	0	11.7	28	0	0	6.5	9	0
6XX	wt	SUM	006-10	2581	0	5.7	0	0	5.7	0	0	0	0	0
6XX	wt	SUM	698-00	712	2.2	0	0	2.2	0	0	0	0	0	0
6XX	wt	SUM	699-00	1248	8.3	10.1	0	8.3	10.1	0	0	0	0	0
6XX	wt	SUM	Deer_A	174790	8.9	15.9	0	8.9	15.9	0	0	6.5	16.5	0
6XX	wt	SUM	SUM	179331	19.4	31.7	0	19.4	31.7	0	0	6.5	16.5	0
700	all_deer	N	007-12	1566	4.7	69.6	0	0	74.3	0	0	2.7	4.7	0
700	all_deer	N	401-00	42	0	1	0	0	1	0	0	0	0	0
700	all_deer	N	404-00	43	0	0	0	0	0	0	0	0	0	0
700	all_deer	N	560-00	68	0	0	0	0	0	0	0	0	0	0
700	all_deer	N	575-00	51	0	0	0	0	0	0	0	0	0	0
700	all_deer	N	599-00	73	0	2	0	0	2	0	0	0	0	0
700	all_deer	N	630-00	150	0	1.9	0	0	1.9	0	0	0	0	0
700	all_deer	N	650-00	10	0	1.5	0	0	1.5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
700	all_deer	N	670-00	132	0	2.6	0	0	2.6	0	0	0	1.3	0
700	all_deer	N	698-00	798	0	3	0	0	3	0	0	0	0	0
700	all_deer	N	797-00	1495	2.8	153.6	0	2.8	153.6	0	0	0	0	0
700	all_deer	N	Deer_A	24213	11.2	657.6	0	14.9	653.9	0	0	147.2	503	0
700	all_deer	N	none	.	0	7.5	0	0	7.5	0	0	0	0	0
700	all_deer	N	SUM	28641	18.7	900.3	0	17.7	901.3	0	0	149.9	509	0
700	all_deer	R	003-10	7329	0	5.4	0	0	5.4	0	0	0	0	0
700	all_deer	R	006-10	2581	0	2.2	0	0	2.2	0	0	0	0	0
700	all_deer	R	007-10	3970	10	132.4	6.7	10	139.2	0	0	8	0	0
700	all_deer	R	007-11	996	2.4	50.5	2.4	2.4	52.8	0	0	0	0	0
700	all_deer	R	007-13	5452	6.8	426.3	15	9.3	438.8	0	0	0	0	0
700	all_deer	R	007-14	100	0	32.5	0	0	32.5	0	0	0	0	0
700	all_deer	R	401-00	358	0	0	0	0	0	0	0	0	0	0
700	all_deer	R	404-00	754	0	1.6	0	0	1.6	0	0	0	0	0
700	all_deer	R	560-00	282	1.6	0	0	1.6	0	0	0	0	0	0
700	all_deer	R	575-00	448	0	1.6	0	0	1.6	0	0	1.6	0	0
700	all_deer	R	599-00	1926	0	0	0	0	0	0	0	0	0	0
700	all_deer	R	630-00	348	0	0	0	0	0	0	0	0	0	0
700	all_deer	R	650-00	90	0	0	0	0	0	0	0	0	0	0
700	all_deer	R	670-00	268	0	0	0	0	0	0	0	0	0	0
700	all_deer	R	699-00	1248	0	2.4	0	0	2.4	0	0	0	0	0
700	all_deer	R	Deer_A	150577	17.1	939.8	3.9	19.9	939.2	0	1.7	225.9	639.2	2.5
700	all_deer	R	none	.	0	16.7	0	0	16.7	0	0	0	0	0
700	all_deer	R	SUM	176727	37.8	1611.5	28	43.2	1632.5	0	1.7	235.6	639.2	2.5
700	all_deer	SUM	003-10	7329	0	5.4	0	0	5.4	0	0	0	0	0
700	all_deer	SUM	006-10	2581	0	2.2	0	0	2.2	0	0	0	0	0
700	all_deer	SUM	007-10	3970	10	132.4	6.7	10	139.2	0	0	8	0	0
700	all_deer	SUM	007-11	996	2.4	50.5	2.4	2.4	52.8	0	0	0	0	0
700	all_deer	SUM	007-12	1566	4.7	69.6	0	0	74.3	0	0	2.7	4.7	0
700	all_deer	SUM	007-13	5452	6.8	426.3	15	9.3	438.8	0	0	0	0	0
700	all_deer	SUM	007-14	100	0	32.5	0	0	32.5	0	0	0	0	0
700	all_deer	SUM	401-00	400	0	1	0	0	1	0	0	0	0	0
700	all_deer	SUM	404-00	797	0	1.6	0	0	1.6	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
700	all_deer	SUM	560-00	350	1.6	0	0	1.6	0	0	0	0	0	0
700	all_deer	SUM	575-00	499	0	1.6	0	0	1.6	0	0	1.6	0	0
700	all_deer	SUM	599-00	1999	0	2	0	0	2	0	0	0	0	0
700	all_deer	SUM	630-00	498	0	1.9	0	0	1.9	0	0	0	0	0
700	all_deer	SUM	650-00	100	0	1.5	0	0	1.5	0	0	0	0	0
700	all_deer	SUM	670-00	400	0	2.6	0	0	2.6	0	0	0	1.3	0
700	all_deer	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
700	all_deer	SUM	699-00	1248	0	2.4	0	0	2.4	0	0	0	0	0
700	all_deer	SUM	797-00	1495	2.8	153.6	0	2.8	153.6	0	0	0	0	0
700	all_deer	SUM	Deer_A	174790	28.3	1597.4	3.9	34.8	1593.1	0	1.7	373.1	1142.2	2.5
700	all_deer	SUM	none	.	0	24.2	0	0	24.2	0	0	0	0	0
700	all_deer	SUM	SUM	205368	56.6	2511.8	28	60.9	2533.8	0	1.7	385.4	1148.2	2.5
700	md	N	007-12	1566	4.7	18.4	0	0	23.2	0	0	2.7	4.7	0
700	md	N	401-00	42	0	1	0	0	1	0	0	0	0	0
700	md	N	404-00	43	0	0	0	0	0	0	0	0	0	0
700	md	N	560-00	68	0	0	0	0	0	0	0	0	0	0
700	md	N	575-00	51	0	0	0	0	0	0	0	0	0	0
700	md	N	630-00	150	0	1.9	0	0	1.9	0	0	0	0	0
700	md	N	650-00	10	0	1.5	0	0	1.5	0	0	0	0	0
700	md	N	670-00	132	0	2.6	0	0	2.6	0	0	0	1.3	0
700	md	N	797-00	1495	2.8	150.8	0	2.8	150.8	0	0	0	0	0
700	md	N	Deer_A	24213	11.2	607.5	0	14.9	603.8	0	0	141.2	461.2	0
700	md	N	none	.	0	7.5	0	0	7.5	0	0	0	0	0
700	md	N	SUM	27770	18.7	791.3	0	17.7	792.2	0	0	143.9	467.2	0
700	md	R	003-10	7329	0	2	0	0	2	0	0	0	0	0
700	md	R	007-10	3970	0	23.5	0	0	23.5	0	0	8	0	0
700	md	R	007-11	996	0	2	2.4	0	4.3	0	0	0	0	0
700	md	R	007-13	5452	6.8	422.4	15	9.3	434.9	0	0	0	0	0
700	md	R	007-14	100	0	32.5	0	0	32.5	0	0	0	0	0
700	md	R	401-00	358	0	0	0	0	0	0	0	0	0	0
700	md	R	404-00	754	0	1.6	0	0	1.6	0	0	0	0	0
700	md	R	560-00	282	1.6	0	0	1.6	0	0	0	0	0	0
700	md	R	575-00	448	0	1.6	0	0	1.6	0	0	1.6	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
700	md	R	630-00	348	0	0	0	0	0	0	0	0	0	0
700	md	R	650-00	90	0	0	0	0	0	0	0	0	0	0
700	md	R	670-00	268	0	0	0	0	0	0	0	0	0	0
700	md	R	Deer_A	150577	8.6	788	3.9	14.8	783.9	0	1.7	201	535.7	2.5
700	md	R	none	.	0	14.6	0	0	14.6	0	0	0	0	0
700	md	R	SUM	170972	16.9	1288.2	21.3	25.7	1299.1	0	1.7	210.6	535.7	2.5
700	md	SUM	003-10	7329	0	2	0	0	2	0	0	0	0	0
700	md	SUM	007-10	3970	0	23.5	0	0	23.5	0	0	8	0	0
700	md	SUM	007-11	996	0	2	2.4	0	4.3	0	0	0	0	0
700	md	SUM	007-12	1566	4.7	18.4	0	0	23.2	0	0	2.7	4.7	0
700	md	SUM	007-13	5452	6.8	422.4	15	9.3	434.9	0	0	0	0	0
700	md	SUM	007-14	100	0	32.5	0	0	32.5	0	0	0	0	0
700	md	SUM	401-00	400	0	1	0	0	1	0	0	0	0	0
700	md	SUM	404-00	797	0	1.6	0	0	1.6	0	0	0	0	0
700	md	SUM	560-00	350	1.6	0	0	1.6	0	0	0	0	0	0
700	md	SUM	575-00	499	0	1.6	0	0	1.6	0	0	1.6	0	0
700	md	SUM	630-00	498	0	1.9	0	0	1.9	0	0	0	0	0
700	md	SUM	650-00	100	0	1.5	0	0	1.5	0	0	0	0	0
700	md	SUM	670-00	400	0	2.6	0	0	2.6	0	0	0	1.3	0
700	md	SUM	797-00	1495	2.8	150.8	0	2.8	150.8	0	0	0	0	0
700	md	SUM	Deer_A	174790	19.7	1395.5	3.9	29.7	1387.7	0	1.7	342.2	996.9	2.5
700	md	SUM	none	.	0	22.2	0	0	22.2	0	0	0	0	0
700	md	SUM	SUM	198742	35.7	2079.5	21.3	43.4	2091.3	0	1.7	354.5	1003	2.5
700	wt	N	007-12	1566	0	51.1	0	0	51.1	0	0	0	0	0
700	wt	N	599-00	73	0	2	0	0	2	0	0	0	0	0
700	wt	N	698-00	798	0	3	0	0	3	0	0	0	0	0
700	wt	N	797-00	1495	0	2.8	0	0	2.8	0	0	0	0	0
700	wt	N	Deer_A	24213	0	50.1	0	0	50.1	0	0	6	41.8	0
700	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
700	wt	N	SUM	28145	0	109.1	0	0	109.1	0	0	6	41.8	0
700	wt	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
700	wt	R	006-10	2581	0	2.2	0	0	2.2	0	0	0	0	0
700	wt	R	007-10	3970	10	106.3	6.7	10	113	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
700	wt	R	007-11	996	2.4	48.5	0	2.4	48.5	0	0	0	0	0
700	wt	R	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
700	wt	R	599-00	1926	0	0	0	0	0	0	0	0	0	0
700	wt	R	699-00	1248	0	2.4	0	0	2.4	0	0	0	0	0
700	wt	R	Deer_A	150577	8.6	147.8	0	5.1	151.2	0	0	24.9	99.4	0
700	wt	R	none	.	0	2	0	0	2	0	0	0	0	0
700	wt	R	SUM	174079	20.9	316.6	6.7	17.5	326.7	0	0	24.9	99.4	0
700	wt	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	0	0
700	wt	SUM	006-10	2581	0	2.2	0	0	2.2	0	0	0	0	0
700	wt	SUM	007-10	3970	10	106.3	6.7	10	113	0	0	0	0	0
700	wt	SUM	007-11	996	2.4	48.5	0	2.4	48.5	0	0	0	0	0
700	wt	SUM	007-12	1566	0	51.1	0	0	51.1	0	0	0	0	0
700	wt	SUM	007-13	5452	0	3.9	0	0	3.9	0	0	0	0	0
700	wt	SUM	599-00	1999	0	2	0	0	2	0	0	0	0	0
700	wt	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
700	wt	SUM	699-00	1248	0	2.4	0	0	2.4	0	0	0	0	0
700	wt	SUM	797-00	1495	0	2.8	0	0	2.8	0	0	0	0	0
700	wt	SUM	Deer_A	174790	8.6	197.9	0	5.1	201.3	0	0	30.9	141.2	0
700	wt	SUM	none	.	0	2	0	0	2	0	0	0	0	0
700	wt	SUM	SUM	202224	20.9	425.6	6.7	17.5	435.8	0	0	30.9	141.2	0
701	all_deer	N	003-12	777	0	4.1	0	0	4.1	0	0	0	4.1	0
701	all_deer	N	007-12	1566	3.3	69.2	0	1.8	70.7	0	0	0	4.7	0
701	all_deer	N	121-00	31	0	0	0	0	0	0	0	0	0	0
701	all_deer	N	333-01	15	0	0	0	0	0	0	0	0	0	0
701	all_deer	N	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
701	all_deer	N	797-00	1495	0	103.9	0	0	103.9	0	0	0	0	0
701	all_deer	N	Deer_A	24213	3.7	400.7	0	0	404.4	0	0	53.3	336.2	7.5
701	all_deer	N	none	.	0	0	0	0	0	0	0	0	0	0
701	all_deer	N	SUM	28397	7	579.3	0	1.8	584.5	0	0	53.3	345	7.5
701	all_deer	R	003-10	7329	0	0	2.6	0	0	0	2.6	0	0	0
701	all_deer	R	007-10	3970	21.3	272.1	0	12.5	277	0	4	7.1	0	0
701	all_deer	R	007-11	996	23.7	87.9	2.4	18.5	95.5	0	0	0	0	0
701	all_deer	R	007-13	5452	6.9	299.2	5.4	6.9	304.6	0	0	0	0	3.1

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
701	all_deer	R	007-14	100	0	2.8	1.5	0	4.3	0	0	0	0	0
701	all_deer	R	121-00	368	0	1.3	0	0	1.3	0	0	0	0	0
701	all_deer	R	333-01	285	0	1.5	0	0	1.5	0	0	0	1.5	0
701	all_deer	R	Deer_A	150577	30.1	858.8	3.1	12.7	874.9	1.9	2.5	219.4	580.3	0
701	all_deer	R	none	.	0	6	0	0	6	0	0	0	0	0
701	all_deer	R	SUM	169077	82.1	1529.6	14.9	50.6	1565	1.9	9	226.6	581.8	3.1
701	all_deer	SUM	003-10	7329	0	0	2.6	0	0	0	2.6	0	0	0
701	all_deer	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	4.1	0
701	all_deer	SUM	007-10	3970	21.3	272.1	0	12.5	277	0	4	7.1	0	0
701	all_deer	SUM	007-11	996	23.7	87.9	2.4	18.5	95.5	0	0	0	0	0
701	all_deer	SUM	007-12	1566	3.3	69.2	0	1.8	70.7	0	0	0	4.7	0
701	all_deer	SUM	007-13	5452	6.9	299.2	5.4	6.9	304.6	0	0	0	0	3.1
701	all_deer	SUM	007-14	100	0	2.8	1.5	0	4.3	0	0	0	0	0
701	all_deer	SUM	121-00	399	0	1.3	0	0	1.3	0	0	0	0	0
701	all_deer	SUM	333-01	300	0	1.5	0	0	1.5	0	0	0	1.5	0
701	all_deer	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
701	all_deer	SUM	797-00	1495	0	103.9	0	0	103.9	0	0	0	0	0
701	all_deer	SUM	Deer_A	174790	33.9	1259.5	3.1	12.7	1279.4	1.9	2.5	272.8	916.5	7.5
701	all_deer	SUM	none	.	0	6	0	0	6	0	0	0	0	0
701	all_deer	SUM	SUM	197474	89	2108.8	14.9	52.3	2149.5	1.9	9	279.9	926.8	10.5
701	md	N	003-12	777	0	4.1	0	0	4.1	0	0	0	4.1	0
701	md	N	007-12	1566	0	4.7	0	0	4.7	0	0	0	4.7	0
701	md	N	797-00	1495	0	101	0	0	101	0	0	0	0	0
701	md	N	Deer_A	24213	3.7	344.9	0	0	348.6	0	0	53.3	281.8	7.5
701	md	N	none	.	0	0	0	0	0	0	0	0	0	0
701	md	N	SUM	28051	3.7	454.7	0	0	458.4	0	0	53.3	290.5	7.5
701	md	R	003-10	7329	0	0	2.6	0	0	0	2.6	0	0	0
701	md	R	007-10	3970	0	13.7	0	0	13.7	0	0	7.1	0	0
701	md	R	007-13	5452	6.9	294.9	3.1	6.9	298	0	0	0	0	3.1
701	md	R	007-14	100	0	2.8	0	0	2.8	0	0	0	0	0
701	md	R	Deer_A	150577	0	611.9	1.4	2.9	610.4	0	0	175.2	375.5	0
701	md	R	none	.	0	6	0	0	6	0	0	0	0	0
701	md	R	SUM	167428	6.9	929.3	7.1	9.8	931	0	2.6	182.3	375.5	3.1

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
701	md	SUM	003-10	7329	0	0	2.6	0	0	0	2.6	0	0	0
701	md	SUM	003-12	777	0	4.1	0	0	4.1	0	0	0	4.1	0
701	md	SUM	007-10	3970	0	13.7	0	0	13.7	0	0	7.1	0	0
701	md	SUM	007-12	1566	0	4.7	0	0	4.7	0	0	0	4.7	0
701	md	SUM	007-13	5452	6.9	294.9	3.1	6.9	298	0	0	0	0	3.1
701	md	SUM	007-14	100	0	2.8	0	0	2.8	0	0	0	0	0
701	md	SUM	797-00	1495	0	101	0	0	101	0	0	0	0	0
701	md	SUM	Deer_A	174790	3.7	956.7	1.4	2.9	959	0	0	228.6	657.3	7.5
701	md	SUM	none	.	0	6	0	0	6	0	0	0	0	0
701	md	SUM	SUM	195479	10.7	1384	7.1	9.8	1389.4	0	2.6	235.7	666.1	10.5
701	wt	N	007-12	1566	3.3	64.5	0	1.8	66	0	0	0	0	0
701	wt	N	121-00	31	0	0	0	0	0	0	0	0	0	0
701	wt	N	333-01	15	0	0	0	0	0	0	0	0	0	0
701	wt	N	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
701	wt	N	797-00	1495	0	2.9	0	0	2.9	0	0	0	0	0
701	wt	N	Deer_A	24213	0	55.8	0	0	55.8	0	0	0	54.4	0
701	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
701	wt	N	SUM	27620	3.3	124.6	0	1.8	126.1	0	0	0	54.4	0
701	wt	R	007-10	3970	21.3	258.4	0	12.5	263.2	0	4	0	0	0
701	wt	R	007-11	996	23.7	87.9	2.4	18.5	95.5	0	0	0	0	0
701	wt	R	007-13	5452	0	4.3	2.3	0	6.6	0	0	0	0	0
701	wt	R	007-14	100	0	0	1.5	0	1.5	0	0	0	0	0
701	wt	R	121-00	368	0	1.3	0	0	1.3	0	0	0	0	0
701	wt	R	333-01	285	0	1.5	0	0	1.5	0	0	0	1.5	0
701	wt	R	Deer_A	150577	30.1	243.7	1.7	9.8	261.3	1.9	2.5	44.2	201.6	0
701	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
701	wt	R	SUM	161748	75.1	597.1	7.8	40.8	630.9	1.9	6.4	44.2	203.1	0
701	wt	SUM	007-10	3970	21.3	258.4	0	12.5	263.2	0	4	0	0	0
701	wt	SUM	007-11	996	23.7	87.9	2.4	18.5	95.5	0	0	0	0	0
701	wt	SUM	007-12	1566	3.3	64.5	0	1.8	66	0	0	0	0	0
701	wt	SUM	007-13	5452	0	4.3	2.3	0	6.6	0	0	0	0	0
701	wt	SUM	007-14	100	0	0	1.5	0	1.5	0	0	0	0	0
701	wt	SUM	121-00	399	0	1.3	0	0	1.3	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
701	wt	SUM	333-01	300	0	1.5	0	0	1.5	0	0	0	1.5	0
701	wt	SUM	498-00	300	0	1.3	0	0	1.3	0	0	0	0	0
701	wt	SUM	797-00	1495	0	2.9	0	0	2.9	0	0	0	0	0
701	wt	SUM	Deer_A	174790	30.1	299.6	1.7	9.8	317.2	1.9	2.5	44.2	256	0
701	wt	SUM	none	.	0	0	0	0	0	0	0	0	0	0
701	wt	SUM	SUM	189368	78.4	721.7	7.8	42.5	756.9	1.9	6.4	44.2	257.5	0
702	all_deer	N	003-12	777	0	2.5	0	0	2.5	0	0	0	0	0
702	all_deer	N	007-12	1566	4.7	25.3	0	0	30.1	0	0	0	0	0
702	all_deer	N	326-01	24	0	2.2	0	0	2.2	0	0	0	0	0
702	all_deer	N	698-00	798	0	2.2	0	0	2.2	0	0	0	0	0
702	all_deer	N	797-00	1495	0	47.5	0	0	44.6	0	2.8	0	5.2	0
702	all_deer	N	Deer_A	24213	7.5	422.6	3.7	7.5	426.3	0	0	65.6	368.2	0
702	all_deer	N	none	.	3.8	0	0	3.8	0	0	0	0	0	0
702	all_deer	N	SUM	28873	15.9	502.3	3.7	11.2	507.9	0	2.8	65.6	373.3	0
702	all_deer	R	007-10	3970	0	51.7	2.3	0	54	0	0	0	0	0
702	all_deer	R	007-11	996	2.1	29.1	0	2.1	29.1	0	0	0	0	0
702	all_deer	R	007-13	5452	2.3	269.3	5	2.6	271.5	0	2.5	3.1	0	0
702	all_deer	R	007-14	100	0	9	0	0	9	0	0	0	0	0
702	all_deer	R	326-01	155	0	0	0	0	0	0	0	0	0	0
702	all_deer	R	Deer_A	150577	15.1	742	5.6	8	753.2	0	1.6	218.5	461.9	0
702	all_deer	R	none	.	0	8.1	0	0	8.1	0	0	0	0	0
702	all_deer	R	SUM	161250	19.5	1109.1	12.9	12.6	1124.8	0	4	221.6	461.9	0
702	all_deer	SUM	003-12	777	0	2.5	0	0	2.5	0	0	0	0	0
702	all_deer	SUM	007-10	3970	0	51.7	2.3	0	54	0	0	0	0	0
702	all_deer	SUM	007-11	996	2.1	29.1	0	2.1	29.1	0	0	0	0	0
702	all_deer	SUM	007-12	1566	4.7	25.3	0	0	30.1	0	0	0	0	0
702	all_deer	SUM	007-13	5452	2.3	269.3	5	2.6	271.5	0	2.5	3.1	0	0
702	all_deer	SUM	007-14	100	0	9	0	0	9	0	0	0	0	0
702	all_deer	SUM	326-01	179	0	2.2	0	0	2.2	0	0	0	0	0
702	all_deer	SUM	698-00	798	0	2.2	0	0	2.2	0	0	0	0	0
702	all_deer	SUM	797-00	1495	0	47.5	0	0	44.6	0	2.8	0	5.2	0
702	all_deer	SUM	Deer_A	174790	22.6	1164.6	9.3	15.4	1179.5	0	1.6	284.2	830	0
702	all_deer	SUM	none	.	3.8	8.1	0	3.8	8.1	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
702	all_deer	SUM	SUM	190123	35.4	1611.3	16.6	23.8	1632.7	0	6.8	287.2	835.2	0
702	md	N	007-12	1566	0	2.8	0	0	2.8	0	0	0	0	0
702	md	N	326-01	24	0	2.2	0	0	2.2	0	0	0	0	0
702	md	N	797-00	1495	0	47.5	0	0	44.6	0	2.8	0	5.2	0
702	md	N	Deer_A	24213	3.7	354.8	3.7	3.7	358.5	0	0	65.6	296.6	0
702	md	N	none	.	0	0	0	0	0	0	0	0	0	0
702	md	N	SUM	27298	3.7	407.2	3.7	3.7	408.1	0	2.8	65.6	301.7	0
702	md	R	007-10	3970	0	2.6	0	0	2.6	0	0	0	0	0
702	md	R	007-13	5452	2.3	269.3	5	2.6	271.5	0	2.5	3.1	0	0
702	md	R	007-14	100	0	9	0	0	9	0	0	0	0	0
702	md	R	326-01	155	0	0	0	0	0	0	0	0	0	0
702	md	R	Deer_A	150577	5.5	648.9	5.6	0	658.4	0	1.6	194.8	398.3	0
702	md	R	none	.	0	8.1	0	0	8.1	0	0	0	0	0
702	md	R	SUM	160254	7.8	937.8	10.6	2.6	949.7	0	4	197.9	398.3	0
702	md	SUM	007-10	3970	0	2.6	0	0	2.6	0	0	0	0	0
702	md	SUM	007-12	1566	0	2.8	0	0	2.8	0	0	0	0	0
702	md	SUM	007-13	5452	2.3	269.3	5	2.6	271.5	0	2.5	3.1	0	0
702	md	SUM	007-14	100	0	9	0	0	9	0	0	0	0	0
702	md	SUM	326-01	179	0	2.2	0	0	2.2	0	0	0	0	0
702	md	SUM	797-00	1495	0	47.5	0	0	44.6	0	2.8	0	5.2	0
702	md	SUM	Deer_A	174790	9.2	1003.6	9.3	3.7	1016.9	0	1.6	260.4	694.9	0
702	md	SUM	none	.	0	8.1	0	0	8.1	0	0	0	0	0
702	md	SUM	SUM	187552	11.5	1345.1	14.4	6.3	1357.8	0	6.8	263.5	700	0
702	wt	N	003-12	777	0	2.5	0	0	2.5	0	0	0	0	0
702	wt	N	007-12	1566	4.7	22.5	0	0	27.2	0	0	0	0	0
702	wt	N	698-00	798	0	2.2	0	0	2.2	0	0	0	0	0
702	wt	N	Deer_A	24213	3.7	67.9	0	3.7	67.9	0	0	0	71.6	0
702	wt	N	none	.	3.8	0	0	3.8	0	0	0	0	0	0
702	wt	N	SUM	27354	12.2	95	0	7.5	99.8	0	0	0	71.6	0
702	wt	R	007-10	3970	0	49.1	2.3	0	51.3	0	0	0	0	0
702	wt	R	007-11	996	2.1	29.1	0	2.1	29.1	0	0	0	0	0
702	wt	R	Deer_A	150577	9.6	93.1	0	8	94.8	0	0	23.7	63.6	0
702	wt	R	none	.	0	0	0	0	0	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
702	wt	R	SUM	155543	11.7	171.3	2.3	10	175.1	0	0	23.7	63.6	0
702	wt	SUM	003-12	777	0	2.5	0	0	2.5	0	0	0	0	0
702	wt	SUM	007-10	3970	0	49.1	2.3	0	51.3	0	0	0	0	0
702	wt	SUM	007-11	996	2.1	29.1	0	2.1	29.1	0	0	0	0	0
702	wt	SUM	007-12	1566	4.7	22.5	0	0	27.2	0	0	0	0	0
702	wt	SUM	698-00	798	0	2.2	0	0	2.2	0	0	0	0	0
702	wt	SUM	Deer_A	174790	13.3	161	0	11.7	162.6	0	0	23.7	135.2	0
702	wt	SUM	none	.	3.8	0	0	3.8	0	0	0	0	0	0
702	wt	SUM	SUM	182897	23.9	266.3	2.3	17.5	274.9	0	0	23.7	135.2	0
703	all_deer	N	007-12	1566	0	295.7	0	0	295.7	0	0	0	4.9	0
703	all_deer	N	650-00	10	0	0	0	0	0	0	0	0	0	0
703	all_deer	N	651-00	45	0	1.2	0	0	1.2	0	0	0	0	0
703	all_deer	N	698-00	798	0	4.9	0	0	4.9	0	0	0	0	0
703	all_deer	N	797-00	1495	0	159.5	0	0	159.5	0	0	0	0	0
703	all_deer	N	Deer_A	24213	10.4	515	0	3.7	521.7	0	0	68	442.5	0
703	all_deer	N	none	.	0	4.1	0	0	4.1	0	0	0	0	0
703	all_deer	N	SUM	28127	10.4	980.3	0	3.7	987	0	0	68	447.4	0
703	all_deer	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	3.4	0
703	all_deer	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
703	all_deer	R	006-10	2581	0	13.5	0	0	13.5	0	0	0	6.1	0
703	all_deer	R	007-10	3970	13.2	255.3	0	13.8	251.5	0	3.1	0	2.6	0
703	all_deer	R	007-11	996	21.6	85.5	0	19	88.1	0	0	0	0	0
703	all_deer	R	007-13	5452	6.9	419.8	2.2	0	428.9	0	0	6.1	2.3	0
703	all_deer	R	007-14	100	0	6.9	1.4	0	8.3	0	0	0	0	0
703	all_deer	R	650-00	90	0	1.2	0	0	1.2	0	0	0	0	0
703	all_deer	R	651-00	55	0	0	0	0	0	0	0	0	0	0
703	all_deer	R	699-00	1248	0	2.8	0	0	2.8	0	0	0	0	0
703	all_deer	R	Deer_A	150577	31.3	1570.9	7.9	22.2	1582.3	0	5.7	332.2	1093.9	0
703	all_deer	R	none	.	4.1	21.2	0	4.1	21.2	0	0	0	4.1	0
703	all_deer	R	SUM	180008	77.1	2383.8	11.5	59	2404.6	0	8.8	338.3	1112.4	0
703	all_deer	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	3.4	0
703	all_deer	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
703	all_deer	SUM	006-10	2581	0	13.5	0	0	13.5	0	0	0	6.1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
703	all_deer	SUM	007-10	3970	13.2	255.3	0	13.8	251.5	0	3.1	0	2.6	0
703	all_deer	SUM	007-11	996	21.6	85.5	0	19	88.1	0	0	0	0	0
703	all_deer	SUM	007-12	1566	0	295.7	0	0	295.7	0	0	0	4.9	0
703	all_deer	SUM	007-13	5452	6.9	419.8	2.2	0	428.9	0	0	6.1	2.3	0
703	all_deer	SUM	007-14	100	0	6.9	1.4	0	8.3	0	0	0	0	0
703	all_deer	SUM	650-00	100	0	1.2	0	0	1.2	0	0	0	0	0
703	all_deer	SUM	651-00	100	0	1.2	0	0	1.2	0	0	0	0	0
703	all_deer	SUM	698-00	798	0	4.9	0	0	4.9	0	0	0	0	0
703	all_deer	SUM	699-00	1248	0	2.8	0	0	2.8	0	0	0	0	0
703	all_deer	SUM	797-00	1495	0	159.5	0	0	159.5	0	0	0	0	0
703	all_deer	SUM	Deer_A	174790	41.7	2085.9	7.9	25.9	2104	0	5.7	400.2	1536.4	0
703	all_deer	SUM	none	.	4.1	25.2	0	4.1	25.2	0	0	0	4.1	0
703	all_deer	SUM	SUM	208135	87.5	3364.2	11.5	62.8	3391.6	0	8.8	406.3	1559.9	0
703	md	N	007-12	1566	0	30.1	0	0	30.1	0	0	0	4.9	0
703	md	N	650-00	10	0	0	0	0	0	0	0	0	0	0
703	md	N	651-00	45	0	1.2	0	0	1.2	0	0	0	0	0
703	md	N	797-00	1495	0	157.3	0	0	157.3	0	0	0	0	0
703	md	N	Deer_A	24213	3.7	376	0	0	379.7	0	0	65.7	307.9	0
703	md	N	none	.	0	0	0	0	0	0	0	0	0	0
703	md	N	SUM	27329	3.7	564.6	0	0	568.3	0	0	65.7	312.9	0
703	md	R	003-10	7329	0	3.4	0	0	3.4	0	0	0	3.4	0
703	md	R	006-10	2581	0	2.4	0	0	2.4	0	0	0	2.4	0
703	md	R	007-10	3970	0	12.9	0	0	12.9	0	0	0	0	0
703	md	R	007-11	996	2.6	0	0	2.6	0	0	0	0	0	0
703	md	R	007-13	5452	3.9	409.9	2.2	0	415.9	0	0	2.2	2.3	0
703	md	R	007-14	100	0	6.9	1.4	0	8.3	0	0	0	0	0
703	md	R	650-00	90	0	1.2	0	0	1.2	0	0	0	0	0
703	md	R	651-00	55	0	0	0	0	0	0	0	0	0	0
703	md	R	Deer_A	150577	6.2	947.2	1.4	5.4	949.5	0	0	248.1	630.8	0
703	md	R	none	.	0	8.1	0	0	8.1	0	0	0	4.1	0
703	md	R	SUM	171150	12.7	1392.1	5	8	1401.8	0	0	250.3	643	0
703	md	SUM	003-10	7329	0	3.4	0	0	3.4	0	0	0	3.4	0
703	md	SUM	006-10	2581	0	2.4	0	0	2.4	0	0	0	2.4	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
703	md	SUM	007-10	3970	0	12.9	0	0	12.9	0	0	0	0	0
703	md	SUM	007-11	996	2.6	0	0	2.6	0	0	0	0	0	0
703	md	SUM	007-12	1566	0	30.1	0	0	30.1	0	0	0	4.9	0
703	md	SUM	007-13	5452	3.9	409.9	2.2	0	415.9	0	0	2.2	2.3	0
703	md	SUM	007-14	100	0	6.9	1.4	0	8.3	0	0	0	0	0
703	md	SUM	650-00	100	0	1.2	0	0	1.2	0	0	0	0	0
703	md	SUM	651-00	100	0	1.2	0	0	1.2	0	0	0	0	0
703	md	SUM	797-00	1495	0	157.3	0	0	157.3	0	0	0	0	0
703	md	SUM	Deer_A	174790	9.9	1323.2	1.4	5.4	1329.1	0	0	313.8	938.8	0
703	md	SUM	none	.	0	8.1	0	0	8.1	0	0	0	4.1	0
703	md	SUM	SUM	198479	16.4	1956.7	5	8	1970.1	0	0	316	955.9	0
703	wt	N	007-12	1566	0	265.6	0	0	265.6	0	0	0	0	0
703	wt	N	698-00	798	0	4.9	0	0	4.9	0	0	0	0	0
703	wt	N	797-00	1495	0	2.2	0	0	2.2	0	0	0	0	0
703	wt	N	Deer_A	24213	6.7	135.4	0	3.7	138.3	0	0	2.3	130.8	0
703	wt	N	none	.	0	4.1	0	0	4.1	0	0	0	0	0
703	wt	N	SUM	28072	6.7	412	0	3.7	415	0	0	2.3	130.8	0
703	wt	R	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
703	wt	R	006-10	2581	0	11	0	0	11	0	0	0	3.7	0
703	wt	R	007-10	3970	13.2	242.4	0	13.8	238.6	0	3.1	0	2.6	0
703	wt	R	007-11	996	19	85.5	0	16.4	88.1	0	0	0	0	0
703	wt	R	007-13	5452	0	10	0	0	10	0	0	3.9	0	0
703	wt	R	699-00	1248	0	2.8	0	0	2.8	0	0	0	0	0
703	wt	R	Deer_A	150577	25.1	623.7	2.4	16.8	632.8	0	1.6	84.2	463.1	0
703	wt	R	none	.	4.1	13	0	4.1	13	0	0	0	0	0
703	wt	R	SUM	172434	61.4	991.7	2.4	51	999.7	0	4.8	88	469.4	0
703	wt	SUM	004-10	7610	0	3.4	0	0	3.4	0	0	0	0	0
703	wt	SUM	006-10	2581	0	11	0	0	11	0	0	0	3.7	0
703	wt	SUM	007-10	3970	13.2	242.4	0	13.8	238.6	0	3.1	0	2.6	0
703	wt	SUM	007-11	996	19	85.5	0	16.4	88.1	0	0	0	0	0
703	wt	SUM	007-12	1566	0	265.6	0	0	265.6	0	0	0	0	0
703	wt	SUM	007-13	5452	0	10	0	0	10	0	0	3.9	0	0
703	wt	SUM	698-00	798	0	4.9	0	0	4.9	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
703	wt	SUM	699-00	1248	0	2.8	0	0	2.8	0	0	0	0	0
703	wt	SUM	797-00	1495	0	2.2	0	0	2.2	0	0	0	0	0
703	wt	SUM	Deer_A	174790	31.8	759	2.4	20.5	771.1	0	1.6	86.4	593.9	0
703	wt	SUM	none	.	4.1	17.1	0	4.1	17.1	0	0	0	0	0
703	wt	SUM	SUM	200506	68.1	1403.7	2.4	54.8	1414.7	0	4.8	90.3	600.2	0
704	all_deer	N	007-12	1566	4.7	75.8	0	4.7	75.8	0	0	2.1	0	0
704	all_deer	N	333-01	15	0	0	0	0	0	0	0	0	0	0
704	all_deer	N	797-00	1495	0	228.3	0	0	228.3	0	0	0	0	0
704	all_deer	N	Deer_A	24213	20.9	1198.5	3.7	17.2	1202.2	0	3.7	237.1	948.9	3.7
704	all_deer	N	none	.	0	11.3	0	0	7.5	0	0	0	0	0
704	all_deer	N	SUM	27289	25.7	1514	3.7	21.9	1513.9	0	3.7	239.3	948.9	3.7
704	all_deer	R	007-10	3970	6.6	165.2	4.9	0	174.1	0	2.6	0	0	0
704	all_deer	R	007-11	996	2.4	49.1	2.4	0	53.8	0	0	0	0	0
704	all_deer	R	007-13	5452	14.8	513.3	4.9	9.2	513.1	7.7	3.1	0	9.6	0
704	all_deer	R	007-14	100	0	10.1	0	0	10.1	0	0	0	0	0
704	all_deer	R	333-01	285	0	1.5	0	0	1.5	0	0	0	1.5	0
704	all_deer	R	Deer_A	150577	22.3	1439.7	3.9	8.1	1450.9	2.4	4.4	374.7	949.5	4.1
704	all_deer	R	none	.	0	7.7	0	0	7.7	0	0	0	0	0
704	all_deer	R	SUM	161380	46	2186.8	16	17.3	2211.3	10.2	10.1	374.7	960.6	4.1
704	all_deer	SUM	007-10	3970	6.6	165.2	4.9	0	174.1	0	2.6	0	0	0
704	all_deer	SUM	007-11	996	2.4	49.1	2.4	0	53.8	0	0	0	0	0
704	all_deer	SUM	007-12	1566	4.7	75.8	0	4.7	75.8	0	0	2.1	0	0
704	all_deer	SUM	007-13	5452	14.8	513.3	4.9	9.2	513.1	7.7	3.1	0	9.6	0
704	all_deer	SUM	007-14	100	0	10.1	0	0	10.1	0	0	0	0	0
704	all_deer	SUM	333-01	300	0	1.5	0	0	1.5	0	0	0	1.5	0
704	all_deer	SUM	797-00	1495	0	228.3	0	0	228.3	0	0	0	0	0
704	all_deer	SUM	Deer_A	174790	43.2	2638.2	7.6	25.3	2653.1	2.4	8.1	611.8	1898.4	7.8
704	all_deer	SUM	none	.	0	19.1	0	0	15.3	0	0	0	0	0
704	all_deer	SUM	SUM	188669	71.7	3700.8	19.7	39.2	3725.2	10.2	13.8	613.9	1909.6	7.8
704	md	N	007-12	1566	4.7	6.8	0	4.7	6.8	0	0	2.1	0	0
704	md	N	333-01	15	0	0	0	0	0	0	0	0	0	0
704	md	N	797-00	1495	0	218	0	0	218	0	0	0	0	0
704	md	N	Deer_A	24213	20.9	1080.1	3.7	17.2	1083.8	0	3.7	229.7	843.5	3.7

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
704	md	N	none	.	0	11.3	0	0	7.5	0	3.8	0	0	0
704	md	N	SUM	27289	25.7	1316.3	3.7	21.9	1316.2	0	7.5	231.8	843.5	3.7
704	md	R	007-10	3970	0	4	2.2	0	6.2	0	0	0	0	0
704	md	R	007-13	5452	11.7	513.3	4.9	9.2	513.1	7.7	0	0	6.6	0
704	md	R	007-14	100	0	10.1	0	0	10.1	0	0	0	0	0
704	md	R	333-01	285	0	1.5	0	0	1.5	0	0	0	1.5	0
704	md	R	Deer_A	150577	9.7	1272.2	3.9	5.7	1275.2	2.4	2.4	352.8	812.9	0
704	md	R	none	.	0	1.7	0	0	1.7	0	0	0	0	0
704	md	R	SUM	160384	21.5	1802.9	11	14.8	1807.9	10.2	2.4	352.8	821	0
704	md	SUM	007-10	3970	0	4	2.2	0	6.2	0	0	0	0	0
704	md	SUM	007-12	1566	4.7	6.8	0	4.7	6.8	0	0	2.1	0	0
704	md	SUM	007-13	5452	11.7	513.3	4.9	9.2	513.1	7.7	0	0	6.6	0
704	md	SUM	007-14	100	0	10.1	0	0	10.1	0	0	0	0	0
704	md	SUM	333-01	300	0	1.5	0	0	1.5	0	0	0	1.5	0
704	md	SUM	797-00	1495	0	218	0	0	218	0	0	0	0	0
704	md	SUM	Deer_A	174790	30.7	2352.3	7.6	22.9	2359	2.4	6.2	582.5	1656.4	3.7
704	md	SUM	none	.	0	13	0	0	9.3	0	3.8	0	0	0
704	md	SUM	SUM	187673	47.1	3119.1	14.7	36.8	3124.1	10.2	9.9	584.7	1664.5	3.7
704	wt	N	007-12	1566	0	69	0	0	69	0	0	0	0	0
704	wt	N	797-00	1495	0	10.3	0	0	10.3	0	0	0	0	0
704	wt	N	Deer_A	24213	0	118.4	0	0	118.4	0	0	7.5	105.4	0
704	wt	N	none	.	0	0	0	0	0	0	0	0	0	0
704	wt	N	SUM	27274	0	197.7	0	0	197.7	0	0	7.5	105.4	0
704	wt	R	007-10	3970	6.6	161.3	2.6	0	167.9	0	2.6	0	0	0
704	wt	R	007-11	996	2.4	49.1	2.4	0	53.8	0	0	0	0	0
704	wt	R	007-13	5452	3.1	0	0	0	0	0	3.1	0	3.1	0
704	wt	R	Deer_A	150577	12.5	165.1	0	2.5	173.2	0	1.9	21.8	136.6	4.1
704	wt	R	none	.	0	6	0	0	6	0	0	0	0	0
704	wt	R	SUM	160995	24.6	381.5	5	2.5	400.9	0	7.6	21.8	139.6	4.1
704	wt	SUM	007-10	3970	6.6	161.3	2.6	0	167.9	0	2.6	0	0	0
704	wt	SUM	007-11	996	2.4	49.1	2.4	0	53.8	0	0	0	0	0
704	wt	SUM	007-12	1566	0	69	0	0	69	0	0	0	0	0
704	wt	SUM	007-13	5452	3.1	0	0	0	0	0	3.1	0	3.1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
704	wt	SUM	797-00	1495	0	10.3	0	0	10.3	0	0	0	0	0
704	wt	SUM	Deer_A	174790	12.5	283.5	0	2.5	291.6	0	1.9	29.3	242	4.1
704	wt	SUM	none	.	0	6	0	0	6	0	0	0	0	0
704	wt	SUM	SUM	188269	24.6	579.2	5	2.5	598.6	0	7.6	29.3	245	4.1
705	all_deer	N	007-12	1566	0	314.7	0	0	314.7	0	0	0	0	0
705	all_deer	N	311-02	12	0	0	0	0	0	0	0	0	0	0
705	all_deer	N	313-01	1	0	1	0	0	1	0	0	0	1	0
705	all_deer	N	598-00	236	0	1.3	0	0	1.3	0	0	0	1.3	0
705	all_deer	N	698-00	798	0	3	0	0	3	0	0	0	0	0
705	all_deer	N	797-00	1495	5.2	351.4	0	10.3	344	0	2.2	0	0	0
705	all_deer	N	Deer_A	24213	34.3	1326.3	7.5	36.6	1327.8	0	3.7	265.4	1078.6	0
705	all_deer	N	none	.	0	7.5	0	0	7.5	0	3.8	0	3.8	0
705	all_deer	N	SUM	28321	39.5	2005.2	7.5	46.9	1999.3	0	9.7	265.4	1084.6	0
705	all_deer	R	003-10	7329	0	2.8	0	0	2.8	0	0	0	0	0
705	all_deer	R	007-10	3970	0	178.7	2.6	0	178.7	0	2.6	0	3.1	0
705	all_deer	R	007-11	996	0	66.8	2.4	0	69.2	0	0	0	0	0
705	all_deer	R	007-13	5452	2.5	381	7.7	4.7	384	0	2.6	0	0	0
705	all_deer	R	007-14	100	1.4	5.8	0	1.4	5.8	0	0	0	0	0
705	all_deer	R	311-02	288	0	1.5	0	0	1.5	0	0	0	0	0
705	all_deer	R	313-01	38	0	0	0	0	0	0	0	0	0	0
705	all_deer	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
705	all_deer	R	699-00	1248	0	1.4	0	0	1.4	0	0	0	1.4	0
705	all_deer	R	Deer_A	150577	17.9	1345.2	17.4	14.9	1358.1	4.1	3.4	278.4	990.4	8.1
705	all_deer	R	none	.	0	8.1	0	0	8.1	0	0	0	0	0
705	all_deer	R	SUM	172012	21.8	1991.3	30.1	21	2009.6	4.1	8.6	278.4	994.9	8.1
705	all_deer	SUM	003-10	7329	0	2.8	0	0	2.8	0	0	0	0	0
705	all_deer	SUM	007-10	3970	0	178.7	2.6	0	178.7	0	2.6	0	3.1	0
705	all_deer	SUM	007-11	996	0	66.8	2.4	0	69.2	0	0	0	0	0
705	all_deer	SUM	007-12	1566	0	314.7	0	0	314.7	0	0	0	0	0
705	all_deer	SUM	007-13	5452	2.5	381	7.7	4.7	384	0	2.6	0	0	0
705	all_deer	SUM	007-14	100	1.4	5.8	0	1.4	5.8	0	0	0	0	0
705	all_deer	SUM	311-02	300	0	1.5	0	0	1.5	0	0	0	0	0
705	all_deer	SUM	313-01	39	0	1	0	0	1	0	0	0	1	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
705	all_deer	SUM	598-00	2250	0	1.3	0	0	1.3	0	0	0	1.3	0
705	all_deer	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
705	all_deer	SUM	699-00	1248	0	1.4	0	0	1.4	0	0	0	1.4	0
705	all_deer	SUM	797-00	1495	5.2	351.4	0	10.3	344	0	2.2	0	0	0
705	all_deer	SUM	Deer_A	174790	52.2	2671.5	24.8	51.5	2685.9	4.1	7.1	543.8	2068.9	8.1
705	all_deer	SUM	none	.	0	15.7	0	0	15.7	0	3.8	0	3.8	0
705	all_deer	SUM	SUM	200333	61.3	3996.5	37.6	67.9	4008.9	4.1	18.3	543.8	2079.5	8.1
705	md	N	311-02	12	0	0	0	0	0	0	0	0	0	0
705	md	N	598-00	236	0	1.3	0	0	1.3	0	0	0	1.3	0
705	md	N	797-00	1495	5.2	348.5	0	10.3	341.2	0	2.2	0	0	0
705	md	N	Deer_A	24213	24.6	1147.2	7.5	26.9	1148.7	0	3.7	253.4	909.3	0
705	md	N	none	.	0	3.8	0	0	3.8	0	0	0	3.8	0
705	md	N	SUM	25956	29.8	1500.8	7.5	37.2	1494.9	0	5.9	253.4	914.3	0
705	md	R	007-10	3970	0	9.3	0	0	9.3	0	0	0	0	0
705	md	R	007-13	5452	2.5	376.1	7.7	4.7	379.1	0	2.6	0	0	0
705	md	R	007-14	100	1.4	5.8	0	1.4	5.8	0	0	0	0	0
705	md	R	311-02	288	0	1.5	0	0	1.5	0	0	0	0	0
705	md	R	598-00	2014	0	0	0	0	0	0	0	0	0	0
705	md	R	699-00	1248	0	1.4	0	0	1.4	0	0	0	1.4	0
705	md	R	Deer_A	150577	11.4	968.5	13	8.4	979	4.1	1.4	240.9	664.6	6.5
705	md	R	none	.	0	8.1	0	0	8.1	0	0	0	0	0
705	md	R	SUM	163649	15.3	1370.7	20.7	14.5	1384.2	4.1	4	240.9	666	6.5
705	md	SUM	007-10	3970	0	9.3	0	0	9.3	0	0	0	0	0
705	md	SUM	007-13	5452	2.5	376.1	7.7	4.7	379.1	0	2.6	0	0	0
705	md	SUM	007-14	100	1.4	5.8	0	1.4	5.8	0	0	0	0	0
705	md	SUM	311-02	300	0	1.5	0	0	1.5	0	0	0	0	0
705	md	SUM	598-00	2250	0	1.3	0	0	1.3	0	0	0	1.3	0
705	md	SUM	699-00	1248	0	1.4	0	0	1.4	0	0	0	1.4	0
705	md	SUM	797-00	1495	5.2	348.5	0	10.3	341.2	0	2.2	0	0	0
705	md	SUM	Deer_A	174790	36	2115.7	20.5	35.3	2127.7	4.1	5.1	494.3	1573.8	6.5
705	md	SUM	none	.	0	11.9	0	0	11.9	0	0	0	3.8	0
705	md	SUM	SUM	189605	45.1	2871.5	28.2	51.7	2879.1	4.1	9.9	494.3	1580.3	6.5
705	wt	N	007-12	1566	0	312.6	0	0	312.6	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
705	wt	N	313-01	1	0	1	0	0	1	0	0	0	1	0
705	wt	N	698-00	798	0	3	0	0	3	0	0	0	0	0
705	wt	N	Deer_A	24213	9.7	179.1	0	9.7	179.1	0	0	12	169.3	0
705	wt	N	none	.	0	3.8	0	0	3.8	0	0	0	0	0
705	wt	N	SUM	26578	9.7	499.4	0	9.7	499.4	0	0	12	170.3	0
705	wt	R	003-10	7329	0	2.8	0	0	2.8	0	0	0	0	0
705	wt	R	007-10	3970	0	166.8	0	0	166.8	0	0	0	3.1	0
705	wt	R	007-11	996	0	66.8	2.4	0	69.2	0	0	0	0	0
705	wt	R	007-13	5452	0	4.9	0	0	4.9	0	0	0	0	0
705	wt	R	313-01	38	0	0	0	0	0	0	0	0	0	0
705	wt	R	Deer_A	150577	6.5	372.7	4.4	6.5	375.1	0	1.9	37.5	325.8	1.6
705	wt	R	none	.	0	0	0	0	0	0	0	0	0	0
705	wt	R	SUM	168362	6.5	613.9	6.7	6.5	618.7	0	1.9	37.5	328.9	1.6
705	wt	SUM	003-10	7329	0	2.8	0	0	2.8	0	0	0	0	0
705	wt	SUM	007-10	3970	0	166.8	0	0	166.8	0	0	0	3.1	0
705	wt	SUM	007-11	996	0	66.8	2.4	0	69.2	0	0	0	0	0
705	wt	SUM	007-12	1566	0	312.6	0	0	312.6	0	0	0	0	0
705	wt	SUM	007-13	5452	0	4.9	0	0	4.9	0	0	0	0	0
705	wt	SUM	313-01	39	0	1	0	0	1	0	0	0	1	0
705	wt	SUM	698-00	798	0	3	0	0	3	0	0	0	0	0
705	wt	SUM	Deer_A	174790	16.2	551.7	4.4	16.2	554.2	0	1.9	49.5	495.1	1.6
705	wt	SUM	none	.	0	3.8	0	0	3.8	0	0	0	0	0
705	wt	SUM	SUM	194940	16.2	1113.4	6.7	16.2	1118.2	0	1.9	49.5	499.2	1.6
7XX	all_deer	N	797-00	1492	0	15.5	0	0	15.5	0	0	0	0	0
7XX	all_deer	N	Deer_A	24213	0	6	0	0	6	0	0	0	6	0
7XX	all_deer	N	SUM	25705	0	21.5	0	0	21.5	0	0	0	6	0
7XX	all_deer	R	007-13	5452	0	3.1	0	0	3.1	0	0	0	0	0
7XX	all_deer	R	Deer_A	150577	0	4.1	0	0	4.1	0	0	0	4.1	0
7XX	all_deer	R	SUM	156029	0	7.1	0	0	7.1	0	0	0	4.1	0
7XX	all_deer	SUM	007-13	5452	0	3.1	0	0	3.1	0	0	0	0	0
7XX	all_deer	SUM	797-00	1492	0	15.5	0	0	15.5	0	0	0	0	0
7XX	all_deer	SUM	Deer_A	174790	0	10	0	0	10	0	0	0	10	0
7XX	all_deer	SUM	SUM	181734	0	28.6	0	0	28.6	0	0	0	10	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
7XX	md	N	797-00	1492	0	15.5	0	0	15.5	0	0	0	0	0
7XX	md	N	SUM	1492	0	15.5	0	0	15.5	0	0	0	0	0
7XX	md	R	007-13	5452	0	3.1	0	0	3.1	0	0	0	0	0
7XX	md	R	Deer_A	150577	0	4.1	0	0	4.1	0	0	0	4.1	0
7XX	md	R	SUM	156029	0	7.1	0	0	7.1	0	0	0	4.1	0
7XX	md	SUM	007-13	5452	0	3.1	0	0	3.1	0	0	0	0	0
7XX	md	SUM	797-00	1492	0	15.5	0	0	15.5	0	0	0	0	0
7XX	md	SUM	Deer_A	150577	0	4.1	0	0	4.1	0	0	0	4.1	0
7XX	md	SUM	SUM	157521	0	22.6	0	0	22.6	0	0	0	4.1	0
7XX	wt	N	Deer_A	24213	0	6	0	0	6	0	0	0	6	0
7XX	wt	N	SUM	24213	0	6	0	0	6	0	0	0	6	0
7XX	wt	SUM	Deer_A	24213	0	6	0	0	6	0	0	0	6	0
7XX	wt	SUM	SUM	24213	0	6	0	0	6	0	0	0	6	0
XXX	all_deer	N	003-12	777	0	4.1	4.1	0	8.1	0	0	0	0	0
XXX	all_deer	N	597-00	27	0	1.6	0	0	1.6	0	0	0	0	0
XXX	all_deer	N	Deer_A	24213	3.7	53.7	3.7	3.7	52.2	0	5.3	11.2	50	0
XXX	all_deer	N	SUM	25017	3.7	59.4	7.8	3.7	61.9	0	5.3	11.2	50	0
XXX	all_deer	R	004-10	7610	0	5	0	0	5	0	0	0	0	0
XXX	all_deer	R	007-13	5452	0	3.1	0	0	3.1	0	0	0	0	0
XXX	all_deer	R	130-00	482	0	2	0	0	2	0	0	0	0	0
XXX	all_deer	R	132-00	208	0	1.3	0	0	1.3	0	0	0	0	0
XXX	all_deer	R	260-10	4029	2.1	0	0	2.1	0	0	0	0	0	0
XXX	all_deer	R	332-00	45	0	1.3	0	0	1.3	0	0	0	0	0
XXX	all_deer	R	400-00	279	0	0	1.4	0	0	0	1.4	0	0	0
XXX	all_deer	R	421-00	132	2.1	0	1.7	0	2.1	0	1.7	0	0	0
XXX	all_deer	R	640-00	169	0	1.6	0	0	1.6	0	0	0	0	0
XXX	all_deer	R	699-00	1176	0	2.4	0	0	2.4	0	0	0	0	0
XXX	all_deer	R	Deer_A	150577	0	63.1	3	0	64.8	0	1.4	13.5	37.5	2.3
XXX	all_deer	R	SUM	170159	4.2	79.8	6.1	2.1	83.5	0	4.4	13.5	37.5	2.3
XXX	all_deer	SUM	003-12	777	0	4.1	4.1	0	8.1	0	0	0	0	0
XXX	all_deer	SUM	004-10	7610	0	5	0	0	5	0	0	0	0	0
XXX	all_deer	SUM	007-13	5452	0	3.1	0	0	3.1	0	0	0	0	0
XXX	all_deer	SUM	130-00	482	0	2	0	0	2	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
XXX	all_deer	SUM	132-00	208	0	1.3	0	0	1.3	0	0	0	0	0
XXX	all_deer	SUM	260-10	4029	2.1	0	0	2.1	0	0	0	0	0	0
XXX	all_deer	SUM	332-00	45	0	1.3	0	0	1.3	0	0	0	0	0
XXX	all_deer	SUM	400-00	279	0	0	1.4	0	0	0	1.4	0	0	0
XXX	all_deer	SUM	421-00	132	2.1	0	1.7	0	2.1	0	1.7	0	0	0
XXX	all_deer	SUM	597-00	27	0	1.6	0	0	1.6	0	0	0	0	0
XXX	all_deer	SUM	640-00	169	0	1.6	0	0	1.6	0	0	0	0	0
XXX	all_deer	SUM	699-00	1176	0	2.4	0	0	2.4	0	0	0	0	0
XXX	all_deer	SUM	Deer_A	174790	3.7	116.8	6.8	3.7	116.9	0	6.7	24.6	87.5	2.3
XXX	all_deer	SUM	SUM	195176	8	139.1	13.9	5.9	145.4	0	9.7	24.6	87.5	2.3
XXX	md	N	Deer_A	24213	0	37.3	3.7	0	37.3	0	3.7	7.5	33.5	0
XXX	md	N	SUM	24213	0	37.3	3.7	0	37.3	0	3.7	7.5	33.5	0
XXX	md	R	007-13	5452	0	3.1	0	0	3.1	0	0	0	0	0
XXX	md	R	132-00	208	0	1.3	0	0	1.3	0	0	0	0	0
XXX	md	R	260-10	4029	2.1	0	0	2.1	0	0	0	0	0	0
XXX	md	R	332-00	45	0	1.3	0	0	1.3	0	0	0	0	0
XXX	md	R	421-00	132	2.1	0	0	0	2.1	0	0	0	0	0
XXX	md	R	699-00	1176	0	2.4	0	0	2.4	0	0	0	0	0
XXX	md	R	Deer_A	150577	0	36.4	1.7	0	38.1	0	0	9.4	19.2	2.3
XXX	md	R	SUM	161619	4.2	44.5	1.7	2.1	48.2	0	0	9.4	19.2	2.3
XXX	md	SUM	007-13	5452	0	3.1	0	0	3.1	0	0	0	0	0
XXX	md	SUM	132-00	208	0	1.3	0	0	1.3	0	0	0	0	0
XXX	md	SUM	260-10	4029	2.1	0	0	2.1	0	0	0	0	0	0
XXX	md	SUM	332-00	45	0	1.3	0	0	1.3	0	0	0	0	0
XXX	md	SUM	421-00	132	2.1	0	0	0	2.1	0	0	0	0	0
XXX	md	SUM	699-00	1176	0	2.4	0	0	2.4	0	0	0	0	0
XXX	md	SUM	Deer_A	174790	0	73.7	5.4	0	75.3	0	3.7	16.9	52.8	2.3
XXX	md	SUM	SUM	185832	4.2	81.7	5.4	2.1	85.5	0	3.7	16.9	52.8	2.3
XXX	wt	N	003-12	777	0	4.1	4.1	0	8.1	0	0	0	0	0
XXX	wt	N	597-00	27	0	1.6	0	0	1.6	0	0	0	0	0
XXX	wt	N	Deer_A	24213	3.7	16.5	0	3.7	14.9	0	1.6	3.7	16.5	0
XXX	wt	N	SUM	25017	3.7	22.1	4.1	3.7	24.6	0	1.6	3.7	16.5	0
XXX	wt	R	004-10	7610	0	5	0	0	5	0	0	0	0	0

Table 4. Deer harvest by method, time period, and buck antler point class estimates, license year 2005.

district	species	Res	LPT	number_issued	bow	rifle	unk_method	<Oct23	Oct23-Nov27	>Nov27	unk_time_period	max_antl_pt_<4	max_antl_pt_>=4	unk_ant_class_buck
XXX	wt	R	130-00	482	0	2	0	0	2	0	0	0	0	0
XXX	wt	R	640-00	169	0	1.6	0	0	1.6	0	0	0	0	0
XXX	wt	R	Deer_A	150577	0	26.7	0	0	26.7	0	0	4.1	18.2	0
XXX	wt	R	SUM	158838	0	35.3	0	0	35.3	0	0	4.1	18.2	0
XXX	wt	SUM	003-12	777	0	4.1	4.1	0	8.1	0	0	0	0	0
XXX	wt	SUM	004-10	7610	0	5	0	0	5	0	0	0	0	0
XXX	wt	SUM	130-00	482	0	2	0	0	2	0	0	0	0	0
XXX	wt	SUM	597-00	27	0	1.6	0	0	1.6	0	0	0	0	0
XXX	wt	SUM	640-00	169	0	1.6	0	0	1.6	0	0	0	0	0
XXX	wt	SUM	Deer_A	174790	3.7	43.2	0	3.7	41.6	0	1.6	7.8	34.7	0
XXX	wt	SUM	SUM	183855	3.7	57.4	4.1	3.7	59.9	0	1.6	7.8	34.7	0

Discussion

License year 2005 marks the beginning of several changes in the harvest survey program. One of these changes is collapsing the many deer buck antler point classes and time period of harvest classes for which estimates were made in previous years into smaller number of categories. We made this change in order to make more reliable estimates of harvest for these parameters. When we estimate harvest in these categories in each hunting district for individual LPT's, our ability to meet accuracy and precision goals is limited. At working group meetings following the collection of these data, the desired level of precision was stated as $\leq \pm 15\%$ of point estimates, using 80% confidence intervals. Using this metric, approximately 60% of the total harvest point estimates presented above (Table 3) do not meet our precision goals. Because harvest by antler point classes and time periods always involve estimating smaller quantities than when estimating total harvest, our ability to reliably estimate quantities in these categories will be even more limited. In coming years, precision goals will form the basis of sampling procedures, and at this time we will formally evaluate our ability to dependably estimate harvest in the reduced number of antler point and time period categories.

Other changes included the assignment of kills to LPT's which could not legally be used to make the described kill and the estimation of unlicensed deer harvest by LPT holders that owned at least one license. These situations have apparently existed in the data collected for harvest surveys since at least 1995. In previous years, reported kills that fell into these categories were assigned to a single "unknown" LPT category, for which estimates of harvest were made. The decision to change this practice was made because we thought it would be useful for managers to know what proportion of the licenses and permits they issue are used in the way that they intended, as well as how many were not. Accordingly, we thought that managers could make use of estimates of harvest that was made without LPT's.

A major forthcoming change is in regards to the assignment of harvested deer to specific LPT's owned by an LPT holder. The practice of not asking successful hunters which LPT was used to harvest deer is the most difficult and time consuming issue to deal with prior to data analyses. It also undoubtedly introduces bias that would be difficult to quantify and correct for. This practice will be discontinued in coming years in favor of asking LPT holders about harvest success and characteristics with individual LPT's that they own. This may also eliminate the need to calculate inclusion probabilities for harvest-related statistics, because we will not need to ask LPT holders about deer harvested with all of the LPT's that they own. This will permit harvest estimation similar to that conducted during the previous decade, when inclusion probabilities were not accounted for. However, it is clear that variable inclusion probabilities existed for LPT holders during this time frame, so the potential bias described in equation (1) above is implicit in hunting and harvest estimates dating to at least 1995.

Also, because confidence intervals for harvest statistics are only estimated around total harvest, biologists that use the various harvest estimates for season setting cannot assess the reliability and precision of most estimated harvest parameters. This issue will be addressed in coming years. Estimates that do not meet precision goals will be flagged in reports.

Despite the changes in staff and methods, presentation of hunting and harvest estimates is comparable to estimates from previous years. Many program changes may go unnoticed by end-users of the estimates from the hunting and harvest surveys. This will in fact be a goal of the program during the transition period, such that improvements to the program are more likely to gain acceptance by end-users.

Literature Cited

Bethlehem, JG. 2002. Weighting nonresponse adjustments based on auxiliary information. Pp 275-288 *in* RM Groves, DA Dilman, JL Eltinge, and RJA Little, eds. Survey Nonresponse. John Wiley and Sons, Inc., New York, New York, USA.

Cada, JD. 1983. Evaluations of the telephone and mail survey methods of obtaining harvest data from licensed sportsmen in Montana. Pp 117-128 *in* SL Beasom and SF Roberson, eds. Game Harvest Management. Caesar Kleberg Research Institute, Kingsville, TX, USA.

Cada, JD, C Eustace, B Hoskins, and B Watts. 1986. An evaluation of Montana's statewide game harvest survey. Montana Department of Fish, Wildlife, and Parks, unpublished report. 44 pp.

Gooch, BC. 1971. Deer, elk, and bear harvest survey: a review of the current program and recommendations for improvement. Montana Department of Administration Data Processing Center, unpublished report. 80 pp.

Horvitz, DG and DJ Thompson. 1952. A generalization of sampling without replacement from a finite universe. Journal of the American Statistical Association 47:663-685.

Lohr, SL. 1999. Sampling: design and analysis. Duxbury Press, Belmont, California, USA.

Lumley, T. 2004. Analysis of complex survey samples. Journal of Statistical Software 9:1-19

Martin, SA. 2005. Hunter sampling and survey label production, license year 2004. Montana Department of Fish, Wildlife, and Parks, unpublished report. 17 pp.

R Development Core Team. 2006. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL http://www.R-project.org.

Raab, G, S Purdon, K Buckner, and I Waterston. 2006. Practical exemplars in the analysis of surveys. Napier University, Edinburgh, England, the National Centre for Social Research, London, England, and the Economic and Social Research Council: Research Methods Programme, Swindon, England. URL http://www.napier.ac.uk/depts/fhls/peas/index.htm.

Thompson, WK. 1947. A seven year analysis of big game hunting in Montana, including final report on project 19-R: big game utilization studies. Pp. 1-16 *in* Montana Department of Fish, Wildlife, and Parks, Wildlife Restoration Division, Quarterly P-R report.

Thompson, SK. 2002. Sampling. John Wiley and Sons, Inc., New York, New York, USA.

Woodruff, RS. 1971. A simple method for approximating the variance of a complicated estimate. Journal of the American Statistical Association 66:411-414.

Appendix 1: 2005 Deer hunting and harvest survey questionnaire. Hunters were allowed to report as many deer as they harvested; new forms were used if hunters harvested more deer than could be recorded on a single form.

2005 DEER

Our records show that you were issued a license to hunt deer in Montana in 2005. The license(s) issued are shown on the address label below. Please report **ALL** of your **OWN** deer rifle and archery hunting activity in Montana, regardless of your license type, during the past 2005 deer hunting season (Sept. 1, 2005 - Feb. 28, 2006). The information you provide will be used for management purposes. Thank you!

PLEASE COMPLETE ALL SECTIONS THAT APPLY IN INK

1. Did you HUNT DEER in Montana in 2005? ..... ○1 NO ○2 YES
2. List up to 4 hunting districts hunted most for deer and total days hunted in each; for all of your own deer rifle and archery hunting activity. Include district(s) in which you killed a deer ..... (see map for 3 digit hunting district numbers)

Hunting District Number	No. Days

3. How many deer did you kill in the 2005 Montana deer hunting season? .....

Please complete the following sections for each deer killed during license year 2005.

DEER NO. 1

4. In which hunting district did you kill this deer in 2005? ..... Hunting District
5. Deer killed was a: ..... ○1 MULE DEER ○2 WHITE-TAILED DEER
6. Deer killed was a: ..... ○1 FAWN ○2 ADULT DOE ○3 ADULT BUCK
7. a) If a Buck, was the total antler length: ○1 LESS THAN 4 inches ○2 MORE THAN 4 inches

   b) If total antler length is **more than 4 inches**, how many POINTS ON EACH SIDE? ..... Antler Points (Side 1) X (Side 2)

   (Antler points are antler points 1 inch long or longer.)

   Mule Deer: Do NOT include Brow-tines as antler points

   White-tail Deer: Include Brow-tines as antler points
8. Deer was killed during which time period? ○1 Before Oct 23

   ○2 Oct 23 - Oct 30 *(First week)* ○3 Oct 31 - Nov 6 *(Second week)* ○4 Nov 7 - 13 *(Third week)* ○5 Nov 14 - 20 *(Fourth week)* ○6 Nov 21 - Nov 27 *(Fifth week)* ○7 After Nov 27
9. Did you make the **kill with a bow?** ○1 NO ○2 YES
10. Please describe the specific location of kill (geographic landmark, ranch and/or Block Management Area) if the kill was made in any of the following hunting districts: 103, 292, 312, 326, 405, 418, 420, 448, 530, 575, 670, 690, 701, 705:

    _____ *(Interviewer: Please use your Landmark Drainage Guide.)*

DEER NO. 2

4. In which hunting district did you kill this deer in 2005? ..... Hunting District
5. Deer killed was a: ..... ○1 MULE DEER ○2 WHITE-TAILED DEER
6. Deer killed was a: ..... ○1 FAWN ○2 ADULT DOE ○3 ADULT BUCK
7. a) If a Buck, was the total antler length: ○1 LESS THAN 4 inches ○2 MORE THAN 4 inches

   b) If total antler length is **more than 4 inches**, how many POINTS ON EACH SIDE? ..... Antler Points (Side 1) X (Side 2)

   (Antler points are antler points 1 inch long or longer.)

   Mule Deer: Do NOT include Brow-tines as antler points

   White-tail Deer: Include Brow-tines as antler points
8. Deer was killed during which time period? ○1 Before Oct 23

   ○2 Oct 23 - Oct 30 *(First week)* ○3 Oct 31 - Nov 6 *(Second week)* ○4 Nov 7 - 13 *(Third week)* ○5 Nov 14 - 20 *(Fourth week)* ○6 Nov 21 - Nov 27 *(Fifth week)* ○7 After Nov 27
9. Did you make the **kill with a bow?** ○1 NO ○2 YES
10. Please describe the specific location of kill (geographic landmark, ranch and/or Block Management Area) if the kill was made in any of the following hunting districts: 103, 292, 312, 326, 405, 418, 420, 448, 530, 575, 670, 690, 701, 705:

    _____ *(Interviewer: Please use your Landmark Drainage Guide.)*

DEER NO. 3

4. In which hunting district did you kill this deer in 2005? ..... Hunting District
5. Deer killed was a: ..... ○1 MULE DEER ○2 WHITE-TAILED DEER
6. Deer killed was a: ..... ○1 FAWN ○2 ADULT DOE ○3 ADULT BUCK
7. a) If a Buck, was the total antler length: ○1 LESS THAN 4 inches ○2 MORE THAN 4 inches

   b) If total antler length is **more than 4 inches**, how many POINTS ON EACH SIDE? ..... Antler Points (Side 1) X (Side 2)

   (Antler points are antler points 1 inch long or longer.)

   Mule Deer: Do NOT include Brow-tines as antler points

   White-tail Deer: Include Brow-tines as antler points
8. Deer was killed during which time period? ○1 Before Oct 23

   ○2 Oct 23 - Oct 30 *(First week)* ○3 Oct 31 - Nov 6 *(Second week)* ○4 Nov 7 - 13 *(Third week)* ○5 Nov 14 - 20 *(Fourth week)* ○6 Nov 21 - Nov 27 *(Fifth week)* ○7 After Nov 27
9. Did you make the **kill with a bow?** ○1 NO ○2 YES

Appendix 2

Microsoft Excel file containing hunting and harvest estimates, available electronically from the FWP website and upon request from the wildlife division.