

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
State	all_deer	N	Deer_A_Only	24299	638	12806.1	547.7	12855.9	40.5	2349.6	9466.9
State	all_deer	N	Deer_B	9149	244.9	6104.2	208.7	6114.7	25.7	57.9	134.2
State	all_deer	N	Permit/Deer_A	967	33.5	347.5	33.5	345.3	2.3	131.7	218.9
State	all_deer	N	SRAWTB	2965	71.6	1577.8	60.5	1588.9	0	32.9	55.8
State	all_deer	N	SUM	37380	987.9	20835.7	850.4	20904.8	68.5	2572.1	9875.8
State	all_deer	R	Deer_A_Only	145081	2273.7	60501.2	1793.3	60496.4	485.2	12781.4	26076.5
State	all_deer	R	Deer_B	54933	2667.3	24721.4	2187.6	24807.5	393.7	782.1	1368.2
State	all_deer	R	Permit/Deer_A	9185	159.3	3512.5	135.8	3491.5	44.5	1282.4	1805.1
State	all_deer	R	SRAMDB	7512	182.9	3714.1	162.7	3699.2	35.1	55.1	130.5
State	all_deer	R	SRAWTB	32405	989.3	13603	852	13567.8	172.4	407.9	718.8
State	all_deer	R	SUM	249116	6272.5	106052.2	5131.4	106062.4	1130.9	15308.9	30099.2
State	all_deer	SUM	Deer_A_Only	169380	2911.7	73307.3	2341	73352.3	525.6	15131	35543.4
State	all_deer	SUM	Deer_B	64082	2912.2	30825.6	2396.2	30922.1	419.4	840.1	1502.5
State	all_deer	SUM	Permit/Deer_A	10152	192.8	3860	169.3	3836.8	46.7	1414.1	2024
State	all_deer	SUM	SRAMDB	7512	182.9	3714.1	162.7	3699.2	35.1	55.1	130.5
State	all_deer	SUM	SRAWTB	35370	1060.8	15180.8	912.5	15156.7	172.4	440.8	774.7
State	all_deer	SUM	SUM	286496	7260.4	126887.8	5981.7	126967.1	1199.4	17881.1	39975
State	md	N	Deer_A_Only	24299	317.4	9404.7	298.8	9401.5	21.8	2026	6706.5
State	md	N	Deer_B	9095	56	4408.7	53.2	4399.9	11.6	50.1	104.6
State	md	N	Permit/Deer_A	967	28.8	298.5	28.8	298.5	0	127.7	180.1
State	md	N	SRAWTB	2965	9.8	320.9	4.1	326.7	0	22.1	32.7
State	md	N	SUM	37326	412	14432.8	384.8	14426.5	33.4	2225.9	7024
State	md	R	Deer_A_Only	145081	556.5	28963.9	480.4	28864	176	8005.6	12301
State	md	R	Deer_B	53494	457.6	12902.2	471.9	12827	60.8	544.9	819.9
State	md	R	Permit/Deer_A	9185	70.2	2957.7	65.4	2936.5	25.9	1176	1549.9
State	md	R	SRAMDB	7512	108.7	3354.8	103.4	3340.2	20	55.1	110.5
State	md	R	SRAWTB	32405	178.1	4089.7	179.1	4078.9	9.8	316	420.1
State	md	R	SUM	247677	1371.1	52268.2	1300.3	52046.6	292.4	10097.6	15201.3
State	md	SUM	Deer_A_Only	169380	874	38368.5	779.2	38265.5	197.8	10031.6	19007.5
State	md	SUM	Deer_B	62589	513.5	17310.8	525.1	17226.9	72.4	595	924.5
State	md	SUM	Permit/Deer_A	10152	98.9	3256.2	94.2	3235	25.9	1303.7	1730
State	md	SUM	SRAMDB	7512	108.7	3354.8	103.4	3340.2	20	55.1	110.5
State	md	SUM	SRAWTB	35370	187.9	4410.7	183.2	4405.5	9.8	338.1	452.8
State	md	SUM	SUM	285003	1783.1	66701	1685.1	66473.2	325.8	12323.5	22225.3
State	wt	N	Deer_A_Only	24299	320.5	3401.5	249	3454.4	18.7	323.7	2760.4
State	wt	N	Deer_B	9049	188.9	1695.5	155.5	1714.8	14.1	7.8	29.6
State	wt	N	Permit/Deer_A	954	4.7	49	4.7	46.8	2.3	4	38.7
State	wt	N	SRAWTB	2965	61.7	1256.9	56.4	1262.2	0	10.8	23.1
State	wt	N	SUM	37267	575.9	6402.9	465.5	6478.2	35.1	346.3	2851.8
State	wt	R	Deer_A_Only	145081	1717.2	31537.3	1312.9	31632.4	309.2	4775.8	13775.6
State	wt	R	Deer_B	53418	2209.7	11819.3	1715.6	11980.4	332.9	237.2	548.3
State	wt	R	Permit/Deer_A	9050	89.1	554.9	70.4	555	18.6	106.5	255.2
State	wt	R	SRAMDB	7512	74.2	359.3	59.3	359	15.2	0	20
State	wt	R	SRAWTB	32405	811.2	9513.2	672.9	9488.9	162.6	91.9	298.7
State	wt	R	SUM	247466	4901.4	53783.9	3831	54015.7	838.6	5211.4	14897.8
State	wt	SUM	Deer_A_Only	169380	2037.7	34938.8	1561.8	35086.8	327.9	5099.4	16536
State	wt	SUM	Deer_B	62467	2398.6	13514.8	1871.1	13695.3	347	245	577.9
State	wt	SUM	Permit/Deer_A	10004	93.8	603.9	75.1	601.8	20.9	110.4	294

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
State	wt	SUM	SRAMDB	7512	74.2	359.3	59.3	359	15.2	0	20
State	wt	SUM	SRAWTB	35370	872.9	10770.1	729.3	10751.1	162.6	102.7	321.9
State	wt	SUM	SUM	284733	5477.3	60186.8	4296.6	60493.9	873.6	5557.6	17749.7
Reg_1	all_deer	N	Deer_A_Only	24299	43.6	750	62.2	722	9.3	196.1	513.5
Reg_1	all_deer	N	Deer_B	1272	6.7	172.5	6.7	172.5	0	0	2.7
Reg_1	all_deer	N	SRAWTB	2675	0	8.5	0	8.5	0	0	4.1
Reg_1	all_deer	N	SUM	28505	50.3	931	68.9	903	9.3	196.1	520.3
Reg_1	all_deer	R	Deer_A_Only	145081	309.2	11149.8	242.6	11121.3	95.1	2587.7	4628.3
Reg_1	all_deer	R	Deer_B	20638	284.1	3722	261.9	3732.1	12.1	130	204.4
Reg_1	all_deer	R	Permit/Deer_A	2719	2.1	68.8	3.7	67.1	0	12.2	13.1
Reg_1	all_deer	R	SRAMDB	7512	19.7	70	19.7	70	0	0	5.1
Reg_1	all_deer	R	SRAWTB	29815	30.9	229.8	30.9	229.8	0	15.6	35.9
Reg_1	all_deer	R	SUM	205765	645.9	15240.5	558.8	15220.4	107.2	2745.5	4886.8
Reg_1	all_deer	SUM	Deer_A_Only	169380	352.8	11899.8	304.8	11843.3	104.5	2783.7	5141.8
Reg_1	all_deer	SUM	Deer_B	21910	290.8	3894.5	268.6	3904.7	12.1	130	207.2
Reg_1	all_deer	SUM	Permit/Deer_A	2978	2.1	68.8	3.7	67.1	0	12.2	13.1
Reg_1	all_deer	SUM	SRAMDB	7512	19.7	70	19.7	70	0	0	5.1
Reg_1	all_deer	SUM	SRAWTB	32490	30.9	238.3	30.9	238.3	0	15.6	40
Reg_1	all_deer	SUM	SUM	234270	696.2	16171.5	627.7	16123.4	116.6	2941.5	5407.1
Reg_2	all_deer	N	Deer_A_Only	24299	37.3	398.3	37.3	395.2	3.1	115.1	233.4
Reg_2	all_deer	N	Deer_B	1148	28.8	64.6	32.5	60.9	0	7.7	6
Reg_2	all_deer	N	Permit/Deer_A	579	12.9	131.3	12.9	131.3	0	53.4	87.8
Reg_2	all_deer	N	SRAWTB	2965	13.2	140.4	8.8	144.7	0	8.8	0
Reg_2	all_deer	N	SUM	28991	92.2	734.6	91.5	732.2	3.1	185	327.2
Reg_2	all_deer	R	Deer_A_Only	145081	547	5812.8	404.3	5836.5	118.9	1227.2	2173.8
Reg_2	all_deer	R	Deer_B	16017	1063.7	1583.6	797	1615.3	235	126.4	288.5
Reg_2	all_deer	R	Permit/Deer_A	4823	117.9	1176.6	94.6	1178.2	21.6	448.8	602.5
Reg_2	all_deer	R	SRAMDB	7512	20	20	14.9	14.9	10.1	5.1	0
Reg_2	all_deer	R	SRAWTB	30627	347.2	2920	289.5	2919.3	58.4	159.7	150.3
Reg_2	all_deer	R	SUM	204060	2095.9	11512.8	1600.3	11564.3	444.1	1967.2	3215.1
Reg_2	all_deer	SUM	Deer_A_Only	169380	584.4	6211.1	441.7	6231.8	122	1342.4	2407.2
Reg_2	all_deer	SUM	Deer_B	17165	1092.6	1648.1	829.5	1676.2	235	134	294.5
Reg_2	all_deer	SUM	Permit/Deer_A	5402	130.8	1307.9	107.5	1309.6	21.6	502.2	690.2
Reg_2	all_deer	SUM	SRAMDB	7512	20	20	14.9	14.9	10.1	5.1	0
Reg_2	all_deer	SUM	SRAWTB	33592	360.4	3060.3	298.3	3064	58.4	168.4	150.3
Reg_2	all_deer	SUM	SUM	233051	2188.1	12247.4	1691.8	12296.4	447.2	2152.1	3542.2
Reg_3	all_deer	N	Deer_A_Only	24299	136.9	1693	121.4	1702.3	6.2	438.8	1092.3
Reg_3	all_deer	N	Deer_B	2230	52.6	473.6	45.4	477.5	3.3	9.8	14.2
Reg_3	all_deer	N	Permit/Deer_A	532	18.6	135.6	18.6	133.4	2.3	56	89
Reg_3	all_deer	N	SRAWTB	2965	41.2	371.9	37.1	376.1	0	16.5	16.5
Reg_3	all_deer	N	SUM	30026	249.4	2674.1	222.5	2689.2	11.8	521.1	1212.1
Reg_3	all_deer	R	Deer_A_Only	145081	523.2	8524.1	447.1	8543.1	57.1	1893.2	3101.4
Reg_3	all_deer	R	Deer_B	31391	557.6	5589.4	550.1	5553.1	43.8	261.7	302.7
Reg_3	all_deer	R	Permit/Deer_A	6140	24.1	1635.4	22.2	1620.9	16.4	692	824.6
Reg_3	all_deer	R	SRAMDB	7512	10.1	118.3	14.9	113.5	0	0	4.8
Reg_3	all_deer	R	SRAWTB	30627	241.3	2930.6	256.9	2869.8	45.2	120.5	175.5
Reg_3	all_deer	R	SUM	220751	1356.3	18797.8	1291.2	18700.4	162.5	2967.4	4409
Reg_3	all_deer	SUM	Deer_A_Only	169380	660.2	10217.1	568.5	10245.4	63.3	2332	4193.7

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
Reg_3	all_deer	SUM	Deer_B	33621	610.2	6063	595.5	6030.6	47.1	271.5	316.9
Reg_3	all_deer	SUM	Permit/Deer_A	6672	42.7	1771	40.9	1754.3	18.6	748.1	913.6
Reg_3	all_deer	SUM	SRAMDB	7512	10.1	118.3	14.9	113.5	0	0	4.8
Reg_3	all_deer	SUM	SRAWTB	33592	282.5	3302.5	294	3245.8	45.2	137	192
Reg_3	all_deer	SUM	SUM	250777	1605.7	21471.9	1513.8	21389.6	174.2	3488.5	5621
Reg_4	all_deer	N	Deer_A_Only	24299	108.9	2106.9	84	2125.5	6.2	379.7	1546.7
Reg_4	all_deer	N	Deer_B	3294	30.1	1228.5	18.4	1238.3	1.9	13.6	28
Reg_4	all_deer	N	Permit/Deer_A	543	0	3.1	0	3.1	0	0	3.1
Reg_4	all_deer	N	SRAWTB	2965	0	33.9	0	33.9	0	0	9.8
Reg_4	all_deer	N	SUM	31101	139	3372.4	102.4	3400.8	8.1	393.2	1587.6
Reg_4	all_deer	R	Deer_A_Only	145081	371	13247.6	328.2	13219	71.4	2611.5	6003
Reg_4	all_deer	R	Deer_B	36355	218.9	6044.2	189.5	6036	37.7	48.7	217.3
Reg_4	all_deer	R	Permit/Deer_A	4269	4.6	101.1	4.6	98.2	2.9	2.8	67.3
Reg_4	all_deer	R	SRAMDB	7512	5.1	54.5	5.1	54.5	0	5.1	0
Reg_4	all_deer	R	SRAWTB	32405	174.9	3254.5	141.4	3263.6	24.3	63.3	137.8
Reg_4	all_deer	R	SUM	225622	774.5	22701.9	668.8	22671.3	136.3	2731.2	6425.5
Reg_4	all_deer	SUM	Deer_A_Only	169380	479.9	15354.4	412.2	15344.6	77.6	2991.1	7549.7
Reg_4	all_deer	SUM	Deer_B	39649	249	7272.8	207.8	7274.3	39.6	62.2	245.4
Reg_4	all_deer	SUM	Permit/Deer_A	4812	4.6	104.1	4.6	101.2	2.9	2.8	70.4
Reg_4	all_deer	SUM	SRAMDB	7512	5.1	54.5	5.1	54.5	0	5.1	0
Reg_4	all_deer	SUM	SRAWTB	35370	174.9	3288.4	141.4	3297.6	24.3	63.3	147.7
Reg_4	all_deer	SUM	SUM	256723	913.5	26074.2	771.2	26072.2	144.4	3124.5	8013.1
Reg_5	all_deer	N	Deer_A_Only	24299	46.7	1154.6	49.8	1148.4	3.1	205.4	821.6
Reg_5	all_deer	N	Deer_B	6491	50.3	571.9	44.6	577.6	0	16.2	7.7
Reg_5	all_deer	N	Permit/Deer_A	246	1.9	66.9	1.9	66.9	0	21	32.8
Reg_5	all_deer	N	SRAWTB	2965	7.6	153.9	5.1	156.5	0	7.6	5.1
Reg_5	all_deer	N	SUM	34001	106.5	1947.3	101.4	1949.3	3.1	250.2	867.1
Reg_5	all_deer	R	Deer_A_Only	145081	228.3	8077	195	8062.7	47.6	2093	3058.6
Reg_5	all_deer	R	Deer_B	30155	260.3	3961.7	227.2	3960.1	34.7	137.8	211
Reg_5	all_deer	R	Permit/Deer_A	4166	7.7	479.3	7.7	475.7	3.6	126.7	261.7
Reg_5	all_deer	R	SRAMDB	7512	14.9	169.5	14.9	169.5	0	14.9	20
Reg_5	all_deer	R	SRAWTB	30627	34.4	1352.5	29.6	1343	14.4	29	87
Reg_5	all_deer	R	SUM	217541	545.7	14040.1	474.4	14011	100.3	2401.3	3638.2
Reg_5	all_deer	SUM	Deer_A_Only	169380	275	9231.5	244.8	9211.1	50.7	2298.4	3880.2
Reg_5	all_deer	SUM	Deer_B	36646	310.6	4533.6	271.7	4537.7	34.7	154	218.7
Reg_5	all_deer	SUM	Permit/Deer_A	4412	9.7	546.2	9.7	542.6	3.6	147.7	294.4
Reg_5	all_deer	SUM	SRAMDB	7512	14.9	169.5	14.9	169.5	0	14.9	20
Reg_5	all_deer	SUM	SRAWTB	33592	42	1506.5	34.7	1499.4	14.4	36.6	92.1
Reg_5	all_deer	SUM	SUM	251542	652.2	15987.3	575.8	15960.3	103.4	2651.5	4505.4
Reg_6	all_deer	N	Deer_A_Only	24299	84	1864.1	65.4	1879.7	3.1	261.4	1475.1
Reg_6	all_deer	N	Deer_B	3458	54.8	1277.6	36.2	1288.6	7.6	1	30.9
Reg_6	all_deer	N	Permit/Deer_A	178	0	7.5	0	7.5	0	1.2	6.2
Reg_6	all_deer	N	SRAWTB	2965	0	29.2	0	29.2	0	0	7.6
Reg_6	all_deer	N	SUM	30900	138.8	3178.5	101.5	3205	10.7	263.7	1519.8
Reg_6	all_deer	R	Deer_A_Only	145081	128.4	6611.9	76.1	6597.6	66.6	1174.9	3520
Reg_6	all_deer	R	Deer_B	26176	236.3	3716.1	146.6	3775.5	30.2	69	116.8
Reg_6	all_deer	R	Permit/Deer_A	1423	2.9	47.3	2.9	47.3	0	0	31.9
Reg_6	all_deer	R	SRAMDB	7512	0	49.8	0	49.8	0	0	10.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
Reg_6	all_deer	R	SRAWTB	32405	34.5	801.8	19.6	797	19.6	9.8	64.7
Reg_6	all_deer	R	SUM	212597	402.1	11226.8	245.3	11267.2	116.5	1253.7	3743.6
Reg_6	all_deer	SUM	Deer_A_Only	169380	212.5	8476	141.5	8477.3	69.7	1436.3	4995.1
Reg_6	all_deer	SUM	Deer_B	29634	291.1	4993.7	182.8	5064.2	37.8	70	147.7
Reg_6	all_deer	SUM	Permit/Deer_A	1601	2.9	54.8	2.9	54.8	0	1.2	38.2
Reg_6	all_deer	SUM	SRAMDB	7512	0	49.8	0	49.8	0	0	10.1
Reg_6	all_deer	SUM	SRAWTB	35370	34.5	831	19.6	826.2	19.6	9.8	72.2
Reg_6	all_deer	SUM	SUM	243497	541	14405.2	346.8	14472.2	127.2	1517.4	5263.4
Reg_7	all_deer	N	Deer_A_Only	24299	177.4	4798.8	124.5	4842.4	9.3	750	3743.8
Reg_7	all_deer	N	Deer_B	5765	21.7	2312.5	24.9	2296.3	13	9.7	44.6
Reg_7	all_deer	N	Permit/Deer_A	307	0	3.1	0	3.1	0	0	0
Reg_7	all_deer	N	SRAWTB	2965	9.5	840	9.5	840	0	0	12.7
Reg_7	all_deer	N	SUM	33336	208.6	7954.4	158.9	7981.7	22.3	759.7	3801.2
Reg_7	all_deer	R	Deer_A_Only	145081	166.5	7044.8	99.9	7082.8	28.5	1193.9	3572.3
Reg_7	all_deer	R	Deer_B	21713	46.3	104.4	15.4	135.3	0	8.6	27.5
Reg_7	all_deer	R	Permit/Deer_A	1983	0	4.1	0	4.1	0	0	4.1
Reg_7	all_deer	R	SRAMDB	7512	113.2	3232.1	93.3	3227	25	30.1	90.6
Reg_7	all_deer	R	SRAWTB	32405	126.1	2108.7	84	2140.3	10.5	10.1	67.6
Reg_7	all_deer	R	SUM	208694	452.2	12494	292.6	12589.5	64.1	1242.7	3762
Reg_7	all_deer	SUM	Deer_A_Only	169380	343.9	11843.6	224.4	11925.2	37.9	1944	7316.1
Reg_7	all_deer	SUM	Deer_B	27478	68	2416.9	40.3	2431.6	13	18.4	72.1
Reg_7	all_deer	SUM	Permit/Deer_A	2290	0	7.2	0	7.2	0	0	4.1
Reg_7	all_deer	SUM	SRAMDB	7512	113.2	3232.1	93.3	3227	25	30.1	90.6
Reg_7	all_deer	SUM	SRAWTB	35370	135.7	2948.7	93.6	2980.3	10.5	10.1	80.3
Reg_7	all_deer	SUM	SUM	242030	660.7	20448.4	451.5	20571.2	86.4	2002.4	7563.2
Reg_X	all_deer	N	Deer_A_Only	24299	3.1	40.5	3.1	40.5	0	3.1	40.5
Reg_X	all_deer	N	Deer_B	281	0	3	0	3	0	0	0
Reg_X	all_deer	N	SUM	24580	3.1	43.4	3.1	43.4	0	3.1	40.5
Reg_X	all_deer	R	Deer_A_Only	145081	0	33.3	0	33.3	0	0	19
Reg_X	all_deer	R	SRAWTB	7121	0	5	0	5	0	0	0
Reg_X	all_deer	R	SUM	152202	0	38.3	0	38.3	0	0	19
Reg_X	all_deer	SUM	Deer_A_Only	169380	3.1	73.8	3.1	73.8	0	3.1	59.5
Reg_X	all_deer	SUM	Deer_B	281	0	3	0	3	0	0	0
Reg_X	all_deer	SUM	SRAWTB	7121	0	5	0	5	0	0	0
Reg_X	all_deer	SUM	SUM	176782	3.1	81.8	3.1	81.8	0	3.1	59.5
Reg_1	md	N	Deer_A_Only	24299	6.2	286.3	37.3	252.1	3.1	105.8	183.6
Reg_1	md	N	SRAWTB	2675	0	4.1	0	4.1	0	0	4.1
Reg_1	md	N	SUM	27550	6.2	290.4	37.3	256.2	3.1	105.8	187.7
Reg_1	md	R	Deer_A_Only	145081	23.8	1136.9	28.5	1117.8	14.3	513.7	575.6
Reg_1	md	R	Deer_B	12716	10.4	125.7	14.6	121.5	0	37.1	18.9
Reg_1	md	R	Permit/Deer_A	178	2.1	20.3	3.7	18.7	0	0	1.7
Reg_1	md	R	SRAMDB	5509	0	10.1	0	10.1	0	0	5.1
Reg_1	md	R	SRAWTB	21214	0	20.9	0	20.9	0	10.3	0
Reg_1	md	R	SUM	184698	36.2	1314	46.8	1289.1	14.3	561.1	601.2
Reg_1	md	SUM	Deer_A_Only	169380	30	1423.2	65.9	1369.9	17.4	619.5	759.2
Reg_1	md	SUM	Deer_B	13281	10.4	125.7	14.6	121.5	0	37.1	18.9
Reg_1	md	SUM	Permit/Deer_A	189	2.1	20.3	3.7	18.7	0	0	1.7
Reg_1	md	SUM	SRAMDB	5509	0	10.1	0	10.1	0	0	5.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
Reg_1	md	SUM	SRAWTB	23889	0	25	0	25	0	10.3	4.1
Reg_1	md	SUM	SUM	212248	42.4	1604.4	84.2	1545.3	17.4	666.9	789
Reg_2	md	N	Deer_A_Only	24299	9.3	186.7	18.7	177.4	0	77.8	112
Reg_2	md	N	Deer_B	440	10.4	22	10.4	22	0	7.7	6
Reg_2	md	N	Permit/Deer_A	574	12.9	118.7	12.9	118.7	0	53.4	75.1
Reg_2	md	N	SRAWTB	1345	0	13.2	0	13.2	0	8.8	0
Reg_2	md	N	SUM	26658	32.7	340.6	42	331.3	0	147.6	193.1
Reg_2	md	R	Deer_A_Only	145081	23.8	1060.8	19	1056	9.5	409.1	413.8
Reg_2	md	R	Deer_B	10382	56.8	540.1	60.9	532	3.9	69.7	168.4
Reg_2	md	R	Permit/Deer_A	4778	36.5	894.9	32	896.5	3	376.6	479.6
Reg_2	md	R	SRAMDB	5509	5.1	0	5.1	0	0	5.1	0
Reg_2	md	R	SRAWTB	23005	21.5	320.3	26.8	315	0	122.1	102
Reg_2	md	R	SUM	188755	143.6	2816.1	143.8	2799.5	16.4	982.5	1163.8
Reg_2	md	SUM	Deer_A_Only	169380	33.1	1247.5	37.7	1233.4	9.5	486.9	525.9
Reg_2	md	SUM	Deer_B	10822	67.2	562.1	71.4	554.1	3.9	77.4	174.4
Reg_2	md	SUM	Permit/Deer_A	5352	49.4	1013.6	44.9	1015.1	3	430	554.7
Reg_2	md	SUM	SRAMDB	5509	5.1	0	5.1	0	0	5.1	0
Reg_2	md	SUM	SRAWTB	24350	21.5	333.5	26.8	328.1	0	130.9	102
Reg_2	md	SUM	SUM	215413	176.3	3156.7	185.9	3130.7	16.4	1130.2	1357
Reg_3	md	N	Deer_A_Only	24299	96.5	1132.8	96.5	1132.8	0	376.6	675.3
Reg_3	md	N	Deer_B	1647	10.8	284.5	8	287.3	0	9.8	11.5
Reg_3	md	N	Permit/Deer_A	532	13.9	119.1	13.9	119.1	0	54	72.1
Reg_3	md	N	SRAWTB	2965	4.1	45.3	4.1	45.3	0	8.2	8.2
Reg_3	md	N	SUM	29443	125.4	1581.7	122.5	1584.6	0	448.6	767.1
Reg_3	md	R	Deer_A_Only	145081	171.2	3662.7	152.2	3662.7	19	1274.8	1170.2
Reg_3	md	R	Deer_B	22332	166.6	2766.6	179.8	2747	6.5	249.5	229.7
Reg_3	md	R	Permit/Deer_A	6140	24.1	1503.6	22.2	1489	16.4	677	747.6
Reg_3	md	R	SRAMDB	7512	10.1	59	14.9	54.2	0	0	0
Reg_3	md	R	SRAWTB	30627	70.4	725.2	76.1	719.6	0	105.4	105.2
Reg_3	md	R	SUM	211692	442.5	8717.1	445.2	8672.6	41.9	2306.7	2252.7
Reg_3	md	SUM	Deer_A_Only	169380	267.7	4795.5	248.7	4795.5	19	1651.4	1845.5
Reg_3	md	SUM	Deer_B	23979	177.5	3051.1	187.8	3034.4	6.5	259.4	241.2
Reg_3	md	SUM	Permit/Deer_A	6672	38	1622.6	36.2	1608.1	16.4	730.9	819.7
Reg_3	md	SUM	SRAMDB	7512	10.1	59	14.9	54.2	0	0	0
Reg_3	md	SUM	SRAWTB	33592	74.6	770.6	80.2	765	0	113.7	113.5
Reg_3	md	SUM	SUM	241135	567.9	10298.8	567.7	10257.2	41.9	2755.3	3019.9
Reg_4	md	N	Deer_A_Only	24299	62.2	1565.4	52.9	1568.5	6.2	320.5	1089.2
Reg_4	md	N	Deer_B	2863	11.3	878.5	8.9	879.1	1.9	10.1	20.3
Reg_4	md	N	Permit/Deer_A	454	0	1	0	1	0	0	1
Reg_4	md	N	SRAWTB	1635	0	13.3	0	13.3	0	0	2.5
Reg_4	md	N	SUM	29251	73.6	2458.2	61.8	2461.9	8.1	330.7	1113.1
Reg_4	md	R	Deer_A_Only	145081	152.2	8443.2	157	8386.2	52.3	2064.4	3520
Reg_4	md	R	Deer_B	33764	113.6	5268.8	130.2	5236.7	15.5	30.1	153.3
Reg_4	md	R	Permit/Deer_A	3655	4.6	75.3	4.6	72.4	2.9	0	44.3
Reg_4	md	R	SRAMDB	7512	0	54.5	0	54.5	0	5.1	0
Reg_4	md	R	SRAWTB	28893	29.1	1089.9	29.7	1089.3	0	43.8	73.7
Reg_4	md	R	SUM	218905	299.5	14931.8	321.4	14839.2	70.7	2143.5	3791.2
Reg_4	md	SUM	Deer_A_Only	169380	214.5	10008.6	209.9	9954.6	58.5	2385	4609.2

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
Reg_4	md	SUM	Deer_B	36627	124.9	6147.4	139	6115.9	17.4	40.3	173.6
Reg_4	md	SUM	Permit/Deer_A	4109	4.6	76.3	4.6	73.4	2.9	0	45.3
Reg_4	md	SUM	SRAMDB	7512	0	54.5	0	54.5	0	5.1	0
Reg_4	md	SUM	SRAWTB	30528	29.1	1103.2	29.7	1102.7	0	43.8	76.2
Reg_4	md	SUM	SUM	248156	373.1	17390	383.2	17301.1	78.8	2474.1	4904.3
Reg_5	md	N	Deer_A_Only	24299	12.4	793.6	12.4	790.5	3.1	177.4	553.9
Reg_5	md	N	Deer_B	5173	2.7	287.2	4.5	285.4	0	11.8	7.7
Reg_5	md	N	Permit/Deer_A	180	1.9	53.5	1.9	53.5	0	19.1	27
Reg_5	md	N	SRAWTB	2965	2.5	35.6	0	38.2	0	5.1	5.1
Reg_5	md	N	SUM	32617	19.6	1169.9	18.9	1167.5	3.1	213.3	593.7
Reg_5	md	R	Deer_A_Only	145081	66.6	4875.7	57.1	4861.4	23.8	1688.6	1878.9
Reg_5	md	R	Deer_B	21858	27.5	1931.8	37	1900.9	21.4	95.7	146
Reg_5	md	R	Permit/Deer_A	2287	0	426.2	0	422.6	3.6	122.4	244.8
Reg_5	md	R	SRAMDB	7512	0	94.7	0	94.7	0	14.9	20
Reg_5	md	R	SRAWTB	30627	0	357.3	0	357.3	0	24.2	57.8
Reg_5	md	R	SUM	207365	94.1	7685.6	94.1	7636.9	48.8	1945.9	2347.6
Reg_5	md	SUM	Deer_A_Only	169380	79	5669.2	69.5	5651.9	26.9	1866	2432.9
Reg_5	md	SUM	Deer_B	27031	30.3	2218.9	41.5	2186.3	21.4	107.5	153.7
Reg_5	md	SUM	Permit/Deer_A	2467	1.9	479.7	1.9	476.1	3.6	141.5	271.8
Reg_5	md	SUM	SRAMDB	7512	0	94.7	0	94.7	0	14.9	20
Reg_5	md	SUM	SRAWTB	33592	2.5	392.9	0	395.4	0	29.3	62.9
Reg_5	md	SUM	SUM	239982	113.8	8855.5	112.9	8804.4	51.9	2159.2	2941.3
Reg_6	md	N	Deer_A_Only	24299	28	1360	21.8	1366.2	0	249	980.3
Reg_6	md	N	Deer_B	3395	4.4	770.3	2	772.7	0	1	17.7
Reg_6	md	N	Permit/Deer_A	178	0	6.2	0	6.2	0	1.2	5
Reg_6	md	N	SRAWTB	2965	0	15.3	0	15.3	0	0	3.2
Reg_6	md	N	SUM	30837	32.4	2151.8	23.8	2160.4	0	251.2	1006.2
Reg_6	md	R	Deer_A_Only	145081	19	4357.2	9.5	4323.9	42.8	989.4	2226.2
Reg_6	md	R	Deer_B	25728	36.4	2179.3	34.1	2168.1	13.5	54.1	76
Reg_6	md	R	Permit/Deer_A	1423	2.9	37.4	2.9	37.4	0	0	31.9
Reg_6	md	R	SRAMDB	7512	0	25	0	25	0	0	5.1
Reg_6	md	R	SRAWTB	32405	9.8	258.2	9.8	248.4	9.8	4.9	34.8
Reg_6	md	R	SUM	212149	68.1	6857.1	56.3	6802.8	66.1	1048.4	2373.9
Reg_6	md	SUM	Deer_A_Only	169380	47	5717.2	31.3	5690.1	42.8	1238.4	3206.5
Reg_6	md	SUM	Deer_B	29123	40.8	2949.6	36.1	2940.8	13.5	55.1	93.7
Reg_6	md	SUM	Permit/Deer_A	1601	2.9	43.6	2.9	43.6	0	1.2	36.9
Reg_6	md	SUM	SRAMDB	7512	0	25	0	25	0	0	5.1
Reg_6	md	SUM	SRAWTB	35370	9.8	273.5	9.8	263.6	9.8	4.9	38
Reg_6	md	SUM	SUM	242986	100.6	9008.8	80.1	8963.2	66.1	1299.6	3380.1
Reg_7	md	N	Deer_A_Only	24299	102.7	4048.8	59.1	4083	9.3	715.8	3084.1
Reg_7	md	N	Deer_B	5490	16.2	2166.2	19.4	2153.2	9.7	9.7	41.4
Reg_7	md	N	SRAWTB	2965	3.2	194.1	0	197.3	0	0	9.5
Reg_7	md	N	SUM	32754	122.1	6409.1	78.6	6433.5	19.1	725.5	3135
Reg_7	md	R	Deer_A_Only	145081	99.9	5413.2	57.1	5441.7	14.3	1065.5	2502.1
Reg_7	md	R	Deer_B	20528	46.3	89.8	15.4	120.7	0	8.6	27.5
Reg_7	md	R	SRAMDB	7512	93.6	3111.4	83.4	3101.6	20	30.1	80.4
Reg_7	md	R	SRAWTB	32405	47.3	1312.8	36.7	1323.4	0	5.3	46.6
Reg_7	md	R	SUM	205526	287	9927.2	192.6	9987.4	34.2	1109.5	2656.6

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
Reg_7	md	SUM	Deer_A_Only	169380	202.6	9462	116.2	9524.8	23.6	1781.3	5586.1
Reg_7	md	SUM	Deer_B	26018	62.5	2256	34.8	2274	9.7	18.4	68.9
Reg_7	md	SUM	SRAMDB	7512	93.6	3111.4	83.4	3101.6	20	30.1	80.4
Reg_7	md	SUM	SRAWTB	35370	50.5	1506.9	36.7	1520.6	0	5.3	56.1
Reg_7	md	SUM	SUM	238280	409.1	16336.3	271.2	16420.9	53.3	1835	5791.6
Reg_X	md	N	Deer_A_Only	24299	0	31.1	0	31.1	0	3.1	28
Reg_X	md	N	SUM	24299	0	31.1	0	31.1	0	3.1	28
Reg_X	md	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	14.3
Reg_X	md	R	SRAWTB	7121	0	5	0	5	0	0	0
Reg_X	md	R	SUM	152202	0	19.3	0	19.3	0	0	14.3
Reg_X	md	SUM	Deer_A_Only	169380	0	45.4	0	45.4	0	3.1	42.3
Reg_X	md	SUM	SRAWTB	7121	0	5	0	5	0	0	0
Reg_X	md	SUM	SUM	176501	0	50.4	0	50.4	0	3.1	42.3
Reg_1	wt	N	Deer_A_Only	24299	37.3	463.7	24.9	469.9	6.2	90.2	329.9
Reg_1	wt	N	Deer_B	1000	6.7	172.5	6.7	172.5	0	0	2.7
Reg_1	wt	N	SRAWTB	2675	0	4.4	0	4.4	0	0	0
Reg_1	wt	N	SUM	28230	44	640.6	31.6	646.8	6.2	90.2	332.6
Reg_1	wt	R	Deer_A_Only	145081	285.4	10013	214.1	10003.5	80.9	2073.9	4052.8
Reg_1	wt	R	Deer_B	14741	273.7	3596.3	247.3	3610.6	12.1	92.9	185.5
Reg_1	wt	R	Permit/Deer_A	2674	0	48.5	0	48.5	0	12.2	11.4
Reg_1	wt	R	SRAMDB	7512	19.7	59.9	19.7	59.9	0	0	0
Reg_1	wt	R	SRAWTB	29815	30.9	208.9	30.9	208.9	0	5.4	35.9
Reg_1	wt	R	SUM	199823	609.7	13926.5	511.9	13931.4	93	2184.4	4285.6
Reg_1	wt	SUM	Deer_A_Only	169380	322.8	10476.7	239	10473.4	87.1	2164.2	4382.6
Reg_1	wt	SUM	Deer_B	15741	280.4	3768.8	254	3783.1	12.1	92.9	188.2
Reg_1	wt	SUM	Permit/Deer_A	2930	0	48.5	0	48.5	0	12.2	11.4
Reg_1	wt	SUM	SRAMDB	7512	19.7	59.9	19.7	59.9	0	0	0
Reg_1	wt	SUM	SRAWTB	32490	30.9	213.3	30.9	213.3	0	5.4	35.9
Reg_1	wt	SUM	SUM	228053	653.8	14567.1	543.5	14578.2	99.2	2274.6	4618.2
Reg_2	wt	N	Deer_A_Only	24299	28	211.6	18.7	217.8	3.1	37.3	121.4
Reg_2	wt	N	Deer_B	931	18.4	42.5	22.1	38.9	0	0	0
Reg_2	wt	N	Permit/Deer_A	470	0	12.7	0	12.7	0	0	12.7
Reg_2	wt	N	SRAWTB	2965	13.2	127.2	8.8	131.6	0	0	0
Reg_2	wt	N	SUM	28665	59.6	394	49.5	400.9	3.1	37.3	134
Reg_2	wt	R	Deer_A_Only	145081	523.2	4752	385.3	4780.5	109.4	818.2	1760
Reg_2	wt	R	Deer_B	12563	1007	1043.5	736	1083.3	231.1	56.7	120
Reg_2	wt	R	Permit/Deer_A	3522	81.4	281.6	62.6	281.8	18.6	72.2	122.9
Reg_2	wt	R	SRAMDB	7512	14.9	20	9.8	14.9	10.1	0	0
Reg_2	wt	R	SRAWTB	30627	325.8	2599.6	262.7	2604.3	58.4	37.6	48.3
Reg_2	wt	R	SUM	199305	1952.3	8696.7	1456.4	8764.8	427.7	984.6	2051.2
Reg_2	wt	SUM	Deer_A_Only	169380	551.3	4963.6	404	4998.4	112.5	855.5	1881.4
Reg_2	wt	SUM	Deer_B	13494	1025.4	1086	758.1	1122.1	231.1	56.7	120
Reg_2	wt	SUM	Permit/Deer_A	3992	81.4	294.3	62.6	294.4	18.6	72.2	135.6
Reg_2	wt	SUM	SRAMDB	7512	14.9	20	9.8	14.9	10.1	0	0
Reg_2	wt	SUM	SRAWTB	33592	338.9	2726.8	271.4	2735.9	58.4	37.6	48.3
Reg_2	wt	SUM	SUM	227970	2011.8	9090.7	1506	9165.7	430.8	1022	2185.3
Reg_3	wt	N	Deer_A_Only	24299	40.5	560.2	24.9	569.5	6.2	62.2	417
Reg_3	wt	N	Deer_B	1739	41.7	189.1	37.4	190.1	3.3	0	2.7

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
Reg_3	wt	N	Permit/Deer_A	411	4.7	16.6	4.7	14.3	2.3	2.1	17
Reg_3	wt	N	SRAWTB	2965	37.1	326.6	33	330.7	0	8.2	8.2
Reg_3	wt	N	SUM	29414	124	1092.4	100	1104.7	11.8	72.5	444.9
Reg_3	wt	R	Deer_A_Only	145081	352	4861.4	294.9	4880.4	38.1	618.4	1931.2
Reg_3	wt	R	Deer_B	25235	390.9	2822.8	370.3	2806.1	37.4	12.1	73
Reg_3	wt	R	Permit/Deer_A	5183	0	131.8	0	131.8	0	15.1	77
Reg_3	wt	R	SRAMDB	7512	0	59.3	0	59.3	0	0	4.8
Reg_3	wt	R	SRAWTB	30627	170.8	2205.4	180.8	2150.2	45.2	15.1	70.3
Reg_3	wt	R	SUM	213638	913.7	10080.7	846.1	10027.8	120.6	660.6	2156.2
Reg_3	wt	SUM	Deer_A_Only	169380	392.5	5421.6	319.8	5449.9	44.3	680.6	2348.3
Reg_3	wt	SUM	Deer_B	26974	432.7	3011.9	407.7	2996.2	40.6	12.1	75.7
Reg_3	wt	SUM	Permit/Deer_A	5594	4.7	148.4	4.7	146.1	2.3	17.1	93.9
Reg_3	wt	SUM	SRAMDB	7512	0	59.3	0	59.3	0	0	4.8
Reg_3	wt	SUM	SRAWTB	33592	207.9	2532	213.8	2480.9	45.2	23.3	78.5
Reg_3	wt	SUM	SUM	243052	1037.8	11173.1	946.1	11132.4	132.3	733.2	2601.2
Reg_4	wt	N	Deer_A_Only	24299	46.7	541.5	31.1	557.1	0	59.1	457.5
Reg_4	wt	N	Deer_B	2446	18.7	350	9.5	359.2	0	3.4	7.7
Reg_4	wt	N	Permit/Deer_A	219	0	2.1	0	2.1	0	0	2.1
Reg_4	wt	N	SRAWTB	2965	0	20.6	0	20.6	0	0	7.3
Reg_4	wt	N	SUM	29929	65.4	914.1	40.6	938.9	0	62.6	474.6
Reg_4	wt	R	Deer_A_Only	145081	218.8	4804.3	171.2	4832.9	19	547	2483
Reg_4	wt	R	Deer_B	21746	105.3	775.4	59.3	799.2	22.2	18.5	64
Reg_4	wt	R	Permit/Deer_A	2009	0	25.8	0	25.8	0	2.8	23
Reg_4	wt	R	SRAMDB	5509	5.1	0	5.1	0	0	0	0
Reg_4	wt	R	SRAWTB	30885	145.8	2164.6	111.8	2174.3	24.3	19.4	64.2
Reg_4	wt	R	SUM	205230	475	7770.1	347.4	7832.2	65.6	587.8	2634.3
Reg_4	wt	SUM	Deer_A_Only	169380	265.5	5345.8	202.4	5389.9	19	606.2	2940.5
Reg_4	wt	SUM	Deer_B	24192	124.1	1125.4	68.8	1158.4	22.2	22	71.8
Reg_4	wt	SUM	Permit/Deer_A	2228	0	27.8	0	27.8	0	2.8	25.1
Reg_4	wt	SUM	SRAMDB	5509	5.1	0	5.1	0	0	0	0
Reg_4	wt	SUM	SRAWTB	33850	145.8	2185.2	111.8	2194.9	24.3	19.4	71.5
Reg_4	wt	SUM	SUM	235159	540.4	8684.2	388	8771.1	65.6	650.3	3108.8
Reg_5	wt	N	Deer_A_Only	24299	34.2	361	37.3	357.9	0	28	267.6
Reg_5	wt	N	Deer_B	2711	47.6	284.7	40.1	292.2	0	4.4	0
Reg_5	wt	N	Permit/Deer_A	173	0	13.4	0	13.4	0	1.9	5.8
Reg_5	wt	N	SRAWTB	2965	5.1	118.3	5.1	118.3	0	2.5	0
Reg_5	wt	N	SUM	30148	86.9	777.4	82.5	781.8	0	36.9	273.4
Reg_5	wt	R	Deer_A_Only	145081	161.7	3201.3	137.9	3201.3	23.8	404.3	1179.7
Reg_5	wt	R	Deer_B	20274	232.8	2030	190.2	2059.2	13.3	42.1	65
Reg_5	wt	R	Permit/Deer_A	2810	7.7	53.2	7.7	53.2	0	4.2	16.8
Reg_5	wt	R	SRAMDB	7512	14.9	74.8	14.9	74.8	0	0	0
Reg_5	wt	R	SRAWTB	30627	34.4	995.3	29.6	985.7	14.4	4.8	29.2
Reg_5	wt	R	SUM	206304	451.5	6354.5	380.4	6374.1	51.5	455.4	1290.7
Reg_5	wt	SUM	Deer_A_Only	169380	196	3562.3	175.3	3559.2	23.8	432.3	1447.3
Reg_5	wt	SUM	Deer_B	22985	280.3	2314.7	230.3	2351.4	13.3	46.5	65
Reg_5	wt	SUM	Permit/Deer_A	2983	7.7	66.6	7.7	66.6	0	6.2	22.6
Reg_5	wt	SUM	SRAMDB	7512	14.9	74.8	14.9	74.8	0	0	0
Reg_5	wt	SUM	SRAWTB	33592	39.5	1113.6	34.7	1104	14.4	7.3	29.2



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
Reg_5	wt	SUM	SUM	236452	538.4	7131.9	462.9	7155.9	51.5	492.3	1564.1
Reg_6	wt	N	Deer_A_Only	24299	56	504.2	43.6	513.5	3.1	12.4	494.8
Reg_6	wt	N	Deer_B	2775	50.4	507.4	34.2	515.9	7.6	0	13.2
Reg_6	wt	N	Permit/Deer_A	89	0	1.2	0	1.2	0	0	1.2
Reg_6	wt	N	SRAWTB	2965	0	13.9	0	13.9	0	0	4.4
Reg_6	wt	N	SUM	30128	106.4	1026.7	77.8	1044.6	10.7	12.4	513.7
Reg_6	wt	R	Deer_A_Only	145081	109.4	2254.7	66.6	2273.7	23.8	185.5	1293.8
Reg_6	wt	R	Deer_B	19073	200	1536.8	112.5	1607.4	16.8	14.9	40.8
Reg_6	wt	R	Permit/Deer_A	809	0	9.9	0	9.9	0	0	0
Reg_6	wt	R	SRAMDB	7512	0	24.7	0	24.7	0	0	5.1
Reg_6	wt	R	SRAWTB	32405	24.7	543.6	9.8	548.6	9.8	4.9	29.9
Reg_6	wt	R	SUM	204880	334	4369.7	188.9	4464.4	50.4	205.3	1369.6
Reg_6	wt	SUM	Deer_A_Only	169380	165.4	2758.9	110.2	2787.2	26.9	198	1788.7
Reg_6	wt	SUM	Deer_B	21848	250.3	2044.1	146.7	2123.3	24.4	14.9	54.1
Reg_6	wt	SUM	Permit/Deer_A	898	0	11.2	0	11.2	0	0	1.2
Reg_6	wt	SUM	SRAMDB	7512	0	24.7	0	24.7	0	0	5.1
Reg_6	wt	SUM	SRAWTB	35370	24.7	557.5	9.8	562.5	9.8	4.9	34.3
Reg_6	wt	SUM	SUM	235008	440.4	5396.4	266.7	5509	61.1	217.7	1883.3
Reg_7	wt	N	Deer_A_Only	24299	74.7	750	65.4	759.3	0	34.2	659.8
Reg_7	wt	N	Deer_B	4172	5.5	146.3	5.5	143	3.2	0	3.2
Reg_7	wt	N	Permit/Deer_A	307	0	3.1	0	3.1	0	0	0
Reg_7	wt	N	SRAWTB	2120	6.4	645.9	9.5	642.7	0	0	3.2
Reg_7	wt	N	SUM	30898	86.5	1545.3	80.4	1548.2	3.2	34.2	666.2
Reg_7	wt	R	Deer_A_Only	145081	66.6	1631.6	42.8	1641.1	14.3	128.4	1070.3
Reg_7	wt	R	Deer_B	1760	0	14.6	0	14.6	0	0	0
Reg_7	wt	R	Permit/Deer_A	1983	0	4.1	0	4.1	0	0	4.1
Reg_7	wt	R	SRAMDB	7512	19.7	120.6	9.8	125.4	5.1	0	10.1
Reg_7	wt	R	SRAWTB	18203	78.8	795.9	47.3	816.9	10.5	4.8	21
Reg_7	wt	R	SUM	174539	165.1	2566.8	99.9	2602.1	29.9	133.2	1105.5
Reg_7	wt	SUM	Deer_A_Only	169380	141.3	2381.6	108.2	2400.4	14.3	162.7	1730
Reg_7	wt	SUM	Deer_B	5932	5.5	160.9	5.5	157.6	3.2	0	3.2
Reg_7	wt	SUM	Permit/Deer_A	2290	0	7.2	0	7.2	0	0	4.1
Reg_7	wt	SUM	SRAMDB	7512	19.7	120.6	9.8	125.4	5.1	0	10.1
Reg_7	wt	SUM	SRAWTB	20323	85.2	1441.8	56.8	1459.7	10.5	4.8	24.2
Reg_7	wt	SUM	SUM	205437	251.6	4112	180.3	4150.3	33.1	167.5	1771.7
Reg_X	wt	N	Deer_A_Only	24299	3.1	9.3	3.1	9.3	0	0	12.4
Reg_X	wt	N	Deer_B	281	0	3	0	3	0	0	0
Reg_X	wt	N	SUM	24580	3.1	12.3	3.1	12.3	0	0	12.4
Reg_X	wt	R	Deer_A_Only	145081	0	19	0	19	0	0	4.8
Reg_X	wt	R	SUM	145081	0	19	0	19	0	0	4.8
Reg_X	wt	SUM	Deer_A_Only	169380	3.1	28.4	3.1	28.4	0	0	17.2
Reg_X	wt	SUM	Deer_B	281	0	3	0	3	0	0	0
Reg_X	wt	SUM	SUM	169661	3.1	31.4	3.1	31.4	0	0	17.2
100	all_deer	N	003-10	845	0	4.1	0	4.1	0	0	4.1
100	all_deer	N	100-00	41	0	19.5	0	19.5	0	0	0
100	all_deer	N	100-01	2	0	0	0	0	0	0	0
100	all_deer	N	100-60/Deer_A	4	0	0	0	0	0	0	0
100	all_deer	N	101-00	28	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
100	all_deer	N	240-40/Deer_A	56	0	0	0	0	0	0	0
100	all_deer	N	Deer_A_Only	24299	0	118.3	0	118.3	0	28	77.8
100	all_deer	N	SUM	25275	0	141.9	0	141.9	0	28	81.9
100	all_deer	R	003-10	7121	0	0	0	0	0	0	0
100	all_deer	R	006-10	1778	0	4.9	0	4.9	0	0	4.9
100	all_deer	R	100-00	559	26.4	250.9	26.4	250.9	0	13.2	8.8
100	all_deer	R	100-01	23	1.8	5.3	1.8	5.3	0	0	0
100	all_deer	R	100-60/Deer_A	31	2.1	14.5	2.1	14.5	0	4.1	2.1
100	all_deer	R	101-00	807	0	5.9	0	5.9	0	0	0
100	all_deer	R	240-40/Deer_A	557	0	5	0	5	0	0	5
100	all_deer	R	Deer_A_Only	145081	9.5	1079.8	9.5	1079.8	0	333	413.8
100	all_deer	R	SUM	155957	39.8	1366.3	39.8	1366.3	0	350.3	434.6
100	all_deer	SUM	003-10	7966	0	4.1	0	4.1	0	0	4.1
100	all_deer	SUM	006-10	1778	0	4.9	0	4.9	0	0	4.9
100	all_deer	SUM	100-00	600	26.4	270.4	26.4	270.4	0	13.2	8.8
100	all_deer	SUM	100-01	25	1.8	5.3	1.8	5.3	0	0	0
100	all_deer	SUM	100-60/Deer_A	35	2.1	14.5	2.1	14.5	0	4.1	2.1
100	all_deer	SUM	101-00	835	0	5.9	0	5.9	0	0	0
100	all_deer	SUM	240-40/Deer_A	613	0	5	0	5	0	0	5
100	all_deer	SUM	Deer_A_Only	169380	9.5	1198	9.5	1198	0	361	491.6
100	all_deer	SUM	SUM	181232	39.8	1508.2	39.8	1508.2	0	378.3	516.6
101	all_deer	N	002-10	500	0	0	0	0	0	0	0
101	all_deer	N	100-00	41	0	0	0	0	0	0	0
101	all_deer	N	100-01	2	0	0	0	0	0	0	0
101	all_deer	N	101-00	28	0	18.7	0	18.7	0	0	0
101	all_deer	N	120-00	15	0	0	0	0	0	0	0
101	all_deer	N	170-10	57	0	0	0	0	0	0	0
101	all_deer	N	400-00	64	0	0	0	0	0	0	0
101	all_deer	N	401-00	55	0	0	0	0	0	0	0
101	all_deer	N	417-00	76	0	0	0	0	0	0	0
101	all_deer	N	530-50/Deer_A	89	0	0	0	0	0	0	0
101	all_deer	N	Deer_A_Only	24299	3.1	37.3	0	37.3	3.1	12.4	21.8
101	all_deer	N	SUM	25226	3.1	56	0	56	3.1	12.4	21.8
101	all_deer	R	002-10	8803	0	10.7	0	10.7	0	0	5.4
101	all_deer	R	100-00	559	0	22	0	22	0	0	0
101	all_deer	R	100-01	23	0	1.8	0	1.8	0	0	0
101	all_deer	R	101-00	807	5.9	382.9	5.9	382.9	0	5.9	11.8
101	all_deer	R	109-00	398	0	20.4	0	20.4	0	0	0
101	all_deer	R	120-00	488	0	4.6	0	4.6	0	0	4.6
101	all_deer	R	170-10	2114	0	10.6	5.3	5.3	0	0	5.3
101	all_deer	R	400-00	839	0	8.8	0	8.8	0	0	0
101	all_deer	R	401-00	545	0	4.5	0	4.5	0	0	0
101	all_deer	R	417-00	325	0	4.1	0	4.1	0	0	0
101	all_deer	R	530-50/Deer_A	614	0	4.2	0	4.2	0	4.2	0
101	all_deer	R	Deer_A_Only	145081	19	998.9	19	979.9	19	214.1	394.8
101	all_deer	R	SUM	160596	24.9	1473.6	30.2	1449.3	19	224.2	421.8
101	all_deer	SUM	002-10	9303	0	10.7	0	10.7	0	0	5.4
101	all_deer	SUM	100-00	600	0	22	0	22	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
101	all_deer	SUM	100-01	25	0	1.8	0	1.8	0	0	0
101	all_deer	SUM	101-00	835	5.9	401.5	5.9	401.5	0	5.9	11.8
101	all_deer	SUM	109-00	398	0	20.4	0	20.4	0	0	0
101	all_deer	SUM	120-00	503	0	4.6	0	4.6	0	0	4.6
101	all_deer	SUM	170-10	2171	0	10.6	5.3	5.3	0	0	5.3
101	all_deer	SUM	400-00	903	0	8.8	0	8.8	0	0	0
101	all_deer	SUM	401-00	600	0	4.5	0	4.5	0	0	0
101	all_deer	SUM	417-00	401	0	4.1	0	4.1	0	0	0
101	all_deer	SUM	530-50/Deer_A	703	0	4.2	0	4.2	0	4.2	0
101	all_deer	SUM	Deer_A_Only	169380	22.1	1036.3	19	1017.2	22.1	226.5	416.6
101	all_deer	SUM	SUM	185822	28	1529.6	30.2	1505.3	22.1	236.6	443.6
102	all_deer	N	003-10	845	0	0	0	0	0	0	0
102	all_deer	N	100-01	2	0	0	0	0	0	0	0
102	all_deer	N	101-00	28	0	0	0	0	0	0	0
102	all_deer	N	102-00	8	0	0	0	0	0	0	0
102	all_deer	N	103-00	21	0	1.8	0	1.8	0	0	0
102	all_deer	N	104-00	15	0	0	0	0	0	0	0
102	all_deer	N	170-10	57	2.2	0	2.2	0	0	0	0
102	all_deer	N	200-00	23	0	0	0	0	0	0	0
102	all_deer	N	281-40/Deer_A	47	0	0	0	0	0	0	0
102	all_deer	N	311-02	13	0	0	0	0	0	0	0
102	all_deer	N	360-00	10	0	0	0	0	0	0	0
102	all_deer	N	Deer_A_Only	24299	3.1	37.3	3.1	37.3	0	6.2	31.1
102	all_deer	N	SUM	25368	5.3	39.1	5.3	39.1	0	6.2	31.1
102	all_deer	R	003-10	7121	0	5	0	5	0	0	5
102	all_deer	R	004-10	7081	0	14.6	0	14.6	0	0	0
102	all_deer	R	100-01	23	0	1.8	0	1.8	0	0	0
102	all_deer	R	101-00	807	0	5.9	0	5.9	0	0	0
102	all_deer	R	102-00	492	11.1	214.6	11.1	210.9	3.7	3.7	14.8
102	all_deer	R	103-00	479	0	4.2	0	4.2	0	0	0
102	all_deer	R	104-00	485	0	7.8	0	7.8	0	0	0
102	all_deer	R	109-00	398	0	5.1	0	5.1	0	0	0
102	all_deer	R	170-10	2114	0	58.1	0	58.1	0	0	15.9
102	all_deer	R	200-00	177	0	4.1	0	4.1	0	0	0
102	all_deer	R	281-40/Deer_A	440	0	4.7	0	4.7	0	0	0
102	all_deer	R	311-02	290	0	9.8	0	9.8	0	0	9.8
102	all_deer	R	360-00	65	0	3.4	0	3.4	0	0	3.4
102	all_deer	R	Deer_A_Only	145081	14.3	1122.6	14.3	1113.1	9.5	261.6	428.1
102	all_deer	R	SUM	165053	25.4	1461.7	25.4	1448.5	13.2	265.3	477
102	all_deer	SUM	003-10	7966	0	5	0	5	0	0	5
102	all_deer	SUM	004-10	7081	0	14.6	0	14.6	0	0	0
102	all_deer	SUM	100-01	25	0	1.8	0	1.8	0	0	0
102	all_deer	SUM	101-00	835	0	5.9	0	5.9	0	0	0
102	all_deer	SUM	102-00	500	11.1	214.6	11.1	210.9	3.7	3.7	14.8
102	all_deer	SUM	103-00	500	0	6	0	6	0	0	0
102	all_deer	SUM	104-00	500	0	7.8	0	7.8	0	0	0
102	all_deer	SUM	109-00	398	0	5.1	0	5.1	0	0	0
102	all_deer	SUM	170-10	2171	2.2	58.1	2.2	58.1	0	0	15.9

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
102	all_deer	SUM	200-00	200	0	4.1	0	4.1	0	0	0
102	all_deer	SUM	281-40/Deer_A	487	0	4.7	0	4.7	0	0	0
102	all_deer	SUM	311-02	303	0	9.8	0	9.8	0	0	9.8
102	all_deer	SUM	360-00	75	0	3.4	0	3.4	0	0	3.4
102	all_deer	SUM	Deer_A_Only	169380	17.4	1159.9	17.4	1150.4	9.5	267.8	459.2
102	all_deer	SUM	SUM	190421	30.7	1500.8	30.7	1487.6	13.2	271.5	508.2
103	all_deer	N	002-10	500	0	0	0	0	0	0	0
103	all_deer	N	100-00	41	0	0	0	0	0	0	0
103	all_deer	N	101-00	28	0	0	0	0	0	0	0
103	all_deer	N	102-00	8	0	0	0	0	0	0	0
103	all_deer	N	103-00	21	0	12.2	0	12.2	0	0	0
103	all_deer	N	103-60/Deer_A	2	0	0	0	0	0	0	0
103	all_deer	N	104-00	15	0	0	0	0	0	0	0
103	all_deer	N	120-00	15	0	0	0	0	0	0	0
103	all_deer	N	122-00	2	0	0	0	0	0	0	0
103	all_deer	N	132-00	3	0	0	0	0	0	0	0
103	all_deer	N	170-10	57	0	0	0	0	0	0	0
103	all_deer	N	404-00	56	0	0	0	0	0	0	0
103	all_deer	N	Deer_A_Only	24299	0	43.6	0	43.6	0	12.4	24.9
103	all_deer	N	SUM	25047	0	55.8	0	55.8	0	12.4	24.9
103	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
103	all_deer	R	100-00	559	0	4.4	0	4.4	0	0	0
103	all_deer	R	101-00	807	0	5.9	0	5.9	0	0	0
103	all_deer	R	102-00	492	0	3.7	0	3.7	0	0	3.7
103	all_deer	R	103-00	479	0	226.9	4.2	214.3	8.4	0	8.4
103	all_deer	R	103-60/Deer_A	65	0	19.5	0	19.5	0	0	4.3
103	all_deer	R	104-00	485	0	7.8	0	7.8	0	0	3.9
103	all_deer	R	109-00	398	0	10.2	0	10.2	0	5.1	5.1
103	all_deer	R	120-00	488	0	4.6	0	4.6	0	0	0
103	all_deer	R	122-00	48	0	2.2	0	2.2	0	0	0
103	all_deer	R	132-00	297	0	3.8	0	3.8	0	0	3.8
103	all_deer	R	170-10	2114	0	26.4	0	26.4	0	0	10.6
103	all_deer	R	404-00	1152	0	6.9	0	6.9	0	0	0
103	all_deer	R	Deer_A_Only	145081	19	1013.2	14.3	994.2	23.8	247.4	399.6
103	all_deer	R	SUM	161268	19	1340.9	18.5	1309.3	32.2	252.5	439.4
103	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
103	all_deer	SUM	100-00	600	0	4.4	0	4.4	0	0	0
103	all_deer	SUM	101-00	835	0	5.9	0	5.9	0	0	0
103	all_deer	SUM	102-00	500	0	3.7	0	3.7	0	0	3.7
103	all_deer	SUM	103-00	500	0	239.1	4.2	226.5	8.4	0	8.4
103	all_deer	SUM	103-60/Deer_A	67	0	19.5	0	19.5	0	0	4.3
103	all_deer	SUM	104-00	500	0	7.8	0	7.8	0	0	3.9
103	all_deer	SUM	109-00	398	0	10.2	0	10.2	0	5.1	5.1
103	all_deer	SUM	120-00	503	0	4.6	0	4.6	0	0	0
103	all_deer	SUM	122-00	50	0	2.2	0	2.2	0	0	0
103	all_deer	SUM	132-00	300	0	3.8	0	3.8	0	0	3.8
103	all_deer	SUM	170-10	2171	0	26.4	0	26.4	0	0	10.6
103	all_deer	SUM	404-00	1208	0	6.9	0	6.9	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
103	all_deer	SUM	Deer_A_Only	169380	19	1056.8	14.3	1037.7	23.8	259.8	424.5
103	all_deer	SUM	SUM	186315	19	1396.7	18.5	1365.1	32.2	264.9	464.3
104	all_deer	N	002-10	500	0	0	0	0	0	0	0
104	all_deer	N	007-10	1330	0	0	0	0	0	0	0
104	all_deer	N	100-00	41	0	0	0	0	0	0	0
104	all_deer	N	100-01	2	0	0	0	0	0	0	0
104	all_deer	N	101-00	28	0	1.9	0	1.9	0	0	0
104	all_deer	N	103-00	21	0	1.8	0	1.8	0	0	0
104	all_deer	N	104-00	15	0	8.6	0	8.6	0	0	0
104	all_deer	N	630-00	204	0	0	0	0	0	0	0
104	all_deer	N	Deer_A_Only	24299	0	37.3	0	37.3	0	9.3	24.9
104	all_deer	N	SUM	26440	0	49.5	0	49.5	0	9.3	24.9
104	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
104	all_deer	R	004-10	7081	4.9	0	4.9	0	0	0	0
104	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
104	all_deer	R	007-13	5509	0	15.2	0	15.2	0	0	5.1
104	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
104	all_deer	R	100-00	559	0	13.2	0	13.2	0	0	0
104	all_deer	R	100-01	23	0	5.3	0	5.3	0	0	0
104	all_deer	R	101-00	807	5.9	0	5.9	0	0	0	0
104	all_deer	R	103-00	479	0	8.4	0	8.4	0	0	4.2
104	all_deer	R	103-60/Deer_A	65	0	2.2	0	2.2	0	0	0
104	all_deer	R	104-00	485	19.6	226.9	19.6	226.9	0	0	0
104	all_deer	R	104-01	10	0	4.3	0	4.3	0	0	0
104	all_deer	R	104-60/Deer_A	18	0	2.6	0	2.6	0	0	0
104	all_deer	R	630-00	497	4.9	0	4.9	0	0	0	0
104	all_deer	R	Deer_A_Only	145081	23.8	765.8	9.5	780.1	0	190.3	290.2
104	all_deer	R	SUM	174932	59	1059.2	44.7	1073.5	0	190.3	299.4
104	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
104	all_deer	SUM	004-10	7081	4.9	0	4.9	0	0	0	0
104	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
104	all_deer	SUM	007-13	5509	0	15.2	0	15.2	0	0	5.1
104	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
104	all_deer	SUM	100-00	600	0	13.2	0	13.2	0	0	0
104	all_deer	SUM	100-01	25	0	5.3	0	5.3	0	0	0
104	all_deer	SUM	101-00	835	5.9	1.9	5.9	1.9	0	0	0
104	all_deer	SUM	103-00	500	0	10.2	0	10.2	0	0	4.2
104	all_deer	SUM	103-60/Deer_A	65	0	2.2	0	2.2	0	0	0
104	all_deer	SUM	104-00	500	19.6	235.4	19.6	235.4	0	0	0
104	all_deer	SUM	104-01	10	0	4.3	0	4.3	0	0	0
104	all_deer	SUM	104-60/Deer_A	18	0	2.6	0	2.6	0	0	0
104	all_deer	SUM	630-00	701	4.9	0	4.9	0	0	0	0
104	all_deer	SUM	Deer_A_Only	169380	23.8	803.2	9.5	817.5	0	199.6	315.1
104	all_deer	SUM	SUM	201372	59	1108.8	44.7	1123	0	199.6	324.3
109	all_deer	N	100-60/Deer_A	4	0	0	0	0	0	0	0
109	all_deer	N	101-00	28	0	0	0	0	0	0	0
109	all_deer	N	109-00	2	0	0	0	0	0	0	0
109	all_deer	N	401-00	55	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
109	all_deer	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
109	all_deer	N	SUM	24388	0	3.1	0	3.1	0	0	3.1
109	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
109	all_deer	R	100-60/Deer_A	31	0	2.1	0	2.1	0	0	0
109	all_deer	R	101-00	807	0	47.1	0	47.1	0	0	0
109	all_deer	R	109-00	398	20.4	158.2	20.4	158.2	0	0	0
109	all_deer	R	401-00	545	0	4.5	0	4.5	0	0	0
109	all_deer	R	Deer_A_Only	145081	14.3	337.7	14.3	337.7	0	90.4	95.1
109	all_deer	R	SUM	153943	34.7	554.5	34.7	554.5	0	90.4	95.1
109	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
109	all_deer	SUM	100-60/Deer_A	35	0	2.1	0	2.1	0	0	0
109	all_deer	SUM	101-00	835	0	47.1	0	47.1	0	0	0
109	all_deer	SUM	109-00	400	20.4	158.2	20.4	158.2	0	0	0
109	all_deer	SUM	401-00	600	0	4.5	0	4.5	0	0	0
109	all_deer	SUM	Deer_A_Only	169380	14.3	340.8	14.3	340.8	0	90.4	98.2
109	all_deer	SUM	SUM	178331	34.7	557.6	34.7	557.6	0	90.4	98.2
110	all_deer	N	101-00	28	0	0	0	0	0	0	0
110	all_deer	N	110-00	1	0	0	0	0	0	0	0
110	all_deer	N	130-00	37	0	0	0	0	0	0	0
110	all_deer	N	170-10	57	0	0	0	0	0	0	0
110	all_deer	N	670-00	232	0	0	0	0	0	0	0
110	all_deer	N	Deer_A_Only	24299	0	24.9	0	24.9	0	6.2	18.7
110	all_deer	N	SUM	24654	0	24.9	0	24.9	0	6.2	18.7
110	all_deer	R	101-00	807	0	11.8	0	11.8	0	5.9	0
110	all_deer	R	110-00	49	0	15.5	0	15.5	0	0	0
110	all_deer	R	130-00	614	0	8.3	0	8.3	0	4.1	0
110	all_deer	R	170-10	2114	0	15.9	0	15.9	0	0	0
110	all_deer	R	670-00	559	0	6.3	0	6.3	0	6.3	0
110	all_deer	R	Deer_A_Only	145081	14.3	504.2	14.3	499.5	4.8	161.7	252.1
110	all_deer	R	SUM	149224	14.3	561.9	14.3	557.1	4.8	178	252.1
110	all_deer	SUM	101-00	835	0	11.8	0	11.8	0	5.9	0
110	all_deer	SUM	110-00	50	0	15.5	0	15.5	0	0	0
110	all_deer	SUM	130-00	651	0	8.3	0	8.3	0	4.1	0
110	all_deer	SUM	170-10	2171	0	15.9	0	15.9	0	0	0
110	all_deer	SUM	670-00	791	0	6.3	0	6.3	0	6.3	0
110	all_deer	SUM	Deer_A_Only	169380	14.3	529.1	14.3	524.4	4.8	168	270.8
110	all_deer	SUM	SUM	173878	14.3	586.8	14.3	582	4.8	184.3	270.8
120	all_deer	N	003-10	845	0	0	0	0	0	0	0
120	all_deer	N	007-10	1330	0	0	0	0	0	0	0
120	all_deer	N	102-00	8	0	0	0	0	0	0	0
120	all_deer	N	103-00	21	0	0	0	0	0	0	0
120	all_deer	N	120-00	15	1.7	5	1.7	5	0	0	0
120	all_deer	N	170-10	57	0	0	0	0	0	0	0
120	all_deer	N	Deer_A_Only	24299	0	15.6	0	15.6	0	3.1	9.3
120	all_deer	N	SUM	26575	1.7	20.6	1.7	20.6	0	3.1	9.3
120	all_deer	R	003-10	7121	0	5	0	5	0	0	5
120	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	4.9
120	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
120	all_deer	R	102-00	492	0	3.7	0	3.7	0	3.7	0
120	all_deer	R	103-00	479	0	4.2	0	4.2	0	0	4.2
120	all_deer	R	120-00	488	4.6	234.8	4.6	234.8	0	0	9.2
120	all_deer	R	170-10	2114	0	42.3	0	42.3	0	10.6	10.6
120	all_deer	R	Deer_A_Only	145081	23.8	984.6	19	979.9	9.5	237.8	399.6
120	all_deer	R	SUM	166368	28.4	1289.6	23.6	1284.9	9.5	252.1	433.4
120	all_deer	SUM	003-10	7966	0	5	0	5	0	0	5
120	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	4.9
120	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
120	all_deer	SUM	102-00	500	0	3.7	0	3.7	0	3.7	0
120	all_deer	SUM	103-00	500	0	4.2	0	4.2	0	0	4.2
120	all_deer	SUM	120-00	503	6.3	239.8	6.3	239.8	0	0	9.2
120	all_deer	SUM	170-10	2171	0	42.3	0	42.3	0	10.6	10.6
120	all_deer	SUM	Deer_A_Only	169380	23.8	1000.2	19	995.5	9.5	240.9	408.9
120	all_deer	SUM	SUM	192943	30.1	1310.2	25.3	1305.4	9.5	255.2	442.8
121	all_deer	N	002-10	500	0	4.4	0	4.4	0	0	0
121	all_deer	N	121-00	73	0	43.3	0	43.3	0	0	2.7
121	all_deer	N	121-60/Deer_A	3	0	0	0	0	0	0	0
121	all_deer	N	Deer_A_Only	24299	21.8	161.8	15.6	164.9	3.1	49.8	115.1
121	all_deer	N	SUM	24875	21.8	209.5	15.6	212.6	3.1	49.8	117.9
121	all_deer	R	002-10	8803	0	16.1	0	16.1	0	0	5.4
121	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
121	all_deer	R	007-14	2003	0	9.5	0	9.5	0	0	0
121	all_deer	R	121-00	727	16.7	367.7	16.7	367.7	0	8.4	16.7
121	all_deer	R	121-01	10	0	0	0	0	0	0	0
121	all_deer	R	121-60/Deer_A	27	0	0	0	0	0	0	0
121	all_deer	R	Deer_A_Only	145081	57.1	1232	38.1	1246.3	4.8	323.5	556.5
121	all_deer	R	SUM	162160	73.8	1630.4	54.8	1644.7	4.8	331.8	578.6
121	all_deer	SUM	002-10	9303	0	20.5	0	20.5	0	0	5.4
121	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
121	all_deer	SUM	007-14	2003	0	9.5	0	9.5	0	0	0
121	all_deer	SUM	121-00	800	16.7	410.9	16.7	410.9	0	8.4	19.4
121	all_deer	SUM	121-01	10	0	0	0	0	0	0	0
121	all_deer	SUM	121-60/Deer_A	30	0	0	0	0	0	0	0
121	all_deer	SUM	Deer_A_Only	169380	78.9	1393.8	53.6	1411.2	7.9	373.3	671.7
121	all_deer	SUM	SUM	187035	95.6	1839.9	70.3	1857.2	7.9	381.6	696.5
122	all_deer	N	002-10	500	0	0	0	0	0	0	0
122	all_deer	N	104-00	15	0	0	0	0	0	0	0
122	all_deer	N	121-00	73	0	0	0	0	0	0	0
122	all_deer	N	122-00	2	0	2	0	2	0	0	0
122	all_deer	N	122-60/Deer_A	2	0	0	0	0	0	0	0
122	all_deer	N	170-10	57	0	0	0	0	0	0	0
122	all_deer	N	200-00	23	0	1.9	0	1.9	0	0	0
122	all_deer	N	260-10	103	0	0	0	0	0	0	0
122	all_deer	N	260-30	3	0	0	0	0	0	0	0
122	all_deer	N	Deer_A_Only	24299	3.1	49.8	3.1	49.8	0	18.7	31.1
122	all_deer	N	SUM	25077	3.1	53.7	3.1	53.7	0	18.7	31.1
122	all_deer	R	002-10	8803	0	10.7	0	10.7	0	5.4	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
122	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
122	all_deer	R	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
122	all_deer	R	007-14	2003	4.8	0	4.8	0	0	0	0
122	all_deer	R	104-00	485	0	3.9	0	3.9	0	0	3.9
122	all_deer	R	121-00	727	0	12.5	0	12.5	0	4.2	4.2
122	all_deer	R	122-00	48	2.2	21.8	2.2	21.8	0	0	2.2
122	all_deer	R	122-01	10	0	2.5	0	2.5	0	0	2.5
122	all_deer	R	122-60/Deer_A	19	0	7.6	0	7.6	0	3.8	0
122	all_deer	R	124-00	197	4.2	4.2	4.2	4.2	0	4.2	0
122	all_deer	R	170-10	2114	0	10.6	0	10.6	0	5.3	0
122	all_deer	R	200-00	177	0	0	0	0	0	0	0
122	all_deer	R	260-10	3415	0	8.2	0	8.2	0	8.2	0
122	all_deer	R	260-30	830	0	5.8	0	5.8	0	5.8	0
122	all_deer	R	Deer_A_Only	145081	9.5	646.9	9.5	642.2	4.8	152.2	323.5
122	all_deer	R	SUM	176499	25.7	744.7	25.7	740	4.8	189.1	336.2
122	all_deer	SUM	002-10	9303	0	10.7	0	10.7	0	5.4	0
122	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
122	all_deer	SUM	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
122	all_deer	SUM	007-14	2003	4.8	0	4.8	0	0	0	0
122	all_deer	SUM	104-00	500	0	3.9	0	3.9	0	0	3.9
122	all_deer	SUM	121-00	800	0	12.5	0	12.5	0	4.2	4.2
122	all_deer	SUM	122-00	50	2.2	23.8	2.2	23.8	0	0	2.2
122	all_deer	SUM	122-01	10	0	2.5	0	2.5	0	0	2.5
122	all_deer	SUM	122-60/Deer_A	21	0	7.6	0	7.6	0	3.8	0
122	all_deer	SUM	124-00	197	4.2	4.2	4.2	4.2	0	4.2	0
122	all_deer	SUM	170-10	2171	0	10.6	0	10.6	0	5.3	0
122	all_deer	SUM	200-00	200	0	1.9	0	1.9	0	0	0
122	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	8.2	0
122	all_deer	SUM	260-30	833	0	5.8	0	5.8	0	5.8	0
122	all_deer	SUM	Deer_A_Only	169380	12.6	696.7	12.6	692	4.8	170.9	354.6
122	all_deer	SUM	SUM	201576	28.8	798.4	28.8	793.7	4.8	207.7	367.4
123	all_deer	N	121-00	73	0	0	0	0	0	0	0
123	all_deer	N	123-00	10	0	5	0	5	0	0	0
123	all_deer	N	123-01	1	0	1	0	1	0	0	0
123	all_deer	N	Deer_A_Only	24299	3.1	24.9	3.1	24.9	0	12.4	6.2
123	all_deer	N	SUM	24383	3.1	30.9	3.1	30.9	0	12.4	6.2
123	all_deer	R	121-00	727	0	8.4	0	8.4	0	0	4.2
123	all_deer	R	123-00	90	4.2	48.1	4.2	48.1	0	4.2	0
123	all_deer	R	123-01	9	0	4.5	0	4.5	0	0	0
123	all_deer	R	123-60/Deer_A	8	0	0	0	0	0	0	0
123	all_deer	R	Deer_A_Only	145081	4.8	199.8	4.8	199.8	0	33.3	66.6
123	all_deer	R	SUM	145915	8.9	260.8	8.9	260.8	0	37.5	70.8
123	all_deer	SUM	121-00	800	0	8.4	0	8.4	0	0	4.2
123	all_deer	SUM	123-00	100	4.2	53.1	4.2	53.1	0	4.2	0
123	all_deer	SUM	123-01	10	0	5.5	0	5.5	0	0	0
123	all_deer	SUM	123-60/Deer_A	8	0	0	0	0	0	0	0
123	all_deer	SUM	Deer_A_Only	169380	7.9	224.7	7.9	224.7	0	45.7	72.8
123	all_deer	SUM	SUM	170298	12.1	291.7	12.1	291.7	0	49.9	77



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
124	all_deer	N	002-10	500	0	0	0	0	0	0	0
124	all_deer	N	104-00	15	0	0	0	0	0	0	0
124	all_deer	N	124-00	3	0	0	0	0	0	0	0
124	all_deer	N	Deer_A_Only	24299	0	21.8	0	21.8	0	15.6	6.2
124	all_deer	N	SUM	24817	0	21.8	0	21.8	0	15.6	6.2
124	all_deer	R	002-10	8803	0	16.1	0	16.1	0	0	0
124	all_deer	R	007-13	5509	0	10.1	0	10.1	0	0	0
124	all_deer	R	104-00	485	0	3.9	0	3.9	0	0	0
124	all_deer	R	124-00	197	4.2	79.6	4.2	79.6	0	8.4	0
124	all_deer	R	Deer_A_Only	145081	4.8	190.3	4.8	190.3	0	38.1	90.4
124	all_deer	R	SUM	160075	8.9	300	8.9	300	0	46.4	90.4
124	all_deer	SUM	002-10	9303	0	16.1	0	16.1	0	0	0
124	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
124	all_deer	SUM	104-00	500	0	3.9	0	3.9	0	0	0
124	all_deer	SUM	124-00	200	4.2	79.6	4.2	79.6	0	8.4	0
124	all_deer	SUM	Deer_A_Only	169380	4.8	212.1	4.8	212.1	0	53.6	96.6
124	all_deer	SUM	SUM	184892	8.9	321.8	8.9	321.8	0	62	96.6
130	all_deer	N	002-10	500	0	0	0	0	0	0	0
130	all_deer	N	007-10	1330	0	0	0	0	0	0	0
130	all_deer	N	103-00	21	0	0	0	0	0	0	0
130	all_deer	N	130-00	37	2.8	14.2	2.8	14.2	0	0	0
130	all_deer	N	132-00	3	0	0	0	0	0	0	0
130	all_deer	N	170-10	57	0	0	0	0	0	0	0
130	all_deer	N	292-40/Deer_A	56	0	0	0	0	0	0	0
130	all_deer	N	620-00	110	0	0	0	0	0	0	0
130	all_deer	N	Deer_A_Only	24299	3.1	40.5	3.1	40.5	0	3.1	28
130	all_deer	N	SUM	26413	6	54.7	6	54.7	0	3.1	28
130	all_deer	R	002-10	8803	10.7	48.3	10.7	48.3	0	0	5.4
130	all_deer	R	006-10	1778	0	4.9	0	4.9	0	4.9	0
130	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
130	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
130	all_deer	R	007-13	5509	0	10.1	0	10.1	0	0	0
130	all_deer	R	103-00	479	0	4.2	0	4.2	0	0	0
130	all_deer	R	130-00	614	16.6	257.2	16.6	257.2	0	4.1	4.1
130	all_deer	R	130-50/Deer_A	10	0	1.7	1.7	0	0	0	1.7
130	all_deer	R	132-00	297	0	7.6	0	7.6	0	3.8	0
130	all_deer	R	170-10	2114	0	26.4	0	26.4	0	5.3	0
130	all_deer	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
130	all_deer	R	620-00	490	0	4.4	0	4.4	0	4.4	0
130	all_deer	R	Deer_A_Only	145081	9.5	956.1	4.8	956.1	4.8	137.9	447.1
130	all_deer	R	SUM	171137	36.8	1336.3	33.8	1334.6	4.8	160.5	458.3
130	all_deer	SUM	002-10	9303	10.7	48.3	10.7	48.3	0	0	5.4
130	all_deer	SUM	006-10	1778	0	4.9	0	4.9	0	4.9	0
130	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
130	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
130	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
130	all_deer	SUM	103-00	500	0	4.2	0	4.2	0	0	0
130	all_deer	SUM	130-00	651	19.4	271.4	19.4	271.4	0	4.1	4.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
130	all_deer	SUM	130-50/Deer_A	10	0	1.7	1.7	0	0	0	1.7
130	all_deer	SUM	132-00	300	0	7.6	0	7.6	0	3.8	0
130	all_deer	SUM	170-10	2171	0	26.4	0	26.4	0	5.3	0
130	all_deer	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
130	all_deer	SUM	620-00	600	0	4.4	0	4.4	0	4.4	0
130	all_deer	SUM	Deer_A_Only	169380	12.6	996.6	7.9	996.6	4.8	141.1	475.1
130	all_deer	SUM	SUM	197550	42.8	1391	39.7	1389.3	4.8	163.6	486.3
132	all_deer	N	002-10	500	0	0	0	0	0	0	0
132	all_deer	N	121-00	73	0	0	0	0	0	0	0
132	all_deer	N	130-00	37	0	0	0	0	0	0	0
132	all_deer	N	132-00	3	0	0	0	0	0	0	0
132	all_deer	N	170-10	57	0	0	0	0	0	0	0
132	all_deer	N	Deer_A_Only	24299	0	12.4	0	12.4	0	0	12.4
132	all_deer	N	SUM	24969	0	12.4	0	12.4	0	0	12.4
132	all_deer	R	002-10	8803	0	10.7	0	10.7	0	0	0
132	all_deer	R	109-00	398	0	5.1	0	5.1	0	0	0
132	all_deer	R	121-00	727	0	4.2	0	4.2	0	0	0
132	all_deer	R	130-00	614	0	8.3	0	8.3	0	0	4.1
132	all_deer	R	132-00	297	11.4	83.8	11.4	83.8	0	0	0
132	all_deer	R	170-10	2114	5.3	74	5.3	74	0	0	15.9
132	all_deer	R	Deer_A_Only	145081	19	485.2	14.3	480.4	9.5	80.9	218.8
132	all_deer	R	SUM	158034	35.7	671.3	31	666.5	9.5	80.9	238.8
132	all_deer	SUM	002-10	9303	0	10.7	0	10.7	0	0	0
132	all_deer	SUM	109-00	398	0	5.1	0	5.1	0	0	0
132	all_deer	SUM	121-00	800	0	4.2	0	4.2	0	0	0
132	all_deer	SUM	130-00	651	0	8.3	0	8.3	0	0	4.1
132	all_deer	SUM	132-00	300	11.4	83.8	11.4	83.8	0	0	0
132	all_deer	SUM	170-10	2171	5.3	74	5.3	74	0	0	15.9
132	all_deer	SUM	Deer_A_Only	169380	19	497.6	14.3	492.9	9.5	80.9	231.3
132	all_deer	SUM	SUM	183003	35.7	683.7	31	679	9.5	80.9	251.3
140	all_deer	N	130-00	37	0	0	0	0	0	0	0
140	all_deer	N	170-10	57	0	0	0	0	0	0	0
140	all_deer	N	Deer_A_Only	24299	0	18.7	0	15.6	3.1	3.1	15.6
140	all_deer	N	SUM	24393	0	18.7	0	15.6	3.1	3.1	15.6
140	all_deer	R	130-00	614	0	4.1	0	4.1	0	0	0
140	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	0
140	all_deer	R	Deer_A_Only	145081	0	133.2	0	128.4	4.8	23.8	85.6
140	all_deer	R	SUM	147809	0	142.6	0	137.9	4.8	23.8	85.6
140	all_deer	SUM	130-00	651	0	4.1	0	4.1	0	0	0
140	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
140	all_deer	SUM	Deer_A_Only	169380	0	151.9	0	144	7.9	26.9	101.2
140	all_deer	SUM	SUM	172202	0	161.3	0	153.4	7.9	26.9	101.2
141	all_deer	N	Deer_A_Only	24299	0	9.3	6.2	3.1	0	0	9.3
141	all_deer	N	SUM	24299	0	9.3	6.2	3.1	0	0	9.3
141	all_deer	R	Deer_A_Only	145081	4.8	14.3	4.8	14.3	0	0	14.3
141	all_deer	R	SUM	145081	4.8	14.3	4.8	14.3	0	0	14.3
141	all_deer	SUM	Deer_A_Only	169380	4.8	23.6	11	17.4	0	0	23.6
141	all_deer	SUM	SUM	169380	4.8	23.6	11	17.4	0	0	23.6

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
150	all_deer	N	Deer_A_Only	24299	3.1	71.6	21.8	52.9	0	15.6	59.1
150	all_deer	N	SUM	24299	3.1	71.6	21.8	52.9	0	15.6	59.1
150	all_deer	R	Deer_A_Only	145081	0	19	4.8	14.3	0	0	14.3
150	all_deer	R	SUM	145081	0	19	4.8	14.3	0	0	14.3
150	all_deer	SUM	Deer_A_Only	169380	3.1	90.6	26.5	67.2	0	15.6	73.4
150	all_deer	SUM	SUM	169380	3.1	90.6	26.5	67.2	0	15.6	73.4
151	all_deer	N	Deer_A_Only	24299	0	12.4	6.2	6.2	0	0	12.4
151	all_deer	N	SUM	24299	0	12.4	6.2	6.2	0	0	12.4
151	all_deer	R	Deer_A_Only	145081	0	0	0	0	0	0	0
151	all_deer	R	SUM	145081	0	0	0	0	0	0	0
151	all_deer	SUM	Deer_A_Only	169380	0	12.4	6.2	6.2	0	0	12.4
151	all_deer	SUM	SUM	169380	0	12.4	6.2	6.2	0	0	12.4
170	all_deer	N	002-10	500	0	0	0	0	0	0	0
170	all_deer	N	003-10	845	0	0	0	0	0	0	0
170	all_deer	N	007-10	1330	0	0	0	0	0	0	0
170	all_deer	N	101-00	28	0	0	0	0	0	0	0
170	all_deer	N	102-00	8	0	0	0	0	0	0	0
170	all_deer	N	130-00	37	0	2.8	0	2.8	0	0	0
170	all_deer	N	132-00	3	0	0	0	0	0	0	0
170	all_deer	N	170-10	57	0	32.9	0	32.9	0	0	0
170	all_deer	N	290-20	4	0	0	0	0	0	0	0
170	all_deer	N	Deer_A_Only	24299	3.1	9.3	0	12.4	0	0	6.2
170	all_deer	N	SUM	27111	3.1	45.1	0	48.2	0	0	6.2
170	all_deer	R	002-10	8803	5.4	10.7	5.4	10.7	0	0	0
170	all_deer	R	003-10	7121	5	0	5	0	0	0	0
170	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
170	all_deer	R	006-10	1778	4.9	0	4.9	0	0	0	0
170	all_deer	R	007-10	3512	0	10.5	0	10.5	0	0	0
170	all_deer	R	007-13	5509	5.1	10.1	5.1	10.1	0	0	0
170	all_deer	R	007-14	2003	4.8	0	4.8	0	0	0	0
170	all_deer	R	101-00	807	0	11.8	0	11.8	0	0	0
170	all_deer	R	102-00	492	3.7	0	3.7	0	0	0	0
170	all_deer	R	130-00	614	4.1	0	4.1	0	0	0	0
170	all_deer	R	132-00	297	0	15.2	0	15.2	0	0	0
170	all_deer	R	170-10	2114	111	465.1	79.3	496.8	0	5.3	0
170	all_deer	R	290-20	46	0	2.4	0	2.4	0	0	0
170	all_deer	R	699-00	3502	0	8.6	0	8.6	0	0	8.6
170	all_deer	R	Deer_A_Only	145081	61.8	432.9	42.8	451.9	0	47.6	128.4
170	all_deer	R	SUM	188760	205.8	972.2	155.1	1023	0	52.9	137
170	all_deer	SUM	002-10	9303	5.4	10.7	5.4	10.7	0	0	0
170	all_deer	SUM	003-10	7966	5	0	5	0	0	0	0
170	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
170	all_deer	SUM	006-10	1778	4.9	0	4.9	0	0	0	0
170	all_deer	SUM	007-10	4842	0	10.5	0	10.5	0	0	0
170	all_deer	SUM	007-13	5509	5.1	10.1	5.1	10.1	0	0	0
170	all_deer	SUM	007-14	2003	4.8	0	4.8	0	0	0	0
170	all_deer	SUM	101-00	835	0	11.8	0	11.8	0	0	0
170	all_deer	SUM	102-00	500	3.7	0	3.7	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
170	all_deer	SUM	130-00	651	4.1	2.8	4.1	2.8	0	0	0
170	all_deer	SUM	132-00	300	0	15.2	0	15.2	0	0	0
170	all_deer	SUM	170-10	2171	111	498	79.3	529.7	0	5.3	0
170	all_deer	SUM	290-20	50	0	2.4	0	2.4	0	0	0
170	all_deer	SUM	699-00	3502	0	8.6	0	8.6	0	0	8.6
170	all_deer	SUM	Deer_A_Only	169380	64.9	442.2	42.8	464.3	0	47.6	134.7
170	all_deer	SUM	SUM	215871	208.9	1017.3	155.1	1071.1	0	52.9	143.2
1XX	all_deer	R	002-10	8803	0	5.4	0	5.4	0	5.4	0
1XX	all_deer	R	122-01	10	0	2.5	0	2.5	0	0	0
1XX	all_deer	R	Deer_A_Only	145081	0	33.3	0	33.3	0	14.3	9.5
1XX	all_deer	R	SUM	153894	0	41.2	0	41.2	0	19.6	9.5
1XX	all_deer	SUM	002-10	8803	0	5.4	0	5.4	0	5.4	0
1XX	all_deer	SUM	122-01	10	0	2.5	0	2.5	0	0	0
1XX	all_deer	SUM	Deer_A_Only	145081	0	33.3	0	33.3	0	14.3	9.5
1XX	all_deer	SUM	SUM	153894	0	41.2	0	41.2	0	19.6	9.5
200	all_deer	N	002-10	500	0	17.5	0	17.5	0	0	0
200	all_deer	N	003-10	845	0	0	0	0	0	0	0
200	all_deer	N	200-00	23	0	9.6	0	9.6	0	0	0
200	all_deer	N	200-01	1	0	0	0	0	0	0	0
200	all_deer	N	202-00	7	0	0	0	0	0	0	0
200	all_deer	N	202-50/Deer_A	17	0	0	0	0	0	0	0
200	all_deer	N	Deer_A_Only	24299	0	18.7	0	18.7	0	6.2	9.3
200	all_deer	N	SUM	25692	0	45.8	0	45.8	0	6.2	9.3
200	all_deer	R	002-10	8803	5.4	96.6	5.4	96.6	0	0	0
200	all_deer	R	003-10	7121	0	5	0	5	0	5	0
200	all_deer	R	124-00	197	0	4.2	0	4.2	0	0	0
200	all_deer	R	200-00	177	8.2	45.3	8.2	45.3	0	0	0
200	all_deer	R	200-01	99	0	20.6	0	20.6	0	0	0
200	all_deer	R	202-00	243	0	3.8	0	3.8	0	0	3.8
200	all_deer	R	202-50/Deer_A	183	0	3.5	0	3.5	0	0	3.5
200	all_deer	R	Deer_A_Only	145081	9.5	195	9.5	190.3	4.8	33.3	61.8
200	all_deer	R	SUM	161904	23.1	374	23.1	369.3	4.8	38.3	69.1
200	all_deer	SUM	002-10	9303	5.4	114.2	5.4	114.2	0	0	0
200	all_deer	SUM	003-10	7966	0	5	0	5	0	5	0
200	all_deer	SUM	124-00	197	0	4.2	0	4.2	0	0	0
200	all_deer	SUM	200-00	200	8.2	54.9	8.2	54.9	0	0	0
200	all_deer	SUM	200-01	100	0	20.6	0	20.6	0	0	0
200	all_deer	SUM	202-00	250	0	3.8	0	3.8	0	0	3.8
200	all_deer	SUM	202-50/Deer_A	200	0	3.5	0	3.5	0	0	3.5
200	all_deer	SUM	Deer_A_Only	169380	9.5	213.7	9.5	208.9	4.8	39.5	71.2
200	all_deer	SUM	SUM	187596	23.1	419.8	23.1	415.1	4.8	44.5	78.4
201	all_deer	N	002-10	500	0	17.5	0	17.5	0	0	0
201	all_deer	N	200-00	23	0	1.9	0	1.9	0	0	0
201	all_deer	N	201-00	10	0	4	0	4	0	0	0
201	all_deer	N	212-10	19	0	0	0	0	0	0	0
201	all_deer	N	260-10	103	0	0	0	0	0	0	0
201	all_deer	N	Deer_A_Only	24299	0	9.3	0	9.3	0	6.2	3.1
201	all_deer	N	SUM	24954	0	32.8	0	32.8	0	6.2	3.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
201	all_deer	R	002-10	8803	10.7	306	10.7	300.6	5.4	0	5.4
201	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
201	all_deer	R	200-00	177	0	0	0	0	0	0	0
201	all_deer	R	201-00	340	0	97.7	0	93.8	3.9	0	7.8
201	all_deer	R	201-01	50	0	3.1	0	3.1	0	0	0
201	all_deer	R	212-10	186	0	4.9	0	4.9	0	0	0
201	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
201	all_deer	R	Deer_A_Only	145081	4.8	575.6	4.8	570.8	4.8	76.1	209.3
201	all_deer	R	SUM	163561	15.5	1000.6	15.5	986.5	14	76.1	222.5
201	all_deer	SUM	002-10	9303	10.7	323.5	10.7	318.1	5.4	0	5.4
201	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
201	all_deer	SUM	200-00	200	0	1.9	0	1.9	0	0	0
201	all_deer	SUM	201-00	350	0	101.7	0	97.8	3.9	0	7.8
201	all_deer	SUM	201-01	50	0	3.1	0	3.1	0	0	0
201	all_deer	SUM	212-10	205	0	4.9	0	4.9	0	0	0
201	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
201	all_deer	SUM	Deer_A_Only	169380	4.8	584.9	4.8	580.1	4.8	82.3	212.4
201	all_deer	SUM	SUM	188515	15.5	1033.4	15.5	1019.3	14	82.3	225.6
202	all_deer	N	002-10	500	0	8.8	0	8.8	0	0	0
202	all_deer	N	201-00	10	0	2	0	2	0	0	0
202	all_deer	N	202-00	7	0	5.2	0	5.2	0	0	0
202	all_deer	N	202-01	1	0	0	0	0	0	0	0
202	all_deer	N	202-02	2	0	1	0	1	0	0	0
202	all_deer	N	202-50/Deer_A	17	0	3.9	0	3.9	0	0	3.9
202	all_deer	N	Deer_A_Only	24299	0	28	0	24.9	3.1	3.1	21.8
202	all_deer	N	SUM	24836	0	49	0	45.8	3.1	3.1	25.7
202	all_deer	R	002-10	8803	10.7	236.2	10.7	236.2	0	10.7	10.7
202	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
202	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
202	all_deer	R	200-01	99	0	4.1	0	4.1	0	0	0
202	all_deer	R	201-00	340	0	3.9	0	3.9	0	0	3.9
202	all_deer	R	202-00	243	0	91.1	0	91.1	0	3.8	3.8
202	all_deer	R	202-01	99	0	23.9	0	23.9	0	0	10.2
202	all_deer	R	202-02	48	0	3.2	0	3.2	0	0	0
202	all_deer	R	202-50/Deer_A	183	0	69.1	0	69.1	0	20.7	34.5
202	all_deer	R	Deer_A_Only	145081	9.5	375.8	9.5	375.8	0	66.6	133.2
202	all_deer	R	SUM	162408	20.2	817.1	20.2	817.1	0	101.8	196.4
202	all_deer	SUM	002-10	9303	10.7	244.9	10.7	244.9	0	10.7	10.7
202	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
202	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
202	all_deer	SUM	200-01	99	0	4.1	0	4.1	0	0	0
202	all_deer	SUM	201-00	350	0	5.9	0	5.9	0	0	3.9
202	all_deer	SUM	202-00	250	0	96.4	0	96.4	0	3.8	3.8
202	all_deer	SUM	202-01	100	0	23.9	0	23.9	0	0	10.2
202	all_deer	SUM	202-02	50	0	4.2	0	4.2	0	0	0
202	all_deer	SUM	202-50/Deer_A	200	0	73	0	73	0	20.7	38.5
202	all_deer	SUM	Deer_A_Only	169380	9.5	403.8	9.5	400.7	3.1	69.7	155
202	all_deer	SUM	SUM	187244	20.2	866.1	20.2	862.9	3.1	105	222.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
203	all_deer	N	002-10	500	0	0	0	0	0	0	0
203	all_deer	N	202-00	7	0	0	0	0	0	0	0
203	all_deer	N	202-50/Deer_A	17	0	1.3	0	1.3	0	0	1.3
203	all_deer	N	203-00	1	0	0	0	0	0	0	0
203	all_deer	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
203	all_deer	N	SUM	24824	0	7.5	0	7.5	0	3.1	4.4
203	all_deer	R	002-10	8803	10.7	252.3	10.7	252.3	0	5.4	0
203	all_deer	R	202-00	243	0	3.8	0	3.8	0	0	0
203	all_deer	R	202-50/Deer_A	183	0	3.5	0	3.5	0	0	0
203	all_deer	R	203-00	99	2.8	30.2	2.8	30.2	0	0	0
203	all_deer	R	Deer_A_Only	145081	19	428.1	19	423.4	4.8	66.6	209.3
203	all_deer	R	SUM	154409	32.5	717.9	32.5	713.1	4.8	72	209.3
203	all_deer	SUM	002-10	9303	10.7	252.3	10.7	252.3	0	5.4	0
203	all_deer	SUM	202-00	250	0	3.8	0	3.8	0	0	0
203	all_deer	SUM	202-50/Deer_A	200	0	4.8	0	4.8	0	0	1.3
203	all_deer	SUM	203-00	100	2.8	30.2	2.8	30.2	0	0	0
203	all_deer	SUM	Deer_A_Only	169380	19	434.3	19	429.6	4.8	69.7	212.4
203	all_deer	SUM	SUM	179233	32.5	725.4	32.5	720.7	4.8	75.1	213.7
204	all_deer	N	002-10	500	0	4.4	0	4.4	0	0	0
204	all_deer	N	005-10	290	0	0	0	0	0	0	0
204	all_deer	N	201-00	10	0	0	0	0	0	0	0
204	all_deer	N	204-40/Deer_A	17	0	5.7	0	5.7	0	5.7	0
204	all_deer	N	250-40/Deer_A	258	0	0	0	0	0	0	0
204	all_deer	N	260-10	103	0	0	0	0	0	0	0
204	all_deer	N	260-20	10	0	0	0	0	0	0	0
204	all_deer	N	260-30	3	0	0	0	0	0	0	0
204	all_deer	N	680-00	88	0	0	0	0	0	0	0
204	all_deer	N	Deer_A_Only	24299	3.1	3.1	0	6.2	0	3.1	3.1
204	all_deer	N	SUM	25578	3.1	13.2	0	16.3	0	8.8	3.1
204	all_deer	R	002-10	8803	10.7	85.9	5.4	91.3	0	16.1	0
204	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0
204	all_deer	R	201-00	340	0	3.9	0	3.9	0	0	3.9
204	all_deer	R	204-00	50	0	4.2	4.2	0	0	0	4.2
204	all_deer	R	204-40/Deer_A	426	4.5	117.8	0	122.4	0	54.4	45.3
204	all_deer	R	250-40/Deer_A	730	0	4.4	0	4.4	0	0	4.4
204	all_deer	R	260-10	3415	24.7	8.2	24.7	8.2	0	0	0
204	all_deer	R	260-20	290	0	3.8	0	3.8	0	0	0
204	all_deer	R	260-30	830	0	0	0	0	0	0	0
204	all_deer	R	680-00	412	0	5.4	0	5.4	0	0	0
204	all_deer	R	Deer_A_Only	145081	9.5	242.6	14.3	233.1	4.8	61.8	76.1
204	all_deer	R	SUM	162967	49.5	480.9	48.6	477.2	4.8	132.3	133.9
204	all_deer	SUM	002-10	9303	10.7	90.3	5.4	95.6	0	16.1	0
204	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
204	all_deer	SUM	201-00	350	0	3.9	0	3.9	0	0	3.9
204	all_deer	SUM	204-00	50	0	4.2	4.2	0	0	0	4.2
204	all_deer	SUM	204-40/Deer_A	443	4.5	123.5	0	128	0	60	45.3
204	all_deer	SUM	250-40/Deer_A	988	0	4.4	0	4.4	0	0	4.4
204	all_deer	SUM	260-10	3518	24.7	8.2	24.7	8.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
204	all_deer	SUM	260-20	300	0	3.8	0	3.8	0	0	0
204	all_deer	SUM	260-30	833	0	0	0	0	0	0	0
204	all_deer	SUM	680-00	500	0	5.4	0	5.4	0	0	0
204	all_deer	SUM	Deer_A_Only	169380	12.6	245.7	14.3	239.3	4.8	64.9	79.2
204	all_deer	SUM	SUM	188545	52.6	494.1	48.6	493.4	4.8	141.1	137
210	all_deer	N	002-10	500	0	8.8	0	8.8	0	0	0
210	all_deer	N	170-10	57	0	0	0	0	0	0	0
210	all_deer	N	201-00	10	0	0	0	0	0	0	0
210	all_deer	N	202-50/Deer_A	17	0	0	0	0	0	0	0
210	all_deer	N	210-00	10	0	0	0	0	0	0	0
210	all_deer	N	210-50/Deer_A	5	0	3.3	0	3.3	0	0	3.3
210	all_deer	N	212-01	17	0	2.8	0	2.8	0	0	0
210	all_deer	N	Deer_A_Only	24299	6.2	12.4	6.2	12.4	0	6.2	3.1
210	all_deer	N	SUM	24915	6.2	27.4	6.2	27.4	0	6.2	6.4
210	all_deer	R	002-10	8803	10.7	69.8	5.4	75.1	0	16.1	5.4
210	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
210	all_deer	R	201-00	340	0	3.9	0	3.9	0	0	3.9
210	all_deer	R	202-50/Deer_A	183	0	3.5	0	3.5	0	0	3.5
210	all_deer	R	210-00	190	0	52.6	0	52.6	0	2.9	2.9
210	all_deer	R	210-50/Deer_A	95	0	50.1	0	50.1	0	15.8	34.3
210	all_deer	R	212-00	50	2.5	0	2.5	0	0	0	2.5
210	all_deer	R	212-01	133	0	0	0	0	0	0	0
210	all_deer	R	Deer_A_Only	145081	9.5	157	4.8	157	4.8	57.1	38.1
210	all_deer	R	SUM	156989	22.7	342.2	12.6	347.5	4.8	91.9	95.8
210	all_deer	SUM	002-10	9303	10.7	78.6	5.4	83.9	0	16.1	5.4
210	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
210	all_deer	SUM	201-00	350	0	3.9	0	3.9	0	0	3.9
210	all_deer	SUM	202-50/Deer_A	200	0	3.5	0	3.5	0	0	3.5
210	all_deer	SUM	210-00	200	0	52.6	0	52.6	0	2.9	2.9
210	all_deer	SUM	210-50/Deer_A	100	0	53.5	0	53.5	0	15.8	37.6
210	all_deer	SUM	212-00	50	2.5	0	2.5	0	0	0	2.5
210	all_deer	SUM	212-01	150	0	2.8	0	2.8	0	0	0
210	all_deer	SUM	Deer_A_Only	169380	15.7	169.4	11	169.4	4.8	63.3	41.2
210	all_deer	SUM	SUM	181904	29	369.5	18.8	374.9	4.8	98.2	102.2
211	all_deer	N	002-10	500	0	0	0	0	0	0	0
211	all_deer	N	324-50/Deer_A	5	0	0	0	0	0	0	0
211	all_deer	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	0
211	all_deer	N	SUM	24804	0	3.1	0	3.1	0	0	0
211	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
211	all_deer	R	324-50/Deer_A	45	0	2.6	0	2.6	0	0	2.6
211	all_deer	R	Deer_A_Only	145081	4.8	42.8	4.8	42.8	0	14.3	28.5
211	all_deer	R	SUM	153929	4.8	50.8	4.8	50.8	0	14.3	31.2
211	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
211	all_deer	SUM	324-50/Deer_A	50	0	2.6	0	2.6	0	0	2.6
211	all_deer	SUM	Deer_A_Only	169380	4.8	45.9	4.8	45.9	0	14.3	28.5
211	all_deer	SUM	SUM	178733	4.8	53.9	4.8	53.9	0	14.3	31.2
212	all_deer	N	002-10	500	0	0	0	0	0	0	0
212	all_deer	N	212-01	17	0	8.5	0	8.5	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
212	all_deer	N	212-10	19	4.8	0	4.8	0	0	4.8	0
212	all_deer	N	240-40/Deer_A	56	0	0	0	0	0	0	0
212	all_deer	N	Deer_A_Only	24299	6.2	18.7	3.1	21.8	0	9.3	12.4
212	all_deer	N	SUM	24891	11	27.2	7.9	30.3	0	14.1	12.4
212	all_deer	R	002-10	8803	10.7	53.7	10.7	53.7	0	0	0
212	all_deer	R	212-00	50	0	22.5	0	22.5	0	0	0
212	all_deer	R	212-01	133	0	33.2	0	33.2	0	0	7.4
212	all_deer	R	212-10	186	9.8	4.9	9.8	4.9	0	0	0
212	all_deer	R	240-40/Deer_A	557	0	5	0	5	0	0	5
212	all_deer	R	Deer_A_Only	145081	23.8	290.2	23.8	290.2	0	109.4	90.4
212	all_deer	R	SUM	154810	44.3	409.5	44.3	409.5	0	109.4	102.8
212	all_deer	SUM	002-10	9303	10.7	53.7	10.7	53.7	0	0	0
212	all_deer	SUM	212-00	50	0	22.5	0	22.5	0	0	0
212	all_deer	SUM	212-01	150	0	41.8	0	41.8	0	0	7.4
212	all_deer	SUM	212-10	205	14.5	4.9	14.5	4.9	0	4.8	0
212	all_deer	SUM	240-40/Deer_A	613	0	5	0	5	0	0	5
212	all_deer	SUM	Deer_A_Only	169380	30	308.8	26.9	311.9	0	118.7	102.8
212	all_deer	SUM	SUM	179701	55.3	436.7	52.2	439.8	0	123.5	115.2
213	all_deer	N	002-10	500	0	0	0	0	0	0	0
213	all_deer	N	213-00	3	0	0	0	0	0	0	0
213	all_deer	N	312-00	12	0	1.7	0	1.7	0	1.7	0
213	all_deer	N	Deer_A_Only	24299	0	3.1	0	3.1	0	3.1	0
213	all_deer	N	SUM	24814	0	4.8	0	4.8	0	4.8	0
213	all_deer	R	002-10	8803	5.4	26.8	5.4	26.8	0	0	0
213	all_deer	R	213-00	47	0	3.1	0	3.1	0	0	0
213	all_deer	R	312-00	238	0	0	0	0	0	0	0
213	all_deer	R	Deer_A_Only	145081	0	76.1	0	76.1	0	33.3	14.3
213	all_deer	R	SUM	154169	5.4	106.1	5.4	106.1	0	33.3	14.3
213	all_deer	SUM	002-10	9303	5.4	26.8	5.4	26.8	0	0	0
213	all_deer	SUM	213-00	50	0	3.1	0	3.1	0	0	0
213	all_deer	SUM	312-00	250	0	1.7	0	1.7	0	1.7	0
213	all_deer	SUM	Deer_A_Only	169380	0	79.2	0	79.2	0	36.4	14.3
213	all_deer	SUM	SUM	178983	5.4	110.9	5.4	110.9	0	38.1	14.3
214	all_deer	N	002-10	500	0	4.4	0	4.4	0	0	0
214	all_deer	N	Deer_A_Only	24299	3.1	3.1	3.1	3.1	0	0	0
214	all_deer	N	SUM	24799	3.1	7.5	3.1	7.5	0	0	0
214	all_deer	R	002-10	8803	0	16.1	0	16.1	0	0	0
214	all_deer	R	Deer_A_Only	145081	0	57.1	0	57.1	0	28.5	9.5
214	all_deer	R	SUM	153884	0	73.2	0	73.2	0	28.5	9.5
214	all_deer	SUM	002-10	9303	0	20.5	0	20.5	0	0	0
214	all_deer	SUM	Deer_A_Only	169380	3.1	60.2	3.1	60.2	0	28.5	9.5
214	all_deer	SUM	SUM	178683	3.1	80.7	3.1	80.7	0	28.5	9.5
215	all_deer	N	002-10	500	0	4.4	0	4.4	0	0	0
215	all_deer	N	343-40/Deer_A	20	0	0	0	0	0	0	0
215	all_deer	N	Deer_A_Only	24299	3.1	18.7	3.1	18.7	0	12.4	9.3
215	all_deer	N	SUM	24819	3.1	23.1	3.1	23.1	0	12.4	9.3
215	all_deer	R	002-10	8803	0	75.1	0	75.1	0	0	0
215	all_deer	R	343-40/Deer_A	467	0	3.9	0	3.9	0	3.9	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
215	all_deer	R	Deer_A_Only	145081	0	209.3	0	209.3	0	57.1	90.4
215	all_deer	R	SUM	154351	0	288.3	0	288.3	0	60.9	90.4
215	all_deer	SUM	002-10	9303	0	79.5	0	79.5	0	0	0
215	all_deer	SUM	343-40/Deer_A	487	0	3.9	0	3.9	0	3.9	0
215	all_deer	SUM	Deer_A_Only	169380	3.1	228	3.1	228	0	69.5	99.7
215	all_deer	SUM	SUM	179170	3.1	311.4	3.1	311.4	0	73.4	99.7
216	all_deer	N	002-10	500	0	0	0	0	0	0	0
216	all_deer	N	216-00	1	0	1	0	1	0	0	1
216	all_deer	N	260-10	103	3.7	0	3.7	0	0	0	0
216	all_deer	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
216	all_deer	N	SUM	24903	3.7	7.2	3.7	7.2	0	0	7.2
216	all_deer	R	002-10	8803	0	21.5	0	21.5	0	0	0
216	all_deer	R	216-00	19	0	6.3	0	6.3	0	2.1	0
216	all_deer	R	260-10	3415	0	0	0	0	0	0	0
216	all_deer	R	Deer_A_Only	145081	0	71.4	0	71.4	0	14.3	42.8
216	all_deer	R	SUM	157318	0	99.2	0	99.2	0	16.4	42.8
216	all_deer	SUM	002-10	9303	0	21.5	0	21.5	0	0	0
216	all_deer	SUM	216-00	20	0	7.3	0	7.3	0	2.1	1
216	all_deer	SUM	260-10	3518	3.7	0	3.7	0	0	0	0
216	all_deer	SUM	Deer_A_Only	169380	0	77.6	0	77.6	0	14.3	49
216	all_deer	SUM	SUM	182221	3.7	106.4	3.7	106.4	0	16.4	50
240	all_deer	N	002-10	500	4.4	4.4	0	8.8	0	0	0
240	all_deer	N	210-00	10	0	0	0	0	0	0	0
240	all_deer	N	240-40/Deer_A	56	0	6.2	0	6.2	0	3.1	3.1
240	all_deer	N	250-40/Deer_A	258	0	3.1	0	3.1	0	0	3.1
240	all_deer	N	260-10	103	3.7	0	3.7	0	0	0	0
240	all_deer	N	260-20	10	0	0	0	0	0	0	0
240	all_deer	N	260-30	3	0	0	0	0	0	0	0
240	all_deer	N	270-00	2	0	0	0	0	0	0	0
240	all_deer	N	270-01	7	0	0	0	0	0	0	0
240	all_deer	N	320-10	23	0	0	0	0	0	0	0
240	all_deer	N	333-01	23	0	0	0	0	0	0	0
240	all_deer	N	Deer_A_Only	24299	3.1	12.4	3.1	12.4	0	0	3.1
240	all_deer	N	SUM	25294	11.2	26.1	6.8	30.5	0	3.1	9.3
240	all_deer	R	002-10	8803	16.1	236.2	21.5	225.4	5.4	16.1	5.4
240	all_deer	R	004-10	7081	0	4.9	0	4.9	0	4.9	0
240	all_deer	R	007-13	5509	5.1	0	5.1	0	0	0	0
240	all_deer	R	007-14	2003	4.8	0	4.8	0	0	0	0
240	all_deer	R	210-00	190	2.9	0	0	2.9	0	0	2.9
240	all_deer	R	240-40/Deer_A	557	10	150.5	10	145.5	5	70.3	55.2
240	all_deer	R	250-40/Deer_A	730	13.2	0	8.8	4.4	0	0	0
240	all_deer	R	260-10	3415	49.5	8.2	33	24.7	0	0	8.2
240	all_deer	R	260-20	290	3.8	3.8	3.8	3.8	0	0	3.8
240	all_deer	R	260-30	830	0	23.1	0	11.5	11.5	5.8	5.8
240	all_deer	R	270-00	98	3	0	3	0	0	0	0
240	all_deer	R	270-01	193	0	3.3	0	3.3	0	0	0
240	all_deer	R	320-10	722	0	7.7	0	7.7	0	0	0
240	all_deer	R	333-01	278	0	3.7	0	3.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
240	all_deer	R	Deer_A_Only	145081	33.3	480.4	19	489.9	4.8	109.4	190.3
240	all_deer	R	SUM	175780	141.6	921.8	108.9	927.8	26.7	206.4	271.5
240	all_deer	SUM	002-10	9303	20.5	240.6	21.5	234.2	5.4	16.1	5.4
240	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	4.9	0
240	all_deer	SUM	007-13	5509	5.1	0	5.1	0	0	0	0
240	all_deer	SUM	007-14	2003	4.8	0	4.8	0	0	0	0
240	all_deer	SUM	210-00	200	2.9	0	0	2.9	0	0	2.9
240	all_deer	SUM	240-40/Deer_A	613	10	156.8	10	151.7	5	73.4	58.3
240	all_deer	SUM	250-40/Deer_A	988	13.2	3.1	8.8	7.5	0	0	3.1
240	all_deer	SUM	260-10	3518	53.2	8.2	36.7	24.7	0	0	8.2
240	all_deer	SUM	260-20	300	3.8	3.8	3.8	3.8	0	0	3.8
240	all_deer	SUM	260-30	833	0	23.1	0	11.5	11.5	5.8	5.8
240	all_deer	SUM	270-00	100	3	0	3	0	0	0	0
240	all_deer	SUM	270-01	200	0	3.3	0	3.3	0	0	0
240	all_deer	SUM	320-10	745	0	7.7	0	7.7	0	0	0
240	all_deer	SUM	333-01	301	0	3.7	0	3.7	0	0	0
240	all_deer	SUM	Deer_A_Only	169380	36.4	492.9	22.1	502.4	4.8	109.4	193.4
240	all_deer	SUM	SUM	201074	152.8	947.9	115.7	958.4	26.7	209.5	280.8
250	all_deer	N	002-10	500	0	8.8	0	8.8	0	4.4	0
250	all_deer	N	250-40/Deer_A	258	6.1	61.4	6.1	61.4	0	30.7	36.9
250	all_deer	N	260-10	103	0	0	0	0	0	0	0
250	all_deer	N	260-30	3	0	0	0	0	0	0	0
250	all_deer	N	Deer_A_Only	24299	0	15.6	0	15.6	0	6.2	6.2
250	all_deer	N	SUM	25163	6.1	85.8	6.1	85.8	0	41.3	43.1
250	all_deer	R	002-10	8803	10.7	75.1	16.1	69.8	0	10.7	10.7
250	all_deer	R	004-10	7081	0	4.9	0	4.9	0	4.9	0
250	all_deer	R	250-40/Deer_A	730	4.4	109.9	4.4	109.9	0	70.4	26.4
250	all_deer	R	260-10	3415	16.5	8.2	16.5	8.2	0	0	8.2
250	all_deer	R	260-30	830	5.8	0	5.8	0	0	0	0
250	all_deer	R	Deer_A_Only	145081	0	133.2	9.5	123.7	0	28.5	47.6
250	all_deer	R	SUM	165940	37.4	331.4	52.3	316.5	0	114.5	92.9
250	all_deer	SUM	002-10	9303	10.7	83.9	16.1	78.6	0	15.1	10.7
250	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	4.9	0
250	all_deer	SUM	250-40/Deer_A	988	10.5	171.4	10.5	171.4	0	101.1	63.2
250	all_deer	SUM	260-10	3518	16.5	8.2	16.5	8.2	0	0	8.2
250	all_deer	SUM	260-30	833	5.8	0	5.8	0	0	0	0
250	all_deer	SUM	Deer_A_Only	169380	0	148.7	9.5	139.2	0	34.8	53.8
250	all_deer	SUM	SUM	191103	43.5	417.1	58.4	402.3	0	155.8	136
260	all_deer	N	002-10	500	0	0	0	0	0	0	0
260	all_deer	N	003-10	845	0	0	0	0	0	0	0
260	all_deer	N	007-10	1330	0	0	0	0	0	0	0
260	all_deer	N	201-00	10	0	0	0	0	0	0	0
260	all_deer	N	204-40/Deer_A	17	0	0	0	0	0	0	0
260	all_deer	N	210-00	10	0	0	0	0	0	0	0
260	all_deer	N	212-01	17	0	0	0	0	0	0	0
260	all_deer	N	240-40/Deer_A	56	0	0	0	0	0	0	0
260	all_deer	N	250-40/Deer_A	258	0	0	0	0	0	0	0
260	all_deer	N	260-10	103	7.4	11	11	7.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
260	all_deer	N	260-20	10	0	0	0	0	0	0	0
260	all_deer	N	260-30	3	0	0	0	0	0	0	0
260	all_deer	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	0
260	all_deer	N	SUM	27458	7.4	14.1	11	10.5	0	0	0
260	all_deer	R	002-10	8803	102	37.6	75.1	42.9	21.5	0	16.1
260	all_deer	R	003-10	7121	5	5	5	5	0	0	0
260	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
260	all_deer	R	007-10	3512	5.3	0	0	0	5.3	0	0
260	all_deer	R	007-13	5509	5.1	5.1	0	0	10.1	0	0
260	all_deer	R	124-00	197	4.2	0	0	0	4.2	0	0
260	all_deer	R	201-00	340	3.9	0	0	3.9	0	0	0
260	all_deer	R	201-01	50	0	3.1	0	0	3.1	0	0
260	all_deer	R	204-40/Deer_A	426	9.1	9.1	9.1	4.5	4.5	0	4.5
260	all_deer	R	210-00	190	2.9	0	2.9	0	0	0	0
260	all_deer	R	212-01	133	3.7	0	3.7	0	0	0	0
260	all_deer	R	240-40/Deer_A	557	10	5	5	10	0	0	5
260	all_deer	R	250-40/Deer_A	730	8.8	8.8	8.8	8.8	0	0	8.8
260	all_deer	R	260-10	3415	585.7	222.7	420.7	313.5	74.2	16.5	24.7
260	all_deer	R	260-20	290	49	15.1	33.9	26.4	3.8	7.5	26.4
260	all_deer	R	260-30	830	46.1	115.3	46.1	28.8	86.5	0	0
260	all_deer	R	291-00	98	2.9	0	2.9	0	0	0	0
260	all_deer	R	Deer_A_Only	145081	275.9	147.5	176	199.8	47.6	23.8	66.6
260	all_deer	R	SUM	184363	1119.5	579	789.2	648.5	260.7	47.8	152.2
260	all_deer	SUM	002-10	9303	102	37.6	75.1	42.9	21.5	0	16.1
260	all_deer	SUM	003-10	7966	5	5	5	5	0	0	0
260	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
260	all_deer	SUM	007-10	4842	5.3	0	0	0	5.3	0	0
260	all_deer	SUM	007-13	5509	5.1	5.1	0	0	10.1	0	0
260	all_deer	SUM	124-00	197	4.2	0	0	0	4.2	0	0
260	all_deer	SUM	201-00	350	3.9	0	0	3.9	0	0	0
260	all_deer	SUM	201-01	50	0	3.1	0	0	3.1	0	0
260	all_deer	SUM	204-40/Deer_A	443	9.1	9.1	9.1	4.5	4.5	0	4.5
260	all_deer	SUM	210-00	200	2.9	0	2.9	0	0	0	0
260	all_deer	SUM	212-01	150	3.7	0	3.7	0	0	0	0
260	all_deer	SUM	240-40/Deer_A	613	10	5	5	10	0	0	5
260	all_deer	SUM	250-40/Deer_A	988	8.8	8.8	8.8	8.8	0	0	8.8
260	all_deer	SUM	260-10	3518	593	233.8	431.7	320.8	74.2	16.5	24.7
260	all_deer	SUM	260-20	300	49	15.1	33.9	26.4	3.8	7.5	26.4
260	all_deer	SUM	260-30	833	46.1	115.3	46.1	28.8	86.5	0	0
260	all_deer	SUM	291-00	98	2.9	0	2.9	0	0	0	0
260	all_deer	SUM	Deer_A_Only	169380	275.9	150.6	176	202.9	47.6	23.8	66.6
260	all_deer	SUM	SUM	211821	1126.8	593.2	800.3	659	260.7	47.8	152.2
261	all_deer	N	002-10	500	0	0	0	0	0	0	0
261	all_deer	N	240-40/Deer_A	56	0	0	0	0	0	0	0
261	all_deer	N	260-10	103	3.7	0	3.7	0	0	0	0
261	all_deer	N	260-30	3	0	0	0	0	0	0	0
261	all_deer	N	261-01	3	0	0	0	0	0	0	0
261	all_deer	N	261-50/Deer_A	1	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
261	all_deer	N	Deer_A_Only	24299	0	3.1	0	3.1	0	3.1	0
261	all_deer	N	SUM	24965	3.7	3.1	3.7	3.1	0	3.1	0
261	all_deer	R	002-10	8803	5.4	37.6	5.4	37.6	0	0	0
261	all_deer	R	007-13	5509	5.1	0	5.1	0	0	5.1	0
261	all_deer	R	240-40/Deer_A	557	0	5	0	5	0	0	0
261	all_deer	R	260-10	3415	8.2	8.2	8.2	8.2	0	8.2	8.2
261	all_deer	R	260-30	830	0	11.5	0	0	11.5	0	0
261	all_deer	R	261-01	72	0	33	0	33	0	0	0
261	all_deer	R	261-50/Deer_A	24	1.8	20.3	1.8	20.3	0	1.8	20.3
261	all_deer	R	Deer_A_Only	145081	9.5	190.3	9.5	176	14.3	28.5	71.4
261	all_deer	R	SUM	164291	30	305.9	30	280.1	25.8	43.7	99.9
261	all_deer	SUM	002-10	9303	5.4	37.6	5.4	37.6	0	0	0
261	all_deer	SUM	007-13	5509	5.1	0	5.1	0	0	5.1	0
261	all_deer	SUM	240-40/Deer_A	613	0	5	0	5	0	0	0
261	all_deer	SUM	260-10	3518	11.9	8.2	11.9	8.2	0	8.2	8.2
261	all_deer	SUM	260-30	833	0	11.5	0	0	11.5	0	0
261	all_deer	SUM	261-01	75	0	33	0	33	0	0	0
261	all_deer	SUM	261-50/Deer_A	25	1.8	20.3	1.8	20.3	0	1.8	20.3
261	all_deer	SUM	Deer_A_Only	169380	9.5	193.4	9.5	179.1	14.3	31.7	71.4
261	all_deer	SUM	SUM	189256	33.7	309.1	33.7	283.3	25.8	46.8	99.9
270	all_deer	N	002-10	500	0	0	0	0	0	0	0
270	all_deer	N	170-10	57	0	0	0	0	0	0	0
270	all_deer	N	240-40/Deer_A	56	0	0	0	0	0	0	0
270	all_deer	N	250-40/Deer_A	258	0	9.2	0	9.2	0	6.1	0
270	all_deer	N	260-10	103	3.7	0	3.7	0	0	0	0
270	all_deer	N	260-20	10	0	5	0	5	0	0	5
270	all_deer	N	260-30	3	0	0	0	0	0	0	0
270	all_deer	N	270-00	2	2	0	2	0	0	0	0
270	all_deer	N	270-01	7	0	3.5	0	3.5	0	0	0
270	all_deer	N	270-50/Deer_A	10	2.5	7.5	2.5	7.5	0	0	10
270	all_deer	N	312-00	12	0	0	0	0	0	0	0
270	all_deer	N	325-01	15	0	0	0	0	0	0	0
270	all_deer	N	Deer_A_Only	24299	0	31.1	0	31.1	0	3.1	24.9
270	all_deer	N	SUM	25332	8.2	56.3	8.2	56.3	0	9.3	39.9
270	all_deer	R	002-10	8803	0	112.7	0	112.7	0	0	5.4
270	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
270	all_deer	R	170-10	2114	5.3	0	5.3	0	0	0	0
270	all_deer	R	240-40/Deer_A	557	5	20.1	5	20.1	0	0	0
270	all_deer	R	250-40/Deer_A	730	4.4	22	4.4	17.6	4.4	0	0
270	all_deer	R	260-10	3415	16.5	41.2	16.5	41.2	0	0	24.7
270	all_deer	R	260-20	290	0	11.3	0	11.3	0	0	11.3
270	all_deer	R	260-30	830	5.8	23.1	5.8	11.5	11.5	0	17.3
270	all_deer	R	270-00	98	8.9	35.6	8.9	35.6	0	0	3
270	all_deer	R	270-01	193	6.7	63.2	6.7	63.2	0	0	3.3
270	all_deer	R	270-02	50	0	25	0	25	0	0	0
270	all_deer	R	270-50/Deer_A	90	6	66	6	63	3	6	63
270	all_deer	R	312-00	238	3.4	0	3.4	0	0	0	3.4
270	all_deer	R	325-01	135	0	5.2	0	5.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
270	all_deer	R	Deer_A_Only	145081	9.5	261.6	14.3	252.1	4.8	52.3	57.1
270	all_deer	R	SUM	164144	71.4	692.3	76.1	663.8	23.7	58.3	188.4
270	all_deer	SUM	002-10	9303	0	112.7	0	112.7	0	0	5.4
270	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
270	all_deer	SUM	170-10	2171	5.3	0	5.3	0	0	0	0
270	all_deer	SUM	240-40/Deer_A	613	5	20.1	5	20.1	0	0	0
270	all_deer	SUM	250-40/Deer_A	988	4.4	31.2	4.4	26.8	4.4	6.1	0
270	all_deer	SUM	260-10	3518	20.2	41.2	20.2	41.2	0	0	24.7
270	all_deer	SUM	260-20	300	0	16.3	0	16.3	0	0	16.3
270	all_deer	SUM	260-30	833	5.8	23.1	5.8	11.5	11.5	0	17.3
270	all_deer	SUM	270-00	100	10.9	35.6	10.9	35.6	0	0	3
270	all_deer	SUM	270-01	200	6.7	66.7	6.7	66.7	0	0	3.3
270	all_deer	SUM	270-02	50	0	25	0	25	0	0	0
270	all_deer	SUM	270-50/Deer_A	100	8.5	73.5	8.5	70.5	3	6	73
270	all_deer	SUM	312-00	250	3.4	0	3.4	0	0	0	3.4
270	all_deer	SUM	325-01	150	0	5.2	0	5.2	0	0	0
270	all_deer	SUM	Deer_A_Only	169380	9.5	292.7	14.3	283.2	4.8	55.4	82
270	all_deer	SUM	SUM	189476	79.6	748.6	84.3	720.2	23.7	67.6	228.3
280	all_deer	N	002-10	500	0	4.4	0	4.4	0	0	0
280	all_deer	N	281-00	6	0	0	0	0	0	0	0
280	all_deer	N	Deer_A_Only	24299	0	15.6	6.2	9.3	0	3.1	12.4
280	all_deer	N	SUM	24805	0	19.9	6.2	13.7	0	3.1	12.4
280	all_deer	R	002-10	8803	0	0	0	0	0	0	0
280	all_deer	R	281-00	94	0	2.2	0	2.2	0	0	0
280	all_deer	R	Deer_A_Only	145081	0	14.3	0	14.3	0	4.8	4.8
280	all_deer	R	SUM	153978	0	16.5	0	16.5	0	4.8	4.8
280	all_deer	SUM	002-10	9303	0	4.4	0	4.4	0	0	0
280	all_deer	SUM	281-00	100	0	2.2	0	2.2	0	0	0
280	all_deer	SUM	Deer_A_Only	169380	0	29.8	6.2	23.6	0	7.9	17.2
280	all_deer	SUM	SUM	178783	0	36.4	6.2	30.2	0	7.9	17.2
281	all_deer	N	002-10	500	0	4.4	0	4.4	0	4.4	0
281	all_deer	N	005-10	290	0	0	0	0	0	0	0
281	all_deer	N	102-00	8	0	0	0	0	0	0	0
281	all_deer	N	202-01	1	0	0	0	0	0	0	0
281	all_deer	N	210-00	10	0	0	0	0	0	0	0
281	all_deer	N	260-10	103	0	0	0	0	0	0	0
281	all_deer	N	270-01	7	0	0	0	0	0	0	0
281	all_deer	N	281-00	6	0	0	0	0	0	0	0
281	all_deer	N	281-01	6	0	2.4	0	2.4	0	1.2	0
281	all_deer	N	281-40/Deer_A	47	4.3	6.4	4.3	6.4	0	4.3	6.4
281	all_deer	N	426-00	94	0	0	0	0	0	0	0
281	all_deer	N	Deer_A_Only	24299	0	15.6	3.1	12.4	0	0	15.6
281	all_deer	N	SUM	25371	4.3	28.8	7.4	25.6	0	9.9	22
281	all_deer	R	002-10	8803	0	123.5	0	123.5	0	5.4	21.5
281	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0
281	all_deer	R	102-00	492	0	3.7	0	3.7	0	3.7	0
281	all_deer	R	202-01	99	0	3.4	0	3.4	0	0	0
281	all_deer	R	210-00	190	0	2.9	0	2.9	0	0	2.9

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
281	all_deer	R	260-10	3415	0	8.2	0	8.2	0	8.2	0
281	all_deer	R	270-01	193	0	3.3	0	3.3	0	0	0
281	all_deer	R	281-00	94	0	26.2	0	26.2	0	0	4.4
281	all_deer	R	281-01	94	0	25.9	0	25.9	0	0	3.2
281	all_deer	R	281-40/Deer_A	440	4.7	98.3	4.7	98.3	0	28.1	65.5
281	all_deer	R	426-00	456	0	5.4	0	5.4	0	5.4	0
281	all_deer	R	Deer_A_Only	145081	0	204.5	0	199.8	4.8	14.3	95.1
281	all_deer	R	SUM	161947	4.7	510.2	4.7	505.5	4.8	65	192.7
281	all_deer	SUM	002-10	9303	0	127.8	0	127.8	0	9.8	21.5
281	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
281	all_deer	SUM	102-00	500	0	3.7	0	3.7	0	3.7	0
281	all_deer	SUM	202-01	100	0	3.4	0	3.4	0	0	0
281	all_deer	SUM	210-00	200	0	2.9	0	2.9	0	0	2.9
281	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	8.2	0
281	all_deer	SUM	270-01	200	0	3.3	0	3.3	0	0	0
281	all_deer	SUM	281-00	100	0	26.2	0	26.2	0	0	4.4
281	all_deer	SUM	281-01	100	0	28.3	0	28.3	0	1.2	3.2
281	all_deer	SUM	281-40/Deer_A	487	9	104.7	9	104.7	0	32.4	71.9
281	all_deer	SUM	426-00	550	0	5.4	0	5.4	0	5.4	0
281	all_deer	SUM	Deer_A_Only	169380	0	220.1	3.1	212.2	4.8	14.3	110.7
281	all_deer	SUM	SUM	187318	9	539	12.1	531.1	4.8	74.9	214.6
282	all_deer	N	002-10	500	0	0	0	0	0	0	0
282	all_deer	N	260-10	103	0	0	0	0	0	0	0
282	all_deer	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
282	all_deer	N	SUM	24902	0	3.1	0	3.1	0	0	3.1
282	all_deer	R	002-10	8803	10.7	21.5	21.5	10.7	0	0	0
282	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
282	all_deer	R	260-10	3415	8.2	0	8.2	0	0	0	0
282	all_deer	R	282-00	50	3.3	23.3	20	6.7	0	0	0
282	all_deer	R	Deer_A_Only	145081	9.5	71.4	19	61.8	0	19	19
282	all_deer	R	SUM	164430	31.8	121	68.7	84.1	0	19	19
282	all_deer	SUM	002-10	9303	10.7	21.5	21.5	10.7	0	0	0
282	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
282	all_deer	SUM	260-10	3518	8.2	0	8.2	0	0	0	0
282	all_deer	SUM	282-00	50	3.3	23.3	20	6.7	0	0	0
282	all_deer	SUM	Deer_A_Only	169380	9.5	74.5	19	64.9	0	19	22.1
282	all_deer	SUM	SUM	189332	31.8	124.1	68.7	87.2	0	19	22.1
283	all_deer	N	002-10	500	0	8.8	0	8.8	0	0	0
283	all_deer	N	260-10	103	0	0	0	0	0	0	0
283	all_deer	N	283-00	2	0	0	0	0	0	0	0
283	all_deer	N	292-40/Deer_A	56	0	0	0	0	0	0	0
283	all_deer	N	411-00	173	0	0	0	0	0	0	0
283	all_deer	N	412-00	177	0	0	0	0	0	0	0
283	all_deer	N	448-00	31	0	0	0	0	0	0	0
283	all_deer	N	Deer_A_Only	24299	0	31.1	0	31.1	0	6.2	18.7
283	all_deer	N	SUM	25341	0	39.9	0	39.9	0	6.2	18.7
283	all_deer	R	002-10	8803	26.8	225.4	16.1	225.4	10.7	5.4	5.4
283	all_deer	R	260-10	3415	16.5	8.2	16.5	8.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
283	all_deer	R	283-00	98	0	28.6	0	28.6	0	4.1	0
283	all_deer	R	283-01	100	0	25.7	0	25.7	0	0	0
283	all_deer	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	4.8
283	all_deer	R	411-00	633	0	5.1	0	5.1	0	0	0
283	all_deer	R	412-00	623	0	6.4	0	6.4	0	0	0
283	all_deer	R	448-00	158	3.7	0	3.7	0	0	0	0
283	all_deer	R	Deer_A_Only	145081	23.8	380.5	14.3	385.3	4.8	85.6	147.5
283	all_deer	R	SUM	159841	70.8	684.9	50.5	689.7	15.5	95.1	157.7
283	all_deer	SUM	002-10	9303	26.8	234.2	16.1	234.2	10.7	5.4	5.4
283	all_deer	SUM	260-10	3518	16.5	8.2	16.5	8.2	0	0	0
283	all_deer	SUM	283-00	100	0	28.6	0	28.6	0	4.1	0
283	all_deer	SUM	283-01	100	0	25.7	0	25.7	0	0	0
283	all_deer	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	4.8
283	all_deer	SUM	411-00	806	0	5.1	0	5.1	0	0	0
283	all_deer	SUM	412-00	800	0	6.4	0	6.4	0	0	0
283	all_deer	SUM	448-00	189	3.7	0	3.7	0	0	0	0
283	all_deer	SUM	Deer_A_Only	169380	23.8	411.7	14.3	416.4	4.8	91.8	166.1
283	all_deer	SUM	SUM	185182	70.8	724.8	50.5	729.6	15.5	101.3	176.3
284	all_deer	N	002-10	500	0	0	0	0	0	0	0
284	all_deer	N	210-50/Deer_A	5	0	0	0	0	0	0	0
284	all_deer	N	281-00	6	0	0	0	0	0	0	0
284	all_deer	N	281-40/Deer_A	47	0	0	0	0	0	0	0
284	all_deer	N	284-10	1	0	0	0	0	0	0	0
284	all_deer	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
284	all_deer	N	SUM	24858	0	3.1	0	3.1	0	0	3.1
284	all_deer	R	002-10	8803	0	0	0	0	0	0	0
284	all_deer	R	210-50/Deer_A	95	2.6	0	2.6	0	0	0	0
284	all_deer	R	281-00	94	2.2	0	2.2	0	0	0	0
284	all_deer	R	281-40/Deer_A	440	4.7	0	4.7	0	0	0	0
284	all_deer	R	284-10	92	13.1	13.1	13.1	13.1	0	0	0
284	all_deer	R	Deer_A_Only	145081	4.8	23.8	4.8	23.8	0	0	9.5
284	all_deer	R	SUM	154605	27.4	36.9	27.4	36.9	0	0	9.5
284	all_deer	SUM	002-10	9303	0	0	0	0	0	0	0
284	all_deer	SUM	210-50/Deer_A	100	2.6	0	2.6	0	0	0	0
284	all_deer	SUM	281-00	100	2.2	0	2.2	0	0	0	0
284	all_deer	SUM	281-40/Deer_A	487	4.7	0	4.7	0	0	0	0
284	all_deer	SUM	284-10	93	13.1	13.1	13.1	13.1	0	0	0
284	all_deer	SUM	Deer_A_Only	169380	4.8	26.9	4.8	26.9	0	0	12.6
284	all_deer	SUM	SUM	179463	27.4	40	27.4	40	0	0	12.6
285	all_deer	N	002-10	500	4.4	30.7	4.4	30.7	0	0	0
285	all_deer	N	130-00	37	0	2.8	0	2.8	0	0	0
285	all_deer	N	170-10	57	0	0	0	0	0	0	0
285	all_deer	N	285-00	1	0	0	0	0	0	0	0
285	all_deer	N	285-01	1	0	1	0	1	0	0	0
285	all_deer	N	285-02	1	0	1	0	1	0	0	0
285	all_deer	N	292-40/Deer_A	56	0	0	0	0	0	0	0
285	all_deer	N	410-00	112	0	0	0	0	0	0	0
285	all_deer	N	Deer_A_Only	24299	3.1	68.5	3.1	68.5	0	12.4	43.6

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
285	all_deer	N	SUM	25064	7.5	104	7.5	104	0	12.4	43.6
285	all_deer	R	002-10	8803	26.8	434.8	26.8	434.8	0	5.4	21.5
285	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
285	all_deer	R	130-00	614	0	0	0	0	0	0	0
285	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
285	all_deer	R	285-00	49	0	12.2	0	12.2	0	0	0
285	all_deer	R	285-01	24	0	4.5	0	4.5	0	0	0
285	all_deer	R	285-02	49	4.9	22.1	4.9	22.1	0	0	0
285	all_deer	R	292-40/Deer_A	930	4.8	0	4.8	0	0	0	0
285	all_deer	R	410-00	488	0	4.9	0	4.9	0	4.9	0
285	all_deer	R	Deer_A_Only	145081	19	675.5	19	675.5	0	109.4	223.6
285	all_deer	R	SUM	165233	55.6	1164.1	55.6	1164.1	0	119.7	250.3
285	all_deer	SUM	002-10	9303	31.2	465.5	31.2	465.5	0	5.4	21.5
285	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
285	all_deer	SUM	130-00	651	0	2.8	0	2.8	0	0	0
285	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
285	all_deer	SUM	285-00	50	0	12.2	0	12.2	0	0	0
285	all_deer	SUM	285-01	25	0	5.5	0	5.5	0	0	0
285	all_deer	SUM	285-02	50	4.9	23.1	4.9	23.1	0	0	0
285	all_deer	SUM	292-40/Deer_A	986	4.8	0	4.8	0	0	0	0
285	all_deer	SUM	410-00	600	0	4.9	0	4.9	0	4.9	0
285	all_deer	SUM	Deer_A_Only	169380	22.1	743.9	22.1	743.9	0	121.9	267.1
285	all_deer	SUM	SUM	190297	63.1	1268.1	63.1	1268.1	0	132.2	293.9
290	all_deer	N	002-10	500	0	0	0	0	0	0	0
290	all_deer	N	003-10	845	0	0	0	0	0	0	0
290	all_deer	N	130-00	37	0	0	0	0	0	0	0
290	all_deer	N	212-01	17	0	0	0	0	0	0	0
290	all_deer	N	212-10	19	0	0	0	0	0	0	0
290	all_deer	N	213-00	3	0	0	0	0	0	0	0
290	all_deer	N	281-40/Deer_A	47	0	0	0	0	0	0	0
290	all_deer	N	284-10	1	0	0	0	0	0	0	0
290	all_deer	N	285-01	1	0	0	0	0	0	0	0
290	all_deer	N	290-10	6	0	0	0	0	0	0	0
290	all_deer	N	290-20	4	0	0	0	0	0	0	0
290	all_deer	N	Deer_A_Only	24299	6.2	6.2	3.1	9.3	0	9.3	0
290	all_deer	N	SUM	25779	6.2	6.2	3.1	9.3	0	9.3	0
290	all_deer	R	002-10	8803	21.5	5.4	10.7	10.7	5.4	0	0
290	all_deer	R	003-10	7121	10	0	0	10	0	0	0
290	all_deer	R	004-10	7081	4.9	0	0	0	4.9	0	0
290	all_deer	R	130-00	614	4.1	0	0	4.1	0	0	0
290	all_deer	R	212-01	133	3.7	0	3.7	0	0	0	0
290	all_deer	R	212-10	186	14.7	0	0	9.8	4.9	0	0
290	all_deer	R	213-00	47	3.1	0	0	3.1	0	0	0
290	all_deer	R	281-40/Deer_A	440	14	0	4.7	4.7	4.7	0	4.7
290	all_deer	R	284-10	92	4.4	0	0	0	4.4	0	0
290	all_deer	R	285-01	24	1.5	0	1.5	0	0	0	0
290	all_deer	R	290-10	227	77.4	5.2	31	36.1	15.5	0	5.2
290	all_deer	R	290-20	46	12.1	0	4.8	7.3	0	0	7.3



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
290	all_deer	R	Deer_A_Only	145081	52.3	9.5	14.3	38.1	9.5	9.5	14.3
290	all_deer	R	SUM	169895	223.8	20	70.7	124	49.2	9.5	31.4
290	all_deer	SUM	002-10	9303	21.5	5.4	10.7	10.7	5.4	0	0
290	all_deer	SUM	003-10	7966	10	0	0	10	0	0	0
290	all_deer	SUM	004-10	7081	4.9	0	0	0	4.9	0	0
290	all_deer	SUM	130-00	651	4.1	0	0	4.1	0	0	0
290	all_deer	SUM	212-01	150	3.7	0	3.7	0	0	0	0
290	all_deer	SUM	212-10	205	14.7	0	0	9.8	4.9	0	0
290	all_deer	SUM	213-00	50	3.1	0	0	3.1	0	0	0
290	all_deer	SUM	281-40/Deer_A	487	14	0	4.7	4.7	4.7	0	4.7
290	all_deer	SUM	284-10	93	4.4	0	0	0	4.4	0	0
290	all_deer	SUM	285-01	25	1.5	0	1.5	0	0	0	0
290	all_deer	SUM	290-10	233	77.4	5.2	31	36.1	15.5	0	5.2
290	all_deer	SUM	290-20	50	12.1	0	4.8	7.3	0	0	7.3
290	all_deer	SUM	Deer_A_Only	169380	58.5	15.7	17.4	47.4	9.5	18.8	14.3
290	all_deer	SUM	SUM	195674	230	26.3	73.8	133.3	49.2	18.8	31.4
291	all_deer	N	002-10	500	0	0	0	0	0	0	0
291	all_deer	N	003-10	845	0	0	0	0	0	0	0
291	all_deer	N	290-20	4	0	0	0	0	0	0	0
291	all_deer	N	291-00	2	0	0	0	0	0	0	0
291	all_deer	N	291-50/Deer_A	8	0	4	0	4	0	0	4
291	all_deer	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	6.2
291	all_deer	N	SUM	25658	0	13.3	0	13.3	0	0	10.2
291	all_deer	R	002-10	8803	0	26.8	0	26.8	0	0	5.4
291	all_deer	R	003-10	7121	0	5	0	5	0	0	0
291	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
291	all_deer	R	290-20	46	0	2.4	0	2.4	0	0	2.4
291	all_deer	R	291-00	98	0	43.2	0	43.2	0	2.9	2.9
291	all_deer	R	291-50/Deer_A	92	0	43.3	0	43.3	0	13.5	29.8
291	all_deer	R	291-51/Deer_A	25	0	13.9	0	13.9	0	0	13.9
291	all_deer	R	Deer_A_Only	145081	0	57.1	0	57.1	0	9.5	9.5
291	all_deer	R	SUM	168347	0	196.6	0	196.6	0	25.9	63.8
291	all_deer	SUM	002-10	9303	0	26.8	0	26.8	0	0	5.4
291	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
291	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
291	all_deer	SUM	290-20	50	0	2.4	0	2.4	0	0	2.4
291	all_deer	SUM	291-00	100	0	43.2	0	43.2	0	2.9	2.9
291	all_deer	SUM	291-50/Deer_A	100	0	47.3	0	47.3	0	13.5	33.8
291	all_deer	SUM	291-51/Deer_A	25	0	13.9	0	13.9	0	0	13.9
291	all_deer	SUM	Deer_A_Only	169380	0	66.4	0	66.4	0	9.5	15.7
291	all_deer	SUM	SUM	194005	0	210	0	210	0	25.9	74.1
292	all_deer	N	002-10	500	4.4	4.4	4.4	4.4	0	0	0
292	all_deer	N	201-00	10	0	0	0	0	0	0	0
292	all_deer	N	210-00	10	0	0	0	0	0	0	0
292	all_deer	N	260-10	103	0	0	0	0	0	0	0
292	all_deer	N	260-20	10	0	0	0	0	0	0	0
292	all_deer	N	281-01	6	0	0	0	0	0	0	0
292	all_deer	N	285-02	1	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
292	all_deer	N	292-00	1	0	0	0	0	0	0	0
292	all_deer	N	292-40/Deer_A	56	0	19.2	0	19.2	0	3.5	15.8
292	all_deer	N	392-40/Deer_A	79	0	0	0	0	0	0	0
292	all_deer	N	Deer_A_Only	24299	3.1	6.2	3.1	6.2	0	0	3.1
292	all_deer	N	SUM	25075	7.5	29.9	7.5	29.9	0	3.5	18.9
292	all_deer	R	002-10	8803	16.1	257.6	16.1	257.6	0	53.7	37.6
292	all_deer	R	201-00	340	0	7.8	0	7.8	0	0	7.8
292	all_deer	R	210-00	190	0	5.8	0	5.8	0	2.9	2.9
292	all_deer	R	260-10	3415	8.2	41.2	8.2	41.2	0	33	16.5
292	all_deer	R	260-20	290	0	3.8	0	3.8	0	0	3.8
292	all_deer	R	281-01	94	0	3.2	0	3.2	0	0	3.2
292	all_deer	R	283-01	100	0	8.6	0	8.6	0	5.7	0
292	all_deer	R	285-02	49	0	2.5	0	2.5	0	0	2.5
292	all_deer	R	292-00	49	0	23.1	0	23.1	0	8.6	2.9
292	all_deer	R	292-40/Deer_A	930	9.7	329.4	9.7	329.4	0	159.8	164.7
292	all_deer	R	392-40/Deer_A	719	0	4.1	0	4.1	0	4.1	0
292	all_deer	R	Deer_A_Only	145081	4.8	242.6	4.8	242.6	0	52.3	99.9
292	all_deer	R	SUM	160060	38.8	929.7	38.8	929.7	0	320.2	341.7
292	all_deer	SUM	002-10	9303	20.5	262	20.5	262	0	53.7	37.6
292	all_deer	SUM	201-00	350	0	7.8	0	7.8	0	0	7.8
292	all_deer	SUM	210-00	200	0	5.8	0	5.8	0	2.9	2.9
292	all_deer	SUM	260-10	3518	8.2	41.2	8.2	41.2	0	33	16.5
292	all_deer	SUM	260-20	300	0	3.8	0	3.8	0	0	3.8
292	all_deer	SUM	281-01	100	0	3.2	0	3.2	0	0	3.2
292	all_deer	SUM	283-01	100	0	8.6	0	8.6	0	5.7	0
292	all_deer	SUM	285-02	50	0	2.5	0	2.5	0	0	2.5
292	all_deer	SUM	292-00	50	0	23.1	0	23.1	0	8.6	2.9
292	all_deer	SUM	292-40/Deer_A	986	9.7	348.6	9.7	348.6	0	163.3	180.4
292	all_deer	SUM	392-40/Deer_A	798	0	4.1	0	4.1	0	4.1	0
292	all_deer	SUM	Deer_A_Only	169380	7.9	248.8	7.9	248.8	0	52.3	103
292	all_deer	SUM	SUM	185135	46.3	959.6	46.3	959.6	0	323.7	360.6
293	all_deer	N	002-10	500	0	4.4	0	4.4	0	0	0
293	all_deer	N	100-00	41	0	0	0	0	0	0	0
293	all_deer	N	291-50/Deer_A	8	0	0	0	0	0	0	0
293	all_deer	N	Deer_A_Only	24299	0	40.5	0	40.5	0	18.7	21.8
293	all_deer	N	SUM	24848	0	44.8	0	44.8	0	18.7	21.8
293	all_deer	R	002-10	8803	10.7	16.1	10.7	16.1	0	0	0
293	all_deer	R	100-00	559	0	4.4	0	4.4	0	0	4.4
293	all_deer	R	291-50/Deer_A	92	0	2.7	0	2.7	0	0	2.7
293	all_deer	R	293-00	50	0	14.3	0	14.3	0	0	0
293	all_deer	R	Deer_A_Only	145081	14.3	195	9.5	195	4.8	57.1	114.2
293	all_deer	R	SUM	154585	25	232.5	20.2	232.5	4.8	57.1	121.3
293	all_deer	SUM	002-10	9303	10.7	20.5	10.7	20.5	0	0	0
293	all_deer	SUM	100-00	600	0	4.4	0	4.4	0	0	4.4
293	all_deer	SUM	291-50/Deer_A	100	0	2.7	0	2.7	0	0	2.7
293	all_deer	SUM	293-00	50	0	14.3	0	14.3	0	0	0
293	all_deer	SUM	Deer_A_Only	169380	14.3	235.5	9.5	235.5	4.8	75.8	135.9
293	all_deer	SUM	SUM	179433	25	277.4	20.2	277.4	4.8	75.8	143.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
2XX	all_deer	N	002-10	500	0	4.4	0	4.4	0	0	0
2XX	all_deer	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	0
2XX	all_deer	N	SUM	24799	0	7.5	0	7.5	0	0	0
2XX	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
2XX	all_deer	R	Deer_A_Only	145081	0	4.8	0	4.8	0	4.8	0
2XX	all_deer	R	SUM	153884	0	10.1	0	10.1	0	4.8	0
2XX	all_deer	SUM	002-10	9303	0	9.8	0	9.8	0	0	0
2XX	all_deer	SUM	Deer_A_Only	169380	0	7.9	0	7.9	0	4.8	0
2XX	all_deer	SUM	SUM	178683	0	17.6	0	17.6	0	4.8	0
300	all_deer	N	003-10	845	0	4.1	0	4.1	0	0	0
300	all_deer	N	103-00	21	0	0	0	0	0	0	0
300	all_deer	N	300-00	17	0	5.1	0	5.1	0	0	0
300	all_deer	N	300-50/Deer_A	4	0	4	0	4	0	0	4
300	all_deer	N	312-00	12	0	0	0	0	0	0	0
300	all_deer	N	326-00	89	0	2.3	0	2.3	0	0	0
300	all_deer	N	330-00	54	0	2.1	0	2.1	0	0	0
300	all_deer	N	Deer_A_Only	24299	3.1	18.7	3.1	18.7	0	9.3	3.1
300	all_deer	N	SUM	25341	3.1	36.3	3.1	36.3	0	9.3	7.1
300	all_deer	R	003-10	7121	0	10	0	10	0	0	0
300	all_deer	R	103-00	479	0	4.2	0	4.2	0	0	4.2
300	all_deer	R	124-00	197	0	4.2	0	4.2	0	0	0
300	all_deer	R	300-00	134	0	13	0	13	0	0	0
300	all_deer	R	300-50/Deer_A	36	0	22.2	0	22.2	0	2.8	19.4
300	all_deer	R	312-00	238	0	6.7	0	6.7	0	0	0
300	all_deer	R	326-00	597	0	0	0	0	0	0	0
300	all_deer	R	330-00	197	0	0	0	0	0	0	0
300	all_deer	R	Deer_A_Only	145081	4.8	61.8	0	61.8	4.8	14.3	14.3
300	all_deer	R	SUM	154080	4.8	122.1	0	122.1	4.8	17	37.9
300	all_deer	SUM	003-10	7966	0	14.2	0	14.2	0	0	0
300	all_deer	SUM	103-00	500	0	4.2	0	4.2	0	0	4.2
300	all_deer	SUM	124-00	197	0	4.2	0	4.2	0	0	0
300	all_deer	SUM	300-00	151	0	18.1	0	18.1	0	0	0
300	all_deer	SUM	300-50/Deer_A	40	0	26.2	0	26.2	0	2.8	23.4
300	all_deer	SUM	312-00	250	0	6.7	0	6.7	0	0	0
300	all_deer	SUM	326-00	686	0	2.3	0	2.3	0	0	0
300	all_deer	SUM	330-00	251	0	2.1	0	2.1	0	0	0
300	all_deer	SUM	Deer_A_Only	169380	7.9	80.5	3.1	80.5	4.8	23.6	17.4
300	all_deer	SUM	SUM	179421	7.9	158.3	3.1	158.3	4.8	26.4	45
301	all_deer	N	003-10	845	0	8.2	0	8.2	0	0	0
301	all_deer	N	301-00	2	0	1	0	1	0	0	0
301	all_deer	N	301-01	3	0	0	0	0	0	0	0
301	all_deer	N	312-00	12	0	0	0	0	0	0	0
301	all_deer	N	333-03	22	0	0	0	0	0	0	0
301	all_deer	N	Deer_A_Only	24299	0	15.6	0	15.6	0	3.1	9.3
301	all_deer	N	SUM	25183	0	24.8	0	24.8	0	3.1	9.3
301	all_deer	R	003-10	7121	10	25.1	10	25.1	0	0	0
301	all_deer	R	301-00	23	0	12.5	0	12.5	0	0	2.1
301	all_deer	R	301-01	22	0	2.4	0	2.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
301	all_deer	R	312-00	238	3.4	0	3.4	0	0	0	0
301	all_deer	R	333-03	267	0	4.9	0	4.9	0	4.9	0
301	all_deer	R	Deer_A_Only	145081	19	161.7	14.3	166.5	0	38.1	95.1
301	all_deer	R	SUM	152752	32.4	206.8	27.7	211.5	0	43	97.2
301	all_deer	SUM	003-10	7966	10	33.3	10	33.3	0	0	0
301	all_deer	SUM	301-00	25	0	13.5	0	13.5	0	0	2.1
301	all_deer	SUM	301-01	25	0	2.4	0	2.4	0	0	0
301	all_deer	SUM	312-00	250	3.4	0	3.4	0	0	0	0
301	all_deer	SUM	333-03	289	0	4.9	0	4.9	0	4.9	0
301	all_deer	SUM	Deer_A_Only	169380	19	177.3	14.3	182	0	41.2	104.5
301	all_deer	SUM	SUM	177935	32.4	231.6	27.7	236.3	0	46.1	106.6
302	all_deer	N	003-10	845	0	4.1	0	4.1	0	0	0
302	all_deer	N	170-10	57	0	0	0	0	0	0	0
302	all_deer	N	300-00	17	0	0	0	0	0	0	0
302	all_deer	N	302-00	20	2.9	8.6	0	11.4	0	0	0
302	all_deer	N	Deer_A_Only	24299	3.1	52.9	0	56	0	28	24.9
302	all_deer	N	SUM	25238	6	65.6	0	71.6	0	28	24.9
302	all_deer	R	003-10	7121	0	0	0	0	0	0	0
302	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	0
302	all_deer	R	300-00	134	0	13	0	13	0	0	0
302	all_deer	R	302-00	130	0	31.6	0	31.6	0	0	0
302	all_deer	R	Deer_A_Only	145081	0	95.1	0	95.1	0	42.8	28.5
302	all_deer	R	SUM	154580	0	145	0	145	0	42.8	28.5
302	all_deer	SUM	003-10	7966	0	4.1	0	4.1	0	0	0
302	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
302	all_deer	SUM	300-00	151	0	13	0	13	0	0	0
302	all_deer	SUM	302-00	150	2.9	40.2	0	43.1	0	0	0
302	all_deer	SUM	Deer_A_Only	169380	3.1	148	0	151.2	0	70.8	53.4
302	all_deer	SUM	SUM	179818	6	210.6	0	216.6	0	70.8	53.4
309	all_deer	N	003-10	845	0	0	0	0	0	0	0
309	all_deer	N	005-10	290	0	2.5	0	2.5	0	0	0
309	all_deer	N	309-10	8	0	0	0	0	0	0	0
309	all_deer	N	312-10	25	2.3	0	2.3	0	0	0	0
309	all_deer	N	315-00	15	0	0	0	0	0	0	0
309	all_deer	N	333-03	22	0	0	0	0	0	0	0
309	all_deer	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
309	all_deer	N	SUM	25504	2.3	8.8	2.3	8.8	0	0	6.2
309	all_deer	R	003-10	7121	10	100.4	10	85.3	15.1	0	0
309	all_deer	R	005-10	2590	0	0	0	0	0	0	0
309	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
309	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
309	all_deer	R	301-01	22	0	2.4	0	2.4	0	0	0
309	all_deer	R	309-00	25	0	2.5	0	2.5	0	0	0
309	all_deer	R	309-10	505	26.3	83.4	26.3	61.5	22	0	0
309	all_deer	R	312-10	1124	0	7.8	0	7.8	0	0	0
309	all_deer	R	315-00	135	3.1	3.1	3.1	3.1	0	0	0
309	all_deer	R	333-03	267	0	4.9	0	4.9	0	0	0
309	all_deer	R	Deer_A_Only	145081	28.5	195	28.5	185.5	9.5	19	85.6

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
309	all_deer	R	SUM	163899	68.1	409.9	68.1	363.4	46.5	19	85.6
309	all_deer	SUM	003-10	7966	10	100.4	10	85.3	15.1	0	0
309	all_deer	SUM	005-10	2880	0	2.5	0	2.5	0	0	0
309	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
309	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
309	all_deer	SUM	301-01	22	0	2.4	0	2.4	0	0	0
309	all_deer	SUM	309-00	25	0	2.5	0	2.5	0	0	0
309	all_deer	SUM	309-10	513	26.3	83.4	26.3	61.5	22	0	0
309	all_deer	SUM	312-10	1149	2.3	7.8	2.3	7.8	0	0	0
309	all_deer	SUM	315-00	150	3.1	3.1	3.1	3.1	0	0	0
309	all_deer	SUM	333-03	289	0	4.9	0	4.9	0	0	0
309	all_deer	SUM	Deer_A_Only	169380	28.5	201.3	28.5	191.7	9.5	19	91.8
309	all_deer	SUM	SUM	189403	70.3	418.6	70.3	372.1	46.5	19	91.8
310	all_deer	N	003-10	845	0	0	0	0	0	0	0
310	all_deer	N	309-10	8	0	0	0	0	0	0	0
310	all_deer	N	310-00	3	0	3	0	3	0	0	3
310	all_deer	N	Deer_A_Only	24299	0	15.6	0	15.6	0	0	15.6
310	all_deer	N	SUM	25155	0	18.6	0	18.6	0	0	18.6
310	all_deer	R	003-10	7121	0	10	0	10	0	0	0
310	all_deer	R	309-10	505	0	4.4	0	4.4	0	0	0
310	all_deer	R	310-00	22	0	2.2	0	2.2	0	0	0
310	all_deer	R	Deer_A_Only	145081	0	33.3	0	33.3	0	4.8	23.8
310	all_deer	R	SUM	152729	0	49.9	0	49.9	0	4.8	23.8
310	all_deer	SUM	003-10	7966	0	10	0	10	0	0	0
310	all_deer	SUM	309-10	513	0	4.4	0	4.4	0	0	0
310	all_deer	SUM	310-00	25	0	5.2	0	5.2	0	0	3
310	all_deer	SUM	Deer_A_Only	169380	0	48.9	0	48.9	0	4.8	39.3
310	all_deer	SUM	SUM	177884	0	68.5	0	68.5	0	4.8	42.3
311	all_deer	N	002-10	500	0	0	0	0	0	0	0
311	all_deer	N	003-10	845	0	16.5	0	16.5	0	0	0
311	all_deer	N	309-10	8	0	0	0	0	0	0	0
311	all_deer	N	311-01	5	0	2.5	0	2.5	0	0	0
311	all_deer	N	311-02	13	0	0	0	0	0	0	0
311	all_deer	N	312-10	25	0	0	0	0	0	0	0
311	all_deer	N	333-01	23	0	0	0	0	0	0	0
311	all_deer	N	333-10	37	0	0	0	0	0	0	0
311	all_deer	N	393-00	11	0	0	0	0	0	0	0
311	all_deer	N	Deer_A_Only	24299	6.2	43.6	6.2	43.6	0	6.2	37.3
311	all_deer	N	SUM	25766	6.2	62.6	6.2	62.6	0	6.2	37.3
311	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
311	all_deer	R	003-10	7121	15.1	205.8	10	210.8	0	5	5
311	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
311	all_deer	R	007-13	5509	0	10.1	0	10.1	0	0	0
311	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
311	all_deer	R	309-10	505	4.4	17.6	4.4	17.6	0	0	0
311	all_deer	R	311-00	50	2.6	15.8	2.6	15.8	0	0	0
311	all_deer	R	311-01	45	2.5	20	2.5	20	0	0	0
311	all_deer	R	311-02	290	9.8	83.6	9.8	83.6	0	4.9	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
311	all_deer	R	312-10	1124	0	7.8	0	7.8	0	0	0
311	all_deer	R	333-01	278	0	3.7	0	3.7	0	0	0
311	all_deer	R	333-10	933	0	7.6	0	7.6	0	0	0
311	all_deer	R	393-00	190	0	2.7	0	2.7	0	0	2.7
311	all_deer	R	699-00	3502	0	8.6	0	8.6	0	0	0
311	all_deer	R	Deer_A_Only	145081	38.1	613.6	38.1	613.6	0	128.4	275.9
311	all_deer	R	SUM	182515	72.5	1011.8	67.4	1016.8	0	138.4	283.6
311	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
311	all_deer	SUM	003-10	7966	15.1	222.2	10	227.3	0	5	5
311	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
311	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
311	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
311	all_deer	SUM	309-10	513	4.4	17.6	4.4	17.6	0	0	0
311	all_deer	SUM	311-00	50	2.6	15.8	2.6	15.8	0	0	0
311	all_deer	SUM	311-01	50	2.5	22.5	2.5	22.5	0	0	0
311	all_deer	SUM	311-02	303	9.8	83.6	9.8	83.6	0	4.9	0
311	all_deer	SUM	312-10	1149	0	7.8	0	7.8	0	0	0
311	all_deer	SUM	333-01	301	0	3.7	0	3.7	0	0	0
311	all_deer	SUM	333-10	970	0	7.6	0	7.6	0	0	0
311	all_deer	SUM	393-00	201	0	2.7	0	2.7	0	0	2.7
311	all_deer	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
311	all_deer	SUM	Deer_A_Only	169380	44.3	657.2	44.3	657.2	0	134.7	313.2
311	all_deer	SUM	SUM	208281	78.7	1074.3	73.7	1079.4	0	144.6	320.9
312	all_deer	N	002-10	500	0	0	0	0	0	0	0
312	all_deer	N	003-10	845	0	8.2	0	8.2	0	0	0
312	all_deer	N	005-10	290	0	0	0	0	0	0	0
312	all_deer	N	301-00	2	0	0	0	0	0	0	0
312	all_deer	N	309-10	8	0	0	0	0	0	0	0
312	all_deer	N	311-02	13	0	0	0	0	0	0	0
312	all_deer	N	312-00	12	0	3.4	0	3.4	0	0	0
312	all_deer	N	312-10	25	0	6.8	0	6.8	0	0	0
312	all_deer	N	312-50/Deer_A	4	0	2	0	2	0	0	2
312	all_deer	N	Deer_A_Only	24299	0	68.5	0	65.4	3.1	6.2	56
312	all_deer	N	SUM	25998	0	89	0	85.8	3.1	6.2	58
312	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
312	all_deer	R	003-10	7121	30.1	155.6	25.1	155.6	5	0	10
312	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0
312	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
312	all_deer	R	301-00	23	0	2.1	0	2.1	0	0	2.1
312	all_deer	R	309-10	505	8.8	0	4.4	4.4	0	0	0
312	all_deer	R	311-00	50	2.6	2.6	2.6	2.6	0	0	0
312	all_deer	R	311-02	290	0	4.9	0	4.9	0	4.9	0
312	all_deer	R	312-00	238	6.7	50.3	6.7	50.3	0	0	0
312	all_deer	R	312-10	1124	77.5	395.3	62	403.1	7.8	0	7.8
312	all_deer	R	312-50/Deer_A	121	0	45.4	0	45.4	0	10.1	32.8
312	all_deer	R	Deer_A_Only	145081	95.1	637.4	61.8	665.9	4.8	128.4	218.8
312	all_deer	R	SUM	167949	220.9	1308.5	162.7	1349.2	17.5	143.4	271.5
312	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
312	all_deer	SUM	003-10	7966	30.1	163.8	25.1	163.8	5	0	10
312	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
312	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
312	all_deer	SUM	301-00	25	0	2.1	0	2.1	0	0	2.1
312	all_deer	SUM	309-10	513	8.8	0	4.4	4.4	0	0	0
312	all_deer	SUM	311-00	50	2.6	2.6	2.6	2.6	0	0	0
312	all_deer	SUM	311-02	303	0	4.9	0	4.9	0	4.9	0
312	all_deer	SUM	312-00	250	6.7	53.7	6.7	53.7	0	0	0
312	all_deer	SUM	312-10	1149	77.5	402.2	62	409.9	7.8	0	7.8
312	all_deer	SUM	312-50/Deer_A	125	0	47.4	0	47.4	0	10.1	34.8
312	all_deer	SUM	Deer_A_Only	169380	95.1	705.9	61.8	731.3	7.9	134.7	274.8
312	all_deer	SUM	SUM	193947	220.9	1397.5	162.7	1435.1	20.6	149.7	329.5
313	all_deer	N	003-10	845	0	0	0	0	0	0	0
313	all_deer	N	170-10	57	0	0	0	0	0	0	0
313	all_deer	N	313-00	9	0	6	0	6	0	0	0
313	all_deer	N	313-01	3	0	0	0	0	0	0	0
313	all_deer	N	313-02	2	0	0	0	0	0	0	0
313	all_deer	N	393-00	11	0	0	0	0	0	0	0
313	all_deer	N	Deer_A_Only	24299	0	118.3	0	118.3	0	31.1	84
313	all_deer	N	SUM	25226	0	124.3	0	124.3	0	31.1	84
313	all_deer	R	003-10	7121	0	40.1	0	40.1	0	0	0
313	all_deer	R	004-10	7081	4.9	0	0	4.9	0	0	0
313	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	0
313	all_deer	R	313-00	98	0	30.6	0	30.6	0	3.1	0
313	all_deer	R	313-01	47	0	23.5	0	23.5	0	0	0
313	all_deer	R	313-02	23	0	9.6	0	9.6	0	0	0
313	all_deer	R	393-00	190	0	2.7	0	2.7	0	0	0
313	all_deer	R	Deer_A_Only	145081	4.8	123.7	0	128.4	0	23.8	28.5
313	all_deer	R	SUM	161755	9.6	235.5	0	245.1	0	26.8	28.5
313	all_deer	SUM	003-10	7966	0	40.1	0	40.1	0	0	0
313	all_deer	SUM	004-10	7081	4.9	0	0	4.9	0	0	0
313	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
313	all_deer	SUM	313-00	107	0	36.6	0	36.6	0	3.1	0
313	all_deer	SUM	313-01	50	0	23.5	0	23.5	0	0	0
313	all_deer	SUM	313-02	25	0	9.6	0	9.6	0	0	0
313	all_deer	SUM	393-00	201	0	2.7	0	2.7	0	0	0
313	all_deer	SUM	Deer_A_Only	169380	4.8	241.9	0	246.7	0	54.9	112.6
313	all_deer	SUM	SUM	186981	9.6	359.8	0	369.4	0	58	112.6
314	all_deer	N	003-10	845	0	12.4	0	12.4	0	0	4.1
314	all_deer	N	313-00	9	0	0	0	0	0	0	0
314	all_deer	N	314-00	18	0	14.4	0	14.4	0	0	0
314	all_deer	N	333-03	22	0	2.2	0	2.2	0	0	2.2
314	all_deer	N	411-00	173	0	2.9	0	2.9	0	0	0
314	all_deer	N	418-00	33	0	1.8	0	1.8	0	0	0
314	all_deer	N	Deer_A_Only	24299	3.1	84	3.1	84	0	12.4	68.5
314	all_deer	N	SUM	25399	3.1	117.7	3.1	117.7	0	12.4	74.8
314	all_deer	R	003-10	7121	10	85.3	10	85.3	0	5	0
314	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
314	all_deer	R	313-00	98	0	9.2	0	9.2	0	0	0
314	all_deer	R	314-00	207	0	78	0	78	0	0	0
314	all_deer	R	317-00	70	0	2.4	0	2.4	0	0	2.4
314	all_deer	R	333-03	267	0	0	0	0	0	0	0
314	all_deer	R	411-00	633	0	0	0	0	0	0	0
314	all_deer	R	418-00	67	0	0	0	0	0	0	0
314	all_deer	R	Deer_A_Only	145081	0	323.5	0	318.7	4.8	66.6	99.9
314	all_deer	R	SUM	159053	10	503.5	10	498.7	4.8	71.6	102.3
314	all_deer	SUM	003-10	7966	10	97.7	10	97.7	0	5	4.1
314	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
314	all_deer	SUM	313-00	107	0	9.2	0	9.2	0	0	0
314	all_deer	SUM	314-00	225	0	92.4	0	92.4	0	0	0
314	all_deer	SUM	317-00	70	0	2.4	0	2.4	0	0	2.4
314	all_deer	SUM	333-03	289	0	2.2	0	2.2	0	0	2.2
314	all_deer	SUM	411-00	806	0	2.9	0	2.9	0	0	0
314	all_deer	SUM	418-00	100	0	1.8	0	1.8	0	0	0
314	all_deer	SUM	Deer_A_Only	169380	3.1	407.5	3.1	402.7	4.8	79	168.4
314	all_deer	SUM	SUM	184452	13.1	621.2	13.1	616.4	4.8	84.1	177.1
315	all_deer	N	002-10	500	0	0	0	0	0	0	0
315	all_deer	N	003-10	845	8.2	16.5	8.2	16.5	0	0	4.1
315	all_deer	N	005-10	290	0	0	0	0	0	0	0
315	all_deer	N	007-10	1330	0	0	0	0	0	0	0
315	all_deer	N	202-50/Deer_A	17	0	0	0	0	0	0	0
315	all_deer	N	309-10	8	0	0	0	0	0	0	0
315	all_deer	N	311-02	13	0	0	0	0	0	0	0
315	all_deer	N	312-00	12	0	0	0	0	0	0	0
315	all_deer	N	314-00	18	0	0	0	0	0	0	0
315	all_deer	N	315-00	15	0	11.2	0	11.2	0	0	0
315	all_deer	N	315-01	57	13.6	13.6	13.6	13.6	0	0	0
315	all_deer	N	393-00	11	0	1.6	0	1.6	0	0	0
315	all_deer	N	499-00	169	0	0	0	0	0	0	0
315	all_deer	N	530-50/Deer_A	89	0	0	0	0	0	0	0
315	all_deer	N	560-00	49	0	0	0	0	0	0	0
315	all_deer	N	599-00	98	0	0	0	0	0	0	0
315	all_deer	N	Deer_A_Only	24299	24.9	121.4	12.4	133.8	0	24.9	93.4
315	all_deer	N	SUM	27820	46.7	164.3	34.3	176.7	0	24.9	97.5
315	all_deer	R	002-10	8803	5.4	0	5.4	0	0	0	0
315	all_deer	R	003-10	7121	20.1	250.9	20.1	245.9	5	10	10
315	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
315	all_deer	R	005-10	2590	0	9.6	0	9.6	0	0	0
315	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
315	all_deer	R	007-11	1520	0	10.4	0	10.4	0	0	0
315	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
315	all_deer	R	202-50/Deer_A	183	0	3.5	0	3.5	0	3.5	0
315	all_deer	R	309-10	505	0	8.8	0	8.8	0	0	0
315	all_deer	R	311-02	290	4.9	0	4.9	0	0	0	0
315	all_deer	R	312-00	238	0	3.4	0	3.4	0	0	0
315	all_deer	R	314-00	207	0	6.8	0	6.8	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
315	all_deer	R	315-00	135	9.4	75.3	9.4	75.3	0	0	3.1
315	all_deer	R	315-01	198	6.2	68.1	6.2	68.1	0	9.3	3.1
315	all_deer	R	393-00	190	0	0	0	0	0	0	0
315	all_deer	R	499-00	835	0	8.1	0	8.1	0	0	0
315	all_deer	R	530-50/Deer_A	614	0	4.2	0	4.2	0	0	0
315	all_deer	R	560-00	301	0	4.6	0	4.6	0	0	0
315	all_deer	R	599-00	1904	0	5.9	0	5.9	0	0	0
315	all_deer	R	Deer_A_Only	145081	38.1	661.2	28.5	670.7	0	142.7	214.1
315	all_deer	R	SUM	183311	84	1135.6	74.5	1140.1	5	165.5	230.3
315	all_deer	SUM	002-10	9303	5.4	0	5.4	0	0	0	0
315	all_deer	SUM	003-10	7966	28.3	267.4	28.3	262.4	5	10	14.2
315	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
315	all_deer	SUM	005-10	2880	0	9.6	0	9.6	0	0	0
315	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
315	all_deer	SUM	007-11	1520	0	10.4	0	10.4	0	0	0
315	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
315	all_deer	SUM	202-50/Deer_A	200	0	3.5	0	3.5	0	3.5	0
315	all_deer	SUM	309-10	513	0	8.8	0	8.8	0	0	0
315	all_deer	SUM	311-02	303	4.9	0	4.9	0	0	0	0
315	all_deer	SUM	312-00	250	0	3.4	0	3.4	0	0	0
315	all_deer	SUM	314-00	225	0	6.8	0	6.8	0	0	0
315	all_deer	SUM	315-00	150	9.4	86.6	9.4	86.6	0	0	3.1
315	all_deer	SUM	315-01	255	19.8	81.6	19.8	81.6	0	9.3	3.1
315	all_deer	SUM	393-00	201	0	1.6	0	1.6	0	0	0
315	all_deer	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
315	all_deer	SUM	530-50/Deer_A	703	0	4.2	0	4.2	0	0	0
315	all_deer	SUM	560-00	350	0	4.6	0	4.6	0	0	0
315	all_deer	SUM	599-00	2002	0	5.9	0	5.9	0	0	0
315	all_deer	SUM	Deer_A_Only	169380	63	782.6	41	804.5	0	167.6	307.4
315	all_deer	SUM	SUM	211131	130.7	1299.9	108.8	1316.8	5	190.4	327.8
316	all_deer	N	003-10	845	0	0	0	0	0	0	0
316	all_deer	N	Deer_A_Only	24299	0	18.7	6.2	12.4	0	6.2	12.4
316	all_deer	N	SUM	25144	0	18.7	6.2	12.4	0	6.2	12.4
316	all_deer	R	003-10	7121	0	0	0	0	0	0	0
316	all_deer	R	Deer_A_Only	145081	0	19	9.5	9.5	0	4.8	14.3
316	all_deer	R	SUM	152202	0	19	9.5	9.5	0	4.8	14.3
316	all_deer	SUM	003-10	7966	0	0	0	0	0	0	0
316	all_deer	SUM	Deer_A_Only	169380	0	37.7	15.7	22	0	11	26.7
316	all_deer	SUM	SUM	177346	0	37.7	15.7	22	0	11	26.7
317	all_deer	N	003-10	845	0	8.2	0	8.2	0	0	4.1
317	all_deer	N	290-20	4	0	0	0	0	0	0	0
317	all_deer	N	317-00	5	0	0	0	0	0	0	0
317	all_deer	N	598-00	281	0	0	0	0	0	0	0
317	all_deer	N	Deer_A_Only	24299	6.2	49.8	3.1	52.9	0	9.3	43.6
317	all_deer	N	SUM	25434	6.2	58	3.1	61.1	0	9.3	47.7
317	all_deer	R	003-10	7121	0	90.3	0	90.3	0	5	0
317	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
317	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
317	all_deer	R	290-20	46	0	2.4	0	2.4	0	0	2.4
317	all_deer	R	317-00	70	0	33.8	0	33.8	0	2.4	0
317	all_deer	R	598-00	1970	14.9	0	14.9	0	0	0	0
317	all_deer	R	Deer_A_Only	145081	19	328.2	14.3	333	0	71.4	157
317	all_deer	R	SUM	161317	34	465	29.2	469.8	0	78.8	159.4
317	all_deer	SUM	003-10	7966	0	98.6	0	98.6	0	5	4.1
317	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
317	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
317	all_deer	SUM	290-20	50	0	2.4	0	2.4	0	0	2.4
317	all_deer	SUM	317-00	75	0	33.8	0	33.8	0	2.4	0
317	all_deer	SUM	598-00	2251	14.9	0	14.9	0	0	0	0
317	all_deer	SUM	Deer_A_Only	169380	25.3	378	17.4	385.9	0	80.7	200.5
317	all_deer	SUM	SUM	186751	40.2	523.1	32.3	530.9	0	88.1	207.1
318	all_deer	N	003-10	845	0	0	0	0	0	0	0
318	all_deer	N	318-40/Deer_A	8	0	5.3	0	5.3	0	2.7	2.7
318	all_deer	N	Deer_A_Only	24299	3.1	3.1	3.1	3.1	0	0	0
318	all_deer	N	SUM	25152	3.1	8.4	3.1	8.4	0	2.7	2.7
318	all_deer	R	003-10	7121	0	10	0	10	0	5	0
318	all_deer	R	318-00	25	0	5.6	0	5.6	0	0	2.8
318	all_deer	R	318-40/Deer_A	204	0	81	0	81	0	55	25.9
318	all_deer	R	Deer_A_Only	145081	0	19	0	19	0	9.5	4.8
318	all_deer	R	SUM	152431	0	115.6	0	115.6	0	69.6	33.4
318	all_deer	SUM	003-10	7966	0	10	0	10	0	5	0
318	all_deer	SUM	318-00	25	0	5.6	0	5.6	0	0	2.8
318	all_deer	SUM	318-40/Deer_A	212	0	86.3	0	86.3	0	57.7	28.6
318	all_deer	SUM	Deer_A_Only	169380	3.1	22.1	3.1	22.1	0	9.5	4.8
318	all_deer	SUM	SUM	177583	3.1	124	3.1	124	0	72.2	36.1
319	all_deer	N	002-10	500	0	0	0	0	0	0	0
319	all_deer	N	003-10	845	0	0	0	0	0	0	0
319	all_deer	N	314-00	18	0	0	0	0	0	0	0
319	all_deer	N	319-00	11	0	1.8	0	1.8	0	1.8	0
319	all_deer	N	319-40/Deer_A	71	2.4	7.3	2.4	7.3	0	9.8	0
319	all_deer	N	331-01	21	0	0	0	0	0	0	0
319	all_deer	N	Deer_A_Only	24299	0	0	0	0	0	0	0
319	all_deer	N	SUM	25765	2.4	9.2	2.4	9.2	0	11.6	0
319	all_deer	R	002-10	8803	0	5.4	0	5.4	0	5.4	0
319	all_deer	R	003-10	7121	0	15.1	0	15.1	0	0	5
319	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	4.8
319	all_deer	R	314-00	207	0	3.4	0	3.4	0	0	3.4
319	all_deer	R	319-00	139	0	63.2	2.5	60.7	0	20.2	7.6
319	all_deer	R	319-40/Deer_A	219	0	57.5	2.7	54.8	0	24.6	16.4
319	all_deer	R	331-01	229	0	2.9	0	2.9	0	2.9	0
319	all_deer	R	Deer_A_Only	145081	0	57.1	0	57.1	0	28.5	4.8
319	all_deer	R	SUM	163802	0	209.3	5.3	204	0	81.7	41.9
319	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	5.4	0
319	all_deer	SUM	003-10	7966	0	15.1	0	15.1	0	0	5
319	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	4.8
319	all_deer	SUM	314-00	225	0	3.4	0	3.4	0	0	3.4

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
319	all_deer	SUM	319-00	150	0	65	2.5	62.5	0	22.1	7.6
319	all_deer	SUM	319-40/Deer_A	290	2.4	64.8	5.2	62.1	0	34.4	16.4
319	all_deer	SUM	331-01	250	0	2.9	0	2.9	0	2.9	0
319	all_deer	SUM	Deer_A_Only	169380	0	57.1	0	57.1	0	28.5	4.8
319	all_deer	SUM	SUM	189567	2.4	218.4	7.7	213.2	0	93.3	41.9
320	all_deer	N	002-10	500	0	0	0	0	0	0	0
320	all_deer	N	003-10	845	0	28.9	0	28.9	0	0	0
320	all_deer	N	132-00	3	0	0	0	0	0	0	0
320	all_deer	N	320-01	43	0	16.7	0	16.7	0	0	0
320	all_deer	N	320-10	23	0	3.3	0	3.3	0	0	0
320	all_deer	N	322-00	53	0	2.3	0	2.3	0	0	0
320	all_deer	N	322-10	98	0	2.7	0	2.7	0	0	0
320	all_deer	N	326-00	89	0	2.3	0	2.3	0	0	0
320	all_deer	N	331-02	4	0	2	0	2	0	0	0
320	all_deer	N	335-40/Deer_A	9	0	0	0	0	0	0	0
320	all_deer	N	Deer_A_Only	24299	0	74.7	3.1	71.6	0	18.7	43.6
320	all_deer	N	SUM	25966	0	132.9	3.1	129.7	0	18.7	43.6
320	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
320	all_deer	R	003-10	7121	5	155.6	5	155.6	0	0	5
320	all_deer	R	007-11	1520	5.2	0	5.2	0	0	0	0
320	all_deer	R	132-00	297	0	3.8	0	3.8	0	0	0
320	all_deer	R	290-10	227	5.2	0	0	5.2	0	0	0
320	all_deer	R	318-00	25	0	2.8	0	2.8	0	0	0
320	all_deer	R	320-01	258	7.9	79.4	4	83.4	0	0	0
320	all_deer	R	320-10	722	46.1	184.3	30.7	199.7	0	0	7.7
320	all_deer	R	322-00	251	0	0	0	0	0	0	0
320	all_deer	R	322-10	1130	0	11	0	11	0	0	11
320	all_deer	R	326-00	597	0	7.5	0	7.5	0	0	0
320	all_deer	R	331-02	21	0	0	0	0	0	0	0
320	all_deer	R	335-40/Deer_A	397	0	4.1	0	4.1	0	0	4.1
320	all_deer	R	Deer_A_Only	145081	42.8	399.6	14.3	428.1	0	61.8	180.8
320	all_deer	R	SUM	166450	112.2	853.4	59.2	906.4	0	61.8	208.6
320	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
320	all_deer	SUM	003-10	7966	5	184.4	5	184.4	0	0	5
320	all_deer	SUM	007-11	1520	5.2	0	5.2	0	0	0	0
320	all_deer	SUM	132-00	300	0	3.8	0	3.8	0	0	0
320	all_deer	SUM	290-10	227	5.2	0	0	5.2	0	0	0
320	all_deer	SUM	318-00	25	0	2.8	0	2.8	0	0	0
320	all_deer	SUM	320-01	301	7.9	96.1	4	100.1	0	0	0
320	all_deer	SUM	320-10	745	46.1	187.6	30.7	203	0	0	7.7
320	all_deer	SUM	322-00	304	0	2.3	0	2.3	0	0	0
320	all_deer	SUM	322-10	1228	0	13.7	0	13.7	0	0	11
320	all_deer	SUM	326-00	686	0	9.7	0	9.7	0	0	0
320	all_deer	SUM	331-02	25	0	2	0	2	0	0	0
320	all_deer	SUM	335-40/Deer_A	406	0	4.1	0	4.1	0	0	4.1
320	all_deer	SUM	Deer_A_Only	169380	42.8	474.3	17.4	499.7	0	80.5	224.3
320	all_deer	SUM	SUM	192416	112.2	986.2	62.3	1036.2	0	80.5	252.1
321	all_deer	N	003-10	845	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
321	all_deer	N	300-00	17	0	1.7	0	1.7	0	0	0
321	all_deer	N	321-00	2	0	0	0	0	0	0	0
321	all_deer	N	Deer_A_Only	24299	3.1	12.4	3.1	12.4	0	3.1	6.2
321	all_deer	N	SUM	25163	3.1	14.1	3.1	14.1	0	3.1	6.2
321	all_deer	R	003-10	7121	0	5	0	5	0	0	0
321	all_deer	R	300-00	134	0	0	0	0	0	0	0
321	all_deer	R	321-00	23	2.3	2.3	2.3	2.3	0	0	0
321	all_deer	R	Deer_A_Only	145081	4.8	38.1	4.8	38.1	0	23.8	4.8
321	all_deer	R	SUM	152359	7.1	45.4	7.1	45.4	0	23.8	4.8
321	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
321	all_deer	SUM	300-00	151	0	1.7	0	1.7	0	0	0
321	all_deer	SUM	321-00	25	2.3	2.3	2.3	2.3	0	0	0
321	all_deer	SUM	Deer_A_Only	169380	7.9	50.5	7.9	50.5	0	26.9	11
321	all_deer	SUM	SUM	177522	10.2	59.5	10.2	59.5	0	26.9	11
322	all_deer	N	002-10	500	0	0	0	0	0	0	0
322	all_deer	N	003-10	845	8.2	24.7	4.1	28.9	0	4.1	0
322	all_deer	N	007-10	1330	0	0	0	0	0	0	0
322	all_deer	N	132-00	3	0	0	0	0	0	0	0
322	all_deer	N	260-10	103	0	0	0	0	0	0	0
322	all_deer	N	292-40/Deer_A	56	0	0	0	0	0	0	0
322	all_deer	N	309-10	8	0	0	0	0	0	0	0
322	all_deer	N	318-40/Deer_A	8	0	0	0	0	0	0	0
322	all_deer	N	319-00	11	0	0	0	0	0	0	0
322	all_deer	N	320-01	43	0	0	0	0	0	0	0
322	all_deer	N	320-10	23	0	3.3	0	3.3	0	0	0
322	all_deer	N	322-00	53	2.3	23	0	25.3	0	0	0
322	all_deer	N	322-10	98	8.2	46.3	8.2	46.3	0	0	2.7
322	all_deer	N	326-01	16	0	0	0	0	0	0	0
322	all_deer	N	411-00	173	0	2.9	0	2.9	0	0	0
322	all_deer	N	Deer_A_Only	24299	12.4	121.4	12.4	121.4	0	34.2	68.5
322	all_deer	N	SUM	27569	31.2	221.6	24.7	228	0	38.4	71.2
322	all_deer	R	002-10	8803	0	10.7	0	10.7	0	0	0
322	all_deer	R	003-10	7121	10	165.6	15.1	160.6	0	0	0
322	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
322	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
322	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
322	all_deer	R	132-00	297	0	3.8	0	3.8	0	0	0
322	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
322	all_deer	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
322	all_deer	R	309-10	505	0	8.8	0	8.8	0	0	0
322	all_deer	R	318-40/Deer_A	204	0	3.2	0	3.2	0	0	0
322	all_deer	R	319-00	139	0	2.5	0	2.5	0	0	0
322	all_deer	R	320-01	258	7.9	7.9	0	15.9	0	0	0
322	all_deer	R	320-10	722	0	38.4	0	38.4	0	0	0
322	all_deer	R	322-00	251	0	101.4	0	101.4	0	0	0
322	all_deer	R	322-10	1130	32.9	570.5	32.9	570.5	0	0	11
322	all_deer	R	326-01	101	0	3.6	0	3.6	0	0	3.6
322	all_deer	R	411-00	633	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
322	all_deer	R	Deer_A_Only	145081	19	437.6	23.8	432.9	0	85.6	137.9
322	all_deer	R	SUM	180614	69.9	1382.3	71.8	1380.5	0	85.6	152.5
322	all_deer	SUM	002-10	9303	0	10.7	0	10.7	0	0	0
322	all_deer	SUM	003-10	7966	18.3	190.3	19.2	189.4	0	4.1	0
322	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
322	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
322	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
322	all_deer	SUM	132-00	300	0	3.8	0	3.8	0	0	0
322	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
322	all_deer	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
322	all_deer	SUM	309-10	513	0	8.8	0	8.8	0	0	0
322	all_deer	SUM	318-40/Deer_A	212	0	3.2	0	3.2	0	0	0
322	all_deer	SUM	319-00	150	0	2.5	0	2.5	0	0	0
322	all_deer	SUM	320-01	301	7.9	7.9	0	15.9	0	0	0
322	all_deer	SUM	320-10	745	0	41.7	0	41.7	0	0	0
322	all_deer	SUM	322-00	304	2.3	124.4	0	126.7	0	0	0
322	all_deer	SUM	322-10	1228	41.1	616.8	41.1	616.8	0	0	13.7
322	all_deer	SUM	326-01	117	0	3.6	0	3.6	0	0	3.6
322	all_deer	SUM	411-00	806	0	2.9	0	2.9	0	0	0
322	all_deer	SUM	Deer_A_Only	169380	31.5	559	36.2	554.2	0	119.9	206.4
322	all_deer	SUM	SUM	208183	101.1	1603.9	96.5	1608.5	0	124	223.7
323	all_deer	N	003-10	845	0	0	0	0	0	0	0
323	all_deer	N	314-00	18	0	0	0	0	0	0	0
323	all_deer	N	323-00	12	0	0	0	0	0	0	0
323	all_deer	N	333-01	23	0	0	0	0	0	0	0
323	all_deer	N	Deer_A_Only	24299	3.1	18.7	3.1	18.7	0	3.1	18.7
323	all_deer	N	SUM	25197	3.1	18.7	3.1	18.7	0	3.1	18.7
323	all_deer	R	003-10	7121	0	5	0	5	0	0	0
323	all_deer	R	314-00	207	0	3.4	0	3.4	0	0	0
323	all_deer	R	323-00	38	0	7.1	0	7.1	0	0	0
323	all_deer	R	333-01	278	0	3.7	0	3.7	0	0	0
323	all_deer	R	Deer_A_Only	145081	0	33.3	0	33.3	0	0	14.3
323	all_deer	R	SUM	152725	0	52.5	0	52.5	0	0	14.3
323	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
323	all_deer	SUM	314-00	225	0	3.4	0	3.4	0	0	0
323	all_deer	SUM	323-00	50	0	7.1	0	7.1	0	0	0
323	all_deer	SUM	333-01	301	0	3.7	0	3.7	0	0	0
323	all_deer	SUM	Deer_A_Only	169380	3.1	52	3.1	52	0	3.1	32.9
323	all_deer	SUM	SUM	177922	3.1	71.2	3.1	71.2	0	3.1	32.9
324	all_deer	N	003-10	845	0	12.4	0	12.4	0	0	4.1
324	all_deer	N	311-01	5	0	0	0	0	0	0	0
324	all_deer	N	322-10	98	0	2.7	0	2.7	0	0	0
324	all_deer	N	323-00	12	0	2	0	2	0	0	2
324	all_deer	N	324-00	5	0	0	0	0	0	0	0
324	all_deer	N	324-01	31	0	12.9	0	12.9	0	0	0
324	all_deer	N	324-50/Deer_A	5	0	5	0	5	0	0	5
324	all_deer	N	330-00	54	0	0	0	0	0	0	0
324	all_deer	N	Deer_A_Only	24299	3.1	12.4	0	15.6	0	6.2	9.3

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
324	all_deer	N	SUM	25354	3.1	47.5	0	50.6	0	6.2	20.5
324	all_deer	R	003-10	7121	0	10	0	10	0	0	5
324	all_deer	R	311-01	45	0	2.5	0	2.5	0	0	0
324	all_deer	R	322-10	1130	0	0	0	0	0	0	0
324	all_deer	R	323-00	38	0	0	0	0	0	0	0
324	all_deer	R	324-00	45	0	17.3	0	17.3	0	3.5	3.5
324	all_deer	R	324-01	85	0	17	0	17	0	0	0
324	all_deer	R	324-50/Deer_A	45	0	21.2	0	21.2	0	2.6	18.5
324	all_deer	R	330-00	197	0	3.5	0	3.5	0	0	0
324	all_deer	R	Deer_A_Only	145081	0	38.1	0	38.1	0	9.5	9.5
324	all_deer	R	SUM	153787	0	109.5	0	109.5	0	15.6	36.5
324	all_deer	SUM	003-10	7966	0	22.4	0	22.4	0	0	9.1
324	all_deer	SUM	311-01	50	0	2.5	0	2.5	0	0	0
324	all_deer	SUM	322-10	1228	0	2.7	0	2.7	0	0	0
324	all_deer	SUM	323-00	50	0	2	0	2	0	0	2
324	all_deer	SUM	324-00	50	0	17.3	0	17.3	0	3.5	3.5
324	all_deer	SUM	324-01	116	0	29.9	0	29.9	0	0	0
324	all_deer	SUM	324-50/Deer_A	50	0	26.2	0	26.2	0	2.6	23.5
324	all_deer	SUM	330-00	251	0	3.5	0	3.5	0	0	0
324	all_deer	SUM	Deer_A_Only	169380	3.1	50.5	0	53.6	0	15.7	18.8
324	all_deer	SUM	SUM	179141	3.1	157	0	160.1	0	21.8	57
325	all_deer	N	003-10	845	0	20.6	0	20.6	0	4.1	0
325	all_deer	N	005-10	290	0	2.5	0	2.5	0	0	0
325	all_deer	N	260-10	103	0	0	0	0	0	0	0
325	all_deer	N	292-40/Deer_A	56	0	0	0	0	0	0	0
325	all_deer	N	300-50/Deer_A	4	0	0	0	0	0	0	0
325	all_deer	N	302-00	20	0	0	0	0	0	0	0
325	all_deer	N	320-01	43	0	0	0	0	0	0	0
325	all_deer	N	322-00	53	0	0	0	0	0	0	0
325	all_deer	N	322-10	98	0	0	0	0	0	0	0
325	all_deer	N	324-01	31	0	0	0	0	0	0	0
325	all_deer	N	325-00	28	0	17.8	0	17.8	0	0	0
325	all_deer	N	325-01	15	0	10	0	10	0	0	0
325	all_deer	N	341-00	2	0	0	0	0	0	0	0
325	all_deer	N	Deer_A_Only	24299	6.2	105.8	6.2	105.8	0	43.6	49.8
325	all_deer	N	SUM	25887	6.2	156.8	6.2	156.8	0	47.7	49.8
325	all_deer	R	003-10	7121	0	50.2	0	50.2	0	0	0
325	all_deer	R	005-10	2590	0	0	0	0	0	0	0
325	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
325	all_deer	R	007-14	2003	0	9.5	0	9.5	0	0	0
325	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
325	all_deer	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
325	all_deer	R	300-50/Deer_A	36	0	2.8	0	2.8	0	2.8	0
325	all_deer	R	302-00	130	0	3.5	0	3.5	0	0	0
325	all_deer	R	320-01	258	0	4	0	4	0	0	0
325	all_deer	R	322-00	251	0	4.8	0	4.8	0	0	0
325	all_deer	R	322-10	1130	0	21.9	0	21.9	0	0	0
325	all_deer	R	324-01	85	0	5.7	0	5.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
325	all_deer	R	325-00	422	5.1	154.4	10.3	149.2	0	5.1	0
325	all_deer	R	325-01	135	15.6	20.8	10.4	26	0	0	0
325	all_deer	R	341-00	73	0	3	0	3	0	3	0
325	all_deer	R	Deer_A_Only	145081	23.8	271.1	9.5	285.4	0	71.4	118.9
325	all_deer	R	SUM	169169	44.5	569.9	30.2	584.2	0	82.3	118.9
325	all_deer	SUM	003-10	7966	0	70.8	0	70.8	0	4.1	0
325	all_deer	SUM	005-10	2880	0	2.5	0	2.5	0	0	0
325	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
325	all_deer	SUM	007-14	2003	0	9.5	0	9.5	0	0	0
325	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
325	all_deer	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
325	all_deer	SUM	300-50/Deer_A	40	0	2.8	0	2.8	0	2.8	0
325	all_deer	SUM	302-00	150	0	3.5	0	3.5	0	0	0
325	all_deer	SUM	320-01	301	0	4	0	4	0	0	0
325	all_deer	SUM	322-00	304	0	4.8	0	4.8	0	0	0
325	all_deer	SUM	322-10	1228	0	21.9	0	21.9	0	0	0
325	all_deer	SUM	324-01	116	0	5.7	0	5.7	0	0	0
325	all_deer	SUM	325-00	450	5.1	172.2	10.3	167.1	0	5.1	0
325	all_deer	SUM	325-01	150	15.6	30.8	10.4	36	0	0	0
325	all_deer	SUM	341-00	75	0	3	0	3	0	3	0
325	all_deer	SUM	Deer_A_Only	169380	30	376.9	15.7	391.2	0	114.9	168.7
325	all_deer	SUM	SUM	195056	50.7	726.7	36.4	741	0	130	168.7
326	all_deer	N	003-10	845	0	4.1	0	4.1	0	0	0
326	all_deer	N	120-00	15	0	0	0	0	0	0	0
326	all_deer	N	201-00	10	0	0	0	0	0	0	0
326	all_deer	N	260-10	103	0	0	0	0	0	0	0
326	all_deer	N	318-40/Deer_A	8	0	0	0	0	0	0	0
326	all_deer	N	320-10	23	0	3.3	0	3.3	0	0	0
326	all_deer	N	322-00	53	0	6.9	0	6.9	0	0	2.3
326	all_deer	N	322-10	98	0	5.4	0	5.4	0	0	0
326	all_deer	N	325-00	28	0	0	0	0	0	0	0
326	all_deer	N	325-01	15	0	0	0	0	0	0	0
326	all_deer	N	326-00	89	0	41.1	0	41.1	0	0	0
326	all_deer	N	326-01	16	2	2	0	4	0	0	0
326	all_deer	N	Deer_A_Only	24299	3.1	46.7	3.1	46.7	0	9.3	21.8
326	all_deer	N	SUM	25602	5.1	109.5	3.1	111.5	0	9.3	24.1
326	all_deer	R	003-10	7121	0	25.1	0	25.1	0	0	0
326	all_deer	R	120-00	488	0	9.2	0	9.2	0	0	0
326	all_deer	R	201-00	340	0	3.9	0	3.9	0	0	0
326	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
326	all_deer	R	318-40/Deer_A	204	0	3.2	0	3.2	0	0	0
326	all_deer	R	320-10	722	0	0	0	0	0	0	0
326	all_deer	R	322-00	251	0	9.7	0	9.7	0	0	0
326	all_deer	R	322-10	1130	0	11	0	11	0	0	0
326	all_deer	R	325-00	422	0	5.1	0	5.1	0	0	0
326	all_deer	R	325-01	135	0	5.2	0	5.2	0	0	0
326	all_deer	R	326-00	597	0	201.5	0	201.5	0	0	7.5
326	all_deer	R	326-01	101	0	25.2	0	25.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
326	all_deer	R	Deer_A_Only	145081	4.8	166.5	4.8	166.5	0	42.8	52.3
326	all_deer	R	SUM	160007	4.8	473.9	4.8	473.9	0	42.8	59.8
326	all_deer	SUM	003-10	7966	0	29.2	0	29.2	0	0	0
326	all_deer	SUM	120-00	503	0	9.2	0	9.2	0	0	0
326	all_deer	SUM	201-00	350	0	3.9	0	3.9	0	0	0
326	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
326	all_deer	SUM	318-40/Deer_A	212	0	3.2	0	3.2	0	0	0
326	all_deer	SUM	320-10	745	0	3.3	0	3.3	0	0	0
326	all_deer	SUM	322-00	304	0	16.6	0	16.6	0	0	2.3
326	all_deer	SUM	322-10	1228	0	16.4	0	16.4	0	0	0
326	all_deer	SUM	325-00	450	0	5.1	0	5.1	0	0	0
326	all_deer	SUM	325-01	150	0	5.2	0	5.2	0	0	0
326	all_deer	SUM	326-00	686	0	242.6	0	242.6	0	0	7.5
326	all_deer	SUM	326-01	117	2	27.2	0	29.2	0	0	0
326	all_deer	SUM	Deer_A_Only	169380	7.9	213.2	7.9	213.2	0	52.1	74.1
326	all_deer	SUM	SUM	185609	9.9	583.4	7.9	585.4	0	52.1	83.9
327	all_deer	N	003-10	845	0	4.1	0	4.1	0	4.1	0
327	all_deer	N	Deer_A_Only	24299	9.3	12.4	6.2	15.6	0	9.3	12.4
327	all_deer	N	SUM	25144	9.3	16.6	6.2	19.7	0	13.5	12.4
327	all_deer	R	003-10	7121	0	10	0	10	0	0	5
327	all_deer	R	Deer_A_Only	145081	0	47.6	0	47.6	0	23.8	14.3
327	all_deer	R	SUM	152202	0	57.6	0	57.6	0	23.8	19.3
327	all_deer	SUM	003-10	7966	0	14.2	0	14.2	0	4.1	5
327	all_deer	SUM	Deer_A_Only	169380	9.3	60	6.2	63.1	0	33.1	26.7
327	all_deer	SUM	SUM	177346	9.3	74.2	6.2	77.3	0	37.2	31.7
328	all_deer	N	003-10	845	0	0	0	0	0	0	0
328	all_deer	N	300-00	17	0	0	0	0	0	0	0
328	all_deer	N	300-50/Deer_A	4	0	0	0	0	0	0	0
328	all_deer	N	328-00	2	0	0	0	0	0	0	0
328	all_deer	N	Deer_A_Only	24299	3.1	15.6	3.1	15.6	0	6.2	6.2
328	all_deer	N	SUM	25167	3.1	15.6	3.1	15.6	0	6.2	6.2
328	all_deer	R	003-10	7121	0	5	0	5	0	0	0
328	all_deer	R	300-00	134	0	4.3	0	4.3	0	0	0
328	all_deer	R	300-50/Deer_A	36	0	2.8	0	2.8	0	0	0
328	all_deer	R	328-00	23	0	9.2	0	9.2	0	0	0
328	all_deer	R	Deer_A_Only	145081	0	42.8	0	42.8	0	14.3	14.3
328	all_deer	R	SUM	152395	0	64.1	0	64.1	0	14.3	14.3
328	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
328	all_deer	SUM	300-00	151	0	4.3	0	4.3	0	0	0
328	all_deer	SUM	300-50/Deer_A	40	0	2.8	0	2.8	0	0	0
328	all_deer	SUM	328-00	25	0	9.2	0	9.2	0	0	0
328	all_deer	SUM	Deer_A_Only	169380	3.1	58.4	3.1	58.4	0	20.5	20.5
328	all_deer	SUM	SUM	177562	3.1	79.7	3.1	79.7	0	20.5	20.5
329	all_deer	N	003-10	845	0	4.1	0	4.1	0	0	0
329	all_deer	N	325-00	28	0	0	0	0	0	0	0
329	all_deer	N	329-00	5	0	2	0	2	0	0	0
329	all_deer	N	Deer_A_Only	24299	9.3	28	9.3	28	0	12.4	15.6
329	all_deer	N	SUM	25177	9.3	34.1	9.3	34.1	0	12.4	15.6



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
329	all_deer	R	003-10	7121	0	5	0	5	0	0	5
329	all_deer	R	325-00	422	0	5.1	0	5.1	0	0	0
329	all_deer	R	329-00	45	0	13.2	0	13.2	0	0	0
329	all_deer	R	Deer_A_Only	145081	4.8	76.1	0	80.9	0	28.5	33.3
329	all_deer	R	SUM	152669	4.8	99.5	0	104.3	0	28.5	38.3
329	all_deer	SUM	003-10	7966	0	9.1	0	9.1	0	0	5
329	all_deer	SUM	325-00	450	0	5.1	0	5.1	0	0	0
329	all_deer	SUM	329-00	50	0	15.2	0	15.2	0	0	0
329	all_deer	SUM	Deer_A_Only	169380	14.1	104.1	9.3	108.9	0	41	48.9
329	all_deer	SUM	SUM	177846	14.1	133.6	9.3	138.4	0	41	53.9
330	all_deer	N	003-10	845	0	20.6	0	20.6	0	0	0
330	all_deer	N	300-00	17	0	0	0	0	0	0	0
330	all_deer	N	311-02	13	0	0	0	0	0	0	0
330	all_deer	N	312-10	25	0	0	0	0	0	0	0
330	all_deer	N	322-00	53	0	2.3	0	2.3	0	0	0
330	all_deer	N	323-00	12	0	0	0	0	0	0	0
330	all_deer	N	324-01	31	0	0	0	0	0	0	0
330	all_deer	N	326-00	89	0	2.3	0	2.3	0	0	0
330	all_deer	N	326-01	16	0	0	0	0	0	0	0
330	all_deer	N	329-00	5	0	1	0	1	0	0	0
330	all_deer	N	330-00	54	0	35.3	0	35.3	0	0	0
330	all_deer	N	330-01	13	0	2.6	0	2.6	0	0	0
330	all_deer	N	Deer_A_Only	24299	0	77.8	0	77.8	0	3.1	49.8
330	all_deer	N	SUM	25472	0	141.9	0	141.9	0	3.1	49.8
330	all_deer	R	003-10	7121	5	40.1	5	40.1	0	0	0
330	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
330	all_deer	R	300-00	134	0	4.3	0	4.3	0	0	0
330	all_deer	R	311-02	290	0	4.9	0	4.9	0	4.9	0
330	all_deer	R	312-10	1124	0	7.8	0	7.8	0	0	0
330	all_deer	R	322-00	251	0	9.7	0	9.7	0	0	0
330	all_deer	R	323-00	38	0	2.4	0	2.4	0	0	0
330	all_deer	R	324-01	85	0	5.7	0	5.7	0	5.7	0
330	all_deer	R	326-00	597	0	7.5	0	7.5	0	0	0
330	all_deer	R	326-01	101	0	7.2	0	7.2	0	3.6	0
330	all_deer	R	329-00	45	0	0	0	0	0	0	0
330	all_deer	R	330-00	197	0	65.7	0	65.7	0	3.5	0
330	all_deer	R	330-01	88	0	41.7	0	41.7	0	0	0
330	all_deer	R	Deer_A_Only	145081	0	171.2	0	171.2	0	33.3	71.4
330	all_deer	R	SUM	162233	5	373	5	373	0	50.9	71.4
330	all_deer	SUM	003-10	7966	5	60.8	5	60.8	0	0	0
330	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
330	all_deer	SUM	300-00	151	0	4.3	0	4.3	0	0	0
330	all_deer	SUM	311-02	303	0	4.9	0	4.9	0	4.9	0
330	all_deer	SUM	312-10	1149	0	7.8	0	7.8	0	0	0
330	all_deer	SUM	322-00	304	0	12	0	12	0	0	0
330	all_deer	SUM	323-00	50	0	2.4	0	2.4	0	0	0
330	all_deer	SUM	324-01	116	0	5.7	0	5.7	0	5.7	0
330	all_deer	SUM	326-00	686	0	9.7	0	9.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
330	all_deer	SUM	326-01	117	0	7.2	0	7.2	0	3.6	0
330	all_deer	SUM	329-00	50	0	1	0	1	0	0	0
330	all_deer	SUM	330-00	251	0	101	0	101	0	3.5	0
330	all_deer	SUM	330-01	101	0	44.3	0	44.3	0	0	0
330	all_deer	SUM	Deer_A_Only	169380	0	249	0	249	0	36.4	121.1
330	all_deer	SUM	SUM	187705	5	514.9	5	514.9	0	54.1	121.1
331	all_deer	N	002-10	500	0	0	0	0	0	0	0
331	all_deer	N	003-10	845	0	8.2	0	8.2	0	0	0
331	all_deer	N	202-01	1	0	0	0	0	0	0	0
331	all_deer	N	260-10	103	0	0	0	0	0	0	0
331	all_deer	N	319-40/Deer_A	71	0	0	0	0	0	0	0
331	all_deer	N	320-01	43	0	0	0	0	0	0	0
331	all_deer	N	322-10	98	0	0	0	0	0	0	0
331	all_deer	N	325-00	28	0	0	0	0	0	0	0
331	all_deer	N	326-00	89	0	0	0	0	0	0	0
331	all_deer	N	330-00	54	0	0	0	0	0	0	0
331	all_deer	N	330-01	13	0	0	0	0	0	0	0
331	all_deer	N	331-01	21	0	10.5	0	10.5	0	0	0
331	all_deer	N	331-02	4	0	0	0	0	0	0	0
331	all_deer	N	Deer_A_Only	24299	3.1	71.6	3.1	71.6	0	31.1	21.8
331	all_deer	N	SUM	26169	3.1	90.3	3.1	90.3	0	31.1	21.8
331	all_deer	R	002-10	8803	0	21.5	0	21.5	0	0	0
331	all_deer	R	003-10	7121	10	55.2	5	50.2	10	0	10
331	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
331	all_deer	R	202-01	99	0	3.4	0	3.4	0	0	0
331	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
331	all_deer	R	291-51/Deer_A	25	0	2.8	0	2.8	0	0	0
331	all_deer	R	319-40/Deer_A	219	0	2.7	0	2.7	0	0	0
331	all_deer	R	320-01	258	0	4	0	4	0	0	0
331	all_deer	R	322-10	1130	0	11	0	11	0	0	0
331	all_deer	R	325-00	422	0	15.4	0	15.4	0	5.1	0
331	all_deer	R	326-00	597	0	7.5	0	7.5	0	0	0
331	all_deer	R	330-00	197	0	6.9	0	6.9	0	0	3.5
331	all_deer	R	330-01	88	0	9.3	0	9.3	0	0	0
331	all_deer	R	331-01	229	2.9	105.7	2.9	105.7	0	2.9	5.9
331	all_deer	R	331-02	21	0	4.7	0	4.7	0	0	0
331	all_deer	R	Deer_A_Only	145081	19	266.4	14.3	261.6	9.5	71.4	76.1
331	all_deer	R	SUM	169225	32	529.8	22.2	520	19.6	79.4	95.5
331	all_deer	SUM	002-10	9303	0	21.5	0	21.5	0	0	0
331	all_deer	SUM	003-10	7966	10	63.4	5	58.4	10	0	10
331	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
331	all_deer	SUM	202-01	100	0	3.4	0	3.4	0	0	0
331	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
331	all_deer	SUM	291-51/Deer_A	25	0	2.8	0	2.8	0	0	0
331	all_deer	SUM	319-40/Deer_A	290	0	2.7	0	2.7	0	0	0
331	all_deer	SUM	320-01	301	0	4	0	4	0	0	0
331	all_deer	SUM	322-10	1228	0	11	0	11	0	0	0
331	all_deer	SUM	325-00	450	0	15.4	0	15.4	0	5.1	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
331	all_deer	SUM	326-00	686	0	7.5	0	7.5	0	0	0
331	all_deer	SUM	330-00	251	0	6.9	0	6.9	0	0	3.5
331	all_deer	SUM	330-01	101	0	9.3	0	9.3	0	0	0
331	all_deer	SUM	331-01	250	2.9	116.2	2.9	116.2	0	2.9	5.9
331	all_deer	SUM	331-02	25	0	4.7	0	4.7	0	0	0
331	all_deer	SUM	Deer_A_Only	169380	22.1	338	17.4	333.2	9.5	102.5	97.9
331	all_deer	SUM	SUM	195394	35.1	620.1	25.3	610.4	19.6	110.6	117.3
332	all_deer	N	003-10	845	0	0	0	0	0	0	0
332	all_deer	N	331-01	21	0	1.2	0	1.2	0	0	0
332	all_deer	N	332-00	6	0	4	0	4	0	0	0
332	all_deer	N	Deer_A_Only	24299	3.1	15.6	6.2	12.4	0	3.1	9.3
332	all_deer	N	SUM	25171	3.1	20.7	6.2	17.6	0	3.1	9.3
332	all_deer	R	003-10	7121	0	5	0	5	0	0	0
332	all_deer	R	331-01	229	0	0	0	0	0	0	0
332	all_deer	R	332-00	44	0	11	0	11	0	0	0
332	all_deer	R	Deer_A_Only	145081	0	19	0	19	0	9.5	9.5
332	all_deer	R	SUM	152475	0	35	0	35	0	9.5	9.5
332	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
332	all_deer	SUM	331-01	250	0	1.2	0	1.2	0	0	0
332	all_deer	SUM	332-00	50	0	15	0	15	0	0	0
332	all_deer	SUM	Deer_A_Only	169380	3.1	34.6	6.2	31.5	0	12.6	18.8
332	all_deer	SUM	SUM	177646	3.1	55.8	6.2	52.7	0	12.6	18.8
333	all_deer	N	002-10	500	0	0	0	0	0	0	0
333	all_deer	N	003-10	845	8.2	20.6	8.2	20.6	0	4.1	0
333	all_deer	N	210-00	10	0	0	0	0	0	0	0
333	all_deer	N	309-10	8	0	8	0	8	0	0	0
333	all_deer	N	311-02	13	0	2.6	0	2.6	0	0	0
333	all_deer	N	312-10	25	0	0	0	0	0	0	0
333	all_deer	N	315-01	57	0	0	0	0	0	0	0
333	all_deer	N	319-40/Deer_A	71	0	0	0	0	0	0	0
333	all_deer	N	320-01	43	0	0	0	0	0	0	0
333	all_deer	N	320-10	23	0	0	0	0	0	0	0
333	all_deer	N	322-10	98	0	0	0	0	0	0	0
333	all_deer	N	329-00	5	0	0	0	0	0	0	0
333	all_deer	N	330-00	54	0	0	0	0	0	0	0
333	all_deer	N	331-01	21	0	0	0	0	0	0	0
333	all_deer	N	333-01	23	3.3	13.1	3.3	9.9	3.3	0	0
333	all_deer	N	333-03	22	0	11	0	11	0	0	0
333	all_deer	N	333-10	37	0	20.6	0	20.6	0	0	0
333	all_deer	N	580-00	64	0	0	0	0	0	0	0
333	all_deer	N	Deer_A_Only	24299	3.1	40.5	3.1	37.3	3.1	6.2	31.1
333	all_deer	N	SUM	26218	14.6	116.4	14.6	110	6.4	10.3	31.1
333	all_deer	R	002-10	8803	0	10.7	0	10.7	0	0	0
333	all_deer	R	003-10	7121	10	255.9	10	250.9	5	10	10
333	all_deer	R	210-00	190	0	2.9	0	2.9	0	0	0
333	all_deer	R	309-00	25	2.5	0	2.5	0	0	0	0
333	all_deer	R	309-10	505	4.4	8.8	4.4	8.8	0	0	0
333	all_deer	R	311-02	290	4.9	4.9	4.9	4.9	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
333	all_deer	R	312-10	1124	0	15.5	0	15.5	0	0	0
333	all_deer	R	315-01	198	0	3.1	0	3.1	0	0	0
333	all_deer	R	319-40/Deer_A	219	0	5.5	0	5.5	0	0	5.5
333	all_deer	R	320-01	258	0	7.9	0	7.9	0	0	0
333	all_deer	R	320-10	722	15.4	38.4	15.4	38.4	0	0	0
333	all_deer	R	322-10	1130	0	11	0	11	0	0	0
333	all_deer	R	329-00	45	0	2.6	0	2.6	0	0	0
333	all_deer	R	330-00	197	0	3.5	0	3.5	0	0	0
333	all_deer	R	331-01	229	0	2.9	0	2.9	0	0	0
333	all_deer	R	333-01	278	7.4	96.4	7.4	96.4	0	3.7	3.7
333	all_deer	R	333-03	267	0	98.9	0	98.9	0	0	0
333	all_deer	R	333-10	933	38.2	435.9	30.6	435.9	7.6	15.3	7.6
333	all_deer	R	580-00	186	0	3.3	0	3.3	0	0	3.3
333	all_deer	R	Deer_A_Only	145081	42.8	708.8	38.1	713.5	0	123.7	233.1
333	all_deer	R	SUM	167801	125.7	1717	113.3	1716.7	12.7	152.7	263.3
333	all_deer	SUM	002-10	9303	0	10.7	0	10.7	0	0	0
333	all_deer	SUM	003-10	7966	18.3	276.5	18.3	271.5	5	14.2	10
333	all_deer	SUM	210-00	200	0	2.9	0	2.9	0	0	0
333	all_deer	SUM	309-00	25	2.5	0	2.5	0	0	0	0
333	all_deer	SUM	309-10	513	4.4	16.8	4.4	16.8	0	0	0
333	all_deer	SUM	311-02	303	4.9	7.5	4.9	7.5	0	0	0
333	all_deer	SUM	312-10	1149	0	15.5	0	15.5	0	0	0
333	all_deer	SUM	315-01	255	0	3.1	0	3.1	0	0	0
333	all_deer	SUM	319-40/Deer_A	290	0	5.5	0	5.5	0	0	5.5
333	all_deer	SUM	320-01	301	0	7.9	0	7.9	0	0	0
333	all_deer	SUM	320-10	745	15.4	38.4	15.4	38.4	0	0	0
333	all_deer	SUM	322-10	1228	0	11	0	11	0	0	0
333	all_deer	SUM	329-00	50	0	2.6	0	2.6	0	0	0
333	all_deer	SUM	330-00	251	0	3.5	0	3.5	0	0	0
333	all_deer	SUM	331-01	250	0	2.9	0	2.9	0	0	0
333	all_deer	SUM	333-01	301	10.7	109.5	10.7	106.2	3.3	3.7	3.7
333	all_deer	SUM	333-03	289	0	109.9	0	109.9	0	0	0
333	all_deer	SUM	333-10	970	38.2	456.5	30.6	456.5	7.6	15.3	7.6
333	all_deer	SUM	580-00	250	0	3.3	0	3.3	0	0	3.3
333	all_deer	SUM	Deer_A_Only	169380	45.9	749.2	41.2	750.9	3.1	129.9	264.2
333	all_deer	SUM	SUM	194019	140.3	1833.3	127.9	1826.7	19.1	163.1	294.4
335	all_deer	N	003-10	845	0	0	0	0	0	0	0
335	all_deer	N	007-10	1330	0	0	0	0	0	0	0
335	all_deer	N	335-00	2	0	2	0	2	0	0	0
335	all_deer	N	335-40/Deer_A	9	2.2	4.5	2.2	4.5	0	2.2	4.5
335	all_deer	N	Deer_A_Only	24299	3.1	0	3.1	0	0	0	0
335	all_deer	N	SUM	26485	5.4	6.5	5.4	6.5	0	2.2	4.5
335	all_deer	R	003-10	7121	0	20.1	0	20.1	0	10	0
335	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
335	all_deer	R	335-00	198	0	80.5	0	77.2	3.4	13.4	36.9
335	all_deer	R	335-40/Deer_A	397	0	132.3	0	128.2	4.1	41.4	82.7
335	all_deer	R	Deer_A_Only	145081	0	23.8	0	23.8	0	4.8	4.8
335	all_deer	R	SUM	156309	0	262	0	254.5	7.5	69.6	124.4

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
335	all_deer	SUM	003-10	7966	0	20.1	0	20.1	0	10	0
335	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
335	all_deer	SUM	335-00	200	0	82.5	0	79.2	3.4	13.4	36.9
335	all_deer	SUM	335-40/Deer_A	406	2.2	136.8	2.2	132.7	4.1	43.6	87.2
335	all_deer	SUM	Deer_A_Only	169380	3.1	23.8	3.1	23.8	0	4.8	4.8
335	all_deer	SUM	SUM	182794	5.4	268.5	5.4	261	7.5	71.8	128.9
339	all_deer	N	003-10	845	0	0	0	0	0	0	0
339	all_deer	N	007-10	1330	0	0	0	0	0	0	0
339	all_deer	N	315-01	57	0	0	0	0	0	0	0
339	all_deer	N	335-00	2	0	0	0	0	0	0	0
339	all_deer	N	335-40/Deer_A	9	0	0	0	0	0	0	0
339	all_deer	N	339-00	3	0	0	0	0	0	0	0
339	all_deer	N	339-40/Deer_A	12	0	3	0	3	0	3	0
339	all_deer	N	388-10	15	0	0	0	0	0	0	0
339	all_deer	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
339	all_deer	N	SUM	26572	0	9.2	0	9.2	0	3	6.2
339	all_deer	R	003-10	7121	10	35.1	10	35.1	0	5	0
339	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
339	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
339	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
339	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
339	all_deer	R	315-01	198	0	3.1	0	3.1	0	0	0
339	all_deer	R	335-00	198	0	3.4	0	3.4	0	0	0
339	all_deer	R	335-40/Deer_A	397	0	4.1	0	4.1	0	0	4.1
339	all_deer	R	339-00	348	0	109.6	0	109.6	0	19.1	19.1
339	all_deer	R	339-40/Deer_A	391	4.6	119.6	0	124.2	0	59.8	55.2
339	all_deer	R	388-10	434	4	4	4	4	0	0	0
339	all_deer	R	Deer_A_Only	145081	4.8	61.8	4.8	61.8	0	0	19
339	all_deer	R	SUM	168284	23.4	360.9	18.8	365.5	0	83.9	97.4
339	all_deer	SUM	003-10	7966	10	35.1	10	35.1	0	5	0
339	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
339	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
339	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
339	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
339	all_deer	SUM	315-01	255	0	3.1	0	3.1	0	0	0
339	all_deer	SUM	335-00	200	0	3.4	0	3.4	0	0	0
339	all_deer	SUM	335-40/Deer_A	406	0	4.1	0	4.1	0	0	4.1
339	all_deer	SUM	339-00	351	0	109.6	0	109.6	0	19.1	19.1
339	all_deer	SUM	339-40/Deer_A	403	4.6	122.6	0	127.2	0	62.8	55.2
339	all_deer	SUM	388-10	449	4	4	4	4	0	0	0
339	all_deer	SUM	Deer_A_Only	169380	4.8	68.1	4.8	68.1	0	0	25.3
339	all_deer	SUM	SUM	194856	23.4	370.1	18.8	374.7	0	86.9	103.7
340	all_deer	N	003-10	845	4.1	37.1	4.1	37.1	0	0	0
340	all_deer	N	201-00	10	0	0	0	0	0	0	0
340	all_deer	N	212-10	19	0	0	0	0	0	0	0
340	all_deer	N	300-00	17	1.7	0	1.7	0	0	0	0
340	all_deer	N	320-01	43	0	0	0	0	0	0	0
340	all_deer	N	320-10	23	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
340	all_deer	N	322-00	53	0	0	0	0	0	0	0
340	all_deer	N	322-10	98	0	0	0	0	0	0	0
340	all_deer	N	325-01	15	0	0	0	0	0	0	0
340	all_deer	N	326-01	16	0	0	0	0	0	0	0
340	all_deer	N	331-01	21	0	0	0	0	0	0	0
340	all_deer	N	333-10	37	0	2.1	0	2.1	0	0	0
340	all_deer	N	340-00	8	0	2	0	2	0	0	0
340	all_deer	N	340-10	37	9.2	4.6	9.2	4.6	0	0	0
340	all_deer	N	341-00	2	0	0	0	0	0	0	0
340	all_deer	N	Deer_A_Only	24299	3.1	80.9	3.1	80.9	0	24.9	46.7
340	all_deer	N	SUM	25543	18.2	126.7	18.2	126.7	0	24.9	46.7
340	all_deer	R	003-10	7121	0	180.7	10	170.6	0	15.1	10
340	all_deer	R	201-00	340	0	3.9	0	3.9	0	0	0
340	all_deer	R	212-10	186	4.9	0	4.9	0	0	0	0
340	all_deer	R	300-00	134	0	0	0	0	0	0	0
340	all_deer	R	320-01	258	0	4	0	4	0	4	0
340	all_deer	R	320-10	722	0	23	0	23	0	0	0
340	all_deer	R	322-00	251	0	9.7	0	9.7	0	0	0
340	all_deer	R	322-10	1130	0	21.9	0	21.9	0	0	0
340	all_deer	R	325-01	135	5.2	10.4	5.2	10.4	0	0	0
340	all_deer	R	326-01	101	0	3.6	0	3.6	0	0	0
340	all_deer	R	331-01	229	0	2.9	2.9	0	0	2.9	0
340	all_deer	R	333-10	933	0	7.6	0	7.6	0	0	0
340	all_deer	R	340-00	142	2.5	68.5	2.5	68.5	0	5.1	0
340	all_deer	R	340-10	866	27.6	350.1	64.5	313.2	0	9.2	9.2
340	all_deer	R	341-00	73	0	3	0	3	0	0	0
340	all_deer	R	Deer_A_Only	145081	19	551.8	38.1	532.8	0	133.2	157
340	all_deer	R	SUM	157702	59.3	1241.1	128.1	1172.3	0	169.4	176.2
340	all_deer	SUM	003-10	7966	4.1	217.8	14.2	207.7	0	15.1	10
340	all_deer	SUM	201-00	350	0	3.9	0	3.9	0	0	0
340	all_deer	SUM	212-10	205	4.9	0	4.9	0	0	0	0
340	all_deer	SUM	300-00	151	1.7	0	1.7	0	0	0	0
340	all_deer	SUM	320-01	301	0	4	0	4	0	4	0
340	all_deer	SUM	320-10	745	0	23	0	23	0	0	0
340	all_deer	SUM	322-00	304	0	9.7	0	9.7	0	0	0
340	all_deer	SUM	322-10	1228	0	21.9	0	21.9	0	0	0
340	all_deer	SUM	325-01	150	5.2	10.4	5.2	10.4	0	0	0
340	all_deer	SUM	326-01	117	0	3.6	0	3.6	0	0	0
340	all_deer	SUM	331-01	250	0	2.9	2.9	0	0	2.9	0
340	all_deer	SUM	333-10	970	0	9.7	0	9.7	0	0	0
340	all_deer	SUM	340-00	150	2.5	70.5	2.5	70.5	0	5.1	0
340	all_deer	SUM	340-10	903	36.9	354.7	73.7	317.9	0	9.2	9.2
340	all_deer	SUM	341-00	75	0	3	0	3	0	0	0
340	all_deer	SUM	Deer_A_Only	169380	22.1	632.7	41.2	613.7	0	158.1	203.7
340	all_deer	SUM	SUM	183245	77.5	1367.8	146.3	1299	0	194.3	222.9
341	all_deer	N	002-10	500	0	0	0	0	0	0	0
341	all_deer	N	003-10	845	0	0	0	0	0	0	0
341	all_deer	N	340-10	37	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
341	all_deer	N	341-00	2	0	2	0	2	0	0	0
341	all_deer	N	Deer_A_Only	24299	0	9.3	0	9.3	0	3.1	3.1
341	all_deer	N	SUM	25683	0	11.3	0	11.3	0	3.1	3.1
341	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
341	all_deer	R	003-10	7121	0	10	0	10	0	0	0
341	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
341	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
341	all_deer	R	340-10	866	0	27.6	0	27.6	0	0	0
341	all_deer	R	341-00	73	3	21.3	3	21.3	0	3	0
341	all_deer	R	Deer_A_Only	145081	4.8	99.9	4.8	99.9	0	33.3	33.3
341	all_deer	R	SUM	168973	7.8	174.5	7.8	174.5	0	36.3	33.3
341	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
341	all_deer	SUM	003-10	7966	0	10	0	10	0	0	0
341	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
341	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
341	all_deer	SUM	340-10	903	0	27.6	0	27.6	0	0	0
341	all_deer	SUM	341-00	75	3	23.3	3	23.3	0	3	0
341	all_deer	SUM	Deer_A_Only	169380	4.8	109.2	4.8	109.2	0	36.4	36.4
341	all_deer	SUM	SUM	194656	7.8	185.8	7.8	185.8	0	39.5	36.4
343	all_deer	N	003-10	845	0	0	0	0	0	0	0
343	all_deer	N	212-10	19	0	0	0	0	0	0	0
343	all_deer	N	300-00	17	0	0	0	0	0	0	0
343	all_deer	N	343-00	6	0	6	0	6	0	6	0
343	all_deer	N	343-40/Deer_A	20	0	4.4	0	4.4	0	2.2	2.2
343	all_deer	N	388-10	15	0	0	0	0	0	0	0
343	all_deer	N	392-40/Deer_A	79	0	0	0	0	0	0	0
343	all_deer	N	Deer_A_Only	24299	0	9.3	0	9.3	0	6.2	3.1
343	all_deer	N	SUM	25300	0	19.8	0	19.8	0	14.4	5.3
343	all_deer	R	003-10	7121	10	55.2	10	55.2	0	5	25.1
343	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	4.9
343	all_deer	R	212-10	186	0	4.9	0	4.9	0	0	4.9
343	all_deer	R	300-00	134	0	4.3	0	4.3	0	0	4.3
343	all_deer	R	343-00	294	7.1	95.6	7.1	95.6	0	17.7	24.8
343	all_deer	R	343-40/Deer_A	467	0	142.8	0	142.8	0	50.2	84.9
343	all_deer	R	388-10	434	4	4	4	4	0	0	0
343	all_deer	R	392-40/Deer_A	719	0	4.1	0	4.1	0	0	0
343	all_deer	R	Deer_A_Only	145081	4.8	66.6	4.8	66.6	0	9.5	19
343	all_deer	R	SUM	161517	25.9	382.4	25.9	382.4	0	82.4	167.9
343	all_deer	SUM	003-10	7966	10	55.2	10	55.2	0	5	25.1
343	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	4.9
343	all_deer	SUM	212-10	205	0	4.9	0	4.9	0	0	4.9
343	all_deer	SUM	300-00	151	0	4.3	0	4.3	0	0	4.3
343	all_deer	SUM	343-00	300	7.1	101.6	7.1	101.6	0	23.7	24.8
343	all_deer	SUM	343-40/Deer_A	487	0	147.2	0	147.2	0	52.4	87.1
343	all_deer	SUM	388-10	449	4	4	4	4	0	0	0
343	all_deer	SUM	392-40/Deer_A	798	0	4.1	0	4.1	0	0	0
343	all_deer	SUM	Deer_A_Only	169380	4.8	75.9	4.8	75.9	0	15.7	22.1
343	all_deer	SUM	SUM	186817	25.9	402.2	25.9	402.2	0	96.9	173.2

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
350	all_deer	N	003-10	845	0	0	0	0	0	0	0
350	all_deer	N	212-10	19	0	0	0	0	0	0	0
350	all_deer	N	312-10	25	0	0	0	0	0	0	0
350	all_deer	N	320-01	43	0	0	0	0	0	0	0
350	all_deer	N	350-00	2	0	1	0	1	0	0	0
350	all_deer	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	6.2
350	all_deer	N	SUM	25233	0	10.3	0	10.3	0	0	6.2
350	all_deer	R	003-10	7121	0	5	0	5	0	0	0
350	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
350	all_deer	R	212-10	186	0	4.9	0	4.9	0	0	0
350	all_deer	R	312-10	1124	0	7.8	0	7.8	0	0	0
350	all_deer	R	320-01	258	0	4	0	4	0	0	0
350	all_deer	R	350-00	73	2.8	30.9	2.8	30.9	0	0	0
350	all_deer	R	Deer_A_Only	145081	4.8	142.7	4.8	142.7	0	42.8	66.6
350	all_deer	R	SUM	160924	7.6	200.1	7.6	200.1	0	42.8	66.6
350	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
350	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
350	all_deer	SUM	212-10	205	0	4.9	0	4.9	0	0	0
350	all_deer	SUM	312-10	1149	0	7.8	0	7.8	0	0	0
350	all_deer	SUM	320-01	301	0	4	0	4	0	0	0
350	all_deer	SUM	350-00	75	2.8	31.9	2.8	31.9	0	0	0
350	all_deer	SUM	Deer_A_Only	169380	4.8	152	4.8	152	0	42.8	72.8
350	all_deer	SUM	SUM	186157	7.6	210.4	7.6	210.4	0	42.8	72.8
360	all_deer	N	002-10	500	0	0	0	0	0	0	0
360	all_deer	N	003-10	845	4.1	57.7	4.1	57.7	0	0	0
360	all_deer	N	309-10	8	0	0	0	0	0	0	0
360	all_deer	N	312-00	12	0	0	0	0	0	0	0
360	all_deer	N	320-10	23	0	0	0	0	0	0	0
360	all_deer	N	330-00	54	0	0	0	0	0	0	0
360	all_deer	N	333-01	23	0	0	0	0	0	0	0
360	all_deer	N	333-10	37	0	2.1	0	2.1	0	0	0
360	all_deer	N	360-00	10	0	3.3	0	3.3	0	0	0
360	all_deer	N	360-01	23	4.2	6.3	4.2	6.3	0	0	0
360	all_deer	N	Deer_A_Only	24299	3.1	96.5	3.1	96.5	0	21.8	65.4
360	all_deer	N	SUM	25834	11.4	165.8	11.4	165.8	0	21.8	65.4
360	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
360	all_deer	R	003-10	7121	15.1	90.3	15.1	90.3	0	0	0
360	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
360	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
360	all_deer	R	309-00	25	2.5	0	2.5	0	0	0	0
360	all_deer	R	309-10	505	0	4.4	0	4.4	0	0	0
360	all_deer	R	312-00	238	3.4	3.4	3.4	3.4	0	0	0
360	all_deer	R	320-10	722	0	7.7	0	7.7	0	0	0
360	all_deer	R	330-00	197	3.5	13.8	3.5	13.8	0	0	0
360	all_deer	R	333-01	278	0	3.7	0	3.7	0	0	0
360	all_deer	R	333-10	933	0	15.3	0	15.3	0	0	0
360	all_deer	R	360-00	65	3.4	17.1	3.4	17.1	0	0	0
360	all_deer	R	360-01	177	32.8	39.3	32.8	39.3	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
360	all_deer	R	Deer_A_Only	145081	9.5	209.3	9.5	204.5	4.8	23.8	95.1
360	all_deer	R	SUM	171174	70.1	420	70.1	415.2	4.8	23.8	95.1
360	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
360	all_deer	SUM	003-10	7966	19.2	148	19.2	148	0	0	0
360	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
360	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
360	all_deer	SUM	309-00	25	2.5	0	2.5	0	0	0	0
360	all_deer	SUM	309-10	513	0	4.4	0	4.4	0	0	0
360	all_deer	SUM	312-00	250	3.4	3.4	3.4	3.4	0	0	0
360	all_deer	SUM	320-10	745	0	7.7	0	7.7	0	0	0
360	all_deer	SUM	330-00	251	3.5	13.8	3.5	13.8	0	0	0
360	all_deer	SUM	333-01	301	0	3.7	0	3.7	0	0	0
360	all_deer	SUM	333-10	970	0	17.4	0	17.4	0	0	0
360	all_deer	SUM	360-00	75	3.4	20.4	3.4	20.4	0	0	0
360	all_deer	SUM	360-01	200	37	45.6	37	45.6	0	0	0
360	all_deer	SUM	Deer_A_Only	169380	12.6	305.8	12.6	301	4.8	45.6	160.5
360	all_deer	SUM	SUM	197008	81.5	585.8	81.5	581	4.8	45.6	160.5
361	all_deer	N	003-10	845	0	0	0	0	0	0	0
361	all_deer	N	361-00	3	0	0	0	0	0	0	0
361	all_deer	N	Deer_A_Only	24299	0	0	0	0	0	0	0
361	all_deer	N	SUM	25147	0	0	0	0	0	0	0
361	all_deer	R	003-10	7121	0	0	0	0	0	0	0
361	all_deer	R	361-00	22	0	6.3	0	6.3	0	0	0
361	all_deer	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	0
361	all_deer	R	SUM	152224	0	11	0	11	0	0	0
361	all_deer	SUM	003-10	7966	0	0	0	0	0	0	0
361	all_deer	SUM	361-00	25	0	6.3	0	6.3	0	0	0
361	all_deer	SUM	Deer_A_Only	169380	0	4.8	0	4.8	0	0	0
361	all_deer	SUM	SUM	177371	0	11	0	11	0	0	0
362	all_deer	N	003-10	845	0	0	0	0	0	0	0
362	all_deer	N	312-10	25	0	0	0	0	0	0	0
362	all_deer	N	323-00	12	0	2	0	2	0	2	0
362	all_deer	N	362-00	2	0	2	0	2	0	0	0
362	all_deer	N	401-00	55	0	0	0	0	0	0	0
362	all_deer	N	Deer_A_Only	24299	0	12.4	3.1	9.3	0	3.1	6.2
362	all_deer	N	SUM	25238	0	16.4	3.1	13.3	0	5.1	6.2
362	all_deer	R	003-10	7121	0	15.1	0	15.1	0	0	0
362	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
362	all_deer	R	007-13	5509	0	10.1	0	10.1	0	0	0
362	all_deer	R	312-10	1124	0	7.8	0	7.8	0	0	0
362	all_deer	R	323-00	38	0	0	0	0	0	0	0
362	all_deer	R	362-00	23	0	5.8	0	5.8	0	0	0
362	all_deer	R	401-00	545	0	4.5	4.5	0	0	0	4.5
362	all_deer	R	Deer_A_Only	145081	4.8	33.3	4.8	33.3	0	9.5	9.5
362	all_deer	R	SUM	166522	4.8	81.4	9.3	76.8	0	9.5	14.1
362	all_deer	SUM	003-10	7966	0	15.1	0	15.1	0	0	0
362	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
362	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
362	all_deer	SUM	312-10	1149	0	7.8	0	7.8	0	0	0
362	all_deer	SUM	323-00	50	0	2	0	2	0	2	0
362	all_deer	SUM	362-00	25	0	7.8	0	7.8	0	0	0
362	all_deer	SUM	401-00	600	0	4.5	4.5	0	0	0	4.5
362	all_deer	SUM	Deer_A_Only	169380	4.8	45.7	7.9	42.6	0	12.6	15.7
362	all_deer	SUM	SUM	191760	4.8	97.8	12.4	90.2	0	14.6	20.3
370	all_deer	N	003-10	845	0	0	0	0	0	0	0
370	all_deer	N	333-10	37	0	0	0	0	0	0	0
370	all_deer	N	Deer_A_Only	24299	0	9.3	0	9.3	0	9.3	0
370	all_deer	N	SUM	25181	0	9.3	0	9.3	0	9.3	0
370	all_deer	R	003-10	7121	0	35.1	0	35.1	0	0	0
370	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
370	all_deer	R	333-10	933	0	7.6	0	7.6	0	0	0
370	all_deer	R	370-00	50	0	25.9	0	25.9	0	0	0
370	all_deer	R	Deer_A_Only	145081	4.8	109.4	4.8	109.4	0	33.3	38.1
370	all_deer	R	SUM	155188	4.8	182.8	4.8	182.8	0	33.3	38.1
370	all_deer	SUM	003-10	7966	0	35.1	0	35.1	0	0	0
370	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
370	all_deer	SUM	333-10	970	0	7.6	0	7.6	0	0	0
370	all_deer	SUM	370-00	50	0	25.9	0	25.9	0	0	0
370	all_deer	SUM	Deer_A_Only	169380	4.8	118.7	4.8	118.7	0	42.6	38.1
370	all_deer	SUM	SUM	180369	4.8	192.1	4.8	192.1	0	42.6	38.1
380	all_deer	N	003-10	845	0	0	0	0	0	0	0
380	all_deer	N	005-10	290	0	0	0	0	0	0	0
380	all_deer	N	170-10	57	0	0	0	0	0	0	0
380	all_deer	N	309-10	8	0	0	0	0	0	0	0
380	all_deer	N	312-10	25	0	0	0	0	0	0	0
380	all_deer	N	333-01	23	0	0	0	0	0	0	0
380	all_deer	N	335-00	2	0	0	0	0	0	0	0
380	all_deer	N	380-00	6	3	0	3	0	0	0	0
380	all_deer	N	380-01	2	0	0	0	0	0	0	0
380	all_deer	N	380-40/Deer_A	49	4.9	17.1	4.9	17.1	0	12.2	7.3
380	all_deer	N	388-10	15	0	0	0	0	0	0	0
380	all_deer	N	391-40/Deer_A	70	0	0	0	0	0	0	0
380	all_deer	N	392-40/Deer_A	79	0	2.3	0	2.3	0	0	2.3
380	all_deer	N	652-50/Deer_A	10	0	0	0	0	0	0	0
380	all_deer	N	680-00	88	0	0	0	0	0	0	0
380	all_deer	N	Deer_A_Only	24299	3.1	15.6	0	18.7	0	0	12.4
380	all_deer	N	SUM	25868	11	35	7.9	38.1	0	12.2	22.1
380	all_deer	R	003-10	7121	20.1	185.7	15.1	185.7	5	15.1	35.1
380	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0
380	all_deer	R	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
380	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
380	all_deer	R	309-10	505	0	4.4	0	4.4	0	4.4	0
380	all_deer	R	311-00	50	0	2.6	0	2.6	0	0	2.6
380	all_deer	R	312-10	1124	0	7.8	0	7.8	0	0	0
380	all_deer	R	333-01	278	0	3.7	0	3.7	0	0	3.7
380	all_deer	R	335-00	198	0	6.7	0	6.7	0	6.7	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
380	all_deer	R	339-00	348	0	9.5	0	9.5	0	4.8	4.8
380	all_deer	R	380-00	194	9.4	75.1	6.3	75.1	3.1	18.8	12.5
380	all_deer	R	380-01	98	2.7	24.5	2.7	24.5	0	2.7	5.4
380	all_deer	R	380-40/Deer_A	1253	0	485.7	0	473.4	12.2	232.6	236.7
380	all_deer	R	388-10	434	0	4	0	4	0	0	4
380	all_deer	R	391-40/Deer_A	369	0	4.4	0	4.4	0	4.4	0
380	all_deer	R	392-40/Deer_A	719	0	0	0	0	0	0	0
380	all_deer	R	652-50/Deer_A	90	0	2.9	0	2.9	0	0	0
380	all_deer	R	680-00	412	0	5.4	0	5.4	0	0	0
380	all_deer	R	Deer_A_Only	145081	9.5	309.2	9.5	304.4	4.8	57.1	114.2
380	all_deer	R	SUM	168487	46.8	1146.7	38.6	1129.7	25.1	346.5	424.4
380	all_deer	SUM	003-10	7966	20.1	185.7	15.1	185.7	5	15.1	35.1
380	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
380	all_deer	SUM	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
380	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
380	all_deer	SUM	309-10	513	0	4.4	0	4.4	0	4.4	0
380	all_deer	SUM	311-00	50	0	2.6	0	2.6	0	0	2.6
380	all_deer	SUM	312-10	1149	0	7.8	0	7.8	0	0	0
380	all_deer	SUM	333-01	301	0	3.7	0	3.7	0	0	3.7
380	all_deer	SUM	335-00	200	0	6.7	0	6.7	0	6.7	0
380	all_deer	SUM	339-00	348	0	9.5	0	9.5	0	4.8	4.8
380	all_deer	SUM	380-00	200	12.4	75.1	9.3	75.1	3.1	18.8	12.5
380	all_deer	SUM	380-01	100	2.7	24.5	2.7	24.5	0	2.7	5.4
380	all_deer	SUM	380-40/Deer_A	1302	4.9	502.8	4.9	490.6	12.2	244.9	244.1
380	all_deer	SUM	388-10	449	0	4	0	4	0	0	4
380	all_deer	SUM	391-40/Deer_A	439	0	4.4	0	4.4	0	4.4	0
380	all_deer	SUM	392-40/Deer_A	798	0	2.3	0	2.3	0	0	2.3
380	all_deer	SUM	652-50/Deer_A	100	0	2.9	0	2.9	0	0	0
380	all_deer	SUM	680-00	500	0	5.4	0	5.4	0	0	0
380	all_deer	SUM	Deer_A_Only	169380	12.6	324.7	9.5	323.1	4.8	57.1	126.6
380	all_deer	SUM	SUM	194355	57.8	1181.7	46.5	1167.8	25.1	358.8	446.4
388	all_deer	N	003-10	845	0	4.1	0	4.1	0	0	0
388	all_deer	N	007-10	1330	0	0	0	0	0	0	0
388	all_deer	N	339-40/Deer_A	12	0	0	0	0	0	0	0
388	all_deer	N	343-00	6	0	0	0	0	0	0	0
388	all_deer	N	380-40/Deer_A	49	0	0	0	0	0	0	0
388	all_deer	N	388-10	15	0	5.6	0	5.6	0	0	0
388	all_deer	N	Deer_A_Only	24299	0	0	0	0	0	0	0
388	all_deer	N	SUM	26556	0	9.7	0	9.7	0	0	0
388	all_deer	R	003-10	7121	10	95.3	25.1	80.3	0	0	0
388	all_deer	R	007-10	3512	0	5.3	5.3	0	0	0	0
388	all_deer	R	007-11	1520	0	5.2	5.2	0	0	0	0
388	all_deer	R	007-14	2003	0	9.5	4.8	4.8	0	0	0
388	all_deer	R	339-00	348	0	14.3	4.8	9.5	0	0	0
388	all_deer	R	339-40/Deer_A	391	0	4.6	0	4.6	0	0	0
388	all_deer	R	343-00	294	0	3.5	0	3.5	0	0	0
388	all_deer	R	370-00	50	0	1.7	0	1.7	0	0	0
388	all_deer	R	380-40/Deer_A	1253	4.1	0	4.1	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
388	all_deer	R	388-10	434	12.1	112.5	16.1	108.5	0	0	8
388	all_deer	R	Deer_A_Only	145081	9.5	223.6	23.8	209.3	0	33.3	52.3
388	all_deer	R	SUM	162007	35.7	475.6	89	422.3	0	33.3	60.4
388	all_deer	SUM	003-10	7966	10	99.5	25.1	84.4	0	0	0
388	all_deer	SUM	007-10	4842	0	5.3	5.3	0	0	0	0
388	all_deer	SUM	007-11	1520	0	5.2	5.2	0	0	0	0
388	all_deer	SUM	007-14	2003	0	9.5	4.8	4.8	0	0	0
388	all_deer	SUM	339-00	348	0	14.3	4.8	9.5	0	0	0
388	all_deer	SUM	339-40/Deer_A	403	0	4.6	0	4.6	0	0	0
388	all_deer	SUM	343-00	300	0	3.5	0	3.5	0	0	0
388	all_deer	SUM	370-00	50	0	1.7	0	1.7	0	0	0
388	all_deer	SUM	380-40/Deer_A	1302	4.1	0	4.1	0	0	0	0
388	all_deer	SUM	388-10	449	12.1	118.1	16.1	114.1	0	0	8
388	all_deer	SUM	Deer_A_Only	169380	9.5	223.6	23.8	209.3	0	33.3	52.3
388	all_deer	SUM	SUM	188563	35.7	485.4	89	432	0	33.3	60.4
390	all_deer	N	003-10	845	0	0	0	0	0	0	0
390	all_deer	N	329-00	5	0	0	0	0	0	0	0
390	all_deer	N	380-40/Deer_A	49	0	0	0	0	0	0	0
390	all_deer	N	390-00	2	0	0	0	0	0	0	0
390	all_deer	N	390-40/Deer_A	29	0	7.2	0	7.2	0	0	7.2
390	all_deer	N	Deer_A_Only	24299	0	18.7	0	18.7	0	3.1	15.6
390	all_deer	N	SUM	25229	0	25.9	0	25.9	0	3.1	22.8
390	all_deer	R	003-10	7121	0	25.1	0	25.1	0	5	5
390	all_deer	R	329-00	45	2.6	0	2.6	0	0	0	0
390	all_deer	R	380-40/Deer_A	1253	0	4.1	0	4.1	0	0	0
390	all_deer	R	390-00	33	0	12	0	12	0	3	6
390	all_deer	R	390-40/Deer_A	77	0	32.1	0	32.1	0	12.8	16
390	all_deer	R	Deer_A_Only	145081	9.5	61.8	4.8	66.6	0	33.3	19
390	all_deer	R	SUM	153610	12.2	135.1	7.4	139.9	0	54.1	46.1
390	all_deer	SUM	003-10	7966	0	25.1	0	25.1	0	5	5
390	all_deer	SUM	329-00	50	2.6	0	2.6	0	0	0	0
390	all_deer	SUM	380-40/Deer_A	1302	0	4.1	0	4.1	0	0	0
390	all_deer	SUM	390-00	35	0	12	0	12	0	3	6
390	all_deer	SUM	390-40/Deer_A	106	0	39.3	0	39.3	0	12.8	23.3
390	all_deer	SUM	Deer_A_Only	169380	9.5	80.5	4.8	85.3	0	36.4	34.6
390	all_deer	SUM	SUM	178839	12.2	161	7.4	165.8	0	57.3	68.9
391	all_deer	N	003-10	845	4.1	0	4.1	0	0	0	0
391	all_deer	N	315-00	15	0	0	0	0	0	0	0
391	all_deer	N	333-01	23	0	0	0	0	0	0	0
391	all_deer	N	380-01	2	0	0	0	0	0	0	0
391	all_deer	N	390-40/Deer_A	29	0	0	0	0	0	0	0
391	all_deer	N	391-00	2	0	1	0	1	0	0	1
391	all_deer	N	391-40/Deer_A	70	0	35	0	35	0	10.3	24.7
391	all_deer	N	Deer_A_Only	24299	0	21.8	0	21.8	0	6.2	15.6
391	all_deer	N	SUM	25285	4.1	57.8	4.1	57.8	0	16.5	41.3
391	all_deer	R	003-10	7121	0	30.1	0	30.1	0	5	5
391	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	0
391	all_deer	R	007-13	5509	5.1	0	5.1	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
391	all_deer	R	315-00	135	0	3.1	0	3.1	0	3.1	0
391	all_deer	R	333-01	278	0	3.7	0	3.7	0	3.7	0
391	all_deer	R	339-00	348	0	4.8	0	4.8	0	0	4.8
391	all_deer	R	380-01	98	2.7	0	2.7	0	0	0	0
391	all_deer	R	390-40/Deer_A	77	0	3.2	0	3.2	0	0	3.2
391	all_deer	R	391-00	98	7	49	7	49	0	10.5	14
391	all_deer	R	391-40/Deer_A	369	8.8	149.4	8.8	149.4	0	70.3	83.5
391	all_deer	R	Deer_A_Only	145081	4.8	95.1	4.8	90.4	4.8	14.3	47.6
391	all_deer	R	SUM	166195	28.3	348.1	28.3	343.4	4.8	106.9	158
391	all_deer	SUM	003-10	7966	4.1	30.1	4.1	30.1	0	5	5
391	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
391	all_deer	SUM	007-13	5509	5.1	0	5.1	0	0	0	0
391	all_deer	SUM	315-00	150	0	3.1	0	3.1	0	3.1	0
391	all_deer	SUM	333-01	301	0	3.7	0	3.7	0	3.7	0
391	all_deer	SUM	339-00	348	0	4.8	0	4.8	0	0	4.8
391	all_deer	SUM	380-01	100	2.7	0	2.7	0	0	0	0
391	all_deer	SUM	390-40/Deer_A	106	0	3.2	0	3.2	0	0	3.2
391	all_deer	SUM	391-00	100	7	50	7	50	0	10.5	15
391	all_deer	SUM	391-40/Deer_A	439	8.8	184.4	8.8	184.4	0	80.6	108.2
391	all_deer	SUM	Deer_A_Only	169380	4.8	116.9	4.8	112.2	4.8	20.5	63.1
391	all_deer	SUM	SUM	191480	32.5	405.9	32.5	401.2	4.8	123.4	199.3
392	all_deer	N	003-10	845	0	4.1	0	4.1	0	0	0
392	all_deer	N	315-01	57	0	0	0	0	0	0	0
392	all_deer	N	335-40/Deer_A	9	0	2.2	0	2.2	0	0	2.2
392	all_deer	N	339-40/Deer_A	12	0	0	0	0	0	0	0
392	all_deer	N	388-10	15	0	0	0	0	0	0	0
392	all_deer	N	392-00	2	0	1	0	1	0	0	1
392	all_deer	N	392-40/Deer_A	79	9	36.1	9	33.9	2.3	13.5	24.8
392	all_deer	N	598-00	281	0	0	0	0	0	0	0
392	all_deer	N	Deer_A_Only	24299	3.1	21.8	3.1	21.8	0	9.3	9.3
392	all_deer	N	SUM	25599	12.1	65.3	12.1	63	2.3	22.9	37.4
392	all_deer	R	003-10	7121	5	55.2	5	55.2	0	5	15.1
392	all_deer	R	004-10	7081	0	9.7	0	9.7	0	9.7	0
392	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
392	all_deer	R	315-01	198	0	3.1	0	3.1	0	3.1	0
392	all_deer	R	335-40/Deer_A	397	0	0	0	0	0	0	0
392	all_deer	R	339-40/Deer_A	391	0	4.6	0	4.6	0	0	0
392	all_deer	R	388-10	434	4	8	4	8	0	4	4
392	all_deer	R	392-00	98	4.5	46.8	4.5	46.8	0	13.4	6.7
392	all_deer	R	392-40/Deer_A	719	4.1	267.1	4.1	267.1	0	119.1	135.6
392	all_deer	R	598-00	1970	0	7.5	0	7.5	0	0	0
392	all_deer	R	Deer_A_Only	145081	0	80.9	0	76.1	4.8	19	28.5
392	all_deer	R	SUM	168999	17.6	487.9	17.6	483.1	4.8	173.4	189.9
392	all_deer	SUM	003-10	7966	5	59.3	5	59.3	0	5	15.1
392	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	9.7	0
392	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
392	all_deer	SUM	315-01	255	0	3.1	0	3.1	0	3.1	0
392	all_deer	SUM	335-40/Deer_A	406	0	2.2	0	2.2	0	0	2.2

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
392	all_deer	SUM	339-40/Deer_A	403	0	4.6	0	4.6	0	0	0
392	all_deer	SUM	388-10	449	4	8	4	8	0	4	4
392	all_deer	SUM	392-00	100	4.5	47.8	4.5	47.8	0	13.4	7.7
392	all_deer	SUM	392-40/Deer_A	798	13.1	303.2	13.1	300.9	2.3	132.7	160.4
392	all_deer	SUM	598-00	2251	0	7.5	0	7.5	0	0	0
392	all_deer	SUM	Deer_A_Only	169380	3.1	102.6	3.1	97.9	4.8	28.4	37.9
392	all_deer	SUM	SUM	194598	29.7	553.1	29.7	546.1	7	196.3	227.3
393	all_deer	N	003-10	845	4.1	20.6	4.1	20.6	0	0	0
393	all_deer	N	005-10	290	0	0	0	0	0	0	0
393	all_deer	N	170-10	57	0	0	0	0	0	0	0
393	all_deer	N	300-50/Deer_A	4	0	0	0	0	0	0	0
393	all_deer	N	309-10	8	0	0	0	0	0	0	0
393	all_deer	N	312-10	25	0	0	0	0	0	0	0
393	all_deer	N	312-50/Deer_A	4	0	0	0	0	0	0	0
393	all_deer	N	315-00	15	0	1.9	0	1.9	0	0	0
393	all_deer	N	315-01	57	0	0	0	0	0	0	0
393	all_deer	N	393-00	11	0	6.3	0	6.3	0	0	0
393	all_deer	N	Deer_A_Only	24299	3.1	93.4	0	96.5	0	15.6	68.5
393	all_deer	N	SUM	25615	7.2	122.1	4.1	125.2	0	15.6	68.5
393	all_deer	R	003-10	7121	20.1	70.3	20.1	70.3	0	0	5
393	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0
393	all_deer	R	170-10	2114	5.3	0	5.3	0	0	0	5.3
393	all_deer	R	300-50/Deer_A	36	0	2.8	0	2.8	0	0	0
393	all_deer	R	309-10	505	0	4.4	0	4.4	0	0	0
393	all_deer	R	312-10	1124	7.8	15.5	7.8	15.5	0	0	0
393	all_deer	R	312-50/Deer_A	121	2.5	0	2.5	0	0	0	0
393	all_deer	R	315-00	135	0	0	0	0	0	0	0
393	all_deer	R	315-01	198	0	3.1	0	3.1	0	0	0
393	all_deer	R	393-00	190	10.7	77.6	10.7	77.6	0	0	0
393	all_deer	R	Deer_A_Only	145081	23.8	385.3	23.8	380.5	4.8	118.9	152.2
393	all_deer	R	SUM	159215	70.1	563.7	70.1	558.9	4.8	118.9	162.5
393	all_deer	SUM	003-10	7966	24.2	90.9	24.2	90.9	0	0	5
393	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
393	all_deer	SUM	170-10	2171	5.3	0	5.3	0	0	0	5.3
393	all_deer	SUM	300-50/Deer_A	40	0	2.8	0	2.8	0	0	0
393	all_deer	SUM	309-10	513	0	4.4	0	4.4	0	0	0
393	all_deer	SUM	312-10	1149	7.8	15.5	7.8	15.5	0	0	0
393	all_deer	SUM	312-50/Deer_A	125	2.5	0	2.5	0	0	0	0
393	all_deer	SUM	315-00	150	0	1.9	0	1.9	0	0	0
393	all_deer	SUM	315-01	255	0	3.1	0	3.1	0	0	0
393	all_deer	SUM	393-00	201	10.7	83.9	10.7	83.9	0	0	0
393	all_deer	SUM	Deer_A_Only	169380	26.9	478.7	23.8	477	4.8	134.5	220.7
393	all_deer	SUM	SUM	184830	77.4	685.8	74.2	684.2	4.8	134.5	231
3XX	all_deer	N	003-10	845	0	16.5	0	16.5	0	0	0
3XX	all_deer	N	322-10	98	0	2.7	0	2.7	0	0	0
3XX	all_deer	N	326-00	89	0	2.3	0	2.3	0	0	0
3XX	all_deer	N	Deer_A_Only	24299	6.2	18.7	6.2	18.7	0	9.3	15.6
3XX	all_deer	N	SUM	25331	6.2	40.2	6.2	40.2	0	9.3	15.6

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
3XX	all_deer	R	003-10	7121	0	5	0	5	0	0	0
3XX	all_deer	R	Deer_A_Only	145081	0	19	0	19	0	4.8	9.5
3XX	all_deer	R	SUM	152202	0	24	0	24	0	4.8	9.5
3XX	all_deer	SUM	003-10	7966	0	21.5	0	21.5	0	0	0
3XX	all_deer	SUM	322-10	98	0	2.7	0	2.7	0	0	0
3XX	all_deer	SUM	326-00	89	0	2.3	0	2.3	0	0	0
3XX	all_deer	SUM	Deer_A_Only	169380	6.2	37.7	6.2	37.7	0	14.1	25.1
3XX	all_deer	SUM	SUM	177533	6.2	64.2	6.2	64.2	0	14.1	25.1
400	all_deer	N	130-00	37	0	0	0	0	0	0	0
400	all_deer	N	400-00	64	0	21.3	0	21.3	0	0	0
400	all_deer	N	404-00	56	0	0	0	0	0	0	0
400	all_deer	N	406-00	47	0	3.4	0	3.4	0	0	0
400	all_deer	N	498-00	301	0	3.2	0	3.2	0	0	0
400	all_deer	N	Deer_A_Only	24299	0	43.6	0	43.6	0	9.3	18.7
400	all_deer	N	SUM	24804	0	71.4	0	71.4	0	9.3	18.7
400	all_deer	R	004-10	7081	14.6	131.2	19.4	126.4	0	0	0
400	all_deer	R	006-10	1778	0	4.9	0	4.9	0	0	0
400	all_deer	R	130-00	614	0	4.1	0	4.1	0	0	0
400	all_deer	R	400-00	839	17.7	370.9	35.3	353.3	0	8.8	17.7
400	all_deer	R	404-00	1152	0	20.7	0	20.7	0	0	6.9
400	all_deer	R	406-00	504	0	0	0	0	0	0	0
400	all_deer	R	Deer_A_Only	145081	23.8	761.1	23.8	761.1	0	171.2	352
400	all_deer	R	SUM	157049	56	1293	78.6	1270.5	0	180.1	376.6
400	all_deer	SUM	004-10	7081	14.6	131.2	19.4	126.4	0	0	0
400	all_deer	SUM	006-10	1778	0	4.9	0	4.9	0	0	0
400	all_deer	SUM	130-00	651	0	4.1	0	4.1	0	0	0
400	all_deer	SUM	400-00	903	17.7	392.3	35.3	374.6	0	8.8	17.7
400	all_deer	SUM	404-00	1208	0	20.7	0	20.7	0	0	6.9
400	all_deer	SUM	406-00	551	0	3.4	0	3.4	0	0	0
400	all_deer	SUM	498-00	301	0	3.2	0	3.2	0	0	0
400	all_deer	SUM	Deer_A_Only	169380	23.8	804.6	23.8	804.6	0	180.6	370.7
400	all_deer	SUM	SUM	181853	56	1364.4	78.6	1341.9	0	189.4	395.2
401	all_deer	N	002-10	500	0	0	0	0	0	0	0
401	all_deer	N	003-10	845	0	0	0	0	0	0	0
401	all_deer	N	170-10	57	0	0	0	0	0	0	0
401	all_deer	N	212-01	17	0	0	0	0	0	0	0
401	all_deer	N	260-10	103	0	0	0	0	0	0	0
401	all_deer	N	340-00	8	0	0	0	0	0	0	0
401	all_deer	N	400-00	64	0	0	0	0	0	0	0
401	all_deer	N	401-00	55	0	46.2	0	46.2	0	0	2.2
401	all_deer	N	406-00	47	0	0	0	0	0	0	0
401	all_deer	N	413-00	42	0	0	0	0	0	0	0
401	all_deer	N	441-50/Deer_A	1	0	0	0	0	0	0	0
401	all_deer	N	498-00	301	0	9.5	0	9.5	0	3.2	0
401	all_deer	N	499-00	169	0	0	0	0	0	0	0
401	all_deer	N	Deer_A_Only	24299	0	90.2	0	90.2	0	15.6	59.1
401	all_deer	N	SUM	26508	0	146	0	146	0	18.7	61.3
401	all_deer	R	002-10	8803	0	10.7	0	10.7	0	0	5.4

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
401	all_deer	R	003-10	7121	0	5	0	5	0	0	0
401	all_deer	R	004-10	7081	0	179.8	0	179.8	0	0	9.7
401	all_deer	R	006-10	1778	0	4.9	0	4.9	0	0	0
401	all_deer	R	109-00	398	0	5.1	0	5.1	0	0	0
401	all_deer	R	170-10	2114	0	15.9	0	15.9	0	0	0
401	all_deer	R	212-01	133	0	3.7	0	3.7	0	0	0
401	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
401	all_deer	R	340-00	142	0	2.5	0	2.5	0	0	0
401	all_deer	R	400-00	839	0	17.7	0	17.7	0	0	8.8
401	all_deer	R	401-00	545	4.5	268	13.6	258.9	0	4.5	13.6
401	all_deer	R	406-00	504	0	19.2	0	19.2	0	0	0
401	all_deer	R	413-00	558	5.8	0	0	5.8	0	0	0
401	all_deer	R	441-50/Deer_A	49	0	2.9	0	2.9	0	0	2.9
401	all_deer	R	499-00	835	0	8.1	0	8.1	0	0	0
401	all_deer	R	Deer_A_Only	145081	0	704	9.5	689.7	4.8	109.4	313.9
401	all_deer	R	SUM	179396	10.4	1255.7	23.1	1238.2	4.8	113.9	354.4
401	all_deer	SUM	002-10	9303	0	10.7	0	10.7	0	0	5.4
401	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
401	all_deer	SUM	004-10	7081	0	179.8	0	179.8	0	0	9.7
401	all_deer	SUM	006-10	1778	0	4.9	0	4.9	0	0	0
401	all_deer	SUM	109-00	398	0	5.1	0	5.1	0	0	0
401	all_deer	SUM	170-10	2171	0	15.9	0	15.9	0	0	0
401	all_deer	SUM	212-01	150	0	3.7	0	3.7	0	0	0
401	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
401	all_deer	SUM	340-00	150	0	2.5	0	2.5	0	0	0
401	all_deer	SUM	400-00	903	0	17.7	0	17.7	0	0	8.8
401	all_deer	SUM	401-00	600	4.5	314.2	13.6	305.1	0	4.5	15.8
401	all_deer	SUM	406-00	551	0	19.2	0	19.2	0	0	0
401	all_deer	SUM	413-00	600	5.8	0	0	5.8	0	0	0
401	all_deer	SUM	441-50/Deer_A	50	0	2.9	0	2.9	0	0	2.9
401	all_deer	SUM	498-00	301	0	9.5	0	9.5	0	3.2	0
401	all_deer	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
401	all_deer	SUM	Deer_A_Only	169380	0	794.2	9.5	780	4.8	125	373.1
401	all_deer	SUM	SUM	205904	10.4	1401.7	23.1	1384.1	4.8	132.7	415.7
403	all_deer	N	498-00	301	0	0	0	0	0	0	0
403	all_deer	N	530-00	85	0	0	0	0	0	0	0
403	all_deer	N	Deer_A_Only	24299	3.1	9.3	3.1	9.3	0	3.1	9.3
403	all_deer	N	SUM	24685	3.1	9.3	3.1	9.3	0	3.1	9.3
403	all_deer	R	004-10	7081	0	0	0	0	0	0	0
403	all_deer	R	530-00	416	0	4.7	0	4.7	0	0	4.7
403	all_deer	R	Deer_A_Only	145081	0	123.7	0	123.7	0	28.5	76.1
403	all_deer	R	SUM	152578	0	128.4	0	128.4	0	28.5	80.8
403	all_deer	SUM	004-10	7081	0	0	0	0	0	0	0
403	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
403	all_deer	SUM	530-00	501	0	4.7	0	4.7	0	0	4.7
403	all_deer	SUM	Deer_A_Only	169380	3.1	133	3.1	133	0	31.7	85.4
403	all_deer	SUM	SUM	177263	3.1	137.7	3.1	137.7	0	31.7	90.2
404	all_deer	N	002-10	500	0	4.4	0	4.4	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
404	all_deer	N	003-10	845	0	0	0	0	0	0	0
404	all_deer	N	120-00	15	0	0	0	0	0	0	0
404	all_deer	N	170-10	57	0	0	0	0	0	0	0
404	all_deer	N	284-10	1	0	0	0	0	0	0	0
404	all_deer	N	400-00	64	0	7.1	0	7.1	0	0	0
404	all_deer	N	404-00	56	5.1	40.7	5.1	40.7	0	0	0
404	all_deer	N	444-00	42	0	2.8	0	2.8	0	0	0
404	all_deer	N	447-00	79	0	0	0	0	0	0	0
404	all_deer	N	498-00	301	0	19	0	19	0	0	0
404	all_deer	N	499-00	169	0	0	0	0	0	0	0
404	all_deer	N	Deer_A_Only	24299	3.1	71.6	0	74.7	0	6.2	62.2
404	all_deer	N	SUM	26428	8.2	145.6	5.1	148.7	0	6.2	62.2
404	all_deer	R	002-10	8803	0	0	0	0	0	0	0
404	all_deer	R	003-10	7121	0	5	0	5	0	0	0
404	all_deer	R	004-10	7081	19.4	374.2	9.7	383.9	0	4.9	0
404	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
404	all_deer	R	007-13	5509	0	10.1	0	10.1	0	0	0
404	all_deer	R	007-14	2003	0	9.5	0	9.5	0	0	0
404	all_deer	R	120-00	488	0	4.6	0	4.6	0	0	0
404	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	0
404	all_deer	R	284-10	92	0	4.4	0	4.4	0	0	0
404	all_deer	R	400-00	839	0	35.3	0	35.3	0	0	8.8
404	all_deer	R	404-00	1152	6.9	517.4	6.9	510.5	6.9	0	13.8
404	all_deer	R	444-00	360	0	7.1	0	7.1	0	0	0
404	all_deer	R	447-00	621	0	6.8	0	6.8	0	0	0
404	all_deer	R	499-00	835	0	24.3	0	24.3	0	0	0
404	all_deer	R	Deer_A_Only	145081	33.3	1165.4	28.5	1155.9	14.3	218.8	451.9
404	all_deer	R	SUM	183619	59.6	2174.7	45.2	2168	21.2	223.7	474.5
404	all_deer	SUM	002-10	9303	0	4.4	0	4.4	0	0	0
404	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
404	all_deer	SUM	004-10	7081	19.4	374.2	9.7	383.9	0	4.9	0
404	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
404	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
404	all_deer	SUM	007-14	2003	0	9.5	0	9.5	0	0	0
404	all_deer	SUM	120-00	503	0	4.6	0	4.6	0	0	0
404	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
404	all_deer	SUM	284-10	93	0	4.4	0	4.4	0	0	0
404	all_deer	SUM	400-00	903	0	42.4	0	42.4	0	0	8.8
404	all_deer	SUM	404-00	1208	12	558.1	12	551.2	6.9	0	13.8
404	all_deer	SUM	444-00	402	0	9.9	0	9.9	0	0	0
404	all_deer	SUM	447-00	700	0	6.8	0	6.8	0	0	0
404	all_deer	SUM	498-00	301	0	19	0	19	0	0	0
404	all_deer	SUM	499-00	1004	0	24.3	0	24.3	0	0	0
404	all_deer	SUM	Deer_A_Only	169380	36.4	1237	28.5	1230.6	14.3	225	514.1
404	all_deer	SUM	SUM	210047	67.8	2320.3	50.2	2316.7	21.2	229.9	536.8
405	all_deer	N	292-40/Deer_A	56	0	0	0	0	0	0	0
405	all_deer	N	404-00	56	0	0	0	0	0	0	0
405	all_deer	N	405-00	28	0	19.8	0	19.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
405	all_deer	N	426-00	94	0	2.3	0	2.3	0	0	0
405	all_deer	N	432-00	28	0	1.8	0	1.8	0	0	0
405	all_deer	N	450-00	9	0	0	0	0	0	0	0
405	all_deer	N	471-00	40	0	1.9	0	1.9	0	0	0
405	all_deer	N	498-00	301	0	0	0	0	0	0	0
405	all_deer	N	680-00	88	0	2.2	0	2.2	0	0	0
405	all_deer	N	Deer_A_Only	24299	0	34.2	0	34.2	0	3.1	21.8
405	all_deer	N	SUM	24999	0	62.1	0	62.1	0	3.1	21.8
405	all_deer	R	004-10	7081	4.9	77.8	4.9	77.8	0	4.9	0
405	all_deer	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
405	all_deer	R	404-00	1152	0	6.9	0	6.9	0	0	0
405	all_deer	R	405-00	477	0	279.3	0	270.7	8.6	0	0
405	all_deer	R	426-00	456	0	0	0	0	0	0	0
405	all_deer	R	432-00	372	0	0	0	0	0	0	0
405	all_deer	R	450-00	141	0	4.4	0	4.4	0	0	0
405	all_deer	R	471-00	260	0	0	0	0	0	0	0
405	all_deer	R	680-00	412	0	0	0	0	0	0	0
405	all_deer	R	Deer_A_Only	145081	4.8	613.6	0	613.6	4.8	152.2	214.1
405	all_deer	R	SUM	156362	9.6	986.9	4.9	978.3	13.4	157.1	214.1
405	all_deer	SUM	004-10	7081	4.9	77.8	4.9	77.8	0	4.9	0
405	all_deer	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
405	all_deer	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
405	all_deer	SUM	405-00	505	0	299.1	0	290.5	8.6	0	0
405	all_deer	SUM	426-00	550	0	2.3	0	2.3	0	0	0
405	all_deer	SUM	432-00	400	0	1.8	0	1.8	0	0	0
405	all_deer	SUM	450-00	150	0	4.4	0	4.4	0	0	0
405	all_deer	SUM	471-00	300	0	1.9	0	1.9	0	0	0
405	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
405	all_deer	SUM	680-00	500	0	2.2	0	2.2	0	0	0
405	all_deer	SUM	Deer_A_Only	169380	4.8	647.9	0	647.9	4.8	155.3	235.8
405	all_deer	SUM	SUM	181361	9.6	1049	4.9	1040.4	13.4	160.2	235.8
406	all_deer	N	003-10	845	0	0	0	0	0	0	0
406	all_deer	N	170-10	57	0	0	0	0	0	0	0
406	all_deer	N	400-00	64	0	0	0	0	0	0	0
406	all_deer	N	401-00	55	0	0	0	0	0	0	0
406	all_deer	N	406-00	47	0	20.1	0	20.1	0	0	0
406	all_deer	N	441-00	26	0	0	0	0	0	0	0
406	all_deer	N	498-00	301	0	0	0	0	0	0	0
406	all_deer	N	Deer_A_Only	24299	0	18.7	0	18.7	0	9.3	6.2
406	all_deer	N	SUM	25694	0	38.8	0	38.8	0	9.3	6.2
406	all_deer	R	003-10	7121	0	5	0	5	0	0	0
406	all_deer	R	004-10	7081	0	87.5	0	87.5	0	0	4.9
406	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	0
406	all_deer	R	400-00	839	0	26.5	0	26.5	0	0	0
406	all_deer	R	401-00	545	0	9.1	0	9.1	0	0	0
406	all_deer	R	406-00	504	0	206.4	0	206.4	0	0	0
406	all_deer	R	441-00	348	0	4.8	0	4.8	0	0	4.8
406	all_deer	R	Deer_A_Only	145081	4.8	356.8	4.8	352	4.8	61.8	147.5

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
406	all_deer	R	SUM	163633	4.8	701.4	4.8	696.6	4.8	61.8	157.2
406	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
406	all_deer	SUM	004-10	7081	0	87.5	0	87.5	0	0	4.9
406	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
406	all_deer	SUM	400-00	903	0	26.5	0	26.5	0	0	0
406	all_deer	SUM	401-00	600	0	9.1	0	9.1	0	0	0
406	all_deer	SUM	406-00	551	0	226.5	0	226.5	0	0	0
406	all_deer	SUM	441-00	374	0	4.8	0	4.8	0	0	4.8
406	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
406	all_deer	SUM	Deer_A_Only	169380	4.8	375.4	4.8	370.7	4.8	71.2	153.7
406	all_deer	SUM	SUM	189327	4.8	740.2	4.8	735.4	4.8	71.2	163.4
410	all_deer	N	002-10	500	0	0	0	0	0	0	0
410	all_deer	N	005-10	290	0	0	0	0	0	0	0
410	all_deer	N	121-00	73	0	0	0	0	0	0	0
410	all_deer	N	201-00	10	0	0	0	0	0	0	0
410	all_deer	N	260-10	103	0	0	0	0	0	0	0
410	all_deer	N	401-00	55	0	0	0	0	0	0	0
410	all_deer	N	410-00	112	0	67.7	0	67.7	0	4.7	0
410	all_deer	N	411-00	173	0	0	0	0	0	0	0
410	all_deer	N	412-00	177	0	2.5	0	2.5	0	0	0
410	all_deer	N	498-00	301	0	0	0	0	0	0	0
410	all_deer	N	499-00	169	0	0	0	0	0	0	0
410	all_deer	N	520-00	39	0	0	0	0	0	0	0
410	all_deer	N	599-00	98	0	0	0	0	0	0	0
410	all_deer	N	600-00	47	0	2.6	0	2.6	0	0	0
410	all_deer	N	Deer_A_Only	24299	6.2	143.2	6.2	143.2	0	28	99.6
410	all_deer	N	SUM	26446	6.2	215.9	6.2	215.9	0	32.7	99.6
410	all_deer	R	002-10	8803	0	16.1	5.4	10.7	0	0	5.4
410	all_deer	R	004-10	7081	9.7	63.2	9.7	63.2	0	0	0
410	all_deer	R	005-10	2590	0	4.8	0	4.8	0	4.8	0
410	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
410	all_deer	R	007-13	5509	0	10.1	0	10.1	0	5.1	0
410	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
410	all_deer	R	121-00	727	0	4.2	0	4.2	0	0	0
410	all_deer	R	201-00	340	0	3.9	0	3.9	0	0	0
410	all_deer	R	260-10	3415	0	16.5	0	16.5	0	0	8.2
410	all_deer	R	401-00	545	0	4.5	0	4.5	0	0	0
410	all_deer	R	410-00	488	0	152.8	4.9	147.9	0	0	4.9
410	all_deer	R	411-00	633	0	10.2	0	10.2	0	0	0
410	all_deer	R	412-00	623	0	0	0	0	0	0	0
410	all_deer	R	499-00	835	0	16.2	0	16.2	0	0	0
410	all_deer	R	520-00	261	0	3.6	0	3.6	0	0	3.6
410	all_deer	R	599-00	1904	5.9	5.9	5.9	5.9	0	5.9	5.9
410	all_deer	R	600-00	453	0	0	0	0	0	0	0
410	all_deer	R	Deer_A_Only	145081	9.5	570.8	14.3	566.1	0	142.7	266.4
410	all_deer	R	SUM	182811	25.1	892.8	40.2	877.7	0	158.4	294.4
410	all_deer	SUM	002-10	9303	0	16.1	5.4	10.7	0	0	5.4
410	all_deer	SUM	004-10	7081	9.7	63.2	9.7	63.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
410	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	4.8	0
410	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
410	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	5.1	0
410	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
410	all_deer	SUM	121-00	800	0	4.2	0	4.2	0	0	0
410	all_deer	SUM	201-00	350	0	3.9	0	3.9	0	0	0
410	all_deer	SUM	260-10	3518	0	16.5	0	16.5	0	0	8.2
410	all_deer	SUM	401-00	600	0	4.5	0	4.5	0	0	0
410	all_deer	SUM	410-00	600	0	220.5	4.9	215.5	0	4.7	4.9
410	all_deer	SUM	411-00	806	0	10.2	0	10.2	0	0	0
410	all_deer	SUM	412-00	800	0	2.5	0	2.5	0	0	0
410	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
410	all_deer	SUM	499-00	1004	0	16.2	0	16.2	0	0	0
410	all_deer	SUM	520-00	300	0	3.6	0	3.6	0	0	3.6
410	all_deer	SUM	599-00	2002	5.9	5.9	5.9	5.9	0	5.9	5.9
410	all_deer	SUM	600-00	500	0	2.6	0	2.6	0	0	0
410	all_deer	SUM	Deer_A_Only	169380	15.7	714	20.5	709.2	0	170.7	366
410	all_deer	SUM	SUM	209257	31.3	1108.7	46.4	1093.7	0	191.1	394
411	all_deer	N	003-10	845	0	0	0	0	0	0	0
411	all_deer	N	005-10	290	0	2.5	0	2.5	0	0	0
411	all_deer	N	314-00	18	0	0	0	0	0	0	0
411	all_deer	N	315-01	57	0	0	0	0	0	0	0
411	all_deer	N	410-00	112	0	2.3	0	2.3	0	0	0
411	all_deer	N	411-00	173	2.9	115.3	0	118.2	0	0	11.5
411	all_deer	N	418-00	33	0	0	0	0	0	0	0
411	all_deer	N	419-00	54	0	2.3	0	2.3	0	0	2.3
411	all_deer	N	426-00	94	0	0	0	0	0	0	0
411	all_deer	N	441-50/Deer_A	1	0	0	0	0	0	0	0
411	all_deer	N	471-00	40	0	1.9	0	1.9	0	0	0
411	all_deer	N	498-00	301	0	34.9	0	34.9	0	0	0
411	all_deer	N	499-00	169	0	51.7	0	51.7	0	3.4	0
411	all_deer	N	Deer_A_Only	24299	9.3	186.7	6.2	186.7	3.1	28	140
411	all_deer	N	SUM	26486	12.2	397.8	6.2	400.7	3.1	31.5	153.9
411	all_deer	R	003-10	7121	0	5	0	5	0	0	0
411	all_deer	R	004-10	7081	19.4	340.2	9.7	349.9	0	0	14.6
411	all_deer	R	005-10	2590	4.8	0	0	4.8	0	0	4.8
411	all_deer	R	314-00	207	3.4	0	0	3.4	0	0	0
411	all_deer	R	315-01	198	3.1	0	0	3.1	0	0	0
411	all_deer	R	410-00	488	0	0	0	0	0	0	0
411	all_deer	R	411-00	633	15.3	250.1	10.2	255.2	0	0	5.1
411	all_deer	R	418-00	67	0	2.9	0	2.9	0	0	0
411	all_deer	R	419-00	248	0	0	0	0	0	0	0
411	all_deer	R	426-00	456	0	5.4	0	5.4	0	0	0
411	all_deer	R	441-50/Deer_A	49	0	2.9	0	2.9	0	0	2.9
411	all_deer	R	471-00	260	0	0	0	0	0	0	0
411	all_deer	R	499-00	835	16.2	121.6	8.1	129.7	0	8.1	8.1
411	all_deer	R	Deer_A_Only	145081	33.3	1227.2	19	1236.8	4.8	176	642.2
411	all_deer	R	SUM	165314	95.5	1955.4	47.1	1999.1	4.8	184.1	677.6

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
411	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
411	all_deer	SUM	004-10	7081	19.4	340.2	9.7	349.9	0	0	14.6
411	all_deer	SUM	005-10	2880	4.8	2.5	0	7.3	0	0	4.8
411	all_deer	SUM	314-00	225	3.4	0	0	3.4	0	0	0
411	all_deer	SUM	315-01	255	3.1	0	0	3.1	0	0	0
411	all_deer	SUM	410-00	600	0	2.3	0	2.3	0	0	0
411	all_deer	SUM	411-00	806	18.2	365.5	10.2	373.5	0	0	16.6
411	all_deer	SUM	418-00	100	0	2.9	0	2.9	0	0	0
411	all_deer	SUM	419-00	302	0	2.3	0	2.3	0	0	2.3
411	all_deer	SUM	426-00	550	0	5.4	0	5.4	0	0	0
411	all_deer	SUM	441-50/Deer_A	50	0	2.9	0	2.9	0	0	2.9
411	all_deer	SUM	471-00	300	0	1.9	0	1.9	0	0	0
411	all_deer	SUM	498-00	301	0	34.9	0	34.9	0	0	0
411	all_deer	SUM	499-00	1004	16.2	173.3	8.1	181.4	0	11.6	8.1
411	all_deer	SUM	Deer_A_Only	169380	42.6	1414	25.3	1423.5	7.9	204	782.2
411	all_deer	SUM	SUM	191800	107.8	2353.1	53.3	2399.7	7.9	215.6	831.5
412	all_deer	N	003-10	845	0	4.1	0	4.1	0	0	0
412	all_deer	N	005-10	290	0	0	0	0	0	0	0
412	all_deer	N	260-10	103	0	0	0	0	0	0	0
412	all_deer	N	284-10	1	0	0	0	0	0	0	0
412	all_deer	N	292-40/Deer_A	56	0	0	0	0	0	0	0
412	all_deer	N	309-10	8	0	0	0	0	0	0	0
412	all_deer	N	314-00	18	0	0	0	0	0	0	0
412	all_deer	N	362-00	2	0	0	0	0	0	0	0
412	all_deer	N	405-00	28	0	0	0	0	0	0	0
412	all_deer	N	410-00	112	0	7	0	7	0	0	0
412	all_deer	N	411-00	173	0	5.8	0	5.8	0	0	0
412	all_deer	N	412-00	177	2.5	124.6	0	127.1	0	0	0
412	all_deer	N	419-00	54	0	2.3	0	2.3	0	0	0
412	all_deer	N	426-00	94	0	0	0	0	0	0	0
412	all_deer	N	498-00	301	3.2	22.2	3.2	22.2	0	0	0
412	all_deer	N	499-00	169	0	24.1	0	24.1	0	0	0
412	all_deer	N	Deer_A_Only	24299	6.2	217.8	6.2	217.8	0	31.1	161.8
412	all_deer	N	SUM	26730	11.9	408.1	9.4	410.5	0	31.1	161.8
412	all_deer	R	003-10	7121	0	20.1	0	20.1	0	5	5
412	all_deer	R	004-10	7081	4.9	175	4.9	170.1	4.9	4.9	9.7
412	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0
412	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
412	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
412	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
412	all_deer	R	284-10	92	0	4.4	0	4.4	0	0	0
412	all_deer	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
412	all_deer	R	309-10	505	0	4.4	0	4.4	0	0	0
412	all_deer	R	314-00	207	0	3.4	0	3.4	0	0	0
412	all_deer	R	362-00	23	0	1.9	0	1.9	0	0	1.9
412	all_deer	R	405-00	477	0	4.3	0	4.3	0	0	0
412	all_deer	R	410-00	488	0	4.9	0	4.9	0	0	0
412	all_deer	R	411-00	633	0	10.2	0	10.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
412	all_deer	R	412-00	623	12.8	334	12.8	334	0	0	12.8
412	all_deer	R	419-00	248	0	0	0	0	0	0	0
412	all_deer	R	426-00	456	0	10.7	0	10.7	0	0	0
412	all_deer	R	499-00	835	8.1	105.4	8.1	97.3	8.1	0	8.1
412	all_deer	R	Deer_A_Only	145081	19	746.8	14.3	746.8	4.8	123.7	347.2
412	all_deer	R	SUM	178317	44.8	1453.2	40.1	1440.2	17.7	133.6	384.9
412	all_deer	SUM	003-10	7966	0	24.2	0	24.2	0	5	5
412	all_deer	SUM	004-10	7081	4.9	175	4.9	170.1	4.9	4.9	9.7
412	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
412	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
412	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
412	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
412	all_deer	SUM	284-10	93	0	4.4	0	4.4	0	0	0
412	all_deer	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
412	all_deer	SUM	309-10	513	0	4.4	0	4.4	0	0	0
412	all_deer	SUM	314-00	225	0	3.4	0	3.4	0	0	0
412	all_deer	SUM	362-00	25	0	1.9	0	1.9	0	0	1.9
412	all_deer	SUM	405-00	505	0	4.3	0	4.3	0	0	0
412	all_deer	SUM	410-00	600	0	11.9	0	11.9	0	0	0
412	all_deer	SUM	411-00	806	0	16	0	16	0	0	0
412	all_deer	SUM	412-00	800	15.3	458.6	12.8	461.1	0	0	12.8
412	all_deer	SUM	419-00	302	0	2.3	0	2.3	0	0	0
412	all_deer	SUM	426-00	550	0	10.7	0	10.7	0	0	0
412	all_deer	SUM	498-00	301	3.2	22.2	3.2	22.2	0	0	0
412	all_deer	SUM	499-00	1004	8.1	129.5	8.1	121.4	8.1	0	8.1
412	all_deer	SUM	Deer_A_Only	169380	25.3	964.7	20.5	964.7	4.8	154.8	509.1
412	all_deer	SUM	SUM	205047	56.7	1861.2	49.5	1850.7	17.7	164.7	546.7
413	all_deer	N	170-10	57	0	0	0	0	0	0	0
413	all_deer	N	216-00	1	0	0	0	0	0	0	0
413	all_deer	N	400-00	64	0	0	0	0	0	0	0
413	all_deer	N	404-00	56	0	0	0	0	0	0	0
413	all_deer	N	405-00	28	0	0	0	0	0	0	0
413	all_deer	N	412-00	177	0	2.5	0	2.5	0	0	0
413	all_deer	N	413-00	42	0	29.2	0	29.2	0	0	0
413	all_deer	N	432-00	28	0	1.8	0	1.8	0	0	0
413	all_deer	N	445-00	58	0	0	0	0	0	0	0
413	all_deer	N	498-00	301	0	6.3	0	6.3	0	0	0
413	all_deer	N	499-00	169	0	6.9	0	6.9	0	0	0
413	all_deer	N	Deer_A_Only	24299	3.1	118.3	0	118.3	3.1	31.1	84
413	all_deer	N	SUM	25280	3.1	165	0	165	3.1	31.1	84
413	all_deer	R	004-10	7081	19.4	213.8	19.4	213.8	0	4.9	4.9
413	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
413	all_deer	R	216-00	19	0	2.1	0	2.1	0	0	0
413	all_deer	R	400-00	839	0	8.8	0	8.8	0	0	8.8
413	all_deer	R	404-00	1152	6.9	13.8	6.9	13.8	0	0	0
413	all_deer	R	405-00	477	0	4.3	0	4.3	0	0	0
413	all_deer	R	412-00	623	0	0	0	0	0	0	0
413	all_deer	R	413-00	558	17.4	249.9	23.2	244.1	0	5.8	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
413	all_deer	R	432-00	372	0	0	0	0	0	0	0
413	all_deer	R	445-00	542	0	29.4	0	29.4	0	0	4.2
413	all_deer	R	499-00	835	0	8.1	0	8.1	0	0	0
413	all_deer	R	Deer_A_Only	145081	42.8	851.5	42.8	851.5	0	157	352
413	all_deer	R	SUM	159693	86.6	1387.1	92.4	1381.3	0	167.6	375.2
413	all_deer	SUM	004-10	7081	19.4	213.8	19.4	213.8	0	4.9	4.9
413	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
413	all_deer	SUM	216-00	20	0	2.1	0	2.1	0	0	0
413	all_deer	SUM	400-00	903	0	8.8	0	8.8	0	0	8.8
413	all_deer	SUM	404-00	1208	6.9	13.8	6.9	13.8	0	0	0
413	all_deer	SUM	405-00	505	0	4.3	0	4.3	0	0	0
413	all_deer	SUM	412-00	800	0	2.5	0	2.5	0	0	0
413	all_deer	SUM	413-00	600	17.4	279.2	23.2	273.3	0	5.8	0
413	all_deer	SUM	432-00	400	0	1.8	0	1.8	0	0	0
413	all_deer	SUM	445-00	600	0	29.4	0	29.4	0	0	4.2
413	all_deer	SUM	498-00	301	0	6.3	0	6.3	0	0	0
413	all_deer	SUM	499-00	1004	0	15	0	15	0	0	0
413	all_deer	SUM	Deer_A_Only	169380	45.9	969.7	42.8	969.7	3.1	188.1	436
413	all_deer	SUM	SUM	184973	89.7	1552	92.4	1546.2	3.1	198.8	459.2
415	all_deer	N	498-00	301	0	0	0	0	0	0	0
415	all_deer	N	598-00	281	0	3	0	3	0	0	0
415	all_deer	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
415	all_deer	N	SUM	24881	0	6.1	0	6.1	0	0	3.1
415	all_deer	R	004-10	7081	0	0	0	0	0	0	0
415	all_deer	R	598-00	1970	0	0	0	0	0	0	0
415	all_deer	R	Deer_A_Only	145081	0	23.8	0	23.8	0	0	19
415	all_deer	R	SUM	154132	0	23.8	0	23.8	0	0	19
415	all_deer	SUM	004-10	7081	0	0	0	0	0	0	0
415	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
415	all_deer	SUM	598-00	2251	0	3	0	3	0	0	0
415	all_deer	SUM	Deer_A_Only	169380	0	26.9	0	26.9	0	0	22.1
415	all_deer	SUM	SUM	179013	0	29.9	0	29.9	0	0	22.1
416	all_deer	N	003-10	845	0	4.1	0	4.1	0	0	4.1
416	all_deer	N	005-10	290	0	2.5	0	2.5	0	0	0
416	all_deer	N	391-40/Deer_A	70	0	0	0	0	0	0	0
416	all_deer	N	416-00	1	0	0	0	0	0	0	0
416	all_deer	N	498-00	301	0	0	0	0	0	0	0
416	all_deer	N	499-00	169	0	0	0	0	0	0	0
416	all_deer	N	Deer_A_Only	24299	9.3	59.1	6.2	62.2	0	18.7	46.7
416	all_deer	N	SUM	25975	9.3	65.8	6.2	68.9	0	18.7	50.8
416	all_deer	R	003-10	7121	0	0	0	0	0	0	0
416	all_deer	R	004-10	7081	9.7	34	9.7	34	0	0	4.9
416	all_deer	R	005-10	2590	0	0	0	0	0	0	0
416	all_deer	R	391-40/Deer_A	369	0	4.4	0	4.4	0	0	4.4
416	all_deer	R	416-00	14	0	7	0	7	0	0	0
416	all_deer	R	499-00	835	0	8.1	0	8.1	0	0	0
416	all_deer	R	Deer_A_Only	145081	14.3	185.5	14.3	185.5	0	71.4	80.9
416	all_deer	R	SUM	163091	24	239	24	239	0	71.4	90.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
416	all_deer	SUM	003-10	7966	0	4.1	0	4.1	0	0	4.1
416	all_deer	SUM	004-10	7081	9.7	34	9.7	34	0	0	4.9
416	all_deer	SUM	005-10	2880	0	2.5	0	2.5	0	0	0
416	all_deer	SUM	391-40/Deer_A	439	0	4.4	0	4.4	0	0	4.4
416	all_deer	SUM	416-00	15	0	7	0	7	0	0	0
416	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
416	all_deer	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
416	all_deer	SUM	Deer_A_Only	169380	23.6	244.6	20.5	247.8	0	90	127.5
416	all_deer	SUM	SUM	189066	33.3	304.8	30.2	307.9	0	90	140.9
417	all_deer	N	003-10	845	0	0	0	0	0	0	0
417	all_deer	N	007-10	1330	0	9.5	0	9.5	0	0	3.2
417	all_deer	N	314-00	18	0	0	0	0	0	0	0
417	all_deer	N	410-00	112	0	2.3	0	2.3	0	0	0
417	all_deer	N	411-00	173	0	0	0	0	0	0	0
417	all_deer	N	412-00	177	0	2.5	0	2.5	0	0	0
417	all_deer	N	417-00	76	0	50.7	0	50.7	0	0	5.8
417	all_deer	N	498-00	301	0	3.2	0	3.2	0	0	0
417	all_deer	N	Deer_A_Only	24299	3.1	152.5	3.1	152.5	0	18.7	108.9
417	all_deer	N	SUM	27331	3.1	220.7	3.1	220.7	0	18.7	118
417	all_deer	R	003-10	7121	0	10	0	10	0	0	5
417	all_deer	R	004-10	7081	0	29.2	0	29.2	0	0	4.9
417	all_deer	R	007-10	3512	0	0	0	0	0	0	0
417	all_deer	R	311-00	50	0	2.6	0	2.6	0	0	2.6
417	all_deer	R	314-00	207	0	3.4	0	3.4	0	0	3.4
417	all_deer	R	410-00	488	0	0	0	0	0	0	0
417	all_deer	R	411-00	633	0	5.1	0	5.1	0	0	0
417	all_deer	R	412-00	623	0	12.8	0	12.8	0	0	0
417	all_deer	R	417-00	325	0	131.6	0	131.6	0	4.1	4.1
417	all_deer	R	699-00	3502	0	8.6	0	8.6	0	0	0
417	all_deer	R	Deer_A_Only	145081	0	442.4	0	442.4	0	123.7	185.5
417	all_deer	R	SUM	168623	0	645.8	0	645.8	0	127.8	205.5
417	all_deer	SUM	003-10	7966	0	10	0	10	0	0	5
417	all_deer	SUM	004-10	7081	0	29.2	0	29.2	0	0	4.9
417	all_deer	SUM	007-10	4842	0	9.5	0	9.5	0	0	3.2
417	all_deer	SUM	311-00	50	0	2.6	0	2.6	0	0	2.6
417	all_deer	SUM	314-00	225	0	3.4	0	3.4	0	0	3.4
417	all_deer	SUM	410-00	600	0	2.3	0	2.3	0	0	0
417	all_deer	SUM	411-00	806	0	5.1	0	5.1	0	0	0
417	all_deer	SUM	412-00	800	0	15.3	0	15.3	0	0	0
417	all_deer	SUM	417-00	401	0	182.3	0	182.3	0	4.1	10
417	all_deer	SUM	498-00	301	0	3.2	0	3.2	0	0	0
417	all_deer	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
417	all_deer	SUM	Deer_A_Only	169380	3.1	594.9	3.1	594.9	0	142.3	294.4
417	all_deer	SUM	SUM	195954	3.1	866.5	3.1	866.5	0	146.5	323.5
418	all_deer	N	002-10	500	0	0	0	0	0	0	0
418	all_deer	N	250-40/Deer_A	258	0	0	0	0	0	0	0
418	all_deer	N	315-01	57	0	0	0	0	0	0	0
418	all_deer	N	418-00	33	0	22	0	22	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
418	all_deer	N	498-00	301	3.2	9.5	3.2	9.5	0	0	0
418	all_deer	N	499-00	169	0	10.3	0	10.3	0	0	0
418	all_deer	N	Deer_A_Only	24299	3.1	40.5	3.1	40.5	0	3.1	21.8
418	all_deer	N	SUM	25617	6.3	82.3	6.3	82.3	0	3.1	21.8
418	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
418	all_deer	R	004-10	7081	0	58.3	0	58.3	0	0	4.9
418	all_deer	R	007-13	5509	5.1	0	5.1	0	0	0	0
418	all_deer	R	250-40/Deer_A	730	0	4.4	0	4.4	0	0	0
418	all_deer	R	283-00	98	0	8.2	0	8.2	0	0	0
418	all_deer	R	315-01	198	3.1	0	0	3.1	0	0	0
418	all_deer	R	418-00	67	2.9	29.1	0	32	0	0	0
418	all_deer	R	499-00	835	8.1	32.4	8.1	32.4	0	0	0
418	all_deer	R	Deer_A_Only	145081	4.8	176	0	176	4.8	28.5	95.1
418	all_deer	R	SUM	168402	23.9	313.8	13.2	319.8	4.8	28.5	100
418	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
418	all_deer	SUM	004-10	7081	0	58.3	0	58.3	0	0	4.9
418	all_deer	SUM	007-13	5509	5.1	0	5.1	0	0	0	0
418	all_deer	SUM	250-40/Deer_A	988	0	4.4	0	4.4	0	0	0
418	all_deer	SUM	283-00	98	0	8.2	0	8.2	0	0	0
418	all_deer	SUM	315-01	255	3.1	0	0	3.1	0	0	0
418	all_deer	SUM	418-00	100	2.9	51.1	0	54	0	0	0
418	all_deer	SUM	498-00	301	3.2	9.5	3.2	9.5	0	0	0
418	all_deer	SUM	499-00	1004	8.1	42.8	8.1	42.8	0	0	0
418	all_deer	SUM	Deer_A_Only	169380	7.9	216.5	3.1	216.5	4.8	31.7	116.9
418	all_deer	SUM	SUM	194019	30.2	396.1	19.5	402.1	4.8	31.7	121.8
419	all_deer	N	417-00	76	0	1.9	0	1.9	0	0	0
419	all_deer	N	419-00	54	0	23.5	0	23.5	0	0	2.3
419	all_deer	N	432-00	28	0	0	0	0	0	0	0
419	all_deer	N	498-00	301	0	3.2	0	3.2	0	0	0
419	all_deer	N	499-00	169	0	3.4	0	3.4	0	0	0
419	all_deer	N	Deer_A_Only	24299	0	43.6	0	43.6	0	6.2	34.2
419	all_deer	N	SUM	24927	0	75.6	0	75.6	0	6.2	36.6
419	all_deer	R	004-10	7081	4.9	48.6	4.9	48.6	0	0	0
419	all_deer	R	417-00	325	0	0	0	0	0	0	0
419	all_deer	R	419-00	248	0	84.5	0	84.5	0	0	0
419	all_deer	R	432-00	372	0	4.5	0	4.5	0	0	0
419	all_deer	R	499-00	835	0	16.2	0	16.2	0	0	0
419	all_deer	R	Deer_A_Only	145081	0	299.7	0	294.9	4.8	61.8	104.6
419	all_deer	R	SUM	153942	4.9	453.6	4.9	448.8	4.8	61.8	104.6
419	all_deer	SUM	004-10	7081	4.9	48.6	4.9	48.6	0	0	0
419	all_deer	SUM	417-00	401	0	1.9	0	1.9	0	0	0
419	all_deer	SUM	419-00	302	0	108	0	108	0	0	2.3
419	all_deer	SUM	432-00	400	0	4.5	0	4.5	0	0	0
419	all_deer	SUM	498-00	301	0	3.2	0	3.2	0	0	0
419	all_deer	SUM	499-00	1004	0	19.7	0	19.7	0	0	0
419	all_deer	SUM	Deer_A_Only	169380	0	343.2	0	338.5	4.8	68.1	138.9
419	all_deer	SUM	SUM	178869	4.9	529.2	4.9	524.4	4.8	68.1	141.2
420	all_deer	N	498-00	301	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
420	all_deer	N	499-00	169	0	3.4	0	3.4	0	0	0
420	all_deer	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
420	all_deer	N	SUM	24769	0	9.7	0	9.7	0	3.1	3.1
420	all_deer	R	004-10	7081	0	19.4	0	14.6	4.9	0	0
420	all_deer	R	499-00	835	0	0	0	0	0	0	0
420	all_deer	R	Deer_A_Only	145081	4.8	38.1	0	42.8	0	14.3	19
420	all_deer	R	SUM	152997	4.8	57.5	0	57.4	4.9	14.3	19
420	all_deer	SUM	004-10	7081	0	19.4	0	14.6	4.9	0	0
420	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
420	all_deer	SUM	499-00	1004	0	3.4	0	3.4	0	0	0
420	all_deer	SUM	Deer_A_Only	169380	4.8	44.3	0	49	0	17.4	22.1
420	all_deer	SUM	SUM	177766	4.8	67.2	0	67.1	4.9	17.4	22.1
421	all_deer	N	002-10	500	0	0	0	0	0	0	0
421	all_deer	N	003-10	845	0	0	0	0	0	0	0
421	all_deer	N	302-00	20	0	0	0	0	0	0	0
421	all_deer	N	325-00	28	0	0	0	0	0	0	0
421	all_deer	N	335-40/Deer_A	9	0	0	0	0	0	0	0
421	all_deer	N	404-00	56	0	0	0	0	0	0	0
421	all_deer	N	413-00	42	0	0	0	0	0	0	0
421	all_deer	N	421-00	16	0	6.9	0	6.9	0	0	0
421	all_deer	N	498-00	301	0	0	0	0	0	0	0
421	all_deer	N	Deer_A_Only	24299	0	28	0	28	0	6.2	18.7
421	all_deer	N	SUM	26116	0	34.9	0	34.9	0	6.2	18.7
421	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
421	all_deer	R	003-10	7121	0	5	0	5	0	0	0
421	all_deer	R	004-10	7081	4.9	38.9	4.9	38.9	0	0	4.9
421	all_deer	R	302-00	130	0	3.5	0	3.5	0	0	0
421	all_deer	R	325-00	422	0	5.1	0	5.1	0	0	0
421	all_deer	R	335-40/Deer_A	397	0	4.1	0	4.1	0	0	0
421	all_deer	R	404-00	1152	0	6.9	0	6.9	0	0	0
421	all_deer	R	413-00	558	0	5.8	0	5.8	0	0	0
421	all_deer	R	421-00	234	0	121	0	121	0	4	4
421	all_deer	R	Deer_A_Only	145081	9.5	223.6	9.5	223.6	0	52.3	76.1
421	all_deer	R	SUM	170979	14.4	419.4	14.4	419.4	0	56.4	85
421	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
421	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
421	all_deer	SUM	004-10	7081	4.9	38.9	4.9	38.9	0	0	4.9
421	all_deer	SUM	302-00	150	0	3.5	0	3.5	0	0	0
421	all_deer	SUM	325-00	450	0	5.1	0	5.1	0	0	0
421	all_deer	SUM	335-40/Deer_A	406	0	4.1	0	4.1	0	0	0
421	all_deer	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
421	all_deer	SUM	413-00	600	0	5.8	0	5.8	0	0	0
421	all_deer	SUM	421-00	250	0	127.9	0	127.9	0	4	4
421	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
421	all_deer	SUM	Deer_A_Only	169380	9.5	251.6	9.5	251.6	0	58.5	94.8
421	all_deer	SUM	SUM	197095	14.4	454.2	14.4	454.2	0	62.6	103.7
422	all_deer	N	388-10	15	0	0	0	0	0	0	0
422	all_deer	N	498-00	301	0	3.2	0	3.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
422	all_deer	N	Deer_A_Only	24299	0	34.2	0	34.2	0	3.1	31.1
422	all_deer	N	SUM	24615	0	37.4	0	37.4	0	3.1	31.1
422	all_deer	R	004-10	7081	0	19.4	0	19.4	0	0	0
422	all_deer	R	388-10	434	0	4	0	4	0	0	4
422	all_deer	R	Deer_A_Only	145081	9.5	109.4	9.5	109.4	0	23.8	76.1
422	all_deer	R	SUM	152596	9.5	132.9	9.5	132.9	0	23.8	80.1
422	all_deer	SUM	004-10	7081	0	19.4	0	19.4	0	0	0
422	all_deer	SUM	388-10	449	0	4	0	4	0	0	4
422	all_deer	SUM	498-00	301	0	3.2	0	3.2	0	0	0
422	all_deer	SUM	Deer_A_Only	169380	9.5	143.6	9.5	143.6	0	26.9	107.2
422	all_deer	SUM	SUM	177211	9.5	170.3	9.5	170.3	0	26.9	111.2
423	all_deer	N	210-00	10	0	0	0	0	0	0	0
423	all_deer	N	260-30	3	0	0	0	0	0	0	0
423	all_deer	N	270-01	7	0	0	0	0	0	0	0
423	all_deer	N	343-40/Deer_A	20	0	0	0	0	0	0	0
423	all_deer	N	405-00	28	0	0	0	0	0	0	0
423	all_deer	N	413-00	42	0	0	0	0	0	0	0
423	all_deer	N	423-00	6	0	6	0	6	0	0	0
423	all_deer	N	498-00	301	0	3.2	0	3.2	0	0	0
423	all_deer	N	499-00	169	0	3.4	0	3.4	0	0	0
423	all_deer	N	Deer_A_Only	24299	0	21.8	0	21.8	0	3.1	15.6
423	all_deer	N	SUM	24885	0	34.4	0	34.4	0	3.1	15.6
423	all_deer	R	004-10	7081	4.9	34	4.9	34	0	0	0
423	all_deer	R	210-00	190	0	2.9	0	2.9	0	0	2.9
423	all_deer	R	260-30	830	0	5.8	0	5.8	0	0	5.8
423	all_deer	R	270-01	193	0	3.3	0	3.3	0	0	0
423	all_deer	R	339-00	348	0	4.8	0	4.8	0	0	0
423	all_deer	R	343-40/Deer_A	467	0	3.9	0	3.9	0	0	0
423	all_deer	R	405-00	477	0	4.3	0	4.3	0	0	0
423	all_deer	R	413-00	558	0	5.8	0	5.8	0	0	0
423	all_deer	R	423-00	144	10.5	84.3	3.5	91.3	0	0	3.5
423	all_deer	R	499-00	835	0	0	0	0	0	0	0
423	all_deer	R	Deer_A_Only	145081	14.3	171.2	14.3	171.2	0	19	80.9
423	all_deer	R	SUM	156204	29.7	320.3	22.6	327.3	0	19	93.1
423	all_deer	SUM	004-10	7081	4.9	34	4.9	34	0	0	0
423	all_deer	SUM	210-00	200	0	2.9	0	2.9	0	0	2.9
423	all_deer	SUM	260-30	833	0	5.8	0	5.8	0	0	5.8
423	all_deer	SUM	270-01	200	0	3.3	0	3.3	0	0	0
423	all_deer	SUM	339-00	348	0	4.8	0	4.8	0	0	0
423	all_deer	SUM	343-40/Deer_A	487	0	3.9	0	3.9	0	0	0
423	all_deer	SUM	405-00	505	0	4.3	0	4.3	0	0	0
423	all_deer	SUM	413-00	600	0	5.8	0	5.8	0	0	0
423	all_deer	SUM	423-00	150	10.5	90.3	3.5	97.3	0	0	3.5
423	all_deer	SUM	498-00	301	0	3.2	0	3.2	0	0	0
423	all_deer	SUM	499-00	1004	0	3.4	0	3.4	0	0	0
423	all_deer	SUM	Deer_A_Only	169380	14.3	193	14.3	193	0	22.1	96.4
423	all_deer	SUM	SUM	181089	29.7	354.7	22.6	361.7	0	22.1	108.6
424	all_deer	N	421-00	16	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
424	all_deer	N	498-00	301	3.2	0	3.2	0	0	0	0
424	all_deer	N	Deer_A_Only	24299	0	21.8	0	21.8	0	9.3	12.4
424	all_deer	N	SUM	24616	3.2	21.8	3.2	21.8	0	9.3	12.4
424	all_deer	R	004-10	7081	0	19.4	0	19.4	0	0	0
424	all_deer	R	421-00	234	0	4	0	4	0	0	0
424	all_deer	R	Deer_A_Only	145081	0	47.6	0	47.6	0	4.8	28.5
424	all_deer	R	SUM	152396	0	71	0	71	0	4.8	28.5
424	all_deer	SUM	004-10	7081	0	19.4	0	19.4	0	0	0
424	all_deer	SUM	421-00	250	0	4	0	4	0	0	0
424	all_deer	SUM	498-00	301	3.2	0	3.2	0	0	0	0
424	all_deer	SUM	Deer_A_Only	169380	0	69.4	0	69.4	0	14.1	41
424	all_deer	SUM	SUM	177012	3.2	92.8	3.2	92.8	0	14.1	41
425	all_deer	N	498-00	301	0	3.2	0	3.2	0	0	0
425	all_deer	N	Deer_A_Only	24299	3.1	56	3.1	56	0	9.3	49.8
425	all_deer	N	SUM	24600	3.1	59.2	3.1	59.2	0	9.3	49.8
425	all_deer	R	004-10	7081	4.9	14.6	4.9	14.6	0	0	4.9
425	all_deer	R	Deer_A_Only	145081	9.5	71.4	4.8	76.1	0	23.8	47.6
425	all_deer	R	SUM	152162	14.4	85.9	9.6	90.7	0	23.8	52.4
425	all_deer	SUM	004-10	7081	4.9	14.6	4.9	14.6	0	0	4.9
425	all_deer	SUM	498-00	301	0	3.2	0	3.2	0	0	0
425	all_deer	SUM	Deer_A_Only	169380	12.6	127.4	7.9	132.1	0	33.1	97.4
425	all_deer	SUM	SUM	176762	17.5	145.1	12.7	149.9	0	33.1	102.2
426	all_deer	N	104-00	15	0	0	0	0	0	0	0
426	all_deer	N	130-00	37	0	0	0	0	0	0	0
426	all_deer	N	202-50/Deer_A	17	0	0	0	0	0	0	0
426	all_deer	N	404-00	56	0	0	0	0	0	0	0
426	all_deer	N	412-00	177	0	2.5	0	2.5	0	0	0
426	all_deer	N	417-00	76	0	0	0	0	0	0	0
426	all_deer	N	419-00	54	0	0	0	0	0	0	0
426	all_deer	N	426-00	94	0	66.5	0	66.5	0	2.3	0
426	all_deer	N	498-00	301	0	3.2	0	3.2	0	0	0
426	all_deer	N	499-00	169	0	3.4	0	3.4	0	0	0
426	all_deer	N	Deer_A_Only	24299	3.1	130.7	3.1	130.7	0	28	90.2
426	all_deer	N	SUM	25295	3.1	206.3	3.1	206.3	0	30.3	90.2
426	all_deer	R	004-10	7081	0	72.9	0	72.9	0	0	0
426	all_deer	R	104-00	485	0	3.9	0	3.9	0	0	0
426	all_deer	R	130-00	614	0	8.3	0	8.3	0	0	0
426	all_deer	R	202-50/Deer_A	183	0	3.5	0	3.5	0	0	0
426	all_deer	R	404-00	1152	0	6.9	0	6.9	0	0	0
426	all_deer	R	412-00	623	0	0	0	0	0	0	0
426	all_deer	R	417-00	325	0	12.3	0	12.3	0	0	0
426	all_deer	R	419-00	248	0	5.6	0	5.6	0	0	0
426	all_deer	R	426-00	456	0	257.5	0	257.5	0	0	0
426	all_deer	R	499-00	835	0	0	0	0	0	0	0
426	all_deer	R	Deer_A_Only	145081	0	385.3	0	375.8	9.5	76.1	185.5
426	all_deer	R	SUM	157083	0	756.2	0	746.7	9.5	76.1	185.5
426	all_deer	SUM	004-10	7081	0	72.9	0	72.9	0	0	0
426	all_deer	SUM	104-00	500	0	3.9	0	3.9	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
426	all_deer	SUM	130-00	651	0	8.3	0	8.3	0	0	0
426	all_deer	SUM	202-50/Deer_A	200	0	3.5	0	3.5	0	0	0
426	all_deer	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
426	all_deer	SUM	412-00	800	0	2.5	0	2.5	0	0	0
426	all_deer	SUM	417-00	401	0	12.3	0	12.3	0	0	0
426	all_deer	SUM	419-00	302	0	5.6	0	5.6	0	0	0
426	all_deer	SUM	426-00	550	0	324	0	324	0	2.3	0
426	all_deer	SUM	498-00	301	0	3.2	0	3.2	0	0	0
426	all_deer	SUM	499-00	1004	0	3.4	0	3.4	0	0	0
426	all_deer	SUM	Deer_A_Only	169380	3.1	516	3.1	506.5	9.5	104.1	275.8
426	all_deer	SUM	SUM	182378	3.1	962.5	3.1	953	9.5	106.4	275.8
432	all_deer	N	400-00	64	0	0	0	0	0	0	0
432	all_deer	N	405-00	28	0	0	0	0	0	0	0
432	all_deer	N	417-00	76	0	0	0	0	0	0	0
432	all_deer	N	418-00	33	0	0	0	0	0	0	0
432	all_deer	N	419-00	54	0	0	0	0	0	0	0
432	all_deer	N	421-00	16	0	0	0	0	0	0	0
432	all_deer	N	432-00	28	0	14	0	14	0	0	0
432	all_deer	N	447-00	79	0	11.3	0	11.3	0	0	0
432	all_deer	N	498-00	301	0	0	0	0	0	0	0
432	all_deer	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
432	all_deer	N	SUM	24978	0	31.5	0	31.5	0	0	6.2
432	all_deer	R	004-10	7081	4.9	77.8	0	82.6	0	0	0
432	all_deer	R	400-00	839	0	8.8	0	8.8	0	0	0
432	all_deer	R	405-00	477	0	8.6	0	8.6	0	0	0
432	all_deer	R	417-00	325	4.1	0	0	4.1	0	0	0
432	all_deer	R	418-00	67	0	2.9	0	2.9	0	0	0
432	all_deer	R	419-00	248	0	5.6	0	5.6	0	0	0
432	all_deer	R	421-00	234	4	0	0	4	0	0	0
432	all_deer	R	432-00	372	22.7	118	18.1	122.5	0	0	0
432	all_deer	R	447-00	621	0	0	0	0	0	0	0
432	all_deer	R	Deer_A_Only	145081	28.5	299.7	33.3	294.9	0	80.9	95.1
432	all_deer	R	SUM	155345	64.2	521.4	51.4	534.2	0	80.9	95.1
432	all_deer	SUM	004-10	7081	4.9	77.8	0	82.6	0	0	0
432	all_deer	SUM	400-00	903	0	8.8	0	8.8	0	0	0
432	all_deer	SUM	405-00	505	0	8.6	0	8.6	0	0	0
432	all_deer	SUM	417-00	401	4.1	0	0	4.1	0	0	0
432	all_deer	SUM	418-00	100	0	2.9	0	2.9	0	0	0
432	all_deer	SUM	419-00	302	0	5.6	0	5.6	0	0	0
432	all_deer	SUM	421-00	250	4	0	0	4	0	0	0
432	all_deer	SUM	432-00	400	22.7	132	18.1	136.5	0	0	0
432	all_deer	SUM	447-00	700	0	11.3	0	11.3	0	0	0
432	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
432	all_deer	SUM	Deer_A_Only	169380	28.5	305.9	33.3	301.1	0	80.9	101.4
432	all_deer	SUM	SUM	180323	64.2	552.9	51.4	565.7	0	80.9	101.4
441	all_deer	N	003-10	845	0	0	0	0	0	0	0
441	all_deer	N	101-00	28	0	0	0	0	0	0	0
441	all_deer	N	120-00	15	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
441	all_deer	N	309-10	8	0	0	0	0	0	0	0
441	all_deer	N	322-10	98	0	0	0	0	0	0	0
441	all_deer	N	333-01	23	0	0	0	0	0	0	0
441	all_deer	N	380-00	6	0	0	0	0	0	0	0
441	all_deer	N	400-00	64	0	0	0	0	0	0	0
441	all_deer	N	401-00	55	0	0	0	0	0	0	0
441	all_deer	N	404-00	56	0	0	0	0	0	0	0
441	all_deer	N	406-00	47	0	3.4	0	3.4	0	0	0
441	all_deer	N	441-00	26	0	13	0	13	0	0	0
441	all_deer	N	441-50/Deer_A	1	0	1	0	1	0	0	1
441	all_deer	N	498-00	301	0	0	0	0	0	0	0
441	all_deer	N	Deer_A_Only	24299	0	37.3	0	37.3	0	6.2	28
441	all_deer	N	SUM	25872	0	54.7	0	54.7	0	6.2	29
441	all_deer	R	003-10	7121	0	5	0	5	0	0	0
441	all_deer	R	004-10	7081	0	106.9	0	102.1	4.9	4.9	9.7
441	all_deer	R	101-00	807	0	11.8	0	11.8	0	0	0
441	all_deer	R	109-00	398	0	5.1	0	5.1	0	0	0
441	all_deer	R	120-00	488	0	4.6	0	4.6	0	0	0
441	all_deer	R	309-10	505	0	4.4	0	4.4	0	0	0
441	all_deer	R	322-10	1130	0	11	0	11	0	0	0
441	all_deer	R	333-01	278	0	3.7	0	3.7	0	0	0
441	all_deer	R	380-00	194	0	3.1	0	3.1	0	0	0
441	all_deer	R	400-00	839	0	8.8	0	8.8	0	0	0
441	all_deer	R	401-00	545	0	4.5	0	4.5	0	0	0
441	all_deer	R	404-00	1152	0	20.7	0	20.7	0	0	0
441	all_deer	R	406-00	504	0	19.2	0	19.2	0	0	0
441	all_deer	R	441-00	348	0	174	4.8	169.2	0	0	4.8
441	all_deer	R	441-50/Deer_A	49	0	25.9	0	23.1	2.9	0	25.9
441	all_deer	R	Deer_A_Only	145081	0	271.1	4.8	266.4	0	14.3	147.5
441	all_deer	R	SUM	166520	0	680	9.6	662.6	7.7	19.1	188
441	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
441	all_deer	SUM	004-10	7081	0	106.9	0	102.1	4.9	4.9	9.7
441	all_deer	SUM	101-00	835	0	11.8	0	11.8	0	0	0
441	all_deer	SUM	109-00	398	0	5.1	0	5.1	0	0	0
441	all_deer	SUM	120-00	503	0	4.6	0	4.6	0	0	0
441	all_deer	SUM	309-10	513	0	4.4	0	4.4	0	0	0
441	all_deer	SUM	322-10	1228	0	11	0	11	0	0	0
441	all_deer	SUM	333-01	301	0	3.7	0	3.7	0	0	0
441	all_deer	SUM	380-00	200	0	3.1	0	3.1	0	0	0
441	all_deer	SUM	400-00	903	0	8.8	0	8.8	0	0	0
441	all_deer	SUM	401-00	600	0	4.5	0	4.5	0	0	0
441	all_deer	SUM	404-00	1208	0	20.7	0	20.7	0	0	0
441	all_deer	SUM	406-00	551	0	22.6	0	22.6	0	0	0
441	all_deer	SUM	441-00	374	0	187	4.8	182.2	0	0	4.8
441	all_deer	SUM	441-50/Deer_A	50	0	26.9	0	24.1	2.9	0	26.9
441	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
441	all_deer	SUM	Deer_A_Only	169380	0	308.5	4.8	303.7	0	20.5	175.5
441	all_deer	SUM	SUM	192392	0	734.7	9.6	717.3	7.7	25.4	217

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
442	all_deer	N	498-00	301	0	0	0	0	0	0	0
442	all_deer	N	Deer_A_Only	24299	0	46.7	0	46.7	0	9.3	37.3
442	all_deer	N	SUM	24600	0	46.7	0	46.7	0	9.3	37.3
442	all_deer	R	004-10	7081	4.9	29.2	4.9	29.2	0	4.9	0
442	all_deer	R	Deer_A_Only	145081	4.8	118.9	4.8	118.9	0	23.8	76.1
442	all_deer	R	SUM	152162	9.6	148.1	9.6	148.1	0	28.6	76.1
442	all_deer	SUM	004-10	7081	4.9	29.2	4.9	29.2	0	4.9	0
442	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
442	all_deer	SUM	Deer_A_Only	169380	4.8	165.6	4.8	165.6	0	33.1	113.5
442	all_deer	SUM	SUM	176762	9.6	194.8	9.6	194.8	0	38	113.5
444	all_deer	N	002-10	500	0	0	0	0	0	0	0
444	all_deer	N	281-01	6	0	0	0	0	0	0	0
444	all_deer	N	284-10	1	0	0	0	0	0	0	0
444	all_deer	N	388-10	15	0	0	0	0	0	0	0
444	all_deer	N	405-00	28	0	0	0	0	0	0	0
444	all_deer	N	413-00	42	0	0	0	0	0	0	0
444	all_deer	N	421-00	16	0	2.3	0	2.3	0	0	0
444	all_deer	N	423-00	6	0	0	0	0	0	0	0
444	all_deer	N	426-00	94	0	0	0	0	0	0	0
444	all_deer	N	441-00	26	0	0	0	0	0	0	0
444	all_deer	N	444-00	42	0	28	0	28	0	0	0
444	all_deer	N	498-00	301	0	3.2	0	3.2	0	0	0
444	all_deer	N	Deer_A_Only	24299	15.6	40.5	12.4	43.6	0	9.3	46.7
444	all_deer	N	SUM	25376	15.6	73.9	12.4	77	0	9.3	46.7
444	all_deer	R	002-10	8803	0	10.7	0	10.7	0	0	0
444	all_deer	R	004-10	7081	4.9	121.5	0	126.4	0	0	0
444	all_deer	R	281-01	94	3.2	0	3.2	0	0	0	0
444	all_deer	R	284-10	92	0	4.4	0	4.4	0	0	0
444	all_deer	R	388-10	434	0	4	0	4	0	0	0
444	all_deer	R	405-00	477	4.3	8.6	4.3	8.6	0	0	0
444	all_deer	R	413-00	558	0	5.8	0	5.8	0	0	0
444	all_deer	R	421-00	234	0	4	0	4	0	0	0
444	all_deer	R	423-00	144	0	3.5	0	3.5	0	0	0
444	all_deer	R	426-00	456	0	10.7	0	10.7	0	0	0
444	all_deer	R	441-00	348	0	9.7	0	9.7	0	0	0
444	all_deer	R	444-00	360	7.1	204.7	7.1	204.7	0	0	0
444	all_deer	R	699-00	3502	0	8.6	0	8.6	0	0	0
444	all_deer	R	Deer_A_Only	145081	14.3	371	4.8	380.5	0	57.1	157
444	all_deer	R	SUM	167664	33.7	767.3	19.4	781.7	0	57.1	157
444	all_deer	SUM	002-10	9303	0	10.7	0	10.7	0	0	0
444	all_deer	SUM	004-10	7081	4.9	121.5	0	126.4	0	0	0
444	all_deer	SUM	281-01	100	3.2	0	3.2	0	0	0	0
444	all_deer	SUM	284-10	93	0	4.4	0	4.4	0	0	0
444	all_deer	SUM	388-10	449	0	4	0	4	0	0	0
444	all_deer	SUM	405-00	505	4.3	8.6	4.3	8.6	0	0	0
444	all_deer	SUM	413-00	600	0	5.8	0	5.8	0	0	0
444	all_deer	SUM	421-00	250	0	6.3	0	6.3	0	0	0
444	all_deer	SUM	423-00	150	0	3.5	0	3.5	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
444	all_deer	SUM	426-00	550	0	10.7	0	10.7	0	0	0
444	all_deer	SUM	441-00	374	0	9.7	0	9.7	0	0	0
444	all_deer	SUM	444-00	402	7.1	232.7	7.1	232.7	0	0	0
444	all_deer	SUM	498-00	301	0	3.2	0	3.2	0	0	0
444	all_deer	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
444	all_deer	SUM	Deer_A_Only	169380	29.8	411.5	17.2	424.1	0	66.4	203.7
444	all_deer	SUM	SUM	193040	49.3	841.2	31.8	858.7	0	66.4	203.7
445	all_deer	N	003-10	845	0	0	0	0	0	0	0
445	all_deer	N	260-10	103	0	0	0	0	0	0	0
445	all_deer	N	339-40/Deer_A	12	0	0	0	0	0	0	0
445	all_deer	N	388-10	15	0	0	0	0	0	0	0
445	all_deer	N	400-00	64	0	3.6	0	3.6	0	0	0
445	all_deer	N	404-00	56	0	0	0	0	0	0	0
445	all_deer	N	405-00	28	0	1.6	0	1.6	0	0	0
445	all_deer	N	410-00	112	0	0	0	0	0	0	0
445	all_deer	N	413-00	42	0	1.8	0	1.8	0	0	0
445	all_deer	N	432-00	28	0	0	0	0	0	0	0
445	all_deer	N	444-00	42	0	0	0	0	0	0	0
445	all_deer	N	445-00	58	0	31.9	0	31.9	0	0	0
445	all_deer	N	471-00	40	0	0	0	0	0	0	0
445	all_deer	N	498-00	301	6.3	19	0	25.3	0	0	0
445	all_deer	N	Deer_A_Only	24299	9.3	93.4	3.1	99.6	0	9.3	80.9
445	all_deer	N	SUM	26045	15.7	151.3	3.1	163.9	0	9.3	80.9
445	all_deer	R	003-10	7121	0	5	0	5	0	0	0
445	all_deer	R	004-10	7081	24.3	286.7	19.4	286.7	4.9	0	9.7
445	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
445	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
445	all_deer	R	339-40/Deer_A	391	4.6	0	4.6	0	0	0	0
445	all_deer	R	388-10	434	0	4	0	4	0	0	0
445	all_deer	R	400-00	839	0	0	0	0	0	0	0
445	all_deer	R	404-00	1152	0	6.9	0	6.9	0	0	0
445	all_deer	R	405-00	477	0	0	0	0	0	0	0
445	all_deer	R	410-00	488	0	4.9	0	4.9	0	0	0
445	all_deer	R	413-00	558	0	0	0	0	0	0	0
445	all_deer	R	432-00	372	0	9.1	0	9.1	0	0	0
445	all_deer	R	444-00	360	0	14.1	0	0	14.1	0	0
445	all_deer	R	445-00	542	4.2	306.7	4.2	306.7	0	0	0
445	all_deer	R	471-00	260	0	5.1	0	5.1	0	0	0
445	all_deer	R	Deer_A_Only	145081	33.3	856.2	28.5	856.2	4.8	128.4	371
445	all_deer	R	SUM	174080	66.4	1512.1	56.8	1498	23.7	128.4	380.7
445	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
445	all_deer	SUM	004-10	7081	24.3	286.7	19.4	286.7	4.9	0	9.7
445	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
445	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
445	all_deer	SUM	339-40/Deer_A	403	4.6	0	4.6	0	0	0	0
445	all_deer	SUM	388-10	449	0	4	0	4	0	0	0
445	all_deer	SUM	400-00	903	0	3.6	0	3.6	0	0	0
445	all_deer	SUM	404-00	1208	0	6.9	0	6.9	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
445	all_deer	SUM	405-00	505	0	1.6	0	1.6	0	0	0
445	all_deer	SUM	410-00	600	0	4.9	0	4.9	0	0	0
445	all_deer	SUM	413-00	600	0	1.8	0	1.8	0	0	0
445	all_deer	SUM	432-00	400	0	9.1	0	9.1	0	0	0
445	all_deer	SUM	444-00	402	0	14.1	0	0	14.1	0	0
445	all_deer	SUM	445-00	600	4.2	338.6	4.2	338.6	0	0	0
445	all_deer	SUM	471-00	300	0	5.1	0	5.1	0	0	0
445	all_deer	SUM	498-00	301	6.3	19	0	25.3	0	0	0
445	all_deer	SUM	Deer_A_Only	169380	42.6	949.6	31.7	955.8	4.8	137.8	451.9
445	all_deer	SUM	SUM	200125	82.1	1663.4	59.9	1661.9	23.7	137.8	461.7
446	all_deer	N	002-10	500	0	0	0	0	0	0	0
446	all_deer	N	005-10	290	0	0	0	0	0	0	0
446	all_deer	N	292-40/Deer_A	56	0	0	0	0	0	0	0
446	all_deer	N	391-40/Deer_A	70	0	2.1	0	2.1	0	0	2.1
446	all_deer	N	498-00	301	0	6.3	0	6.3	0	0	0
446	all_deer	N	Deer_A_Only	24299	6.2	40.5	6.2	40.5	0	3.1	37.3
446	all_deer	N	SUM	25516	6.2	48.9	6.2	48.9	0	3.1	39.4
446	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	5.4
446	all_deer	R	004-10	7081	0	48.6	0	43.7	4.9	4.9	4.9
446	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0
446	all_deer	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	4.8
446	all_deer	R	391-40/Deer_A	369	0	0	0	0	0	0	0
446	all_deer	R	Deer_A_Only	145081	4.8	204.5	4.8	199.8	4.8	57.1	95.1
446	all_deer	R	SUM	164854	4.8	268.1	4.8	258.5	9.6	61.9	110.2
446	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	5.4
446	all_deer	SUM	004-10	7081	0	48.6	0	43.7	4.9	4.9	4.9
446	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
446	all_deer	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	4.8
446	all_deer	SUM	391-40/Deer_A	439	0	2.1	0	2.1	0	0	2.1
446	all_deer	SUM	498-00	301	0	6.3	0	6.3	0	0	0
446	all_deer	SUM	Deer_A_Only	169380	11	245	11	240.2	4.8	60.2	132.5
446	all_deer	SUM	SUM	190370	11	317	11	307.4	9.6	65.1	149.6
447	all_deer	N	170-10	57	0	0	0	0	0	0	0
447	all_deer	N	210-00	10	0	0	0	0	0	0	0
447	all_deer	N	325-00	28	0	0	0	0	0	0	0
447	all_deer	N	326-00	89	0	0	0	0	0	0	0
447	all_deer	N	331-02	4	0	0	0	0	0	0	0
447	all_deer	N	404-00	56	0	0	0	0	0	0	0
447	all_deer	N	405-00	28	0	0	0	0	0	0	0
447	all_deer	N	413-00	42	0	0	0	0	0	0	0
447	all_deer	N	419-00	54	0	2.3	0	2.3	0	0	0
447	all_deer	N	432-00	28	0	0	0	0	0	0	0
447	all_deer	N	447-00	79	3.8	41.4	3.8	41.4	0	0	3.8
447	all_deer	N	455-70/Deer_A	3	0	0	0	0	0	0	0
447	all_deer	N	498-00	301	0	6.3	0	6.3	0	0	0
447	all_deer	N	Deer_A_Only	24299	3.1	87.1	3.1	87.1	0	9.3	59.1
447	all_deer	N	SUM	25078	6.9	137.2	6.9	137.2	0	9.3	62.9
447	all_deer	R	004-10	7081	9.7	165.2	4.9	170.1	0	9.7	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
447	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
447	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	0
447	all_deer	R	210-00	190	0	2.9	0	2.9	0	0	0
447	all_deer	R	325-00	422	0	20.6	0	20.6	0	0	0
447	all_deer	R	326-00	597	0	7.5	0	7.5	0	0	0
447	all_deer	R	331-02	21	0	4.7	0	4.7	0	0	0
447	all_deer	R	404-00	1152	0	6.9	0	6.9	0	0	0
447	all_deer	R	405-00	477	8.6	25.8	0	34.4	0	0	0
447	all_deer	R	413-00	558	0	11.6	0	11.6	0	0	0
447	all_deer	R	419-00	248	0	5.6	0	5.6	0	0	0
447	all_deer	R	432-00	372	0	9.1	0	9.1	0	0	0
447	all_deer	R	447-00	621	6.8	327.6	0	334.4	0	0	0
447	all_deer	R	455-70/Deer_A	47	0	2.8	0	2.8	0	0	0
447	all_deer	R	Deer_A_Only	145081	33.3	808.6	23.8	813.4	4.8	157	432.9
447	all_deer	R	SUM	164490	58.4	1409.2	28.6	1434.3	4.8	166.7	432.9
447	all_deer	SUM	004-10	7081	9.7	165.2	4.9	170.1	0	9.7	0
447	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
447	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
447	all_deer	SUM	210-00	200	0	2.9	0	2.9	0	0	0
447	all_deer	SUM	325-00	450	0	20.6	0	20.6	0	0	0
447	all_deer	SUM	326-00	686	0	7.5	0	7.5	0	0	0
447	all_deer	SUM	331-02	25	0	4.7	0	4.7	0	0	0
447	all_deer	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
447	all_deer	SUM	405-00	505	8.6	25.8	0	34.4	0	0	0
447	all_deer	SUM	413-00	600	0	11.6	0	11.6	0	0	0
447	all_deer	SUM	419-00	302	0	8	0	8	0	0	0
447	all_deer	SUM	432-00	400	0	9.1	0	9.1	0	0	0
447	all_deer	SUM	447-00	700	10.6	368.9	3.8	375.8	0	0	3.8
447	all_deer	SUM	455-70/Deer_A	50	0	2.8	0	2.8	0	0	0
447	all_deer	SUM	498-00	301	0	6.3	0	6.3	0	0	0
447	all_deer	SUM	Deer_A_Only	169380	36.4	895.8	26.9	900.5	4.8	166.3	492
447	all_deer	SUM	SUM	189568	65.3	1546.4	35.5	1571.5	4.8	176	495.8
448	all_deer	N	003-10	845	0	4.1	0	4.1	0	0	0
448	all_deer	N	400-00	64	0	0	0	0	0	0	0
448	all_deer	N	419-00	54	0	0	0	0	0	0	0
448	all_deer	N	432-00	28	0	0	0	0	0	0	0
448	all_deer	N	448-00	31	0	14.1	0	14.1	0	0	0
448	all_deer	N	498-00	301	0	6.3	0	6.3	0	0	0
448	all_deer	N	Deer_A_Only	24299	0	21.8	0	21.8	0	6.2	15.6
448	all_deer	N	SUM	25622	0	46.3	0	46.3	0	6.2	15.6
448	all_deer	R	003-10	7121	0	0	0	0	0	0	0
448	all_deer	R	004-10	7081	0	34	0	34	0	0	0
448	all_deer	R	400-00	839	0	8.8	0	8.8	0	0	0
448	all_deer	R	419-00	248	0	11.3	0	11.3	0	0	0
448	all_deer	R	432-00	372	0	9.1	0	9.1	0	0	0
448	all_deer	R	448-00	158	0	55.1	0	55.1	0	7.3	0
448	all_deer	R	Deer_A_Only	145081	4.8	161.7	4.8	161.7	0	57.1	76.1
448	all_deer	R	SUM	160900	4.8	280	4.8	280	0	64.4	76.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
448	all_deer	SUM	003-10	7966	0	4.1	0	4.1	0	0	0
448	all_deer	SUM	004-10	7081	0	34	0	34	0	0	0
448	all_deer	SUM	400-00	903	0	8.8	0	8.8	0	0	0
448	all_deer	SUM	419-00	302	0	11.3	0	11.3	0	0	0
448	all_deer	SUM	432-00	400	0	9.1	0	9.1	0	0	0
448	all_deer	SUM	448-00	189	0	69.2	0	69.2	0	7.3	0
448	all_deer	SUM	498-00	301	0	6.3	0	6.3	0	0	0
448	all_deer	SUM	Deer_A_Only	169380	4.8	183.5	4.8	183.5	0	63.3	91.7
448	all_deer	SUM	SUM	186522	4.8	326.4	4.8	326.4	0	70.7	91.7
449	all_deer	N	005-10	290	0	2.5	0	2.5	0	0	2.5
449	all_deer	N	498-00	301	0	3.2	0	3.2	0	0	0
449	all_deer	N	Deer_A_Only	24299	0	37.3	0	37.3	0	15.6	18.7
449	all_deer	N	SUM	24890	0	43.1	0	43.1	0	15.6	21.2
449	all_deer	R	004-10	7081	0	14.6	0	14.6	0	0	4.9
449	all_deer	R	005-10	2590	0	0	0	0	0	0	0
449	all_deer	R	Deer_A_Only	145081	0	99.9	0	99.9	0	52.3	23.8
449	all_deer	R	SUM	154752	0	114.5	0	114.5	0	52.3	28.6
449	all_deer	SUM	004-10	7081	0	14.6	0	14.6	0	0	4.9
449	all_deer	SUM	005-10	2880	0	2.5	0	2.5	0	0	2.5
449	all_deer	SUM	498-00	301	0	3.2	0	3.2	0	0	0
449	all_deer	SUM	Deer_A_Only	169380	0	137.2	0	137.2	0	67.9	42.5
449	all_deer	SUM	SUM	179642	0	157.5	0	157.5	0	67.9	49.9
450	all_deer	N	003-10	845	0	0	0	0	0	0	0
450	all_deer	N	132-00	3	0	0	0	0	0	0	0
450	all_deer	N	426-00	94	0	0	0	0	0	0	0
450	all_deer	N	441-00	26	0	0	0	0	0	0	0
450	all_deer	N	444-00	42	0	0	0	0	0	0	0
450	all_deer	N	450-00	9	0	4.5	0	4.5	0	0	0
450	all_deer	N	498-00	301	0	3.2	0	3.2	0	0	0
450	all_deer	N	530-50/Deer_A	89	0	0	0	0	0	0	0
450	all_deer	N	598-00	281	0	0	0	0	0	0	0
450	all_deer	N	Deer_A_Only	24299	0	24.9	0	24.9	0	12.4	9.3
450	all_deer	N	SUM	25989	0	32.6	0	32.6	0	12.4	9.3
450	all_deer	R	003-10	7121	0	10	0	10	0	0	0
450	all_deer	R	004-10	7081	0	92.3	0	92.3	0	4.9	4.9
450	all_deer	R	132-00	297	0	3.8	0	3.8	0	0	0
450	all_deer	R	426-00	456	0	5.4	0	5.4	0	0	0
450	all_deer	R	441-00	348	0	4.8	0	4.8	0	0	0
450	all_deer	R	444-00	360	0	7.1	0	7.1	0	0	0
450	all_deer	R	450-00	141	0	57.3	0	57.3	0	0	0
450	all_deer	R	530-50/Deer_A	614	0	4.2	0	4.2	0	0	4.2
450	all_deer	R	598-00	1970	0	7.5	0	7.5	0	0	0
450	all_deer	R	Deer_A_Only	145081	0	157	0	157	0	4.8	76.1
450	all_deer	R	SUM	163469	0	349.4	0	349.4	0	9.6	85.2
450	all_deer	SUM	003-10	7966	0	10	0	10	0	0	0
450	all_deer	SUM	004-10	7081	0	92.3	0	92.3	0	4.9	4.9
450	all_deer	SUM	132-00	300	0	3.8	0	3.8	0	0	0
450	all_deer	SUM	426-00	550	0	5.4	0	5.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
450	all_deer	SUM	441-00	374	0	4.8	0	4.8	0	0	0
450	all_deer	SUM	444-00	402	0	7.1	0	7.1	0	0	0
450	all_deer	SUM	450-00	150	0	61.8	0	61.8	0	0	0
450	all_deer	SUM	498-00	301	0	3.2	0	3.2	0	0	0
450	all_deer	SUM	530-50/Deer_A	703	0	4.2	0	4.2	0	0	4.2
450	all_deer	SUM	598-00	2251	0	7.5	0	7.5	0	0	0
450	all_deer	SUM	Deer_A_Only	169380	0	181.9	0	181.9	0	17.2	85.4
450	all_deer	SUM	SUM	189458	0	382	0	382	0	22.1	94.5
452	all_deer	N	498-00	301	0	0	0	0	0	0	0
452	all_deer	N	Deer_A_Only	24299	6.2	28	6.2	28	0	6.2	24.9
452	all_deer	N	SUM	24600	6.2	28	6.2	28	0	6.2	24.9
452	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
452	all_deer	R	Deer_A_Only	145081	0	28.5	0	28.5	0	9.5	19
452	all_deer	R	SUM	152162	0	33.4	0	33.4	0	9.5	19
452	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
452	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
452	all_deer	SUM	Deer_A_Only	169380	6.2	56.5	6.2	56.5	0	15.7	43.9
452	all_deer	SUM	SUM	176762	6.2	61.4	6.2	61.4	0	15.7	43.9
454	all_deer	N	498-00	301	0	0	0	0	0	0	0
454	all_deer	N	580-00	64	0	1.8	0	1.8	0	0	0
454	all_deer	N	598-00	281	0	3	0	3	0	0	0
454	all_deer	N	Deer_A_Only	24299	3.1	28	3.1	28	0	0	18.7
454	all_deer	N	SUM	24945	3.1	32.8	3.1	32.8	0	0	18.7
454	all_deer	R	004-10	7081	0	19.4	0	19.4	0	0	0
454	all_deer	R	580-00	186	0	0	0	0	0	0	0
454	all_deer	R	598-00	1970	0	0	0	0	0	0	0
454	all_deer	R	Deer_A_Only	145081	9.5	128.4	9.5	128.4	0	33.3	85.6
454	all_deer	R	SUM	154318	9.5	147.9	9.5	147.9	0	33.3	85.6
454	all_deer	SUM	004-10	7081	0	19.4	0	19.4	0	0	0
454	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
454	all_deer	SUM	580-00	250	0	1.8	0	1.8	0	0	0
454	all_deer	SUM	598-00	2251	0	3	0	3	0	0	0
454	all_deer	SUM	Deer_A_Only	169380	12.6	156.4	12.6	156.4	0	33.3	104.3
454	all_deer	SUM	SUM	179263	12.6	180.7	12.6	180.7	0	33.3	104.3
455	all_deer	N	343-00	6	0	0	0	0	0	0	0
455	all_deer	N	413-00	42	0	0	0	0	0	0	0
455	all_deer	N	445-00	58	0	0	0	0	0	0	0
455	all_deer	N	447-00	79	0	0	0	0	0	0	0
455	all_deer	N	455-70/Deer_A	3	0	0	0	0	0	0	0
455	all_deer	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	9.3
455	all_deer	N	SUM	24487	0	9.3	0	9.3	0	0	9.3
455	all_deer	R	004-10	7081	0	14.6	0	14.6	0	0	4.9
455	all_deer	R	339-00	348	0	4.8	0	4.8	0	0	4.8
455	all_deer	R	343-00	294	0	3.5	0	3.5	0	0	3.5
455	all_deer	R	413-00	558	0	5.8	0	5.8	0	0	5.8
455	all_deer	R	445-00	542	0	12.6	0	12.6	0	0	0
455	all_deer	R	447-00	621	0	6.8	0	6.8	0	0	6.8
455	all_deer	R	455-70/Deer_A	47	0	24.9	0	24.9	0	2.8	22.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
455	all_deer	R	Deer_A_Only	145081	0	57.1	0	57.1	0	14.3	14.3
455	all_deer	R	SUM	154572	0	130.1	0	130.1	0	17	62.2
455	all_deer	SUM	004-10	7081	0	14.6	0	14.6	0	0	4.9
455	all_deer	SUM	339-00	348	0	4.8	0	4.8	0	0	4.8
455	all_deer	SUM	343-00	300	0	3.5	0	3.5	0	0	3.5
455	all_deer	SUM	413-00	600	0	5.8	0	5.8	0	0	5.8
455	all_deer	SUM	445-00	600	0	12.6	0	12.6	0	0	0
455	all_deer	SUM	447-00	700	0	6.8	0	6.8	0	0	6.8
455	all_deer	SUM	455-70/Deer_A	50	0	24.9	0	24.9	0	2.8	22.1
455	all_deer	SUM	Deer_A_Only	169380	0	66.4	0	66.4	0	14.3	23.6
455	all_deer	SUM	SUM	179059	0	139.4	0	139.4	0	17	71.5
471	all_deer	N	291-50/Deer_A	8	0	0	0	0	0	0	0
471	all_deer	N	405-00	28	0	1.6	0	1.6	0	0	0
471	all_deer	N	426-00	94	0	2.3	0	2.3	0	0	0
471	all_deer	N	471-00	40	0	22.9	0	21	1.9	0	0
471	all_deer	N	498-00	301	0	0	0	0	0	0	0
471	all_deer	N	680-00	88	0	0	0	0	0	0	0
471	all_deer	N	Deer_A_Only	24299	3.1	34.2	0	37.3	0	3.1	24.9
471	all_deer	N	SUM	24858	3.1	61	0	62.2	1.9	3.1	24.9
471	all_deer	R	004-10	7081	0	29.2	0	29.2	0	0	0
471	all_deer	R	291-50/Deer_A	92	0	2.7	0	2.7	0	0	0
471	all_deer	R	405-00	477	0	0	0	0	0	0	0
471	all_deer	R	426-00	456	0	5.4	0	5.4	0	0	0
471	all_deer	R	471-00	260	5.1	132.5	0	137.6	0	0	0
471	all_deer	R	680-00	412	0	5.4	0	5.4	0	0	0
471	all_deer	R	Deer_A_Only	145081	0	328.2	0	328.2	0	57.1	152.2
471	all_deer	R	SUM	153859	5.1	503.3	0	508.4	0	57.1	152.2
471	all_deer	SUM	004-10	7081	0	29.2	0	29.2	0	0	0
471	all_deer	SUM	291-50/Deer_A	100	0	2.7	0	2.7	0	0	0
471	all_deer	SUM	405-00	505	0	1.6	0	1.6	0	0	0
471	all_deer	SUM	426-00	550	0	7.7	0	7.7	0	0	0
471	all_deer	SUM	471-00	300	5.1	155.4	0	158.6	1.9	0	0
471	all_deer	SUM	498-00	301	0	0	0	0	0	0	0
471	all_deer	SUM	680-00	500	0	5.4	0	5.4	0	0	0
471	all_deer	SUM	Deer_A_Only	169380	3.1	362.4	0	365.6	0	60.2	177.1
471	all_deer	SUM	SUM	178717	8.2	564.4	0	570.7	1.9	60.2	177.1
4XX	all_deer	N	400-00	64	0	10.7	0	10.7	0	0	0
4XX	all_deer	N	498-00	301	0	6.3	0	6.3	0	0	0
4XX	all_deer	N	499-00	169	0	3.4	0	3.4	0	0	0
4XX	all_deer	N	Deer_A_Only	24299	9.3	40.5	9.3	40.5	0	15.6	31.1
4XX	all_deer	N	SUM	24833	9.3	60.9	9.3	60.9	0	15.6	31.1
4XX	all_deer	R	004-10	7081	0	14.6	0	14.6	0	4.9	0
4XX	all_deer	R	410-00	488	0	4.9	0	4.9	0	0	4.9
4XX	all_deer	R	499-00	835	0	8.1	0	8.1	0	0	0
4XX	all_deer	R	Deer_A_Only	145081	0	61.8	0	61.8	0	23.8	19
4XX	all_deer	R	SUM	153485	0	89.5	0	89.5	0	28.6	24
4XX	all_deer	SUM	004-10	7081	0	14.6	0	14.6	0	4.9	0
4XX	all_deer	SUM	400-00	64	0	10.7	0	10.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
4XX	all_deer	SUM	410-00	488	0	4.9	0	4.9	0	0	4.9
4XX	all_deer	SUM	498-00	301	0	6.3	0	6.3	0	0	0
4XX	all_deer	SUM	499-00	1004	0	11.6	0	11.6	0	0	0
4XX	all_deer	SUM	Deer_A_Only	169380	9.3	102.3	9.3	102.3	0	39.3	50.1
4XX	all_deer	SUM	SUM	178318	9.3	150.4	9.3	150.4	0	44.2	55.1
500	all_deer	N	003-10	845	0	0	0	0	0	0	0
500	all_deer	N	005-10	290	0	5.1	0	5.1	0	0	0
500	all_deer	N	007-10	1330	0	0	0	0	0	0	0
500	all_deer	N	309-10	8	0	0	0	0	0	0	0
500	all_deer	N	419-00	54	0	0	0	0	0	0	0
500	all_deer	N	500-00	7	0	3.5	0	3.5	0	0	1.8
500	all_deer	N	511-00	27	0	4.5	0	4.5	0	0	0
500	all_deer	N	520-00	39	0	0	0	0	0	0	0
500	all_deer	N	530-01	35	0	2.2	0	2.2	0	0	0
500	all_deer	N	575-00	63	0	0	0	0	0	0	0
500	all_deer	N	597-00	28	0	2.5	0	2.5	0	0	0
500	all_deer	N	599-00	98	0	0	0	0	0	0	0
500	all_deer	N	Deer_A_Only	24299	0	28	0	28	0	9.3	18.7
500	all_deer	N	SUM	27123	0	45.8	0	45.8	0	9.3	20.4
500	all_deer	R	003-10	7121	0	5	0	5	0	0	5
500	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
500	all_deer	R	005-10	2590	0	67	0	62.2	4.8	0	0
500	all_deer	R	007-10	3512	5.3	0	5.3	0	0	0	0
500	all_deer	R	007-11	1520	5.2	0	5.2	0	0	0	0
500	all_deer	R	007-13	5509	5.1	0	5.1	0	0	0	0
500	all_deer	R	309-10	505	0	4.4	0	4.4	0	0	4.4
500	all_deer	R	419-00	248	0	5.6	0	5.6	0	0	0
500	all_deer	R	500-00	93	0	43.8	0	43.8	0	2.7	5.5
500	all_deer	R	511-00	123	0	0	0	0	0	0	0
500	all_deer	R	520-00	261	0	3.6	0	3.6	0	0	0
500	all_deer	R	530-01	218	0	0	0	0	0	0	0
500	all_deer	R	575-00	687	5.3	10.6	5.3	10.6	0	5.3	5.3
500	all_deer	R	597-00	575	0	37.4	0	37.4	0	0	0
500	all_deer	R	599-00	1904	5.9	23.5	5.9	23.5	0	0	0
500	all_deer	R	Deer_A_Only	145081	4.8	699.2	0	694.5	9.5	237.8	313.9
500	all_deer	R	SUM	177028	31.5	905	26.7	895.4	14.3	245.9	334.1
500	all_deer	SUM	003-10	7966	0	5	0	5	0	0	5
500	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
500	all_deer	SUM	005-10	2880	0	72.1	0	67.3	4.8	0	0
500	all_deer	SUM	007-10	4842	5.3	0	5.3	0	0	0	0
500	all_deer	SUM	007-11	1520	5.2	0	5.2	0	0	0	0
500	all_deer	SUM	007-13	5509	5.1	0	5.1	0	0	0	0
500	all_deer	SUM	309-10	513	0	4.4	0	4.4	0	0	4.4
500	all_deer	SUM	419-00	302	0	5.6	0	5.6	0	0	0
500	all_deer	SUM	500-00	100	0	47.3	0	47.3	0	2.7	7.2
500	all_deer	SUM	511-00	150	0	4.5	0	4.5	0	0	0
500	all_deer	SUM	520-00	300	0	3.6	0	3.6	0	0	0
500	all_deer	SUM	530-01	253	0	2.2	0	2.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
500	all_deer	SUM	575-00	750	5.3	10.6	5.3	10.6	0	5.3	5.3
500	all_deer	SUM	597-00	603	0	39.9	0	39.9	0	0	0
500	all_deer	SUM	599-00	2002	5.9	23.5	5.9	23.5	0	0	0
500	all_deer	SUM	Deer_A_Only	169380	4.8	727.3	0	722.5	9.5	247.2	332.6
500	all_deer	SUM	SUM	204151	31.5	950.8	26.7	941.3	14.3	255.2	354.5
502	all_deer	N	005-10	290	2.5	2.5	0	5.1	0	0	0
502	all_deer	N	007-10	1330	0	0	0	0	0	0	0
502	all_deer	N	502-00	2	0	0	0	0	0	0	0
502	all_deer	N	510-40/Deer_A	18	0	0	0	0	0	0	0
502	all_deer	N	530-00	85	0	0	0	0	0	0	0
502	all_deer	N	599-00	98	0	8.2	0	8.2	0	0	0
502	all_deer	N	Deer_A_Only	24299	0	18.7	0	18.7	0	6.2	12.4
502	all_deer	N	SUM	26122	2.5	29.4	0	31.9	0	6.2	12.4
502	all_deer	R	005-10	2590	4.8	91	0	91	4.8	0	0
502	all_deer	R	007-10	3512	0	15.8	0	15.8	0	0	0
502	all_deer	R	007-13	5509	0	10.1	0	10.1	0	0	0
502	all_deer	R	502-00	198	11	88	11	88	0	0	3.7
502	all_deer	R	510-40/Deer_A	317	0	3.6	0	0	3.6	0	0
502	all_deer	R	530-00	416	0	4.7	0	4.7	0	0	4.7
502	all_deer	R	599-00	1904	23.5	70.5	17.6	64.6	11.8	0	0
502	all_deer	R	Deer_A_Only	145081	33.3	994.2	28.5	989.4	9.5	271.1	342.5
502	all_deer	R	SUM	159527	72.6	1277.9	57.2	1263.7	29.7	271.1	350.9
502	all_deer	SUM	005-10	2880	7.3	93.5	0	96	4.8	0	0
502	all_deer	SUM	007-10	4842	0	15.8	0	15.8	0	0	0
502	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
502	all_deer	SUM	502-00	200	11	88	11	88	0	0	3.7
502	all_deer	SUM	510-40/Deer_A	335	0	3.6	0	0	3.6	0	0
502	all_deer	SUM	530-00	501	0	4.7	0	4.7	0	0	4.7
502	all_deer	SUM	599-00	2002	23.5	78.7	17.6	72.8	11.8	0	0
502	all_deer	SUM	Deer_A_Only	169380	33.3	1012.8	28.5	1008.1	9.5	277.4	354.9
502	all_deer	SUM	SUM	185649	75.1	1307.3	57.2	1295.6	29.7	277.4	363.3
510	all_deer	N	005-10	290	0	5.1	0	5.1	0	0	0
510	all_deer	N	007-10	1330	0	0	0	0	0	0	0
510	all_deer	N	260-30	3	0	0	0	0	0	0	0
510	all_deer	N	313-00	9	0	0	0	0	0	0	0
510	all_deer	N	510-00	9	0	6	0	6	0	0	0
510	all_deer	N	510-40/Deer_A	18	0	7.2	0	7.2	0	3.6	1.8
510	all_deer	N	598-00	281	0	0	0	0	0	0	0
510	all_deer	N	599-00	98	0	2.7	0	2.7	0	0	0
510	all_deer	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
510	all_deer	N	SUM	26337	0	27.2	0	27.2	0	3.6	8
510	all_deer	R	005-10	2590	0	9.6	0	9.6	0	0	4.8
510	all_deer	R	007-10	3512	0	10.5	0	10.5	0	0	0
510	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
510	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	5.1
510	all_deer	R	260-30	830	0	5.8	0	5.8	0	0	5.8
510	all_deer	R	313-00	98	0	3.1	0	3.1	0	0	0
510	all_deer	R	502-00	198	0	3.7	0	3.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
510	all_deer	R	510-00	142	0	79.9	0	79.9	0	4.4	39.9
510	all_deer	R	510-40/Deer_A	317	0	162.1	0	162.1	0	50.4	100.9
510	all_deer	R	598-00	1970	0	29.8	0	29.8	0	0	0
510	all_deer	R	599-00	1904	0	29.4	0	23.5	5.9	0	11.8
510	all_deer	R	Deer_A_Only	145081	0	80.9	0	80.9	0	19	28.5
510	all_deer	R	SUM	163671	0	424.9	0	419.1	5.9	73.9	196.7
510	all_deer	SUM	005-10	2880	0	14.7	0	14.7	0	0	4.8
510	all_deer	SUM	007-10	4842	0	10.5	0	10.5	0	0	0
510	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
510	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	5.1
510	all_deer	SUM	260-30	833	0	5.8	0	5.8	0	0	5.8
510	all_deer	SUM	313-00	107	0	3.1	0	3.1	0	0	0
510	all_deer	SUM	502-00	198	0	3.7	0	3.7	0	0	0
510	all_deer	SUM	510-00	151	0	85.9	0	85.9	0	4.4	39.9
510	all_deer	SUM	510-40/Deer_A	335	0	169.3	0	169.3	0	54	102.7
510	all_deer	SUM	598-00	2251	0	29.8	0	29.8	0	0	0
510	all_deer	SUM	599-00	2002	0	32.1	0	26.2	5.9	0	11.8
510	all_deer	SUM	Deer_A_Only	169380	0	87.1	0	87.1	0	19	34.8
510	all_deer	SUM	SUM	190008	0	452.2	0	446.3	5.9	77.5	204.7
511	all_deer	N	003-10	845	0	0	0	0	0	0	0
511	all_deer	N	005-10	290	0	7.6	0	7.6	0	0	0
511	all_deer	N	007-10	1330	0	3.2	0	3.2	0	0	0
511	all_deer	N	130-00	37	0	0	0	0	0	0	0
511	all_deer	N	309-10	8	0	0	0	0	0	0	0
511	all_deer	N	312-10	25	0	0	0	0	0	0	0
511	all_deer	N	411-00	173	0	0	0	0	0	0	0
511	all_deer	N	418-00	33	0	0	0	0	0	0	0
511	all_deer	N	445-00	58	0	0	0	0	0	0	0
511	all_deer	N	511-00	27	0	18	0	18	0	0	0
511	all_deer	N	530-01	35	0	2.2	0	2.2	0	0	0
511	all_deer	N	530-50/Deer_A	89	0	1.9	0	1.9	0	0	0
511	all_deer	N	598-00	281	6	23.9	3	26.9	0	0	0
511	all_deer	N	599-00	98	0	0	0	0	0	0	0
511	all_deer	N	698-00	851	0	3.8	0	3.8	0	0	0
511	all_deer	N	Deer_A_Only	24299	3.1	65.4	3.1	65.4	0	3.1	40.5
511	all_deer	N	SUM	28479	9.1	126	6.1	129	0	3.1	40.5
511	all_deer	R	003-10	7121	0	5	0	5	0	0	0
511	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
511	all_deer	R	005-10	2590	0	33.5	0	33.5	0	0	0
511	all_deer	R	007-10	3512	0	0	0	0	0	0	0
511	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
511	all_deer	R	007-13	5509	0	15.2	0	15.2	0	0	0
511	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
511	all_deer	R	130-00	614	0	4.1	0	4.1	0	0	0
511	all_deer	R	309-10	505	0	4.4	0	4.4	0	0	0
511	all_deer	R	312-10	1124	7.8	0	7.8	0	0	0	0
511	all_deer	R	411-00	633	0	5.1	0	5.1	0	0	0
511	all_deer	R	418-00	67	0	2.9	0	2.9	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
511	all_deer	R	445-00	542	0	12.6	0	12.6	0	0	0
511	all_deer	R	502-00	198	0	3.7	0	3.7	0	0	3.7
511	all_deer	R	511-00	123	0	72.4	0	72.4	0	3.6	0
511	all_deer	R	530-01	218	0	0	0	0	0	0	0
511	all_deer	R	530-50/Deer_A	614	0	4.2	0	4.2	0	0	0
511	all_deer	R	598-00	1970	14.9	82.1	14.9	82.1	0	0	14.9
511	all_deer	R	599-00	1904	0	5.9	0	5.9	0	0	5.9
511	all_deer	R	Deer_A_Only	145081	0	333	0	328.2	4.8	57.1	137.9
511	all_deer	R	SUM	182929	22.7	598.9	22.7	594.1	4.8	60.7	162.4
511	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
511	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
511	all_deer	SUM	005-10	2880	0	41.1	0	41.1	0	0	0
511	all_deer	SUM	007-10	4842	0	3.2	0	3.2	0	0	0
511	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
511	all_deer	SUM	007-13	5509	0	15.2	0	15.2	0	0	0
511	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
511	all_deer	SUM	130-00	651	0	4.1	0	4.1	0	0	0
511	all_deer	SUM	309-10	513	0	4.4	0	4.4	0	0	0
511	all_deer	SUM	312-10	1149	7.8	0	7.8	0	0	0	0
511	all_deer	SUM	411-00	806	0	5.1	0	5.1	0	0	0
511	all_deer	SUM	418-00	100	0	2.9	0	2.9	0	0	0
511	all_deer	SUM	445-00	600	0	12.6	0	12.6	0	0	0
511	all_deer	SUM	502-00	198	0	3.7	0	3.7	0	0	3.7
511	all_deer	SUM	511-00	150	0	90.4	0	90.4	0	3.6	0
511	all_deer	SUM	530-01	253	0	2.2	0	2.2	0	0	0
511	all_deer	SUM	530-50/Deer_A	703	0	6.2	0	6.2	0	0	0
511	all_deer	SUM	598-00	2251	20.9	106	17.9	109	0	0	14.9
511	all_deer	SUM	599-00	2002	0	5.9	0	5.9	0	0	5.9
511	all_deer	SUM	698-00	851	0	3.8	0	3.8	0	0	0
511	all_deer	SUM	Deer_A_Only	169380	3.1	398.3	3.1	393.6	4.8	60.2	178.4
511	all_deer	SUM	SUM	211408	31.8	724.9	28.8	723.1	4.8	63.8	202.9
520	all_deer	N	002-10	500	0	0	0	0	0	0	0
520	all_deer	N	005-10	290	0	12.7	0	12.7	0	0	0
520	all_deer	N	007-10	1330	0	0	0	0	0	0	0
520	all_deer	N	281-00	6	0	0	0	0	0	0	0
520	all_deer	N	410-00	112	0	0	0	0	0	0	0
520	all_deer	N	417-00	76	0	0	0	0	0	0	0
520	all_deer	N	419-00	54	0	0	0	0	0	0	0
520	all_deer	N	510-00	9	0	1.5	0	1.5	0	0	0
520	all_deer	N	510-40/Deer_A	18	0	0	0	0	0	0	0
520	all_deer	N	520-00	39	0	19.5	0	19.5	0	0	0
520	all_deer	N	570-00	51	0	0	0	0	0	0	0
520	all_deer	N	575-00	63	0	0	0	0	0	0	0
520	all_deer	N	598-00	281	0	0	0	0	0	0	0
520	all_deer	N	599-00	98	0	8.2	0	8.2	0	0	0
520	all_deer	N	Deer_A_Only	24299	0	87.1	0	87.1	0	15.6	65.4
520	all_deer	N	SUM	27226	0	129	0	129	0	15.6	65.4
520	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
520	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	0
520	all_deer	R	005-10	2590	4.8	91	4.8	91	0	4.8	4.8
520	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
520	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
520	all_deer	R	281-00	94	0	2.2	0	2.2	0	0	0
520	all_deer	R	410-00	488	0	4.9	0	4.9	0	0	0
520	all_deer	R	417-00	325	0	4.1	0	4.1	0	0	0
520	all_deer	R	419-00	248	0	5.6	0	5.6	0	0	0
520	all_deer	R	502-00	198	0	3.7	0	3.7	0	0	0
520	all_deer	R	510-00	142	0	4.4	0	4.4	0	0	0
520	all_deer	R	510-40/Deer_A	317	0	3.6	0	3.6	0	0	0
520	all_deer	R	520-00	261	3.6	100.1	3.6	100.1	0	0	0
520	all_deer	R	570-00	249	0	4.2	0	4.2	0	4.2	0
520	all_deer	R	575-00	687	10.6	26.4	10.6	26.4	0	0	0
520	all_deer	R	598-00	1970	0	7.5	0	7.5	0	7.5	0
520	all_deer	R	599-00	1904	29.4	199.8	29.4	199.8	0	5.9	0
520	all_deer	R	Deer_A_Only	145081	33.3	694.5	33.3	689.7	4.8	171.2	290.2
520	all_deer	R	SUM	179459	81.6	1177.4	81.6	1172.6	4.8	193.5	294.9
520	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
520	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
520	all_deer	SUM	005-10	2880	4.8	103.7	4.8	103.7	0	4.8	4.8
520	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
520	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
520	all_deer	SUM	281-00	100	0	2.2	0	2.2	0	0	0
520	all_deer	SUM	410-00	600	0	4.9	0	4.9	0	0	0
520	all_deer	SUM	417-00	401	0	4.1	0	4.1	0	0	0
520	all_deer	SUM	419-00	302	0	5.6	0	5.6	0	0	0
520	all_deer	SUM	502-00	198	0	3.7	0	3.7	0	0	0
520	all_deer	SUM	510-00	151	0	5.9	0	5.9	0	0	0
520	all_deer	SUM	510-40/Deer_A	335	0	3.6	0	3.6	0	0	0
520	all_deer	SUM	520-00	300	3.6	119.6	3.6	119.6	0	0	0
520	all_deer	SUM	570-00	300	0	4.2	0	4.2	0	4.2	0
520	all_deer	SUM	575-00	750	10.6	26.4	10.6	26.4	0	0	0
520	all_deer	SUM	598-00	2251	0	7.5	0	7.5	0	7.5	0
520	all_deer	SUM	599-00	2002	29.4	208	29.4	208	0	5.9	0
520	all_deer	SUM	Deer_A_Only	169380	33.3	781.6	33.3	776.9	4.8	186.8	355.5
520	all_deer	SUM	SUM	206685	81.6	1306.4	81.6	1301.7	4.8	209.1	360.3
530	all_deer	N	003-10	845	0	0	0	0	0	0	0
530	all_deer	N	005-10	290	0	28	0	28	0	5.1	2.5
530	all_deer	N	007-10	1330	0	0	0	0	0	0	0
530	all_deer	N	100-00	41	0	0	0	0	0	0	0
530	all_deer	N	104-00	15	0	0	0	0	0	0	0
530	all_deer	N	121-00	73	0	0	0	0	0	0	0
530	all_deer	N	170-10	57	0	0	0	0	0	0	0
530	all_deer	N	202-02	2	0	0	0	0	0	0	0
530	all_deer	N	204-40/Deer_A	17	0	0	0	0	0	0	0
530	all_deer	N	260-10	103	0	0	0	0	0	0	0
530	all_deer	N	260-20	10	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
530	all_deer	N	281-00	6	0	0	0	0	0	0	0
530	all_deer	N	330-00	54	0	0	0	0	0	0	0
530	all_deer	N	340-00	8	0	2	0	2	0	2	0
530	all_deer	N	388-10	15	0	0	0	0	0	0	0
530	all_deer	N	392-00	2	0	0	0	0	0	0	0
530	all_deer	N	410-00	112	0	0	0	0	0	0	0
530	all_deer	N	419-00	54	0	0	0	0	0	0	0
530	all_deer	N	499-00	169	0	3.4	0	3.4	0	0	0
530	all_deer	N	511-00	27	0	0	0	0	0	0	0
530	all_deer	N	530-00	85	0	50.1	0	50.1	0	6.5	2.2
530	all_deer	N	530-01	35	0	19.7	0	19.7	0	2.2	0
530	all_deer	N	530-50/Deer_A	89	1.9	50.3	1.9	50.3	0	15.5	31
530	all_deer	N	597-00	28	0	5.1	0	5.1	0	0	0
530	all_deer	N	598-00	281	0	3	0	3	0	0	0
530	all_deer	N	599-00	98	0	0	0	0	0	0	0
530	all_deer	N	600-00	47	0	0	0	0	0	0	0
530	all_deer	N	Deer_A_Only	24299	3.1	136.9	3.1	136.9	0	3.1	124.5
530	all_deer	N	SUM	28192	5	298.6	5	298.6	0	34.4	160.2
530	all_deer	R	003-10	7121	0	15.1	0	15.1	0	0	5
530	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	4.9
530	all_deer	R	005-10	2590	0	143.6	0	143.6	0	4.8	9.6
530	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
530	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
530	all_deer	R	007-13	5509	0	10.1	0	10.1	0	0	0
530	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	0
530	all_deer	R	100-00	559	0	4.4	0	4.4	0	0	0
530	all_deer	R	104-00	485	0	3.9	0	3.9	0	0	0
530	all_deer	R	121-00	727	0	4.2	0	4.2	0	0	0
530	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	0
530	all_deer	R	202-02	48	0	3.2	0	3.2	0	0	0
530	all_deer	R	204-40/Deer_A	426	0	4.5	0	4.5	0	0	0
530	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
530	all_deer	R	260-20	290	0	3.8	0	3.8	0	0	0
530	all_deer	R	281-00	94	0	2.2	0	2.2	0	0	0
530	all_deer	R	313-01	47	0	2.9	0	2.9	0	2.9	0
530	all_deer	R	330-00	197	0	3.5	0	3.5	0	0	3.5
530	all_deer	R	340-00	142	0	2.5	0	2.5	0	0	2.5
530	all_deer	R	388-10	434	0	4	0	4	0	0	0
530	all_deer	R	392-00	98	0	2.2	0	2.2	0	0	0
530	all_deer	R	410-00	488	0	14.8	0	9.9	4.9	0	0
530	all_deer	R	419-00	248	0	5.6	0	5.6	0	0	0
530	all_deer	R	499-00	835	0	0	0	0	0	0	0
530	all_deer	R	511-00	123	0	3.6	0	3.6	0	0	0
530	all_deer	R	530-00	416	0	208	0	203.3	4.7	23.6	28.4
530	all_deer	R	530-01	218	0	125.1	0	125.1	0	7.1	7.1
530	all_deer	R	530-50/Deer_A	614	0	258.3	0	258.3	0	76.2	156.7
530	all_deer	R	597-00	575	0	32.7	0	32.7	0	0	0
530	all_deer	R	598-00	1970	0	29.8	0	29.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
530	all_deer	R	599-00	1904	0	5.9	0	5.9	0	0	0
530	all_deer	R	600-00	453	0	5.7	0	5.7	0	0	0
530	all_deer	R	699-00	3502	0	8.6	0	8.6	0	0	0
530	all_deer	R	Deer_A_Only	145081	9.5	390.1	9.5	380.5	9.5	47.6	104.6
530	all_deer	R	SUM	194839	9.5	1336.9	9.5	1317.7	19.2	162.3	322.3
530	all_deer	SUM	003-10	7966	0	15.1	0	15.1	0	0	5
530	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	4.9
530	all_deer	SUM	005-10	2880	0	171.6	0	171.6	0	9.9	12.1
530	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
530	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
530	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
530	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
530	all_deer	SUM	100-00	600	0	4.4	0	4.4	0	0	0
530	all_deer	SUM	104-00	500	0	3.9	0	3.9	0	0	0
530	all_deer	SUM	121-00	800	0	4.2	0	4.2	0	0	0
530	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
530	all_deer	SUM	202-02	50	0	3.2	0	3.2	0	0	0
530	all_deer	SUM	204-40/Deer_A	443	0	4.5	0	4.5	0	0	0
530	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
530	all_deer	SUM	260-20	300	0	3.8	0	3.8	0	0	0
530	all_deer	SUM	281-00	100	0	2.2	0	2.2	0	0	0
530	all_deer	SUM	313-01	47	0	2.9	0	2.9	0	2.9	0
530	all_deer	SUM	330-00	251	0	3.5	0	3.5	0	0	3.5
530	all_deer	SUM	340-00	150	0	4.5	0	4.5	0	2	2.5
530	all_deer	SUM	388-10	449	0	4	0	4	0	0	0
530	all_deer	SUM	392-00	100	0	2.2	0	2.2	0	0	0
530	all_deer	SUM	410-00	600	0	14.8	0	9.9	4.9	0	0
530	all_deer	SUM	419-00	302	0	5.6	0	5.6	0	0	0
530	all_deer	SUM	499-00	1004	0	3.4	0	3.4	0	0	0
530	all_deer	SUM	511-00	150	0	3.6	0	3.6	0	0	0
530	all_deer	SUM	530-00	501	0	258.1	0	253.4	4.7	30.2	30.5
530	all_deer	SUM	530-01	253	0	144.8	0	144.8	0	9.3	7.1
530	all_deer	SUM	530-50/Deer_A	703	1.9	308.6	1.9	308.6	0	91.7	187.6
530	all_deer	SUM	597-00	603	0	37.8	0	37.8	0	0	0
530	all_deer	SUM	598-00	2251	0	32.8	0	32.8	0	0	0
530	all_deer	SUM	599-00	2002	0	5.9	0	5.9	0	0	0
530	all_deer	SUM	600-00	500	0	5.7	0	5.7	0	0	0
530	all_deer	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
530	all_deer	SUM	Deer_A_Only	169380	12.6	527	12.6	517.5	9.5	50.7	229.1
530	all_deer	SUM	SUM	223031	14.6	1635.5	14.6	1616.3	19.2	196.7	482.4
540	all_deer	N	003-10	845	0	0	0	0	0	0	0
540	all_deer	N	005-10	290	0	5.1	0	5.1	0	0	0
540	all_deer	N	380-00	6	0	0	0	0	0	0	0
540	all_deer	N	598-00	281	3	17.9	0	20.9	0	0	0
540	all_deer	N	797-00	3018	0	3.2	0	3.2	0	3.2	0
540	all_deer	N	Deer_A_Only	24299	0	43.6	0	43.6	0	15.6	18.7
540	all_deer	N	SUM	28739	3	69.8	0	72.8	0	18.8	18.7
540	all_deer	R	003-10	7121	0	10	0	10	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
540	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	0
540	all_deer	R	005-10	2590	0	23.9	0	23.9	0	0	0
540	all_deer	R	380-00	194	0	3.1	0	3.1	0	0	0
540	all_deer	R	598-00	1970	0	44.8	0	44.8	0	0	0
540	all_deer	R	Deer_A_Only	145081	4.8	199.8	4.8	199.8	0	66.6	52.3
540	all_deer	R	SUM	164037	4.8	291.4	4.8	291.4	0	66.6	52.3
540	all_deer	SUM	003-10	7966	0	10	0	10	0	0	0
540	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
540	all_deer	SUM	005-10	2880	0	29	0	29	0	0	0
540	all_deer	SUM	380-00	200	0	3.1	0	3.1	0	0	0
540	all_deer	SUM	598-00	2251	3	62.7	0	65.7	0	0	0
540	all_deer	SUM	797-00	3018	0	3.2	0	3.2	0	3.2	0
540	all_deer	SUM	Deer_A_Only	169380	4.8	243.4	4.8	243.4	0	82.2	71
540	all_deer	SUM	SUM	192776	7.7	361.2	4.8	364.2	0	85.4	71
560	all_deer	N	003-10	845	0	0	0	0	0	0	0
560	all_deer	N	005-10	290	2.5	7.6	2.5	7.6	0	0	0
560	all_deer	N	313-00	9	0	0	0	0	0	0	0
560	all_deer	N	330-01	13	0	0	0	0	0	0	0
560	all_deer	N	360-00	10	0	0	0	0	0	0	0
560	all_deer	N	360-01	23	0	0	0	0	0	0	0
560	all_deer	N	500-00	7	0	0	0	0	0	0	0
560	all_deer	N	560-00	49	0	29	0	29	0	0	0
560	all_deer	N	597-00	28	0	0	0	0	0	0	0
560	all_deer	N	598-00	281	3	6	6	3	0	0	0
560	all_deer	N	599-00	98	0	10.9	2.7	8.2	0	0	0
560	all_deer	N	Deer_A_Only	24299	0	115.1	3.1	112	0	15.6	74.7
560	all_deer	N	SUM	25952	5.5	168.6	14.4	159.8	0	15.6	74.7
560	all_deer	R	003-10	7121	0	20.1	0	20.1	0	0	5
560	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
560	all_deer	R	005-10	2590	0	100.5	0	100.5	0	0	9.6
560	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
560	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
560	all_deer	R	313-00	98	0	3.1	0	3.1	0	0	0
560	all_deer	R	330-01	88	0	4.6	0	4.6	0	0	0
560	all_deer	R	360-00	65	0	3.4	0	3.4	0	0	0
560	all_deer	R	360-01	177	0	6.6	0	6.6	0	0	0
560	all_deer	R	500-00	93	0	2.7	0	2.7	0	0	0
560	all_deer	R	560-00	301	4.6	138.9	4.6	138.9	0	0	9.3
560	all_deer	R	597-00	575	0	4.7	0	4.7	0	4.7	0
560	all_deer	R	598-00	1970	0	67.2	0	67.2	0	7.5	0
560	all_deer	R	599-00	1904	0	41.1	0	41.1	0	0	0
560	all_deer	R	Deer_A_Only	145081	14.3	480.4	14.3	480.4	0	123.7	171.2
560	all_deer	R	SUM	174173	18.9	888.5	18.9	888.5	0	135.8	195.1
560	all_deer	SUM	003-10	7966	0	20.1	0	20.1	0	0	5
560	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
560	all_deer	SUM	005-10	2880	2.5	108.2	2.5	108.2	0	0	9.6
560	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
560	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
560	all_deer	SUM	313-00	107	0	3.1	0	3.1	0	0	0
560	all_deer	SUM	330-01	101	0	4.6	0	4.6	0	0	0
560	all_deer	SUM	360-00	75	0	3.4	0	3.4	0	0	0
560	all_deer	SUM	360-01	200	0	6.6	0	6.6	0	0	0
560	all_deer	SUM	500-00	100	0	2.7	0	2.7	0	0	0
560	all_deer	SUM	560-00	350	4.6	167.9	4.6	167.9	0	0	9.3
560	all_deer	SUM	597-00	603	0	4.7	0	4.7	0	4.7	0
560	all_deer	SUM	598-00	2251	3	73.1	6	70.1	0	7.5	0
560	all_deer	SUM	599-00	2002	0	52	2.7	49.3	0	0	0
560	all_deer	SUM	Deer_A_Only	169380	14.3	595.6	17.4	592.5	0	139.2	245.9
560	all_deer	SUM	SUM	200125	24.4	1057.1	33.3	1048.2	0	151.4	269.8
570	all_deer	N	002-10	500	0	0	0	0	0	0	0
570	all_deer	N	003-10	845	0	0	0	0	0	0	0
570	all_deer	N	005-10	290	2.5	15.3	0	17.8	0	0	2.5
570	all_deer	N	007-10	1330	0	0	0	0	0	0	0
570	all_deer	N	170-10	57	0	0	0	0	0	0	0
570	all_deer	N	260-10	103	0	0	0	0	0	0	0
570	all_deer	N	292-40/Deer_A	56	0	0	0	0	0	0	0
570	all_deer	N	325-01	15	0	0	0	0	0	0	0
570	all_deer	N	335-40/Deer_A	9	0	0	0	0	0	0	0
570	all_deer	N	500-00	7	0	0	0	0	0	0	0
570	all_deer	N	510-40/Deer_A	18	0	3.6	0	3.6	0	0	0
570	all_deer	N	511-00	27	0	0	0	0	0	0	0
570	all_deer	N	520-00	39	0	0	0	0	0	0	0
570	all_deer	N	560-00	49	0	4.5	0	4.5	0	0	0
570	all_deer	N	570-00	51	0	24.5	2	22.4	0	0	2
570	all_deer	N	580-00	64	0	0	0	0	0	0	0
570	all_deer	N	598-00	281	12	50.8	6	56.8	0	0	0
570	all_deer	N	599-00	98	0	0	0	0	0	0	0
570	all_deer	N	Deer_A_Only	24299	3.1	108.9	6.2	105.8	0	18.7	77.8
570	all_deer	N	SUM	28138	17.6	207.5	14.2	210.9	0	18.7	82.4
570	all_deer	R	002-10	8803	0	10.7	0	10.7	0	0	0
570	all_deer	R	003-10	7121	0	20.1	0	20.1	0	0	0
570	all_deer	R	005-10	2590	0	124.5	4.8	119.7	0	9.6	14.4
570	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
570	all_deer	R	007-13	5509	5.1	15.2	5.1	15.2	0	0	5.1
570	all_deer	R	007-14	2003	4.8	0	4.8	0	0	0	0
570	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	0
570	all_deer	R	260-10	3415	0	16.5	0	16.5	0	0	0
570	all_deer	R	291-51/Deer_A	25	0	2.8	0	2.8	0	0	0
570	all_deer	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
570	all_deer	R	325-01	135	0	5.2	0	5.2	0	0	0
570	all_deer	R	335-40/Deer_A	397	4.1	0	4.1	0	0	0	4.1
570	all_deer	R	500-00	93	0	5.5	0	5.5	0	0	0
570	all_deer	R	510-40/Deer_A	317	0	0	0	0	0	0	0
570	all_deer	R	511-00	123	0	7.2	0	7.2	0	0	0
570	all_deer	R	520-00	261	0	3.6	0	3.6	0	0	0
570	all_deer	R	560-00	301	0	9.3	0	9.3	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
570	all_deer	R	570-00	249	4.2	107.9	0	112	0	0	12.4
570	all_deer	R	580-00	186	0	6.6	0	6.6	0	0	0
570	all_deer	R	598-00	1970	14.9	171.6	7.5	179.1	0	7.5	0
570	all_deer	R	599-00	1904	0	11.8	0	11.8	0	0	0
570	all_deer	R	Deer_A_Only	145081	23.8	689.7	19	694.5	0	199.8	261.6
570	all_deer	R	SUM	187039	56.8	1223.5	45.2	1235.1	0	216.8	297.6
570	all_deer	SUM	002-10	9303	0	10.7	0	10.7	0	0	0
570	all_deer	SUM	003-10	7966	0	20.1	0	20.1	0	0	0
570	all_deer	SUM	005-10	2880	2.5	139.7	4.8	137.5	0	9.6	16.9
570	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
570	all_deer	SUM	007-13	5509	5.1	15.2	5.1	15.2	0	0	5.1
570	all_deer	SUM	007-14	2003	4.8	0	4.8	0	0	0	0
570	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
570	all_deer	SUM	260-10	3518	0	16.5	0	16.5	0	0	0
570	all_deer	SUM	291-51/Deer_A	25	0	2.8	0	2.8	0	0	0
570	all_deer	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
570	all_deer	SUM	325-01	150	0	5.2	0	5.2	0	0	0
570	all_deer	SUM	335-40/Deer_A	406	4.1	0	4.1	0	0	0	4.1
570	all_deer	SUM	500-00	100	0	5.5	0	5.5	0	0	0
570	all_deer	SUM	510-40/Deer_A	335	0	3.6	0	3.6	0	0	0
570	all_deer	SUM	511-00	150	0	7.2	0	7.2	0	0	0
570	all_deer	SUM	520-00	300	0	3.6	0	3.6	0	0	0
570	all_deer	SUM	560-00	350	0	13.7	0	13.7	0	0	0
570	all_deer	SUM	570-00	300	4.2	132.4	2	134.5	0	0	14.5
570	all_deer	SUM	580-00	250	0	6.6	0	6.6	0	0	0
570	all_deer	SUM	598-00	2251	26.9	222.4	13.4	235.9	0	7.5	0
570	all_deer	SUM	599-00	2002	0	11.8	0	11.8	0	0	0
570	all_deer	SUM	Deer_A_Only	169380	26.9	798.7	25.3	800.3	0	218.5	339.4
570	all_deer	SUM	SUM	215177	74.4	1431.1	59.5	1446	0	235.5	380
575	all_deer	N	003-10	845	0	0	0	0	0	0	0
575	all_deer	N	005-10	290	0	20.4	2.5	17.8	0	0	0
575	all_deer	N	322-10	98	0	0	0	0	0	0	0
575	all_deer	N	411-00	173	0	0	0	0	0	0	0
575	all_deer	N	510-40/Deer_A	18	0	0	0	0	0	0	0
575	all_deer	N	520-00	39	0	5.6	0	5.6	0	0	0
575	all_deer	N	560-00	49	0	0	0	0	0	0	0
575	all_deer	N	575-00	63	0	47.2	1.8	45.5	0	0	1.8
575	all_deer	N	580-00	64	0	1.8	0	1.8	0	0	0
575	all_deer	N	597-00	28	0	0	0	0	0	0	0
575	all_deer	N	598-00	281	0	0	0	0	0	0	0
575	all_deer	N	599-00	98	5.4	19.1	8.2	16.3	0	0	0
575	all_deer	N	620-00	110	0	0	0	0	0	0	0
575	all_deer	N	Deer_A_Only	24299	3.1	56	3.1	56	0	18.7	31.1
575	all_deer	N	SUM	26455	8.6	150.1	15.6	143.1	0	18.7	32.9
575	all_deer	R	003-10	7121	0	10	0	10	0	0	0
575	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	4.9
575	all_deer	R	005-10	2590	9.6	205.9	4.8	210.6	0	4.8	4.8
575	all_deer	R	007-13	5509	0	25.3	0	25.3	0	5.1	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
575	all_deer	R	007-14	2003	0	19.1	0	19.1	0	0	0
575	all_deer	R	309-00	25	0	2.5	0	2.5	0	0	0
575	all_deer	R	322-10	1130	0	11	0	11	0	11	0
575	all_deer	R	411-00	633	0	5.1	0	5.1	0	0	0
575	all_deer	R	502-00	198	0	7.3	0	7.3	0	0	0
575	all_deer	R	510-40/Deer_A	317	0	3.6	0	3.6	0	0	0
575	all_deer	R	520-00	261	0	21.5	0	21.5	0	0	0
575	all_deer	R	560-00	301	0	4.6	0	4.6	0	0	0
575	all_deer	R	575-00	687	10.6	369.9	10.6	369.9	0	0	10.6
575	all_deer	R	580-00	186	0	3.3	0	3.3	0	0	0
575	all_deer	R	597-00	575	0	9.3	0	9.3	0	0	0
575	all_deer	R	598-00	1970	0	52.2	0	52.2	0	0	0
575	all_deer	R	599-00	1904	47	393.7	29.4	411.4	0	11.8	23.5
575	all_deer	R	620-00	490	0	4.4	0	4.4	0	0	0
575	all_deer	R	699-00	3502	0	8.6	0	8.6	0	0	0
575	all_deer	R	Deer_A_Only	145081	47.6	1507.9	33.3	1522.2	0	385.3	489.9
575	all_deer	R	SUM	181564	114.7	2675	78	2711.7	0	417.9	533.7
575	all_deer	SUM	003-10	7966	0	10	0	10	0	0	0
575	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	4.9
575	all_deer	SUM	005-10	2880	9.6	226.2	7.3	228.5	0	4.8	4.8
575	all_deer	SUM	007-13	5509	0	25.3	0	25.3	0	5.1	0
575	all_deer	SUM	007-14	2003	0	19.1	0	19.1	0	0	0
575	all_deer	SUM	309-00	25	0	2.5	0	2.5	0	0	0
575	all_deer	SUM	322-10	1228	0	11	0	11	0	11	0
575	all_deer	SUM	411-00	806	0	5.1	0	5.1	0	0	0
575	all_deer	SUM	502-00	198	0	7.3	0	7.3	0	0	0
575	all_deer	SUM	510-40/Deer_A	335	0	3.6	0	3.6	0	0	0
575	all_deer	SUM	520-00	300	0	27	0	27	0	0	0
575	all_deer	SUM	560-00	350	0	4.6	0	4.6	0	0	0
575	all_deer	SUM	575-00	750	10.6	417.2	12.3	415.4	0	0	12.3
575	all_deer	SUM	580-00	250	0	5.2	0	5.2	0	0	0
575	all_deer	SUM	597-00	603	0	9.3	0	9.3	0	0	0
575	all_deer	SUM	598-00	2251	0	52.2	0	52.2	0	0	0
575	all_deer	SUM	599-00	2002	52.5	412.8	37.5	427.7	0	11.8	23.5
575	all_deer	SUM	620-00	600	0	4.4	0	4.4	0	0	0
575	all_deer	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
575	all_deer	SUM	Deer_A_Only	169380	50.7	1563.9	36.4	1578.2	0	404	521.1
575	all_deer	SUM	SUM	208019	123.3	2825.1	93.6	2854.8	0	436.5	566.5
580	all_deer	N	002-10	500	0	0	0	0	0	0	0
580	all_deer	N	003-10	845	0	0	0	0	0	0	0
580	all_deer	N	005-10	290	0	17.8	0	17.8	0	0	0
580	all_deer	N	007-10	1330	0	0	0	0	0	0	0
580	all_deer	N	310-00	3	0	0	0	0	0	0	0
580	all_deer	N	315-01	57	0	0	0	0	0	0	0
580	all_deer	N	318-40/Deer_A	8	0	0	0	0	0	0	0
580	all_deer	N	380-40/Deer_A	49	0	0	0	0	0	0	0
580	all_deer	N	388-10	15	0	0	0	0	0	0	0
580	all_deer	N	391-00	2	0	0	0	0	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
580	all_deer	N	412-00	177	0	0	0	0	0	0	0
580	all_deer	N	418-00	33	0	1.8	0	1.8	0	0	0
580	all_deer	N	471-00	40	0	0	0	0	0	0	0
580	all_deer	N	510-00	9	0	0	0	0	0	0	0
580	all_deer	N	510-40/Deer_A	18	0	0	0	0	0	0	0
580	all_deer	N	560-00	49	0	0	0	0	0	0	0
580	all_deer	N	570-00	51	0	2	0	2	0	0	0
580	all_deer	N	580-00	64	0	42.1	0	42.1	0	0	0
580	all_deer	N	598-00	281	17.9	56.8	12	62.8	0	0	0
580	all_deer	N	599-00	98	0	2.7	0	2.7	0	0	0
580	all_deer	N	Deer_A_Only	24299	15.6	270.7	9.3	277	0	56	177.4
580	all_deer	N	SUM	28218	33.5	394	21.3	406.2	0	56	177.4
580	all_deer	R	002-10	8803	0	16.1	0	16.1	0	0	0
580	all_deer	R	003-10	7121	0	20.1	0	20.1	0	5	0
580	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	0
580	all_deer	R	005-10	2590	0	67	0	67	0	0	0
580	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
580	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
580	all_deer	R	007-13	5509	0	10.1	0	10.1	0	0	0
580	all_deer	R	291-00	98	0	2.9	0	2.9	0	2.9	0
580	all_deer	R	310-00	22	0	8.8	0	8.8	0	0	0
580	all_deer	R	315-01	198	0	6.2	0	6.2	0	0	0
580	all_deer	R	318-40/Deer_A	204	0	3.2	0	3.2	0	0	0
580	all_deer	R	380-40/Deer_A	1253	0	4.1	0	4.1	0	0	0
580	all_deer	R	388-10	434	0	4	0	4	0	0	0
580	all_deer	R	391-00	98	0	3.5	0	3.5	0	0	0
580	all_deer	R	412-00	623	0	6.4	0	6.4	0	0	0
580	all_deer	R	418-00	67	0	0	0	0	0	0	0
580	all_deer	R	471-00	260	0	5.1	0	5.1	0	0	0
580	all_deer	R	510-00	142	8.9	0	8.9	0	0	0	0
580	all_deer	R	510-40/Deer_A	317	3.6	0	3.6	0	0	0	0
580	all_deer	R	560-00	301	0	9.3	0	9.3	0	0	0
580	all_deer	R	570-00	249	0	0	0	0	0	0	0
580	all_deer	R	580-00	186	3.3	93	3.3	93	0	3.3	0
580	all_deer	R	598-00	1970	14.9	403	14.9	395.5	7.5	14.9	0
580	all_deer	R	599-00	1904	0	5.9	0	5.9	0	0	0
580	all_deer	R	Deer_A_Only	145081	9.5	646.9	4.8	651.7	0	147.5	233.1
580	all_deer	R	SUM	189543	40.2	1335.8	35.5	1333.1	7.5	173.6	233.1
580	all_deer	SUM	002-10	9303	0	16.1	0	16.1	0	0	0
580	all_deer	SUM	003-10	7966	0	20.1	0	20.1	0	5	0
580	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
580	all_deer	SUM	005-10	2880	0	84.8	0	84.8	0	0	0
580	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
580	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
580	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
580	all_deer	SUM	291-00	98	0	2.9	0	2.9	0	2.9	0
580	all_deer	SUM	310-00	25	0	8.8	0	8.8	0	0	0
580	all_deer	SUM	315-01	255	0	6.2	0	6.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
580	all_deer	SUM	318-40/Deer_A	212	0	3.2	0	3.2	0	0	0
580	all_deer	SUM	380-40/Deer_A	1302	0	4.1	0	4.1	0	0	0
580	all_deer	SUM	388-10	449	0	4	0	4	0	0	0
580	all_deer	SUM	391-00	100	0	3.5	0	3.5	0	0	0
580	all_deer	SUM	412-00	800	0	6.4	0	6.4	0	0	0
580	all_deer	SUM	418-00	100	0	1.8	0	1.8	0	0	0
580	all_deer	SUM	471-00	300	0	5.1	0	5.1	0	0	0
580	all_deer	SUM	510-00	151	8.9	0	8.9	0	0	0	0
580	all_deer	SUM	510-40/Deer_A	335	3.6	0	3.6	0	0	0	0
580	all_deer	SUM	560-00	350	0	9.3	0	9.3	0	0	0
580	all_deer	SUM	570-00	300	0	2	0	2	0	0	0
580	all_deer	SUM	580-00	250	3.3	135.1	3.3	135.1	0	3.3	0
580	all_deer	SUM	598-00	2251	32.9	459.8	26.9	458.3	7.5	14.9	0
580	all_deer	SUM	599-00	2002	0	8.6	0	8.6	0	0	0
580	all_deer	SUM	Deer_A_Only	169380	25.1	917.7	14.1	928.6	0	203.5	410.5
580	all_deer	SUM	SUM	217761	73.7	1729.8	56.8	1739.3	7.5	229.6	410.5
590	all_deer	N	003-10	845	0	0	0	0	0	0	0
590	all_deer	N	005-10	290	0	20.4	0	20.4	0	2.5	0
590	all_deer	N	007-10	1330	0	3.2	0	3.2	0	0	0
590	all_deer	N	318-40/Deer_A	8	0	0	0	0	0	0	0
590	all_deer	N	530-00	85	0	10.9	0	10.9	0	0	0
590	all_deer	N	530-01	35	0	2.2	0	2.2	0	2.2	0
590	all_deer	N	530-50/Deer_A	89	0	3.9	0	3.9	0	1.9	0
590	all_deer	N	570-00	51	0	0	0	0	0	0	0
590	all_deer	N	590-00	35	0	26.2	0	26.2	0	0	0
590	all_deer	N	597-00	28	0	7.6	0	7.6	0	0	0
590	all_deer	N	598-00	281	3	9	3	9	0	0	0
590	all_deer	N	599-00	98	0	0	0	0	0	0	0
590	all_deer	N	Deer_A_Only	24299	15.6	192.9	18.7	186.7	3.1	37.3	155.6
590	all_deer	N	SUM	27474	18.5	276.3	21.7	270.1	3.1	44	155.6
590	all_deer	R	003-10	7121	0	5	0	5	0	0	0
590	all_deer	R	005-10	2590	4.8	105.3	4.8	100.5	4.8	0	14.4
590	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
590	all_deer	R	007-13	5509	0	15.2	0	15.2	0	0	5.1
590	all_deer	R	007-14	2003	0	4.8	0	4.8	0	0	4.8
590	all_deer	R	318-40/Deer_A	204	0	3.2	0	3.2	0	0	0
590	all_deer	R	530-00	416	0	0	0	0	0	0	0
590	all_deer	R	530-01	218	0	0	0	0	0	0	0
590	all_deer	R	530-50/Deer_A	614	0	21.2	0	21.2	0	0	0
590	all_deer	R	570-00	249	0	8.3	0	8.3	0	0	0
590	all_deer	R	590-00	315	7.1	148.7	7.1	148.7	0	7.1	3.5
590	all_deer	R	597-00	575	4.7	79.5	4.7	79.5	0	0	4.7
590	all_deer	R	598-00	1970	22.4	44.8	14.9	52.2	0	0	0
590	all_deer	R	599-00	1904	5.9	29.4	5.9	29.4	0	0	0
590	all_deer	R	699-00	3502	0	8.6	0	8.6	0	0	0
590	all_deer	R	Deer_A_Only	145081	47.6	1336.6	47.6	1327.1	9.5	366.3	627.9
590	all_deer	R	SUM	175783	92.4	1815.8	84.9	1808.9	14.3	373.3	660.3
590	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
590	all_deer	SUM	005-10	2880	4.8	125.7	4.8	120.9	4.8	2.5	14.4
590	all_deer	SUM	007-10	4842	0	8.4	0	8.4	0	0	0
590	all_deer	SUM	007-13	5509	0	15.2	0	15.2	0	0	5.1
590	all_deer	SUM	007-14	2003	0	4.8	0	4.8	0	0	4.8
590	all_deer	SUM	318-40/Deer_A	212	0	3.2	0	3.2	0	0	0
590	all_deer	SUM	530-00	501	0	10.9	0	10.9	0	0	0
590	all_deer	SUM	530-01	253	0	2.2	0	2.2	0	2.2	0
590	all_deer	SUM	530-50/Deer_A	703	0	25	0	25	0	1.9	0
590	all_deer	SUM	570-00	300	0	8.3	0	8.3	0	0	0
590	all_deer	SUM	590-00	350	7.1	174.9	7.1	174.9	0	7.1	3.5
590	all_deer	SUM	597-00	603	4.7	87.1	4.7	87.1	0	0	4.7
590	all_deer	SUM	598-00	2251	25.4	53.7	17.9	61.2	0	0	0
590	all_deer	SUM	599-00	2002	5.9	29.4	5.9	29.4	0	0	0
590	all_deer	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
590	all_deer	SUM	Deer_A_Only	169380	63.1	1529.6	66.2	1513.9	12.6	403.6	783.5
590	all_deer	SUM	SUM	203257	110.9	2092.1	106.6	2079	17.4	417.4	815.9
5XX	all_deer	N	Deer_A_Only	24299	3.1	24.9	3.1	24.9	0	6.2	18.7
5XX	all_deer	N	SUM	24299	3.1	24.9	3.1	24.9	0	6.2	18.7
5XX	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
5XX	all_deer	R	007-13	5509	0	10.1	0	10.1	0	5.1	0
5XX	all_deer	R	007-14	2003	0	9.5	0	9.5	0	4.8	0
5XX	all_deer	R	520-00	261	0	3.6	3.6	0	0	0	0
5XX	all_deer	R	598-00	1970	0	7.5	0	7.5	0	0	0
5XX	all_deer	R	599-00	1904	0	29.4	5.9	23.5	0	0	0
5XX	all_deer	R	Deer_A_Only	145081	0	23.8	0	23.8	0	0	4.8
5XX	all_deer	R	SUM	160240	0	89.1	9.5	79.7	0	9.8	4.8
5XX	all_deer	SUM	007-10	3512	0	5.3	0	5.3	0	0	0
5XX	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	5.1	0
5XX	all_deer	SUM	007-14	2003	0	9.5	0	9.5	0	4.8	0
5XX	all_deer	SUM	520-00	261	0	3.6	3.6	0	0	0	0
5XX	all_deer	SUM	598-00	1970	0	7.5	0	7.5	0	0	0
5XX	all_deer	SUM	599-00	1904	0	29.4	5.9	23.5	0	0	0
5XX	all_deer	SUM	Deer_A_Only	169380	3.1	48.7	3.1	48.7	0	6.2	23.4
5XX	all_deer	SUM	SUM	184539	3.1	114	12.6	104.6	0	16.1	23.4
600	all_deer	N	005-10	290	0	0	0	0	0	0	0
600	all_deer	N	300-00	17	0	0	0	0	0	0	0
600	all_deer	N	401-00	55	0	0	0	0	0	0	0
600	all_deer	N	423-00	6	0	0	0	0	0	0	0
600	all_deer	N	530-01	35	0	0	0	0	0	0	0
600	all_deer	N	598-00	281	0	0	0	0	0	0	0
600	all_deer	N	600-00	47	0	26.1	0	26.1	0	0	0
600	all_deer	N	610-00	2	0	0	0	0	0	0	0
600	all_deer	N	611-00	67	0	0	0	0	0	0	0
600	all_deer	N	690-00	47	0	0	0	0	0	0	0
600	all_deer	N	698-00	851	0	7.6	0	7.6	0	0	0
600	all_deer	N	Deer_A_Only	24299	0	40.5	0	40.5	0	0	34.2
600	all_deer	N	SUM	25997	0	74.2	0	74.2	0	0	34.2
600	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
600	all_deer	R	006-10	1778	4.9	58.9	4.9	54	4.9	0	9.8
600	all_deer	R	300-00	134	0	4.3	0	4.3	0	0	0
600	all_deer	R	401-00	545	0	9.1	0	9.1	0	0	0
600	all_deer	R	423-00	144	0	3.5	0	3.5	0	0	0
600	all_deer	R	530-01	218	0	3.6	0	3.6	0	0	0
600	all_deer	R	598-00	1970	0	14.9	0	14.9	0	0	0
600	all_deer	R	600-00	453	11.5	212.2	0	223.6	0	5.7	0
600	all_deer	R	610-00	48	0	2.4	0	2.4	0	0	0
600	all_deer	R	611-00	398	0	5	0	5	0	0	0
600	all_deer	R	690-00	453	0	10.7	0	10.7	0	0	0
600	all_deer	R	699-00	3502	8.6	274.7	0	283.2	0	0	0
600	all_deer	R	Deer_A_Only	145081	9.5	775.4	0	761.1	23.8	147.5	352
600	all_deer	R	SUM	157314	34.5	1379.4	4.9	1380.2	28.7	153.2	361.8
600	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
600	all_deer	SUM	006-10	1778	4.9	58.9	4.9	54	4.9	0	9.8
600	all_deer	SUM	300-00	151	0	4.3	0	4.3	0	0	0
600	all_deer	SUM	401-00	600	0	9.1	0	9.1	0	0	0
600	all_deer	SUM	423-00	150	0	3.5	0	3.5	0	0	0
600	all_deer	SUM	530-01	253	0	3.6	0	3.6	0	0	0
600	all_deer	SUM	598-00	2251	0	14.9	0	14.9	0	0	0
600	all_deer	SUM	600-00	500	11.5	238.3	0	249.7	0	5.7	0
600	all_deer	SUM	610-00	50	0	2.4	0	2.4	0	0	0
600	all_deer	SUM	611-00	465	0	5	0	5	0	0	0
600	all_deer	SUM	690-00	500	0	10.7	0	10.7	0	0	0
600	all_deer	SUM	698-00	851	0	7.6	0	7.6	0	0	0
600	all_deer	SUM	699-00	3502	8.6	274.7	0	283.2	0	0	0
600	all_deer	SUM	Deer_A_Only	169380	9.5	815.8	0	801.5	23.8	147.5	386.2
600	all_deer	SUM	SUM	183311	34.5	1453.5	4.9	1454.4	28.7	153.2	396.1
610	all_deer	N	600-00	47	0	0	0	0	0	0	0
610	all_deer	N	610-00	2	0	2	0	2	0	0	0
610	all_deer	N	680-00	88	0	0	0	0	0	0	0
610	all_deer	N	690-00	47	0	1.8	0	1.8	0	0	0
610	all_deer	N	698-00	851	0	0	0	0	0	0	0
610	all_deer	N	Deer_A_Only	24299	0	40.5	0	40.5	0	12.4	28
610	all_deer	N	SUM	25334	0	44.3	0	44.3	0	12.4	28
610	all_deer	R	006-10	1778	0	24.6	0	24.6	0	0	0
610	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	0
610	all_deer	R	600-00	453	0	11.5	0	11.5	0	0	0
610	all_deer	R	610-00	48	0	24	2.4	21.6	0	0	2.4
610	all_deer	R	680-00	412	0	10.7	0	10.7	0	5.4	0
610	all_deer	R	690-00	453	0	5.3	0	5.3	0	0	0
610	all_deer	R	699-00	3502	0	25.8	0	25.8	0	0	0
610	all_deer	R	Deer_A_Only	145081	0	470.9	0	470.9	0	118.9	228.3
610	all_deer	R	SUM	157236	0	577.8	2.4	575.4	0	124.3	230.7
610	all_deer	SUM	006-10	1778	0	24.6	0	24.6	0	0	0
610	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
610	all_deer	SUM	600-00	500	0	11.5	0	11.5	0	0	0
610	all_deer	SUM	610-00	50	0	26	2.4	23.6	0	0	2.4

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
610	all_deer	SUM	680-00	500	0	10.7	0	10.7	0	5.4	0
610	all_deer	SUM	690-00	500	0	7.1	0	7.1	0	0	0
610	all_deer	SUM	698-00	851	0	0	0	0	0	0	0
610	all_deer	SUM	699-00	3502	0	25.8	0	25.8	0	0	0
610	all_deer	SUM	Deer_A_Only	169380	0	511.4	0	511.4	0	131.4	256.3
610	all_deer	SUM	SUM	182570	0	622.1	2.4	619.7	0	136.7	258.7
611	all_deer	N	104-00	15	0	0	0	0	0	0	0
611	all_deer	N	388-10	15	0	1.9	0	1.9	0	0	0
611	all_deer	N	611-00	67	0	46.9	0	46.9	0	0	3.4
611	all_deer	N	620-00	110	0	0	0	0	0	0	0
611	all_deer	N	630-00	204	0	0	0	0	0	0	0
611	all_deer	N	670-00	232	0	5.5	0	5.5	0	0	0
611	all_deer	N	698-00	851	0	22.8	0	22.8	0	0	0
611	all_deer	N	Deer_A_Only	24299	0	127.6	3.1	124.5	0	21.8	87.1
611	all_deer	N	SUM	25793	0	204.7	3.1	201.6	0	21.8	90.5
611	all_deer	R	006-10	1778	0	24.6	0	19.6	4.9	0	0
611	all_deer	R	104-00	485	0	3.9	0	3.9	0	0	0
611	all_deer	R	388-10	434	0	0	0	0	0	0	0
611	all_deer	R	611-00	398	5	223.9	0	228.8	0	5	0
611	all_deer	R	620-00	490	0	4.4	0	4.4	0	0	0
611	all_deer	R	630-00	497	0	4.9	0	0	4.9	0	0
611	all_deer	R	670-00	559	0	0	0	0	0	0	0
611	all_deer	R	699-00	3502	0	34.3	0	25.8	8.6	0	0
611	all_deer	R	Deer_A_Only	145081	4.8	394.8	0	394.8	4.8	47.6	199.8
611	all_deer	R	SUM	153224	9.7	690.7	0	677.3	23.1	52.5	199.8
611	all_deer	SUM	006-10	1778	0	24.6	0	19.6	4.9	0	0
611	all_deer	SUM	104-00	500	0	3.9	0	3.9	0	0	0
611	all_deer	SUM	388-10	449	0	1.9	0	1.9	0	0	0
611	all_deer	SUM	611-00	465	5	270.8	0	275.8	0	5	3.4
611	all_deer	SUM	620-00	600	0	4.4	0	4.4	0	0	0
611	all_deer	SUM	630-00	701	0	4.9	0	0	4.9	0	0
611	all_deer	SUM	670-00	791	0	5.5	0	5.5	0	0	0
611	all_deer	SUM	698-00	851	0	22.8	0	22.8	0	0	0
611	all_deer	SUM	699-00	3502	0	34.3	0	25.8	8.6	0	0
611	all_deer	SUM	Deer_A_Only	169380	4.8	522.4	3.1	519.3	4.8	69.4	286.9
611	all_deer	SUM	SUM	179017	9.7	895.4	3.1	878.9	23.1	74.3	290.3
620	all_deer	N	002-10	500	0	0	0	0	0	0	0
620	all_deer	N	003-10	845	0	0	0	0	0	0	0
620	all_deer	N	005-10	290	0	2.5	0	2.5	0	0	0
620	all_deer	N	007-10	1330	0	3.2	0	3.2	0	0	3.2
620	all_deer	N	410-00	112	0	0	0	0	0	0	0
620	all_deer	N	413-00	42	0	0	0	0	0	0	0
620	all_deer	N	599-00	98	0	0	0	0	0	0	0
620	all_deer	N	611-00	67	0	6.7	0	6.7	0	0	0
620	all_deer	N	620-00	110	0	67.1	0	67.1	0	0	2.7
620	all_deer	N	630-00	204	0	0	0	0	0	0	0
620	all_deer	N	698-00	851	0	11.4	0	7.6	3.8	0	0
620	all_deer	N	Deer_A_Only	24299	3.1	152.5	3.1	152.5	0	31.1	102.7

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
620	all_deer	N	SUM	28748	3.1	243.4	3.1	239.6	3.8	31.1	108.6
620	all_deer	R	002-10	8803	0	10.7	0	10.7	0	0	5.4
620	all_deer	R	003-10	7121	0	5	0	5	0	0	0
620	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	0
620	all_deer	R	005-10	2590	0	0	0	0	0	0	0
620	all_deer	R	006-10	1778	9.8	63.9	4.9	68.8	0	0	4.9
620	all_deer	R	007-10	3512	0	0	0	0	0	0	0
620	all_deer	R	007-11	1520	0	5.2	0	5.2	0	0	0
620	all_deer	R	410-00	488	0	19.7	0	19.7	0	0	0
620	all_deer	R	413-00	558	0	5.8	0	5.8	0	0	0
620	all_deer	R	599-00	1904	5.9	0	5.9	0	0	0	0
620	all_deer	R	611-00	398	0	0	0	0	0	0	0
620	all_deer	R	620-00	490	13.1	140	8.8	144.4	0	4.4	0
620	all_deer	R	630-00	497	0	9.7	0	9.7	0	0	0
620	all_deer	R	699-00	3502	8.6	68.7	0	77.2	0	0	8.6
620	all_deer	R	Deer_A_Only	145081	19	509	9.5	518.5	0	109.4	256.9
620	all_deer	R	SUM	185323	56.4	847.4	29.1	874.8	0	113.8	275.7
620	all_deer	SUM	002-10	9303	0	10.7	0	10.7	0	0	5.4
620	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
620	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
620	all_deer	SUM	005-10	2880	0	2.5	0	2.5	0	0	0
620	all_deer	SUM	006-10	1778	9.8	63.9	4.9	68.8	0	0	4.9
620	all_deer	SUM	007-10	4842	0	3.2	0	3.2	0	0	3.2
620	all_deer	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
620	all_deer	SUM	410-00	600	0	19.7	0	19.7	0	0	0
620	all_deer	SUM	413-00	600	0	5.8	0	5.8	0	0	0
620	all_deer	SUM	599-00	2002	5.9	0	5.9	0	0	0	0
620	all_deer	SUM	611-00	465	0	6.7	0	6.7	0	0	0
620	all_deer	SUM	620-00	600	13.1	207.1	8.8	211.4	0	4.4	2.7
620	all_deer	SUM	630-00	701	0	9.7	0	9.7	0	0	0
620	all_deer	SUM	698-00	851	0	11.4	0	7.6	3.8	0	0
620	all_deer	SUM	699-00	3502	8.6	68.7	0	77.2	0	0	8.6
620	all_deer	SUM	Deer_A_Only	169380	22.1	661.5	12.6	671	0	140.5	359.6
620	all_deer	SUM	SUM	214071	59.5	1090.8	32.2	1114.4	3.8	144.9	384.3
621	all_deer	N	007-10	1330	0	0	0	0	0	0	0
621	all_deer	N	309-10	8	0	0	0	0	0	0	0
621	all_deer	N	620-00	110	0	0	0	0	0	0	0
621	all_deer	N	680-00	88	0	2.2	0	2.2	0	0	0
621	all_deer	N	698-00	851	3.8	3.8	3.8	3.8	0	0	0
621	all_deer	N	Deer_A_Only	24299	3.1	52.9	3.1	52.9	0	6.2	40.5
621	all_deer	N	SUM	26686	6.9	58.9	6.9	58.9	0	6.2	40.5
621	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	0
621	all_deer	R	006-10	1778	0	4.9	0	4.9	0	0	4.9
621	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
621	all_deer	R	309-10	505	0	4.4	0	4.4	0	0	0
621	all_deer	R	620-00	490	0	13.1	0	13.1	0	0	0
621	all_deer	R	680-00	412	0	0	0	0	0	0	0
621	all_deer	R	699-00	3502	0	8.6	0	8.6	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
621	all_deer	R	Deer_A_Only	145081	0	185.5	0	185.5	0	47.6	109.4
621	all_deer	R	SUM	162361	0	231.5	0	231.5	0	47.6	114.3
621	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
621	all_deer	SUM	006-10	1778	0	4.9	0	4.9	0	0	4.9
621	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
621	all_deer	SUM	309-10	513	0	4.4	0	4.4	0	0	0
621	all_deer	SUM	620-00	600	0	13.1	0	13.1	0	0	0
621	all_deer	SUM	680-00	500	0	2.2	0	2.2	0	0	0
621	all_deer	SUM	698-00	851	3.8	3.8	3.8	3.8	0	0	0
621	all_deer	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
621	all_deer	SUM	Deer_A_Only	169380	3.1	238.4	3.1	238.4	0	53.8	149.9
621	all_deer	SUM	SUM	189047	6.9	290.4	6.9	290.4	0	53.8	154.8
622	all_deer	N	570-00	51	0	0	0	0	0	0	0
622	all_deer	N	599-00	98	0	0	0	0	0	0	0
622	all_deer	N	620-00	110	0	2.7	0	2.7	0	0	0
622	all_deer	N	698-00	851	0	0	0	0	0	0	0
622	all_deer	N	Deer_A_Only	24299	6.2	37.3	6.2	37.3	0	18.7	24.9
622	all_deer	N	SUM	25409	6.2	40	6.2	40	0	18.7	24.9
622	all_deer	R	006-10	1778	0	0	0	0	0	0	0
622	all_deer	R	570-00	249	0	4.2	0	4.2	0	0	0
622	all_deer	R	599-00	1904	0	11.8	0	11.8	0	0	0
622	all_deer	R	620-00	490	0	8.8	0	8.8	0	0	0
622	all_deer	R	699-00	3502	0	0	0	0	0	0	0
622	all_deer	R	Deer_A_Only	145081	0	99.9	0	99.9	0	33.3	57.1
622	all_deer	R	SUM	153004	0	124.5	0	124.5	0	33.3	57.1
622	all_deer	SUM	006-10	1778	0	0	0	0	0	0	0
622	all_deer	SUM	570-00	300	0	4.2	0	4.2	0	0	0
622	all_deer	SUM	599-00	2002	0	11.8	0	11.8	0	0	0
622	all_deer	SUM	620-00	600	0	11.4	0	11.4	0	0	0
622	all_deer	SUM	698-00	851	0	0	0	0	0	0	0
622	all_deer	SUM	699-00	3502	0	0	0	0	0	0	0
622	all_deer	SUM	Deer_A_Only	169380	6.2	137.2	6.2	137.2	0	52	82
622	all_deer	SUM	SUM	178413	6.2	164.6	6.2	164.6	0	52	82
630	all_deer	N	002-10	500	0	4.4	0	4.4	0	0	4.4
630	all_deer	N	007-10	1330	0	0	0	0	0	0	0
630	all_deer	N	100-00	41	0	0	0	0	0	0	0
630	all_deer	N	170-10	57	0	0	0	0	0	0	0
630	all_deer	N	260-10	103	0	0	0	0	0	0	0
630	all_deer	N	281-00	6	0	0	0	0	0	0	0
630	all_deer	N	388-10	15	0	0	0	0	0	0	0
630	all_deer	N	406-00	47	0	0	0	0	0	0	0
630	all_deer	N	426-00	94	0	0	0	0	0	0	0
630	all_deer	N	499-00	169	0	0	0	0	0	0	0
630	all_deer	N	510-00	9	0	0	0	0	0	0	0
630	all_deer	N	600-00	47	0	0	0	0	0	0	0
630	all_deer	N	611-00	67	0	0	0	0	0	0	0
630	all_deer	N	620-00	110	0	2.7	0	2.7	0	0	0
630	all_deer	N	630-00	204	0	129.6	0	129.6	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
630	all_deer	N	630-01	3	0	0	0	0	0	0	0
630	all_deer	N	630-20	2	0	2	0	2	0	0	0
630	all_deer	N	650-00	56	0	0	0	0	0	0	0
630	all_deer	N	652-00	25	0	0	0	0	0	0	0
630	all_deer	N	652-50/Deer_A	10	0	0	0	0	0	0	0
630	all_deer	N	670-00	232	0	5.5	0	5.5	0	0	0
630	all_deer	N	698-00	851	7.6	121.6	3.8	125.4	0	0	3.8
630	all_deer	N	Deer_A_Only	24299	31.1	277	21.8	286.3	0	40.5	224.1
630	all_deer	N	SUM	28277	38.7	542.8	25.6	555.9	0	40.5	232.3
630	all_deer	R	002-10	8803	0	10.7	0	10.7	0	0	0
630	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	0
630	all_deer	R	006-10	1778	4.9	93.3	4.9	93.3	0	0	4.9
630	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	5.3
630	all_deer	R	007-13	5509	0	5.1	0	5.1	0	0	5.1
630	all_deer	R	100-00	559	0	4.4	0	4.4	0	0	0
630	all_deer	R	110-00	49	2.6	0	2.6	0	0	0	0
630	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
630	all_deer	R	260-10	3415	8.2	8.2	0	16.5	0	0	0
630	all_deer	R	281-00	94	0	2.2	0	2.2	0	0	0
630	all_deer	R	388-10	434	0	4	0	4	0	0	0
630	all_deer	R	406-00	504	0	4.8	0	4.8	0	0	0
630	all_deer	R	426-00	456	5.4	0	5.4	0	0	0	0
630	all_deer	R	499-00	835	0	8.1	0	8.1	0	0	0
630	all_deer	R	510-00	142	0	4.4	0	4.4	0	0	0
630	all_deer	R	600-00	453	0	5.7	0	5.7	0	0	0
630	all_deer	R	611-00	398	0	5	0	5	0	0	0
630	all_deer	R	620-00	490	0	21.9	0	21.9	0	0	0
630	all_deer	R	630-00	497	9.7	214.4	4.9	214.4	4.9	4.9	4.9
630	all_deer	R	630-01	20	3.3	6.7	0	6.7	3.3	0	0
630	all_deer	R	630-20	8	0	2.7	0	2.7	0	0	2.7
630	all_deer	R	650-00	144	0	6.5	0	6.5	0	0	0
630	all_deer	R	652-00	75	0	5.4	0	5.4	0	0	0
630	all_deer	R	652-50/Deer_A	90	0	5.8	0	5.8	0	0	0
630	all_deer	R	670-00	559	0	12.6	0	12.6	0	0	0
630	all_deer	R	699-00	3502	77.2	343.3	60.1	351.9	8.6	8.6	8.6
630	all_deer	R	Deer_A_Only	145081	42.8	580.3	28.5	580.3	14.3	85.6	261.6
630	all_deer	R	SUM	186602	154.2	1375.8	106.4	1392.7	31.1	99.1	298.3
630	all_deer	SUM	002-10	9303	0	15.1	0	15.1	0	0	4.4
630	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
630	all_deer	SUM	006-10	1778	4.9	93.3	4.9	93.3	0	0	4.9
630	all_deer	SUM	007-10	4842	0	5.3	0	5.3	0	0	5.3
630	all_deer	SUM	007-13	5509	0	5.1	0	5.1	0	0	5.1
630	all_deer	SUM	100-00	600	0	4.4	0	4.4	0	0	0
630	all_deer	SUM	110-00	49	2.6	0	2.6	0	0	0	0
630	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
630	all_deer	SUM	260-10	3518	8.2	8.2	0	16.5	0	0	0
630	all_deer	SUM	281-00	100	0	2.2	0	2.2	0	0	0
630	all_deer	SUM	388-10	449	0	4	0	4	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
630	all_deer	SUM	406-00	551	0	4.8	0	4.8	0	0	0
630	all_deer	SUM	426-00	550	5.4	0	5.4	0	0	0	0
630	all_deer	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
630	all_deer	SUM	510-00	151	0	4.4	0	4.4	0	0	0
630	all_deer	SUM	600-00	500	0	5.7	0	5.7	0	0	0
630	all_deer	SUM	611-00	465	0	5	0	5	0	0	0
630	all_deer	SUM	620-00	600	0	24.6	0	24.6	0	0	0
630	all_deer	SUM	630-00	701	9.7	344	4.9	344	4.9	4.9	4.9
630	all_deer	SUM	630-01	23	3.3	6.7	0	6.7	3.3	0	0
630	all_deer	SUM	630-20	10	0	4.7	0	4.7	0	0	2.7
630	all_deer	SUM	650-00	200	0	6.5	0	6.5	0	0	0
630	all_deer	SUM	652-00	100	0	5.4	0	5.4	0	0	0
630	all_deer	SUM	652-50/Deer_A	100	0	5.8	0	5.8	0	0	0
630	all_deer	SUM	670-00	791	0	18.1	0	18.1	0	0	0
630	all_deer	SUM	698-00	851	7.6	121.6	3.8	125.4	0	0	3.8
630	all_deer	SUM	699-00	3502	77.2	343.3	60.1	351.9	8.6	8.6	8.6
630	all_deer	SUM	Deer_A_Only	169380	73.9	857.3	50.3	866.6	14.3	126.1	485.7
630	all_deer	SUM	SUM	214879	193	1918.6	131.9	1948.6	31.1	139.5	530.5
631	all_deer	N	630-00	204	0	4.2	0	4.2	0	0	0
631	all_deer	N	650-00	56	0	0	0	0	0	0	0
631	all_deer	N	698-00	851	0	0	0	0	0	0	0
631	all_deer	N	Deer_A_Only	24299	0	31.1	0	31.1	0	9.3	21.8
631	all_deer	N	SUM	25410	0	35.4	0	35.4	0	9.3	21.8
631	all_deer	R	006-10	1778	0	0	0	0	0	0	0
631	all_deer	R	630-00	497	4.9	0	4.9	0	0	0	0
631	all_deer	R	650-00	144	0	3.3	0	3.3	0	0	3.3
631	all_deer	R	699-00	3502	0	0	0	0	0	0	0
631	all_deer	R	Deer_A_Only	145081	0	23.8	0	23.8	0	0	23.8
631	all_deer	R	SUM	151002	4.9	27.1	4.9	27.1	0	0	27.1
631	all_deer	SUM	006-10	1778	0	0	0	0	0	0	0
631	all_deer	SUM	630-00	701	4.9	4.2	4.9	4.2	0	0	0
631	all_deer	SUM	650-00	200	0	3.3	0	3.3	0	0	3.3
631	all_deer	SUM	698-00	851	0	0	0	0	0	0	0
631	all_deer	SUM	699-00	3502	0	0	0	0	0	0	0
631	all_deer	SUM	Deer_A_Only	169380	0	54.9	0	54.9	0	9.3	45.6
631	all_deer	SUM	SUM	176412	4.9	62.4	4.9	62.4	0	9.3	48.8
632	all_deer	N	630-00	204	0	8.5	0	8.5	0	0	0
632	all_deer	N	652-50/Deer_A	10	0	1.2	0	1.2	0	0	1.2
632	all_deer	N	698-00	851	0	0	0	0	0	0	0
632	all_deer	N	Deer_A_Only	24299	3.1	43.6	0	46.7	0	12.4	34.2
632	all_deer	N	SUM	25364	3.1	53.3	0	56.4	0	12.4	35.5
632	all_deer	R	006-10	1778	0	4.9	0	4.9	0	0	0
632	all_deer	R	630-00	497	0	14.6	0	14.6	0	0	0
632	all_deer	R	652-50/Deer_A	90	0	0	0	0	0	0	0
632	all_deer	R	699-00	3502	0	0	0	0	0	0	0
632	all_deer	R	Deer_A_Only	145081	0	57.1	0	57.1	0	9.5	33.3
632	all_deer	R	SUM	150948	0	76.6	0	76.6	0	9.5	33.3
632	all_deer	SUM	006-10	1778	0	4.9	0	4.9	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
632	all_deer	SUM	630-00	701	0	23.1	0	23.1	0	0	0
632	all_deer	SUM	652-50/Deer_A	100	0	1.2	0	1.2	0	0	1.2
632	all_deer	SUM	698-00	851	0	0	0	0	0	0	0
632	all_deer	SUM	699-00	3502	0	0	0	0	0	0	0
632	all_deer	SUM	Deer_A_Only	169380	3.1	100.6	0	103.8	0	22	67.5
632	all_deer	SUM	SUM	176312	3.1	129.9	0	133	0	22	68.8
640	all_deer	N	005-10	290	0	0	0	0	0	0	0
640	all_deer	N	170-10	57	0	0	0	0	0	0	0
640	all_deer	N	260-10	103	0	0	0	0	0	0	0
640	all_deer	N	640-00	85	0	59.5	0	59.5	0	0	0
640	all_deer	N	670-00	232	0	5.5	0	5.5	0	0	0
640	all_deer	N	698-00	851	0	34.2	0	34.2	0	0	0
640	all_deer	N	Deer_A_Only	24299	3.1	96.5	0	99.6	0	3.1	87.1
640	all_deer	N	SUM	25917	3.1	195.7	0	198.8	0	3.1	87.1
640	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0
640	all_deer	R	006-10	1778	0	63.9	0	54	9.8	0	0
640	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	0
640	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
640	all_deer	R	640-00	315	0	162.9	5.4	157.5	0	0	5.4
640	all_deer	R	670-00	559	0	6.3	0	6.3	0	0	0
640	all_deer	R	699-00	3502	0	128.8	0	128.8	0	0	0
640	all_deer	R	Deer_A_Only	145081	4.8	589.8	0	589.8	4.8	71.4	337.7
640	all_deer	R	SUM	159354	4.8	970	5.4	954.7	14.6	71.4	343.2
640	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
640	all_deer	SUM	006-10	1778	0	63.9	0	54	9.8	0	0
640	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
640	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
640	all_deer	SUM	640-00	400	0	222.4	5.4	217	0	0	5.4
640	all_deer	SUM	670-00	791	0	11.8	0	11.8	0	0	0
640	all_deer	SUM	698-00	851	0	34.2	0	34.2	0	0	0
640	all_deer	SUM	699-00	3502	0	128.8	0	128.8	0	0	0
640	all_deer	SUM	Deer_A_Only	169380	7.9	686.3	0	689.4	4.8	74.5	424.9
640	all_deer	SUM	SUM	185271	7.9	1165.7	5.4	1153.5	14.6	74.5	430.3
641	all_deer	N	007-10	1330	0	3.2	0	3.2	0	0	0
641	all_deer	N	599-00	98	0	0	0	0	0	0	0
641	all_deer	N	698-00	851	0	26.6	0	26.6	0	0	0
641	all_deer	N	Deer_A_Only	24299	6.2	93.4	3.1	93.4	3.1	6.2	93.4
641	all_deer	N	SUM	26578	6.2	123.1	3.1	123.1	3.1	6.2	93.4
641	all_deer	R	006-10	1778	0	34.4	0	34.4	0	0	0
641	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
641	all_deer	R	599-00	1904	0	5.9	0	5.9	0	0	0
641	all_deer	R	699-00	3502	0	60.1	0	60.1	0	0	0
641	all_deer	R	Deer_A_Only	145081	0	214.1	0	214.1	0	38.1	133.2
641	all_deer	R	SUM	155777	0	319.7	0	319.7	0	38.1	133.2
641	all_deer	SUM	006-10	1778	0	34.4	0	34.4	0	0	0
641	all_deer	SUM	007-10	4842	0	8.4	0	8.4	0	0	0
641	all_deer	SUM	599-00	2002	0	5.9	0	5.9	0	0	0
641	all_deer	SUM	698-00	851	0	26.6	0	26.6	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
641	all_deer	SUM	699-00	3502	0	60.1	0	60.1	0	0	0
641	all_deer	SUM	Deer_A_Only	169380	6.2	307.4	3.1	307.4	3.1	44.3	226.6
641	all_deer	SUM	SUM	182355	6.2	442.8	3.1	442.8	3.1	44.3	226.6
650	all_deer	N	007-10	1330	0	6.4	0	6.4	0	0	0
650	all_deer	N	560-00	49	0	0	0	0	0	0	0
650	all_deer	N	630-00	204	0	0	0	0	0	0	0
650	all_deer	N	650-00	56	0	44.3	0	44.3	0	0	2.3
650	all_deer	N	651-00	78	0	4	0	4	0	0	0
650	all_deer	N	698-00	851	3.8	38	3.8	34.2	3.8	0	0
650	all_deer	N	Deer_A_Only	24299	3.1	115.1	6.2	112	0	6.2	93.4
650	all_deer	N	SUM	26867	6.9	207.8	10	200.9	3.8	6.2	95.7
650	all_deer	R	006-10	1778	0	49.1	0	49.1	0	0	0
650	all_deer	R	007-10	3512	0	10.5	0	10.5	0	0	0
650	all_deer	R	560-00	301	0	4.6	0	4.6	0	0	4.6
650	all_deer	R	630-00	497	0	4.9	0	4.9	0	0	0
650	all_deer	R	650-00	144	0	49.1	0	49.1	0	0	3.3
650	all_deer	R	651-00	131	0	0	0	0	0	0	0
650	all_deer	R	699-00	3502	8.6	68.7	8.6	68.7	0	0	8.6
650	all_deer	R	Deer_A_Only	145081	0	537.5	0	528	9.5	90.4	333
650	all_deer	R	SUM	154946	8.6	724.4	8.6	714.9	9.5	90.4	349.5
650	all_deer	SUM	006-10	1778	0	49.1	0	49.1	0	0	0
650	all_deer	SUM	007-10	4842	0	16.9	0	16.9	0	0	0
650	all_deer	SUM	560-00	350	0	4.6	0	4.6	0	0	4.6
650	all_deer	SUM	630-00	701	0	4.9	0	4.9	0	0	0
650	all_deer	SUM	650-00	200	0	93.4	0	93.4	0	0	5.6
650	all_deer	SUM	651-00	209	0	4	0	4	0	0	0
650	all_deer	SUM	698-00	851	3.8	38	3.8	34.2	3.8	0	0
650	all_deer	SUM	699-00	3502	8.6	68.7	8.6	68.7	0	0	8.6
650	all_deer	SUM	Deer_A_Only	169380	3.1	652.7	6.2	640	9.5	96.6	426.3
650	all_deer	SUM	SUM	181813	15.5	932.3	18.6	915.8	13.3	96.6	445.2
651	all_deer	N	007-10	1330	0	3.2	0	3.2	0	0	0
651	all_deer	N	650-00	56	0	0	0	0	0	0	0
651	all_deer	N	651-00	78	0	60	2	58	0	0	0
651	all_deer	N	652-00	25	0	0	0	0	0	0	0
651	all_deer	N	698-00	851	22.8	41.8	15.2	49.4	0	0	7.6
651	all_deer	N	Deer_A_Only	24299	15.6	158.7	12.4	161.8	0	21.8	133.8
651	all_deer	N	SUM	26639	38.4	263.7	29.6	272.4	0	21.8	141.4
651	all_deer	R	006-10	1778	4.9	73.7	0	78.6	0	4.9	4.9
651	all_deer	R	007-10	3512	0	21.1	0	21.1	0	0	0
651	all_deer	R	007-11	1520	0	15.6	0	15.6	0	0	0
651	all_deer	R	007-13	5509	0	15.2	0	15.2	0	0	0
651	all_deer	R	007-14	2003	0	14.3	0	14.3	0	0	0
651	all_deer	R	650-00	144	0	3.3	0	3.3	0	0	0
651	all_deer	R	651-00	131	3.3	72	3.3	72	0	0	0
651	all_deer	R	652-00	75	0	5.4	0	5.4	0	0	5.4
651	all_deer	R	699-00	3502	0	85.8	0	85.8	0	8.6	0
651	all_deer	R	Deer_A_Only	145081	9.5	532.8	9.5	532.8	0	114.2	266.4
651	all_deer	R	SUM	163255	17.7	839.1	12.8	844	0	127.7	276.6

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
651	all_deer	SUM	006-10	1778	4.9	73.7	0	78.6	0	4.9	4.9
651	all_deer	SUM	007-10	4842	0	24.2	0	24.2	0	0	0
651	all_deer	SUM	007-11	1520	0	15.6	0	15.6	0	0	0
651	all_deer	SUM	007-13	5509	0	15.2	0	15.2	0	0	0
651	all_deer	SUM	007-14	2003	0	14.3	0	14.3	0	0	0
651	all_deer	SUM	650-00	200	0	3.3	0	3.3	0	0	0
651	all_deer	SUM	651-00	209	3.3	132.1	5.3	130.1	0	0	0
651	all_deer	SUM	652-00	100	0	5.4	0	5.4	0	0	5.4
651	all_deer	SUM	698-00	851	22.8	41.8	15.2	49.4	0	0	7.6
651	all_deer	SUM	699-00	3502	0	85.8	0	85.8	0	8.6	0
651	all_deer	SUM	Deer_A_Only	169380	25.1	691.5	22	694.6	0	135.9	400.2
651	all_deer	SUM	SUM	189894	56.1	1102.8	42.4	1116.4	0	149.4	418.1
652	all_deer	N	007-10	1330	0	3.2	0	3.2	0	0	0
652	all_deer	N	130-00	37	0	0	0	0	0	0	0
652	all_deer	N	309-10	8	0	0	0	0	0	0	0
652	all_deer	N	391-00	2	0	1	0	1	0	1	0
652	all_deer	N	650-00	56	0	0	0	0	0	0	0
652	all_deer	N	652-00	25	1.7	6.7	0	8.3	0	0	0
652	all_deer	N	652-50/Deer_A	10	0	6.2	0	6.2	0	1.2	5
652	all_deer	N	698-00	851	0	0	0	0	0	0	0
652	all_deer	N	Deer_A_Only	24299	3.1	0	0	3.1	0	0	0
652	all_deer	N	SUM	26618	4.8	17.1	0	21.9	0	2.2	5
652	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	4.9
652	all_deer	R	006-10	1778	0	4.9	0	4.9	0	0	0
652	all_deer	R	007-10	3512	0	0	0	0	0	0	0
652	all_deer	R	007-13	5509	0	10.1	0	10.1	0	0	5.1
652	all_deer	R	130-00	614	0	4.1	0	4.1	0	0	4.1
652	all_deer	R	309-10	505	0	4.4	0	4.4	0	0	4.4
652	all_deer	R	391-00	98	0	0	0	0	0	0	0
652	all_deer	R	650-00	144	0	3.3	0	3.3	0	0	0
652	all_deer	R	652-00	75	0	26.8	0	26.8	0	0	0
652	all_deer	R	652-50/Deer_A	90	2.9	29	2.9	29	0	0	31.9
652	all_deer	R	699-00	3502	0	0	0	0	0	0	0
652	all_deer	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	4.8
652	all_deer	R	SUM	167989	2.9	92.3	2.9	92.3	0	0	55.2
652	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	4.9
652	all_deer	SUM	006-10	1778	0	4.9	0	4.9	0	0	0
652	all_deer	SUM	007-10	4842	0	3.2	0	3.2	0	0	0
652	all_deer	SUM	007-13	5509	0	10.1	0	10.1	0	0	5.1
652	all_deer	SUM	130-00	651	0	4.1	0	4.1	0	0	4.1
652	all_deer	SUM	309-10	513	0	4.4	0	4.4	0	0	4.4
652	all_deer	SUM	391-00	100	0	1	0	1	0	1	0
652	all_deer	SUM	650-00	200	0	3.3	0	3.3	0	0	0
652	all_deer	SUM	652-00	100	1.7	33.5	0	35.1	0	0	0
652	all_deer	SUM	652-50/Deer_A	100	2.9	35.3	2.9	35.3	0	1.2	36.9
652	all_deer	SUM	698-00	851	0	0	0	0	0	0	0
652	all_deer	SUM	699-00	3502	0	0	0	0	0	0	0
652	all_deer	SUM	Deer_A_Only	169380	3.1	4.8	0	7.9	0	0	4.8

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
652	all_deer	SUM	SUM	194607	7.7	109.4	2.9	114.2	0	2.2	60.2
670	all_deer	N	003-10	845	0	0	0	0	0	0	0
670	all_deer	N	007-10	1330	0	3.2	0	3.2	0	0	0
670	all_deer	N	321-00	2	0	0	0	0	0	0	0
670	all_deer	N	530-50/Deer_A	89	0	0	0	0	0	0	0
670	all_deer	N	611-00	67	0	0	0	0	0	0	0
670	all_deer	N	620-00	110	0	0	0	0	0	0	0
670	all_deer	N	630-00	204	0	8.5	0	8.5	0	0	0
670	all_deer	N	640-00	85	0	4.2	0	4.2	0	0	0
670	all_deer	N	650-00	56	0	0	0	0	0	0	0
670	all_deer	N	651-00	78	2	2	0	4	0	0	0
670	all_deer	N	670-00	232	5.5	171.2	0	176.8	0	0	5.5
670	all_deer	N	680-00	88	0	2.2	0	2.2	0	0	0
670	all_deer	N	698-00	851	7.6	114	7.6	114	0	0	0
670	all_deer	N	Deer_A_Only	24299	0	280.1	3.1	277	0	28	211.6
670	all_deer	N	SUM	28336	15.1	585.4	10.7	589.8	0	28	217.1
670	all_deer	R	003-10	7121	5	0	0	5	0	0	5
670	all_deer	R	006-10	1778	4.9	63.9	4.9	63.9	0	4.9	4.9
670	all_deer	R	007-10	3512	0	5.3	0	5.3	0	0	0
670	all_deer	R	109-00	398	0	5.1	0	5.1	0	0	0
670	all_deer	R	321-00	23	0	2.3	0	2.3	0	0	0
670	all_deer	R	530-50/Deer_A	614	0	4.2	0	4.2	0	0	0
670	all_deer	R	611-00	398	0	5	0	5	0	0	5
670	all_deer	R	620-00	490	0	8.8	0	8.8	0	0	0
670	all_deer	R	630-00	497	0	14.6	0	14.6	0	0	0
670	all_deer	R	640-00	315	0	10.9	0	10.9	0	0	0
670	all_deer	R	650-00	144	0	9.8	0	9.8	0	0	0
670	all_deer	R	651-00	131	0	0	0	0	0	0	0
670	all_deer	R	670-00	559	12.6	282.6	6.3	288.9	0	12.6	12.6
670	all_deer	R	680-00	412	0	0	0	0	0	0	0
670	all_deer	R	699-00	3502	8.6	111.6	8.6	111.6	0	0	0
670	all_deer	R	Deer_A_Only	145081	19	542.3	14.3	547	0	52.3	342.5
670	all_deer	R	SUM	164975	50.1	1066.3	34	1082.3	0	69.8	370
670	all_deer	SUM	003-10	7966	5	0	0	5	0	0	5
670	all_deer	SUM	006-10	1778	4.9	63.9	4.9	63.9	0	4.9	4.9
670	all_deer	SUM	007-10	4842	0	8.4	0	8.4	0	0	0
670	all_deer	SUM	109-00	398	0	5.1	0	5.1	0	0	0
670	all_deer	SUM	321-00	25	0	2.3	0	2.3	0	0	0
670	all_deer	SUM	530-50/Deer_A	703	0	4.2	0	4.2	0	0	0
670	all_deer	SUM	611-00	465	0	5	0	5	0	0	5
670	all_deer	SUM	620-00	600	0	8.8	0	8.8	0	0	0
670	all_deer	SUM	630-00	701	0	23.1	0	23.1	0	0	0
670	all_deer	SUM	640-00	400	0	15.1	0	15.1	0	0	0
670	all_deer	SUM	650-00	200	0	9.8	0	9.8	0	0	0
670	all_deer	SUM	651-00	209	2	2	0	4	0	0	0
670	all_deer	SUM	670-00	791	18.1	453.9	6.3	465.7	0	12.6	18.1
670	all_deer	SUM	680-00	500	0	2.2	0	2.2	0	0	0
670	all_deer	SUM	698-00	851	7.6	114	7.6	114	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
670	all_deer	SUM	699-00	3502	8.6	111.6	8.6	111.6	0	0	0
670	all_deer	SUM	Deer_A_Only	169380	19	822.4	17.4	824	0	80.3	554.1
670	all_deer	SUM	SUM	193311	65.2	1651.7	44.8	1672.2	0	97.8	587.1
680	all_deer	N	003-10	845	0	0	0	0	0	0	0
680	all_deer	N	392-00	2	0	0	0	0	0	0	0
680	all_deer	N	392-40/Deer_A	79	0	0	0	0	0	0	0
680	all_deer	N	421-00	16	0	0	0	0	0	0	0
680	all_deer	N	426-00	94	0	2.3	0	2.3	0	0	0
680	all_deer	N	444-00	42	0	2.8	0	2.8	0	0	0
680	all_deer	N	471-00	40	0	3.8	0	3.8	0	0	0
680	all_deer	N	598-00	281	0	0	0	0	0	0	0
680	all_deer	N	680-00	88	0	57.2	0	57.2	0	0	0
680	all_deer	N	698-00	851	0	11.4	0	11.4	0	0	0
680	all_deer	N	Deer_A_Only	24299	0	56	0	56	0	9.3	37.3
680	all_deer	N	SUM	26637	0	133.5	0	133.5	0	9.3	37.3
680	all_deer	R	003-10	7121	0	5	0	5	0	0	0
680	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
680	all_deer	R	006-10	1778	0	14.7	0	14.7	0	0	0
680	all_deer	R	392-00	98	0	2.2	0	2.2	0	0	0
680	all_deer	R	392-40/Deer_A	719	0	8.2	0	8.2	0	0	0
680	all_deer	R	421-00	234	0	4	0	4	0	0	0
680	all_deer	R	426-00	456	0	0	0	0	0	0	0
680	all_deer	R	444-00	360	0	0	0	0	0	0	0
680	all_deer	R	471-00	260	0	0	0	0	0	0	0
680	all_deer	R	598-00	1970	0	7.5	0	7.5	0	0	0
680	all_deer	R	680-00	412	5.4	192.6	5.4	192.6	0	5.4	0
680	all_deer	R	699-00	3502	0	8.6	0	8.6	0	0	0
680	all_deer	R	Deer_A_Only	145081	4.8	313.9	4.8	309.2	4.8	71.4	142.7
680	all_deer	R	SUM	169072	10.1	561.7	10.1	556.9	4.8	76.7	142.7
680	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
680	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
680	all_deer	SUM	006-10	1778	0	14.7	0	14.7	0	0	0
680	all_deer	SUM	392-00	100	0	2.2	0	2.2	0	0	0
680	all_deer	SUM	392-40/Deer_A	798	0	8.2	0	8.2	0	0	0
680	all_deer	SUM	421-00	250	0	4	0	4	0	0	0
680	all_deer	SUM	426-00	550	0	2.3	0	2.3	0	0	0
680	all_deer	SUM	444-00	402	0	2.8	0	2.8	0	0	0
680	all_deer	SUM	471-00	300	0	3.8	0	3.8	0	0	0
680	all_deer	SUM	598-00	2251	0	7.5	0	7.5	0	0	0
680	all_deer	SUM	680-00	500	5.4	249.8	5.4	249.8	0	5.4	0
680	all_deer	SUM	698-00	851	0	11.4	0	11.4	0	0	0
680	all_deer	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
680	all_deer	SUM	Deer_A_Only	169380	4.8	370	4.8	365.2	4.8	80.7	180
680	all_deer	SUM	SUM	195709	10.1	695.2	10.1	690.5	4.8	86	180
690	all_deer	N	003-10	845	0	0	0	0	0	0	0
690	all_deer	N	170-10	57	0	0	0	0	0	0	0
690	all_deer	N	417-00	76	0	0	0	0	0	0	0
690	all_deer	N	448-00	31	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
690	all_deer	N	499-00	169	0	0	0	0	0	0	0
690	all_deer	N	600-00	47	0	0	0	0	0	0	0
690	all_deer	N	680-00	88	0	0	0	0	0	0	0
690	all_deer	N	690-00	47	0	32.5	0	32.5	0	0	1.8
690	all_deer	N	698-00	851	0	41.8	0	41.8	0	0	3.8
690	all_deer	N	Deer_A_Only	24299	3.1	242.7	0	245.9	0	31.1	202.3
690	all_deer	N	SUM	26510	3.1	317.1	0	320.2	0	31.1	207.9
690	all_deer	R	003-10	7121	0	5	0	5	0	0	0
690	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	4.9
690	all_deer	R	006-10	1778	0	54	0	54	0	0	4.9
690	all_deer	R	170-10	2114	0	5.3	0	5.3	0	0	0
690	all_deer	R	417-00	325	0	4.1	0	4.1	0	0	0
690	all_deer	R	448-00	158	0	3.7	0	3.7	0	0	0
690	all_deer	R	499-00	835	0	8.1	0	8.1	0	0	0
690	all_deer	R	600-00	453	11.5	17.2	5.7	22.9	0	0	0
690	all_deer	R	680-00	412	0	10.7	0	10.7	0	0	0
690	all_deer	R	690-00	453	5.3	218.5	0	223.8	0	0	10.7
690	all_deer	R	699-00	3502	17.2	188.8	8.6	197.4	0	8.6	17.2
690	all_deer	R	Deer_A_Only	145081	14.3	761.1	9.5	761.1	4.8	133.2	428.1
690	all_deer	R	SUM	169313	48.2	1286.3	23.8	1305.9	4.8	141.8	465.7
690	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
690	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	4.9
690	all_deer	SUM	006-10	1778	0	54	0	54	0	0	4.9
690	all_deer	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
690	all_deer	SUM	417-00	401	0	4.1	0	4.1	0	0	0
690	all_deer	SUM	448-00	189	0	3.7	0	3.7	0	0	0
690	all_deer	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
690	all_deer	SUM	600-00	500	11.5	17.2	5.7	22.9	0	0	0
690	all_deer	SUM	680-00	500	0	10.7	0	10.7	0	0	0
690	all_deer	SUM	690-00	500	5.3	251	0	256.4	0	0	12.5
690	all_deer	SUM	698-00	851	0	41.8	0	41.8	0	0	3.8
690	all_deer	SUM	699-00	3502	17.2	188.8	8.6	197.4	0	8.6	17.2
690	all_deer	SUM	Deer_A_Only	169380	17.4	1003.8	9.5	1006.9	4.8	164.3	630.4
690	all_deer	SUM	SUM	195823	51.3	1603.3	23.8	1626.1	4.8	172.9	673.6
6XX	all_deer	N	630-00	204	0	4.2	0	4.2	0	0	0
6XX	all_deer	N	698-00	851	0	15.2	0	15.2	0	0	0
6XX	all_deer	N	Deer_A_Only	24299	3.1	18.7	3.1	18.7	0	3.1	18.7
6XX	all_deer	N	SUM	25354	3.1	38.1	3.1	38.1	0	3.1	18.7
6XX	all_deer	R	699-00	3502	0	17.2	0	17.2	0	0	0
6XX	all_deer	R	Deer_A_Only	145081	0	19	0	19	0	4.8	9.5
6XX	all_deer	R	SUM	148583	0	36.2	0	36.2	0	4.8	9.5
6XX	all_deer	SUM	630-00	204	0	4.2	0	4.2	0	0	0
6XX	all_deer	SUM	698-00	851	0	15.2	0	15.2	0	0	0
6XX	all_deer	SUM	699-00	3502	0	17.2	0	17.2	0	0	0
6XX	all_deer	SUM	Deer_A_Only	169380	3.1	37.7	3.1	37.7	0	7.9	28.2
6XX	all_deer	SUM	SUM	173937	3.1	74.3	3.1	74.3	0	7.9	28.2
700	all_deer	N	002-10	500	0	0	0	0	0	0	0
700	all_deer	N	003-10	845	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
700	all_deer	N	005-10	290	0	0	0	0	0	0	0
700	all_deer	N	007-10	1330	0	57.3	0	57.3	0	0	0
700	all_deer	N	170-10	57	0	0	0	0	0	0	0
700	all_deer	N	260-10	103	0	0	0	0	0	0	0
700	all_deer	N	312-00	12	0	1.7	0	1.7	0	0	0
700	all_deer	N	411-00	173	0	0	0	0	0	0	0
700	all_deer	N	426-00	94	0	2.3	0	2.3	0	0	0
700	all_deer	N	575-00	63	0	0	0	0	0	0	0
700	all_deer	N	597-00	28	0	0	0	0	0	0	0
700	all_deer	N	599-00	98	0	0	0	0	0	0	0
700	all_deer	N	650-00	56	0	2.3	0	2.3	0	0	0
700	all_deer	N	652-00	25	0	1.7	0	1.7	0	0	0
700	all_deer	N	698-00	851	0	3.8	0	3.8	0	0	0
700	all_deer	N	797-00	3018	0	285	0	281.7	3.2	6.5	9.7
700	all_deer	N	Deer_A_Only	24299	15.6	653.5	15.6	650.4	3.1	149.4	454.4
700	all_deer	N	SUM	31842	15.6	1007.6	15.6	1001.2	6.4	155.9	464.1
700	all_deer	R	002-10	8803	5.4	10.7	0	16.1	0	0	0
700	all_deer	R	003-10	7121	0	10	0	10	0	0	5
700	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0
700	all_deer	R	006-10	1778	0	4.9	0	4.9	0	0	0
700	all_deer	R	007-10	3512	0	173.8	0	173.8	0	0	0
700	all_deer	R	007-11	1520	10.4	135.3	0	145.8	0	0	0
700	all_deer	R	007-13	5509	15.2	405.1	10.1	405.1	5.1	10.1	15.2
700	all_deer	R	007-14	2003	4.8	200.3	0	200.3	4.8	4.8	0
700	all_deer	R	170-10	2114	0	10.6	0	10.6	0	5.3	0
700	all_deer	R	260-10	3415	0	8.2	0	8.2	0	0	0
700	all_deer	R	312-00	238	0	3.4	0	3.4	0	3.4	0
700	all_deer	R	411-00	633	0	5.1	0	5.1	0	0	0
700	all_deer	R	426-00	456	0	0	0	0	0	0	0
700	all_deer	R	575-00	687	0	5.3	0	5.3	0	0	5.3
700	all_deer	R	597-00	575	0	4.7	0	4.7	0	0	0
700	all_deer	R	599-00	1904	0	5.9	0	5.9	0	0	5.9
700	all_deer	R	650-00	144	0	0	0	0	0	0	0
700	all_deer	R	652-00	75	0	0	0	0	0	0	0
700	all_deer	R	797-00	0	0	0	0	0	0	0	0
700	all_deer	R	Deer_A_Only	145081	19	1117.8	14.3	1113.1	9.5	176	566.1
700	all_deer	R	SUM	188158	54.8	2105.9	24.4	2116.9	19.3	199.5	597.4
700	all_deer	SUM	002-10	9303	5.4	10.7	0	16.1	0	0	0
700	all_deer	SUM	003-10	7966	0	10	0	10	0	0	5
700	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
700	all_deer	SUM	006-10	1778	0	4.9	0	4.9	0	0	0
700	all_deer	SUM	007-10	4842	0	231	0	231	0	0	0
700	all_deer	SUM	007-11	1520	10.4	135.3	0	145.8	0	0	0
700	all_deer	SUM	007-13	5509	15.2	405.1	10.1	405.1	5.1	10.1	15.2
700	all_deer	SUM	007-14	2003	4.8	200.3	0	200.3	4.8	4.8	0
700	all_deer	SUM	170-10	2171	0	10.6	0	10.6	0	5.3	0
700	all_deer	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
700	all_deer	SUM	312-00	250	0	5.1	0	5.1	0	3.4	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
700	all_deer	SUM	411-00	806	0	5.1	0	5.1	0	0	0
700	all_deer	SUM	426-00	550	0	2.3	0	2.3	0	0	0
700	all_deer	SUM	575-00	750	0	5.3	0	5.3	0	0	5.3
700	all_deer	SUM	597-00	603	0	4.7	0	4.7	0	0	0
700	all_deer	SUM	599-00	2002	0	5.9	0	5.9	0	0	5.9
700	all_deer	SUM	650-00	200	0	2.3	0	2.3	0	0	0
700	all_deer	SUM	652-00	100	0	1.7	0	1.7	0	0	0
700	all_deer	SUM	698-00	851	0	3.8	0	3.8	0	0	0
700	all_deer	SUM	797-00	3018	0	285	0	281.7	3.2	6.5	9.7
700	all_deer	SUM	Deer_A_Only	169380	34.6	1771.4	29.8	1763.5	12.6	325.4	1020.4
700	all_deer	SUM	SUM	220000	70.3	3113.5	40	3118.1	25.7	355.4	1061.5
701	all_deer	N	003-10	845	0	0	0	0	0	0	0
701	all_deer	N	005-10	290	0	0	0	0	0	0	0
701	all_deer	N	007-10	1330	6.4	79.5	3.2	82.7	0	0	3.2
701	all_deer	N	100-00	41	0	2	0	2	0	0	0
701	all_deer	N	100-01	2	0	1	0	1	0	0	0
701	all_deer	N	312-10	25	0	2.3	0	2.3	0	0	0
701	all_deer	N	560-00	49	2.2	0	2.2	0	0	0	0
701	all_deer	N	590-00	35	0	2.2	0	2.2	0	0	0
701	all_deer	N	597-00	28	0	0	0	0	0	0	0
701	all_deer	N	797-00	3018	6.5	259.1	3.2	262.3	0	0	3.2
701	all_deer	N	Deer_A_Only	24299	21.8	557.1	15.6	563.3	0	105.8	392.1
701	all_deer	N	SUM	29962	36.9	903.1	24.2	915.7	0	105.8	398.5
701	all_deer	R	003-10	7121	0	10	0	10	0	0	0
701	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
701	all_deer	R	005-10	2590	0	14.4	0	14.4	0	4.8	0
701	all_deer	R	007-10	3512	26.3	147.4	21.1	152.7	0	0	0
701	all_deer	R	007-11	1520	15.6	93.7	15.6	93.7	0	0	0
701	all_deer	R	007-13	5509	15.2	268.4	15.2	268.4	0	0	10.1
701	all_deer	R	007-14	2003	14.3	114.5	14.3	114.5	0	0	4.8
701	all_deer	R	100-00	559	0	0	0	0	0	0	0
701	all_deer	R	100-01	23	0	0	0	0	0	0	0
701	all_deer	R	312-10	1124	0	0	0	0	0	0	0
701	all_deer	R	560-00	301	0	0	0	0	0	0	0
701	all_deer	R	590-00	315	0	0	0	0	0	0	0
701	all_deer	R	597-00	575	0	4.7	0	4.7	0	0	0
701	all_deer	R	797-00	0	0	0	0	0	0	0	0
701	all_deer	R	Deer_A_Only	145081	33.3	1008.4	28.5	1003.7	9.5	218.8	485.2
701	all_deer	R	SUM	177314	104.7	1666.3	94.7	1666.8	9.5	223.6	500.1
701	all_deer	SUM	003-10	7966	0	10	0	10	0	0	0
701	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
701	all_deer	SUM	005-10	2880	0	14.4	0	14.4	0	4.8	0
701	all_deer	SUM	007-10	4842	32.7	227	24.2	235.4	0	0	3.2
701	all_deer	SUM	007-11	1520	15.6	93.7	15.6	93.7	0	0	0
701	all_deer	SUM	007-13	5509	15.2	268.4	15.2	268.4	0	0	10.1
701	all_deer	SUM	007-14	2003	14.3	114.5	14.3	114.5	0	0	4.8
701	all_deer	SUM	100-00	600	0	2	0	2	0	0	0
701	all_deer	SUM	100-01	25	0	1	0	1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
701	all_deer	SUM	312-10	1149	0	2.3	0	2.3	0	0	0
701	all_deer	SUM	560-00	350	2.2	0	2.2	0	0	0	0
701	all_deer	SUM	590-00	350	0	2.2	0	2.2	0	0	0
701	all_deer	SUM	597-00	603	0	4.7	0	4.7	0	0	0
701	all_deer	SUM	797-00	3018	6.5	259.1	3.2	262.3	0	0	3.2
701	all_deer	SUM	Deer_A_Only	169380	55.1	1565.5	44.1	1567	9.5	324.6	877.3
701	all_deer	SUM	SUM	207276	141.6	2569.4	118.9	2582.5	9.5	329.4	898.6
702	all_deer	N	005-10	290	0	0	0	0	0	0	0
702	all_deer	N	007-10	1330	0	25.5	0	25.5	0	0	0
702	all_deer	N	250-40/Deer_A	258	0	3.1	0	3.1	0	0	0
702	all_deer	N	311-02	13	0	0	0	0	0	0	0
702	all_deer	N	314-00	18	0	0	0	0	0	0	0
702	all_deer	N	315-01	57	0	0	0	0	0	0	0
702	all_deer	N	333-01	23	0	0	0	0	0	0	0
702	all_deer	N	380-40/Deer_A	49	0	0	0	0	0	0	0
702	all_deer	N	410-00	112	0	0	0	0	0	0	0
702	all_deer	N	598-00	281	0	0	0	0	0	0	0
702	all_deer	N	702-00	3	0	0	0	0	0	0	0
702	all_deer	N	797-00	3018	0	142.5	0	142.5	0	3.2	3.2
702	all_deer	N	Deer_A_Only	24299	9.3	333	9.3	329.9	3.1	40.5	280.1
702	all_deer	N	SUM	29751	9.3	504	9.3	500.9	3.1	43.7	283.3
702	all_deer	R	004-10	7081	0	4.9	0	4.9	0	0	0
702	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	4.8
702	all_deer	R	007-10	3512	10.5	115.8	5.3	121.1	0	0	10.5
702	all_deer	R	007-11	1520	0	52.1	0	52.1	0	0	0
702	all_deer	R	007-13	5509	5.1	313.9	0	319	0	0	0
702	all_deer	R	007-14	2003	0	128.8	0	128.8	0	0	0
702	all_deer	R	250-40/Deer_A	730	0	0	0	0	0	0	0
702	all_deer	R	311-02	290	4.9	0	0	4.9	0	0	0
702	all_deer	R	314-00	207	3.4	0	3.4	0	0	0	0
702	all_deer	R	315-01	198	3.1	0	0	3.1	0	0	0
702	all_deer	R	333-01	278	0	7.4	0	7.4	0	0	0
702	all_deer	R	380-40/Deer_A	1253	0	4.1	0	4.1	0	0	4.1
702	all_deer	R	410-00	488	4.9	0	0	4.9	0	0	0
702	all_deer	R	598-00	1970	0	7.5	0	7.5	0	0	0
702	all_deer	R	702-00	84	30	12	12	30	0	0	0
702	all_deer	R	797-00	0	0	0	0	0	0	0	0
702	all_deer	R	Deer_A_Only	145081	38.1	875.2	9.5	903.8	0	190.3	371
702	all_deer	R	SUM	172794	100	1526.4	30.2	1596.2	0	190.3	390.4
702	all_deer	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
702	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	4.8
702	all_deer	SUM	007-10	4842	10.5	141.3	5.3	146.6	0	0	10.5
702	all_deer	SUM	007-11	1520	0	52.1	0	52.1	0	0	0
702	all_deer	SUM	007-13	5509	5.1	313.9	0	319	0	0	0
702	all_deer	SUM	007-14	2003	0	128.8	0	128.8	0	0	0
702	all_deer	SUM	250-40/Deer_A	988	0	3.1	0	3.1	0	0	0
702	all_deer	SUM	311-02	303	4.9	0	0	4.9	0	0	0
702	all_deer	SUM	314-00	225	3.4	0	3.4	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
702	all_deer	SUM	315-01	255	3.1	0	0	3.1	0	0	0
702	all_deer	SUM	333-01	301	0	7.4	0	7.4	0	0	0
702	all_deer	SUM	380-40/Deer_A	1302	0	4.1	0	4.1	0	0	4.1
702	all_deer	SUM	410-00	600	4.9	0	0	4.9	0	0	0
702	all_deer	SUM	598-00	2251	0	7.5	0	7.5	0	0	0
702	all_deer	SUM	702-00	87	30	12	12	30	0	0	0
702	all_deer	SUM	797-00	3018	0	142.5	0	142.5	0	3.2	3.2
702	all_deer	SUM	Deer_A_Only	169380	47.4	1208.2	18.8	1233.7	3.1	230.7	651.1
702	all_deer	SUM	SUM	202545	109.3	2030.4	39.5	2097.1	3.1	234	673.8
703	all_deer	N	002-10	500	0	0	0	0	0	0	0
703	all_deer	N	005-10	290	0	0	0	0	0	0	0
703	all_deer	N	007-10	1330	0	241.8	0	241.8	0	0	0
703	all_deer	N	597-00	28	0	2.5	0	2.5	0	0	0
703	all_deer	N	797-00	3018	0	317.3	0	314.1	3.2	0	0
703	all_deer	N	Deer_A_Only	24299	21.8	519.7	3.1	538.4	0	93.4	382.8
703	all_deer	N	SUM	29465	21.8	1081.4	3.1	1096.9	3.2	93.4	382.8
703	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
703	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0
703	all_deer	R	006-10	1778	0	34.4	0	34.4	0	0	0
703	all_deer	R	007-10	3512	31.6	384.4	21.1	389.6	5.3	0	15.8
703	all_deer	R	007-11	1520	5.2	166.6	5.2	166.6	0	0	10.4
703	all_deer	R	007-13	5509	10.1	450.6	5.1	450.6	5.1	0	20.3
703	all_deer	R	007-14	2003	14.3	152.6	9.5	157.4	0	0	0
703	all_deer	R	597-00	575	0	0	0	0	0	0	0
703	all_deer	R	797-00	0	0	0	0	0	0	0	0
703	all_deer	R	Deer_A_Only	145081	42.8	1479.4	23.8	1498.4	0	161.7	799.1
703	all_deer	R	SUM	171371	104	2678.1	64.7	2707.1	10.3	161.7	845.6
703	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
703	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
703	all_deer	SUM	006-10	1778	0	34.4	0	34.4	0	0	0
703	all_deer	SUM	007-10	4842	31.6	626.2	21.1	631.5	5.3	0	15.8
703	all_deer	SUM	007-11	1520	5.2	166.6	5.2	166.6	0	0	10.4
703	all_deer	SUM	007-13	5509	10.1	450.6	5.1	450.6	5.1	0	20.3
703	all_deer	SUM	007-14	2003	14.3	152.6	9.5	157.4	0	0	0
703	all_deer	SUM	597-00	603	0	2.5	0	2.5	0	0	0
703	all_deer	SUM	797-00	3018	0	317.3	0	314.1	3.2	0	0
703	all_deer	SUM	Deer_A_Only	169380	64.6	1999.1	26.9	2036.8	0	255.1	1181.9
703	all_deer	SUM	SUM	200836	125.8	3759.5	67.8	3804	13.6	255.1	1228.4
704	all_deer	N	002-10	500	0	0	0	0	0	0	0
704	all_deer	N	003-10	845	0	0	0	0	0	0	0
704	all_deer	N	005-10	290	0	0	0	0	0	0	0
704	all_deer	N	007-10	1330	0	54.1	3.2	50.9	0	0	6.4
704	all_deer	N	322-00	53	0	0	0	0	0	0	0
704	all_deer	N	325-00	28	0	2.5	0	2.5	0	0	2.5
704	all_deer	N	471-00	40	0	1.9	0	1.9	0	0	0
704	all_deer	N	597-00	28	0	0	0	0	0	0	0
704	all_deer	N	680-00	88	0	2.2	0	2.2	0	0	0
704	all_deer	N	797-00	3018	6.5	443.6	6.5	437.2	6.5	0	22.7

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
704	all_deer	N	Deer_A_Only	24299	46.7	1092.3	24.9	1111	3.1	168.1	871.4
704	all_deer	N	SUM	30519	53.2	1596.7	34.6	1605.7	9.6	168.1	903
704	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
704	all_deer	R	003-10	7121	0	5	0	5	0	0	0
704	all_deer	R	004-10	7081	0	9.7	0	9.7	0	0	0
704	all_deer	R	005-10	2590	0	14.4	0	14.4	0	0	0
704	all_deer	R	007-10	3512	15.8	236.9	10.5	236.9	5.3	0	5.3
704	all_deer	R	007-11	1520	0	72.9	0	72.9	0	0	0
704	all_deer	R	007-13	5509	15.2	526.6	15.2	521.5	5.1	10.1	5.1
704	all_deer	R	007-14	2003	19.1	233.7	23.8	228.9	0	0	0
704	all_deer	R	322-00	251	0	4.8	0	4.8	0	0	0
704	all_deer	R	325-00	422	0	0	0	0	0	0	0
704	all_deer	R	471-00	260	0	0	0	0	0	0	0
704	all_deer	R	597-00	575	0	4.7	0	4.7	0	0	4.7
704	all_deer	R	680-00	412	0	0	0	0	0	0	0
704	all_deer	R	797-00	0	0	0	0	0	0	0	0
704	all_deer	R	Deer_A_Only	145081	14.3	1346.2	14.3	1336.6	9.5	242.6	642.2
704	all_deer	R	SUM	185140	64.3	2460.2	63.8	2440.9	19.8	252.7	657.2
704	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
704	all_deer	SUM	003-10	7966	0	5	0	5	0	0	0
704	all_deer	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
704	all_deer	SUM	005-10	2880	0	14.4	0	14.4	0	0	0
704	all_deer	SUM	007-10	4842	15.8	291	13.7	287.9	5.3	0	11.6
704	all_deer	SUM	007-11	1520	0	72.9	0	72.9	0	0	0
704	all_deer	SUM	007-13	5509	15.2	526.6	15.2	521.5	5.1	10.1	5.1
704	all_deer	SUM	007-14	2003	19.1	233.7	23.8	228.9	0	0	0
704	all_deer	SUM	322-00	304	0	4.8	0	4.8	0	0	0
704	all_deer	SUM	325-00	450	0	2.5	0	2.5	0	0	2.5
704	all_deer	SUM	471-00	300	0	1.9	0	1.9	0	0	0
704	all_deer	SUM	597-00	603	0	4.7	0	4.7	0	0	4.7
704	all_deer	SUM	680-00	500	0	2.2	0	2.2	0	0	0
704	all_deer	SUM	797-00	3018	6.5	443.6	6.5	437.2	6.5	0	22.7
704	all_deer	SUM	Deer_A_Only	169380	61	2438.5	39.2	2447.7	12.6	410.6	1513.5
704	all_deer	SUM	SUM	215659	117.5	4056.9	98.4	4046.6	29.4	420.8	1560.1
705	all_deer	N	002-10	500	0	0	0	0	0	0	0
705	all_deer	N	003-10	845	0	0	0	0	0	0	0
705	all_deer	N	005-10	290	0	0	0	0	0	0	0
705	all_deer	N	007-10	1330	0	369.1	0	369.1	0	0	3.2
705	all_deer	N	313-00	9	0	0	0	0	0	0	0
705	all_deer	N	651-00	78	0	2	0	2	0	0	0
705	all_deer	N	670-00	232	0	8.3	0	8.3	0	0	0
705	all_deer	N	698-00	851	0	3.8	0	3.8	0	0	0
705	all_deer	N	797-00	3018	6.5	816	13	809.5	0	0	3.2
705	all_deer	N	Deer_A_Only	24299	59.1	1612	52.9	1618.3	0	186.7	1338.2
705	all_deer	N	SUM	31452	65.6	2811.3	65.9	2811	0	186.7	1344.6
705	all_deer	R	002-10	8803	0	5.4	0	5.4	0	0	0
705	all_deer	R	003-10	7121	0	20.1	0	20.1	0	0	0
705	all_deer	R	005-10	2590	0	4.8	0	4.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
705	all_deer	R	006-10	1778	0	4.9	0	4.9	0	0	0
705	all_deer	R	007-10	3512	5.3	242.2	5.3	242.2	0	5.3	15.8
705	all_deer	R	007-11	1520	0	104.1	0	104.1	0	0	0
705	all_deer	R	007-13	5509	0	308.9	0	303.8	5.1	5.1	30.4
705	all_deer	R	007-14	2003	0	128.8	0	128.8	0	0	4.8
705	all_deer	R	313-00	98	0	3.1	0	3.1	0	0	3.1
705	all_deer	R	651-00	131	0	0	0	0	0	0	0
705	all_deer	R	670-00	559	0	0	0	0	0	0	0
705	all_deer	R	699-00	3502	0	17.2	0	17.2	0	0	8.6
705	all_deer	R	797-00	0	0	0	0	0	0	0	0
705	all_deer	R	Deer_A_Only	145081	19	1217.7	9.5	1227.2	0	204.5	708.8
705	all_deer	R	SUM	182207	24.3	2057	14.8	2061.5	5.1	214.9	771.3
705	all_deer	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
705	all_deer	SUM	003-10	7966	0	20.1	0	20.1	0	0	0
705	all_deer	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
705	all_deer	SUM	006-10	1778	0	4.9	0	4.9	0	0	0
705	all_deer	SUM	007-10	4842	5.3	611.3	5.3	611.3	0	5.3	19
705	all_deer	SUM	007-11	1520	0	104.1	0	104.1	0	0	0
705	all_deer	SUM	007-13	5509	0	308.9	0	303.8	5.1	5.1	30.4
705	all_deer	SUM	007-14	2003	0	128.8	0	128.8	0	0	4.8
705	all_deer	SUM	313-00	107	0	3.1	0	3.1	0	0	3.1
705	all_deer	SUM	651-00	209	0	2	0	2	0	0	0
705	all_deer	SUM	670-00	791	0	8.3	0	8.3	0	0	0
705	all_deer	SUM	698-00	851	0	3.8	0	3.8	0	0	0
705	all_deer	SUM	699-00	3502	0	17.2	0	17.2	0	0	8.6
705	all_deer	SUM	797-00	3018	6.5	816	13	809.5	0	0	3.2
705	all_deer	SUM	Deer_A_Only	169380	78.2	2829.8	62.4	2845.5	0	391.3	2046.9
705	all_deer	SUM	SUM	213659	89.9	4868.3	80.6	4872.5	5.1	401.6	2116
7XX	all_deer	N	007-10	1330	3.2	12.7	3.2	12.7	0	0	0
7XX	all_deer	N	797-00	3018	0	6.5	0	6.5	0	0	0
7XX	all_deer	N	Deer_A_Only	24299	3.1	31.1	3.1	31.1	0	6.2	24.9
7XX	all_deer	N	SUM	28647	6.3	50.3	6.3	50.3	0	6.2	24.9
7XX	all_deer	SUM	007-10	1330	3.2	12.7	3.2	12.7	0	0	0
7XX	all_deer	SUM	797-00	3018	0	6.5	0	6.5	0	0	0
7XX	all_deer	SUM	Deer_A_Only	24299	3.1	31.1	3.1	31.1	0	6.2	24.9
7XX	all_deer	SUM	SUM	28647	6.3	50.3	6.3	50.3	0	6.2	24.9
XXX	all_deer	N	598-00	281	0	3	0	3	0	0	0
XXX	all_deer	N	Deer_A_Only	24299	3.1	40.5	3.1	40.5	0	3.1	40.5
XXX	all_deer	N	SUM	24580	3.1	43.4	3.1	43.4	0	3.1	40.5
XXX	all_deer	R	003-10	7121	0	5	0	5	0	0	0
XXX	all_deer	R	Deer_A_Only	145081	0	33.3	0	33.3	0	0	19
XXX	all_deer	R	SUM	152202	0	38.3	0	38.3	0	0	19
XXX	all_deer	SUM	003-10	7121	0	5	0	5	0	0	0
XXX	all_deer	SUM	598-00	281	0	3	0	3	0	0	0
XXX	all_deer	SUM	Deer_A_Only	169380	3.1	73.8	3.1	73.8	0	3.1	59.5
XXX	all_deer	SUM	SUM	176782	3.1	81.8	3.1	81.8	0	3.1	59.5
100	md	N	003-10	845	0	4.1	0	4.1	0	0	4.1
100	md	N	100-00	41	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
100	md	N	100-01	2	0	0	0	0	0	0	0
100	md	N	100-60/Deer_A	4	0	0	0	0	0	0	0
100	md	N	Deer_A_Only	24299	0	24.9	0	24.9	0	12.4	12.4
100	md	N	SUM	25191	0	29	0	29	0	12.4	16.6
100	md	R	003-10	7121	0	0	0	0	0	0	0
100	md	R	100-00	559	4.4	4.4	4.4	4.4	0	4.4	0
100	md	R	100-01	23	1.8	5.3	1.8	5.3	0	0	0
100	md	R	100-60/Deer_A	31	2.1	6.2	2.1	6.2	0	0	0
100	md	R	Deer_A_Only	145081	0	133.2	0	133.2	0	66.6	57.1
100	md	R	SUM	152815	8.2	149.1	8.2	149.1	0	71	57.1
100	md	SUM	003-10	7966	0	4.1	0	4.1	0	0	4.1
100	md	SUM	100-00	600	4.4	4.4	4.4	4.4	0	4.4	0
100	md	SUM	100-01	25	1.8	5.3	1.8	5.3	0	0	0
100	md	SUM	100-60/Deer_A	35	2.1	6.2	2.1	6.2	0	0	0
100	md	SUM	Deer_A_Only	169380	0	158.1	0	158.1	0	79	69.5
100	md	SUM	SUM	178006	8.2	178.1	8.2	178.1	0	83.4	73.7
101	md	N	100-01	2	0	0	0	0	0	0	0
101	md	N	101-00	28	0	0	0	0	0	0	0
101	md	N	Deer_A_Only	24299	0	9.3	0	9.3	0	3.1	6.2
101	md	N	SUM	24329	0	9.3	0	9.3	0	3.1	6.2
101	md	R	100-01	23	0	1.8	0	1.8	0	0	0
101	md	R	101-00	807	0	5.9	0	5.9	0	0	0
101	md	R	Deer_A_Only	145081	0	76.1	0	76.1	0	52.3	23.8
101	md	R	SUM	145911	0	83.8	0	83.8	0	52.3	23.8
101	md	SUM	100-01	25	0	1.8	0	1.8	0	0	0
101	md	SUM	101-00	835	0	5.9	0	5.9	0	0	0
101	md	SUM	Deer_A_Only	169380	0	85.4	0	85.4	0	55.4	30
101	md	SUM	SUM	170240	0	93.1	0	93.1	0	55.4	30
102	md	N	Deer_A_Only	24299	0	9.3	0	9.3	0	3.1	6.2
102	md	N	SUM	24299	0	9.3	0	9.3	0	3.1	6.2
102	md	R	Deer_A_Only	145081	4.8	80.9	4.8	80.9	0	42.8	28.5
102	md	R	SUM	145081	4.8	80.9	4.8	80.9	0	42.8	28.5
102	md	SUM	Deer_A_Only	169380	4.8	90.2	4.8	90.2	0	45.9	34.8
102	md	SUM	SUM	169380	4.8	90.2	4.8	90.2	0	45.9	34.8
103	md	N	103-00	21	0	0	0	0	0	0	0
103	md	N	103-60/Deer_A	2	0	0	0	0	0	0	0
103	md	N	104-00	15	0	0	0	0	0	0	0
103	md	N	170-10	57	0	0	0	0	0	0	0
103	md	N	404-00	56	0	0	0	0	0	0	0
103	md	N	Deer_A_Only	24299	0	18.7	0	18.7	0	6.2	12.4
103	md	N	SUM	24450	0	18.7	0	18.7	0	6.2	12.4
103	md	R	103-00	479	0	12.6	4.2	8.4	0	0	4.2
103	md	R	103-60/Deer_A	65	0	8.7	0	8.7	0	0	0
103	md	R	104-00	485	0	3.9	0	3.9	0	0	0
103	md	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
103	md	R	404-00	1152	0	6.9	0	6.9	0	0	0
103	md	R	Deer_A_Only	145081	0	180.8	0	176	4.8	99.9	71.4
103	md	R	SUM	149376	0	218.1	4.2	209.2	4.8	99.9	80.8

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
103	md	SUM	103-00	500	0	12.6	4.2	8.4	0	0	4.2
103	md	SUM	103-60/Deer_A	67	0	8.7	0	8.7	0	0	0
103	md	SUM	104-00	500	0	3.9	0	3.9	0	0	0
103	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
103	md	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
103	md	SUM	Deer_A_Only	169380	0	199.4	0	194.7	4.8	106.1	83.8
103	md	SUM	SUM	173826	0	236.8	4.2	227.8	4.8	106.1	93.3
104	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
104	md	N	SUM	24299	0	6.2	0	6.2	0	3.1	3.1
104	md	R	007-13	5509	0	5.1	0	5.1	0	0	5.1
104	md	R	104-01	10	0	1.4	0	1.4	0	0	0
104	md	R	104-60/Deer_A	18	0	0	0	0	0	0	0
104	md	R	Deer_A_Only	145081	0	71.4	0	71.4	0	14.3	52.3
104	md	R	SUM	150618	0	77.8	0	77.8	0	14.3	57.4
104	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	5.1
104	md	SUM	104-01	10	0	1.4	0	1.4	0	0	0
104	md	SUM	104-60/Deer_A	18	0	0	0	0	0	0	0
104	md	SUM	Deer_A_Only	169380	0	77.6	0	77.6	0	17.4	55.4
104	md	SUM	SUM	174917	0	84.1	0	84.1	0	17.4	60.5
109	md	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
109	md	N	SUM	24299	0	3.1	0	3.1	0	0	3.1
109	md	R	109-00	398	0	10.2	0	10.2	0	0	0
109	md	R	Deer_A_Only	145081	0	33.3	0	33.3	0	23.8	4.8
109	md	R	SUM	145479	0	43.5	0	43.5	0	23.8	4.8
109	md	SUM	109-00	398	0	10.2	0	10.2	0	0	0
109	md	SUM	Deer_A_Only	169380	0	36.4	0	36.4	0	23.8	7.9
109	md	SUM	SUM	169778	0	46.6	0	46.6	0	23.8	7.9
110	md	N	Deer_A_Only	24299	0	9.3	0	9.3	0	3.1	6.2
110	md	N	SUM	24299	0	9.3	0	9.3	0	3.1	6.2
110	md	R	Deer_A_Only	145081	0	71.4	0	66.6	4.8	9.5	57.1
110	md	R	SUM	145081	0	71.4	0	66.6	4.8	9.5	57.1
110	md	SUM	Deer_A_Only	169380	0	80.7	0	75.9	4.8	12.6	63.3
110	md	SUM	SUM	169380	0	80.7	0	75.9	4.8	12.6	63.3
120	md	N	170-10	57	0	0	0	0	0	0	0
120	md	N	Deer_A_Only	24299	0	3.1	0	3.1	0	3.1	0
120	md	N	SUM	24356	0	3.1	0	3.1	0	3.1	0
120	md	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
120	md	R	Deer_A_Only	145081	0	90.4	0	90.4	0	47.6	42.8
120	md	R	SUM	147195	0	95.7	0	95.7	0	47.6	48.1
120	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
120	md	SUM	Deer_A_Only	169380	0	93.5	0	93.5	0	50.7	42.8
120	md	SUM	SUM	171551	0	98.8	0	98.8	0	50.7	48.1
121	md	N	121-00	73	0	0	0	0	0	0	0
121	md	N	121-60/Deer_A	3	0	0	0	0	0	0	0
121	md	N	Deer_A_Only	24299	3.1	65.4	3.1	65.4	0	28	40.5
121	md	N	SUM	24375	3.1	65.4	3.1	65.4	0	28	40.5
121	md	R	121-00	727	0	4.2	0	4.2	0	0	0
121	md	R	121-01	10	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
121	md	R	121-60/Deer_A	27	0	0	0	0	0	0	0
121	md	R	Deer_A_Only	145081	9.5	95.1	9.5	95.1	0	57.1	42.8
121	md	R	SUM	145845	9.5	99.3	9.5	99.3	0	57.1	42.8
121	md	SUM	121-00	800	0	4.2	0	4.2	0	0	0
121	md	SUM	121-01	10	0	0	0	0	0	0	0
121	md	SUM	121-60/Deer_A	30	0	0	0	0	0	0	0
121	md	SUM	Deer_A_Only	169380	12.6	160.5	12.6	160.5	0	85.1	83.3
121	md	SUM	SUM	170220	12.6	164.7	12.6	164.7	0	85.1	83.3
122	md	N	002-10	500	0	0	0	0	0	0	0
122	md	N	121-00	73	0	0	0	0	0	0	0
122	md	N	122-60/Deer_A	2	0	0	0	0	0	0	0
122	md	N	260-10	103	0	0	0	0	0	0	0
122	md	N	260-30	3	0	0	0	0	0	0	0
122	md	N	Deer_A_Only	24299	0	21.8	0	21.8	0	3.1	18.7
122	md	N	SUM	24980	0	21.8	0	21.8	0	3.1	18.7
122	md	R	002-10	8803	0	5.4	0	5.4	0	5.4	0
122	md	R	121-00	727	0	4.2	0	4.2	0	0	0
122	md	R	122-01	10	0	0	0	0	0	0	0
122	md	R	122-60/Deer_A	19	0	3.8	0	3.8	0	0	0
122	md	R	124-00	197	4.2	0	4.2	0	0	4.2	0
122	md	R	260-10	3415	0	8.2	0	8.2	0	8.2	0
122	md	R	260-30	830	0	5.8	0	5.8	0	5.8	0
122	md	R	Deer_A_Only	145081	4.8	133.2	4.8	133.2	0	61.8	76.1
122	md	R	SUM	159082	8.9	160.5	8.9	160.5	0	85.4	76.1
122	md	SUM	002-10	9303	0	5.4	0	5.4	0	5.4	0
122	md	SUM	121-00	800	0	4.2	0	4.2	0	0	0
122	md	SUM	122-01	10	0	0	0	0	0	0	0
122	md	SUM	122-60/Deer_A	21	0	3.8	0	3.8	0	0	0
122	md	SUM	124-00	197	4.2	0	4.2	0	0	4.2	0
122	md	SUM	260-10	3518	0	8.2	0	8.2	0	8.2	0
122	md	SUM	260-30	833	0	5.8	0	5.8	0	5.8	0
122	md	SUM	Deer_A_Only	169380	4.8	155	4.8	155	0	64.9	94.8
122	md	SUM	SUM	184062	8.9	182.3	8.9	182.3	0	88.5	94.8
123	md	N	121-00	73	0	0	0	0	0	0	0
123	md	N	123-00	10	0	0	0	0	0	0	0
123	md	N	123-01	1	0	0	0	0	0	0	0
123	md	N	Deer_A_Only	24299	3.1	12.4	3.1	12.4	0	9.3	3.1
123	md	N	SUM	24383	3.1	12.4	3.1	12.4	0	9.3	3.1
123	md	R	121-00	727	0	4.2	0	4.2	0	0	4.2
123	md	R	123-00	90	0	2.1	0	2.1	0	2.1	0
123	md	R	123-01	9	0	4.5	0	4.5	0	0	0
123	md	R	123-60/Deer_A	8	0	0	0	0	0	0	0
123	md	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	9.5
123	md	R	SUM	145915	0	25	0	25	0	2.1	13.7
123	md	SUM	121-00	800	0	4.2	0	4.2	0	0	4.2
123	md	SUM	123-00	100	0	2.1	0	2.1	0	2.1	0
123	md	SUM	123-01	10	0	4.5	0	4.5	0	0	0
123	md	SUM	123-60/Deer_A	8	0	0	0	0	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
123	md	SUM	Deer_A_Only	169380	3.1	26.7	3.1	26.7	0	9.3	12.6
123	md	SUM	SUM	170298	3.1	37.5	3.1	37.5	0	11.4	16.8
124	md	N	Deer_A_Only	24299	0	15.6	0	15.6	0	12.4	3.1
124	md	N	SUM	24299	0	15.6	0	15.6	0	12.4	3.1
124	md	R	124-00	197	0	4.2	0	4.2	0	4.2	0
124	md	R	Deer_A_Only	145081	0	28.5	0	28.5	0	9.5	19
124	md	R	SUM	145278	0	32.7	0	32.7	0	13.7	19
124	md	SUM	124-00	197	0	4.2	0	4.2	0	4.2	0
124	md	SUM	Deer_A_Only	169380	0	44.1	0	44.1	0	22	22.1
124	md	SUM	SUM	169577	0	48.3	0	48.3	0	26.2	22.1
130	md	N	002-10	500	0	0	0	0	0	0	0
130	md	N	130-00	37	0	0	0	0	0	0	0
130	md	N	132-00	3	0	0	0	0	0	0	0
130	md	N	620-00	110	0	0	0	0	0	0	0
130	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
130	md	N	SUM	24949	0	6.2	0	6.2	0	0	6.2
130	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
130	md	R	006-10	1778	0	4.9	0	4.9	0	4.9	0
130	md	R	130-00	614	0	4.1	0	4.1	0	0	0
130	md	R	130-50/Deer_A	10	0	1.7	1.7	0	0	0	1.7
130	md	R	132-00	297	0	3.8	0	3.8	0	3.8	0
130	md	R	620-00	490	0	4.4	0	4.4	0	4.4	0
130	md	R	Deer_A_Only	145081	0	28.5	0	28.5	0	9.5	14.3
130	md	R	SUM	157073	0	52.8	1.7	51.2	0	22.6	15.9
130	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
130	md	SUM	006-10	1778	0	4.9	0	4.9	0	4.9	0
130	md	SUM	130-00	651	0	4.1	0	4.1	0	0	0
130	md	SUM	130-50/Deer_A	10	0	1.7	1.7	0	0	0	1.7
130	md	SUM	132-00	300	0	3.8	0	3.8	0	3.8	0
130	md	SUM	620-00	600	0	4.4	0	4.4	0	4.4	0
130	md	SUM	Deer_A_Only	169380	0	34.8	0	34.8	0	9.5	20.5
130	md	SUM	SUM	182022	0	59	1.7	57.4	0	22.6	22.2
132	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
132	md	N	SUM	24299	0	0	0	0	0	0	0
132	md	R	Deer_A_Only	145081	0	23.8	0	19	4.8	4.8	19
132	md	R	SUM	145081	0	23.8	0	19	4.8	4.8	19
132	md	SUM	Deer_A_Only	169380	0	23.8	0	19	4.8	4.8	19
132	md	SUM	SUM	169380	0	23.8	0	19	4.8	4.8	19
140	md	N	Deer_A_Only	24299	0	12.4	0	9.3	3.1	3.1	9.3
140	md	N	SUM	24299	0	12.4	0	9.3	3.1	3.1	9.3
140	md	R	Deer_A_Only	145081	0	47.6	0	47.6	0	14.3	28.5
140	md	R	SUM	145081	0	47.6	0	47.6	0	14.3	28.5
140	md	SUM	Deer_A_Only	169380	0	60	0	56.9	3.1	17.4	37.9
140	md	SUM	SUM	169380	0	60	0	56.9	3.1	17.4	37.9
141	md	N	Deer_A_Only	24299	0	9.3	6.2	3.1	0	0	9.3
141	md	N	SUM	24299	0	9.3	6.2	3.1	0	0	9.3
141	md	R	Deer_A_Only	145081	4.8	4.8	4.8	4.8	0	0	9.5
141	md	R	SUM	145081	4.8	4.8	4.8	4.8	0	0	9.5

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
141	md	SUM	Deer_A_Only	169380	4.8	14.1	11	7.9	0	0	18.8
141	md	SUM	SUM	169380	4.8	14.1	11	7.9	0	0	18.8
150	md	N	Deer_A_Only	24299	0	52.9	18.7	34.2	0	15.6	37.3
150	md	N	SUM	24299	0	52.9	18.7	34.2	0	15.6	37.3
150	md	R	Deer_A_Only	145081	0	4.8	4.8	0	0	0	4.8
150	md	R	SUM	145081	0	4.8	4.8	0	0	0	4.8
150	md	SUM	Deer_A_Only	169380	0	57.7	23.4	34.2	0	15.6	42.1
150	md	SUM	SUM	169380	0	57.7	23.4	34.2	0	15.6	42.1
151	md	N	Deer_A_Only	24299	0	6.2	6.2	0	0	0	6.2
151	md	N	SUM	24299	0	6.2	6.2	0	0	0	6.2
151	md	R	Deer_A_Only	145081	0	0	0	0	0	0	0
151	md	R	SUM	145081	0	0	0	0	0	0	0
151	md	SUM	Deer_A_Only	169380	0	6.2	6.2	0	0	0	6.2
151	md	SUM	SUM	169380	0	6.2	6.2	0	0	0	6.2
170	md	N	007-10	1330	0	0	0	0	0	0	0
170	md	N	170-10	57	0	0	0	0	0	0	0
170	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
170	md	N	SUM	25686	0	0	0	0	0	0	0
170	md	R	007-10	3512	0	5.3	0	5.3	0	0	0
170	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
170	md	R	170-10	2114	0	10.6	0	10.6	0	0	0
170	md	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	9.5
170	md	R	SUM	156216	0	35.2	0	35.2	0	0	9.5
170	md	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
170	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
170	md	SUM	170-10	2171	0	10.6	0	10.6	0	0	0
170	md	SUM	Deer_A_Only	169380	0	14.3	0	14.3	0	0	9.5
170	md	SUM	SUM	181902	0	35.2	0	35.2	0	0	9.5
1XX	md	R	122-01	10	0	2.5	0	2.5	0	0	0
1XX	md	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	4.8
1XX	md	R	SUM	145091	0	7.3	0	7.3	0	0	4.8
1XX	md	SUM	122-01	10	0	2.5	0	2.5	0	0	0
1XX	md	SUM	Deer_A_Only	145081	0	4.8	0	4.8	0	0	4.8
1XX	md	SUM	SUM	145091	0	7.3	0	7.3	0	0	4.8
200	md	N	002-10	500	0	4.4	0	4.4	0	0	0
200	md	N	003-10	845	0	0	0	0	0	0	0
200	md	N	202-50/Deer_A	17	0	0	0	0	0	0	0
200	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
200	md	N	SUM	25661	0	10.6	0	10.6	0	3.1	3.1
200	md	R	002-10	8803	0	0	0	0	0	0	0
200	md	R	003-10	7121	0	5	0	5	0	5	0
200	md	R	202-50/Deer_A	183	0	3.5	0	3.5	0	0	3.5
200	md	R	Deer_A_Only	145081	0	19	0	19	0	14.3	4.8
200	md	R	SUM	161188	0	27.5	0	27.5	0	19.3	8.2
200	md	SUM	002-10	9303	0	4.4	0	4.4	0	0	0
200	md	SUM	003-10	7966	0	5	0	5	0	5	0
200	md	SUM	202-50/Deer_A	200	0	3.5	0	3.5	0	0	3.5
200	md	SUM	Deer_A_Only	169380	0	25.3	0	25.3	0	17.4	7.9

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
200	md	SUM	SUM	186849	0	38.1	0	38.1	0	22.4	11.3
201	md	N	002-10	500	0	0	0	0	0	0	0
201	md	N	201-00	10	0	2	0	2	0	0	0
201	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
201	md	N	SUM	24809	0	2	0	2	0	0	0
201	md	R	002-10	8803	0	5.4	0	5.4	0	0	5.4
201	md	R	201-00	340	0	7.8	0	3.9	3.9	0	3.9
201	md	R	Deer_A_Only	145081	0	42.8	0	42.8	0	23.8	19
201	md	R	SUM	154224	0	56	0	52.1	3.9	23.8	28.3
201	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	5.4
201	md	SUM	201-00	350	0	9.8	0	5.9	3.9	0	3.9
201	md	SUM	Deer_A_Only	169380	0	42.8	0	42.8	0	23.8	19
201	md	SUM	SUM	179033	0	58	0	54.1	3.9	23.8	28.3
202	md	N	002-10	500	0	0	0	0	0	0	0
202	md	N	201-00	10	0	0	0	0	0	0	0
202	md	N	202-00	7	0	1.8	0	1.8	0	0	0
202	md	N	202-01	1	0	0	0	0	0	0	0
202	md	N	202-50/Deer_A	17	0	3.9	0	3.9	0	0	3.9
202	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
202	md	N	SUM	24834	0	5.7	0	5.7	0	0	3.9
202	md	R	002-10	8803	0	16.1	0	16.1	0	5.4	10.7
202	md	R	201-00	340	0	3.9	0	3.9	0	0	3.9
202	md	R	202-00	243	0	3.8	0	3.8	0	0	3.8
202	md	R	202-01	99	0	10.2	0	10.2	0	0	10.2
202	md	R	202-50/Deer_A	183	0	51.8	0	51.8	0	17.3	34.5
202	md	R	Deer_A_Only	145081	0	14.3	0	14.3	0	14.3	0
202	md	R	SUM	154749	0	100.1	0	100.1	0	36.9	63.2
202	md	SUM	002-10	9303	0	16.1	0	16.1	0	5.4	10.7
202	md	SUM	201-00	350	0	3.9	0	3.9	0	0	3.9
202	md	SUM	202-00	250	0	5.5	0	5.5	0	0	3.8
202	md	SUM	202-01	100	0	10.2	0	10.2	0	0	10.2
202	md	SUM	202-50/Deer_A	200	0	55.7	0	55.7	0	17.3	38.5
202	md	SUM	Deer_A_Only	169380	0	14.3	0	14.3	0	14.3	0
202	md	SUM	SUM	179583	0	105.8	0	105.8	0	36.9	67.1
203	md	N	002-10	500	0	0	0	0	0	0	0
203	md	N	202-00	7	0	0	0	0	0	0	0
203	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
203	md	N	SUM	24806	0	6.2	0	6.2	0	3.1	3.1
203	md	R	002-10	8803	0	5.4	0	5.4	0	5.4	0
203	md	R	202-00	243	0	3.8	0	3.8	0	0	0
203	md	R	Deer_A_Only	145081	0	85.6	0	85.6	0	19	66.6
203	md	R	SUM	154127	0	94.8	0	94.8	0	24.4	66.6
203	md	SUM	002-10	9303	0	5.4	0	5.4	0	5.4	0
203	md	SUM	202-00	250	0	3.8	0	3.8	0	0	0
203	md	SUM	Deer_A_Only	169380	0	91.8	0	91.8	0	22.1	69.7
203	md	SUM	SUM	178933	0	101	0	101	0	27.5	69.7
204	md	N	002-10	500	0	0	0	0	0	0	0
204	md	N	201-00	10	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
204	md	N	204-40/Deer_A	17	0	5.7	0	5.7	0	5.7	0
204	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
204	md	N	SUM	24826	0	5.7	0	5.7	0	5.7	0
204	md	R	002-10	8803	0	16.1	0	16.1	0	16.1	0
204	md	R	201-00	340	0	3.9	0	3.9	0	0	3.9
204	md	R	204-00	50	0	4.2	4.2	0	0	0	4.2
204	md	R	204-40/Deer_A	426	4.5	58.9	0	63.4	0	31.7	31.7
204	md	R	Deer_A_Only	145081	0	9.5	0	9.5	0	9.5	0
204	md	R	SUM	154700	4.5	92.6	4.2	93	0	57.3	39.8
204	md	SUM	002-10	9303	0	16.1	0	16.1	0	16.1	0
204	md	SUM	201-00	350	0	3.9	0	3.9	0	0	3.9
204	md	SUM	204-00	50	0	4.2	4.2	0	0	0	4.2
204	md	SUM	204-40/Deer_A	443	4.5	64.6	0	69.1	0	37.4	31.7
204	md	SUM	Deer_A_Only	169380	0	9.5	0	9.5	0	9.5	0
204	md	SUM	SUM	179526	4.5	98.3	4.2	98.6	0	63	39.8
210	md	N	002-10	500	0	0	0	0	0	0	0
210	md	N	170-10	57	0	0	0	0	0	0	0
210	md	N	201-00	10	0	0	0	0	0	0	0
210	md	N	210-00	10	0	0	0	0	0	0	0
210	md	N	210-50/Deer_A	5	0	3.3	0	3.3	0	0	3.3
210	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	6.2	0
210	md	N	SUM	24881	0	9.6	0	9.6	0	6.2	3.3
210	md	R	002-10	8803	0	16.1	0	16.1	0	10.7	5.4
210	md	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
210	md	R	201-00	340	0	3.9	0	3.9	0	0	3.9
210	md	R	210-00	190	0	5.8	0	5.8	0	2.9	2.9
210	md	R	210-50/Deer_A	95	0	50.1	0	50.1	0	15.8	34.3
210	md	R	Deer_A_Only	145081	0	52.3	0	52.3	0	38.1	9.5
210	md	R	SUM	156623	0	133.6	0	133.6	0	67.5	61.3
210	md	SUM	002-10	9303	0	16.1	0	16.1	0	10.7	5.4
210	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
210	md	SUM	201-00	350	0	3.9	0	3.9	0	0	3.9
210	md	SUM	210-00	200	0	5.8	0	5.8	0	2.9	2.9
210	md	SUM	210-50/Deer_A	100	0	53.5	0	53.5	0	15.8	37.6
210	md	SUM	Deer_A_Only	169380	0	58.5	0	58.5	0	44.3	9.5
210	md	SUM	SUM	181504	0	143.2	0	143.2	0	73.8	64.6
211	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
211	md	N	SUM	24299	0	0	0	0	0	0	0
211	md	R	Deer_A_Only	145081	4.8	23.8	4.8	23.8	0	9.5	19
211	md	R	SUM	145081	4.8	23.8	4.8	23.8	0	9.5	19
211	md	SUM	Deer_A_Only	169380	4.8	23.8	4.8	23.8	0	9.5	19
211	md	SUM	SUM	169380	4.8	23.8	4.8	23.8	0	9.5	19
212	md	N	002-10	500	0	0	0	0	0	0	0
212	md	N	212-01	17	0	0	0	0	0	0	0
212	md	N	212-10	19	4.8	0	4.8	0	0	4.8	0
212	md	N	Deer_A_Only	24299	3.1	9.3	3.1	9.3	0	6.2	6.2
212	md	N	SUM	24835	7.9	9.3	7.9	9.3	0	11	6.2
212	md	R	002-10	8803	5.4	5.4	5.4	5.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
212	md	R	212-00	50	0	22.5	0	22.5	0	0	0
212	md	R	212-01	133	0	3.7	0	3.7	0	0	3.7
212	md	R	212-10	186	0	0	0	0	0	0	0
212	md	R	Deer_A_Only	145081	4.8	142.7	4.8	142.7	0	71.4	42.8
212	md	R	SUM	154253	10.1	174.3	10.1	174.3	0	71.4	46.5
212	md	SUM	002-10	9303	5.4	5.4	5.4	5.4	0	0	0
212	md	SUM	212-00	50	0	22.5	0	22.5	0	0	0
212	md	SUM	212-01	150	0	3.7	0	3.7	0	0	3.7
212	md	SUM	212-10	205	4.8	0	4.8	0	0	4.8	0
212	md	SUM	Deer_A_Only	169380	7.9	152	7.9	152	0	77.6	49
212	md	SUM	SUM	179088	18	183.6	18	183.6	0	82.3	52.7
213	md	N	213-00	3	0	0	0	0	0	0	0
213	md	N	312-00	12	0	1.7	0	1.7	0	1.7	0
213	md	N	Deer_A_Only	24299	0	3.1	0	3.1	0	3.1	0
213	md	N	SUM	24314	0	4.8	0	4.8	0	4.8	0
213	md	R	213-00	47	0	3.1	0	3.1	0	0	0
213	md	R	312-00	238	0	0	0	0	0	0	0
213	md	R	Deer_A_Only	145081	0	52.3	0	52.3	0	33.3	14.3
213	md	R	SUM	145366	0	55.5	0	55.5	0	33.3	14.3
213	md	SUM	213-00	50	0	3.1	0	3.1	0	0	0
213	md	SUM	312-00	250	0	1.7	0	1.7	0	1.7	0
213	md	SUM	Deer_A_Only	169380	0	55.4	0	55.4	0	36.4	14.3
213	md	SUM	SUM	169680	0	60.3	0	60.3	0	38.1	14.3
214	md	N	Deer_A_Only	24299	3.1	0	3.1	0	0	0	0
214	md	N	SUM	24299	3.1	0	3.1	0	0	0	0
214	md	R	Deer_A_Only	145081	0	28.5	0	28.5	0	19	9.5
214	md	R	SUM	145081	0	28.5	0	28.5	0	19	9.5
214	md	SUM	Deer_A_Only	169380	3.1	28.5	3.1	28.5	0	19	9.5
214	md	SUM	SUM	169380	3.1	28.5	3.1	28.5	0	19	9.5
215	md	N	343-40/Deer_A	20	0	0	0	0	0	0	0
215	md	N	Deer_A_Only	24299	3.1	18.7	3.1	18.7	0	12.4	9.3
215	md	N	SUM	24319	3.1	18.7	3.1	18.7	0	12.4	9.3
215	md	R	343-40/Deer_A	467	0	3.9	0	3.9	0	3.9	0
215	md	R	Deer_A_Only	145081	0	95.1	0	95.1	0	33.3	61.8
215	md	R	SUM	145548	0	99	0	99	0	37.2	61.8
215	md	SUM	343-40/Deer_A	487	0	3.9	0	3.9	0	3.9	0
215	md	SUM	Deer_A_Only	169380	3.1	113.8	3.1	113.8	0	45.7	71.2
215	md	SUM	SUM	169867	3.1	117.7	3.1	117.7	0	49.6	71.2
216	md	N	216-00	1	0	1	0	1	0	0	1
216	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
216	md	N	SUM	24300	0	7.2	0	7.2	0	0	7.2
216	md	R	216-00	19	0	2.1	0	2.1	0	2.1	0
216	md	R	Deer_A_Only	145081	0	28.5	0	28.5	0	9.5	14.3
216	md	R	SUM	145100	0	30.7	0	30.7	0	11.6	14.3
216	md	SUM	216-00	20	0	3.1	0	3.1	0	2.1	1
216	md	SUM	Deer_A_Only	169380	0	34.8	0	34.8	0	9.5	20.5
216	md	SUM	SUM	169400	0	37.9	0	37.9	0	11.6	21.5
240	md	N	002-10	500	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
240	md	N	240-40/Deer_A	56	0	6.2	0	6.2	0	3.1	3.1
240	md	N	250-40/Deer_A	258	0	3.1	0	3.1	0	0	3.1
240	md	N	260-20	10	0	0	0	0	0	0	0
240	md	N	270-00	2	0	0	0	0	0	0	0
240	md	N	270-01	7	0	0	0	0	0	0	0
240	md	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
240	md	N	SUM	25132	0	12.4	0	12.4	0	3.1	9.3
240	md	R	002-10	8803	5.4	26.8	5.4	26.8	0	10.7	0
240	md	R	004-10	7081	0	4.9	0	4.9	0	4.9	0
240	md	R	240-40/Deer_A	557	5	100.4	5	100.4	0	50.2	40.1
240	md	R	250-40/Deer_A	730	0	0	0	0	0	0	0
240	md	R	260-20	290	0	3.8	0	3.8	0	0	3.8
240	md	R	270-00	98	3	0	3	0	0	0	0
240	md	R	270-01	193	0	3.3	0	3.3	0	0	0
240	md	R	Deer_A_Only	145081	0	14.3	0	14.3	0	9.5	4.8
240	md	R	SUM	162833	13.4	153.4	13.4	153.4	0	75.3	48.7
240	md	SUM	002-10	9303	5.4	26.8	5.4	26.8	0	10.7	0
240	md	SUM	004-10	7081	0	4.9	0	4.9	0	4.9	0
240	md	SUM	240-40/Deer_A	613	5	106.6	5	106.6	0	53.3	43.3
240	md	SUM	250-40/Deer_A	988	0	3.1	0	3.1	0	0	3.1
240	md	SUM	260-20	300	0	3.8	0	3.8	0	0	3.8
240	md	SUM	270-00	100	3	0	3	0	0	0	0
240	md	SUM	270-01	200	0	3.3	0	3.3	0	0	0
240	md	SUM	Deer_A_Only	169380	0	17.4	0	17.4	0	9.5	7.9
240	md	SUM	SUM	187965	13.4	165.8	13.4	165.8	0	78.4	58
250	md	N	002-10	500	0	4.4	0	4.4	0	4.4	0
250	md	N	250-40/Deer_A	258	6.1	52.2	6.1	52.2	0	30.7	27.6
250	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
250	md	N	SUM	25057	6.1	62.8	6.1	62.8	0	38.2	30.8
250	md	R	002-10	8803	0	16.1	0	16.1	0	5.4	10.7
250	md	R	004-10	7081	0	4.9	0	4.9	0	4.9	0
250	md	R	250-40/Deer_A	730	0	83.6	0	83.6	0	61.6	22
250	md	R	Deer_A_Only	145081	0	0	0	0	0	0	0
250	md	R	SUM	161695	0	104.5	0	104.5	0	71.8	32.7
250	md	SUM	002-10	9303	0	20.5	0	20.5	0	9.8	10.7
250	md	SUM	004-10	7081	0	4.9	0	4.9	0	4.9	0
250	md	SUM	250-40/Deer_A	988	6.1	135.8	6.1	135.8	0	92.3	49.6
250	md	SUM	Deer_A_Only	169380	0	6.2	0	6.2	0	3.1	3.1
250	md	SUM	SUM	186752	6.1	167.3	6.1	167.3	0	110	63.5
260	md	N	260-10	103	0	3.7	0	3.7	0	0	0
260	md	N	260-20	10	0	0	0	0	0	0	0
260	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
260	md	N	SUM	24412	0	3.7	0	3.7	0	0	0
260	md	R	260-10	3415	0	24.7	0	24.7	0	0	0
260	md	R	260-20	290	0	3.8	0	3.8	0	0	0
260	md	R	Deer_A_Only	145081	4.8	19	0	19	4.8	0	9.5
260	md	R	SUM	148786	4.8	47.5	0	47.5	4.8	0	9.5
260	md	SUM	260-10	3518	0	28.4	0	28.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
260	md	SUM	260-20	300	0	3.8	0	3.8	0	0	0
260	md	SUM	Deer_A_Only	169380	4.8	19	0	19	4.8	0	9.5
260	md	SUM	SUM	173198	4.8	51.2	0	51.2	4.8	0	9.5
261	md	N	002-10	500	0	0	0	0	0	0	0
261	md	N	240-40/Deer_A	56	0	0	0	0	0	0	0
261	md	N	260-10	103	0	0	0	0	0	0	0
261	md	N	261-01	3	0	0	0	0	0	0	0
261	md	N	261-50/Deer_A	1	0	0	0	0	0	0	0
261	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
261	md	N	SUM	24962	0	0	0	0	0	0	0
261	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
261	md	R	007-13	5509	5.1	0	5.1	0	0	5.1	0
261	md	R	240-40/Deer_A	557	0	5	0	5	0	0	0
261	md	R	260-10	3415	8.2	0	8.2	0	0	8.2	0
261	md	R	261-01	72	0	30	0	30	0	0	0
261	md	R	261-50/Deer_A	24	1.8	16.6	1.8	16.6	0	1.8	16.6
261	md	R	Deer_A_Only	145081	0	23.8	0	23.8	0	0	0
261	md	R	SUM	163461	15.2	80.8	15.2	80.8	0	15.2	16.6
261	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
261	md	SUM	007-13	5509	5.1	0	5.1	0	0	5.1	0
261	md	SUM	240-40/Deer_A	613	0	5	0	5	0	0	0
261	md	SUM	260-10	3518	8.2	0	8.2	0	0	8.2	0
261	md	SUM	261-01	75	0	30	0	30	0	0	0
261	md	SUM	261-50/Deer_A	25	1.8	16.6	1.8	16.6	0	1.8	16.6
261	md	SUM	Deer_A_Only	169380	0	23.8	0	23.8	0	0	0
261	md	SUM	SUM	188423	15.2	80.8	15.2	80.8	0	15.2	16.6
270	md	N	002-10	500	0	0	0	0	0	0	0
270	md	N	170-10	57	0	0	0	0	0	0	0
270	md	N	240-40/Deer_A	56	0	0	0	0	0	0	0
270	md	N	250-40/Deer_A	258	0	9.2	0	9.2	0	6.1	0
270	md	N	260-10	103	3.7	0	3.7	0	0	0	0
270	md	N	260-20	10	0	5	0	5	0	0	5
270	md	N	260-30	3	0	0	0	0	0	0	0
270	md	N	270-00	2	2	0	2	0	0	0	0
270	md	N	270-01	7	0	3.5	0	3.5	0	0	0
270	md	N	270-50/Deer_A	10	2.5	7.5	2.5	7.5	0	0	10
270	md	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	9.3
270	md	N	SUM	25305	8.2	34.6	8.2	34.6	0	6.1	24.3
270	md	R	002-10	8803	0	37.6	0	37.6	0	0	5.4
270	md	R	170-10	2114	5.3	0	5.3	0	0	0	0
270	md	R	240-40/Deer_A	557	5	20.1	5	20.1	0	0	0
270	md	R	250-40/Deer_A	730	4.4	13.2	4.4	13.2	0	0	0
270	md	R	260-10	3415	8.2	41.2	8.2	41.2	0	0	24.7
270	md	R	260-20	290	0	11.3	0	11.3	0	0	11.3
270	md	R	260-30	830	5.8	11.5	5.8	11.5	0	0	17.3
270	md	R	270-00	98	8.9	32.7	8.9	32.7	0	0	3
270	md	R	270-01	193	6.7	63.2	6.7	63.2	0	0	3.3
270	md	R	270-02	50	0	25	0	25	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
270	md	R	270-50/Deer_A	90	6	66	6	63	3	6	63
270	md	R	Deer_A_Only	145081	4.8	76.1	4.8	76.1	0	9.5	0
270	md	R	SUM	162251	55	397.9	55	394.9	3	15.5	128
270	md	SUM	002-10	9303	0	37.6	0	37.6	0	0	5.4
270	md	SUM	170-10	2171	5.3	0	5.3	0	0	0	0
270	md	SUM	240-40/Deer_A	613	5	20.1	5	20.1	0	0	0
270	md	SUM	250-40/Deer_A	988	4.4	22.4	4.4	22.4	0	6.1	0
270	md	SUM	260-10	3518	11.9	41.2	11.9	41.2	0	0	24.7
270	md	SUM	260-20	300	0	16.3	0	16.3	0	0	16.3
270	md	SUM	260-30	833	5.8	11.5	5.8	11.5	0	0	17.3
270	md	SUM	270-00	100	10.9	32.7	10.9	32.7	0	0	3
270	md	SUM	270-01	200	6.7	66.7	6.7	66.7	0	0	3.3
270	md	SUM	270-02	50	0	25	0	25	0	0	0
270	md	SUM	270-50/Deer_A	100	8.5	73.5	8.5	70.5	3	6	73
270	md	SUM	Deer_A_Only	169380	4.8	85.4	4.8	85.4	0	9.5	9.3
270	md	SUM	SUM	187556	63.2	432.5	63.2	429.5	3	21.7	152.3
280	md	N	Deer_A_Only	24299	0	15.6	6.2	9.3	0	3.1	12.4
280	md	N	SUM	24299	0	15.6	6.2	9.3	0	3.1	12.4
280	md	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	4.8
280	md	R	SUM	145081	0	4.8	0	4.8	0	0	4.8
280	md	SUM	Deer_A_Only	169380	0	20.3	6.2	14.1	0	3.1	17.2
280	md	SUM	SUM	169380	0	20.3	6.2	14.1	0	3.1	17.2
281	md	N	002-10	500	0	4.4	0	4.4	0	4.4	0
281	md	N	202-01	1	0	0	0	0	0	0	0
281	md	N	260-10	103	0	0	0	0	0	0	0
281	md	N	270-01	7	0	0	0	0	0	0	0
281	md	N	281-00	6	0	0	0	0	0	0	0
281	md	N	281-01	6	0	2.4	0	2.4	0	1.2	0
281	md	N	281-40/Deer_A	47	4.3	4.3	4.3	4.3	0	4.3	4.3
281	md	N	Deer_A_Only	24299	0	9.3	3.1	6.2	0	0	9.3
281	md	N	SUM	24969	4.3	20.4	7.4	17.3	0	9.9	13.6
281	md	R	002-10	8803	0	32.2	0	32.2	0	5.4	16.1
281	md	R	202-01	99	0	3.4	0	3.4	0	0	0
281	md	R	260-10	3415	0	8.2	0	8.2	0	8.2	0
281	md	R	270-01	193	0	3.3	0	3.3	0	0	0
281	md	R	281-00	94	0	4.4	0	4.4	0	0	4.4
281	md	R	281-01	94	0	22.7	0	22.7	0	0	3.2
281	md	R	281-40/Deer_A	440	0	74.9	0	74.9	0	28.1	42.1
281	md	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	4.8
281	md	R	SUM	158219	0	163.4	0	163.4	0	41.7	70.6
281	md	SUM	002-10	9303	0	36.6	0	36.6	0	9.8	16.1
281	md	SUM	202-01	100	0	3.4	0	3.4	0	0	0
281	md	SUM	260-10	3518	0	8.2	0	8.2	0	8.2	0
281	md	SUM	270-01	200	0	3.3	0	3.3	0	0	0
281	md	SUM	281-00	100	0	4.4	0	4.4	0	0	4.4
281	md	SUM	281-01	100	0	25.1	0	25.1	0	1.2	3.2
281	md	SUM	281-40/Deer_A	487	4.3	79.2	4.3	79.2	0	32.4	46.4
281	md	SUM	Deer_A_Only	169380	0	23.6	3.1	20.5	0	0	14.1



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
281	md	SUM	SUM	183188	4.3	183.8	7.4	180.7	0	51.6	84.2
282	md	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
282	md	N	SUM	24299	0	3.1	0	3.1	0	0	3.1
282	md	R	282-00	50	0	0	0	0	0	0	0
282	md	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	4.8
282	md	R	SUM	145131	0	4.8	0	4.8	0	0	4.8
282	md	SUM	282-00	50	0	0	0	0	0	0	0
282	md	SUM	Deer_A_Only	169380	0	7.9	0	7.9	0	0	7.9
282	md	SUM	SUM	169430	0	7.9	0	7.9	0	0	7.9
283	md	N	002-10	500	0	0	0	0	0	0	0
283	md	N	Deer_A_Only	24299	0	12.4	0	12.4	0	6.2	6.2
283	md	N	SUM	24799	0	12.4	0	12.4	0	6.2	6.2
283	md	R	002-10	8803	0	10.7	0	10.7	0	0	0
283	md	R	283-00	98	0	4.1	0	4.1	0	4.1	0
283	md	R	283-01	100	0	17.1	0	17.1	0	0	0
283	md	R	Deer_A_Only	145081	4.8	80.9	0	85.6	0	28.5	33.3
283	md	R	SUM	154082	4.8	112.8	0	117.6	0	32.6	33.3
283	md	SUM	002-10	9303	0	10.7	0	10.7	0	0	0
283	md	SUM	283-00	98	0	4.1	0	4.1	0	4.1	0
283	md	SUM	283-01	100	0	17.1	0	17.1	0	0	0
283	md	SUM	Deer_A_Only	169380	4.8	93.3	0	98.1	0	34.8	39.5
283	md	SUM	SUM	178881	4.8	125.3	0	130	0	38.8	39.5
284	md	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
284	md	N	SUM	24299	0	3.1	0	3.1	0	0	3.1
284	md	R	Deer_A_Only	145081	0	0	0	0	0	0	0
284	md	R	SUM	145081	0	0	0	0	0	0	0
284	md	SUM	Deer_A_Only	169380	0	3.1	0	3.1	0	0	3.1
284	md	SUM	SUM	169380	0	3.1	0	3.1	0	0	3.1
285	md	N	002-10	500	0	0	0	0	0	0	0
285	md	N	170-10	57	0	0	0	0	0	0	0
285	md	N	285-02	1	0	1	0	1	0	0	0
285	md	N	410-00	112	0	0	0	0	0	0	0
285	md	N	Deer_A_Only	24299	0	24.9	0	24.9	0	6.2	15.6
285	md	N	SUM	24969	0	25.9	0	25.9	0	6.2	15.6
285	md	R	002-10	8803	0	21.5	5.4	16.1	0	0	10.7
285	md	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
285	md	R	285-02	49	2.5	17.1	2.5	17.1	0	0	0
285	md	R	410-00	488	0	4.9	0	4.9	0	4.9	0
285	md	R	Deer_A_Only	145081	0	71.4	4.8	66.6	0	19	23.8
285	md	R	SUM	156535	2.5	120.2	12.6	110.1	0	24	39.8
285	md	SUM	002-10	9303	0	21.5	5.4	16.1	0	0	10.7
285	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
285	md	SUM	285-02	50	2.5	18.1	2.5	18.1	0	0	0
285	md	SUM	410-00	600	0	4.9	0	4.9	0	4.9	0
285	md	SUM	Deer_A_Only	169380	0	96.2	4.8	91.5	0	25.3	39.3
285	md	SUM	SUM	181504	2.5	146.1	12.6	136	0	30.2	55.4
290	md	N	290-20	4	0	0	0	0	0	0	0
290	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	6.2	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
290	md	N	SUM	24303	0	6.2	0	6.2	0	6.2	0
290	md	R	290-20	46	0	0	0	0	0	0	0
290	md	R	Deer_A_Only	145081	0	0	0	0	0	0	0
290	md	R	SUM	145127	0	0	0	0	0	0	0
290	md	SUM	290-20	50	0	0	0	0	0	0	0
290	md	SUM	Deer_A_Only	169380	0	6.2	0	6.2	0	6.2	0
290	md	SUM	SUM	169430	0	6.2	0	6.2	0	6.2	0
291	md	N	002-10	500	0	0	0	0	0	0	0
291	md	N	003-10	845	0	0	0	0	0	0	0
291	md	N	290-20	4	0	0	0	0	0	0	0
291	md	N	291-00	2	0	0	0	0	0	0	0
291	md	N	291-50/Deer_A	8	0	4	0	4	0	0	4
291	md	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
291	md	N	SUM	25658	0	7.1	0	7.1	0	0	7.1
291	md	R	002-10	8803	0	10.7	0	10.7	0	0	5.4
291	md	R	003-10	7121	0	5	0	5	0	0	0
291	md	R	290-20	46	0	2.4	0	2.4	0	0	2.4
291	md	R	291-00	98	0	40.4	0	40.4	0	0	2.9
291	md	R	291-50/Deer_A	92	0	40.6	0	40.6	0	10.8	29.8
291	md	R	291-51/Deer_A	25	0	13.9	0	13.9	0	0	13.9
291	md	R	Deer_A_Only	145081	0	33.3	0	33.3	0	0	0
291	md	R	SUM	161266	0	146.3	0	146.3	0	10.8	54.3
291	md	SUM	002-10	9303	0	10.7	0	10.7	0	0	5.4
291	md	SUM	003-10	7966	0	5	0	5	0	0	0
291	md	SUM	290-20	50	0	2.4	0	2.4	0	0	2.4
291	md	SUM	291-00	100	0	40.4	0	40.4	0	0	2.9
291	md	SUM	291-50/Deer_A	100	0	44.6	0	44.6	0	10.8	33.8
291	md	SUM	291-51/Deer_A	25	0	13.9	0	13.9	0	0	13.9
291	md	SUM	Deer_A_Only	169380	0	36.4	0	36.4	0	0	3.1
291	md	SUM	SUM	186924	0	153.4	0	153.4	0	10.8	61.4
292	md	N	002-10	500	0	0	0	0	0	0	0
292	md	N	201-00	10	0	0	0	0	0	0	0
292	md	N	210-00	10	0	0	0	0	0	0	0
292	md	N	260-10	103	0	0	0	0	0	0	0
292	md	N	260-20	10	0	0	0	0	0	0	0
292	md	N	281-01	6	0	0	0	0	0	0	0
292	md	N	285-02	1	0	0	0	0	0	0	0
292	md	N	292-40/Deer_A	56	0	19.2	0	19.2	0	3.5	15.8
292	md	N	392-40/Deer_A	79	0	0	0	0	0	0	0
292	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
292	md	N	SUM	25074	0	19.2	0	19.2	0	3.5	15.8
292	md	R	002-10	8803	10.7	75.1	10.7	75.1	0	48.3	32.2
292	md	R	201-00	340	0	7.8	0	7.8	0	0	7.8
292	md	R	210-00	190	0	5.8	0	5.8	0	2.9	2.9
292	md	R	260-10	3415	8.2	33	8.2	33	0	24.7	16.5
292	md	R	260-20	290	0	3.8	0	3.8	0	0	3.8
292	md	R	281-01	94	0	3.2	0	3.2	0	0	3.2
292	md	R	283-01	100	0	5.7	0	5.7	0	5.7	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
292	md	R	285-02	49	0	2.5	0	2.5	0	0	2.5
292	md	R	292-00	49	0	5.8	0	5.8	0	5.8	0
292	md	R	292-40/Deer_A	930	9.7	285.8	9.7	285.8	0	145.3	145.3
292	md	R	392-40/Deer_A	719	0	4.1	0	4.1	0	4.1	0
292	md	R	Deer_A_Only	145081	0	19	0	19	0	4.8	9.5
292	md	R	SUM	160060	28.7	451.7	28.7	451.7	0	241.6	223.7
292	md	SUM	002-10	9303	10.7	75.1	10.7	75.1	0	48.3	32.2
292	md	SUM	201-00	350	0	7.8	0	7.8	0	0	7.8
292	md	SUM	210-00	200	0	5.8	0	5.8	0	2.9	2.9
292	md	SUM	260-10	3518	8.2	33	8.2	33	0	24.7	16.5
292	md	SUM	260-20	300	0	3.8	0	3.8	0	0	3.8
292	md	SUM	281-01	100	0	3.2	0	3.2	0	0	3.2
292	md	SUM	283-01	100	0	5.7	0	5.7	0	5.7	0
292	md	SUM	285-02	50	0	2.5	0	2.5	0	0	2.5
292	md	SUM	292-00	49	0	5.8	0	5.8	0	5.8	0
292	md	SUM	292-40/Deer_A	986	9.7	305	9.7	305	0	148.8	161.1
292	md	SUM	392-40/Deer_A	798	0	4.1	0	4.1	0	4.1	0
292	md	SUM	Deer_A_Only	169380	0	19	0	19	0	4.8	9.5
292	md	SUM	SUM	185134	28.7	470.9	28.7	470.9	0	245.1	239.5
293	md	N	100-00	41	0	0	0	0	0	0	0
293	md	N	291-50/Deer_A	8	0	0	0	0	0	0	0
293	md	N	Deer_A_Only	24299	0	34.2	0	34.2	0	18.7	15.6
293	md	N	SUM	24348	0	34.2	0	34.2	0	18.7	15.6
293	md	R	100-00	559	0	4.4	0	4.4	0	0	4.4
293	md	R	291-50/Deer_A	92	0	2.7	0	2.7	0	0	2.7
293	md	R	Deer_A_Only	145081	0	104.6	0	99.9	4.8	42.8	57.1
293	md	R	SUM	145732	0	111.8	0	107	4.8	42.8	64.2
293	md	SUM	100-00	600	0	4.4	0	4.4	0	0	4.4
293	md	SUM	291-50/Deer_A	100	0	2.7	0	2.7	0	0	2.7
293	md	SUM	Deer_A_Only	169380	0	138.9	0	134.1	4.8	61.5	72.6
293	md	SUM	SUM	170080	0	146	0	141.2	4.8	61.5	79.7
300	md	N	103-00	21	0	0	0	0	0	0	0
300	md	N	300-00	17	0	5.1	0	5.1	0	0	0
300	md	N	300-50/Deer_A	4	0	4	0	4	0	0	4
300	md	N	326-00	89	0	2.3	0	2.3	0	0	0
300	md	N	330-00	54	0	2.1	0	2.1	0	0	0
300	md	N	Deer_A_Only	24299	3.1	15.6	3.1	15.6	0	6.2	3.1
300	md	N	SUM	24484	3.1	29	3.1	29	0	6.2	7.1
300	md	R	103-00	479	0	4.2	0	4.2	0	0	4.2
300	md	R	124-00	197	0	4.2	0	4.2	0	0	0
300	md	R	300-00	134	0	13	0	13	0	0	0
300	md	R	300-50/Deer_A	36	0	22.2	0	22.2	0	2.8	19.4
300	md	R	326-00	597	0	0	0	0	0	0	0
300	md	R	330-00	197	0	0	0	0	0	0	0
300	md	R	Deer_A_Only	145081	0	19	0	19	0	0	9.5
300	md	R	SUM	146721	0	62.5	0	62.5	0	2.8	33.1
300	md	SUM	103-00	500	0	4.2	0	4.2	0	0	4.2
300	md	SUM	124-00	197	0	4.2	0	4.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
300	md	SUM	300-00	151	0	18.1	0	18.1	0	0	0
300	md	SUM	300-50/Deer_A	40	0	26.2	0	26.2	0	2.8	23.4
300	md	SUM	326-00	686	0	2.3	0	2.3	0	0	0
300	md	SUM	330-00	251	0	2.1	0	2.1	0	0	0
300	md	SUM	Deer_A_Only	169380	3.1	34.6	3.1	34.6	0	6.2	12.6
300	md	SUM	SUM	171205	3.1	91.6	3.1	91.6	0	9	40.2
301	md	N	003-10	845	0	0	0	0	0	0	0
301	md	N	301-00	2	0	0	0	0	0	0	0
301	md	N	333-03	22	0	0	0	0	0	0	0
301	md	N	Deer_A_Only	24299	0	9.3	0	9.3	0	3.1	6.2
301	md	N	SUM	25168	0	9.3	0	9.3	0	3.1	6.2
301	md	R	003-10	7121	0	10	0	10	0	0	0
301	md	R	301-00	23	0	12.5	0	12.5	0	0	2.1
301	md	R	333-03	267	0	4.9	0	4.9	0	4.9	0
301	md	R	Deer_A_Only	145081	0	80.9	0	80.9	0	28.5	38.1
301	md	R	SUM	152492	0	108.4	0	108.4	0	33.5	40.1
301	md	SUM	003-10	7966	0	10	0	10	0	0	0
301	md	SUM	301-00	25	0	12.5	0	12.5	0	0	2.1
301	md	SUM	333-03	289	0	4.9	0	4.9	0	4.9	0
301	md	SUM	Deer_A_Only	169380	0	90.2	0	90.2	0	31.7	44.3
301	md	SUM	SUM	177660	0	117.7	0	117.7	0	36.6	46.4
302	md	N	170-10	57	0	0	0	0	0	0	0
302	md	N	300-00	17	0	0	0	0	0	0	0
302	md	N	302-00	20	2.9	8.6	0	11.4	0	0	0
302	md	N	Deer_A_Only	24299	3.1	43.6	0	46.7	0	28	15.6
302	md	N	SUM	24393	6	52.1	0	58.1	0	28	15.6
302	md	R	170-10	2114	0	5.3	0	5.3	0	0	0
302	md	R	300-00	134	0	13	0	13	0	0	0
302	md	R	302-00	130	0	31.6	0	31.6	0	0	0
302	md	R	Deer_A_Only	145081	0	76.1	0	76.1	0	42.8	9.5
302	md	R	SUM	147459	0	126	0	126	0	42.8	9.5
302	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
302	md	SUM	300-00	151	0	13	0	13	0	0	0
302	md	SUM	302-00	150	2.9	40.2	0	43.1	0	0	0
302	md	SUM	Deer_A_Only	169380	3.1	119.7	0	122.8	0	70.8	25.1
302	md	SUM	SUM	171852	6	178.1	0	184.1	0	70.8	25.1
309	md	N	309-10	8	0	0	0	0	0	0	0
309	md	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
309	md	N	SUM	24307	0	3.1	0	3.1	0	0	3.1
309	md	R	309-00	25	0	2.5	0	2.5	0	0	0
309	md	R	309-10	505	0	13.2	4.4	8.8	0	0	0
309	md	R	Deer_A_Only	145081	0	28.5	0	28.5	0	9.5	9.5
309	md	R	SUM	145611	0	44.2	4.4	39.8	0	9.5	9.5
309	md	SUM	309-00	25	0	2.5	0	2.5	0	0	0
309	md	SUM	309-10	513	0	13.2	4.4	8.8	0	0	0
309	md	SUM	Deer_A_Only	169380	0	31.7	0	31.7	0	9.5	12.6
309	md	SUM	SUM	169918	0	47.3	4.4	42.9	0	9.5	12.6
310	md	N	310-00	3	0	3	0	3	0	0	3

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
310	md	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	9.3
310	md	N	SUM	24302	0	12.3	0	12.3	0	0	12.3
310	md	R	310-00	22	0	0	0	0	0	0	0
310	md	R	Deer_A_Only	145081	0	14.3	0	14.3	0	4.8	9.5
310	md	R	SUM	145103	0	14.3	0	14.3	0	4.8	9.5
310	md	SUM	310-00	25	0	3	0	3	0	0	3
310	md	SUM	Deer_A_Only	169380	0	23.6	0	23.6	0	4.8	18.8
310	md	SUM	SUM	169405	0	26.6	0	26.6	0	4.8	21.8
311	md	N	003-10	845	0	0	0	0	0	0	0
311	md	N	309-10	8	0	0	0	0	0	0	0
311	md	N	311-02	13	0	0	0	0	0	0	0
311	md	N	333-01	23	0	0	0	0	0	0	0
311	md	N	Deer_A_Only	24299	6.2	24.9	6.2	24.9	0	6.2	21.8
311	md	N	SUM	25188	6.2	24.9	6.2	24.9	0	6.2	21.8
311	md	R	003-10	7121	5	20.1	5	20.1	0	5	0
311	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
311	md	R	309-10	505	0	4.4	0	4.4	0	0	0
311	md	R	311-00	50	2.6	15.8	2.6	15.8	0	0	0
311	md	R	311-02	290	9.8	68.8	9.8	68.8	0	4.9	0
311	md	R	333-01	278	0	3.7	0	3.7	0	0	0
311	md	R	Deer_A_Only	145081	23.8	218.8	23.8	218.8	0	76.1	99.9
311	md	R	SUM	158834	41.3	336.6	41.3	336.6	0	86	99.9
311	md	SUM	003-10	7966	5	20.1	5	20.1	0	5	0
311	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
311	md	SUM	309-10	513	0	4.4	0	4.4	0	0	0
311	md	SUM	311-00	50	2.6	15.8	2.6	15.8	0	0	0
311	md	SUM	311-02	303	9.8	68.8	9.8	68.8	0	4.9	0
311	md	SUM	333-01	301	0	3.7	0	3.7	0	0	0
311	md	SUM	Deer_A_Only	169380	30	243.7	30	243.7	0	82.3	121.7
311	md	SUM	SUM	184022	47.5	361.5	47.5	361.5	0	92.3	121.7
312	md	N	003-10	845	0	0	0	0	0	0	0
312	md	N	301-00	2	0	0	0	0	0	0	0
312	md	N	311-02	13	0	0	0	0	0	0	0
312	md	N	312-00	12	0	3.4	0	3.4	0	0	0
312	md	N	312-10	25	0	0	0	0	0	0	0
312	md	N	312-50/Deer_A	4	0	2	0	2	0	0	2
312	md	N	Deer_A_Only	24299	0	31.1	0	31.1	0	6.2	21.8
312	md	N	SUM	25200	0	36.5	0	36.5	0	6.2	23.8
312	md	R	003-10	7121	0	25.1	0	25.1	0	0	5
312	md	R	301-00	23	0	2.1	0	2.1	0	0	2.1
312	md	R	311-02	290	0	4.9	0	4.9	0	4.9	0
312	md	R	312-00	238	3.4	43.6	3.4	43.6	0	0	0
312	md	R	312-10	1124	0	38.8	0	38.8	0	0	0
312	md	R	312-50/Deer_A	121	0	42.9	0	42.9	0	10.1	32.8
312	md	R	Deer_A_Only	145081	9.5	147.5	9.5	147.5	0	61.8	28.5
312	md	R	SUM	153998	12.9	304.7	12.9	304.7	0	76.8	68.4
312	md	SUM	003-10	7966	0	25.1	0	25.1	0	0	5
312	md	SUM	301-00	25	0	2.1	0	2.1	0	0	2.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
312	md	SUM	311-02	303	0	4.9	0	4.9	0	4.9	0
312	md	SUM	312-00	250	3.4	47	3.4	47	0	0	0
312	md	SUM	312-10	1149	0	38.8	0	38.8	0	0	0
312	md	SUM	312-50/Deer_A	125	0	44.9	0	44.9	0	10.1	34.8
312	md	SUM	Deer_A_Only	169380	9.5	178.6	9.5	178.6	0	68.1	50.3
312	md	SUM	SUM	179198	12.9	341.3	12.9	341.3	0	83.1	92.2
313	md	N	003-10	845	0	0	0	0	0	0	0
313	md	N	170-10	57	0	0	0	0	0	0	0
313	md	N	313-00	9	0	6	0	6	0	0	0
313	md	N	313-01	3	0	0	0	0	0	0	0
313	md	N	313-02	2	0	0	0	0	0	0	0
313	md	N	Deer_A_Only	24299	0	115.1	0	115.1	0	31.1	80.9
313	md	N	SUM	25215	0	121.1	0	121.1	0	31.1	80.9
313	md	R	003-10	7121	0	20.1	0	20.1	0	0	0
313	md	R	004-10	7081	4.9	0	0	4.9	0	0	0
313	md	R	170-10	2114	0	5.3	0	5.3	0	0	0
313	md	R	313-00	98	0	30.6	0	30.6	0	3.1	0
313	md	R	313-01	47	0	23.5	0	23.5	0	0	0
313	md	R	313-02	23	0	9.6	0	9.6	0	0	0
313	md	R	Deer_A_Only	145081	4.8	99.9	0	104.6	0	23.8	23.8
313	md	R	SUM	161565	9.6	189	0	198.6	0	26.8	23.8
313	md	SUM	003-10	7966	0	20.1	0	20.1	0	0	0
313	md	SUM	004-10	7081	4.9	0	0	4.9	0	0	0
313	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
313	md	SUM	313-00	107	0	36.6	0	36.6	0	3.1	0
313	md	SUM	313-01	50	0	23.5	0	23.5	0	0	0
313	md	SUM	313-02	25	0	9.6	0	9.6	0	0	0
313	md	SUM	Deer_A_Only	169380	4.8	215	0	219.8	0	54.9	104.7
313	md	SUM	SUM	186780	9.6	310.1	0	319.7	0	58	104.7
314	md	N	003-10	845	0	4.1	0	4.1	0	0	4.1
314	md	N	313-00	9	0	0	0	0	0	0	0
314	md	N	314-00	18	0	12.6	0	12.6	0	0	0
314	md	N	333-03	22	0	2.2	0	2.2	0	0	2.2
314	md	N	411-00	173	0	2.9	0	2.9	0	0	0
314	md	N	418-00	33	0	1.8	0	1.8	0	0	0
314	md	N	Deer_A_Only	24299	3.1	65.4	3.1	65.4	0	12.4	52.9
314	md	N	SUM	25399	3.1	89	3.1	89	0	12.4	59.2
314	md	R	003-10	7121	5	10	5	10	0	5	0
314	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
314	md	R	313-00	98	0	9.2	0	9.2	0	0	0
314	md	R	314-00	207	0	74.7	0	74.7	0	0	0
314	md	R	333-03	267	0	0	0	0	0	0	0
314	md	R	411-00	633	0	0	0	0	0	0	0
314	md	R	418-00	67	0	0	0	0	0	0	0
314	md	R	Deer_A_Only	145081	0	204.5	0	199.8	4.8	47.6	80.9
314	md	R	SUM	158983	5	303.5	5	298.7	4.8	52.6	80.9
314	md	SUM	003-10	7966	5	14.2	5	14.2	0	5	4.1
314	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
314	md	SUM	313-00	107	0	9.2	0	9.2	0	0	0
314	md	SUM	314-00	225	0	87.3	0	87.3	0	0	0
314	md	SUM	333-03	289	0	2.2	0	2.2	0	0	2.2
314	md	SUM	411-00	806	0	2.9	0	2.9	0	0	0
314	md	SUM	418-00	100	0	1.8	0	1.8	0	0	0
314	md	SUM	Deer_A_Only	169380	3.1	269.9	3.1	265.1	4.8	60	133.8
314	md	SUM	SUM	184382	8.1	392.5	8.1	387.7	4.8	65	140.1
315	md	N	002-10	500	0	0	0	0	0	0	0
315	md	N	003-10	845	0	0	0	0	0	0	0
315	md	N	007-10	1330	0	0	0	0	0	0	0
315	md	N	202-50/Deer_A	17	0	0	0	0	0	0	0
315	md	N	309-10	8	0	0	0	0	0	0	0
315	md	N	311-02	13	0	0	0	0	0	0	0
315	md	N	315-00	15	0	11.2	0	11.2	0	0	0
315	md	N	315-01	57	0	2.7	0	2.7	0	0	0
315	md	N	393-00	11	0	1.6	0	1.6	0	0	0
315	md	N	530-50/Deer_A	89	0	0	0	0	0	0	0
315	md	N	560-00	49	0	0	0	0	0	0	0
315	md	N	Deer_A_Only	24299	6.2	90.2	6.2	90.2	0	18.7	65.4
315	md	N	SUM	27233	6.2	105.8	6.2	105.8	0	18.7	65.4
315	md	R	002-10	8803	5.4	0	5.4	0	0	0	0
315	md	R	003-10	7121	5	45.2	5	45.2	0	10	0
315	md	R	007-10	3512	0	5.3	0	5.3	0	0	0
315	md	R	007-11	1520	0	5.2	0	5.2	0	0	0
315	md	R	007-14	2003	0	4.8	0	4.8	0	0	0
315	md	R	202-50/Deer_A	183	0	3.5	0	3.5	0	3.5	0
315	md	R	309-10	505	0	4.4	0	4.4	0	0	0
315	md	R	311-02	290	4.9	0	4.9	0	0	0	0
315	md	R	315-00	135	9.4	62.8	9.4	62.8	0	0	0
315	md	R	315-01	198	0	9.3	0	9.3	0	9.3	0
315	md	R	393-00	190	0	0	0	0	0	0	0
315	md	R	530-50/Deer_A	614	0	4.2	0	4.2	0	0	0
315	md	R	560-00	301	0	4.6	0	4.6	0	0	0
315	md	R	Deer_A_Only	145081	23.8	299.7	14.3	309.2	0	114.2	90.4
315	md	R	SUM	170456	48.5	448.9	39	458.4	0	136.9	90.4
315	md	SUM	002-10	9303	5.4	0	5.4	0	0	0	0
315	md	SUM	003-10	7966	5	45.2	5	45.2	0	10	0
315	md	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
315	md	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
315	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
315	md	SUM	202-50/Deer_A	200	0	3.5	0	3.5	0	3.5	0
315	md	SUM	309-10	513	0	4.4	0	4.4	0	0	0
315	md	SUM	311-02	303	4.9	0	4.9	0	0	0	0
315	md	SUM	315-00	150	9.4	74	9.4	74	0	0	0
315	md	SUM	315-01	255	0	12	0	12	0	9.3	0
315	md	SUM	393-00	201	0	1.6	0	1.6	0	0	0
315	md	SUM	530-50/Deer_A	703	0	4.2	0	4.2	0	0	0
315	md	SUM	560-00	350	0	4.6	0	4.6	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
315	md	SUM	Deer_A_Only	169380	30	389.9	20.5	399.4	0	132.8	155.7
315	md	SUM	SUM	197689	54.7	554.6	45.2	564.2	0	155.6	155.7
316	md	N	Deer_A_Only	24299	0	15.6	6.2	9.3	0	6.2	9.3
316	md	N	SUM	24299	0	15.6	6.2	9.3	0	6.2	9.3
316	md	R	Deer_A_Only	145081	0	14.3	9.5	4.8	0	4.8	9.5
316	md	R	SUM	145081	0	14.3	9.5	4.8	0	4.8	9.5
316	md	SUM	Deer_A_Only	169380	0	29.8	15.7	14.1	0	11	18.8
316	md	SUM	SUM	169380	0	29.8	15.7	14.1	0	11	18.8
317	md	N	003-10	845	0	0	0	0	0	0	0
317	md	N	317-00	5	0	0	0	0	0	0	0
317	md	N	Deer_A_Only	24299	0	28	0	28	0	9.3	18.7
317	md	N	SUM	25149	0	28	0	28	0	9.3	18.7
317	md	R	003-10	7121	0	15.1	0	15.1	0	5	0
317	md	R	007-11	1520	0	5.2	0	5.2	0	0	0
317	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
317	md	R	317-00	70	0	26.6	0	26.6	0	2.4	0
317	md	R	Deer_A_Only	145081	4.8	137.9	4.8	137.9	0	38.1	66.6
317	md	R	SUM	159301	4.8	189.8	4.8	189.8	0	45.5	66.6
317	md	SUM	003-10	7966	0	15.1	0	15.1	0	5	0
317	md	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
317	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
317	md	SUM	317-00	75	0	26.6	0	26.6	0	2.4	0
317	md	SUM	Deer_A_Only	169380	4.8	166	4.8	166	0	47.4	85.3
317	md	SUM	SUM	184450	4.8	217.8	4.8	217.8	0	54.8	85.3
318	md	N	003-10	845	0	0	0	0	0	0	0
318	md	N	318-40/Deer_A	8	0	5.3	0	5.3	0	2.7	2.7
318	md	N	Deer_A_Only	24299	3.1	3.1	3.1	3.1	0	0	0
318	md	N	SUM	25152	3.1	8.4	3.1	8.4	0	2.7	2.7
318	md	R	003-10	7121	0	5	0	5	0	5	0
318	md	R	318-00	25	0	5.6	0	5.6	0	0	2.8
318	md	R	318-40/Deer_A	204	0	77.7	0	77.7	0	55	22.7
318	md	R	Deer_A_Only	145081	0	9.5	0	9.5	0	9.5	0
318	md	R	SUM	152431	0	97.8	0	97.8	0	69.6	25.4
318	md	SUM	003-10	7966	0	5	0	5	0	5	0
318	md	SUM	318-00	25	0	5.6	0	5.6	0	0	2.8
318	md	SUM	318-40/Deer_A	212	0	83	0	83	0	57.7	25.3
318	md	SUM	Deer_A_Only	169380	3.1	12.6	3.1	12.6	0	9.5	0
318	md	SUM	SUM	177583	3.1	106.2	3.1	106.2	0	72.2	28.1
319	md	N	002-10	500	0	0	0	0	0	0	0
319	md	N	003-10	845	0	0	0	0	0	0	0
319	md	N	319-00	11	0	1.8	0	1.8	0	1.8	0
319	md	N	319-40/Deer_A	71	2.4	7.3	2.4	7.3	0	9.8	0
319	md	N	331-01	21	0	0	0	0	0	0	0
319	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
319	md	N	SUM	25747	2.4	9.2	2.4	9.2	0	11.6	0
319	md	R	002-10	8803	0	5.4	0	5.4	0	5.4	0
319	md	R	003-10	7121	0	5	0	5	0	0	5
319	md	R	319-00	139	0	58.1	2.5	55.6	0	20.2	7.6



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
319	md	R	319-40/Deer_A	219	0	54.8	2.7	52	0	24.6	13.7
319	md	R	331-01	229	0	2.9	0	2.9	0	2.9	0
319	md	R	Deer_A_Only	145081	0	38.1	0	38.1	0	23.8	4.8
319	md	R	SUM	161592	0	164.3	5.3	159	0	76.9	31
319	md	SUM	002-10	9303	0	5.4	0	5.4	0	5.4	0
319	md	SUM	003-10	7966	0	5	0	5	0	0	5
319	md	SUM	319-00	150	0	60	2.5	57.4	0	22.1	7.6
319	md	SUM	319-40/Deer_A	290	2.4	62.1	5.2	59.4	0	34.4	13.7
319	md	SUM	331-01	250	0	2.9	0	2.9	0	2.9	0
319	md	SUM	Deer_A_Only	169380	0	38.1	0	38.1	0	23.8	4.8
319	md	SUM	SUM	187339	2.4	173.4	7.7	168.2	0	88.6	31
320	md	N	003-10	845	0	0	0	0	0	0	0
320	md	N	320-01	43	0	14.3	0	14.3	0	0	0
320	md	N	320-10	23	0	0	0	0	0	0	0
320	md	N	322-00	53	0	2.3	0	2.3	0	0	0
320	md	N	322-10	98	0	2.7	0	2.7	0	0	0
320	md	N	Deer_A_Only	24299	0	34.2	3.1	31.1	0	18.7	15.6
320	md	N	SUM	25361	0	53.6	3.1	50.5	0	18.7	15.6
320	md	R	003-10	7121	0	5	0	5	0	0	0
320	md	R	320-01	258	7.9	67.5	4	71.4	0	0	0
320	md	R	320-10	722	7.7	23	7.7	23	0	0	0
320	md	R	322-00	251	0	0	0	0	0	0	0
320	md	R	322-10	1130	0	0	0	0	0	0	0
320	md	R	Deer_A_Only	145081	9.5	90.4	0	99.9	0	23.8	42.8
320	md	R	SUM	154563	25.1	185.9	11.7	199.4	0	23.8	42.8
320	md	SUM	003-10	7966	0	5	0	5	0	0	0
320	md	SUM	320-01	301	7.9	81.8	4	85.8	0	0	0
320	md	SUM	320-10	745	7.7	23	7.7	23	0	0	0
320	md	SUM	322-00	304	0	2.3	0	2.3	0	0	0
320	md	SUM	322-10	1228	0	2.7	0	2.7	0	0	0
320	md	SUM	Deer_A_Only	169380	9.5	124.6	3.1	131	0	42.5	58.4
320	md	SUM	SUM	179924	25.1	239.5	14.8	249.9	0	42.5	58.4
321	md	N	300-00	17	0	1.7	0	1.7	0	0	0
321	md	N	321-00	2	0	0	0	0	0	0	0
321	md	N	Deer_A_Only	24299	3.1	6.2	3.1	6.2	0	3.1	3.1
321	md	N	SUM	24318	3.1	7.9	3.1	7.9	0	3.1	3.1
321	md	R	300-00	134	0	0	0	0	0	0	0
321	md	R	321-00	23	2.3	0	2.3	0	0	0	0
321	md	R	Deer_A_Only	145081	4.8	19	4.8	19	0	19	0
321	md	R	SUM	145238	7.1	19	7.1	19	0	19	0
321	md	SUM	300-00	151	0	1.7	0	1.7	0	0	0
321	md	SUM	321-00	25	2.3	0	2.3	0	0	0	0
321	md	SUM	Deer_A_Only	169380	7.9	25.3	7.9	25.3	0	22.1	3.1
321	md	SUM	SUM	169556	10.2	27	10.2	27	0	22.1	3.1
322	md	N	003-10	845	0	4.1	0	4.1	0	0	0
322	md	N	320-10	23	0	0	0	0	0	0	0
322	md	N	322-00	53	0	18.4	0	18.4	0	0	0
322	md	N	322-10	98	0	2.7	0	2.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
322	md	N	326-01	16	0	0	0	0	0	0	0
322	md	N	Deer_A_Only	24299	6.2	52.9	6.2	52.9	0	18.7	34.2
322	md	N	SUM	25334	6.2	78.2	6.2	78.2	0	18.7	34.2
322	md	R	003-10	7121	0	10	0	10	0	0	0
322	md	R	320-10	722	0	7.7	0	7.7	0	0	0
322	md	R	322-00	251	0	77.2	0	77.2	0	0	0
322	md	R	322-10	1130	0	11	0	11	0	0	11
322	md	R	326-01	101	0	3.6	0	3.6	0	0	3.6
322	md	R	Deer_A_Only	145081	0	133.2	0	133.2	0	38.1	47.6
322	md	R	SUM	154406	0	242.7	0	242.7	0	38.1	62.1
322	md	SUM	003-10	7966	0	14.2	0	14.2	0	0	0
322	md	SUM	320-10	745	0	7.7	0	7.7	0	0	0
322	md	SUM	322-00	304	0	95.7	0	95.7	0	0	0
322	md	SUM	322-10	1228	0	13.7	0	13.7	0	0	11
322	md	SUM	326-01	117	0	3.6	0	3.6	0	0	3.6
322	md	SUM	Deer_A_Only	169380	6.2	186.1	6.2	186.1	0	56.7	81.8
322	md	SUM	SUM	179740	6.2	320.9	6.2	320.9	0	56.7	96.4
323	md	N	314-00	18	0	0	0	0	0	0	0
323	md	N	323-00	12	0	0	0	0	0	0	0
323	md	N	Deer_A_Only	24299	3.1	12.4	3.1	12.4	0	3.1	12.4
323	md	N	SUM	24329	3.1	12.4	3.1	12.4	0	3.1	12.4
323	md	R	314-00	207	0	3.4	0	3.4	0	0	0
323	md	R	323-00	38	0	7.1	0	7.1	0	0	0
323	md	R	Deer_A_Only	145081	0	19	0	19	0	0	4.8
323	md	R	SUM	145326	0	29.5	0	29.5	0	0	4.8
323	md	SUM	314-00	225	0	3.4	0	3.4	0	0	0
323	md	SUM	323-00	50	0	7.1	0	7.1	0	0	0
323	md	SUM	Deer_A_Only	169380	3.1	31.5	3.1	31.5	0	3.1	17.2
323	md	SUM	SUM	169655	3.1	42	3.1	42	0	3.1	17.2
324	md	N	003-10	845	0	4.1	0	4.1	0	0	4.1
324	md	N	323-00	12	0	2	0	2	0	0	2
324	md	N	324-00	5	0	0	0	0	0	0	0
324	md	N	324-50/Deer_A	5	0	5	0	5	0	0	5
324	md	N	Deer_A_Only	24299	3.1	9.3	0	12.4	0	6.2	6.2
324	md	N	SUM	25166	3.1	20.5	0	23.6	0	6.2	17.3
324	md	R	003-10	7121	0	5	0	5	0	0	5
324	md	R	323-00	38	0	0	0	0	0	0	0
324	md	R	324-00	45	0	17.3	0	17.3	0	3.5	3.5
324	md	R	324-50/Deer_A	45	0	21.2	0	21.2	0	2.6	18.5
324	md	R	Deer_A_Only	145081	0	14.3	0	14.3	0	4.8	0
324	md	R	SUM	152330	0	57.8	0	57.8	0	10.9	27
324	md	SUM	003-10	7966	0	9.1	0	9.1	0	0	9.1
324	md	SUM	323-00	50	0	2	0	2	0	0	2
324	md	SUM	324-00	50	0	17.3	0	17.3	0	3.5	3.5
324	md	SUM	324-50/Deer_A	50	0	26.2	0	26.2	0	2.6	23.5
324	md	SUM	Deer_A_Only	169380	3.1	23.6	0	26.7	0	11	6.2
324	md	SUM	SUM	177496	3.1	78.2	0	81.3	0	17.1	44.4
325	md	N	003-10	845	0	4.1	0	4.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
325	md	N	260-10	103	0	0	0	0	0	0	0
325	md	N	292-40/Deer_A	56	0	0	0	0	0	0	0
325	md	N	302-00	20	0	0	0	0	0	0	0
325	md	N	320-01	43	0	0	0	0	0	0	0
325	md	N	322-10	98	0	0	0	0	0	0	0
325	md	N	325-00	28	0	17.8	0	17.8	0	0	0
325	md	N	341-00	2	0	0	0	0	0	0	0
325	md	N	Deer_A_Only	24299	3.1	96.5	3.1	96.5	0	43.6	40.5
325	md	N	SUM	25494	3.1	118.4	3.1	118.4	0	43.6	40.5
325	md	R	003-10	7121	0	10	0	10	0	0	0
325	md	R	007-14	2003	0	4.8	0	4.8	0	0	0
325	md	R	260-10	3415	0	8.2	0	8.2	0	0	0
325	md	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
325	md	R	302-00	130	0	3.5	0	3.5	0	0	0
325	md	R	320-01	258	0	4	0	4	0	0	0
325	md	R	322-10	1130	0	21.9	0	21.9	0	0	0
325	md	R	325-00	422	0	128.7	0	128.7	0	5.1	0
325	md	R	341-00	73	0	3	0	3	0	3	0
325	md	R	Deer_A_Only	145081	9.5	137.9	4.8	142.7	0	57.1	42.8
325	md	R	SUM	160563	9.5	327	4.8	331.7	0	65.3	42.8
325	md	SUM	003-10	7966	0	14.2	0	14.2	0	0	0
325	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
325	md	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
325	md	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
325	md	SUM	302-00	150	0	3.5	0	3.5	0	0	0
325	md	SUM	320-01	301	0	4	0	4	0	0	0
325	md	SUM	322-10	1228	0	21.9	0	21.9	0	0	0
325	md	SUM	325-00	450	0	146.5	0	146.5	0	5.1	0
325	md	SUM	341-00	75	0	3	0	3	0	3	0
325	md	SUM	Deer_A_Only	169380	12.6	234.4	7.9	239.2	0	100.6	83.3
325	md	SUM	SUM	186057	12.6	445.4	7.9	450.1	0	108.8	83.3
326	md	N	003-10	845	0	0	0	0	0	0	0
326	md	N	120-00	15	0	0	0	0	0	0	0
326	md	N	201-00	10	0	0	0	0	0	0	0
326	md	N	260-10	103	0	0	0	0	0	0	0
326	md	N	318-40/Deer_A	8	0	0	0	0	0	0	0
326	md	N	320-10	23	0	3.3	0	3.3	0	0	0
326	md	N	322-00	53	0	6.9	0	6.9	0	0	2.3
326	md	N	322-10	98	0	2.7	0	2.7	0	0	0
326	md	N	325-00	28	0	0	0	0	0	0	0
326	md	N	325-01	15	0	0	0	0	0	0	0
326	md	N	326-00	89	0	34.2	0	34.2	0	0	0
326	md	N	326-01	16	0	2	0	2	0	0	0
326	md	N	Deer_A_Only	24299	3.1	40.5	3.1	40.5	0	9.3	18.7
326	md	N	SUM	25602	3.1	89.6	3.1	89.6	0	9.3	21
326	md	R	003-10	7121	0	5	0	5	0	0	0
326	md	R	120-00	488	0	9.2	0	9.2	0	0	0
326	md	R	201-00	340	0	3.9	0	3.9	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
326	md	R	260-10	3415	0	8.2	0	8.2	0	0	0
326	md	R	318-40/Deer_A	204	0	3.2	0	3.2	0	0	0
326	md	R	320-10	722	0	0	0	0	0	0	0
326	md	R	322-00	251	0	4.8	0	4.8	0	0	0
326	md	R	322-10	1130	0	11	0	11	0	0	0
326	md	R	325-00	422	0	5.1	0	5.1	0	0	0
326	md	R	325-01	135	0	5.2	0	5.2	0	0	0
326	md	R	326-00	597	0	156.7	0	156.7	0	0	7.5
326	md	R	326-01	101	0	7.2	0	7.2	0	0	0
326	md	R	Deer_A_Only	145081	4.8	118.9	4.8	118.9	0	38.1	33.3
326	md	R	SUM	160007	4.8	338.6	4.8	338.6	0	38.1	40.8
326	md	SUM	003-10	7966	0	5	0	5	0	0	0
326	md	SUM	120-00	503	0	9.2	0	9.2	0	0	0
326	md	SUM	201-00	350	0	3.9	0	3.9	0	0	0
326	md	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
326	md	SUM	318-40/Deer_A	212	0	3.2	0	3.2	0	0	0
326	md	SUM	320-10	745	0	3.3	0	3.3	0	0	0
326	md	SUM	322-00	304	0	11.7	0	11.7	0	0	2.3
326	md	SUM	322-10	1228	0	13.7	0	13.7	0	0	0
326	md	SUM	325-00	450	0	5.1	0	5.1	0	0	0
326	md	SUM	325-01	150	0	5.2	0	5.2	0	0	0
326	md	SUM	326-00	686	0	190.9	0	190.9	0	0	7.5
326	md	SUM	326-01	117	0	9.2	0	9.2	0	0	0
326	md	SUM	Deer_A_Only	169380	7.9	159.4	7.9	159.4	0	47.4	52
326	md	SUM	SUM	185609	7.9	428.2	7.9	428.2	0	47.4	61.7
327	md	N	003-10	845	0	4.1	0	4.1	0	4.1	0
327	md	N	Deer_A_Only	24299	9.3	12.4	6.2	15.6	0	9.3	12.4
327	md	N	SUM	25144	9.3	16.6	6.2	19.7	0	13.5	12.4
327	md	R	003-10	7121	0	0	0	0	0	0	0
327	md	R	Deer_A_Only	145081	0	19	0	19	0	9.5	9.5
327	md	R	SUM	152202	0	19	0	19	0	9.5	9.5
327	md	SUM	003-10	7966	0	4.1	0	4.1	0	4.1	0
327	md	SUM	Deer_A_Only	169380	9.3	31.5	6.2	34.6	0	18.8	22
327	md	SUM	SUM	177346	9.3	35.6	6.2	38.7	0	23	22
328	md	N	300-00	17	0	0	0	0	0	0	0
328	md	N	300-50/Deer_A	4	0	0	0	0	0	0	0
328	md	N	328-00	2	0	0	0	0	0	0	0
328	md	N	Deer_A_Only	24299	3.1	12.4	3.1	12.4	0	6.2	6.2
328	md	N	SUM	24322	3.1	12.4	3.1	12.4	0	6.2	6.2
328	md	R	300-00	134	0	4.3	0	4.3	0	0	0
328	md	R	300-50/Deer_A	36	0	2.8	0	2.8	0	0	0
328	md	R	328-00	23	0	4.6	0	4.6	0	0	0
328	md	R	Deer_A_Only	145081	0	23.8	0	23.8	0	14.3	9.5
328	md	R	SUM	145274	0	35.5	0	35.5	0	14.3	9.5
328	md	SUM	300-00	151	0	4.3	0	4.3	0	0	0
328	md	SUM	300-50/Deer_A	40	0	2.8	0	2.8	0	0	0
328	md	SUM	328-00	25	0	4.6	0	4.6	0	0	0
328	md	SUM	Deer_A_Only	169380	3.1	36.2	3.1	36.2	0	20.5	15.7

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
328	md	SUM	SUM	169596	3.1	47.9	3.1	47.9	0	20.5	15.7
329	md	N	003-10	845	0	0	0	0	0	0	0
329	md	N	325-00	28	0	0	0	0	0	0	0
329	md	N	329-00	5	0	2	0	2	0	0	0
329	md	N	Deer_A_Only	24299	9.3	18.7	9.3	18.7	0	9.3	9.3
329	md	N	SUM	25177	9.3	20.7	9.3	20.7	0	9.3	9.3
329	md	R	003-10	7121	0	5	0	5	0	0	5
329	md	R	325-00	422	0	5.1	0	5.1	0	0	0
329	md	R	329-00	45	0	13.2	0	13.2	0	0	0
329	md	R	Deer_A_Only	145081	4.8	52.3	0	57.1	0	28.5	9.5
329	md	R	SUM	152669	4.8	75.7	0	80.5	0	28.5	14.5
329	md	SUM	003-10	7966	0	5	0	5	0	0	5
329	md	SUM	325-00	450	0	5.1	0	5.1	0	0	0
329	md	SUM	329-00	50	0	15.2	0	15.2	0	0	0
329	md	SUM	Deer_A_Only	169380	14.1	71	9.3	75.8	0	37.9	18.8
329	md	SUM	SUM	177846	14.1	96.4	9.3	101.2	0	37.9	23.9
330	md	N	003-10	845	0	4.1	0	4.1	0	0	0
330	md	N	300-00	17	0	0	0	0	0	0	0
330	md	N	311-02	13	0	0	0	0	0	0	0
330	md	N	312-10	25	0	0	0	0	0	0	0
330	md	N	322-00	53	0	0	0	0	0	0	0
330	md	N	323-00	12	0	0	0	0	0	0	0
330	md	N	324-01	31	0	0	0	0	0	0	0
330	md	N	326-00	89	0	0	0	0	0	0	0
330	md	N	326-01	16	0	0	0	0	0	0	0
330	md	N	329-00	5	0	1	0	1	0	0	0
330	md	N	330-00	54	0	29.1	0	29.1	0	0	0
330	md	N	330-01	13	0	0	0	0	0	0	0
330	md	N	Deer_A_Only	24299	0	40.5	0	40.5	0	0	24.9
330	md	N	SUM	25472	0	74.7	0	74.7	0	0	24.9
330	md	R	003-10	7121	0	5	0	5	0	0	0
330	md	R	004-10	7081	0	4.9	0	4.9	0	0	0
330	md	R	300-00	134	0	4.3	0	4.3	0	0	0
330	md	R	311-02	290	0	4.9	0	4.9	0	4.9	0
330	md	R	312-10	1124	0	7.8	0	7.8	0	0	0
330	md	R	322-00	251	0	9.7	0	9.7	0	0	0
330	md	R	323-00	38	0	2.4	0	2.4	0	0	0
330	md	R	324-01	85	0	5.7	0	5.7	0	5.7	0
330	md	R	326-00	597	0	7.5	0	7.5	0	0	0
330	md	R	326-01	101	0	7.2	0	7.2	0	3.6	0
330	md	R	329-00	45	0	0	0	0	0	0	0
330	md	R	330-00	197	0	51.8	0	51.8	0	3.5	0
330	md	R	330-01	88	0	4.6	0	4.6	0	0	0
330	md	R	Deer_A_Only	145081	0	76.1	0	76.1	0	23.8	23.8
330	md	R	SUM	162233	0	191.8	0	191.8	0	41.4	23.8
330	md	SUM	003-10	7966	0	9.1	0	9.1	0	0	0
330	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
330	md	SUM	300-00	151	0	4.3	0	4.3	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
330	md	SUM	311-02	303	0	4.9	0	4.9	0	4.9	0
330	md	SUM	312-10	1149	0	7.8	0	7.8	0	0	0
330	md	SUM	322-00	304	0	9.7	0	9.7	0	0	0
330	md	SUM	323-00	50	0	2.4	0	2.4	0	0	0
330	md	SUM	324-01	116	0	5.7	0	5.7	0	5.7	0
330	md	SUM	326-00	686	0	7.5	0	7.5	0	0	0
330	md	SUM	326-01	117	0	7.2	0	7.2	0	3.6	0
330	md	SUM	329-00	50	0	1	0	1	0	0	0
330	md	SUM	330-00	251	0	80.9	0	80.9	0	3.5	0
330	md	SUM	330-01	101	0	4.6	0	4.6	0	0	0
330	md	SUM	Deer_A_Only	169380	0	116.6	0	116.6	0	23.8	48.7
330	md	SUM	SUM	187705	0	266.5	0	266.5	0	41.4	48.7
331	md	N	002-10	500	0	0	0	0	0	0	0
331	md	N	003-10	845	0	4.1	0	4.1	0	0	0
331	md	N	202-01	1	0	0	0	0	0	0	0
331	md	N	319-40/Deer_A	71	0	0	0	0	0	0	0
331	md	N	320-01	43	0	0	0	0	0	0	0
331	md	N	322-10	98	0	0	0	0	0	0	0
331	md	N	325-00	28	0	0	0	0	0	0	0
331	md	N	330-00	54	0	0	0	0	0	0	0
331	md	N	331-01	21	0	10.5	0	10.5	0	0	0
331	md	N	Deer_A_Only	24299	3.1	56	3.1	56	0	28	15.6
331	md	N	SUM	25960	3.1	70.6	3.1	70.6	0	28	15.6
331	md	R	002-10	8803	0	16.1	0	16.1	0	0	0
331	md	R	003-10	7121	0	10	0	10	0	0	5
331	md	R	202-01	99	0	3.4	0	3.4	0	0	0
331	md	R	291-51/Deer_A	25	0	2.8	0	2.8	0	0	0
331	md	R	319-40/Deer_A	219	0	2.7	0	2.7	0	0	0
331	md	R	320-01	258	0	4	0	4	0	0	0
331	md	R	322-10	1130	0	11	0	11	0	0	0
331	md	R	325-00	422	0	5.1	0	5.1	0	5.1	0
331	md	R	330-00	197	0	6.9	0	6.9	0	0	3.5
331	md	R	331-01	229	2.9	99.8	2.9	99.8	0	2.9	5.9
331	md	R	Deer_A_Only	145081	4.8	185.5	4.8	185.5	0	71.4	38.1
331	md	R	SUM	163584	7.7	347.4	7.7	347.4	0	79.4	52.4
331	md	SUM	002-10	9303	0	16.1	0	16.1	0	0	0
331	md	SUM	003-10	7966	0	14.2	0	14.2	0	0	5
331	md	SUM	202-01	100	0	3.4	0	3.4	0	0	0
331	md	SUM	291-51/Deer_A	25	0	2.8	0	2.8	0	0	0
331	md	SUM	319-40/Deer_A	290	0	2.7	0	2.7	0	0	0
331	md	SUM	320-01	301	0	4	0	4	0	0	0
331	md	SUM	322-10	1228	0	11	0	11	0	0	0
331	md	SUM	325-00	450	0	5.1	0	5.1	0	5.1	0
331	md	SUM	330-00	251	0	6.9	0	6.9	0	0	3.5
331	md	SUM	331-01	250	2.9	110.3	2.9	110.3	0	2.9	5.9
331	md	SUM	Deer_A_Only	169380	7.9	241.5	7.9	241.5	0	99.4	53.6
331	md	SUM	SUM	189544	10.8	418	10.8	418	0	107.4	68
332	md	N	003-10	845	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
332	md	N	331-01	21	0	1.2	0	1.2	0	0	0
332	md	N	332-00	6	0	2	0	2	0	0	0
332	md	N	Deer_A_Only	24299	3.1	12.4	3.1	12.4	0	0	9.3
332	md	N	SUM	25171	3.1	15.6	3.1	15.6	0	0	9.3
332	md	R	003-10	7121	0	5	0	5	0	0	0
332	md	R	331-01	229	0	0	0	0	0	0	0
332	md	R	332-00	44	0	11	0	11	0	0	0
332	md	R	Deer_A_Only	145081	0	4.8	0	4.8	0	4.8	0
332	md	R	SUM	152475	0	20.8	0	20.8	0	4.8	0
332	md	SUM	003-10	7966	0	5	0	5	0	0	0
332	md	SUM	331-01	250	0	1.2	0	1.2	0	0	0
332	md	SUM	332-00	50	0	13	0	13	0	0	0
332	md	SUM	Deer_A_Only	169380	3.1	17.2	3.1	17.2	0	4.8	9.3
332	md	SUM	SUM	177646	3.1	36.4	3.1	36.4	0	4.8	9.3
333	md	N	002-10	500	0	0	0	0	0	0	0
333	md	N	003-10	845	4.1	8.2	4.1	8.2	0	4.1	0
333	md	N	309-10	8	0	8	0	8	0	0	0
333	md	N	311-02	13	0	2.6	0	2.6	0	0	0
333	md	N	320-01	43	0	0	0	0	0	0	0
333	md	N	320-10	23	0	0	0	0	0	0	0
333	md	N	322-10	98	0	0	0	0	0	0	0
333	md	N	329-00	5	0	0	0	0	0	0	0
333	md	N	330-00	54	0	0	0	0	0	0	0
333	md	N	333-01	23	3.3	6.6	3.3	6.6	0	0	0
333	md	N	333-03	22	0	8.8	0	8.8	0	0	0
333	md	N	333-10	37	0	0	0	0	0	0	0
333	md	N	580-00	64	0	0	0	0	0	0	0
333	md	N	Deer_A_Only	24299	3.1	12.4	3.1	12.4	0	6.2	6.2
333	md	N	SUM	26034	10.5	46.7	10.5	46.7	0	10.3	6.2
333	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
333	md	R	003-10	7121	5	55.2	5	55.2	0	10	0
333	md	R	309-10	505	4.4	8.8	4.4	8.8	0	0	0
333	md	R	311-02	290	0	4.9	0	4.9	0	0	0
333	md	R	320-01	258	0	7.9	0	7.9	0	0	0
333	md	R	320-10	722	0	15.4	0	15.4	0	0	0
333	md	R	322-10	1130	0	11	0	11	0	0	0
333	md	R	329-00	45	0	2.6	0	2.6	0	0	0
333	md	R	330-00	197	0	3.5	0	3.5	0	0	0
333	md	R	333-01	278	3.7	89	3.7	89	0	3.7	3.7
333	md	R	333-03	267	0	84.1	0	84.1	0	0	0
333	md	R	333-10	933	0	30.6	0	30.6	0	15.3	7.6
333	md	R	580-00	186	0	3.3	0	3.3	0	0	3.3
333	md	R	Deer_A_Only	145081	4.8	199.8	4.8	199.8	0	66.6	47.6
333	md	R	SUM	165816	17.9	521.4	17.9	521.4	0	95.6	62.2
333	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
333	md	SUM	003-10	7966	9.1	63.4	9.1	63.4	0	14.2	0
333	md	SUM	309-10	513	4.4	16.8	4.4	16.8	0	0	0
333	md	SUM	311-02	303	0	7.5	0	7.5	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
333	md	SUM	320-01	301	0	7.9	0	7.9	0	0	0
333	md	SUM	320-10	745	0	15.4	0	15.4	0	0	0
333	md	SUM	322-10	1228	0	11	0	11	0	0	0
333	md	SUM	329-00	50	0	2.6	0	2.6	0	0	0
333	md	SUM	330-00	251	0	3.5	0	3.5	0	0	0
333	md	SUM	333-01	301	7	95.5	7	95.5	0	3.7	3.7
333	md	SUM	333-03	289	0	92.9	0	92.9	0	0	0
333	md	SUM	333-10	970	0	30.6	0	30.6	0	15.3	7.6
333	md	SUM	580-00	250	0	3.3	0	3.3	0	0	3.3
333	md	SUM	Deer_A_Only	169380	7.9	212.2	7.9	212.2	0	72.8	53.8
333	md	SUM	SUM	191850	28.4	568	28.4	568	0	106	68.5
335	md	N	003-10	845	0	0	0	0	0	0	0
335	md	N	335-00	2	0	2	0	2	0	0	0
335	md	N	335-40/Deer_A	9	2.2	4.5	2.2	4.5	0	2.2	4.5
335	md	N	Deer_A_Only	24299	3.1	0	3.1	0	0	0	0
335	md	N	SUM	25155	5.4	6.5	5.4	6.5	0	2.2	4.5
335	md	R	003-10	7121	0	20.1	0	20.1	0	10	0
335	md	R	335-00	198	0	80.5	0	77.2	3.4	13.4	36.9
335	md	R	335-40/Deer_A	397	0	132.3	0	128.2	4.1	41.4	82.7
335	md	R	Deer_A_Only	145081	0	9.5	0	9.5	0	0	0
335	md	R	SUM	152797	0	242.5	0	235	7.5	64.8	119.6
335	md	SUM	003-10	7966	0	20.1	0	20.1	0	10	0
335	md	SUM	335-00	200	0	82.5	0	79.2	3.4	13.4	36.9
335	md	SUM	335-40/Deer_A	406	2.2	136.8	2.2	132.7	4.1	43.6	87.2
335	md	SUM	Deer_A_Only	169380	3.1	9.5	3.1	9.5	0	0	0
335	md	SUM	SUM	177952	5.4	249	5.4	241.5	7.5	67.1	124.1
339	md	N	003-10	845	0	0	0	0	0	0	0
339	md	N	007-10	1330	0	0	0	0	0	0	0
339	md	N	335-00	2	0	0	0	0	0	0	0
339	md	N	339-00	3	0	0	0	0	0	0	0
339	md	N	339-40/Deer_A	12	0	3	0	3	0	3	0
339	md	N	388-10	15	0	0	0	0	0	0	0
339	md	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
339	md	N	SUM	26506	0	6.1	0	6.1	0	3	3.1
339	md	R	003-10	7121	5	15.1	5	15.1	0	0	0
339	md	R	004-10	7081	0	4.9	0	4.9	0	0	0
339	md	R	007-10	3512	0	5.3	0	5.3	0	0	0
339	md	R	007-11	1520	0	5.2	0	5.2	0	0	0
339	md	R	007-14	2003	0	4.8	0	4.8	0	0	0
339	md	R	335-00	198	0	3.4	0	3.4	0	0	0
339	md	R	339-00	348	0	100.1	0	100.1	0	19.1	9.5
339	md	R	339-40/Deer_A	391	4.6	110.4	0	115	0	59.8	46
339	md	R	388-10	434	4	0	4	0	0	0	0
339	md	R	Deer_A_Only	145081	0	19	0	19	0	0	4.8
339	md	R	SUM	167689	13.6	268	9	272.6	0	78.9	60.3
339	md	SUM	003-10	7966	5	15.1	5	15.1	0	0	0
339	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
339	md	SUM	007-10	4842	0	5.3	0	5.3	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
339	md	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
339	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
339	md	SUM	335-00	200	0	3.4	0	3.4	0	0	0
339	md	SUM	339-00	351	0	100.1	0	100.1	0	19.1	9.5
339	md	SUM	339-40/Deer_A	403	4.6	113.4	0	118	0	62.8	46
339	md	SUM	388-10	449	4	0	4	0	0	0	0
339	md	SUM	Deer_A_Only	169380	0	22.1	0	22.1	0	0	7.9
339	md	SUM	SUM	194195	13.6	274.2	9	278.8	0	81.9	63.4
340	md	N	003-10	845	0	0	0	0	0	0	0
340	md	N	212-10	19	0	0	0	0	0	0	0
340	md	N	300-00	17	1.7	0	1.7	0	0	0	0
340	md	N	320-01	43	0	0	0	0	0	0	0
340	md	N	320-10	23	0	0	0	0	0	0	0
340	md	N	340-00	8	0	2	0	2	0	0	0
340	md	N	340-10	37	0	0	0	0	0	0	0
340	md	N	341-00	2	0	0	0	0	0	0	0
340	md	N	Deer_A_Only	24299	0	28	0	28	0	12.4	12.4
340	md	N	SUM	25293	1.7	30	1.7	30	0	12.4	12.4
340	md	R	003-10	7121	0	55.2	0	55.2	0	10	0
340	md	R	212-10	186	4.9	0	4.9	0	0	0	0
340	md	R	300-00	134	0	0	0	0	0	0	0
340	md	R	320-01	258	0	4	0	4	0	4	0
340	md	R	320-10	722	0	7.7	0	7.7	0	0	0
340	md	R	340-00	142	2.5	63.4	2.5	63.4	0	5.1	0
340	md	R	340-10	866	0	46.1	0	46.1	0	0	0
340	md	R	341-00	73	0	3	0	3	0	0	0
340	md	R	Deer_A_Only	145081	4.8	185.5	4.8	185.5	0	80.9	23.8
340	md	R	SUM	154583	12.2	364.9	12.2	364.9	0	99.9	23.8
340	md	SUM	003-10	7966	0	55.2	0	55.2	0	10	0
340	md	SUM	212-10	205	4.9	0	4.9	0	0	0	0
340	md	SUM	300-00	151	1.7	0	1.7	0	0	0	0
340	md	SUM	320-01	301	0	4	0	4	0	4	0
340	md	SUM	320-10	745	0	7.7	0	7.7	0	0	0
340	md	SUM	340-00	150	2.5	65.4	2.5	65.4	0	5.1	0
340	md	SUM	340-10	903	0	46.1	0	46.1	0	0	0
340	md	SUM	341-00	75	0	3	0	3	0	0	0
340	md	SUM	Deer_A_Only	169380	4.8	213.5	4.8	213.5	0	93.3	36.2
340	md	SUM	SUM	179876	13.9	394.9	13.9	394.9	0	112.4	36.2
341	md	N	002-10	500	0	0	0	0	0	0	0
341	md	N	003-10	845	0	0	0	0	0	0	0
341	md	N	340-10	37	0	0	0	0	0	0	0
341	md	N	341-00	2	0	2	0	2	0	0	0
341	md	N	Deer_A_Only	24299	0	9.3	0	9.3	0	3.1	3.1
341	md	N	SUM	25683	0	11.3	0	11.3	0	3.1	3.1
341	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
341	md	R	003-10	7121	0	5	0	5	0	0	0
341	md	R	007-11	1520	0	5.2	0	5.2	0	0	0
341	md	R	007-13	5509	0	5.1	0	5.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
341	md	R	340-10	866	0	9.2	0	9.2	0	0	0
341	md	R	341-00	73	3	21.3	3	21.3	0	3	0
341	md	R	Deer_A_Only	145081	4.8	71.4	4.8	71.4	0	33.3	28.5
341	md	R	SUM	168973	7.8	122.5	7.8	122.5	0	36.3	28.5
341	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
341	md	SUM	003-10	7966	0	5	0	5	0	0	0
341	md	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
341	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
341	md	SUM	340-10	903	0	9.2	0	9.2	0	0	0
341	md	SUM	341-00	75	3	23.3	3	23.3	0	3	0
341	md	SUM	Deer_A_Only	169380	4.8	80.7	4.8	80.7	0	36.4	31.7
341	md	SUM	SUM	194656	7.8	133.8	7.8	133.8	0	39.5	31.7
343	md	N	003-10	845	0	0	0	0	0	0	0
343	md	N	212-10	19	0	0	0	0	0	0	0
343	md	N	300-00	17	0	0	0	0	0	0	0
343	md	N	343-00	6	0	6	0	6	0	6	0
343	md	N	343-40/Deer_A	20	0	4.4	0	4.4	0	2.2	2.2
343	md	N	388-10	15	0	0	0	0	0	0	0
343	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	6.2	0
343	md	N	SUM	25221	0	16.7	0	16.7	0	14.4	2.2
343	md	R	003-10	7121	10	45.2	10	45.2	0	5	20.1
343	md	R	004-10	7081	0	4.9	0	4.9	0	0	4.9
343	md	R	212-10	186	0	4.9	0	4.9	0	0	4.9
343	md	R	300-00	134	0	4.3	0	4.3	0	0	4.3
343	md	R	343-00	294	7.1	92.1	7.1	92.1	0	17.7	21.3
343	md	R	343-40/Deer_A	467	0	131.2	0	131.2	0	50.2	73.3
343	md	R	388-10	434	4	4	4	4	0	0	0
343	md	R	Deer_A_Only	145081	4.8	33.3	4.8	33.3	0	4.8	9.5
343	md	R	SUM	160798	25.9	319.9	25.9	319.9	0	77.7	138.2
343	md	SUM	003-10	7966	10	45.2	10	45.2	0	5	20.1
343	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	4.9
343	md	SUM	212-10	205	0	4.9	0	4.9	0	0	4.9
343	md	SUM	300-00	151	0	4.3	0	4.3	0	0	4.3
343	md	SUM	343-00	300	7.1	98.1	7.1	98.1	0	23.7	21.3
343	md	SUM	343-40/Deer_A	487	0	135.7	0	135.7	0	52.4	75.6
343	md	SUM	388-10	449	4	4	4	4	0	0	0
343	md	SUM	Deer_A_Only	169380	4.8	39.5	4.8	39.5	0	11	9.5
343	md	SUM	SUM	186019	25.9	336.5	25.9	336.5	0	92.1	140.5
350	md	N	212-10	19	0	0	0	0	0	0	0
350	md	N	312-10	25	0	0	0	0	0	0	0
350	md	N	320-01	43	0	0	0	0	0	0	0
350	md	N	350-00	2	0	1	0	1	0	0	0
350	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	3.1
350	md	N	SUM	24388	0	7.2	0	7.2	0	0	3.1
350	md	R	212-10	186	0	4.9	0	4.9	0	0	0
350	md	R	312-10	1124	0	7.8	0	7.8	0	0	0
350	md	R	320-01	258	0	4	0	4	0	0	0
350	md	R	350-00	73	2.8	30.9	2.8	30.9	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
350	md	R	Deer_A_Only	145081	4.8	114.2	4.8	114.2	0	38.1	47.6
350	md	R	SUM	146722	7.6	161.7	7.6	161.7	0	38.1	47.6
350	md	SUM	212-10	205	0	4.9	0	4.9	0	0	0
350	md	SUM	312-10	1149	0	7.8	0	7.8	0	0	0
350	md	SUM	320-01	301	0	4	0	4	0	0	0
350	md	SUM	350-00	75	2.8	31.9	2.8	31.9	0	0	0
350	md	SUM	Deer_A_Only	169380	4.8	120.4	4.8	120.4	0	38.1	50.7
350	md	SUM	SUM	171110	7.6	168.9	7.6	168.9	0	38.1	50.7
360	md	N	003-10	845	0	0	0	0	0	0	0
360	md	N	312-00	12	0	0	0	0	0	0	0
360	md	N	360-00	10	0	3.3	0	3.3	0	0	0
360	md	N	360-01	23	0	0	0	0	0	0	0
360	md	N	Deer_A_Only	24299	3.1	65.4	3.1	65.4	0	21.8	40.5
360	md	N	SUM	25189	3.1	68.7	3.1	68.7	0	21.8	40.5
360	md	R	003-10	7121	0	15.1	0	15.1	0	0	0
360	md	R	309-00	25	2.5	0	2.5	0	0	0	0
360	md	R	312-00	238	3.4	0	3.4	0	0	0	0
360	md	R	360-00	65	3.4	13.7	3.4	13.7	0	0	0
360	md	R	360-01	177	6.6	0	6.6	0	0	0	0
360	md	R	Deer_A_Only	145081	0	85.6	0	80.9	4.8	23.8	52.3
360	md	R	SUM	152707	15.8	114.4	15.8	109.6	4.8	23.8	52.3
360	md	SUM	003-10	7966	0	15.1	0	15.1	0	0	0
360	md	SUM	309-00	25	2.5	0	2.5	0	0	0	0
360	md	SUM	312-00	250	3.4	0	3.4	0	0	0	0
360	md	SUM	360-00	75	3.4	17	3.4	17	0	0	0
360	md	SUM	360-01	200	6.6	0	6.6	0	0	0	0
360	md	SUM	Deer_A_Only	169380	3.1	151	3.1	146.2	4.8	45.6	92.8
360	md	SUM	SUM	177896	18.9	183	18.9	178.3	4.8	45.6	92.8
361	md	N	361-00	3	0	0	0	0	0	0	0
361	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
361	md	N	SUM	24302	0	0	0	0	0	0	0
361	md	R	361-00	22	0	6.3	0	6.3	0	0	0
361	md	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	0
361	md	R	SUM	145103	0	11	0	11	0	0	0
361	md	SUM	361-00	25	0	6.3	0	6.3	0	0	0
361	md	SUM	Deer_A_Only	169380	0	4.8	0	4.8	0	0	0
361	md	SUM	SUM	169405	0	11	0	11	0	0	0
362	md	N	003-10	845	0	0	0	0	0	0	0
362	md	N	312-10	25	0	0	0	0	0	0	0
362	md	N	323-00	12	0	2	0	2	0	2	0
362	md	N	362-00	2	0	2	0	2	0	0	0
362	md	N	401-00	55	0	0	0	0	0	0	0
362	md	N	Deer_A_Only	24299	0	6.2	3.1	3.1	0	0	3.1
362	md	N	SUM	25238	0	10.2	3.1	7.1	0	2	3.1
362	md	R	003-10	7121	0	5	0	5	0	0	0
362	md	R	004-10	7081	0	4.9	0	4.9	0	0	0
362	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
362	md	R	312-10	1124	0	7.8	0	7.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
362	md	R	323-00	38	0	0	0	0	0	0	0
362	md	R	362-00	23	0	3.8	0	3.8	0	0	0
362	md	R	401-00	545	0	4.5	4.5	0	0	0	4.5
362	md	R	Deer_A_Only	145081	0	19	0	19	0	0	9.5
362	md	R	SUM	166522	0	50.1	4.5	45.6	0	0	14.1
362	md	SUM	003-10	7966	0	5	0	5	0	0	0
362	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
362	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
362	md	SUM	312-10	1149	0	7.8	0	7.8	0	0	0
362	md	SUM	323-00	50	0	2	0	2	0	2	0
362	md	SUM	362-00	25	0	5.8	0	5.8	0	0	0
362	md	SUM	401-00	600	0	4.5	4.5	0	0	0	4.5
362	md	SUM	Deer_A_Only	169380	0	25.3	3.1	22.1	0	0	12.6
362	md	SUM	SUM	191760	0	60.3	7.7	52.7	0	2	17.2
370	md	N	003-10	845	0	0	0	0	0	0	0
370	md	N	333-10	37	0	0	0	0	0	0	0
370	md	N	Deer_A_Only	24299	0	9.3	0	9.3	0	9.3	0
370	md	N	SUM	25181	0	9.3	0	9.3	0	9.3	0
370	md	R	003-10	7121	0	5	0	5	0	0	0
370	md	R	007-14	2003	0	4.8	0	4.8	0	0	0
370	md	R	333-10	933	0	7.6	0	7.6	0	0	0
370	md	R	370-00	50	0	22.4	0	22.4	0	0	0
370	md	R	Deer_A_Only	145081	0	61.8	0	61.8	0	23.8	14.3
370	md	R	SUM	155188	0	101.7	0	101.7	0	23.8	14.3
370	md	SUM	003-10	7966	0	5	0	5	0	0	0
370	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
370	md	SUM	333-10	970	0	7.6	0	7.6	0	0	0
370	md	SUM	370-00	50	0	22.4	0	22.4	0	0	0
370	md	SUM	Deer_A_Only	169380	0	71.2	0	71.2	0	33.1	14.3
370	md	SUM	SUM	180369	0	111	0	111	0	33.1	14.3
380	md	N	003-10	845	0	0	0	0	0	0	0
380	md	N	170-10	57	0	0	0	0	0	0	0
380	md	N	309-10	8	0	0	0	0	0	0	0
380	md	N	333-01	23	0	0	0	0	0	0	0
380	md	N	335-00	2	0	0	0	0	0	0	0
380	md	N	380-00	6	3	0	3	0	0	0	0
380	md	N	380-01	2	0	0	0	0	0	0	0
380	md	N	380-40/Deer_A	49	2.5	17.1	2.5	17.1	0	12.2	4.9
380	md	N	388-10	15	0	0	0	0	0	0	0
380	md	N	391-40/Deer_A	70	0	0	0	0	0	0	0
380	md	N	652-50/Deer_A	10	0	0	0	0	0	0	0
380	md	N	680-00	88	0	0	0	0	0	0	0
380	md	N	Deer_A_Only	24299	3.1	9.3	0	12.4	0	0	6.2
380	md	N	SUM	25474	8.6	26.5	5.5	29.6	0	12.2	11.1
380	md	R	003-10	7121	10	50.2	10	50.2	0	10	30.1
380	md	R	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
380	md	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
380	md	R	309-10	505	0	4.4	0	4.4	0	4.4	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
380	md	R	311-00	50	0	2.6	0	2.6	0	0	2.6
380	md	R	333-01	278	0	3.7	0	3.7	0	0	3.7
380	md	R	335-00	198	0	6.7	0	6.7	0	6.7	0
380	md	R	339-00	348	0	9.5	0	9.5	0	4.8	4.8
380	md	R	380-00	194	9.4	72	6.3	72	3.1	18.8	9.4
380	md	R	380-01	98	0	8.2	0	8.2	0	2.7	5.4
380	md	R	380-40/Deer_A	1253	0	444.9	0	432.6	12.2	228.6	212.2
380	md	R	388-10	434	0	4	0	4	0	0	4
380	md	R	391-40/Deer_A	369	0	4.4	0	4.4	0	4.4	0
380	md	R	652-50/Deer_A	90	0	2.9	0	2.9	0	0	0
380	md	R	680-00	412	0	5.4	0	5.4	0	0	0
380	md	R	Deer_A_Only	145081	0	61.8	0	61.8	0	19	33.3
380	md	R	SUM	164054	24.5	691	21.4	678.8	15.4	299.4	310.9
380	md	SUM	003-10	7966	10	50.2	10	50.2	0	10	30.1
380	md	SUM	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
380	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
380	md	SUM	309-10	513	0	4.4	0	4.4	0	4.4	0
380	md	SUM	311-00	50	0	2.6	0	2.6	0	0	2.6
380	md	SUM	333-01	301	0	3.7	0	3.7	0	0	3.7
380	md	SUM	335-00	200	0	6.7	0	6.7	0	6.7	0
380	md	SUM	339-00	348	0	9.5	0	9.5	0	4.8	4.8
380	md	SUM	380-00	200	12.4	72	9.3	72	3.1	18.8	9.4
380	md	SUM	380-01	100	0	8.2	0	8.2	0	2.7	5.4
380	md	SUM	380-40/Deer_A	1302	2.5	462	2.5	449.8	12.2	240.8	217.1
380	md	SUM	388-10	449	0	4	0	4	0	0	4
380	md	SUM	391-40/Deer_A	439	0	4.4	0	4.4	0	4.4	0
380	md	SUM	652-50/Deer_A	100	0	2.9	0	2.9	0	0	0
380	md	SUM	680-00	500	0	5.4	0	5.4	0	0	0
380	md	SUM	Deer_A_Only	169380	3.1	71.2	0	74.3	0	19	39.5
380	md	SUM	SUM	189528	33	717.5	26.8	708.4	15.4	311.6	322
388	md	N	003-10	845	0	4.1	0	4.1	0	0	0
388	md	N	007-10	1330	0	0	0	0	0	0	0
388	md	N	343-00	6	0	0	0	0	0	0	0
388	md	N	380-40/Deer_A	49	0	0	0	0	0	0	0
388	md	N	388-10	15	0	5.6	0	5.6	0	0	0
388	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
388	md	N	SUM	26544	0	9.7	0	9.7	0	0	0
388	md	R	003-10	7121	0	40.1	0	40.1	0	0	0
388	md	R	007-10	3512	0	5.3	5.3	0	0	0	0
388	md	R	007-11	1520	0	5.2	5.2	0	0	0	0
388	md	R	007-14	2003	0	9.5	4.8	4.8	0	0	0
388	md	R	339-00	348	0	9.5	4.8	4.8	0	0	0
388	md	R	343-00	294	0	3.5	0	3.5	0	0	0
388	md	R	370-00	50	0	1.7	0	1.7	0	0	0
388	md	R	380-40/Deer_A	1253	4.1	0	4.1	0	0	0	0
388	md	R	388-10	434	12.1	96.4	16.1	92.4	0	0	4
388	md	R	Deer_A_Only	145081	9.5	157	14.3	152.2	0	28.5	42.8
388	md	R	SUM	161616	25.7	328.4	54.4	299.6	0	28.5	46.8

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
388	md	SUM	003-10	7966	0	44.3	0	44.3	0	0	0
388	md	SUM	007-10	4842	0	5.3	5.3	0	0	0	0
388	md	SUM	007-11	1520	0	5.2	5.2	0	0	0	0
388	md	SUM	007-14	2003	0	9.5	4.8	4.8	0	0	0
388	md	SUM	339-00	348	0	9.5	4.8	4.8	0	0	0
388	md	SUM	343-00	300	0	3.5	0	3.5	0	0	0
388	md	SUM	370-00	50	0	1.7	0	1.7	0	0	0
388	md	SUM	380-40/Deer_A	1302	4.1	0	4.1	0	0	0	0
388	md	SUM	388-10	449	12.1	102.1	16.1	98.1	0	0	4
388	md	SUM	Deer_A_Only	169380	9.5	157	14.3	152.2	0	28.5	42.8
388	md	SUM	SUM	188160	25.7	338.1	54.4	309.3	0	28.5	46.8
390	md	N	003-10	845	0	0	0	0	0	0	0
390	md	N	329-00	5	0	0	0	0	0	0	0
390	md	N	380-40/Deer_A	49	0	0	0	0	0	0	0
390	md	N	390-00	2	0	0	0	0	0	0	0
390	md	N	390-40/Deer_A	29	0	3.6	0	3.6	0	0	3.6
390	md	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	9.3
390	md	N	SUM	25229	0	13	0	13	0	0	13
390	md	R	003-10	7121	0	10	0	10	0	5	5
390	md	R	329-00	45	2.6	0	2.6	0	0	0	0
390	md	R	380-40/Deer_A	1253	0	4.1	0	4.1	0	0	0
390	md	R	390-00	33	0	12	0	12	0	3	6
390	md	R	390-40/Deer_A	77	0	28.9	0	28.9	0	12.8	12.8
390	md	R	Deer_A_Only	145081	4.8	28.5	4.8	28.5	0	14.3	4.8
390	md	R	SUM	153610	7.4	83.5	7.4	83.5	0	35.1	28.6
390	md	SUM	003-10	7966	0	10	0	10	0	5	5
390	md	SUM	329-00	50	2.6	0	2.6	0	0	0	0
390	md	SUM	380-40/Deer_A	1302	0	4.1	0	4.1	0	0	0
390	md	SUM	390-00	35	0	12	0	12	0	3	6
390	md	SUM	390-40/Deer_A	106	0	32.5	0	32.5	0	12.8	16.5
390	md	SUM	Deer_A_Only	169380	4.8	37.9	4.8	37.9	0	14.3	14.1
390	md	SUM	SUM	178839	7.4	96.5	7.4	96.5	0	35.1	41.6
391	md	N	003-10	845	0	0	0	0	0	0	0
391	md	N	315-00	15	0	0	0	0	0	0	0
391	md	N	333-01	23	0	0	0	0	0	0	0
391	md	N	390-40/Deer_A	29	0	0	0	0	0	0	0
391	md	N	391-00	2	0	1	0	1	0	0	1
391	md	N	391-40/Deer_A	70	0	28.8	0	28.8	0	8.2	20.6
391	md	N	Deer_A_Only	24299	0	15.6	0	15.6	0	3.1	12.4
391	md	N	SUM	25283	0	45.4	0	45.4	0	11.3	34
391	md	R	003-10	7121	0	20.1	0	20.1	0	5	5
391	md	R	007-13	5509	5.1	0	5.1	0	0	0	0
391	md	R	315-00	135	0	3.1	0	3.1	0	3.1	0
391	md	R	333-01	278	0	3.7	0	3.7	0	3.7	0
391	md	R	339-00	348	0	4.8	0	4.8	0	0	4.8
391	md	R	390-40/Deer_A	77	0	3.2	0	3.2	0	0	3.2
391	md	R	391-00	98	7	49	7	49	0	10.5	14
391	md	R	391-40/Deer_A	369	8.8	140.6	8.8	140.6	0	70.3	74.7

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
391	md	R	Deer_A_Only	145081	4.8	23.8	4.8	23.8	0	0	14.3
391	md	R	SUM	159016	25.6	248.3	25.6	248.3	0	92.7	115.9
391	md	SUM	003-10	7966	0	20.1	0	20.1	0	5	5
391	md	SUM	007-13	5509	5.1	0	5.1	0	0	0	0
391	md	SUM	315-00	150	0	3.1	0	3.1	0	3.1	0
391	md	SUM	333-01	301	0	3.7	0	3.7	0	3.7	0
391	md	SUM	339-00	348	0	4.8	0	4.8	0	0	4.8
391	md	SUM	390-40/Deer_A	106	0	3.2	0	3.2	0	0	3.2
391	md	SUM	391-00	100	7	50	7	50	0	10.5	15
391	md	SUM	391-40/Deer_A	439	8.8	169.4	8.8	169.4	0	78.5	95.3
391	md	SUM	Deer_A_Only	169380	4.8	39.3	4.8	39.3	0	3.1	26.7
391	md	SUM	SUM	184299	25.6	293.6	25.6	293.6	0	104	150
392	md	N	003-10	845	0	0	0	0	0	0	0
392	md	N	315-01	57	0	0	0	0	0	0	0
392	md	N	335-40/Deer_A	9	0	2.2	0	2.2	0	0	2.2
392	md	N	339-40/Deer_A	12	0	0	0	0	0	0	0
392	md	N	388-10	15	0	0	0	0	0	0	0
392	md	N	392-00	2	0	1	0	1	0	0	1
392	md	N	392-40/Deer_A	79	6.8	31.6	6.8	31.6	0	13.5	20.3
392	md	N	Deer_A_Only	24299	3.1	15.6	3.1	15.6	0	9.3	6.2
392	md	N	SUM	25318	9.9	50.4	9.9	50.4	0	22.9	29.8
392	md	R	003-10	7121	5	30.1	5	30.1	0	5	15.1
392	md	R	004-10	7081	0	9.7	0	9.7	0	9.7	0
392	md	R	315-01	198	0	3.1	0	3.1	0	3.1	0
392	md	R	335-40/Deer_A	397	0	0	0	0	0	0	0
392	md	R	339-40/Deer_A	391	0	4.6	0	4.6	0	0	0
392	md	R	388-10	434	4	8	4	8	0	4	4
392	md	R	392-00	98	4.5	46.8	4.5	46.8	0	13.4	6.7
392	md	R	392-40/Deer_A	719	4.1	250.6	4.1	250.6	0	110.9	135.6
392	md	R	Deer_A_Only	145081	0	33.3	0	28.5	4.8	14.3	9.5
392	md	R	SUM	161520	17.6	386.3	17.6	381.5	4.8	160.4	170.9
392	md	SUM	003-10	7966	5	30.1	5	30.1	0	5	15.1
392	md	SUM	004-10	7081	0	9.7	0	9.7	0	9.7	0
392	md	SUM	315-01	255	0	3.1	0	3.1	0	3.1	0
392	md	SUM	335-40/Deer_A	406	0	2.2	0	2.2	0	0	2.2
392	md	SUM	339-40/Deer_A	403	0	4.6	0	4.6	0	0	0
392	md	SUM	388-10	449	4	8	4	8	0	4	4
392	md	SUM	392-00	100	4.5	47.8	4.5	47.8	0	13.4	7.7
392	md	SUM	392-40/Deer_A	798	10.9	282.2	10.9	282.2	0	124.5	155.9
392	md	SUM	Deer_A_Only	169380	3.1	48.9	3.1	44.1	4.8	23.6	15.7
392	md	SUM	SUM	186838	27.5	436.7	27.5	431.9	4.8	183.3	200.6
393	md	N	003-10	845	0	4.1	0	4.1	0	0	0
393	md	N	005-10	290	0	0	0	0	0	0	0
393	md	N	170-10	57	0	0	0	0	0	0	0
393	md	N	300-50/Deer_A	4	0	0	0	0	0	0	0
393	md	N	309-10	8	0	0	0	0	0	0	0
393	md	N	312-10	25	0	0	0	0	0	0	0
393	md	N	312-50/Deer_A	4	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
393	md	N	315-01	57	0	0	0	0	0	0	0
393	md	N	393-00	11	0	6.3	0	6.3	0	0	0
393	md	N	Deer_A_Only	24299	0	65.4	0	65.4	0	12.4	43.6
393	md	N	SUM	25600	0	75.8	0	75.8	0	12.4	43.6
393	md	R	003-10	7121	10	30.1	10	30.1	0	0	0
393	md	R	005-10	2590	0	4.8	0	4.8	0	0	0
393	md	R	170-10	2114	5.3	0	5.3	0	0	0	5.3
393	md	R	300-50/Deer_A	36	0	2.8	0	2.8	0	0	0
393	md	R	309-10	505	0	4.4	0	4.4	0	0	0
393	md	R	312-10	1124	7.8	15.5	7.8	15.5	0	0	0
393	md	R	312-50/Deer_A	121	2.5	0	2.5	0	0	0	0
393	md	R	315-01	198	0	3.1	0	3.1	0	0	0
393	md	R	393-00	190	10.7	74.9	10.7	74.9	0	0	0
393	md	R	Deer_A_Only	145081	23.8	261.6	23.8	256.9	4.8	104.6	80.9
393	md	R	SUM	159080	60.1	397.2	60.1	392.4	4.8	104.6	86.1
393	md	SUM	003-10	7966	10	34.2	10	34.2	0	0	0
393	md	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
393	md	SUM	170-10	2171	5.3	0	5.3	0	0	0	5.3
393	md	SUM	300-50/Deer_A	40	0	2.8	0	2.8	0	0	0
393	md	SUM	309-10	513	0	4.4	0	4.4	0	0	0
393	md	SUM	312-10	1149	7.8	15.5	7.8	15.5	0	0	0
393	md	SUM	312-50/Deer_A	125	2.5	0	2.5	0	0	0	0
393	md	SUM	315-01	255	0	3.1	0	3.1	0	0	0
393	md	SUM	393-00	201	10.7	81.2	10.7	81.2	0	0	0
393	md	SUM	Deer_A_Only	169380	23.8	327	23.8	322.2	4.8	117.1	124.4
393	md	SUM	SUM	184680	60.1	473	60.1	468.2	4.8	117.1	129.7
3XX	md	N	Deer_A_Only	24299	6.2	12.4	6.2	12.4	0	9.3	9.3
3XX	md	N	SUM	24299	6.2	12.4	6.2	12.4	0	9.3	9.3
3XX	md	R	Deer_A_Only	145081	0	9.5	0	9.5	0	4.8	4.8
3XX	md	R	SUM	145081	0	9.5	0	9.5	0	4.8	4.8
3XX	md	SUM	Deer_A_Only	169380	6.2	22	6.2	22	0	14.1	14.1
3XX	md	SUM	SUM	169380	6.2	22	6.2	22	0	14.1	14.1
400	md	N	130-00	37	0	0	0	0	0	0	0
400	md	N	400-00	64	0	17.8	0	17.8	0	0	0
400	md	N	404-00	56	0	0	0	0	0	0	0
400	md	N	406-00	47	0	3.4	0	3.4	0	0	0
400	md	N	Deer_A_Only	24299	0	34.2	0	34.2	0	9.3	15.6
400	md	N	SUM	24503	0	55.4	0	55.4	0	9.3	15.6
400	md	R	004-10	7081	0	34	4.9	29.2	0	0	0
400	md	R	006-10	1778	0	4.9	0	4.9	0	0	0
400	md	R	130-00	614	0	4.1	0	4.1	0	0	0
400	md	R	400-00	839	0	370.9	17.7	353.3	0	8.8	17.7
400	md	R	404-00	1152	0	20.7	0	20.7	0	0	6.9
400	md	R	406-00	504	0	0	0	0	0	0	0
400	md	R	Deer_A_Only	145081	9.5	523.2	9.5	523.2	0	137.9	228.3
400	md	R	SUM	157049	9.5	957.9	32	935.4	0	146.8	252.9
400	md	SUM	004-10	7081	0	34	4.9	29.2	0	0	0
400	md	SUM	006-10	1778	0	4.9	0	4.9	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
400	md	SUM	130-00	651	0	4.1	0	4.1	0	0	0
400	md	SUM	400-00	903	0	388.7	17.7	371	0	8.8	17.7
400	md	SUM	404-00	1208	0	20.7	0	20.7	0	0	6.9
400	md	SUM	406-00	551	0	3.4	0	3.4	0	0	0
400	md	SUM	Deer_A_Only	169380	9.5	557.5	9.5	557.5	0	147.3	243.9
400	md	SUM	SUM	181552	9.5	1013.3	32	990.8	0	156.1	268.4
401	md	N	002-10	500	0	0	0	0	0	0	0
401	md	N	003-10	845	0	0	0	0	0	0	0
401	md	N	170-10	57	0	0	0	0	0	0	0
401	md	N	212-01	17	0	0	0	0	0	0	0
401	md	N	260-10	103	0	0	0	0	0	0	0
401	md	N	340-00	8	0	0	0	0	0	0	0
401	md	N	400-00	64	0	0	0	0	0	0	0
401	md	N	401-00	55	0	44	0	44	0	0	2.2
401	md	N	406-00	47	0	0	0	0	0	0	0
401	md	N	498-00	301	0	3.2	0	3.2	0	3.2	0
401	md	N	Deer_A_Only	24299	0	65.4	0	65.4	0	9.3	40.5
401	md	N	SUM	26296	0	112.5	0	112.5	0	12.5	42.7
401	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
401	md	R	003-10	7121	0	5	0	5	0	0	0
401	md	R	004-10	7081	0	68	0	68	0	0	4.9
401	md	R	170-10	2114	0	10.6	0	10.6	0	0	0
401	md	R	212-01	133	0	3.7	0	3.7	0	0	0
401	md	R	260-10	3415	0	8.2	0	8.2	0	0	0
401	md	R	340-00	142	0	2.5	0	2.5	0	0	0
401	md	R	400-00	839	0	17.7	0	17.7	0	0	8.8
401	md	R	401-00	545	4.5	222.5	13.6	213.5	0	0	4.5
401	md	R	406-00	504	0	14.4	0	14.4	0	0	0
401	md	R	Deer_A_Only	145081	0	437.6	9.5	423.4	4.8	80.9	190.3
401	md	R	SUM	175778	4.5	795.7	23.1	772.3	4.8	80.9	208.5
401	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
401	md	SUM	003-10	7966	0	5	0	5	0	0	0
401	md	SUM	004-10	7081	0	68	0	68	0	0	4.9
401	md	SUM	170-10	2171	0	10.6	0	10.6	0	0	0
401	md	SUM	212-01	150	0	3.7	0	3.7	0	0	0
401	md	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
401	md	SUM	340-00	150	0	2.5	0	2.5	0	0	0
401	md	SUM	400-00	903	0	17.7	0	17.7	0	0	8.8
401	md	SUM	401-00	600	4.5	266.5	13.6	257.5	0	0	6.7
401	md	SUM	406-00	551	0	14.4	0	14.4	0	0	0
401	md	SUM	498-00	301	0	3.2	0	3.2	0	3.2	0
401	md	SUM	Deer_A_Only	169380	0	503	9.5	488.7	4.8	90.2	230.7
401	md	SUM	SUM	202074	4.5	908.2	23.1	884.9	4.8	93.4	251.2
403	md	N	Deer_A_Only	24299	3.1	9.3	3.1	9.3	0	3.1	9.3
403	md	N	SUM	24299	3.1	9.3	3.1	9.3	0	3.1	9.3
403	md	R	Deer_A_Only	145081	0	76.1	0	76.1	0	23.8	42.8
403	md	R	SUM	145081	0	76.1	0	76.1	0	23.8	42.8
403	md	SUM	Deer_A_Only	169380	3.1	85.4	3.1	85.4	0	26.9	52.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
403	md	SUM	SUM	169380	3.1	85.4	3.1	85.4	0	26.9	52.1
404	md	N	003-10	845	0	0	0	0	0	0	0
404	md	N	120-00	15	0	0	0	0	0	0	0
404	md	N	170-10	57	0	0	0	0	0	0	0
404	md	N	400-00	64	0	7.1	0	7.1	0	0	0
404	md	N	404-00	56	5.1	38.2	5.1	38.2	0	0	0
404	md	N	444-00	42	0	2.8	0	2.8	0	0	0
404	md	N	Deer_A_Only	24299	0	43.6	0	43.6	0	6.2	31.1
404	md	N	SUM	25378	5.1	91.7	5.1	91.7	0	6.2	31.1
404	md	R	003-10	7121	0	5	0	5	0	0	0
404	md	R	004-10	7081	0	92.3	0	92.3	0	4.9	0
404	md	R	007-11	1520	0	5.2	0	5.2	0	0	0
404	md	R	007-13	5509	0	10.1	0	10.1	0	0	0
404	md	R	007-14	2003	0	9.5	0	9.5	0	0	0
404	md	R	120-00	488	0	4.6	0	4.6	0	0	0
404	md	R	170-10	2114	0	5.3	0	5.3	0	0	0
404	md	R	400-00	839	0	26.5	0	26.5	0	0	0
404	md	R	404-00	1152	0	434.6	0	427.7	6.9	0	6.9
404	md	R	444-00	360	0	0	0	0	0	0	0
404	md	R	Deer_A_Only	145081	4.8	613.6	4.8	599.4	14.3	166.5	214.1
404	md	R	SUM	173268	4.8	1206.8	4.8	1185.7	21.2	171.3	221
404	md	SUM	003-10	7966	0	5	0	5	0	0	0
404	md	SUM	004-10	7081	0	92.3	0	92.3	0	4.9	0
404	md	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
404	md	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
404	md	SUM	007-14	2003	0	9.5	0	9.5	0	0	0
404	md	SUM	120-00	503	0	4.6	0	4.6	0	0	0
404	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
404	md	SUM	400-00	903	0	33.6	0	33.6	0	0	0
404	md	SUM	404-00	1208	5.1	472.8	5.1	465.9	6.9	0	6.9
404	md	SUM	444-00	402	0	2.8	0	2.8	0	0	0
404	md	SUM	Deer_A_Only	169380	4.8	657.2	4.8	642.9	14.3	172.7	245.2
404	md	SUM	SUM	198646	9.8	1298.5	9.8	1277.3	21.2	177.6	252.1
405	md	N	292-40/Deer_A	56	0	0	0	0	0	0	0
405	md	N	404-00	56	0	0	0	0	0	0	0
405	md	N	405-00	28	0	19.8	0	19.8	0	0	0
405	md	N	426-00	94	0	2.3	0	2.3	0	0	0
405	md	N	432-00	28	0	1.8	0	1.8	0	0	0
405	md	N	450-00	9	0	0	0	0	0	0	0
405	md	N	471-00	40	0	1.9	0	1.9	0	0	0
405	md	N	680-00	88	0	2.2	0	2.2	0	0	0
405	md	N	Deer_A_Only	24299	0	18.7	0	18.7	0	3.1	6.2
405	md	N	SUM	24698	0	46.6	0	46.6	0	3.1	6.2
405	md	R	004-10	7081	0	48.6	0	48.6	0	4.9	0
405	md	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
405	md	R	404-00	1152	0	6.9	0	6.9	0	0	0
405	md	R	405-00	477	0	279.3	0	270.7	8.6	0	0
405	md	R	426-00	456	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
405	md	R	432-00	372	0	0	0	0	0	0	0
405	md	R	450-00	141	0	4.4	0	4.4	0	0	0
405	md	R	471-00	260	0	0	0	0	0	0	0
405	md	R	680-00	412	0	0	0	0	0	0	0
405	md	R	Deer_A_Only	145081	4.8	513.7	0	513.7	4.8	128.4	166.5
405	md	R	SUM	156362	4.8	857.8	0	849.2	13.4	133.3	166.5
405	md	SUM	004-10	7081	0	48.6	0	48.6	0	4.9	0
405	md	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
405	md	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
405	md	SUM	405-00	505	0	299.1	0	290.5	8.6	0	0
405	md	SUM	426-00	550	0	2.3	0	2.3	0	0	0
405	md	SUM	432-00	400	0	1.8	0	1.8	0	0	0
405	md	SUM	450-00	150	0	4.4	0	4.4	0	0	0
405	md	SUM	471-00	300	0	1.9	0	1.9	0	0	0
405	md	SUM	680-00	500	0	2.2	0	2.2	0	0	0
405	md	SUM	Deer_A_Only	169380	4.8	532.4	0	532.4	4.8	131.5	172.7
405	md	SUM	SUM	181060	4.8	904.4	0	895.8	13.4	136.4	172.7
406	md	N	003-10	845	0	0	0	0	0	0	0
406	md	N	170-10	57	0	0	0	0	0	0	0
406	md	N	400-00	64	0	0	0	0	0	0	0
406	md	N	401-00	55	0	0	0	0	0	0	0
406	md	N	406-00	47	0	20.1	0	20.1	0	0	0
406	md	N	441-00	26	0	0	0	0	0	0	0
406	md	N	Deer_A_Only	24299	0	12.4	0	12.4	0	9.3	0
406	md	N	SUM	25393	0	32.6	0	32.6	0	9.3	0
406	md	R	003-10	7121	0	5	0	5	0	0	0
406	md	R	004-10	7081	0	34	0	34	0	0	0
406	md	R	170-10	2114	0	5.3	0	5.3	0	0	0
406	md	R	400-00	839	0	26.5	0	26.5	0	0	0
406	md	R	401-00	545	0	4.5	0	4.5	0	0	0
406	md	R	406-00	504	0	182.4	0	182.4	0	0	0
406	md	R	441-00	348	0	4.8	0	4.8	0	0	4.8
406	md	R	Deer_A_Only	145081	0	218.8	0	214.1	4.8	52.3	66.6
406	md	R	SUM	163633	0	481.4	0	476.6	4.8	52.3	71.4
406	md	SUM	003-10	7966	0	5	0	5	0	0	0
406	md	SUM	004-10	7081	0	34	0	34	0	0	0
406	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
406	md	SUM	400-00	903	0	26.5	0	26.5	0	0	0
406	md	SUM	401-00	600	0	4.5	0	4.5	0	0	0
406	md	SUM	406-00	551	0	202.5	0	202.5	0	0	0
406	md	SUM	441-00	374	0	4.8	0	4.8	0	0	4.8
406	md	SUM	Deer_A_Only	169380	0	231.3	0	226.5	4.8	61.7	66.6
406	md	SUM	SUM	189026	0	514	0	509.2	4.8	61.7	71.4
410	md	N	002-10	500	0	0	0	0	0	0	0
410	md	N	005-10	290	0	0	0	0	0	0	0
410	md	N	121-00	73	0	0	0	0	0	0	0
410	md	N	201-00	10	0	0	0	0	0	0	0
410	md	N	260-10	103	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
410	md	N	401-00	55	0	0	0	0	0	0	0
410	md	N	410-00	112	0	67.7	0	67.7	0	4.7	0
410	md	N	411-00	173	0	0	0	0	0	0	0
410	md	N	412-00	177	0	2.5	0	2.5	0	0	0
410	md	N	499-00	169	0	0	0	0	0	0	0
410	md	N	520-00	39	0	0	0	0	0	0	0
410	md	N	599-00	98	0	0	0	0	0	0	0
410	md	N	600-00	47	0	2.6	0	2.6	0	0	0
410	md	N	Deer_A_Only	24299	6.2	118.3	6.2	118.3	0	24.9	80.9
410	md	N	SUM	26145	6.2	191	6.2	191	0	29.6	80.9
410	md	R	002-10	8803	0	16.1	5.4	10.7	0	0	5.4
410	md	R	004-10	7081	0	38.9	0	38.9	0	0	0
410	md	R	005-10	2590	0	4.8	0	4.8	0	4.8	0
410	md	R	007-11	1520	0	5.2	0	5.2	0	0	0
410	md	R	007-13	5509	0	10.1	0	10.1	0	5.1	0
410	md	R	007-14	2003	0	4.8	0	4.8	0	0	0
410	md	R	121-00	727	0	4.2	0	4.2	0	0	0
410	md	R	201-00	340	0	3.9	0	3.9	0	0	0
410	md	R	260-10	3415	0	16.5	0	16.5	0	0	8.2
410	md	R	401-00	545	0	4.5	0	4.5	0	0	0
410	md	R	410-00	488	0	152.8	4.9	147.9	0	0	4.9
410	md	R	411-00	633	0	10.2	0	10.2	0	0	0
410	md	R	412-00	623	0	0	0	0	0	0	0
410	md	R	499-00	835	0	8.1	0	8.1	0	0	0
410	md	R	520-00	261	0	3.6	0	3.6	0	0	3.6
410	md	R	599-00	1904	0	5.9	0	5.9	0	0	5.9
410	md	R	600-00	453	0	0	0	0	0	0	0
410	md	R	Deer_A_Only	145081	0	470.9	4.8	466.2	0	123.7	218.8
410	md	R	SUM	182811	0	760.5	15.1	745.4	0	133.5	246.8
410	md	SUM	002-10	9303	0	16.1	5.4	10.7	0	0	5.4
410	md	SUM	004-10	7081	0	38.9	0	38.9	0	0	0
410	md	SUM	005-10	2880	0	4.8	0	4.8	0	4.8	0
410	md	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
410	md	SUM	007-13	5509	0	10.1	0	10.1	0	5.1	0
410	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
410	md	SUM	121-00	800	0	4.2	0	4.2	0	0	0
410	md	SUM	201-00	350	0	3.9	0	3.9	0	0	0
410	md	SUM	260-10	3518	0	16.5	0	16.5	0	0	8.2
410	md	SUM	401-00	600	0	4.5	0	4.5	0	0	0
410	md	SUM	410-00	600	0	220.5	4.9	215.5	0	4.7	4.9
410	md	SUM	411-00	806	0	10.2	0	10.2	0	0	0
410	md	SUM	412-00	800	0	2.5	0	2.5	0	0	0
410	md	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
410	md	SUM	520-00	300	0	3.6	0	3.6	0	0	3.6
410	md	SUM	599-00	2002	0	5.9	0	5.9	0	0	5.9
410	md	SUM	600-00	500	0	2.6	0	2.6	0	0	0
410	md	SUM	Deer_A_Only	169380	6.2	589.2	11	584.4	0	148.6	299.7
410	md	SUM	SUM	208956	6.2	951.5	21.3	936.5	0	163.1	327.7

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
411	md	N	003-10	845	0	0	0	0	0	0	0
411	md	N	005-10	290	0	0	0	0	0	0	0
411	md	N	410-00	112	0	2.3	0	2.3	0	0	0
411	md	N	411-00	173	0	103.8	0	103.8	0	0	5.8
411	md	N	419-00	54	0	2.3	0	2.3	0	0	2.3
411	md	N	441-50/Deer_A	1	0	0	0	0	0	0	0
411	md	N	499-00	169	0	13.8	0	13.8	0	0	0
411	md	N	Deer_A_Only	24299	0	124.5	0	121.4	3.1	12.4	90.2
411	md	N	SUM	25943	0	246.8	0	243.6	3.1	12.4	98.4
411	md	R	003-10	7121	0	5	0	5	0	0	0
411	md	R	004-10	7081	0	68	0	68	0	0	4.9
411	md	R	005-10	2590	4.8	0	0	4.8	0	0	4.8
411	md	R	410-00	488	0	0	0	0	0	0	0
411	md	R	411-00	633	5.1	219.5	10.2	214.4	0	0	5.1
411	md	R	419-00	248	0	0	0	0	0	0	0
411	md	R	441-50/Deer_A	49	0	2.9	0	2.9	0	0	2.9
411	md	R	499-00	835	0	24.3	0	24.3	0	0	8.1
411	md	R	Deer_A_Only	145081	9.5	532.8	4.8	532.8	4.8	114.2	218.8
411	md	R	SUM	164126	19.4	852.5	15	852.2	4.8	114.2	244.6
411	md	SUM	003-10	7966	0	5	0	5	0	0	0
411	md	SUM	004-10	7081	0	68	0	68	0	0	4.9
411	md	SUM	005-10	2880	4.8	0	0	4.8	0	0	4.8
411	md	SUM	410-00	600	0	2.3	0	2.3	0	0	0
411	md	SUM	411-00	806	5.1	323.3	10.2	318.2	0	0	10.9
411	md	SUM	419-00	302	0	2.3	0	2.3	0	0	2.3
411	md	SUM	441-50/Deer_A	50	0	2.9	0	2.9	0	0	2.9
411	md	SUM	499-00	1004	0	38.1	0	38.1	0	0	8.1
411	md	SUM	Deer_A_Only	169380	9.5	657.2	4.8	654.1	7.9	126.6	309.1
411	md	SUM	SUM	190069	19.4	1099.3	15	1095.9	7.9	126.6	342.9
412	md	N	003-10	845	0	4.1	0	4.1	0	0	0
412	md	N	005-10	290	0	0	0	0	0	0	0
412	md	N	260-10	103	0	0	0	0	0	0	0
412	md	N	284-10	1	0	0	0	0	0	0	0
412	md	N	292-40/Deer_A	56	0	0	0	0	0	0	0
412	md	N	309-10	8	0	0	0	0	0	0	0
412	md	N	314-00	18	0	0	0	0	0	0	0
412	md	N	362-00	2	0	0	0	0	0	0	0
412	md	N	410-00	112	0	2.3	0	2.3	0	0	0
412	md	N	411-00	173	0	5.8	0	5.8	0	0	0
412	md	N	412-00	177	2.5	104.7	0	107.2	0	0	0
412	md	N	498-00	301	0	6.3	0	6.3	0	0	0
412	md	N	499-00	169	0	3.4	0	3.4	0	0	0
412	md	N	Deer_A_Only	24299	3.1	168.1	3.1	168.1	0	24.9	127.6
412	md	N	SUM	26554	5.6	294.8	3.1	297.3	0	24.9	127.6
412	md	R	003-10	7121	0	15.1	0	15.1	0	5	5
412	md	R	004-10	7081	4.9	48.6	4.9	48.6	0	4.9	4.9
412	md	R	005-10	2590	0	4.8	0	4.8	0	0	0
412	md	R	007-13	5509	0	5.1	0	5.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
412	md	R	007-14	2003	0	4.8	0	4.8	0	0	0
412	md	R	260-10	3415	0	8.2	0	8.2	0	0	0
412	md	R	284-10	92	0	4.4	0	4.4	0	0	0
412	md	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
412	md	R	309-10	505	0	4.4	0	4.4	0	0	0
412	md	R	314-00	207	0	3.4	0	3.4	0	0	0
412	md	R	362-00	23	0	1.9	0	1.9	0	0	1.9
412	md	R	410-00	488	0	4.9	0	4.9	0	0	0
412	md	R	411-00	633	0	10.2	0	10.2	0	0	0
412	md	R	412-00	623	12.8	289	12.8	289	0	0	6.4
412	md	R	499-00	835	0	16.2	0	16.2	0	0	0
412	md	R	Deer_A_Only	145081	4.8	475.7	4.8	475.7	0	109.4	223.6
412	md	R	SUM	177136	22.5	901.5	22.5	901.5	0	119.3	241.8
412	md	SUM	003-10	7966	0	19.2	0	19.2	0	5	5
412	md	SUM	004-10	7081	4.9	48.6	4.9	48.6	0	4.9	4.9
412	md	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
412	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
412	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
412	md	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
412	md	SUM	284-10	93	0	4.4	0	4.4	0	0	0
412	md	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
412	md	SUM	309-10	513	0	4.4	0	4.4	0	0	0
412	md	SUM	314-00	225	0	3.4	0	3.4	0	0	0
412	md	SUM	362-00	25	0	1.9	0	1.9	0	0	1.9
412	md	SUM	410-00	600	0	7.3	0	7.3	0	0	0
412	md	SUM	411-00	806	0	16	0	16	0	0	0
412	md	SUM	412-00	800	15.3	393.7	12.8	396.2	0	0	6.4
412	md	SUM	498-00	301	0	6.3	0	6.3	0	0	0
412	md	SUM	499-00	1004	0	19.7	0	19.7	0	0	0
412	md	SUM	Deer_A_Only	169380	7.9	643.7	7.9	643.7	0	134.3	351.2
412	md	SUM	SUM	203690	28.1	1196.3	25.6	1198.8	0	144.2	369.4
413	md	N	170-10	57	0	0	0	0	0	0	0
413	md	N	400-00	64	0	0	0	0	0	0	0
413	md	N	404-00	56	0	0	0	0	0	0	0
413	md	N	405-00	28	0	0	0	0	0	0	0
413	md	N	412-00	177	0	2.5	0	2.5	0	0	0
413	md	N	413-00	42	0	25.6	0	25.6	0	0	0
413	md	N	445-00	58	0	0	0	0	0	0	0
413	md	N	499-00	169	0	3.4	0	3.4	0	0	0
413	md	N	Deer_A_Only	24299	3.1	96.5	0	96.5	3.1	31.1	62.2
413	md	N	SUM	24950	3.1	128	0	128	3.1	31.1	62.2
413	md	R	004-10	7081	4.9	34	4.9	34	0	0	4.9
413	md	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
413	md	R	400-00	839	0	8.8	0	8.8	0	0	8.8
413	md	R	404-00	1152	6.9	6.9	6.9	6.9	0	0	0
413	md	R	405-00	477	0	4.3	0	4.3	0	0	0
413	md	R	412-00	623	0	0	0	0	0	0	0
413	md	R	413-00	558	17.4	238.3	23.2	232.5	0	5.8	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
413	md	R	445-00	542	0	25.2	0	25.2	0	0	0
413	md	R	499-00	835	0	8.1	0	8.1	0	0	0
413	md	R	Deer_A_Only	145081	23.8	532.8	28.5	528	0	104.6	223.6
413	md	R	SUM	159302	53	863.7	63.5	853.1	0	110.5	242.5
413	md	SUM	004-10	7081	4.9	34	4.9	34	0	0	4.9
413	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
413	md	SUM	400-00	903	0	8.8	0	8.8	0	0	8.8
413	md	SUM	404-00	1208	6.9	6.9	6.9	6.9	0	0	0
413	md	SUM	405-00	505	0	4.3	0	4.3	0	0	0
413	md	SUM	412-00	800	0	2.5	0	2.5	0	0	0
413	md	SUM	413-00	600	17.4	263.9	23.2	258.1	0	5.8	0
413	md	SUM	445-00	600	0	25.2	0	25.2	0	0	0
413	md	SUM	499-00	1004	0	11.6	0	11.6	0	0	0
413	md	SUM	Deer_A_Only	169380	26.9	629.2	28.5	624.5	3.1	135.8	285.8
413	md	SUM	SUM	184252	56.1	991.7	63.5	981.1	3.1	141.6	304.8
415	md	N	Deer_A_Only	24299	0	0	0	0	0	0	0
415	md	N	SUM	24299	0	0	0	0	0	0	0
415	md	R	Deer_A_Only	145081	0	9.5	0	9.5	0	0	4.8
415	md	R	SUM	145081	0	9.5	0	9.5	0	0	4.8
415	md	SUM	Deer_A_Only	169380	0	9.5	0	9.5	0	0	4.8
415	md	SUM	SUM	169380	0	9.5	0	9.5	0	0	4.8
416	md	N	005-10	290	0	2.5	0	2.5	0	0	0
416	md	N	391-40/Deer_A	70	0	0	0	0	0	0	0
416	md	N	416-00	1	0	0	0	0	0	0	0
416	md	N	Deer_A_Only	24299	6.2	46.7	3.1	49.8	0	15.6	34.2
416	md	N	SUM	24660	6.2	49.2	3.1	52.3	0	15.6	34.2
416	md	R	004-10	7081	0	9.7	0	9.7	0	0	4.9
416	md	R	005-10	2590	0	0	0	0	0	0	0
416	md	R	391-40/Deer_A	369	0	4.4	0	4.4	0	0	4.4
416	md	R	416-00	14	0	4.7	0	4.7	0	0	0
416	md	R	Deer_A_Only	145081	0	114.2	0	114.2	0	52.3	38.1
416	md	R	SUM	155135	0	132.9	0	132.9	0	52.3	47.3
416	md	SUM	004-10	7081	0	9.7	0	9.7	0	0	4.9
416	md	SUM	005-10	2880	0	2.5	0	2.5	0	0	0
416	md	SUM	391-40/Deer_A	439	0	4.4	0	4.4	0	0	4.4
416	md	SUM	416-00	15	0	4.7	0	4.7	0	0	0
416	md	SUM	Deer_A_Only	169380	6.2	160.8	3.1	164	0	67.9	72.3
416	md	SUM	SUM	179795	6.2	182.2	3.1	185.3	0	67.9	81.5
417	md	N	003-10	845	0	0	0	0	0	0	0
417	md	N	314-00	18	0	0	0	0	0	0	0
417	md	N	410-00	112	0	2.3	0	2.3	0	0	0
417	md	N	411-00	173	0	0	0	0	0	0	0
417	md	N	412-00	177	0	2.5	0	2.5	0	0	0
417	md	N	417-00	76	0	48.7	0	48.7	0	0	3.9
417	md	N	Deer_A_Only	24299	3.1	133.8	3.1	133.8	0	18.7	93.4
417	md	N	SUM	25700	3.1	187.4	3.1	187.4	0	18.7	97.3
417	md	R	003-10	7121	0	5	0	5	0	0	5
417	md	R	004-10	7081	0	14.6	0	14.6	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
417	md	R	311-00	50	0	2.6	0	2.6	0	0	2.6
417	md	R	314-00	207	0	3.4	0	3.4	0	0	3.4
417	md	R	410-00	488	0	0	0	0	0	0	0
417	md	R	411-00	633	0	5.1	0	5.1	0	0	0
417	md	R	412-00	623	0	12.8	0	12.8	0	0	0
417	md	R	417-00	325	0	119.3	0	119.3	0	4.1	0
417	md	R	699-00	3502	0	8.6	0	8.6	0	0	0
417	md	R	Deer_A_Only	145081	0	361.5	0	361.5	0	118.9	142.7
417	md	R	SUM	165111	0	533	0	533	0	123	153.7
417	md	SUM	003-10	7966	0	5	0	5	0	0	5
417	md	SUM	004-10	7081	0	14.6	0	14.6	0	0	0
417	md	SUM	311-00	50	0	2.6	0	2.6	0	0	2.6
417	md	SUM	314-00	225	0	3.4	0	3.4	0	0	3.4
417	md	SUM	410-00	600	0	2.3	0	2.3	0	0	0
417	md	SUM	411-00	806	0	5.1	0	5.1	0	0	0
417	md	SUM	412-00	800	0	15.3	0	15.3	0	0	0
417	md	SUM	417-00	401	0	168	0	168	0	4.1	3.9
417	md	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
417	md	SUM	Deer_A_Only	169380	3.1	495.3	3.1	495.3	0	137.6	236.1
417	md	SUM	SUM	190811	3.1	720.3	3.1	720.3	0	141.7	251
418	md	N	002-10	500	0	0	0	0	0	0	0
418	md	N	250-40/Deer_A	258	0	0	0	0	0	0	0
418	md	N	315-01	57	0	0	0	0	0	0	0
418	md	N	418-00	33	0	14.7	0	14.7	0	0	0
418	md	N	Deer_A_Only	24299	0	24.9	0	24.9	0	3.1	12.4
418	md	N	SUM	25147	0	39.6	0	39.6	0	3.1	12.4
418	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
418	md	R	250-40/Deer_A	730	0	4.4	0	4.4	0	0	0
418	md	R	283-00	98	0	4.1	0	4.1	0	0	0
418	md	R	315-01	198	3.1	0	0	3.1	0	0	0
418	md	R	418-00	67	2.9	17.5	0	20.4	0	0	0
418	md	R	Deer_A_Only	145081	4.8	47.6	0	52.3	0	9.5	28.5
418	md	R	SUM	154977	10.8	78.9	0	89.7	0	9.5	28.5
418	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
418	md	SUM	250-40/Deer_A	988	0	4.4	0	4.4	0	0	0
418	md	SUM	283-00	98	0	4.1	0	4.1	0	0	0
418	md	SUM	315-01	255	3.1	0	0	3.1	0	0	0
418	md	SUM	418-00	100	2.9	32.1	0	35.1	0	0	0
418	md	SUM	Deer_A_Only	169380	4.8	72.5	0	77.2	0	12.6	41
418	md	SUM	SUM	180124	10.8	118.5	0	129.2	0	12.6	41
419	md	N	419-00	54	0	18.8	0	18.8	0	0	2.3
419	md	N	432-00	28	0	0	0	0	0	0	0
419	md	N	Deer_A_Only	24299	0	40.5	0	40.5	0	6.2	31.1
419	md	N	SUM	24381	0	59.2	0	59.2	0	6.2	33.5
419	md	R	004-10	7081	0	9.7	0	9.7	0	0	0
419	md	R	419-00	248	0	73.3	0	73.3	0	0	0
419	md	R	432-00	372	0	4.5	0	4.5	0	0	0
419	md	R	Deer_A_Only	145081	0	209.3	0	204.5	4.8	47.6	80.9



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
419	md	R	SUM	152782	0	296.8	0	292.1	4.8	47.6	80.9
419	md	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
419	md	SUM	419-00	302	0	92.1	0	92.1	0	0	2.3
419	md	SUM	432-00	400	0	4.5	0	4.5	0	0	0
419	md	SUM	Deer_A_Only	169380	0	249.8	0	245	4.8	53.8	112
419	md	SUM	SUM	177163	0	356.1	0	351.3	4.8	53.8	114.3
420	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
420	md	N	SUM	24299	0	6.2	0	6.2	0	3.1	3.1
420	md	R	Deer_A_Only	145081	0	19	0	19	0	14.3	4.8
420	md	R	SUM	145081	0	19	0	19	0	14.3	4.8
420	md	SUM	Deer_A_Only	169380	0	25.3	0	25.3	0	17.4	7.9
420	md	SUM	SUM	169380	0	25.3	0	25.3	0	17.4	7.9
421	md	N	002-10	500	0	0	0	0	0	0	0
421	md	N	003-10	845	0	0	0	0	0	0	0
421	md	N	302-00	20	0	0	0	0	0	0	0
421	md	N	325-00	28	0	0	0	0	0	0	0
421	md	N	335-40/Deer_A	9	0	0	0	0	0	0	0
421	md	N	404-00	56	0	0	0	0	0	0	0
421	md	N	413-00	42	0	0	0	0	0	0	0
421	md	N	421-00	16	0	6.9	0	6.9	0	0	0
421	md	N	Deer_A_Only	24299	0	21.8	0	21.8	0	6.2	15.6
421	md	N	SUM	25815	0	28.6	0	28.6	0	6.2	15.6
421	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
421	md	R	003-10	7121	0	5	0	5	0	0	0
421	md	R	004-10	7081	0	14.6	0	14.6	0	0	4.9
421	md	R	302-00	130	0	3.5	0	3.5	0	0	0
421	md	R	325-00	422	0	5.1	0	5.1	0	0	0
421	md	R	335-40/Deer_A	397	0	4.1	0	4.1	0	0	0
421	md	R	404-00	1152	0	6.9	0	6.9	0	0	0
421	md	R	413-00	558	0	5.8	0	5.8	0	0	0
421	md	R	421-00	234	0	117	0	117	0	4	4
421	md	R	Deer_A_Only	145081	0	185.5	0	185.5	0	47.6	52.3
421	md	R	SUM	170979	0	353	0	353	0	51.6	61.2
421	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
421	md	SUM	003-10	7966	0	5	0	5	0	0	0
421	md	SUM	004-10	7081	0	14.6	0	14.6	0	0	4.9
421	md	SUM	302-00	150	0	3.5	0	3.5	0	0	0
421	md	SUM	325-00	450	0	5.1	0	5.1	0	0	0
421	md	SUM	335-40/Deer_A	406	0	4.1	0	4.1	0	0	0
421	md	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
421	md	SUM	413-00	600	0	5.8	0	5.8	0	0	0
421	md	SUM	421-00	250	0	123.9	0	123.9	0	4	4
421	md	SUM	Deer_A_Only	169380	0	207.3	0	207.3	0	53.8	67.9
421	md	SUM	SUM	196794	0	381.6	0	381.6	0	57.8	76.8
422	md	N	388-10	15	0	0	0	0	0	0	0
422	md	N	Deer_A_Only	24299	0	28	0	28	0	3.1	24.9
422	md	N	SUM	24314	0	28	0	28	0	3.1	24.9
422	md	R	388-10	434	0	4	0	4	0	0	4

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
422	md	R	Deer_A_Only	145081	4.8	76.1	4.8	76.1	0	19	57.1
422	md	R	SUM	145515	4.8	80.1	4.8	80.1	0	19	61.1
422	md	SUM	388-10	449	0	4	0	4	0	0	4
422	md	SUM	Deer_A_Only	169380	4.8	104.1	4.8	104.1	0	22.1	82
422	md	SUM	SUM	169829	4.8	108.1	4.8	108.1	0	22.1	86
423	md	N	210-00	10	0	0	0	0	0	0	0
423	md	N	260-30	3	0	0	0	0	0	0	0
423	md	N	270-01	7	0	0	0	0	0	0	0
423	md	N	343-40/Deer_A	20	0	0	0	0	0	0	0
423	md	N	405-00	28	0	0	0	0	0	0	0
423	md	N	413-00	42	0	0	0	0	0	0	0
423	md	N	423-00	6	0	6	0	6	0	0	0
423	md	N	Deer_A_Only	24299	0	12.4	0	12.4	0	3.1	9.3
423	md	N	SUM	24415	0	18.4	0	18.4	0	3.1	9.3
423	md	R	004-10	7081	0	19.4	0	19.4	0	0	0
423	md	R	210-00	190	0	2.9	0	2.9	0	0	2.9
423	md	R	260-30	830	0	5.8	0	5.8	0	0	5.8
423	md	R	270-01	193	0	3.3	0	3.3	0	0	0
423	md	R	339-00	348	0	4.8	0	4.8	0	0	0
423	md	R	343-40/Deer_A	467	0	3.9	0	3.9	0	0	0
423	md	R	405-00	477	0	4.3	0	4.3	0	0	0
423	md	R	413-00	558	0	5.8	0	5.8	0	0	0
423	md	R	423-00	144	10.5	84.3	3.5	91.3	0	0	3.5
423	md	R	Deer_A_Only	145081	9.5	142.7	9.5	142.7	0	19	61.8
423	md	R	SUM	155369	20.1	277.2	13	284.2	0	19	74
423	md	SUM	004-10	7081	0	19.4	0	19.4	0	0	0
423	md	SUM	210-00	200	0	2.9	0	2.9	0	0	2.9
423	md	SUM	260-30	833	0	5.8	0	5.8	0	0	5.8
423	md	SUM	270-01	200	0	3.3	0	3.3	0	0	0
423	md	SUM	339-00	348	0	4.8	0	4.8	0	0	0
423	md	SUM	343-40/Deer_A	487	0	3.9	0	3.9	0	0	0
423	md	SUM	405-00	505	0	4.3	0	4.3	0	0	0
423	md	SUM	413-00	600	0	5.8	0	5.8	0	0	0
423	md	SUM	423-00	150	10.5	90.3	3.5	97.3	0	0	3.5
423	md	SUM	Deer_A_Only	169380	9.5	155.2	9.5	155.2	0	22.1	71.2
423	md	SUM	SUM	179784	20.1	295.6	13	302.7	0	22.1	83.4
424	md	N	Deer_A_Only	24299	0	12.4	0	12.4	0	9.3	3.1
424	md	N	SUM	24299	0	12.4	0	12.4	0	9.3	3.1
424	md	R	Deer_A_Only	145081	0	19	0	19	0	0	19
424	md	R	SUM	145081	0	19	0	19	0	0	19
424	md	SUM	Deer_A_Only	169380	0	31.5	0	31.5	0	9.3	22.1
424	md	SUM	SUM	169380	0	31.5	0	31.5	0	9.3	22.1
425	md	N	Deer_A_Only	24299	0	46.7	0	46.7	0	9.3	37.3
425	md	N	SUM	24299	0	46.7	0	46.7	0	9.3	37.3
425	md	R	Deer_A_Only	145081	4.8	61.8	0	66.6	0	23.8	42.8
425	md	R	SUM	145081	4.8	61.8	0	66.6	0	23.8	42.8
425	md	SUM	Deer_A_Only	169380	4.8	108.5	0	113.3	0	33.1	80.2
425	md	SUM	SUM	169380	4.8	108.5	0	113.3	0	33.1	80.2

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
426	md	N	104-00	15	0	0	0	0	0	0	0
426	md	N	130-00	37	0	0	0	0	0	0	0
426	md	N	202-50/Deer_A	17	0	0	0	0	0	0	0
426	md	N	404-00	56	0	0	0	0	0	0	0
426	md	N	412-00	177	0	2.5	0	2.5	0	0	0
426	md	N	417-00	76	0	0	0	0	0	0	0
426	md	N	419-00	54	0	0	0	0	0	0	0
426	md	N	426-00	94	0	64.2	0	64.2	0	2.3	0
426	md	N	Deer_A_Only	24299	3.1	112	3.1	112	0	28	74.7
426	md	N	SUM	24825	3.1	178.7	3.1	178.7	0	30.3	74.7
426	md	R	004-10	7081	0	48.6	0	48.6	0	0	0
426	md	R	104-00	485	0	3.9	0	3.9	0	0	0
426	md	R	130-00	614	0	8.3	0	8.3	0	0	0
426	md	R	202-50/Deer_A	183	0	3.5	0	3.5	0	0	0
426	md	R	404-00	1152	0	6.9	0	6.9	0	0	0
426	md	R	412-00	623	0	0	0	0	0	0	0
426	md	R	417-00	325	0	12.3	0	12.3	0	0	0
426	md	R	419-00	248	0	5.6	0	5.6	0	0	0
426	md	R	426-00	456	0	246.8	0	246.8	0	0	0
426	md	R	Deer_A_Only	145081	0	333	0	323.5	9.5	76.1	147.5
426	md	R	SUM	156248	0	668.9	0	659.4	9.5	76.1	147.5
426	md	SUM	004-10	7081	0	48.6	0	48.6	0	0	0
426	md	SUM	104-00	500	0	3.9	0	3.9	0	0	0
426	md	SUM	130-00	651	0	8.3	0	8.3	0	0	0
426	md	SUM	202-50/Deer_A	200	0	3.5	0	3.5	0	0	0
426	md	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
426	md	SUM	412-00	800	0	2.5	0	2.5	0	0	0
426	md	SUM	417-00	401	0	12.3	0	12.3	0	0	0
426	md	SUM	419-00	302	0	5.6	0	5.6	0	0	0
426	md	SUM	426-00	550	0	311	0	311	0	2.3	0
426	md	SUM	Deer_A_Only	169380	3.1	445	3.1	435.5	9.5	104.1	222.1
426	md	SUM	SUM	181073	3.1	847.6	3.1	838.1	9.5	106.4	222.1
432	md	N	400-00	64	0	0	0	0	0	0	0
432	md	N	405-00	28	0	0	0	0	0	0	0
432	md	N	417-00	76	0	0	0	0	0	0	0
432	md	N	418-00	33	0	0	0	0	0	0	0
432	md	N	419-00	54	0	0	0	0	0	0	0
432	md	N	421-00	16	0	0	0	0	0	0	0
432	md	N	432-00	28	0	14	0	14	0	0	0
432	md	N	447-00	79	0	11.3	0	11.3	0	0	0
432	md	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
432	md	N	SUM	24677	0	31.5	0	31.5	0	0	6.2
432	md	R	004-10	7081	4.9	53.5	0	58.3	0	0	0
432	md	R	400-00	839	0	8.8	0	8.8	0	0	0
432	md	R	405-00	477	0	8.6	0	8.6	0	0	0
432	md	R	417-00	325	4.1	0	0	4.1	0	0	0
432	md	R	418-00	67	0	2.9	0	2.9	0	0	0
432	md	R	419-00	248	0	5.6	0	5.6	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
432	md	R	421-00	234	4	0	0	4	0	0	0
432	md	R	432-00	372	18.1	118	13.6	122.5	0	0	0
432	md	R	447-00	621	0	0	0	0	0	0	0
432	md	R	Deer_A_Only	145081	23.8	228.3	28.5	223.6	0	66.6	66.6
432	md	R	SUM	155345	54.9	425.7	42.2	438.5	0	66.6	66.6
432	md	SUM	004-10	7081	4.9	53.5	0	58.3	0	0	0
432	md	SUM	400-00	903	0	8.8	0	8.8	0	0	0
432	md	SUM	405-00	505	0	8.6	0	8.6	0	0	0
432	md	SUM	417-00	401	4.1	0	0	4.1	0	0	0
432	md	SUM	418-00	100	0	2.9	0	2.9	0	0	0
432	md	SUM	419-00	302	0	5.6	0	5.6	0	0	0
432	md	SUM	421-00	250	4	0	0	4	0	0	0
432	md	SUM	432-00	400	18.1	132	13.6	136.5	0	0	0
432	md	SUM	447-00	700	0	11.3	0	11.3	0	0	0
432	md	SUM	Deer_A_Only	169380	23.8	234.5	28.5	229.8	0	66.6	72.8
432	md	SUM	SUM	180022	54.9	457.2	42.2	470	0	66.6	72.8
441	md	N	003-10	845	0	0	0	0	0	0	0
441	md	N	101-00	28	0	0	0	0	0	0	0
441	md	N	120-00	15	0	0	0	0	0	0	0
441	md	N	309-10	8	0	0	0	0	0	0	0
441	md	N	322-10	98	0	0	0	0	0	0	0
441	md	N	333-01	23	0	0	0	0	0	0	0
441	md	N	380-00	6	0	0	0	0	0	0	0
441	md	N	400-00	64	0	0	0	0	0	0	0
441	md	N	401-00	55	0	0	0	0	0	0	0
441	md	N	404-00	56	0	0	0	0	0	0	0
441	md	N	406-00	47	0	3.4	0	3.4	0	0	0
441	md	N	441-00	26	0	10.4	0	10.4	0	0	0
441	md	N	441-50/Deer_A	1	0	1	0	1	0	0	1
441	md	N	Deer_A_Only	24299	0	28	0	28	0	6.2	18.7
441	md	N	SUM	25571	0	42.8	0	42.8	0	6.2	19.7
441	md	R	003-10	7121	0	5	0	5	0	0	0
441	md	R	004-10	7081	0	53.5	0	53.5	0	0	4.9
441	md	R	101-00	807	0	11.8	0	11.8	0	0	0
441	md	R	109-00	398	0	5.1	0	5.1	0	0	0
441	md	R	120-00	488	0	4.6	0	4.6	0	0	0
441	md	R	309-10	505	0	4.4	0	4.4	0	0	0
441	md	R	322-10	1130	0	11	0	11	0	0	0
441	md	R	333-01	278	0	3.7	0	3.7	0	0	0
441	md	R	380-00	194	0	3.1	0	3.1	0	0	0
441	md	R	400-00	839	0	8.8	0	8.8	0	0	0
441	md	R	401-00	545	0	4.5	0	4.5	0	0	0
441	md	R	404-00	1152	0	13.8	0	13.8	0	0	0
441	md	R	406-00	504	0	19.2	0	19.2	0	0	0
441	md	R	441-00	348	0	159.5	4.8	154.7	0	0	0
441	md	R	441-50/Deer_A	49	0	25.9	0	23.1	2.9	0	25.9
441	md	R	Deer_A_Only	145081	0	176	4.8	171.2	0	4.8	95.1
441	md	R	SUM	166520	0	510	9.6	497.5	2.9	4.8	125.9

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
441	md	SUM	003-10	7966	0	5	0	5	0	0	0
441	md	SUM	004-10	7081	0	53.5	0	53.5	0	0	4.9
441	md	SUM	101-00	835	0	11.8	0	11.8	0	0	0
441	md	SUM	109-00	398	0	5.1	0	5.1	0	0	0
441	md	SUM	120-00	503	0	4.6	0	4.6	0	0	0
441	md	SUM	309-10	513	0	4.4	0	4.4	0	0	0
441	md	SUM	322-10	1228	0	11	0	11	0	0	0
441	md	SUM	333-01	301	0	3.7	0	3.7	0	0	0
441	md	SUM	380-00	200	0	3.1	0	3.1	0	0	0
441	md	SUM	400-00	903	0	8.8	0	8.8	0	0	0
441	md	SUM	401-00	600	0	4.5	0	4.5	0	0	0
441	md	SUM	404-00	1208	0	13.8	0	13.8	0	0	0
441	md	SUM	406-00	551	0	22.6	0	22.6	0	0	0
441	md	SUM	441-00	374	0	169.9	4.8	165.1	0	0	0
441	md	SUM	441-50/Deer_A	50	0	26.9	0	24.1	2.9	0	26.9
441	md	SUM	Deer_A_Only	169380	0	204	4.8	199.3	0	11	113.8
441	md	SUM	SUM	192091	0	552.7	9.6	540.3	2.9	11	145.6
442	md	N	Deer_A_Only	24299	0	28	0	28	0	9.3	18.7
442	md	N	SUM	24299	0	28	0	28	0	9.3	18.7
442	md	R	004-10	7081	0	4.9	0	4.9	0	4.9	0
442	md	R	Deer_A_Only	145081	0	61.8	0	61.8	0	14.3	47.6
442	md	R	SUM	152162	0	66.7	0	66.7	0	19.1	47.6
442	md	SUM	004-10	7081	0	4.9	0	4.9	0	4.9	0
442	md	SUM	Deer_A_Only	169380	0	89.8	0	89.8	0	23.6	66.2
442	md	SUM	SUM	176461	0	94.7	0	94.7	0	28.5	66.2
444	md	N	002-10	500	0	0	0	0	0	0	0
444	md	N	281-01	6	0	0	0	0	0	0	0
444	md	N	284-10	1	0	0	0	0	0	0	0
444	md	N	388-10	15	0	0	0	0	0	0	0
444	md	N	405-00	28	0	0	0	0	0	0	0
444	md	N	413-00	42	0	0	0	0	0	0	0
444	md	N	421-00	16	0	2.3	0	2.3	0	0	0
444	md	N	423-00	6	0	0	0	0	0	0	0
444	md	N	426-00	94	0	0	0	0	0	0	0
444	md	N	441-00	26	0	0	0	0	0	0	0
444	md	N	444-00	42	0	28	0	28	0	0	0
444	md	N	Deer_A_Only	24299	3.1	21.8	3.1	21.8	0	6.2	18.7
444	md	N	SUM	25075	3.1	52.1	3.1	52.1	0	6.2	18.7
444	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
444	md	R	004-10	7081	0	29.2	0	29.2	0	0	0
444	md	R	281-01	94	3.2	0	3.2	0	0	0	0
444	md	R	284-10	92	0	4.4	0	4.4	0	0	0
444	md	R	388-10	434	0	4	0	4	0	0	0
444	md	R	405-00	477	4.3	8.6	4.3	8.6	0	0	0
444	md	R	413-00	558	0	5.8	0	5.8	0	0	0
444	md	R	421-00	234	0	4	0	4	0	0	0
444	md	R	423-00	144	0	3.5	0	3.5	0	0	0
444	md	R	426-00	456	0	10.7	0	10.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
444	md	R	441-00	348	0	9.7	0	9.7	0	0	0
444	md	R	444-00	360	7.1	197.6	7.1	197.6	0	0	0
444	md	R	Deer_A_Only	145081	4.8	166.5	4.8	166.5	0	38.1	42.8
444	md	R	SUM	164162	19.4	449.4	19.4	449.4	0	38.1	42.8
444	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
444	md	SUM	004-10	7081	0	29.2	0	29.2	0	0	0
444	md	SUM	281-01	100	3.2	0	3.2	0	0	0	0
444	md	SUM	284-10	93	0	4.4	0	4.4	0	0	0
444	md	SUM	388-10	449	0	4	0	4	0	0	0
444	md	SUM	405-00	505	4.3	8.6	4.3	8.6	0	0	0
444	md	SUM	413-00	600	0	5.8	0	5.8	0	0	0
444	md	SUM	421-00	250	0	6.3	0	6.3	0	0	0
444	md	SUM	423-00	150	0	3.5	0	3.5	0	0	0
444	md	SUM	426-00	550	0	10.7	0	10.7	0	0	0
444	md	SUM	441-00	374	0	9.7	0	9.7	0	0	0
444	md	SUM	444-00	402	7.1	225.6	7.1	225.6	0	0	0
444	md	SUM	Deer_A_Only	169380	7.9	188.3	7.9	188.3	0	44.3	61.5
444	md	SUM	SUM	189237	22.5	501.5	22.5	501.5	0	44.3	61.5
445	md	N	003-10	845	0	0	0	0	0	0	0
445	md	N	260-10	103	0	0	0	0	0	0	0
445	md	N	339-40/Deer_A	12	0	0	0	0	0	0	0
445	md	N	388-10	15	0	0	0	0	0	0	0
445	md	N	404-00	56	0	0	0	0	0	0	0
445	md	N	405-00	28	0	1.6	0	1.6	0	0	0
445	md	N	410-00	112	0	0	0	0	0	0	0
445	md	N	432-00	28	0	0	0	0	0	0	0
445	md	N	445-00	58	0	23.2	0	23.2	0	0	0
445	md	N	471-00	40	0	0	0	0	0	0	0
445	md	N	498-00	301	0	3.2	0	3.2	0	0	0
445	md	N	Deer_A_Only	24299	3.1	68.5	3.1	68.5	0	9.3	59.1
445	md	N	SUM	25897	3.1	96.5	3.1	96.5	0	9.3	59.1
445	md	R	003-10	7121	0	5	0	5	0	0	0
445	md	R	004-10	7081	9.7	82.6	9.7	82.6	0	0	9.7
445	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
445	md	R	260-10	3415	0	8.2	0	8.2	0	0	0
445	md	R	339-40/Deer_A	391	4.6	0	4.6	0	0	0	0
445	md	R	388-10	434	0	4	0	4	0	0	0
445	md	R	404-00	1152	0	6.9	0	6.9	0	0	0
445	md	R	405-00	477	0	0	0	0	0	0	0
445	md	R	410-00	488	0	4.9	0	4.9	0	0	0
445	md	R	432-00	372	0	4.5	0	4.5	0	0	0
445	md	R	445-00	542	4.2	289.9	4.2	289.9	0	0	0
445	md	R	471-00	260	0	5.1	0	5.1	0	0	0
445	md	R	Deer_A_Only	145081	19	494.7	14.3	499.5	0	99.9	199.8
445	md	R	SUM	172323	37.5	911	32.8	915.8	0	99.9	209.5
445	md	SUM	003-10	7966	0	5	0	5	0	0	0
445	md	SUM	004-10	7081	9.7	82.6	9.7	82.6	0	0	9.7
445	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
445	md	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
445	md	SUM	339-40/Deer_A	403	4.6	0	4.6	0	0	0	0
445	md	SUM	388-10	449	0	4	0	4	0	0	0
445	md	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
445	md	SUM	405-00	505	0	1.6	0	1.6	0	0	0
445	md	SUM	410-00	600	0	4.9	0	4.9	0	0	0
445	md	SUM	432-00	400	0	4.5	0	4.5	0	0	0
445	md	SUM	445-00	600	4.2	313.1	4.2	313.1	0	0	0
445	md	SUM	471-00	300	0	5.1	0	5.1	0	0	0
445	md	SUM	498-00	301	0	3.2	0	3.2	0	0	0
445	md	SUM	Deer_A_Only	169380	22.1	563.2	17.4	567.9	0	109.2	258.9
445	md	SUM	SUM	198220	40.7	1007.5	35.9	1012.3	0	109.2	268.6
446	md	N	005-10	290	0	0	0	0	0	0	0
446	md	N	Deer_A_Only	24299	6.2	21.8	6.2	21.8	0	3.1	18.7
446	md	N	SUM	24589	6.2	21.8	6.2	21.8	0	3.1	18.7
446	md	R	004-10	7081	0	9.7	0	9.7	0	4.9	4.9
446	md	R	005-10	2590	0	4.8	0	4.8	0	0	0
446	md	R	Deer_A_Only	145081	4.8	90.4	4.8	90.4	0	33.3	33.3
446	md	R	SUM	154752	4.8	104.9	4.8	104.9	0	38.2	38.2
446	md	SUM	004-10	7081	0	9.7	0	9.7	0	4.9	4.9
446	md	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
446	md	SUM	Deer_A_Only	169380	11	112.2	11	112.2	0	36.4	52
446	md	SUM	SUM	179341	11	126.7	11	126.7	0	41.3	56.8
447	md	N	170-10	57	0	0	0	0	0	0	0
447	md	N	210-00	10	0	0	0	0	0	0	0
447	md	N	325-00	28	0	0	0	0	0	0	0
447	md	N	326-00	89	0	0	0	0	0	0	0
447	md	N	331-02	4	0	0	0	0	0	0	0
447	md	N	404-00	56	0	0	0	0	0	0	0
447	md	N	405-00	28	0	0	0	0	0	0	0
447	md	N	413-00	42	0	0	0	0	0	0	0
447	md	N	419-00	54	0	2.3	0	2.3	0	0	0
447	md	N	432-00	28	0	0	0	0	0	0	0
447	md	N	447-00	79	3.8	41.4	3.8	41.4	0	0	3.8
447	md	N	455-70/Deer_A	3	0	0	0	0	0	0	0
447	md	N	Deer_A_Only	24299	3.1	65.4	3.1	65.4	0	6.2	46.7
447	md	N	SUM	24777	6.9	109.1	6.9	109.1	0	6.2	50.4
447	md	R	004-10	7081	0	82.6	0	82.6	0	9.7	0
447	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
447	md	R	170-10	2114	0	5.3	0	5.3	0	0	0
447	md	R	210-00	190	0	2.9	0	2.9	0	0	0
447	md	R	325-00	422	0	20.6	0	20.6	0	0	0
447	md	R	326-00	597	0	7.5	0	7.5	0	0	0
447	md	R	331-02	21	0	4.7	0	4.7	0	0	0
447	md	R	404-00	1152	0	6.9	0	6.9	0	0	0
447	md	R	405-00	477	0	25.8	0	25.8	0	0	0
447	md	R	413-00	558	0	11.6	0	11.6	0	0	0
447	md	R	419-00	248	0	5.6	0	5.6	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
447	md	R	432-00	372	0	9.1	0	9.1	0	0	0
447	md	R	447-00	621	0	327.6	0	327.6	0	0	0
447	md	R	455-70/Deer_A	47	0	2.8	0	2.8	0	0	0
447	md	R	Deer_A_Only	145081	4.8	547	4.8	542.3	4.8	133.2	252.1
447	md	R	SUM	164490	4.8	1065	4.8	1060.2	4.8	142.9	252.1
447	md	SUM	004-10	7081	0	82.6	0	82.6	0	9.7	0
447	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
447	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
447	md	SUM	210-00	200	0	2.9	0	2.9	0	0	0
447	md	SUM	325-00	450	0	20.6	0	20.6	0	0	0
447	md	SUM	326-00	686	0	7.5	0	7.5	0	0	0
447	md	SUM	331-02	25	0	4.7	0	4.7	0	0	0
447	md	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
447	md	SUM	405-00	505	0	25.8	0	25.8	0	0	0
447	md	SUM	413-00	600	0	11.6	0	11.6	0	0	0
447	md	SUM	419-00	302	0	8	0	8	0	0	0
447	md	SUM	432-00	400	0	9.1	0	9.1	0	0	0
447	md	SUM	447-00	700	3.8	368.9	3.8	368.9	0	0	3.8
447	md	SUM	455-70/Deer_A	50	0	2.8	0	2.8	0	0	0
447	md	SUM	Deer_A_Only	169380	7.9	612.4	7.9	607.6	4.8	139.4	298.8
447	md	SUM	SUM	189267	11.6	1174.1	11.6	1169.3	4.8	149.1	302.6
448	md	N	003-10	845	0	4.1	0	4.1	0	0	0
448	md	N	400-00	64	0	0	0	0	0	0	0
448	md	N	419-00	54	0	0	0	0	0	0	0
448	md	N	432-00	28	0	0	0	0	0	0	0
448	md	N	448-00	31	0	14.1	0	14.1	0	0	0
448	md	N	Deer_A_Only	24299	0	21.8	0	21.8	0	6.2	15.6
448	md	N	SUM	25321	0	40	0	40	0	6.2	15.6
448	md	R	003-10	7121	0	0	0	0	0	0	0
448	md	R	004-10	7081	0	9.7	0	9.7	0	0	0
448	md	R	400-00	839	0	8.8	0	8.8	0	0	0
448	md	R	419-00	248	0	11.3	0	11.3	0	0	0
448	md	R	432-00	372	0	9.1	0	9.1	0	0	0
448	md	R	448-00	158	0	55.1	0	55.1	0	7.3	0
448	md	R	Deer_A_Only	145081	4.8	109.4	4.8	109.4	0	47.6	52.3
448	md	R	SUM	160900	4.8	203.4	4.8	203.4	0	54.9	52.3
448	md	SUM	003-10	7966	0	4.1	0	4.1	0	0	0
448	md	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
448	md	SUM	400-00	903	0	8.8	0	8.8	0	0	0
448	md	SUM	419-00	302	0	11.3	0	11.3	0	0	0
448	md	SUM	432-00	400	0	9.1	0	9.1	0	0	0
448	md	SUM	448-00	189	0	69.2	0	69.2	0	7.3	0
448	md	SUM	Deer_A_Only	169380	4.8	131.2	4.8	131.2	0	53.8	67.9
448	md	SUM	SUM	186221	4.8	243.4	4.8	243.4	0	61.1	67.9
449	md	N	005-10	290	0	2.5	0	2.5	0	0	2.5
449	md	N	Deer_A_Only	24299	0	21.8	0	21.8	0	12.4	9.3
449	md	N	SUM	24589	0	24.3	0	24.3	0	12.4	11.9
449	md	R	005-10	2590	0	0	0	0	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
449	md	R	Deer_A_Only	145081	0	85.6	0	85.6	0	52.3	14.3
449	md	R	SUM	147671	0	85.6	0	85.6	0	52.3	14.3
449	md	SUM	005-10	2880	0	2.5	0	2.5	0	0	2.5
449	md	SUM	Deer_A_Only	169380	0	107.4	0	107.4	0	64.8	23.6
449	md	SUM	SUM	172260	0	109.9	0	109.9	0	64.8	26.2
450	md	N	003-10	845	0	0	0	0	0	0	0
450	md	N	132-00	3	0	0	0	0	0	0	0
450	md	N	426-00	94	0	0	0	0	0	0	0
450	md	N	441-00	26	0	0	0	0	0	0	0
450	md	N	444-00	42	0	0	0	0	0	0	0
450	md	N	450-00	9	0	4.5	0	4.5	0	0	0
450	md	N	Deer_A_Only	24299	0	12.4	0	12.4	0	6.2	3.1
450	md	N	SUM	25318	0	16.9	0	16.9	0	6.2	3.1
450	md	R	003-10	7121	0	10	0	10	0	0	0
450	md	R	004-10	7081	0	24.3	0	24.3	0	0	0
450	md	R	132-00	297	0	3.8	0	3.8	0	0	0
450	md	R	426-00	456	0	5.4	0	5.4	0	0	0
450	md	R	441-00	348	0	4.8	0	4.8	0	0	0
450	md	R	444-00	360	0	7.1	0	7.1	0	0	0
450	md	R	450-00	141	0	48.5	0	48.5	0	0	0
450	md	R	Deer_A_Only	145081	0	71.4	0	71.4	0	0	28.5
450	md	R	SUM	160885	0	175.2	0	175.2	0	0	28.5
450	md	SUM	003-10	7966	0	10	0	10	0	0	0
450	md	SUM	004-10	7081	0	24.3	0	24.3	0	0	0
450	md	SUM	132-00	300	0	3.8	0	3.8	0	0	0
450	md	SUM	426-00	550	0	5.4	0	5.4	0	0	0
450	md	SUM	441-00	374	0	4.8	0	4.8	0	0	0
450	md	SUM	444-00	402	0	7.1	0	7.1	0	0	0
450	md	SUM	450-00	150	0	53	0	53	0	0	0
450	md	SUM	Deer_A_Only	169380	0	83.8	0	83.8	0	6.2	31.7
450	md	SUM	SUM	186203	0	192.2	0	192.2	0	6.2	31.7
452	md	N	Deer_A_Only	24299	6.2	9.3	6.2	9.3	0	3.1	9.3
452	md	N	SUM	24299	6.2	9.3	6.2	9.3	0	3.1	9.3
452	md	R	Deer_A_Only	145081	0	14.3	0	14.3	0	4.8	9.5
452	md	R	SUM	145081	0	14.3	0	14.3	0	4.8	9.5
452	md	SUM	Deer_A_Only	169380	6.2	23.6	6.2	23.6	0	7.9	18.8
452	md	SUM	SUM	169380	6.2	23.6	6.2	23.6	0	7.9	18.8
454	md	N	Deer_A_Only	24299	3.1	15.6	3.1	15.6	0	0	9.3
454	md	N	SUM	24299	3.1	15.6	3.1	15.6	0	0	9.3
454	md	R	Deer_A_Only	145081	9.5	85.6	9.5	85.6	0	28.5	66.6
454	md	R	SUM	145081	9.5	85.6	9.5	85.6	0	28.5	66.6
454	md	SUM	Deer_A_Only	169380	12.6	101.2	12.6	101.2	0	28.5	75.9
454	md	SUM	SUM	169380	12.6	101.2	12.6	101.2	0	28.5	75.9
455	md	N	343-00	6	0	0	0	0	0	0	0
455	md	N	413-00	42	0	0	0	0	0	0	0
455	md	N	445-00	58	0	0	0	0	0	0	0
455	md	N	455-70/Deer_A	3	0	0	0	0	0	0	0
455	md	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	9.3

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
455	md	N	SUM	24408	0	9.3	0	9.3	0	0	9.3
455	md	R	004-10	7081	0	9.7	0	9.7	0	0	4.9
455	md	R	339-00	348	0	4.8	0	4.8	0	0	4.8
455	md	R	343-00	294	0	3.5	0	3.5	0	0	3.5
455	md	R	413-00	558	0	5.8	0	5.8	0	0	5.8
455	md	R	445-00	542	0	12.6	0	12.6	0	0	0
455	md	R	455-70/Deer_A	47	0	11.1	0	11.1	0	0	11.1
455	md	R	Deer_A_Only	145081	0	42.8	0	42.8	0	4.8	14.3
455	md	R	SUM	153951	0	90.3	0	90.3	0	4.8	44.3
455	md	SUM	004-10	7081	0	9.7	0	9.7	0	0	4.9
455	md	SUM	339-00	348	0	4.8	0	4.8	0	0	4.8
455	md	SUM	343-00	300	0	3.5	0	3.5	0	0	3.5
455	md	SUM	413-00	600	0	5.8	0	5.8	0	0	5.8
455	md	SUM	445-00	600	0	12.6	0	12.6	0	0	0
455	md	SUM	455-70/Deer_A	50	0	11.1	0	11.1	0	0	11.1
455	md	SUM	Deer_A_Only	169380	0	52.1	0	52.1	0	4.8	23.6
455	md	SUM	SUM	178359	0	99.7	0	99.7	0	4.8	53.6
471	md	N	291-50/Deer_A	8	0	0	0	0	0	0	0
471	md	N	405-00	28	0	1.6	0	1.6	0	0	0
471	md	N	426-00	94	0	2.3	0	2.3	0	0	0
471	md	N	471-00	40	0	21	0	19	1.9	0	0
471	md	N	680-00	88	0	0	0	0	0	0	0
471	md	N	Deer_A_Only	24299	3.1	28	0	31.1	0	0	21.8
471	md	N	SUM	24557	3.1	52.9	0	54.1	1.9	0	21.8
471	md	R	004-10	7081	0	9.7	0	9.7	0	0	0
471	md	R	291-50/Deer_A	92	0	2.7	0	2.7	0	0	0
471	md	R	405-00	477	0	0	0	0	0	0	0
471	md	R	426-00	456	0	5.4	0	5.4	0	0	0
471	md	R	471-00	260	5.1	132.5	0	137.6	0	0	0
471	md	R	680-00	412	0	5.4	0	5.4	0	0	0
471	md	R	Deer_A_Only	145081	0	261.6	0	261.6	0	57.1	109.4
471	md	R	SUM	153859	5.1	417.3	0	422.4	0	57.1	109.4
471	md	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
471	md	SUM	291-50/Deer_A	100	0	2.7	0	2.7	0	0	0
471	md	SUM	405-00	505	0	1.6	0	1.6	0	0	0
471	md	SUM	426-00	550	0	7.7	0	7.7	0	0	0
471	md	SUM	471-00	300	5.1	153.5	0	156.7	1.9	0	0
471	md	SUM	680-00	500	0	5.4	0	5.4	0	0	0
471	md	SUM	Deer_A_Only	169380	3.1	289.6	0	292.7	0	57.1	131.2
471	md	SUM	SUM	178416	8.2	470.2	0	476.5	1.9	57.1	131.2
4XX	md	N	400-00	64	0	10.7	0	10.7	0	0	0
4XX	md	N	498-00	301	0	3.2	0	3.2	0	0	0
4XX	md	N	Deer_A_Only	24299	6.2	31.1	6.2	31.1	0	12.4	21.8
4XX	md	N	SUM	24664	6.2	45	6.2	45	0	12.4	21.8
4XX	md	R	004-10	7081	0	4.9	0	4.9	0	0	0
4XX	md	R	410-00	488	0	4.9	0	4.9	0	0	4.9
4XX	md	R	Deer_A_Only	145081	0	33.3	0	33.3	0	9.5	14.3
4XX	md	R	SUM	152650	0	43.1	0	43.1	0	9.5	19.2

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
4XX	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
4XX	md	SUM	400-00	64	0	10.7	0	10.7	0	0	0
4XX	md	SUM	410-00	488	0	4.9	0	4.9	0	0	4.9
4XX	md	SUM	498-00	301	0	3.2	0	3.2	0	0	0
4XX	md	SUM	Deer_A_Only	169380	6.2	64.4	6.2	64.4	0	22	36.1
4XX	md	SUM	SUM	177314	6.2	88	6.2	88	0	22	41
500	md	N	005-10	290	0	0	0	0	0	0	0
500	md	N	500-00	7	0	3.5	0	3.5	0	0	1.8
500	md	N	575-00	63	0	0	0	0	0	0	0
500	md	N	599-00	98	0	0	0	0	0	0	0
500	md	N	Deer_A_Only	24299	0	21.8	0	21.8	0	9.3	12.4
500	md	N	SUM	24757	0	25.3	0	25.3	0	9.3	14.2
500	md	R	005-10	2590	0	9.6	0	9.6	0	0	0
500	md	R	500-00	93	0	35.6	0	35.6	0	0	0
500	md	R	575-00	687	0	10.6	0	10.6	0	5.3	5.3
500	md	R	599-00	1904	0	5.9	0	5.9	0	0	0
500	md	R	Deer_A_Only	145081	4.8	561.3	0	561.3	4.8	223.6	266.4
500	md	R	SUM	150355	4.8	622.9	0	622.9	4.8	228.9	271.7
500	md	SUM	005-10	2880	0	9.6	0	9.6	0	0	0
500	md	SUM	500-00	100	0	39.1	0	39.1	0	0	1.8
500	md	SUM	575-00	750	0	10.6	0	10.6	0	5.3	5.3
500	md	SUM	599-00	2002	0	5.9	0	5.9	0	0	0
500	md	SUM	Deer_A_Only	169380	4.8	583.1	0	583.1	4.8	232.9	278.8
500	md	SUM	SUM	175112	4.8	648.2	0	648.2	4.8	238.2	285.9
502	md	N	005-10	290	0	0	0	0	0	0	0
502	md	N	007-10	1330	0	0	0	0	0	0	0
502	md	N	502-00	2	0	0	0	0	0	0	0
502	md	N	510-40/Deer_A	18	0	0	0	0	0	0	0
502	md	N	530-00	85	0	0	0	0	0	0	0
502	md	N	599-00	98	0	0	0	0	0	0	0
502	md	N	Deer_A_Only	24299	0	18.7	0	18.7	0	6.2	12.4
502	md	N	SUM	26122	0	18.7	0	18.7	0	6.2	12.4
502	md	R	005-10	2590	0	4.8	0	4.8	0	0	0
502	md	R	007-10	3512	0	15.8	0	15.8	0	0	0
502	md	R	007-13	5509	0	10.1	0	10.1	0	0	0
502	md	R	502-00	198	7.3	84.3	7.3	84.3	0	0	3.7
502	md	R	510-40/Deer_A	317	0	3.6	0	0	3.6	0	0
502	md	R	530-00	416	0	4.7	0	4.7	0	0	4.7
502	md	R	599-00	1904	0	5.9	0	0	5.9	0	0
502	md	R	Deer_A_Only	145081	4.8	685	9.5	680.2	0	214.1	242.6
502	md	R	SUM	159527	12.1	814.2	16.8	800	9.5	214.1	251
502	md	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
502	md	SUM	007-10	4842	0	15.8	0	15.8	0	0	0
502	md	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
502	md	SUM	502-00	200	7.3	84.3	7.3	84.3	0	0	3.7
502	md	SUM	510-40/Deer_A	335	0	3.6	0	0	3.6	0	0
502	md	SUM	530-00	501	0	4.7	0	4.7	0	0	4.7
502	md	SUM	599-00	2002	0	5.9	0	0	5.9	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
502	md	SUM	Deer_A_Only	169380	4.8	703.6	9.5	698.9	0	220.3	255
502	md	SUM	SUM	185649	12.1	832.9	16.8	818.7	9.5	220.3	263.4
510	md	N	005-10	290	0	5.1	0	5.1	0	0	0
510	md	N	007-10	1330	0	0	0	0	0	0	0
510	md	N	260-30	3	0	0	0	0	0	0	0
510	md	N	313-00	9	0	0	0	0	0	0	0
510	md	N	510-00	9	0	6	0	6	0	0	0
510	md	N	510-40/Deer_A	18	0	5.4	0	5.4	0	3.6	1.8
510	md	N	599-00	98	0	0	0	0	0	0	0
510	md	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
510	md	N	SUM	26056	0	19.6	0	19.6	0	3.6	4.9
510	md	R	005-10	2590	0	4.8	0	4.8	0	0	4.8
510	md	R	007-10	3512	0	10.5	0	10.5	0	0	0
510	md	R	007-11	1520	0	5.2	0	5.2	0	0	0
510	md	R	007-13	5509	0	5.1	0	5.1	0	0	5.1
510	md	R	260-30	830	0	5.8	0	5.8	0	0	5.8
510	md	R	313-00	98	0	3.1	0	3.1	0	0	0
510	md	R	502-00	198	0	3.7	0	3.7	0	0	0
510	md	R	510-00	142	0	75.4	0	75.4	0	4.4	39.9
510	md	R	510-40/Deer_A	317	0	154.9	0	154.9	0	50.4	100.9
510	md	R	599-00	1904	0	11.8	0	5.9	5.9	0	11.8
510	md	R	Deer_A_Only	145081	0	57.1	0	57.1	0	14.3	19
510	md	R	SUM	161701	0	337.2	0	331.4	5.9	69.1	187.2
510	md	SUM	005-10	2880	0	9.9	0	9.9	0	0	4.8
510	md	SUM	007-10	4842	0	10.5	0	10.5	0	0	0
510	md	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
510	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	5.1
510	md	SUM	260-30	833	0	5.8	0	5.8	0	0	5.8
510	md	SUM	313-00	107	0	3.1	0	3.1	0	0	0
510	md	SUM	502-00	198	0	3.7	0	3.7	0	0	0
510	md	SUM	510-00	151	0	81.4	0	81.4	0	4.4	39.9
510	md	SUM	510-40/Deer_A	335	0	160.3	0	160.3	0	54	102.7
510	md	SUM	599-00	2002	0	11.8	0	5.9	5.9	0	11.8
510	md	SUM	Deer_A_Only	169380	0	60.2	0	60.2	0	14.3	22.1
510	md	SUM	SUM	187757	0	356.8	0	351	5.9	72.7	192.1
511	md	N	005-10	290	0	2.5	0	2.5	0	0	0
511	md	N	411-00	173	0	0	0	0	0	0	0
511	md	N	418-00	33	0	0	0	0	0	0	0
511	md	N	445-00	58	0	0	0	0	0	0	0
511	md	N	511-00	27	0	18	0	18	0	0	0
511	md	N	530-01	35	0	2.2	0	2.2	0	0	0
511	md	N	598-00	281	0	3	0	3	0	0	0
511	md	N	Deer_A_Only	24299	0	34.2	0	34.2	0	3.1	24.9
511	md	N	SUM	25196	0	60	0	60	0	3.1	24.9
511	md	R	004-10	7081	0	4.9	0	4.9	0	0	0
511	md	R	005-10	2590	0	0	0	0	0	0	0
511	md	R	007-13	5509	0	10.1	0	10.1	0	0	0
511	md	R	007-14	2003	0	4.8	0	4.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
511	md	R	411-00	633	0	5.1	0	5.1	0	0	0
511	md	R	418-00	67	0	2.9	0	2.9	0	0	0
511	md	R	445-00	542	0	8.4	0	8.4	0	0	0
511	md	R	511-00	123	0	65.1	0	65.1	0	0	0
511	md	R	530-01	218	0	0	0	0	0	0	0
511	md	R	598-00	1970	0	0	0	0	0	0	0
511	md	R	Deer_A_Only	145081	0	176	0	171.2	4.8	47.6	66.6
511	md	R	SUM	165817	0	277.3	0	272.5	4.8	47.6	66.6
511	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
511	md	SUM	005-10	2880	0	2.5	0	2.5	0	0	0
511	md	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
511	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
511	md	SUM	411-00	806	0	5.1	0	5.1	0	0	0
511	md	SUM	418-00	100	0	2.9	0	2.9	0	0	0
511	md	SUM	445-00	600	0	8.4	0	8.4	0	0	0
511	md	SUM	511-00	150	0	83.1	0	83.1	0	0	0
511	md	SUM	530-01	253	0	2.2	0	2.2	0	0	0
511	md	SUM	598-00	2251	0	3	0	3	0	0	0
511	md	SUM	Deer_A_Only	169380	0	210.2	0	205.5	4.8	50.7	91.5
511	md	SUM	SUM	191013	0	337.2	0	332.5	4.8	50.7	91.5
520	md	N	005-10	290	0	0	0	0	0	0	0
520	md	N	007-10	1330	0	0	0	0	0	0	0
520	md	N	410-00	112	0	0	0	0	0	0	0
520	md	N	417-00	76	0	0	0	0	0	0	0
520	md	N	419-00	54	0	0	0	0	0	0	0
520	md	N	510-00	9	0	0	0	0	0	0	0
520	md	N	520-00	39	0	16.7	0	16.7	0	0	0
520	md	N	575-00	63	0	0	0	0	0	0	0
520	md	N	599-00	98	0	0	0	0	0	0	0
520	md	N	Deer_A_Only	24299	0	59.1	0	59.1	0	15.6	43.6
520	md	N	SUM	26370	0	75.8	0	75.8	0	15.6	43.6
520	md	R	004-10	7081	0	4.9	0	4.9	0	0	0
520	md	R	005-10	2590	0	23.9	0	23.9	0	4.8	4.8
520	md	R	007-10	3512	0	5.3	0	5.3	0	0	0
520	md	R	410-00	488	0	4.9	0	4.9	0	0	0
520	md	R	417-00	325	0	4.1	0	4.1	0	0	0
520	md	R	419-00	248	0	5.6	0	5.6	0	0	0
520	md	R	502-00	198	0	3.7	0	3.7	0	0	0
520	md	R	510-00	142	0	4.4	0	4.4	0	0	0
520	md	R	520-00	261	0	85.8	0	85.8	0	0	0
520	md	R	575-00	687	0	10.6	0	10.6	0	0	0
520	md	R	599-00	1904	0	5.9	0	5.9	0	0	0
520	md	R	Deer_A_Only	145081	4.8	352	4.8	352	0	137.9	123.7
520	md	R	SUM	162517	4.8	511.1	4.8	511.1	0	142.7	128.5
520	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
520	md	SUM	005-10	2880	0	23.9	0	23.9	0	4.8	4.8
520	md	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
520	md	SUM	410-00	600	0	4.9	0	4.9	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
520	md	SUM	417-00	401	0	4.1	0	4.1	0	0	0
520	md	SUM	419-00	302	0	5.6	0	5.6	0	0	0
520	md	SUM	502-00	198	0	3.7	0	3.7	0	0	0
520	md	SUM	510-00	151	0	4.4	0	4.4	0	0	0
520	md	SUM	520-00	300	0	102.5	0	102.5	0	0	0
520	md	SUM	575-00	750	0	10.6	0	10.6	0	0	0
520	md	SUM	599-00	2002	0	5.9	0	5.9	0	0	0
520	md	SUM	Deer_A_Only	169380	4.8	411.1	4.8	411.1	0	153.5	167.2
520	md	SUM	SUM	188887	4.8	586.9	4.8	586.9	0	158.3	172
530	md	N	003-10	845	0	0	0	0	0	0	0
530	md	N	005-10	290	0	15.3	0	15.3	0	5.1	2.5
530	md	N	100-00	41	0	0	0	0	0	0	0
530	md	N	104-00	15	0	0	0	0	0	0	0
530	md	N	121-00	73	0	0	0	0	0	0	0
530	md	N	170-10	57	0	0	0	0	0	0	0
530	md	N	202-02	2	0	0	0	0	0	0	0
530	md	N	204-40/Deer_A	17	0	0	0	0	0	0	0
530	md	N	260-10	103	0	0	0	0	0	0	0
530	md	N	260-20	10	0	0	0	0	0	0	0
530	md	N	281-00	6	0	0	0	0	0	0	0
530	md	N	330-00	54	0	0	0	0	0	0	0
530	md	N	340-00	8	0	2	0	2	0	2	0
530	md	N	392-00	2	0	0	0	0	0	0	0
530	md	N	410-00	112	0	0	0	0	0	0	0
530	md	N	419-00	54	0	0	0	0	0	0	0
530	md	N	499-00	169	0	3.4	0	3.4	0	0	0
530	md	N	511-00	27	0	0	0	0	0	0	0
530	md	N	530-00	85	0	43.6	0	43.6	0	4.4	2.2
530	md	N	530-01	35	0	17.5	0	17.5	0	2.2	0
530	md	N	530-50/Deer_A	89	1.9	42.6	1.9	42.6	0	15.5	25.2
530	md	N	597-00	28	0	2.5	0	2.5	0	0	0
530	md	N	598-00	281	0	0	0	0	0	0	0
530	md	N	Deer_A_Only	24299	0	80.9	0	80.9	0	3.1	68.5
530	md	N	SUM	26702	1.9	207.8	1.9	207.8	0	32.2	98.3
530	md	R	003-10	7121	0	15.1	0	15.1	0	0	5
530	md	R	004-10	7081	0	9.7	0	9.7	0	0	4.9
530	md	R	005-10	2590	0	71.8	0	71.8	0	4.8	9.6
530	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
530	md	R	007-14	2003	0	4.8	0	4.8	0	0	0
530	md	R	100-00	559	0	4.4	0	4.4	0	0	0
530	md	R	104-00	485	0	3.9	0	3.9	0	0	0
530	md	R	121-00	727	0	4.2	0	4.2	0	0	0
530	md	R	170-10	2114	0	5.3	0	5.3	0	0	0
530	md	R	202-02	48	0	3.2	0	3.2	0	0	0
530	md	R	204-40/Deer_A	426	0	4.5	0	4.5	0	0	0
530	md	R	260-10	3415	0	8.2	0	8.2	0	0	0
530	md	R	260-20	290	0	3.8	0	3.8	0	0	0
530	md	R	281-00	94	0	2.2	0	2.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
530	md	R	313-01	47	0	2.9	0	2.9	0	2.9	0
530	md	R	330-00	197	0	3.5	0	3.5	0	0	3.5
530	md	R	340-00	142	0	2.5	0	2.5	0	0	2.5
530	md	R	392-00	98	0	2.2	0	2.2	0	0	0
530	md	R	410-00	488	0	9.9	0	4.9	4.9	0	0
530	md	R	419-00	248	0	5.6	0	5.6	0	0	0
530	md	R	499-00	835	0	0	0	0	0	0	0
530	md	R	511-00	123	0	3.6	0	3.6	0	0	0
530	md	R	530-00	416	0	189.1	0	184.4	4.7	23.6	28.4
530	md	R	530-01	218	0	117.9	0	117.9	0	7.1	7.1
530	md	R	530-50/Deer_A	614	0	237.1	0	237.1	0	72	144
530	md	R	597-00	575	0	14	0	14	0	0	0
530	md	R	598-00	1970	0	14.9	0	14.9	0	0	0
530	md	R	Deer_A_Only	145081	9.5	199.8	9.5	190.3	9.5	42.8	42.8
530	md	R	SUM	183514	9.5	949.3	9.5	930.1	19.2	153.3	247.7
530	md	SUM	003-10	7966	0	15.1	0	15.1	0	0	5
530	md	SUM	004-10	7081	0	9.7	0	9.7	0	0	4.9
530	md	SUM	005-10	2880	0	87.1	0	87.1	0	9.9	12.1
530	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
530	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
530	md	SUM	100-00	600	0	4.4	0	4.4	0	0	0
530	md	SUM	104-00	500	0	3.9	0	3.9	0	0	0
530	md	SUM	121-00	800	0	4.2	0	4.2	0	0	0
530	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
530	md	SUM	202-02	50	0	3.2	0	3.2	0	0	0
530	md	SUM	204-40/Deer_A	443	0	4.5	0	4.5	0	0	0
530	md	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
530	md	SUM	260-20	300	0	3.8	0	3.8	0	0	0
530	md	SUM	281-00	100	0	2.2	0	2.2	0	0	0
530	md	SUM	313-01	47	0	2.9	0	2.9	0	2.9	0
530	md	SUM	330-00	251	0	3.5	0	3.5	0	0	3.5
530	md	SUM	340-00	150	0	4.5	0	4.5	0	2	2.5
530	md	SUM	392-00	100	0	2.2	0	2.2	0	0	0
530	md	SUM	410-00	600	0	9.9	0	4.9	4.9	0	0
530	md	SUM	419-00	302	0	5.6	0	5.6	0	0	0
530	md	SUM	499-00	1004	0	3.4	0	3.4	0	0	0
530	md	SUM	511-00	150	0	3.6	0	3.6	0	0	0
530	md	SUM	530-00	501	0	232.7	0	228	4.7	28	30.5
530	md	SUM	530-01	253	0	135.4	0	135.4	0	9.3	7.1
530	md	SUM	530-50/Deer_A	703	1.9	279.7	1.9	279.7	0	87.5	169.1
530	md	SUM	597-00	603	0	16.6	0	16.6	0	0	0
530	md	SUM	598-00	2251	0	14.9	0	14.9	0	0	0
530	md	SUM	Deer_A_Only	169380	9.5	280.7	9.5	271.2	9.5	45.9	111.3
530	md	SUM	SUM	210216	11.4	1157.1	11.4	1137.9	19.2	185.5	346.1
540	md	N	598-00	281	0	0	0	0	0	0	0
540	md	N	797-00	3018	0	3.2	0	3.2	0	3.2	0
540	md	N	Deer_A_Only	24299	0	31.1	0	31.1	0	12.4	12.4
540	md	N	SUM	27598	0	34.4	0	34.4	0	15.7	12.4

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
540	md	R	598-00	1970	0	7.5	0	7.5	0	0	0
540	md	R	Deer_A_Only	145081	4.8	123.7	4.8	123.7	0	57.1	33.3
540	md	R	SUM	147051	4.8	131.1	4.8	131.1	0	57.1	33.3
540	md	SUM	598-00	2251	0	7.5	0	7.5	0	0	0
540	md	SUM	797-00	3018	0	3.2	0	3.2	0	3.2	0
540	md	SUM	Deer_A_Only	169380	4.8	154.8	4.8	154.8	0	69.5	45.7
540	md	SUM	SUM	174649	4.8	165.5	4.8	165.5	0	72.8	45.7
560	md	N	003-10	845	0	0	0	0	0	0	0
560	md	N	005-10	290	0	2.5	0	2.5	0	0	0
560	md	N	313-00	9	0	0	0	0	0	0	0
560	md	N	330-01	13	0	0	0	0	0	0	0
560	md	N	360-00	10	0	0	0	0	0	0	0
560	md	N	360-01	23	0	0	0	0	0	0	0
560	md	N	500-00	7	0	0	0	0	0	0	0
560	md	N	560-00	49	0	22.3	0	22.3	0	0	0
560	md	N	597-00	28	0	0	0	0	0	0	0
560	md	N	598-00	281	0	0	0	0	0	0	0
560	md	N	599-00	98	0	0	0	0	0	0	0
560	md	N	Deer_A_Only	24299	0	84	0	84	0	12.4	59.1
560	md	N	SUM	25952	0	108.8	0	108.8	0	12.4	59.1
560	md	R	003-10	7121	0	10	0	10	0	0	0
560	md	R	005-10	2590	0	28.7	0	28.7	0	0	0
560	md	R	313-00	98	0	3.1	0	3.1	0	0	0
560	md	R	330-01	88	0	4.6	0	4.6	0	0	0
560	md	R	360-00	65	0	3.4	0	3.4	0	0	0
560	md	R	360-01	177	0	6.6	0	6.6	0	0	0
560	md	R	500-00	93	0	2.7	0	2.7	0	0	0
560	md	R	560-00	301	0	138.9	0	138.9	0	0	9.3
560	md	R	597-00	575	0	4.7	0	4.7	0	4.7	0
560	md	R	598-00	1970	0	37.3	0	37.3	0	0	0
560	md	R	599-00	1904	0	5.9	0	5.9	0	0	0
560	md	R	Deer_A_Only	145081	0	261.6	0	261.6	0	85.6	76.1
560	md	R	SUM	160063	0	507.6	0	507.6	0	90.3	85.4
560	md	SUM	003-10	7966	0	10	0	10	0	0	0
560	md	SUM	005-10	2880	0	31.3	0	31.3	0	0	0
560	md	SUM	313-00	107	0	3.1	0	3.1	0	0	0
560	md	SUM	330-01	101	0	4.6	0	4.6	0	0	0
560	md	SUM	360-00	75	0	3.4	0	3.4	0	0	0
560	md	SUM	360-01	200	0	6.6	0	6.6	0	0	0
560	md	SUM	500-00	100	0	2.7	0	2.7	0	0	0
560	md	SUM	560-00	350	0	161.2	0	161.2	0	0	9.3
560	md	SUM	597-00	603	0	4.7	0	4.7	0	4.7	0
560	md	SUM	598-00	2251	0	37.3	0	37.3	0	0	0
560	md	SUM	599-00	2002	0	5.9	0	5.9	0	0	0
560	md	SUM	Deer_A_Only	169380	0	345.6	0	345.6	0	98.1	135.2
560	md	SUM	SUM	186015	0	616.4	0	616.4	0	102.7	144.5
570	md	N	002-10	500	0	0	0	0	0	0	0
570	md	N	005-10	290	2.5	2.5	0	5.1	0	0	2.5



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
570	md	N	260-10	103	0	0	0	0	0	0	0
570	md	N	292-40/Deer_A	56	0	0	0	0	0	0	0
570	md	N	325-01	15	0	0	0	0	0	0	0
570	md	N	500-00	7	0	0	0	0	0	0	0
570	md	N	510-40/Deer_A	18	0	3.6	0	3.6	0	0	0
570	md	N	511-00	27	0	0	0	0	0	0	0
570	md	N	560-00	49	0	4.5	0	4.5	0	0	0
570	md	N	570-00	51	0	20.4	0	20.4	0	0	2
570	md	N	580-00	64	0	0	0	0	0	0	0
570	md	N	598-00	281	0	3	0	3	0	0	0
570	md	N	Deer_A_Only	24299	0	74.7	0	74.7	0	18.7	49.8
570	md	N	SUM	25760	2.5	108.7	0	111.2	0	18.7	54.4
570	md	R	002-10	8803	0	10.7	0	10.7	0	0	0
570	md	R	005-10	2590	0	23.9	0	23.9	0	9.6	4.8
570	md	R	007-13	5509	0	10.1	0	10.1	0	0	5.1
570	md	R	260-10	3415	0	16.5	0	16.5	0	0	0
570	md	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
570	md	R	325-01	135	0	5.2	0	5.2	0	0	0
570	md	R	500-00	93	0	5.5	0	5.5	0	0	0
570	md	R	510-40/Deer_A	317	0	0	0	0	0	0	0
570	md	R	511-00	123	0	7.2	0	7.2	0	0	0
570	md	R	560-00	301	0	0	0	0	0	0	0
570	md	R	570-00	249	0	87.2	0	87.2	0	0	4.2
570	md	R	580-00	186	0	3.3	0	3.3	0	0	0
570	md	R	598-00	1970	7.5	14.9	7.5	14.9	0	0	0
570	md	R	Deer_A_Only	145081	14.3	366.3	9.5	371	0	152.2	147.5
570	md	R	SUM	169702	21.7	555.7	17	560.5	0	161.8	161.5
570	md	SUM	002-10	9303	0	10.7	0	10.7	0	0	0
570	md	SUM	005-10	2880	2.5	26.5	0	29	0	9.6	7.3
570	md	SUM	007-13	5509	0	10.1	0	10.1	0	0	5.1
570	md	SUM	260-10	3518	0	16.5	0	16.5	0	0	0
570	md	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
570	md	SUM	325-01	150	0	5.2	0	5.2	0	0	0
570	md	SUM	500-00	100	0	5.5	0	5.5	0	0	0
570	md	SUM	510-40/Deer_A	335	0	3.6	0	3.6	0	0	0
570	md	SUM	511-00	150	0	7.2	0	7.2	0	0	0
570	md	SUM	560-00	350	0	4.5	0	4.5	0	0	0
570	md	SUM	570-00	300	0	107.5	0	107.5	0	0	6.2
570	md	SUM	580-00	250	0	3.3	0	3.3	0	0	0
570	md	SUM	598-00	2251	7.5	17.9	7.5	17.9	0	0	0
570	md	SUM	Deer_A_Only	169380	14.3	441	9.5	445.7	0	170.9	197.3
570	md	SUM	SUM	195462	24.3	664.4	17	671.7	0	180.5	215.8
575	md	N	003-10	845	0	0	0	0	0	0	0
575	md	N	005-10	290	0	5.1	0	5.1	0	0	0
575	md	N	322-10	98	0	0	0	0	0	0	0
575	md	N	520-00	39	0	0	0	0	0	0	0
575	md	N	575-00	63	0	47.2	1.8	45.5	0	0	1.8
575	md	N	597-00	28	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
575	md	N	598-00	281	0	0	0	0	0	0	0
575	md	N	599-00	98	2.7	0	2.7	0	0	0	0
575	md	N	Deer_A_Only	24299	3.1	43.6	3.1	43.6	0	15.6	21.8
575	md	N	SUM	26041	5.8	95.9	7.6	94.2	0	15.6	23.5
575	md	R	003-10	7121	0	5	0	5	0	0	0
575	md	R	004-10	7081	0	9.7	0	9.7	0	0	4.9
575	md	R	005-10	2590	0	23.9	0	23.9	0	0	4.8
575	md	R	007-13	5509	0	5.1	0	5.1	0	5.1	0
575	md	R	007-14	2003	0	4.8	0	4.8	0	0	0
575	md	R	309-00	25	0	2.5	0	2.5	0	0	0
575	md	R	322-10	1130	0	11	0	11	0	11	0
575	md	R	502-00	198	0	3.7	0	3.7	0	0	0
575	md	R	520-00	261	0	14.3	0	14.3	0	0	0
575	md	R	575-00	687	0	327.6	0	327.6	0	0	0
575	md	R	597-00	575	0	4.7	0	4.7	0	0	0
575	md	R	598-00	1970	0	14.9	0	14.9	0	0	0
575	md	R	599-00	1904	5.9	52.9	5.9	52.9	0	11.8	11.8
575	md	R	Deer_A_Only	145081	9.5	856.2	9.5	856.2	0	304.4	271.1
575	md	R	SUM	176135	15.4	1336.3	15.4	1336.3	0	332.2	292.5
575	md	SUM	003-10	7966	0	5	0	5	0	0	0
575	md	SUM	004-10	7081	0	9.7	0	9.7	0	0	4.9
575	md	SUM	005-10	2880	0	29	0	29	0	0	4.8
575	md	SUM	007-13	5509	0	5.1	0	5.1	0	5.1	0
575	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
575	md	SUM	309-00	25	0	2.5	0	2.5	0	0	0
575	md	SUM	322-10	1228	0	11	0	11	0	11	0
575	md	SUM	502-00	198	0	3.7	0	3.7	0	0	0
575	md	SUM	520-00	300	0	14.3	0	14.3	0	0	0
575	md	SUM	575-00	750	0	374.9	1.8	373.1	0	0	1.8
575	md	SUM	597-00	603	0	4.7	0	4.7	0	0	0
575	md	SUM	598-00	2251	0	14.9	0	14.9	0	0	0
575	md	SUM	599-00	2002	8.6	52.9	8.6	52.9	0	11.8	11.8
575	md	SUM	Deer_A_Only	169380	12.6	899.8	12.6	899.8	0	320	292.9
575	md	SUM	SUM	202176	21.2	1432.2	23	1430.5	0	347.8	316.1
580	md	N	002-10	500	0	0	0	0	0	0	0
580	md	N	003-10	845	0	0	0	0	0	0	0
580	md	N	005-10	290	0	2.5	0	2.5	0	0	0
580	md	N	310-00	3	0	0	0	0	0	0	0
580	md	N	315-01	57	0	0	0	0	0	0	0
580	md	N	418-00	33	0	1.8	0	1.8	0	0	0
580	md	N	560-00	49	0	0	0	0	0	0	0
580	md	N	570-00	51	0	2	0	2	0	0	0
580	md	N	580-00	64	0	29.3	0	29.3	0	0	0
580	md	N	598-00	281	0	0	0	0	0	0	0
580	md	N	Deer_A_Only	24299	3.1	155.6	3.1	155.6	0	43.6	102.7
580	md	N	SUM	26472	3.1	191.3	3.1	191.3	0	43.6	102.7
580	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
580	md	R	003-10	7121	0	5	0	5	0	5	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
580	md	R	005-10	2590	0	0	0	0	0	0	0
580	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
580	md	R	291-00	98	0	2.9	0	2.9	0	2.9	0
580	md	R	310-00	22	0	4.4	0	4.4	0	0	0
580	md	R	315-01	198	0	3.1	0	3.1	0	0	0
580	md	R	418-00	67	0	0	0	0	0	0	0
580	md	R	560-00	301	0	4.6	0	4.6	0	0	0
580	md	R	570-00	249	0	0	0	0	0	0	0
580	md	R	580-00	186	3.3	66.4	3.3	66.4	0	0	0
580	md	R	598-00	1970	0	44.8	0	44.8	0	14.9	0
580	md	R	Deer_A_Only	145081	4.8	271.1	4.8	271.1	0	99.9	123.7
580	md	R	SUM	172195	8.1	412.8	8.1	412.8	0	122.7	123.7
580	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
580	md	SUM	003-10	7966	0	5	0	5	0	5	0
580	md	SUM	005-10	2880	0	2.5	0	2.5	0	0	0
580	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
580	md	SUM	291-00	98	0	2.9	0	2.9	0	2.9	0
580	md	SUM	310-00	25	0	4.4	0	4.4	0	0	0
580	md	SUM	315-01	255	0	3.1	0	3.1	0	0	0
580	md	SUM	418-00	100	0	1.8	0	1.8	0	0	0
580	md	SUM	560-00	350	0	4.6	0	4.6	0	0	0
580	md	SUM	570-00	300	0	2	0	2	0	0	0
580	md	SUM	580-00	250	3.3	95.7	3.3	95.7	0	0	0
580	md	SUM	598-00	2251	0	44.8	0	44.8	0	14.9	0
580	md	SUM	Deer_A_Only	169380	7.9	426.7	7.9	426.7	0	143.5	226.4
580	md	SUM	SUM	198667	11.2	604.1	11.2	604.1	0	166.3	226.4
590	md	N	003-10	845	0	0	0	0	0	0	0
590	md	N	005-10	290	0	0	0	0	0	0	0
590	md	N	007-10	1330	0	0	0	0	0	0	0
590	md	N	530-00	85	0	10.9	0	10.9	0	0	0
590	md	N	530-50/Deer_A	89	0	1.9	0	1.9	0	0	0
590	md	N	570-00	51	0	0	0	0	0	0	0
590	md	N	590-00	35	0	24.1	0	24.1	0	0	0
590	md	N	597-00	28	0	0	0	0	0	0	0
590	md	N	Deer_A_Only	24299	6.2	168.1	6.2	164.9	3.1	34.2	130.7
590	md	N	SUM	27052	6.2	204.9	6.2	201.8	3.1	34.2	130.7
590	md	R	003-10	7121	0	5	0	5	0	0	0
590	md	R	005-10	2590	0	38.3	0	38.3	0	0	14.4
590	md	R	007-10	3512	0	5.3	0	5.3	0	0	0
590	md	R	007-13	5509	0	15.2	0	15.2	0	0	5.1
590	md	R	007-14	2003	0	4.8	0	4.8	0	0	4.8
590	md	R	530-00	416	0	0	0	0	0	0	0
590	md	R	530-50/Deer_A	614	0	21.2	0	21.2	0	0	0
590	md	R	570-00	249	0	4.2	0	4.2	0	0	0
590	md	R	590-00	315	3.5	134.5	3.5	134.5	0	7.1	3.5
590	md	R	597-00	575	0	9.3	0	9.3	0	0	4.7
590	md	R	Deer_A_Only	145081	9.5	956.1	4.8	956.1	4.8	309.2	466.2
590	md	R	SUM	167985	13.1	1193.8	8.3	1193.8	4.8	316.3	498.6

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
590	md	SUM	003-10	7966	0	5	0	5	0	0	0
590	md	SUM	005-10	2880	0	38.3	0	38.3	0	0	14.4
590	md	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
590	md	SUM	007-13	5509	0	15.2	0	15.2	0	0	5.1
590	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	4.8
590	md	SUM	530-00	501	0	10.9	0	10.9	0	0	0
590	md	SUM	530-50/Deer_A	703	0	23.1	0	23.1	0	0	0
590	md	SUM	570-00	300	0	4.2	0	4.2	0	0	0
590	md	SUM	590-00	350	3.5	158.6	3.5	158.6	0	7.1	3.5
590	md	SUM	597-00	603	0	9.3	0	9.3	0	0	4.7
590	md	SUM	Deer_A_Only	169380	15.7	1124.2	11	1121	7.9	343.4	596.9
590	md	SUM	SUM	195037	19.3	1398.8	14.5	1395.7	7.9	350.5	629.3
5XX	md	N	Deer_A_Only	24299	0	18.7	0	18.7	0	3.1	12.4
5XX	md	N	SUM	24299	0	18.7	0	18.7	0	3.1	12.4
5XX	md	R	007-13	5509	0	5.1	0	5.1	0	5.1	0
5XX	md	R	007-14	2003	0	4.8	0	4.8	0	4.8	0
5XX	md	R	520-00	261	0	3.6	3.6	0	0	0	0
5XX	md	R	598-00	1970	0	7.5	0	7.5	0	0	0
5XX	md	R	599-00	1904	0	5.9	5.9	0	0	0	0
5XX	md	R	Deer_A_Only	145081	0	9.5	0	9.5	0	0	0
5XX	md	R	SUM	156728	0	36.3	9.5	26.8	0	9.8	0
5XX	md	SUM	007-13	5509	0	5.1	0	5.1	0	5.1	0
5XX	md	SUM	007-14	2003	0	4.8	0	4.8	0	4.8	0
5XX	md	SUM	520-00	261	0	3.6	3.6	0	0	0	0
5XX	md	SUM	598-00	1970	0	7.5	0	7.5	0	0	0
5XX	md	SUM	599-00	1904	0	5.9	5.9	0	0	0	0
5XX	md	SUM	Deer_A_Only	169380	0	28.2	0	28.2	0	3.1	12.4
5XX	md	SUM	SUM	181027	0	54.9	9.5	45.5	0	12.9	12.4
600	md	N	005-10	290	0	0	0	0	0	0	0
600	md	N	300-00	17	0	0	0	0	0	0	0
600	md	N	401-00	55	0	0	0	0	0	0	0
600	md	N	423-00	6	0	0	0	0	0	0	0
600	md	N	530-01	35	0	0	0	0	0	0	0
600	md	N	598-00	281	0	0	0	0	0	0	0
600	md	N	600-00	47	0	23.5	0	23.5	0	0	0
600	md	N	610-00	2	0	0	0	0	0	0	0
600	md	N	611-00	67	0	0	0	0	0	0	0
600	md	N	690-00	47	0	0	0	0	0	0	0
600	md	N	698-00	851	0	3.8	0	3.8	0	0	0
600	md	N	Deer_A_Only	24299	0	21.8	0	21.8	0	0	15.6
600	md	N	SUM	25997	0	49.1	0	49.1	0	0	15.6
600	md	R	005-10	2590	0	4.8	0	4.8	0	0	0
600	md	R	006-10	1778	4.9	34.4	4.9	29.5	4.9	0	9.8
600	md	R	300-00	134	0	4.3	0	4.3	0	0	0
600	md	R	401-00	545	0	9.1	0	9.1	0	0	0
600	md	R	423-00	144	0	3.5	0	3.5	0	0	0
600	md	R	530-01	218	0	3.6	0	3.6	0	0	0
600	md	R	598-00	1970	0	14.9	0	14.9	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
600	md	R	600-00	453	5.7	177.8	0	183.5	0	5.7	0
600	md	R	610-00	48	0	2.4	0	2.4	0	0	0
600	md	R	611-00	398	0	5	0	5	0	0	0
600	md	R	690-00	453	0	10.7	0	10.7	0	0	0
600	md	R	699-00	3502	0	34.3	0	34.3	0	0	0
600	md	R	Deer_A_Only	145081	4.8	528	0	513.7	19	133.2	233.1
600	md	R	SUM	157314	15.4	832.7	4.9	819.3	23.9	138.9	242.9
600	md	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
600	md	SUM	006-10	1778	4.9	34.4	4.9	29.5	4.9	0	9.8
600	md	SUM	300-00	151	0	4.3	0	4.3	0	0	0
600	md	SUM	401-00	600	0	9.1	0	9.1	0	0	0
600	md	SUM	423-00	150	0	3.5	0	3.5	0	0	0
600	md	SUM	530-01	253	0	3.6	0	3.6	0	0	0
600	md	SUM	598-00	2251	0	14.9	0	14.9	0	0	0
600	md	SUM	600-00	500	5.7	201.3	0	207	0	5.7	0
600	md	SUM	610-00	50	0	2.4	0	2.4	0	0	0
600	md	SUM	611-00	465	0	5	0	5	0	0	0
600	md	SUM	690-00	500	0	10.7	0	10.7	0	0	0
600	md	SUM	698-00	851	0	3.8	0	3.8	0	0	0
600	md	SUM	699-00	3502	0	34.3	0	34.3	0	0	0
600	md	SUM	Deer_A_Only	169380	4.8	549.8	0	535.5	19	133.2	248.6
600	md	SUM	SUM	183311	15.4	881.8	4.9	868.3	23.9	138.9	258.5
610	md	N	600-00	47	0	0	0	0	0	0	0
610	md	N	610-00	2	0	2	0	2	0	0	0
610	md	N	680-00	88	0	0	0	0	0	0	0
610	md	N	690-00	47	0	0	0	0	0	0	0
610	md	N	Deer_A_Only	24299	0	31.1	0	31.1	0	12.4	18.7
610	md	N	SUM	24483	0	33.1	0	33.1	0	12.4	18.7
610	md	R	006-10	1778	0	14.7	0	14.7	0	0	0
610	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
610	md	R	600-00	453	0	11.5	0	11.5	0	0	0
610	md	R	610-00	48	0	21.6	2.4	19.2	0	0	0
610	md	R	680-00	412	0	10.7	0	10.7	0	5.4	0
610	md	R	690-00	453	0	5.3	0	5.3	0	0	0
610	md	R	699-00	3502	0	17.2	0	17.2	0	0	0
610	md	R	Deer_A_Only	145081	0	356.8	0	356.8	0	104.6	142.7
610	md	R	SUM	157236	0	442.8	2.4	440.4	0	110	142.7
610	md	SUM	006-10	1778	0	14.7	0	14.7	0	0	0
610	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
610	md	SUM	600-00	500	0	11.5	0	11.5	0	0	0
610	md	SUM	610-00	50	0	23.6	2.4	21.2	0	0	0
610	md	SUM	680-00	500	0	10.7	0	10.7	0	5.4	0
610	md	SUM	690-00	500	0	5.3	0	5.3	0	0	0
610	md	SUM	699-00	3502	0	17.2	0	17.2	0	0	0
610	md	SUM	Deer_A_Only	169380	0	387.9	0	387.9	0	117.1	161.4
610	md	SUM	SUM	181719	0	475.9	2.4	473.5	0	122.4	161.4
611	md	N	104-00	15	0	0	0	0	0	0	0
611	md	N	388-10	15	0	1.9	0	1.9	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
611	md	N	611-00	67	0	43.5	0	43.5	0	0	3.4
611	md	N	630-00	204	0	0	0	0	0	0	0
611	md	N	670-00	232	0	5.5	0	5.5	0	0	0
611	md	N	698-00	851	0	7.6	0	7.6	0	0	0
611	md	N	Deer_A_Only	24299	0	118.3	3.1	115.1	0	21.8	77.8
611	md	N	SUM	25683	0	176.8	3.1	173.7	0	21.8	81.2
611	md	R	006-10	1778	0	9.8	0	4.9	4.9	0	0
611	md	R	104-00	485	0	3.9	0	3.9	0	0	0
611	md	R	388-10	434	0	0	0	0	0	0	0
611	md	R	611-00	398	0	194	0	194	0	5	0
611	md	R	630-00	497	0	4.9	0	0	4.9	0	0
611	md	R	670-00	559	0	0	0	0	0	0	0
611	md	R	699-00	3502	0	8.6	0	0	8.6	0	0
611	md	R	Deer_A_Only	145081	0	266.4	0	261.6	4.8	42.8	118.9
611	md	R	SUM	152734	0	487.6	0	464.5	23.1	47.8	118.9
611	md	SUM	006-10	1778	0	9.8	0	4.9	4.9	0	0
611	md	SUM	104-00	500	0	3.9	0	3.9	0	0	0
611	md	SUM	388-10	449	0	1.9	0	1.9	0	0	0
611	md	SUM	611-00	465	0	237.6	0	237.6	0	5	3.4
611	md	SUM	630-00	701	0	4.9	0	0	4.9	0	0
611	md	SUM	670-00	791	0	5.5	0	5.5	0	0	0
611	md	SUM	698-00	851	0	7.6	0	7.6	0	0	0
611	md	SUM	699-00	3502	0	8.6	0	0	8.6	0	0
611	md	SUM	Deer_A_Only	169380	0	384.6	3.1	376.8	4.8	64.6	196.7
611	md	SUM	SUM	178417	0	664.4	3.1	638.2	23.1	69.6	200.1
620	md	N	002-10	500	0	0	0	0	0	0	0
620	md	N	005-10	290	0	2.5	0	2.5	0	0	0
620	md	N	007-10	1330	0	3.2	0	3.2	0	0	3.2
620	md	N	410-00	112	0	0	0	0	0	0	0
620	md	N	413-00	42	0	0	0	0	0	0	0
620	md	N	599-00	98	0	0	0	0	0	0	0
620	md	N	620-00	110	0	67.1	0	67.1	0	0	2.7
620	md	N	630-00	204	0	0	0	0	0	0	0
620	md	N	Deer_A_Only	24299	0	124.5	0	124.5	0	31.1	74.7
620	md	N	SUM	26985	0	197.3	0	197.3	0	31.1	80.6
620	md	R	002-10	8803	0	10.7	0	10.7	0	0	5.4
620	md	R	004-10	7081	0	9.7	0	9.7	0	0	0
620	md	R	005-10	2590	0	0	0	0	0	0	0
620	md	R	006-10	1778	4.9	14.7	4.9	14.7	0	0	0
620	md	R	007-10	3512	0	0	0	0	0	0	0
620	md	R	007-11	1520	0	5.2	0	5.2	0	0	0
620	md	R	410-00	488	0	19.7	0	19.7	0	0	0
620	md	R	413-00	558	0	5.8	0	5.8	0	0	0
620	md	R	599-00	1904	5.9	0	5.9	0	0	0	0
620	md	R	620-00	490	13.1	126.9	8.8	131.2	0	4.4	0
620	md	R	630-00	497	0	9.7	0	9.7	0	0	0
620	md	R	699-00	3502	0	25.8	0	25.8	0	0	8.6
620	md	R	Deer_A_Only	145081	9.5	371	4.8	375.8	0	95.1	180.8

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
620	md	R	SUM	177804	33.4	599.3	24.3	608.5	0	99.5	194.7
620	md	SUM	002-10	9303	0	10.7	0	10.7	0	0	5.4
620	md	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
620	md	SUM	005-10	2880	0	2.5	0	2.5	0	0	0
620	md	SUM	006-10	1778	4.9	14.7	4.9	14.7	0	0	0
620	md	SUM	007-10	4842	0	3.2	0	3.2	0	0	3.2
620	md	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
620	md	SUM	410-00	600	0	19.7	0	19.7	0	0	0
620	md	SUM	413-00	600	0	5.8	0	5.8	0	0	0
620	md	SUM	599-00	2002	5.9	0	5.9	0	0	0	0
620	md	SUM	620-00	600	13.1	193.9	8.8	198.3	0	4.4	2.7
620	md	SUM	630-00	701	0	9.7	0	9.7	0	0	0
620	md	SUM	699-00	3502	0	25.8	0	25.8	0	0	8.6
620	md	SUM	Deer_A_Only	169380	9.5	495.5	4.8	500.3	0	126.3	255.4
620	md	SUM	SUM	204789	33.4	796.6	24.3	805.7	0	130.6	275.3
621	md	N	309-10	8	0	0	0	0	0	0	0
621	md	N	620-00	110	0	0	0	0	0	0	0
621	md	N	680-00	88	0	2.2	0	2.2	0	0	0
621	md	N	Deer_A_Only	24299	3.1	49.8	3.1	49.8	0	6.2	40.5
621	md	N	SUM	24505	3.1	52	3.1	52	0	6.2	40.5
621	md	R	004-10	7081	0	9.7	0	9.7	0	0	0
621	md	R	309-10	505	0	4.4	0	4.4	0	0	0
621	md	R	620-00	490	0	13.1	0	13.1	0	0	0
621	md	R	680-00	412	0	0	0	0	0	0	0
621	md	R	Deer_A_Only	145081	0	157	0	157	0	47.6	85.6
621	md	R	SUM	153569	0	184.2	0	184.2	0	47.6	85.6
621	md	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
621	md	SUM	309-10	513	0	4.4	0	4.4	0	0	0
621	md	SUM	620-00	600	0	13.1	0	13.1	0	0	0
621	md	SUM	680-00	500	0	2.2	0	2.2	0	0	0
621	md	SUM	Deer_A_Only	169380	3.1	206.8	3.1	206.8	0	53.8	126.1
621	md	SUM	SUM	178074	3.1	236.2	3.1	236.2	0	53.8	126.1
622	md	N	620-00	110	0	2.7	0	2.7	0	0	0
622	md	N	Deer_A_Only	24299	6.2	37.3	6.2	37.3	0	18.7	24.9
622	md	N	SUM	24409	6.2	40	6.2	40	0	18.7	24.9
622	md	R	620-00	490	0	4.4	0	4.4	0	0	0
622	md	R	Deer_A_Only	145081	0	95.1	0	95.1	0	33.3	57.1
622	md	R	SUM	145571	0	99.5	0	99.5	0	33.3	57.1
622	md	SUM	620-00	600	0	7.1	0	7.1	0	0	0
622	md	SUM	Deer_A_Only	169380	6.2	132.5	6.2	132.5	0	52	82
622	md	SUM	SUM	169980	6.2	139.5	6.2	139.5	0	52	82
630	md	N	002-10	500	0	0	0	0	0	0	0
630	md	N	100-00	41	0	0	0	0	0	0	0
630	md	N	260-10	103	0	0	0	0	0	0	0
630	md	N	281-00	6	0	0	0	0	0	0	0
630	md	N	406-00	47	0	0	0	0	0	0	0
630	md	N	611-00	67	0	0	0	0	0	0	0
630	md	N	620-00	110	0	2.7	0	2.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
630	md	N	630-00	204	0	116.9	0	116.9	0	0	0
630	md	N	630-01	3	0	0	0	0	0	0	0
630	md	N	650-00	56	0	0	0	0	0	0	0
630	md	N	670-00	232	0	0	0	0	0	0	0
630	md	N	698-00	851	0	7.6	0	7.6	0	0	0
630	md	N	Deer_A_Only	24299	0	189.8	0	189.8	0	40.5	118.3
630	md	N	SUM	26519	0	317	0	317	0	40.5	118.3
630	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
630	md	R	006-10	1778	0	9.8	0	9.8	0	0	0
630	md	R	100-00	559	0	4.4	0	4.4	0	0	0
630	md	R	260-10	3415	0	8.2	0	8.2	0	0	0
630	md	R	281-00	94	0	2.2	0	2.2	0	0	0
630	md	R	406-00	504	0	4.8	0	4.8	0	0	0
630	md	R	611-00	398	0	5	0	5	0	0	0
630	md	R	620-00	490	0	13.1	0	13.1	0	0	0
630	md	R	630-00	497	0	136.4	0	136.4	0	4.9	4.9
630	md	R	630-01	20	0	0	0	0	0	0	0
630	md	R	650-00	144	0	3.3	0	3.3	0	0	0
630	md	R	670-00	559	0	6.3	0	6.3	0	0	0
630	md	R	699-00	3502	0	68.7	0	68.7	0	0	0
630	md	R	Deer_A_Only	145081	0	285.4	0	280.6	4.8	42.8	142.7
630	md	R	SUM	165844	0	553	0	548.2	4.8	47.7	147.6
630	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
630	md	SUM	006-10	1778	0	9.8	0	9.8	0	0	0
630	md	SUM	100-00	600	0	4.4	0	4.4	0	0	0
630	md	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
630	md	SUM	281-00	100	0	2.2	0	2.2	0	0	0
630	md	SUM	406-00	551	0	4.8	0	4.8	0	0	0
630	md	SUM	611-00	465	0	5	0	5	0	0	0
630	md	SUM	620-00	600	0	15.8	0	15.8	0	0	0
630	md	SUM	630-00	701	0	253.3	0	253.3	0	4.9	4.9
630	md	SUM	630-01	23	0	0	0	0	0	0	0
630	md	SUM	650-00	200	0	3.3	0	3.3	0	0	0
630	md	SUM	670-00	791	0	6.3	0	6.3	0	0	0
630	md	SUM	698-00	851	0	7.6	0	7.6	0	0	0
630	md	SUM	699-00	3502	0	68.7	0	68.7	0	0	0
630	md	SUM	Deer_A_Only	169380	0	475.2	0	470.5	4.8	83.3	261
630	md	SUM	SUM	192363	0	870	0	865.2	4.8	88.1	265.8
631	md	N	630-00	204	0	4.2	0	4.2	0	0	0
631	md	N	650-00	56	0	0	0	0	0	0	0
631	md	N	Deer_A_Only	24299	0	28	0	28	0	9.3	18.7
631	md	N	SUM	24559	0	32.3	0	32.3	0	9.3	18.7
631	md	R	630-00	497	0	0	0	0	0	0	0
631	md	R	650-00	144	0	3.3	0	3.3	0	0	3.3
631	md	R	Deer_A_Only	145081	0	23.8	0	23.8	0	0	23.8
631	md	R	SUM	145722	0	27.1	0	27.1	0	0	27.1
631	md	SUM	630-00	701	0	4.2	0	4.2	0	0	0
631	md	SUM	650-00	200	0	3.3	0	3.3	0	0	3.3



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
631	md	SUM	Deer_A_Only	169380	0	51.8	0	51.8	0	9.3	42.5
631	md	SUM	SUM	170281	0	59.3	0	59.3	0	9.3	45.7
632	md	N	630-00	204	0	8.5	0	8.5	0	0	0
632	md	N	652-50/Deer_A	10	0	1.2	0	1.2	0	0	1.2
632	md	N	Deer_A_Only	24299	3.1	37.3	0	40.5	0	12.4	28
632	md	N	SUM	24513	3.1	47.1	0	50.2	0	12.4	29.3
632	md	R	630-00	497	0	14.6	0	14.6	0	0	0
632	md	R	652-50/Deer_A	90	0	0	0	0	0	0	0
632	md	R	Deer_A_Only	145081	0	52.3	0	52.3	0	9.5	28.5
632	md	R	SUM	145668	0	66.9	0	66.9	0	9.5	28.5
632	md	SUM	630-00	701	0	23.1	0	23.1	0	0	0
632	md	SUM	652-50/Deer_A	100	0	1.2	0	1.2	0	0	1.2
632	md	SUM	Deer_A_Only	169380	3.1	89.7	0	92.8	0	22	56.5
632	md	SUM	SUM	170181	3.1	114	0	117.1	0	22	57.8
640	md	N	170-10	57	0	0	0	0	0	0	0
640	md	N	260-10	103	0	0	0	0	0	0	0
640	md	N	640-00	85	0	53.1	0	53.1	0	0	0
640	md	N	670-00	232	0	5.5	0	5.5	0	0	0
640	md	N	698-00	851	0	7.6	0	7.6	0	0	0
640	md	N	Deer_A_Only	24299	3.1	52.9	0	56	0	0	49.8
640	md	N	SUM	25627	3.1	119.2	0	122.3	0	0	49.8
640	md	R	006-10	1778	0	9.8	0	9.8	0	0	0
640	md	R	170-10	2114	0	5.3	0	5.3	0	0	0
640	md	R	260-10	3415	0	8.2	0	8.2	0	0	0
640	md	R	640-00	315	0	97.8	5.4	92.3	0	0	5.4
640	md	R	670-00	559	0	6.3	0	6.3	0	0	0
640	md	R	699-00	3502	0	25.8	0	25.8	0	0	0
640	md	R	Deer_A_Only	145081	0	294.9	0	294.9	0	52.3	166.5
640	md	R	SUM	156764	0	448.1	5.4	442.6	0	52.3	171.9
640	md	SUM	006-10	1778	0	9.8	0	9.8	0	0	0
640	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
640	md	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
640	md	SUM	640-00	400	0	150.9	5.4	145.5	0	0	5.4
640	md	SUM	670-00	791	0	11.8	0	11.8	0	0	0
640	md	SUM	698-00	851	0	7.6	0	7.6	0	0	0
640	md	SUM	699-00	3502	0	25.8	0	25.8	0	0	0
640	md	SUM	Deer_A_Only	169380	3.1	347.8	0	350.9	0	52.3	216.3
640	md	SUM	SUM	182391	3.1	567.2	5.4	564.9	0	52.3	221.7
641	md	N	698-00	851	0	3.8	0	3.8	0	0	0
641	md	N	Deer_A_Only	24299	0	24.9	0	24.9	0	6.2	18.7
641	md	N	SUM	25150	0	28.7	0	28.7	0	6.2	18.7
641	md	R	Deer_A_Only	145081	0	66.6	0	66.6	0	23.8	42.8
641	md	R	SUM	145081	0	66.6	0	66.6	0	23.8	42.8
641	md	SUM	698-00	851	0	3.8	0	3.8	0	0	0
641	md	SUM	Deer_A_Only	169380	0	91.5	0	91.5	0	30	61.5
641	md	SUM	SUM	170231	0	95.3	0	95.3	0	30	61.5
650	md	N	007-10	1330	0	3.2	0	3.2	0	0	0
650	md	N	560-00	49	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
650	md	N	630-00	204	0	0	0	0	0	0	0
650	md	N	650-00	56	0	42	0	42	0	0	2.3
650	md	N	651-00	78	0	2	0	2	0	0	0
650	md	N	Deer_A_Only	24299	0	87.1	0	87.1	0	6.2	65.4
650	md	N	SUM	26016	0	134.3	0	134.3	0	6.2	67.7
650	md	R	007-10	3512	0	0	0	0	0	0	0
650	md	R	560-00	301	0	4.6	0	4.6	0	0	4.6
650	md	R	630-00	497	0	4.9	0	4.9	0	0	0
650	md	R	650-00	144	0	49.1	0	49.1	0	0	3.3
650	md	R	651-00	131	0	0	0	0	0	0	0
650	md	R	699-00	3502	0	8.6	0	8.6	0	0	8.6
650	md	R	Deer_A_Only	145081	0	318.7	0	313.9	4.8	76.1	204.5
650	md	R	SUM	153168	0	385.9	0	381.1	4.8	76.1	221
650	md	SUM	007-10	4842	0	3.2	0	3.2	0	0	0
650	md	SUM	560-00	350	0	4.6	0	4.6	0	0	4.6
650	md	SUM	630-00	701	0	4.9	0	4.9	0	0	0
650	md	SUM	650-00	200	0	91.1	0	91.1	0	0	5.6
650	md	SUM	651-00	209	0	2	0	2	0	0	0
650	md	SUM	699-00	3502	0	8.6	0	8.6	0	0	8.6
650	md	SUM	Deer_A_Only	169380	0	405.8	0	401.1	4.8	82.3	269.9
650	md	SUM	SUM	179184	0	520.2	0	515.4	4.8	82.3	288.7
651	md	N	007-10	1330	0	3.2	0	3.2	0	0	0
651	md	N	650-00	56	0	0	0	0	0	0	0
651	md	N	651-00	78	0	46	2	44	0	0	0
651	md	N	652-00	25	0	0	0	0	0	0	0
651	md	N	698-00	851	0	3.8	0	3.8	0	0	0
651	md	N	Deer_A_Only	24299	3.1	62.2	3.1	62.2	0	15.6	46.7
651	md	N	SUM	26639	3.1	115.2	5.1	113.2	0	15.6	46.7
651	md	R	006-10	1778	0	19.6	0	19.6	0	4.9	4.9
651	md	R	007-10	3512	0	10.5	0	10.5	0	0	0
651	md	R	007-11	1520	0	5.2	0	5.2	0	0	0
651	md	R	007-13	5509	0	5.1	0	5.1	0	0	0
651	md	R	007-14	2003	0	4.8	0	4.8	0	0	0
651	md	R	650-00	144	0	3.3	0	3.3	0	0	0
651	md	R	651-00	131	0	55.7	0	55.7	0	0	0
651	md	R	652-00	75	0	5.4	0	5.4	0	0	5.4
651	md	R	699-00	3502	0	42.9	0	42.9	0	8.6	0
651	md	R	Deer_A_Only	145081	0	318.7	0	318.7	0	95.1	142.7
651	md	R	SUM	163255	0	471.1	0	471.1	0	108.6	153
651	md	SUM	006-10	1778	0	19.6	0	19.6	0	4.9	4.9
651	md	SUM	007-10	4842	0	13.7	0	13.7	0	0	0
651	md	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
651	md	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
651	md	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
651	md	SUM	650-00	200	0	3.3	0	3.3	0	0	0
651	md	SUM	651-00	209	0	101.7	2	99.7	0	0	0
651	md	SUM	652-00	100	0	5.4	0	5.4	0	0	5.4
651	md	SUM	698-00	851	0	3.8	0	3.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
651	md	SUM	699-00	3502	0	42.9	0	42.9	0	8.6	0
651	md	SUM	Deer_A_Only	169380	3.1	380.9	3.1	380.9	0	110.7	189.4
651	md	SUM	SUM	189894	3.1	586.4	5.1	584.4	0	124.2	199.7
652	md	N	007-10	1330	0	3.2	0	3.2	0	0	0
652	md	N	130-00	37	0	0	0	0	0	0	0
652	md	N	309-10	8	0	0	0	0	0	0	0
652	md	N	391-00	2	0	1	0	1	0	1	0
652	md	N	650-00	56	0	0	0	0	0	0	0
652	md	N	652-00	25	1.7	6.7	0	8.3	0	0	0
652	md	N	652-50/Deer_A	10	0	5	0	5	0	1.2	3.8
652	md	N	Deer_A_Only	24299	3.1	0	0	3.1	0	0	0
652	md	N	SUM	25767	4.8	15.8	0	20.6	0	2.2	3.8
652	md	R	004-10	7081	0	4.9	0	4.9	0	0	4.9
652	md	R	007-10	3512	0	0	0	0	0	0	0
652	md	R	007-13	5509	0	10.1	0	10.1	0	0	5.1
652	md	R	130-00	614	0	4.1	0	4.1	0	0	4.1
652	md	R	309-10	505	0	4.4	0	4.4	0	0	4.4
652	md	R	391-00	98	0	0	0	0	0	0	0
652	md	R	650-00	144	0	3.3	0	3.3	0	0	0
652	md	R	652-00	75	0	26.8	0	26.8	0	0	0
652	md	R	652-50/Deer_A	90	2.9	29	2.9	29	0	0	31.9
652	md	R	Deer_A_Only	145081	0	0	0	0	0	0	0
652	md	R	SUM	162709	2.9	82.6	2.9	82.6	0	0	50.4
652	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	4.9
652	md	SUM	007-10	4842	0	3.2	0	3.2	0	0	0
652	md	SUM	007-13	5509	0	10.1	0	10.1	0	0	5.1
652	md	SUM	130-00	651	0	4.1	0	4.1	0	0	4.1
652	md	SUM	309-10	513	0	4.4	0	4.4	0	0	4.4
652	md	SUM	391-00	100	0	1	0	1	0	1	0
652	md	SUM	650-00	200	0	3.3	0	3.3	0	0	0
652	md	SUM	652-00	100	1.7	33.5	0	35.1	0	0	0
652	md	SUM	652-50/Deer_A	100	2.9	34	2.9	34	0	1.2	35.7
652	md	SUM	Deer_A_Only	169380	3.1	0	0	3.1	0	0	0
652	md	SUM	SUM	188476	7.7	98.5	2.9	103.2	0	2.2	54.1
670	md	N	007-10	1330	0	0	0	0	0	0	0
670	md	N	321-00	2	0	0	0	0	0	0	0
670	md	N	530-50/Deer_A	89	0	0	0	0	0	0	0
670	md	N	620-00	110	0	0	0	0	0	0	0
670	md	N	630-00	204	0	4.2	0	4.2	0	0	0
670	md	N	640-00	85	0	4.2	0	4.2	0	0	0
670	md	N	650-00	56	0	0	0	0	0	0	0
670	md	N	651-00	78	0	2	0	2	0	0	0
670	md	N	670-00	232	2.8	138.1	0	140.9	0	0	5.5
670	md	N	698-00	851	0	30.4	0	30.4	0	0	0
670	md	N	Deer_A_Only	24299	0	199.2	3.1	196.1	0	24.9	146.3
670	md	N	SUM	27336	2.8	378.2	3.1	377.8	0	24.9	151.8
670	md	R	006-10	1778	0	29.5	0	29.5	0	0	4.9
670	md	R	007-10	3512	0	5.3	0	5.3	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
670	md	R	109-00	398	0	5.1	0	5.1	0	0	0
670	md	R	321-00	23	0	2.3	0	2.3	0	0	0
670	md	R	530-50/Deer_A	614	0	4.2	0	4.2	0	0	0
670	md	R	620-00	490	0	8.8	0	8.8	0	0	0
670	md	R	630-00	497	0	14.6	0	14.6	0	0	0
670	md	R	640-00	315	0	10.9	0	10.9	0	0	0
670	md	R	650-00	144	0	9.8	0	9.8	0	0	0
670	md	R	651-00	131	0	0	0	0	0	0	0
670	md	R	670-00	559	6.3	238.7	6.3	238.7	0	6.3	6.3
670	md	R	699-00	3502	0	34.3	0	34.3	0	0	0
670	md	R	Deer_A_Only	145081	0	342.5	0	342.5	0	47.6	185.5
670	md	R	SUM	157044	6.3	705.9	6.3	705.9	0	53.8	196.7
670	md	SUM	006-10	1778	0	29.5	0	29.5	0	0	4.9
670	md	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
670	md	SUM	109-00	398	0	5.1	0	5.1	0	0	0
670	md	SUM	321-00	25	0	2.3	0	2.3	0	0	0
670	md	SUM	530-50/Deer_A	703	0	4.2	0	4.2	0	0	0
670	md	SUM	620-00	600	0	8.8	0	8.8	0	0	0
670	md	SUM	630-00	701	0	18.9	0	18.9	0	0	0
670	md	SUM	640-00	400	0	15.1	0	15.1	0	0	0
670	md	SUM	650-00	200	0	9.8	0	9.8	0	0	0
670	md	SUM	651-00	209	0	2	0	2	0	0	0
670	md	SUM	670-00	791	9	376.8	6.3	379.5	0	6.3	11.8
670	md	SUM	698-00	851	0	30.4	0	30.4	0	0	0
670	md	SUM	699-00	3502	0	34.3	0	34.3	0	0	0
670	md	SUM	Deer_A_Only	169380	0	541.7	3.1	538.5	0	72.5	331.8
670	md	SUM	SUM	184380	9	1084.1	9.4	1083.7	0	78.7	348.5
680	md	N	003-10	845	0	0	0	0	0	0	0
680	md	N	392-00	2	0	0	0	0	0	0	0
680	md	N	392-40/Deer_A	79	0	0	0	0	0	0	0
680	md	N	421-00	16	0	0	0	0	0	0	0
680	md	N	426-00	94	0	2.3	0	2.3	0	0	0
680	md	N	444-00	42	0	2.8	0	2.8	0	0	0
680	md	N	471-00	40	0	3.8	0	3.8	0	0	0
680	md	N	680-00	88	0	55	0	55	0	0	0
680	md	N	698-00	851	0	11.4	0	11.4	0	0	0
680	md	N	Deer_A_Only	24299	0	56	0	56	0	9.3	37.3
680	md	N	SUM	26356	0	131.3	0	131.3	0	9.3	37.3
680	md	R	003-10	7121	0	5	0	5	0	0	0
680	md	R	004-10	7081	0	4.9	0	4.9	0	0	0
680	md	R	006-10	1778	0	14.7	0	14.7	0	0	0
680	md	R	392-00	98	0	2.2	0	2.2	0	0	0
680	md	R	392-40/Deer_A	719	0	4.1	0	4.1	0	0	0
680	md	R	421-00	234	0	4	0	4	0	0	0
680	md	R	426-00	456	0	0	0	0	0	0	0
680	md	R	444-00	360	0	0	0	0	0	0	0
680	md	R	471-00	260	0	0	0	0	0	0	0
680	md	R	680-00	412	5.4	171.2	5.4	171.2	0	5.4	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
680	md	R	Deer_A_Only	145081	4.8	309.2	4.8	304.4	4.8	71.4	142.7
680	md	R	SUM	163600	10.1	515.4	10.1	510.6	4.8	76.7	142.7
680	md	SUM	003-10	7966	0	5	0	5	0	0	0
680	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
680	md	SUM	006-10	1778	0	14.7	0	14.7	0	0	0
680	md	SUM	392-00	100	0	2.2	0	2.2	0	0	0
680	md	SUM	392-40/Deer_A	798	0	4.1	0	4.1	0	0	0
680	md	SUM	421-00	250	0	4	0	4	0	0	0
680	md	SUM	426-00	550	0	2.3	0	2.3	0	0	0
680	md	SUM	444-00	402	0	2.8	0	2.8	0	0	0
680	md	SUM	471-00	300	0	3.8	0	3.8	0	0	0
680	md	SUM	680-00	500	5.4	226.2	5.4	226.2	0	5.4	0
680	md	SUM	698-00	851	0	11.4	0	11.4	0	0	0
680	md	SUM	Deer_A_Only	169380	4.8	365.2	4.8	360.4	4.8	80.7	180
680	md	SUM	SUM	189956	10.1	646.7	10.1	642	4.8	86	180
690	md	N	003-10	845	0	0	0	0	0	0	0
690	md	N	170-10	57	0	0	0	0	0	0	0
690	md	N	417-00	76	0	0	0	0	0	0	0
690	md	N	448-00	31	0	0	0	0	0	0	0
690	md	N	499-00	169	0	0	0	0	0	0	0
690	md	N	600-00	47	0	0	0	0	0	0	0
690	md	N	680-00	88	0	0	0	0	0	0	0
690	md	N	690-00	47	0	25.3	0	25.3	0	0	0
690	md	N	698-00	851	0	7.6	0	7.6	0	0	3.8
690	md	N	Deer_A_Only	24299	3.1	224.1	0	227.2	0	31.1	183.6
690	md	N	SUM	26510	3.1	257	0	260.1	0	31.1	187.4
690	md	R	003-10	7121	0	5	0	5	0	0	0
690	md	R	006-10	1778	0	14.7	0	14.7	0	0	4.9
690	md	R	170-10	2114	0	5.3	0	5.3	0	0	0
690	md	R	417-00	325	0	4.1	0	4.1	0	0	0
690	md	R	448-00	158	0	3.7	0	3.7	0	0	0
690	md	R	499-00	835	0	8.1	0	8.1	0	0	0
690	md	R	600-00	453	0	17.2	0	17.2	0	0	0
690	md	R	680-00	412	0	10.7	0	10.7	0	0	0
690	md	R	690-00	453	0	197.2	0	197.2	0	0	0
690	md	R	699-00	3502	0	51.5	0	51.5	0	8.6	17.2
690	md	R	Deer_A_Only	145081	0	566.1	0	561.3	4.8	109.4	328.2
690	md	R	SUM	162232	0	883.6	0	878.8	4.8	118	350.3
690	md	SUM	003-10	7966	0	5	0	5	0	0	0
690	md	SUM	006-10	1778	0	14.7	0	14.7	0	0	4.9
690	md	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
690	md	SUM	417-00	401	0	4.1	0	4.1	0	0	0
690	md	SUM	448-00	189	0	3.7	0	3.7	0	0	0
690	md	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
690	md	SUM	600-00	500	0	17.2	0	17.2	0	0	0
690	md	SUM	680-00	500	0	10.7	0	10.7	0	0	0
690	md	SUM	690-00	500	0	222.5	0	222.5	0	0	0
690	md	SUM	698-00	851	0	7.6	0	7.6	0	0	3.8

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
690	md	SUM	699-00	3502	0	51.5	0	51.5	0	8.6	17.2
690	md	SUM	Deer_A_Only	169380	3.1	790.1	0	788.5	4.8	140.5	511.8
690	md	SUM	SUM	188742	3.1	1140.6	0	1138.9	4.8	149.1	537.7
6XX	md	N	630-00	204	0	4.2	0	4.2	0	0	0
6XX	md	N	698-00	851	0	7.6	0	7.6	0	0	0
6XX	md	N	Deer_A_Only	24299	3.1	15.6	3.1	15.6	0	3.1	15.6
6XX	md	N	SUM	25354	3.1	27.4	3.1	27.4	0	3.1	15.6
6XX	md	R	Deer_A_Only	145081	0	4.8	0	4.8	0	4.8	0
6XX	md	R	SUM	145081	0	4.8	0	4.8	0	4.8	0
6XX	md	SUM	630-00	204	0	4.2	0	4.2	0	0	0
6XX	md	SUM	698-00	851	0	7.6	0	7.6	0	0	0
6XX	md	SUM	Deer_A_Only	169380	3.1	20.3	3.1	20.3	0	7.9	15.6
6XX	md	SUM	SUM	170435	3.1	32.2	3.1	32.2	0	7.9	15.6
700	md	N	002-10	500	0	0	0	0	0	0	0
700	md	N	003-10	845	0	0	0	0	0	0	0
700	md	N	005-10	290	0	0	0	0	0	0	0
700	md	N	007-10	1330	0	15.9	0	15.9	0	0	0
700	md	N	170-10	57	0	0	0	0	0	0	0
700	md	N	260-10	103	0	0	0	0	0	0	0
700	md	N	312-00	12	0	1.7	0	1.7	0	0	0
700	md	N	426-00	94	0	2.3	0	2.3	0	0	0
700	md	N	575-00	63	0	0	0	0	0	0	0
700	md	N	597-00	28	0	0	0	0	0	0	0
700	md	N	599-00	98	0	0	0	0	0	0	0
700	md	N	650-00	56	0	2.3	0	2.3	0	0	0
700	md	N	652-00	25	0	1.7	0	1.7	0	0	0
700	md	N	797-00	3018	0	262.3	0	259.1	3.2	6.5	6.5
700	md	N	Deer_A_Only	24299	15.6	603.7	15.6	600.6	3.1	143.2	423.2
700	md	N	SUM	30818	15.6	890	15.6	883.6	6.4	149.6	429.7
700	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
700	md	R	003-10	7121	0	10	0	10	0	0	5
700	md	R	005-10	2590	0	4.8	0	4.8	0	0	0
700	md	R	006-10	1778	0	4.9	0	4.9	0	0	0
700	md	R	007-10	3512	0	110.6	0	110.6	0	0	0
700	md	R	007-11	1520	0	83.3	0	83.3	0	0	0
700	md	R	007-13	5509	10.1	394.9	10.1	389.9	5.1	10.1	15.2
700	md	R	007-14	2003	0	190.8	0	186	4.8	4.8	0
700	md	R	170-10	2114	0	10.6	0	10.6	0	5.3	0
700	md	R	260-10	3415	0	8.2	0	8.2	0	0	0
700	md	R	312-00	238	0	3.4	0	3.4	0	3.4	0
700	md	R	426-00	456	0	0	0	0	0	0	0
700	md	R	575-00	687	0	5.3	0	5.3	0	0	5.3
700	md	R	597-00	575	0	4.7	0	4.7	0	0	0
700	md	R	599-00	1904	0	5.9	0	5.9	0	0	5.9
700	md	R	650-00	144	0	0	0	0	0	0	0
700	md	R	652-00	75	0	0	0	0	0	0	0
700	md	R	797-00	0	0	0	0	0	0	0	0
700	md	R	Deer_A_Only	145081	4.8	918.1	4.8	913.3	4.8	171.2	418.6

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
700	md	R	SUM	187525	14.9	1760.7	14.9	1746.1	14.6	194.8	450
700	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
700	md	SUM	003-10	7966	0	10	0	10	0	0	5
700	md	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
700	md	SUM	006-10	1778	0	4.9	0	4.9	0	0	0
700	md	SUM	007-10	4842	0	126.5	0	126.5	0	0	0
700	md	SUM	007-11	1520	0	83.3	0	83.3	0	0	0
700	md	SUM	007-13	5509	10.1	394.9	10.1	389.9	5.1	10.1	15.2
700	md	SUM	007-14	2003	0	190.8	0	186	4.8	4.8	0
700	md	SUM	170-10	2171	0	10.6	0	10.6	0	5.3	0
700	md	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
700	md	SUM	312-00	250	0	5.1	0	5.1	0	3.4	0
700	md	SUM	426-00	550	0	2.3	0	2.3	0	0	0
700	md	SUM	575-00	750	0	5.3	0	5.3	0	0	5.3
700	md	SUM	597-00	603	0	4.7	0	4.7	0	0	0
700	md	SUM	599-00	2002	0	5.9	0	5.9	0	0	5.9
700	md	SUM	650-00	200	0	2.3	0	2.3	0	0	0
700	md	SUM	652-00	100	0	1.7	0	1.7	0	0	0
700	md	SUM	797-00	3018	0	262.3	0	259.1	3.2	6.5	6.5
700	md	SUM	Deer_A_Only	169380	20.3	1521.8	20.3	1513.9	7.9	314.4	841.8
700	md	SUM	SUM	218343	30.4	2650.7	30.4	2629.7	20.9	344.4	879.7
701	md	N	003-10	845	0	0	0	0	0	0	0
701	md	N	005-10	290	0	0	0	0	0	0	0
701	md	N	007-10	1330	3.2	15.9	0	19.1	0	0	0
701	md	N	100-00	41	0	2	0	2	0	0	0
701	md	N	100-01	2	0	1	0	1	0	0	0
701	md	N	312-10	25	0	2.3	0	2.3	0	0	0
701	md	N	590-00	35	0	2.2	0	2.2	0	0	0
701	md	N	797-00	3018	3.2	233.2	0	236.4	0	0	3.2
701	md	N	Deer_A_Only	24299	15.6	466.8	9.3	473	0	99.6	320.5
701	md	N	SUM	29885	22	723.3	9.3	735.9	0	99.6	323.8
701	md	R	003-10	7121	0	10	0	10	0	0	0
701	md	R	004-10	7081	0	4.9	0	4.9	0	0	0
701	md	R	005-10	2590	0	9.6	0	9.6	0	0	0
701	md	R	007-10	3512	5.3	84.2	5.3	84.2	0	0	0
701	md	R	007-11	1520	10.4	57.3	10.4	57.3	0	0	0
701	md	R	007-13	5509	10.1	248.1	10.1	248.1	0	0	10.1
701	md	R	007-14	2003	9.5	114.5	9.5	114.5	0	0	4.8
701	md	R	100-00	559	0	0	0	0	0	0	0
701	md	R	100-01	23	0	0	0	0	0	0	0
701	md	R	312-10	1124	0	0	0	0	0	0	0
701	md	R	590-00	315	0	0	0	0	0	0	0
701	md	R	797-00	0	0	0	0	0	0	0	0
701	md	R	Deer_A_Only	145081	14.3	746.8	14.3	742.1	4.8	190.3	309.2
701	md	R	SUM	176438	49.6	1275.4	49.6	1270.6	4.8	190.3	324.1
701	md	SUM	003-10	7966	0	10	0	10	0	0	0
701	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
701	md	SUM	005-10	2880	0	9.6	0	9.6	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
701	md	SUM	007-10	4842	8.4	100.2	5.3	103.3	0	0	0
701	md	SUM	007-11	1520	10.4	57.3	10.4	57.3	0	0	0
701	md	SUM	007-13	5509	10.1	248.1	10.1	248.1	0	0	10.1
701	md	SUM	007-14	2003	9.5	114.5	9.5	114.5	0	0	4.8
701	md	SUM	100-00	600	0	2	0	2	0	0	0
701	md	SUM	100-01	25	0	1	0	1	0	0	0
701	md	SUM	312-10	1149	0	2.3	0	2.3	0	0	0
701	md	SUM	590-00	350	0	2.2	0	2.2	0	0	0
701	md	SUM	797-00	3018	3.2	233.2	0	236.4	0	0	3.2
701	md	SUM	Deer_A_Only	169380	29.8	1213.6	23.6	1215.1	4.8	289.9	629.7
701	md	SUM	SUM	206323	71.6	1998.6	58.9	2006.5	4.8	289.9	647.9
702	md	N	005-10	290	0	0	0	0	0	0	0
702	md	N	007-10	1330	0	6.4	0	6.4	0	0	0
702	md	N	311-02	13	0	0	0	0	0	0	0
702	md	N	314-00	18	0	0	0	0	0	0	0
702	md	N	315-01	57	0	0	0	0	0	0	0
702	md	N	333-01	23	0	0	0	0	0	0	0
702	md	N	410-00	112	0	0	0	0	0	0	0
702	md	N	598-00	281	0	0	0	0	0	0	0
702	md	N	702-00	3	0	0	0	0	0	0	0
702	md	N	797-00	3018	0	136	0	136	0	3.2	3.2
702	md	N	Deer_A_Only	24299	6.2	311.2	6.2	308.1	3.1	40.5	258.3
702	md	N	SUM	29444	6.2	453.6	6.2	450.5	3.1	43.7	261.5
702	md	R	004-10	7081	0	4.9	0	4.9	0	0	0
702	md	R	005-10	2590	0	4.8	0	4.8	0	0	4.8
702	md	R	007-10	3512	10.5	94.8	5.3	100	0	0	0
702	md	R	007-11	1520	0	41.6	0	41.6	0	0	0
702	md	R	007-13	5509	5.1	313.9	0	319	0	0	0
702	md	R	007-14	2003	0	128.8	0	128.8	0	0	0
702	md	R	311-02	290	4.9	0	0	4.9	0	0	0
702	md	R	314-00	207	3.4	0	3.4	0	0	0	0
702	md	R	315-01	198	3.1	0	0	3.1	0	0	0
702	md	R	333-01	278	0	7.4	0	7.4	0	0	0
702	md	R	410-00	488	4.9	0	0	4.9	0	0	0
702	md	R	598-00	1970	0	7.5	0	7.5	0	0	0
702	md	R	702-00	84	30	12	12	30	0	0	0
702	md	R	797-00	0	0	0	0	0	0	0	0
702	md	R	Deer_A_Only	145081	33.3	789.6	4.8	818.2	0	185.5	304.4
702	md	R	SUM	170811	95.2	1405.3	25.4	1475.1	0	185.5	309.2
702	md	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
702	md	SUM	005-10	2880	0	4.8	0	4.8	0	0	4.8
702	md	SUM	007-10	4842	10.5	101.1	5.3	106.4	0	0	0
702	md	SUM	007-11	1520	0	41.6	0	41.6	0	0	0
702	md	SUM	007-13	5509	5.1	313.9	0	319	0	0	0
702	md	SUM	007-14	2003	0	128.8	0	128.8	0	0	0
702	md	SUM	311-02	303	4.9	0	0	4.9	0	0	0
702	md	SUM	314-00	225	3.4	0	3.4	0	0	0	0
702	md	SUM	315-01	255	3.1	0	0	3.1	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
702	md	SUM	333-01	301	0	7.4	0	7.4	0	0	0
702	md	SUM	410-00	600	4.9	0	0	4.9	0	0	0
702	md	SUM	598-00	2251	0	7.5	0	7.5	0	0	0
702	md	SUM	702-00	87	30	12	12	30	0	0	0
702	md	SUM	797-00	3018	0	136	0	136	0	3.2	3.2
702	md	SUM	Deer_A_Only	169380	39.5	1100.8	11	1126.3	3.1	226	562.7
702	md	SUM	SUM	200255	101.4	1858.8	31.6	1925.5	3.1	229.2	570.8
703	md	N	002-10	500	0	0	0	0	0	0	0
703	md	N	005-10	290	0	0	0	0	0	0	0
703	md	N	007-10	1330	0	44.5	0	44.5	0	0	0
703	md	N	597-00	28	0	2.5	0	2.5	0	0	0
703	md	N	797-00	3018	0	291.4	0	291.4	0	0	0
703	md	N	Deer_A_Only	24299	6.2	379.7	0	385.9	0	80.9	255.2
703	md	N	SUM	29465	6.2	718.2	0	724.4	0	80.9	255.2
703	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
703	md	R	005-10	2590	0	4.8	0	4.8	0	0	0
703	md	R	006-10	1778	0	19.6	0	19.6	0	0	0
703	md	R	007-10	3512	5.3	179	5.3	179	0	0	15.8
703	md	R	007-11	1520	0	83.3	0	83.3	0	0	5.2
703	md	R	007-13	5509	10.1	415.2	5.1	420.3	0	0	15.2
703	md	R	007-14	2003	14.3	152.6	9.5	157.4	0	0	0
703	md	R	597-00	575	0	0	0	0	0	0	0
703	md	R	797-00	0	0	0	0	0	0	0	0
703	md	R	Deer_A_Only	145081	19	918.1	9.5	927.6	0	133.2	437.6
703	md	R	SUM	171371	48.7	1778	29.4	1797.3	0	133.2	473.8
703	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
703	md	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
703	md	SUM	006-10	1778	0	19.6	0	19.6	0	0	0
703	md	SUM	007-10	4842	5.3	223.6	5.3	223.6	0	0	15.8
703	md	SUM	007-11	1520	0	83.3	0	83.3	0	0	5.2
703	md	SUM	007-13	5509	10.1	415.2	5.1	420.3	0	0	15.2
703	md	SUM	007-14	2003	14.3	152.6	9.5	157.4	0	0	0
703	md	SUM	597-00	603	0	2.5	0	2.5	0	0	0
703	md	SUM	797-00	3018	0	291.4	0	291.4	0	0	0
703	md	SUM	Deer_A_Only	169380	25.3	1297.7	9.5	1313.5	0	214.1	692.8
703	md	SUM	SUM	200836	55	2496.2	29.4	2521.7	0	214.1	729
704	md	N	003-10	845	0	0	0	0	0	0	0
704	md	N	005-10	290	0	0	0	0	0	0	0
704	md	N	007-10	1330	0	15.9	0	15.9	0	0	6.4
704	md	N	325-00	28	0	2.5	0	2.5	0	0	2.5
704	md	N	471-00	40	0	1.9	0	1.9	0	0	0
704	md	N	597-00	28	0	0	0	0	0	0	0
704	md	N	680-00	88	0	2.2	0	2.2	0	0	0
704	md	N	797-00	3018	6.5	424.2	6.5	417.7	6.5	0	22.7
704	md	N	Deer_A_Only	24299	37.3	958.5	12.4	980.3	3.1	161.8	756.2
704	md	N	SUM	29966	43.8	1405.3	18.9	1420.6	9.6	161.8	787.8
704	md	R	003-10	7121	0	5	0	5	0	0	0
704	md	R	004-10	7081	0	9.7	0	9.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
704	md	R	005-10	2590	0	9.6	0	9.6	0	0	0
704	md	R	007-10	3512	15.8	152.7	10.5	158	0	0	5.3
704	md	R	007-11	1520	0	57.3	0	57.3	0	0	0
704	md	R	007-13	5509	15.2	516.5	15.2	511.4	5.1	10.1	5.1
704	md	R	007-14	2003	19.1	228.9	23.8	224.1	0	0	0
704	md	R	325-00	422	0	0	0	0	0	0	0
704	md	R	471-00	260	0	0	0	0	0	0	0
704	md	R	597-00	575	0	4.7	0	4.7	0	0	4.7
704	md	R	680-00	412	0	0	0	0	0	0	0
704	md	R	797-00	0	0	0	0	0	0	0	0
704	md	R	Deer_A_Only	145081	14.3	1155.9	14.3	1151.1	4.8	218.8	547
704	md	R	SUM	176086	64.3	2140.2	63.8	2130.9	9.8	228.9	562
704	md	SUM	003-10	7966	0	5	0	5	0	0	0
704	md	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
704	md	SUM	005-10	2880	0	9.6	0	9.6	0	0	0
704	md	SUM	007-10	4842	15.8	168.6	10.5	173.9	0	0	11.6
704	md	SUM	007-11	1520	0	57.3	0	57.3	0	0	0
704	md	SUM	007-13	5509	15.2	516.5	15.2	511.4	5.1	10.1	5.1
704	md	SUM	007-14	2003	19.1	228.9	23.8	224.1	0	0	0
704	md	SUM	325-00	450	0	2.5	0	2.5	0	0	2.5
704	md	SUM	471-00	300	0	1.9	0	1.9	0	0	0
704	md	SUM	597-00	603	0	4.7	0	4.7	0	0	4.7
704	md	SUM	680-00	500	0	2.2	0	2.2	0	0	0
704	md	SUM	797-00	3018	6.5	424.2	6.5	417.7	6.5	0	22.7
704	md	SUM	Deer_A_Only	169380	51.6	2114.4	26.7	2131.4	7.9	380.6	1303.3
704	md	SUM	SUM	206052	108.2	3545.5	82.8	3551.5	19.4	390.8	1349.8
705	md	N	002-10	500	0	0	0	0	0	0	0
705	md	N	003-10	845	0	0	0	0	0	0	0
705	md	N	005-10	290	0	0	0	0	0	0	0
705	md	N	007-10	1330	0	95.5	0	95.5	0	0	3.2
705	md	N	313-00	9	0	0	0	0	0	0	0
705	md	N	651-00	78	0	2	0	2	0	0	0
705	md	N	670-00	232	0	8.3	0	8.3	0	0	0
705	md	N	698-00	851	0	3.8	0	3.8	0	0	0
705	md	N	797-00	3018	6.5	773.9	13	767.5	0	0	3.2
705	md	N	Deer_A_Only	24299	21.8	1297.7	15.6	1304	0	183.6	1045.7
705	md	N	SUM	31452	28.3	2181.2	28.5	2180.9	0	183.6	1052.1
705	md	R	002-10	8803	0	5.4	0	5.4	0	0	0
705	md	R	003-10	7121	0	20.1	0	20.1	0	0	0
705	md	R	005-10	2590	0	4.8	0	4.8	0	0	0
705	md	R	006-10	1778	0	4.9	0	4.9	0	0	0
705	md	R	007-10	3512	0	147.4	0	147.4	0	5.3	10.5
705	md	R	007-11	1520	0	72.9	0	72.9	0	0	0
705	md	R	007-13	5509	0	278.5	0	273.4	5.1	5.1	25.3
705	md	R	007-14	2003	0	128.8	0	128.8	0	0	4.8
705	md	R	313-00	98	0	3.1	0	3.1	0	0	3.1
705	md	R	651-00	131	0	0	0	0	0	0	0
705	md	R	670-00	559	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
705	md	R	699-00	3502	0	17.2	0	17.2	0	0	8.6
705	md	R	797-00	0	0	0	0	0	0	0	0
705	md	R	Deer_A_Only	145081	14.3	884.8	9.5	889.5	0	166.5	485.2
705	md	R	SUM	182207	14.3	1567.7	9.5	1567.4	5.1	176.8	537.5
705	md	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
705	md	SUM	003-10	7966	0	20.1	0	20.1	0	0	0
705	md	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
705	md	SUM	006-10	1778	0	4.9	0	4.9	0	0	0
705	md	SUM	007-10	4842	0	242.9	0	242.9	0	5.3	13.7
705	md	SUM	007-11	1520	0	72.9	0	72.9	0	0	0
705	md	SUM	007-13	5509	0	278.5	0	273.4	5.1	5.1	25.3
705	md	SUM	007-14	2003	0	128.8	0	128.8	0	0	4.8
705	md	SUM	313-00	107	0	3.1	0	3.1	0	0	3.1
705	md	SUM	651-00	209	0	2	0	2	0	0	0
705	md	SUM	670-00	791	0	8.3	0	8.3	0	0	0
705	md	SUM	698-00	851	0	3.8	0	3.8	0	0	0
705	md	SUM	699-00	3502	0	17.2	0	17.2	0	0	8.6
705	md	SUM	797-00	3018	6.5	773.9	13	767.5	0	0	3.2
705	md	SUM	Deer_A_Only	169380	36.1	2182.5	25.1	2193.5	0	350.1	1530.8
705	md	SUM	SUM	213659	42.5	3748.9	38	3748.3	5.1	360.4	1589.5
7XX	md	N	797-00	3018	0	6.5	0	6.5	0	0	0
7XX	md	N	Deer_A_Only	24299	0	31.1	0	31.1	0	6.2	24.9
7XX	md	N	SUM	27317	0	37.6	0	37.6	0	6.2	24.9
7XX	md	SUM	797-00	3018	0	6.5	0	6.5	0	0	0
7XX	md	SUM	Deer_A_Only	24299	0	31.1	0	31.1	0	6.2	24.9
7XX	md	SUM	SUM	27317	0	37.6	0	37.6	0	6.2	24.9
XXX	md	N	Deer_A_Only	24299	0	31.1	0	31.1	0	3.1	28
XXX	md	N	SUM	24299	0	31.1	0	31.1	0	3.1	28
XXX	md	R	003-10	7121	0	5	0	5	0	0	0
XXX	md	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	14.3
XXX	md	R	SUM	152202	0	19.3	0	19.3	0	0	14.3
XXX	md	SUM	003-10	7121	0	5	0	5	0	0	0
XXX	md	SUM	Deer_A_Only	169380	0	45.4	0	45.4	0	3.1	42.3
XXX	md	SUM	SUM	176501	0	50.4	0	50.4	0	3.1	42.3
100	wt	N	100-00	41	0	19.5	0	19.5	0	0	0
100	wt	N	100-60/Deer_A	4	0	0	0	0	0	0	0
100	wt	N	101-00	28	0	0	0	0	0	0	0
100	wt	N	240-40/Deer_A	56	0	0	0	0	0	0	0
100	wt	N	Deer_A_Only	24299	0	93.4	0	93.4	0	15.6	65.4
100	wt	N	SUM	24428	0	112.9	0	112.9	0	15.6	65.4
100	wt	R	006-10	1778	0	4.9	0	4.9	0	0	4.9
100	wt	R	100-00	559	22	246.5	22	246.5	0	8.8	8.8
100	wt	R	100-60/Deer_A	31	0	8.3	0	8.3	0	4.1	2.1
100	wt	R	101-00	807	0	5.9	0	5.9	0	0	0
100	wt	R	240-40/Deer_A	557	0	5	0	5	0	0	5
100	wt	R	Deer_A_Only	145081	9.5	946.6	9.5	946.6	0	266.4	356.8
100	wt	R	SUM	148813	31.5	1217.2	31.5	1217.2	0	279.3	377.6
100	wt	SUM	006-10	1778	0	4.9	0	4.9	0	0	4.9

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
100	wt	SUM	100-00	600	22	266	22	266	0	8.8	8.8
100	wt	SUM	100-60/Deer_A	35	0	8.3	0	8.3	0	4.1	2.1
100	wt	SUM	101-00	835	0	5.9	0	5.9	0	0	0
100	wt	SUM	240-40/Deer_A	613	0	5	0	5	0	0	5
100	wt	SUM	Deer_A_Only	169380	9.5	1040	9.5	1040	0	281.9	422.1
100	wt	SUM	SUM	173241	31.5	1330.1	31.5	1330.1	0	294.9	442.9
101	wt	N	002-10	500	0	0	0	0	0	0	0
101	wt	N	100-00	41	0	0	0	0	0	0	0
101	wt	N	101-00	28	0	18.7	0	18.7	0	0	0
101	wt	N	120-00	15	0	0	0	0	0	0	0
101	wt	N	170-10	57	0	0	0	0	0	0	0
101	wt	N	400-00	64	0	0	0	0	0	0	0
101	wt	N	401-00	55	0	0	0	0	0	0	0
101	wt	N	417-00	76	0	0	0	0	0	0	0
101	wt	N	530-50/Deer_A	89	0	0	0	0	0	0	0
101	wt	N	Deer_A_Only	24299	3.1	28	0	28	3.1	9.3	15.6
101	wt	N	SUM	25224	3.1	46.7	0	46.7	3.1	9.3	15.6
101	wt	R	002-10	8803	0	10.7	0	10.7	0	0	5.4
101	wt	R	100-00	559	0	22	0	22	0	0	0
101	wt	R	101-00	807	5.9	377	5.9	377	0	5.9	11.8
101	wt	R	109-00	398	0	20.4	0	20.4	0	0	0
101	wt	R	120-00	488	0	4.6	0	4.6	0	0	4.6
101	wt	R	170-10	2114	0	10.6	5.3	5.3	0	0	5.3
101	wt	R	400-00	839	0	8.8	0	8.8	0	0	0
101	wt	R	401-00	545	0	4.5	0	4.5	0	0	0
101	wt	R	417-00	325	0	4.1	0	4.1	0	0	0
101	wt	R	530-50/Deer_A	614	0	4.2	0	4.2	0	4.2	0
101	wt	R	Deer_A_Only	145081	19	922.8	19	903.8	19	161.7	371
101	wt	R	SUM	160573	24.9	1389.9	30.2	1365.5	19	171.9	398.1
101	wt	SUM	002-10	9303	0	10.7	0	10.7	0	0	5.4
101	wt	SUM	100-00	600	0	22	0	22	0	0	0
101	wt	SUM	101-00	835	5.9	395.7	5.9	395.7	0	5.9	11.8
101	wt	SUM	109-00	398	0	20.4	0	20.4	0	0	0
101	wt	SUM	120-00	503	0	4.6	0	4.6	0	0	4.6
101	wt	SUM	170-10	2171	0	10.6	5.3	5.3	0	0	5.3
101	wt	SUM	400-00	903	0	8.8	0	8.8	0	0	0
101	wt	SUM	401-00	600	0	4.5	0	4.5	0	0	0
101	wt	SUM	417-00	401	0	4.1	0	4.1	0	0	0
101	wt	SUM	530-50/Deer_A	703	0	4.2	0	4.2	0	4.2	0
101	wt	SUM	Deer_A_Only	169380	22.1	950.8	19	931.8	22.1	171.1	386.6
101	wt	SUM	SUM	185797	28	1436.5	30.2	1412.2	22.1	181.2	413.6
102	wt	N	003-10	845	0	0	0	0	0	0	0
102	wt	N	100-01	2	0	0	0	0	0	0	0
102	wt	N	101-00	28	0	0	0	0	0	0	0
102	wt	N	102-00	8	0	0	0	0	0	0	0
102	wt	N	103-00	21	0	1.8	0	1.8	0	0	0
102	wt	N	104-00	15	0	0	0	0	0	0	0
102	wt	N	170-10	57	2.2	0	2.2	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
102	wt	N	200-00	23	0	0	0	0	0	0	0
102	wt	N	281-40/Deer_A	47	0	0	0	0	0	0	0
102	wt	N	311-02	13	0	0	0	0	0	0	0
102	wt	N	360-00	10	0	0	0	0	0	0	0
102	wt	N	Deer_A_Only	24299	3.1	28	3.1	28	0	3.1	24.9
102	wt	N	SUM	25368	5.3	29.8	5.3	29.8	0	3.1	24.9
102	wt	R	003-10	7121	0	5	0	5	0	0	5
102	wt	R	004-10	7081	0	14.6	0	14.6	0	0	0
102	wt	R	100-01	23	0	1.8	0	1.8	0	0	0
102	wt	R	101-00	807	0	5.9	0	5.9	0	0	0
102	wt	R	102-00	492	11.1	214.6	11.1	210.9	3.7	3.7	14.8
102	wt	R	103-00	479	0	4.2	0	4.2	0	0	0
102	wt	R	104-00	485	0	7.8	0	7.8	0	0	0
102	wt	R	109-00	398	0	5.1	0	5.1	0	0	0
102	wt	R	170-10	2114	0	58.1	0	58.1	0	0	15.9
102	wt	R	200-00	177	0	4.1	0	4.1	0	0	0
102	wt	R	281-40/Deer_A	440	0	4.7	0	4.7	0	0	0
102	wt	R	311-02	290	0	9.8	0	9.8	0	0	9.8
102	wt	R	360-00	65	0	3.4	0	3.4	0	0	3.4
102	wt	R	Deer_A_Only	145081	9.5	1041.7	9.5	1032.2	9.5	218.8	399.6
102	wt	R	SUM	165053	20.6	1380.9	20.6	1367.6	13.2	222.5	448.5
102	wt	SUM	003-10	7966	0	5	0	5	0	0	5
102	wt	SUM	004-10	7081	0	14.6	0	14.6	0	0	0
102	wt	SUM	100-01	25	0	1.8	0	1.8	0	0	0
102	wt	SUM	101-00	835	0	5.9	0	5.9	0	0	0
102	wt	SUM	102-00	500	11.1	214.6	11.1	210.9	3.7	3.7	14.8
102	wt	SUM	103-00	500	0	6	0	6	0	0	0
102	wt	SUM	104-00	500	0	7.8	0	7.8	0	0	0
102	wt	SUM	109-00	398	0	5.1	0	5.1	0	0	0
102	wt	SUM	170-10	2171	2.2	58.1	2.2	58.1	0	0	15.9
102	wt	SUM	200-00	200	0	4.1	0	4.1	0	0	0
102	wt	SUM	281-40/Deer_A	487	0	4.7	0	4.7	0	0	0
102	wt	SUM	311-02	303	0	9.8	0	9.8	0	0	9.8
102	wt	SUM	360-00	75	0	3.4	0	3.4	0	0	3.4
102	wt	SUM	Deer_A_Only	169380	12.6	1069.7	12.6	1060.2	9.5	221.9	424.5
102	wt	SUM	SUM	190421	25.9	1410.6	25.9	1397.4	13.2	225.6	473.4
103	wt	N	002-10	500	0	0	0	0	0	0	0
103	wt	N	100-00	41	0	0	0	0	0	0	0
103	wt	N	101-00	28	0	0	0	0	0	0	0
103	wt	N	102-00	8	0	0	0	0	0	0	0
103	wt	N	103-00	21	0	12.2	0	12.2	0	0	0
103	wt	N	104-00	15	0	0	0	0	0	0	0
103	wt	N	120-00	15	0	0	0	0	0	0	0
103	wt	N	122-00	2	0	0	0	0	0	0	0
103	wt	N	132-00	3	0	0	0	0	0	0	0
103	wt	N	170-10	57	0	0	0	0	0	0	0
103	wt	N	Deer_A_Only	24299	0	24.9	0	24.9	0	6.2	12.4
103	wt	N	SUM	24989	0	37.1	0	37.1	0	6.2	12.4

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
103	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
103	wt	R	100-00	559	0	4.4	0	4.4	0	0	0
103	wt	R	101-00	807	0	5.9	0	5.9	0	0	0
103	wt	R	102-00	492	0	3.7	0	3.7	0	0	3.7
103	wt	R	103-00	479	0	214.3	0	205.9	8.4	0	4.2
103	wt	R	103-60/Deer_A	65	0	10.8	0	10.8	0	0	4.3
103	wt	R	104-00	485	0	3.9	0	3.9	0	0	3.9
103	wt	R	109-00	398	0	10.2	0	10.2	0	5.1	5.1
103	wt	R	120-00	488	0	4.6	0	4.6	0	0	0
103	wt	R	122-00	48	0	2.2	0	2.2	0	0	0
103	wt	R	132-00	297	0	3.8	0	3.8	0	0	3.8
103	wt	R	170-10	2114	0	21.1	0	21.1	0	0	5.3
103	wt	R	Deer_A_Only	145081	19	832.4	14.3	818.2	19	147.5	328.2
103	wt	R	SUM	160116	19	1122.8	14.3	1100.1	27.4	152.6	358.6
103	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
103	wt	SUM	100-00	600	0	4.4	0	4.4	0	0	0
103	wt	SUM	101-00	835	0	5.9	0	5.9	0	0	0
103	wt	SUM	102-00	500	0	3.7	0	3.7	0	0	3.7
103	wt	SUM	103-00	500	0	226.5	0	218.1	8.4	0	4.2
103	wt	SUM	103-60/Deer_A	65	0	10.8	0	10.8	0	0	4.3
103	wt	SUM	104-00	500	0	3.9	0	3.9	0	0	3.9
103	wt	SUM	109-00	398	0	10.2	0	10.2	0	5.1	5.1
103	wt	SUM	120-00	503	0	4.6	0	4.6	0	0	0
103	wt	SUM	122-00	50	0	2.2	0	2.2	0	0	0
103	wt	SUM	132-00	300	0	3.8	0	3.8	0	0	3.8
103	wt	SUM	170-10	2171	0	21.1	0	21.1	0	0	5.3
103	wt	SUM	Deer_A_Only	169380	19	857.3	14.3	843.1	19	153.7	340.7
103	wt	SUM	SUM	185105	19	1159.9	14.3	1137.2	27.4	158.8	371
104	wt	N	002-10	500	0	0	0	0	0	0	0
104	wt	N	007-10	1330	0	0	0	0	0	0	0
104	wt	N	100-00	41	0	0	0	0	0	0	0
104	wt	N	100-01	2	0	0	0	0	0	0	0
104	wt	N	101-00	28	0	1.9	0	1.9	0	0	0
104	wt	N	103-00	21	0	1.8	0	1.8	0	0	0
104	wt	N	104-00	15	0	8.6	0	8.6	0	0	0
104	wt	N	630-00	204	0	0	0	0	0	0	0
104	wt	N	Deer_A_Only	24299	0	31.1	0	31.1	0	6.2	21.8
104	wt	N	SUM	26440	0	43.3	0	43.3	0	6.2	21.8
104	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
104	wt	R	004-10	7081	4.9	0	4.9	0	0	0	0
104	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
104	wt	R	007-13	5509	0	10.1	0	10.1	0	0	0
104	wt	R	007-14	2003	0	4.8	0	4.8	0	0	0
104	wt	R	100-00	559	0	13.2	0	13.2	0	0	0
104	wt	R	100-01	23	0	5.3	0	5.3	0	0	0
104	wt	R	101-00	807	5.9	0	5.9	0	0	0	0
104	wt	R	103-00	479	0	8.4	0	8.4	0	0	4.2
104	wt	R	103-60/Deer_A	65	0	2.2	0	2.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
104	wt	R	104-00	485	19.6	226.9	19.6	226.9	0	0	0
104	wt	R	104-01	10	0	2.9	0	2.9	0	0	0
104	wt	R	104-60/Deer_A	18	0	2.6	0	2.6	0	0	0
104	wt	R	630-00	497	4.9	0	4.9	0	0	0	0
104	wt	R	Deer_A_Only	145081	23.8	694.5	9.5	708.8	0	176	237.8
104	wt	R	SUM	174932	59	981.4	44.7	995.7	0	176	242
104	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
104	wt	SUM	004-10	7081	4.9	0	4.9	0	0	0	0
104	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
104	wt	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
104	wt	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
104	wt	SUM	100-00	600	0	13.2	0	13.2	0	0	0
104	wt	SUM	100-01	25	0	5.3	0	5.3	0	0	0
104	wt	SUM	101-00	835	5.9	1.9	5.9	1.9	0	0	0
104	wt	SUM	103-00	500	0	10.2	0	10.2	0	0	4.2
104	wt	SUM	103-60/Deer_A	65	0	2.2	0	2.2	0	0	0
104	wt	SUM	104-00	500	19.6	235.4	19.6	235.4	0	0	0
104	wt	SUM	104-01	10	0	2.9	0	2.9	0	0	0
104	wt	SUM	104-60/Deer_A	18	0	2.6	0	2.6	0	0	0
104	wt	SUM	630-00	701	4.9	0	4.9	0	0	0	0
104	wt	SUM	Deer_A_Only	169380	23.8	725.6	9.5	739.9	0	182.2	259.6
104	wt	SUM	SUM	201372	59	1024.7	44.7	1039	0	182.2	263.8
109	wt	N	100-60/Deer_A	4	0	0	0	0	0	0	0
109	wt	N	101-00	28	0	0	0	0	0	0	0
109	wt	N	109-00	2	0	0	0	0	0	0	0
109	wt	N	401-00	55	0	0	0	0	0	0	0
109	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
109	wt	N	SUM	24388	0	0	0	0	0	0	0
109	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
109	wt	R	100-60/Deer_A	31	0	2.1	0	2.1	0	0	0
109	wt	R	101-00	807	0	47.1	0	47.1	0	0	0
109	wt	R	109-00	398	20.4	148	20.4	148	0	0	0
109	wt	R	401-00	545	0	4.5	0	4.5	0	0	0
109	wt	R	Deer_A_Only	145081	14.3	304.4	14.3	304.4	0	66.6	90.4
109	wt	R	SUM	153943	34.7	511	34.7	511	0	66.6	90.4
109	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
109	wt	SUM	100-60/Deer_A	35	0	2.1	0	2.1	0	0	0
109	wt	SUM	101-00	835	0	47.1	0	47.1	0	0	0
109	wt	SUM	109-00	400	20.4	148	20.4	148	0	0	0
109	wt	SUM	401-00	600	0	4.5	0	4.5	0	0	0
109	wt	SUM	Deer_A_Only	169380	14.3	304.4	14.3	304.4	0	66.6	90.4
109	wt	SUM	SUM	178331	34.7	511	34.7	511	0	66.6	90.4
110	wt	N	101-00	28	0	0	0	0	0	0	0
110	wt	N	110-00	1	0	0	0	0	0	0	0
110	wt	N	130-00	37	0	0	0	0	0	0	0
110	wt	N	170-10	57	0	0	0	0	0	0	0
110	wt	N	670-00	232	0	0	0	0	0	0	0
110	wt	N	Deer_A_Only	24299	0	15.6	0	15.6	0	3.1	12.4

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
110	wt	N	SUM	24654	0	15.6	0	15.6	0	3.1	12.4
110	wt	R	101-00	807	0	11.8	0	11.8	0	5.9	0
110	wt	R	110-00	49	0	15.5	0	15.5	0	0	0
110	wt	R	130-00	614	0	8.3	0	8.3	0	4.1	0
110	wt	R	170-10	2114	0	15.9	0	15.9	0	0	0
110	wt	R	670-00	559	0	6.3	0	6.3	0	6.3	0
110	wt	R	Deer_A_Only	145081	14.3	432.9	14.3	432.9	0	152.2	195
110	wt	R	SUM	149224	14.3	490.6	14.3	490.6	0	168.5	195
110	wt	SUM	101-00	835	0	11.8	0	11.8	0	5.9	0
110	wt	SUM	110-00	50	0	15.5	0	15.5	0	0	0
110	wt	SUM	130-00	651	0	8.3	0	8.3	0	4.1	0
110	wt	SUM	170-10	2171	0	15.9	0	15.9	0	0	0
110	wt	SUM	670-00	791	0	6.3	0	6.3	0	6.3	0
110	wt	SUM	Deer_A_Only	169380	14.3	448.4	14.3	448.4	0	155.3	207.5
110	wt	SUM	SUM	173878	14.3	506.1	14.3	506.1	0	171.6	207.5
120	wt	N	003-10	845	0	0	0	0	0	0	0
120	wt	N	007-10	1330	0	0	0	0	0	0	0
120	wt	N	102-00	8	0	0	0	0	0	0	0
120	wt	N	103-00	21	0	0	0	0	0	0	0
120	wt	N	120-00	15	1.7	5	1.7	5	0	0	0
120	wt	N	170-10	57	0	0	0	0	0	0	0
120	wt	N	Deer_A_Only	24299	0	12.4	0	12.4	0	0	9.3
120	wt	N	SUM	26575	1.7	17.4	1.7	17.4	0	0	9.3
120	wt	R	003-10	7121	0	5	0	5	0	0	5
120	wt	R	004-10	7081	0	9.7	0	9.7	0	0	4.9
120	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
120	wt	R	102-00	492	0	3.7	0	3.7	0	3.7	0
120	wt	R	103-00	479	0	4.2	0	4.2	0	0	4.2
120	wt	R	120-00	488	4.6	234.8	4.6	234.8	0	0	9.2
120	wt	R	170-10	2114	0	37	0	37	0	10.6	5.3
120	wt	R	Deer_A_Only	145081	23.8	894.3	19	889.5	9.5	190.3	356.8
120	wt	R	SUM	166368	28.4	1194	23.6	1189.2	9.5	204.5	385.3
120	wt	SUM	003-10	7966	0	5	0	5	0	0	5
120	wt	SUM	004-10	7081	0	9.7	0	9.7	0	0	4.9
120	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
120	wt	SUM	102-00	500	0	3.7	0	3.7	0	3.7	0
120	wt	SUM	103-00	500	0	4.2	0	4.2	0	0	4.2
120	wt	SUM	120-00	503	6.3	239.8	6.3	239.8	0	0	9.2
120	wt	SUM	170-10	2171	0	37	0	37	0	10.6	5.3
120	wt	SUM	Deer_A_Only	169380	23.8	906.7	19	902	9.5	190.3	366.1
120	wt	SUM	SUM	192943	30.1	1211.4	25.3	1206.7	9.5	204.5	394.7
121	wt	N	002-10	500	0	4.4	0	4.4	0	0	0
121	wt	N	121-00	73	0	43.3	0	43.3	0	0	2.7
121	wt	N	Deer_A_Only	24299	18.7	96.5	12.4	99.6	3.1	21.8	74.7
121	wt	N	SUM	24872	18.7	144.1	12.4	147.2	3.1	21.8	77.4
121	wt	R	002-10	8803	0	16.1	0	16.1	0	0	5.4
121	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
121	wt	R	007-14	2003	0	9.5	0	9.5	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
121	wt	R	121-00	727	16.7	363.5	16.7	363.5	0	8.4	16.7
121	wt	R	Deer_A_Only	145081	47.6	1136.9	28.5	1151.1	4.8	266.4	513.7
121	wt	R	SUM	162123	64.3	1531.1	45.3	1545.3	4.8	274.7	535.8
121	wt	SUM	002-10	9303	0	20.5	0	20.5	0	0	5.4
121	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
121	wt	SUM	007-14	2003	0	9.5	0	9.5	0	0	0
121	wt	SUM	121-00	800	16.7	406.8	16.7	406.8	0	8.4	19.4
121	wt	SUM	Deer_A_Only	169380	66.2	1233.3	41	1250.7	7.9	288.2	588.4
121	wt	SUM	SUM	186995	83	1675.2	57.7	1692.6	7.9	296.5	613.2
122	wt	N	002-10	500	0	0	0	0	0	0	0
122	wt	N	104-00	15	0	0	0	0	0	0	0
122	wt	N	121-00	73	0	0	0	0	0	0	0
122	wt	N	122-00	2	0	2	0	2	0	0	0
122	wt	N	122-60/Deer_A	2	0	0	0	0	0	0	0
122	wt	N	170-10	57	0	0	0	0	0	0	0
122	wt	N	200-00	23	0	1.9	0	1.9	0	0	0
122	wt	N	Deer_A_Only	24299	3.1	28	3.1	28	0	15.6	12.4
122	wt	N	SUM	24971	3.1	31.9	3.1	31.9	0	15.6	12.4
122	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
122	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
122	wt	R	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
122	wt	R	007-14	2003	4.8	0	4.8	0	0	0	0
122	wt	R	104-00	485	0	3.9	0	3.9	0	0	3.9
122	wt	R	121-00	727	0	8.4	0	8.4	0	4.2	4.2
122	wt	R	122-00	48	2.2	21.8	2.2	21.8	0	0	2.2
122	wt	R	122-01	10	0	2.5	0	2.5	0	0	2.5
122	wt	R	122-60/Deer_A	19	0	3.8	0	3.8	0	3.8	0
122	wt	R	124-00	197	0	4.2	0	4.2	0	0	0
122	wt	R	170-10	2114	0	10.6	0	10.6	0	5.3	0
122	wt	R	200-00	177	0	0	0	0	0	0	0
122	wt	R	Deer_A_Only	145081	4.8	513.7	4.8	509	4.8	90.4	247.4
122	wt	R	SUM	172254	16.8	584.2	16.8	579.4	4.8	103.6	260.1
122	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
122	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
122	wt	SUM	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
122	wt	SUM	007-14	2003	4.8	0	4.8	0	0	0	0
122	wt	SUM	104-00	500	0	3.9	0	3.9	0	0	3.9
122	wt	SUM	121-00	800	0	8.4	0	8.4	0	4.2	4.2
122	wt	SUM	122-00	50	2.2	23.8	2.2	23.8	0	0	2.2
122	wt	SUM	122-01	10	0	2.5	0	2.5	0	0	2.5
122	wt	SUM	122-60/Deer_A	21	0	3.8	0	3.8	0	3.8	0
122	wt	SUM	124-00	197	0	4.2	0	4.2	0	0	0
122	wt	SUM	170-10	2171	0	10.6	0	10.6	0	5.3	0
122	wt	SUM	200-00	200	0	1.9	0	1.9	0	0	0
122	wt	SUM	Deer_A_Only	169380	7.9	541.7	7.9	537	4.8	105.9	259.8
122	wt	SUM	SUM	197225	19.9	616.1	19.9	611.3	4.8	119.2	272.6
123	wt	N	121-00	73	0	0	0	0	0	0	0
123	wt	N	123-00	10	0	5	0	5	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
123	wt	N	123-01	1	0	1	0	1	0	0	0
123	wt	N	Deer_A_Only	24299	0	12.4	0	12.4	0	3.1	3.1
123	wt	N	SUM	24383	0	18.4	0	18.4	0	3.1	3.1
123	wt	R	121-00	727	0	4.2	0	4.2	0	0	0
123	wt	R	123-00	90	4.2	46	4.2	46	0	2.1	0
123	wt	R	123-01	9	0	0	0	0	0	0	0
123	wt	R	Deer_A_Only	145081	4.8	185.5	4.8	185.5	0	33.3	57.1
123	wt	R	SUM	145907	8.9	235.7	8.9	235.7	0	35.4	57.1
123	wt	SUM	121-00	800	0	4.2	0	4.2	0	0	0
123	wt	SUM	123-00	100	4.2	51	4.2	51	0	2.1	0
123	wt	SUM	123-01	10	0	1	0	1	0	0	0
123	wt	SUM	Deer_A_Only	169380	4.8	198	4.8	198	0	36.4	60.2
123	wt	SUM	SUM	170290	8.9	254.2	8.9	254.2	0	38.5	60.2
124	wt	N	002-10	500	0	0	0	0	0	0	0
124	wt	N	104-00	15	0	0	0	0	0	0	0
124	wt	N	124-00	3	0	0	0	0	0	0	0
124	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
124	wt	N	SUM	24817	0	6.2	0	6.2	0	3.1	3.1
124	wt	R	002-10	8803	0	16.1	0	16.1	0	0	0
124	wt	R	007-13	5509	0	10.1	0	10.1	0	0	0
124	wt	R	104-00	485	0	3.9	0	3.9	0	0	0
124	wt	R	124-00	197	4.2	75.4	4.2	75.4	0	4.2	0
124	wt	R	Deer_A_Only	145081	4.8	161.7	4.8	161.7	0	28.5	71.4
124	wt	R	SUM	160075	8.9	267.3	8.9	267.3	0	32.7	71.4
124	wt	SUM	002-10	9303	0	16.1	0	16.1	0	0	0
124	wt	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
124	wt	SUM	104-00	500	0	3.9	0	3.9	0	0	0
124	wt	SUM	124-00	200	4.2	75.4	4.2	75.4	0	4.2	0
124	wt	SUM	Deer_A_Only	169380	4.8	168	4.8	168	0	31.7	74.5
124	wt	SUM	SUM	184892	8.9	273.5	8.9	273.5	0	35.8	74.5
130	wt	N	002-10	500	0	0	0	0	0	0	0
130	wt	N	007-10	1330	0	0	0	0	0	0	0
130	wt	N	103-00	21	0	0	0	0	0	0	0
130	wt	N	130-00	37	2.8	14.2	2.8	14.2	0	0	0
130	wt	N	132-00	3	0	0	0	0	0	0	0
130	wt	N	170-10	57	0	0	0	0	0	0	0
130	wt	N	292-40/Deer_A	56	0	0	0	0	0	0	0
130	wt	N	Deer_A_Only	24299	3.1	34.2	3.1	34.2	0	3.1	21.8
130	wt	N	SUM	26303	6	48.5	6	48.5	0	3.1	21.8
130	wt	R	002-10	8803	10.7	42.9	10.7	42.9	0	0	5.4
130	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
130	wt	R	007-11	1520	0	5.2	0	5.2	0	0	0
130	wt	R	007-13	5509	0	10.1	0	10.1	0	0	0
130	wt	R	103-00	479	0	4.2	0	4.2	0	0	0
130	wt	R	130-00	614	16.6	253.1	16.6	253.1	0	4.1	4.1
130	wt	R	132-00	297	0	3.8	0	3.8	0	0	0
130	wt	R	170-10	2114	0	26.4	0	26.4	0	5.3	0
130	wt	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
130	wt	R	Deer_A_Only	145081	9.5	927.6	4.8	927.6	4.8	128.4	432.9
130	wt	R	SUM	168859	36.8	1283.5	32.1	1283.5	4.8	137.9	442.4
130	wt	SUM	002-10	9303	10.7	42.9	10.7	42.9	0	0	5.4
130	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
130	wt	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
130	wt	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
130	wt	SUM	103-00	500	0	4.2	0	4.2	0	0	0
130	wt	SUM	130-00	651	19.4	267.3	19.4	267.3	0	4.1	4.1
130	wt	SUM	132-00	300	0	3.8	0	3.8	0	0	0
130	wt	SUM	170-10	2171	0	26.4	0	26.4	0	5.3	0
130	wt	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
130	wt	SUM	Deer_A_Only	169380	12.6	961.8	7.9	961.8	4.8	131.5	454.6
130	wt	SUM	SUM	195162	42.8	1331.9	38	1331.9	4.8	141	464.2
132	wt	N	002-10	500	0	0	0	0	0	0	0
132	wt	N	121-00	73	0	0	0	0	0	0	0
132	wt	N	130-00	37	0	0	0	0	0	0	0
132	wt	N	132-00	3	0	0	0	0	0	0	0
132	wt	N	170-10	57	0	0	0	0	0	0	0
132	wt	N	Deer_A_Only	24299	0	12.4	0	12.4	0	0	12.4
132	wt	N	SUM	24969	0	12.4	0	12.4	0	0	12.4
132	wt	R	002-10	8803	0	10.7	0	10.7	0	0	0
132	wt	R	109-00	398	0	5.1	0	5.1	0	0	0
132	wt	R	121-00	727	0	4.2	0	4.2	0	0	0
132	wt	R	130-00	614	0	8.3	0	8.3	0	0	4.1
132	wt	R	132-00	297	11.4	83.8	11.4	83.8	0	0	0
132	wt	R	170-10	2114	5.3	74	5.3	74	0	0	15.9
132	wt	R	Deer_A_Only	145081	19	461.4	14.3	461.4	4.8	76.1	199.8
132	wt	R	SUM	158034	35.7	647.5	31	647.5	4.8	76.1	219.8
132	wt	SUM	002-10	9303	0	10.7	0	10.7	0	0	0
132	wt	SUM	109-00	398	0	5.1	0	5.1	0	0	0
132	wt	SUM	121-00	800	0	4.2	0	4.2	0	0	0
132	wt	SUM	130-00	651	0	8.3	0	8.3	0	0	4.1
132	wt	SUM	132-00	300	11.4	83.8	11.4	83.8	0	0	0
132	wt	SUM	170-10	2171	5.3	74	5.3	74	0	0	15.9
132	wt	SUM	Deer_A_Only	169380	19	473.9	14.3	473.9	4.8	76.1	212.2
132	wt	SUM	SUM	183003	35.7	659.9	31	659.9	4.8	76.1	232.2
140	wt	N	130-00	37	0	0	0	0	0	0	0
140	wt	N	170-10	57	0	0	0	0	0	0	0
140	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
140	wt	N	SUM	24393	0	6.2	0	6.2	0	0	6.2
140	wt	R	130-00	614	0	4.1	0	4.1	0	0	0
140	wt	R	170-10	2114	0	5.3	0	5.3	0	0	0
140	wt	R	Deer_A_Only	145081	0	85.6	0	80.9	4.8	9.5	57.1
140	wt	R	SUM	147809	0	95.1	0	90.3	4.8	9.5	57.1
140	wt	SUM	130-00	651	0	4.1	0	4.1	0	0	0
140	wt	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
140	wt	SUM	Deer_A_Only	169380	0	91.8	0	87.1	4.8	9.5	63.3
140	wt	SUM	SUM	172202	0	101.3	0	96.5	4.8	9.5	63.3

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
141	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
141	wt	N	SUM	24299	0	0	0	0	0	0	0
141	wt	R	Deer_A_Only	145081	0	9.5	0	9.5	0	0	4.8
141	wt	R	SUM	145081	0	9.5	0	9.5	0	0	4.8
141	wt	SUM	Deer_A_Only	169380	0	9.5	0	9.5	0	0	4.8
141	wt	SUM	SUM	169380	0	9.5	0	9.5	0	0	4.8
150	wt	N	Deer_A_Only	24299	3.1	18.7	3.1	18.7	0	0	21.8
150	wt	N	SUM	24299	3.1	18.7	3.1	18.7	0	0	21.8
150	wt	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	9.5
150	wt	R	SUM	145081	0	14.3	0	14.3	0	0	9.5
150	wt	SUM	Deer_A_Only	169380	3.1	32.9	3.1	32.9	0	0	31.3
150	wt	SUM	SUM	169380	3.1	32.9	3.1	32.9	0	0	31.3
151	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
151	wt	N	SUM	24299	0	6.2	0	6.2	0	0	6.2
151	wt	R	Deer_A_Only	145081	0	0	0	0	0	0	0
151	wt	R	SUM	145081	0	0	0	0	0	0	0
151	wt	SUM	Deer_A_Only	169380	0	6.2	0	6.2	0	0	6.2
151	wt	SUM	SUM	169380	0	6.2	0	6.2	0	0	6.2
170	wt	N	002-10	500	0	0	0	0	0	0	0
170	wt	N	003-10	845	0	0	0	0	0	0	0
170	wt	N	007-10	1330	0	0	0	0	0	0	0
170	wt	N	101-00	28	0	0	0	0	0	0	0
170	wt	N	102-00	8	0	0	0	0	0	0	0
170	wt	N	130-00	37	0	2.8	0	2.8	0	0	0
170	wt	N	132-00	3	0	0	0	0	0	0	0
170	wt	N	170-10	57	0	32.9	0	32.9	0	0	0
170	wt	N	290-20	4	0	0	0	0	0	0	0
170	wt	N	Deer_A_Only	24299	3.1	9.3	0	12.4	0	0	6.2
170	wt	N	SUM	27111	3.1	45.1	0	48.2	0	0	6.2
170	wt	R	002-10	8803	5.4	10.7	5.4	10.7	0	0	0
170	wt	R	003-10	7121	5	0	5	0	0	0	0
170	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
170	wt	R	006-10	1778	4.9	0	4.9	0	0	0	0
170	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
170	wt	R	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
170	wt	R	007-14	2003	4.8	0	4.8	0	0	0	0
170	wt	R	101-00	807	0	11.8	0	11.8	0	0	0
170	wt	R	102-00	492	3.7	0	3.7	0	0	0	0
170	wt	R	130-00	614	4.1	0	4.1	0	0	0	0
170	wt	R	132-00	297	0	15.2	0	15.2	0	0	0
170	wt	R	170-10	2114	111	454.5	79.3	486.2	0	5.3	0
170	wt	R	290-20	46	0	2.4	0	2.4	0	0	0
170	wt	R	699-00	3502	0	8.6	0	8.6	0	0	8.6
170	wt	R	Deer_A_Only	145081	61.8	418.6	42.8	437.6	0	47.6	118.9
170	wt	R	SUM	188760	205.8	937	155.1	987.8	0	52.9	127.5
170	wt	SUM	002-10	9303	5.4	10.7	5.4	10.7	0	0	0
170	wt	SUM	003-10	7966	5	0	5	0	0	0	0
170	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
170	wt	SUM	006-10	1778	4.9	0	4.9	0	0	0	0
170	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
170	wt	SUM	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
170	wt	SUM	007-14	2003	4.8	0	4.8	0	0	0	0
170	wt	SUM	101-00	835	0	11.8	0	11.8	0	0	0
170	wt	SUM	102-00	500	3.7	0	3.7	0	0	0	0
170	wt	SUM	130-00	651	4.1	2.8	4.1	2.8	0	0	0
170	wt	SUM	132-00	300	0	15.2	0	15.2	0	0	0
170	wt	SUM	170-10	2171	111	487.4	79.3	519.1	0	5.3	0
170	wt	SUM	290-20	50	0	2.4	0	2.4	0	0	0
170	wt	SUM	699-00	3502	0	8.6	0	8.6	0	0	8.6
170	wt	SUM	Deer_A_Only	169380	64.9	427.9	42.8	450.1	0	47.6	125.1
170	wt	SUM	SUM	215871	208.9	982.1	155.1	1036	0	52.9	133.7
1XX	wt	R	002-10	8803	0	5.4	0	5.4	0	5.4	0
1XX	wt	R	Deer_A_Only	145081	0	28.5	0	28.5	0	14.3	4.8
1XX	wt	R	SUM	153884	0	33.9	0	33.9	0	19.6	4.8
1XX	wt	SUM	002-10	8803	0	5.4	0	5.4	0	5.4	0
1XX	wt	SUM	Deer_A_Only	145081	0	28.5	0	28.5	0	14.3	4.8
1XX	wt	SUM	SUM	153884	0	33.9	0	33.9	0	19.6	4.8
200	wt	N	002-10	500	0	13.2	0	13.2	0	0	0
200	wt	N	200-00	23	0	9.6	0	9.6	0	0	0
200	wt	N	200-01	1	0	0	0	0	0	0	0
200	wt	N	202-00	7	0	0	0	0	0	0	0
200	wt	N	Deer_A_Only	24299	0	12.4	0	12.4	0	3.1	6.2
200	wt	N	SUM	24830	0	35.2	0	35.2	0	3.1	6.2
200	wt	R	002-10	8803	5.4	96.6	5.4	96.6	0	0	0
200	wt	R	124-00	197	0	4.2	0	4.2	0	0	0
200	wt	R	200-00	177	8.2	45.3	8.2	45.3	0	0	0
200	wt	R	200-01	99	0	20.6	0	20.6	0	0	0
200	wt	R	202-00	243	0	3.8	0	3.8	0	0	3.8
200	wt	R	Deer_A_Only	145081	9.5	176	9.5	171.2	4.8	19	57.1
200	wt	R	SUM	154600	23.1	346.5	23.1	341.8	4.8	19	60.9
200	wt	SUM	002-10	9303	5.4	109.8	5.4	109.8	0	0	0
200	wt	SUM	124-00	197	0	4.2	0	4.2	0	0	0
200	wt	SUM	200-00	200	8.2	54.9	8.2	54.9	0	0	0
200	wt	SUM	200-01	100	0	20.6	0	20.6	0	0	0
200	wt	SUM	202-00	250	0	3.8	0	3.8	0	0	3.8
200	wt	SUM	Deer_A_Only	169380	9.5	188.4	9.5	183.7	4.8	22.1	63.3
200	wt	SUM	SUM	179430	23.1	381.7	23.1	376.9	4.8	22.1	67.1
201	wt	N	002-10	500	0	17.5	0	17.5	0	0	0
201	wt	N	200-00	23	0	1.9	0	1.9	0	0	0
201	wt	N	201-00	10	0	2	0	2	0	0	0
201	wt	N	212-10	19	0	0	0	0	0	0	0
201	wt	N	260-10	103	0	0	0	0	0	0	0
201	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	6.2	3.1
201	wt	N	SUM	24954	0	30.8	0	30.8	0	6.2	3.1
201	wt	R	002-10	8803	10.7	300.6	10.7	295.2	5.4	0	0
201	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
201	wt	R	200-00	177	0	0	0	0	0	0	0
201	wt	R	201-00	340	0	89.9	0	89.9	0	0	3.9
201	wt	R	201-01	50	0	3.1	0	3.1	0	0	0
201	wt	R	212-10	186	0	4.9	0	4.9	0	0	0
201	wt	R	260-10	3415	0	8.2	0	8.2	0	0	0
201	wt	R	Deer_A_Only	145081	4.8	532.8	4.8	528	4.8	52.3	190.3
201	wt	R	SUM	163561	15.5	944.6	15.5	934.4	10.1	52.3	194.2
201	wt	SUM	002-10	9303	10.7	318.1	10.7	312.8	5.4	0	0
201	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
201	wt	SUM	200-00	200	0	1.9	0	1.9	0	0	0
201	wt	SUM	201-00	350	0	91.9	0	91.9	0	0	3.9
201	wt	SUM	201-01	50	0	3.1	0	3.1	0	0	0
201	wt	SUM	212-10	205	0	4.9	0	4.9	0	0	0
201	wt	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
201	wt	SUM	Deer_A_Only	169380	4.8	542.1	4.8	537.3	4.8	58.5	193.4
201	wt	SUM	SUM	188515	15.5	975.4	15.5	965.2	10.1	58.5	197.3
202	wt	N	002-10	500	0	8.8	0	8.8	0	0	0
202	wt	N	201-00	10	0	2	0	2	0	0	0
202	wt	N	202-00	7	0	3.5	0	3.5	0	0	0
202	wt	N	202-01	1	0	0	0	0	0	0	0
202	wt	N	202-02	2	0	1	0	1	0	0	0
202	wt	N	202-50/Deer_A	17	0	0	0	0	0	0	0
202	wt	N	Deer_A_Only	24299	0	28	0	24.9	3.1	3.1	21.8
202	wt	N	SUM	24836	0	43.3	0	40.2	3.1	3.1	21.8
202	wt	R	002-10	8803	10.7	220.1	10.7	220.1	0	5.4	0
202	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
202	wt	R	007-14	2003	0	4.8	0	4.8	0	0	0
202	wt	R	200-01	99	0	4.1	0	4.1	0	0	0
202	wt	R	201-00	340	0	0	0	0	0	0	0
202	wt	R	202-00	243	0	87.3	0	87.3	0	3.8	0
202	wt	R	202-01	99	0	13.7	0	13.7	0	0	0
202	wt	R	202-02	48	0	3.2	0	3.2	0	0	0
202	wt	R	202-50/Deer_A	183	0	17.3	0	17.3	0	3.5	0
202	wt	R	Deer_A_Only	145081	9.5	361.5	9.5	361.5	0	52.3	133.2
202	wt	R	SUM	162408	20.2	717	20.2	717	0	64.9	133.2
202	wt	SUM	002-10	9303	10.7	228.8	10.7	228.8	0	5.4	0
202	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
202	wt	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
202	wt	SUM	200-01	99	0	4.1	0	4.1	0	0	0
202	wt	SUM	201-00	350	0	2	0	2	0	0	0
202	wt	SUM	202-00	250	0	90.8	0	90.8	0	3.8	0
202	wt	SUM	202-01	100	0	13.7	0	13.7	0	0	0
202	wt	SUM	202-02	50	0	4.2	0	4.2	0	0	0
202	wt	SUM	202-50/Deer_A	200	0	17.3	0	17.3	0	3.5	0
202	wt	SUM	Deer_A_Only	169380	9.5	389.5	9.5	386.4	3.1	55.4	155
202	wt	SUM	SUM	187244	20.2	760.3	20.2	757.2	3.1	68.1	155
203	wt	N	002-10	500	0	0	0	0	0	0	0
203	wt	N	202-50/Deer_A	17	0	1.3	0	1.3	0	0	1.3

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
203	wt	N	203-00	1	0	0	0	0	0	0	0
203	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
203	wt	N	SUM	24817	0	1.3	0	1.3	0	0	1.3
203	wt	R	002-10	8803	10.7	246.9	10.7	246.9	0	0	0
203	wt	R	202-50/Deer_A	183	0	3.5	0	3.5	0	0	0
203	wt	R	203-00	99	2.8	30.2	2.8	30.2	0	0	0
203	wt	R	Deer_A_Only	145081	19	342.5	19	337.7	4.8	47.6	142.7
203	wt	R	SUM	154166	32.5	623.1	32.5	618.3	4.8	47.6	142.7
203	wt	SUM	002-10	9303	10.7	246.9	10.7	246.9	0	0	0
203	wt	SUM	202-50/Deer_A	200	0	4.8	0	4.8	0	0	1.3
203	wt	SUM	203-00	100	2.8	30.2	2.8	30.2	0	0	0
203	wt	SUM	Deer_A_Only	169380	19	342.5	19	337.7	4.8	47.6	142.7
203	wt	SUM	SUM	178983	32.5	624.4	32.5	619.7	4.8	47.6	144
204	wt	N	002-10	500	0	4.4	0	4.4	0	0	0
204	wt	N	005-10	290	0	0	0	0	0	0	0
204	wt	N	204-40/Deer_A	17	0	0	0	0	0	0	0
204	wt	N	250-40/Deer_A	258	0	0	0	0	0	0	0
204	wt	N	260-10	103	0	0	0	0	0	0	0
204	wt	N	260-20	10	0	0	0	0	0	0	0
204	wt	N	260-30	3	0	0	0	0	0	0	0
204	wt	N	680-00	88	0	0	0	0	0	0	0
204	wt	N	Deer_A_Only	24299	3.1	3.1	0	6.2	0	3.1	3.1
204	wt	N	SUM	25568	3.1	7.5	0	10.6	0	3.1	3.1
204	wt	R	002-10	8803	10.7	69.8	5.4	75.1	0	0	0
204	wt	R	005-10	2590	0	4.8	0	4.8	0	0	0
204	wt	R	204-40/Deer_A	426	0	58.9	0	58.9	0	22.7	13.6
204	wt	R	250-40/Deer_A	730	0	4.4	0	4.4	0	0	4.4
204	wt	R	260-10	3415	24.7	8.2	24.7	8.2	0	0	0
204	wt	R	260-20	290	0	3.8	0	3.8	0	0	0
204	wt	R	260-30	830	0	0	0	0	0	0	0
204	wt	R	680-00	412	0	5.4	0	5.4	0	0	0
204	wt	R	Deer_A_Only	145081	9.5	233.1	14.3	223.6	4.8	52.3	76.1
204	wt	R	SUM	162577	45	388.3	44.4	384.2	4.8	75	94.1
204	wt	SUM	002-10	9303	10.7	74.2	5.4	79.5	0	0	0
204	wt	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
204	wt	SUM	204-40/Deer_A	443	0	58.9	0	58.9	0	22.7	13.6
204	wt	SUM	250-40/Deer_A	988	0	4.4	0	4.4	0	0	4.4
204	wt	SUM	260-10	3518	24.7	8.2	24.7	8.2	0	0	0
204	wt	SUM	260-20	300	0	3.8	0	3.8	0	0	0
204	wt	SUM	260-30	833	0	0	0	0	0	0	0
204	wt	SUM	680-00	500	0	5.4	0	5.4	0	0	0
204	wt	SUM	Deer_A_Only	169380	12.6	236.2	14.3	229.8	4.8	55.4	79.2
204	wt	SUM	SUM	188145	48.1	395.8	44.4	394.8	4.8	78.1	97.2
210	wt	N	002-10	500	0	8.8	0	8.8	0	0	0
210	wt	N	202-50/Deer_A	17	0	0	0	0	0	0	0
210	wt	N	210-00	10	0	0	0	0	0	0	0
210	wt	N	212-01	17	0	2.8	0	2.8	0	0	0
210	wt	N	Deer_A_Only	24299	6.2	6.2	6.2	6.2	0	0	3.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
210	wt	N	SUM	24843	6.2	17.8	6.2	17.8	0	0	3.1
210	wt	R	002-10	8803	10.7	53.7	5.4	59	0	5.4	0
210	wt	R	202-50/Deer_A	183	0	3.5	0	3.5	0	0	3.5
210	wt	R	210-00	190	0	46.8	0	46.8	0	0	0
210	wt	R	212-00	50	2.5	0	2.5	0	0	0	2.5
210	wt	R	212-01	133	0	0	0	0	0	0	0
210	wt	R	Deer_A_Only	145081	9.5	104.6	4.8	104.6	4.8	19	28.5
210	wt	R	SUM	154440	22.7	208.5	12.6	213.9	4.8	24.4	34.5
210	wt	SUM	002-10	9303	10.7	62.4	5.4	67.8	0	5.4	0
210	wt	SUM	202-50/Deer_A	200	0	3.5	0	3.5	0	0	3.5
210	wt	SUM	210-00	200	0	46.8	0	46.8	0	0	0
210	wt	SUM	212-00	50	2.5	0	2.5	0	0	0	2.5
210	wt	SUM	212-01	150	0	2.8	0	2.8	0	0	0
210	wt	SUM	Deer_A_Only	169380	15.7	110.9	11	110.9	4.8	19	31.7
210	wt	SUM	SUM	179283	29	226.4	18.8	231.7	4.8	24.4	37.6
211	wt	N	002-10	500	0	0	0	0	0	0	0
211	wt	N	324-50/Deer_A	5	0	0	0	0	0	0	0
211	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	0
211	wt	N	SUM	24804	0	3.1	0	3.1	0	0	0
211	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
211	wt	R	324-50/Deer_A	45	0	2.6	0	2.6	0	0	2.6
211	wt	R	Deer_A_Only	145081	0	19	0	19	0	4.8	9.5
211	wt	R	SUM	153929	0	27	0	27	0	4.8	12.2
211	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
211	wt	SUM	324-50/Deer_A	50	0	2.6	0	2.6	0	0	2.6
211	wt	SUM	Deer_A_Only	169380	0	22.1	0	22.1	0	4.8	9.5
211	wt	SUM	SUM	178733	0	30.2	0	30.2	0	4.8	12.2
212	wt	N	002-10	500	0	0	0	0	0	0	0
212	wt	N	212-01	17	0	8.5	0	8.5	0	0	0
212	wt	N	212-10	19	0	0	0	0	0	0	0
212	wt	N	240-40/Deer_A	56	0	0	0	0	0	0	0
212	wt	N	Deer_A_Only	24299	3.1	9.3	0	12.4	0	3.1	6.2
212	wt	N	SUM	24891	3.1	17.8	0	20.9	0	3.1	6.2
212	wt	R	002-10	8803	5.4	48.3	5.4	48.3	0	0	0
212	wt	R	212-01	133	0	29.6	0	29.6	0	0	3.7
212	wt	R	212-10	186	9.8	4.9	9.8	4.9	0	0	0
212	wt	R	240-40/Deer_A	557	0	5	0	5	0	0	5
212	wt	R	Deer_A_Only	145081	19	147.5	19	147.5	0	38.1	47.6
212	wt	R	SUM	154760	34.2	235.2	34.2	235.2	0	38.1	56.3
212	wt	SUM	002-10	9303	5.4	48.3	5.4	48.3	0	0	0
212	wt	SUM	212-01	150	0	38.1	0	38.1	0	0	3.7
212	wt	SUM	212-10	205	9.8	4.9	9.8	4.9	0	0	0
212	wt	SUM	240-40/Deer_A	613	0	5	0	5	0	0	5
212	wt	SUM	Deer_A_Only	169380	22.1	156.8	19	159.9	0	41.2	53.8
212	wt	SUM	SUM	179651	37.3	253.1	34.2	256.2	0	41.2	62.5
213	wt	N	002-10	500	0	0	0	0	0	0	0
213	wt	N	213-00	3	0	0	0	0	0	0	0
213	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
213	wt	N	SUM	24802	0	0	0	0	0	0	0
213	wt	R	002-10	8803	5.4	26.8	5.4	26.8	0	0	0
213	wt	R	213-00	47	0	0	0	0	0	0	0
213	wt	R	Deer_A_Only	145081	0	23.8	0	23.8	0	0	0
213	wt	R	SUM	153931	5.4	50.6	5.4	50.6	0	0	0
213	wt	SUM	002-10	9303	5.4	26.8	5.4	26.8	0	0	0
213	wt	SUM	213-00	50	0	0	0	0	0	0	0
213	wt	SUM	Deer_A_Only	169380	0	23.8	0	23.8	0	0	0
213	wt	SUM	SUM	178733	5.4	50.6	5.4	50.6	0	0	0
214	wt	N	002-10	500	0	4.4	0	4.4	0	0	0
214	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	0
214	wt	N	SUM	24799	0	7.5	0	7.5	0	0	0
214	wt	R	002-10	8803	0	16.1	0	16.1	0	0	0
214	wt	R	Deer_A_Only	145081	0	28.5	0	28.5	0	9.5	0
214	wt	R	SUM	153884	0	44.6	0	44.6	0	9.5	0
214	wt	SUM	002-10	9303	0	20.5	0	20.5	0	0	0
214	wt	SUM	Deer_A_Only	169380	0	31.7	0	31.7	0	9.5	0
214	wt	SUM	SUM	178683	0	52.1	0	52.1	0	9.5	0
215	wt	N	002-10	500	0	4.4	0	4.4	0	0	0
215	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
215	wt	N	SUM	24799	0	4.4	0	4.4	0	0	0
215	wt	R	002-10	8803	0	75.1	0	75.1	0	0	0
215	wt	R	Deer_A_Only	145081	0	114.2	0	114.2	0	23.8	28.5
215	wt	R	SUM	153884	0	189.3	0	189.3	0	23.8	28.5
215	wt	SUM	002-10	9303	0	79.5	0	79.5	0	0	0
215	wt	SUM	Deer_A_Only	169380	0	114.2	0	114.2	0	23.8	28.5
215	wt	SUM	SUM	178683	0	193.7	0	193.7	0	23.8	28.5
216	wt	N	002-10	500	0	0	0	0	0	0	0
216	wt	N	216-00	1	0	0	0	0	0	0	0
216	wt	N	260-10	103	3.7	0	3.7	0	0	0	0
216	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
216	wt	N	SUM	24903	3.7	0	3.7	0	0	0	0
216	wt	R	002-10	8803	0	21.5	0	21.5	0	0	0
216	wt	R	216-00	19	0	4.2	0	4.2	0	0	0
216	wt	R	260-10	3415	0	0	0	0	0	0	0
216	wt	R	Deer_A_Only	145081	0	42.8	0	42.8	0	4.8	28.5
216	wt	R	SUM	157318	0	68.5	0	68.5	0	4.8	28.5
216	wt	SUM	002-10	9303	0	21.5	0	21.5	0	0	0
216	wt	SUM	216-00	20	0	4.2	0	4.2	0	0	0
216	wt	SUM	260-10	3518	3.7	0	3.7	0	0	0	0
216	wt	SUM	Deer_A_Only	169380	0	42.8	0	42.8	0	4.8	28.5
216	wt	SUM	SUM	182221	3.7	68.5	3.7	68.5	0	4.8	28.5
240	wt	N	002-10	500	4.4	4.4	0	8.8	0	0	0
240	wt	N	210-00	10	0	0	0	0	0	0	0
240	wt	N	240-40/Deer_A	56	0	0	0	0	0	0	0
240	wt	N	250-40/Deer_A	258	0	0	0	0	0	0	0
240	wt	N	260-10	103	3.7	0	3.7	0	0	0	0
240	wt	N	260-20	10	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
240	wt	N	260-30	3	0	0	0	0	0	0	0
240	wt	N	320-10	23	0	0	0	0	0	0	0
240	wt	N	333-01	23	0	0	0	0	0	0	0
240	wt	N	Deer_A_Only	24299	3.1	9.3	3.1	9.3	0	0	0
240	wt	N	SUM	25285	11.2	13.7	6.8	18.1	0	0	0
240	wt	R	002-10	8803	10.7	209.3	16.1	198.6	5.4	5.4	5.4
240	wt	R	007-13	5509	5.1	0	5.1	0	0	0	0
240	wt	R	007-14	2003	4.8	0	4.8	0	0	0	0
240	wt	R	210-00	190	2.9	0	0	2.9	0	0	2.9
240	wt	R	240-40/Deer_A	557	5	50.2	5	45.2	5	20.1	15.1
240	wt	R	250-40/Deer_A	730	13.2	0	8.8	4.4	0	0	0
240	wt	R	260-10	3415	49.5	8.2	33	24.7	0	0	8.2
240	wt	R	260-20	290	3.8	0	3.8	0	0	0	0
240	wt	R	260-30	830	0	23.1	0	11.5	11.5	5.8	5.8
240	wt	R	320-10	722	0	7.7	0	7.7	0	0	0
240	wt	R	333-01	278	0	3.7	0	3.7	0	0	0
240	wt	R	Deer_A_Only	145081	33.3	466.2	19	475.7	4.8	99.9	185.5
240	wt	R	SUM	168408	128.3	768.4	95.5	774.4	26.7	131.1	222.9
240	wt	SUM	002-10	9303	15.1	213.7	16.1	207.4	5.4	5.4	5.4
240	wt	SUM	007-13	5509	5.1	0	5.1	0	0	0	0
240	wt	SUM	007-14	2003	4.8	0	4.8	0	0	0	0
240	wt	SUM	210-00	200	2.9	0	0	2.9	0	0	2.9
240	wt	SUM	240-40/Deer_A	613	5	50.2	5	45.2	5	20.1	15.1
240	wt	SUM	250-40/Deer_A	988	13.2	0	8.8	4.4	0	0	0
240	wt	SUM	260-10	3518	53.2	8.2	36.7	24.7	0	0	8.2
240	wt	SUM	260-20	300	3.8	0	3.8	0	0	0	0
240	wt	SUM	260-30	833	0	23.1	0	11.5	11.5	5.8	5.8
240	wt	SUM	320-10	745	0	7.7	0	7.7	0	0	0
240	wt	SUM	333-01	301	0	3.7	0	3.7	0	0	0
240	wt	SUM	Deer_A_Only	169380	36.4	475.5	22.1	485	4.8	99.9	185.5
240	wt	SUM	SUM	193693	139.4	782.1	102.3	792.5	26.7	131.1	222.9
250	wt	N	002-10	500	0	4.4	0	4.4	0	0	0
250	wt	N	250-40/Deer_A	258	0	9.2	0	9.2	0	0	9.2
250	wt	N	260-10	103	0	0	0	0	0	0	0
250	wt	N	260-30	3	0	0	0	0	0	0	0
250	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	3.1	3.1
250	wt	N	SUM	25163	0	22.9	0	22.9	0	3.1	12.3
250	wt	R	002-10	8803	10.7	59	16.1	53.7	0	5.4	0
250	wt	R	250-40/Deer_A	730	4.4	26.4	4.4	26.4	0	8.8	4.4
250	wt	R	260-10	3415	16.5	8.2	16.5	8.2	0	0	8.2
250	wt	R	260-30	830	5.8	0	5.8	0	0	0	0
250	wt	R	Deer_A_Only	145081	0	133.2	9.5	123.7	0	28.5	47.6
250	wt	R	SUM	158859	37.4	226.9	52.3	212	0	42.7	60.2
250	wt	SUM	002-10	9303	10.7	63.4	16.1	58.1	0	5.4	0
250	wt	SUM	250-40/Deer_A	988	4.4	35.6	4.4	35.6	0	8.8	13.6
250	wt	SUM	260-10	3518	16.5	8.2	16.5	8.2	0	0	8.2
250	wt	SUM	260-30	833	5.8	0	5.8	0	0	0	0
250	wt	SUM	Deer_A_Only	169380	0	142.5	9.5	133	0	31.7	50.7

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
250	wt	SUM	SUM	184022	37.4	249.8	52.3	234.9	0	45.8	72.5
260	wt	N	002-10	500	0	0	0	0	0	0	0
260	wt	N	003-10	845	0	0	0	0	0	0	0
260	wt	N	007-10	1330	0	0	0	0	0	0	0
260	wt	N	201-00	10	0	0	0	0	0	0	0
260	wt	N	204-40/Deer_A	17	0	0	0	0	0	0	0
260	wt	N	210-00	10	0	0	0	0	0	0	0
260	wt	N	212-01	17	0	0	0	0	0	0	0
260	wt	N	240-40/Deer_A	56	0	0	0	0	0	0	0
260	wt	N	250-40/Deer_A	258	0	0	0	0	0	0	0
260	wt	N	260-10	103	7.4	7.4	11	3.7	0	0	0
260	wt	N	260-20	10	0	0	0	0	0	0	0
260	wt	N	260-30	3	0	0	0	0	0	0	0
260	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	0
260	wt	N	SUM	27458	7.4	10.5	11	6.8	0	0	0
260	wt	R	002-10	8803	102	37.6	75.1	42.9	21.5	0	16.1
260	wt	R	003-10	7121	5	5	5	5	0	0	0
260	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
260	wt	R	007-10	3512	5.3	0	0	0	5.3	0	0
260	wt	R	007-13	5509	5.1	5.1	0	0	10.1	0	0
260	wt	R	124-00	197	4.2	0	0	0	4.2	0	0
260	wt	R	201-00	340	3.9	0	0	3.9	0	0	0
260	wt	R	201-01	50	0	3.1	0	0	3.1	0	0
260	wt	R	204-40/Deer_A	426	9.1	9.1	9.1	4.5	4.5	0	4.5
260	wt	R	210-00	190	2.9	0	2.9	0	0	0	0
260	wt	R	212-01	133	3.7	0	3.7	0	0	0	0
260	wt	R	240-40/Deer_A	557	10	5	5	10	0	0	5
260	wt	R	250-40/Deer_A	730	8.8	8.8	8.8	8.8	0	0	8.8
260	wt	R	260-10	3415	585.7	198	420.7	288.7	74.2	16.5	24.7
260	wt	R	260-20	290	49	11.3	33.9	22.6	3.8	7.5	26.4
260	wt	R	260-30	830	46.1	115.3	46.1	28.8	86.5	0	0
260	wt	R	291-00	98	2.9	0	2.9	0	0	0	0
260	wt	R	Deer_A_Only	145081	271.1	128.4	176	180.8	42.8	23.8	57.1
260	wt	R	SUM	184363	1114.7	531.5	789.2	601	256	47.8	142.6
260	wt	SUM	002-10	9303	102	37.6	75.1	42.9	21.5	0	16.1
260	wt	SUM	003-10	7966	5	5	5	5	0	0	0
260	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
260	wt	SUM	007-10	4842	5.3	0	0	0	5.3	0	0
260	wt	SUM	007-13	5509	5.1	5.1	0	0	10.1	0	0
260	wt	SUM	124-00	197	4.2	0	0	0	4.2	0	0
260	wt	SUM	201-00	350	3.9	0	0	3.9	0	0	0
260	wt	SUM	201-01	50	0	3.1	0	0	3.1	0	0
260	wt	SUM	204-40/Deer_A	443	9.1	9.1	9.1	4.5	4.5	0	4.5
260	wt	SUM	210-00	200	2.9	0	2.9	0	0	0	0
260	wt	SUM	212-01	150	3.7	0	3.7	0	0	0	0
260	wt	SUM	240-40/Deer_A	613	10	5	5	10	0	0	5
260	wt	SUM	250-40/Deer_A	988	8.8	8.8	8.8	8.8	0	0	8.8
260	wt	SUM	260-10	3518	593	205.3	431.7	292.4	74.2	16.5	24.7

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
260	wt	SUM	260-20	300	49	11.3	33.9	22.6	3.8	7.5	26.4
260	wt	SUM	260-30	833	46.1	115.3	46.1	28.8	86.5	0	0
260	wt	SUM	291-00	98	2.9	0	2.9	0	0	0	0
260	wt	SUM	Deer_A_Only	169380	271.1	131.5	176	183.9	42.8	23.8	57.1
260	wt	SUM	SUM	211821	1122.1	542	800.3	607.8	256	47.8	142.6
261	wt	N	002-10	500	0	0	0	0	0	0	0
261	wt	N	260-10	103	3.7	0	3.7	0	0	0	0
261	wt	N	260-30	3	0	0	0	0	0	0	0
261	wt	N	261-01	3	0	0	0	0	0	0	0
261	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	3.1	0
261	wt	N	SUM	24908	3.7	3.1	3.7	3.1	0	3.1	0
261	wt	R	002-10	8803	5.4	32.2	5.4	32.2	0	0	0
261	wt	R	260-10	3415	0	8.2	0	8.2	0	0	8.2
261	wt	R	260-30	830	0	11.5	0	0	11.5	0	0
261	wt	R	261-01	72	0	3	0	3	0	0	0
261	wt	R	261-50/Deer_A	24	0	3.7	0	3.7	0	0	3.7
261	wt	R	Deer_A_Only	145081	9.5	166.5	9.5	152.2	14.3	28.5	71.4
261	wt	R	SUM	158225	14.9	225.2	14.9	199.4	25.8	28.5	83.3
261	wt	SUM	002-10	9303	5.4	32.2	5.4	32.2	0	0	0
261	wt	SUM	260-10	3518	3.7	8.2	3.7	8.2	0	0	8.2
261	wt	SUM	260-30	833	0	11.5	0	0	11.5	0	0
261	wt	SUM	261-01	75	0	3	0	3	0	0	0
261	wt	SUM	261-50/Deer_A	24	0	3.7	0	3.7	0	0	3.7
261	wt	SUM	Deer_A_Only	169380	9.5	169.6	9.5	155.3	14.3	31.7	71.4
261	wt	SUM	SUM	183133	18.6	228.3	18.6	202.5	25.8	31.7	83.3
270	wt	N	002-10	500	0	0	0	0	0	0	0
270	wt	N	250-40/Deer_A	258	0	0	0	0	0	0	0
270	wt	N	260-10	103	0	0	0	0	0	0	0
270	wt	N	260-30	3	0	0	0	0	0	0	0
270	wt	N	270-00	2	0	0	0	0	0	0	0
270	wt	N	312-00	12	0	0	0	0	0	0	0
270	wt	N	325-01	15	0	0	0	0	0	0	0
270	wt	N	Deer_A_Only	24299	0	21.8	0	21.8	0	3.1	15.6
270	wt	N	SUM	25192	0	21.8	0	21.8	0	3.1	15.6
270	wt	R	002-10	8803	0	75.1	0	75.1	0	0	0
270	wt	R	007-11	1520	0	5.2	0	5.2	0	0	0
270	wt	R	250-40/Deer_A	730	0	8.8	0	4.4	4.4	0	0
270	wt	R	260-10	3415	8.2	0	8.2	0	0	0	0
270	wt	R	260-30	830	0	11.5	0	0	11.5	0	0
270	wt	R	270-00	98	0	3	0	3	0	0	0
270	wt	R	312-00	238	3.4	0	3.4	0	0	0	3.4
270	wt	R	325-01	135	0	5.2	0	5.2	0	0	0
270	wt	R	Deer_A_Only	145081	4.8	185.5	9.5	176	4.8	42.8	57.1
270	wt	R	SUM	160850	16.4	294.4	21.1	268.9	20.7	42.8	60.4
270	wt	SUM	002-10	9303	0	75.1	0	75.1	0	0	0
270	wt	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
270	wt	SUM	250-40/Deer_A	988	0	8.8	0	4.4	4.4	0	0
270	wt	SUM	260-10	3518	8.2	0	8.2	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
270	wt	SUM	260-30	833	0	11.5	0	0	11.5	0	0
270	wt	SUM	270-00	100	0	3	0	3	0	0	0
270	wt	SUM	312-00	250	3.4	0	3.4	0	0	0	3.4
270	wt	SUM	325-01	150	0	5.2	0	5.2	0	0	0
270	wt	SUM	Deer_A_Only	169380	4.8	207.3	9.5	197.8	4.8	45.9	72.6
270	wt	SUM	SUM	186042	16.4	316.1	21.1	290.7	20.7	45.9	76
280	wt	N	002-10	500	0	4.4	0	4.4	0	0	0
280	wt	N	281-00	6	0	0	0	0	0	0	0
280	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
280	wt	N	SUM	24805	0	4.4	0	4.4	0	0	0
280	wt	R	002-10	8803	0	0	0	0	0	0	0
280	wt	R	281-00	94	0	2.2	0	2.2	0	0	0
280	wt	R	Deer_A_Only	145081	0	9.5	0	9.5	0	4.8	0
280	wt	R	SUM	153978	0	11.7	0	11.7	0	4.8	0
280	wt	SUM	002-10	9303	0	4.4	0	4.4	0	0	0
280	wt	SUM	281-00	100	0	2.2	0	2.2	0	0	0
280	wt	SUM	Deer_A_Only	169380	0	9.5	0	9.5	0	4.8	0
280	wt	SUM	SUM	178783	0	16.1	0	16.1	0	4.8	0
281	wt	N	002-10	500	0	0	0	0	0	0	0
281	wt	N	005-10	290	0	0	0	0	0	0	0
281	wt	N	102-00	8	0	0	0	0	0	0	0
281	wt	N	210-00	10	0	0	0	0	0	0	0
281	wt	N	281-00	6	0	0	0	0	0	0	0
281	wt	N	281-01	6	0	0	0	0	0	0	0
281	wt	N	281-40/Deer_A	47	0	2.1	0	2.1	0	0	2.1
281	wt	N	426-00	94	0	0	0	0	0	0	0
281	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
281	wt	N	SUM	25260	0	8.4	0	8.4	0	0	8.4
281	wt	R	002-10	8803	0	91.3	0	91.3	0	0	5.4
281	wt	R	005-10	2590	0	4.8	0	4.8	0	0	0
281	wt	R	102-00	492	0	3.7	0	3.7	0	3.7	0
281	wt	R	210-00	190	0	2.9	0	2.9	0	0	2.9
281	wt	R	281-00	94	0	21.9	0	21.9	0	0	0
281	wt	R	281-01	94	0	3.2	0	3.2	0	0	0
281	wt	R	281-40/Deer_A	440	4.7	23.4	4.7	23.4	0	0	23.4
281	wt	R	426-00	456	0	5.4	0	5.4	0	5.4	0
281	wt	R	Deer_A_Only	145081	0	190.3	0	185.5	4.8	14.3	90.4
281	wt	R	SUM	158240	4.7	346.8	4.7	342	4.8	23.3	122.1
281	wt	SUM	002-10	9303	0	91.3	0	91.3	0	0	5.4
281	wt	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
281	wt	SUM	102-00	500	0	3.7	0	3.7	0	3.7	0
281	wt	SUM	210-00	200	0	2.9	0	2.9	0	0	2.9
281	wt	SUM	281-00	100	0	21.9	0	21.9	0	0	0
281	wt	SUM	281-01	100	0	3.2	0	3.2	0	0	0
281	wt	SUM	281-40/Deer_A	487	4.7	25.5	4.7	25.5	0	0	25.5
281	wt	SUM	426-00	550	0	5.4	0	5.4	0	5.4	0
281	wt	SUM	Deer_A_Only	169380	0	196.5	0	191.7	4.8	14.3	96.6
281	wt	SUM	SUM	183500	4.7	355.2	4.7	350.4	4.8	23.3	130.4

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
282	wt	N	002-10	500	0	0	0	0	0	0	0
282	wt	N	260-10	103	0	0	0	0	0	0	0
282	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
282	wt	N	SUM	24902	0	0	0	0	0	0	0
282	wt	R	002-10	8803	10.7	21.5	21.5	10.7	0	0	0
282	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
282	wt	R	260-10	3415	8.2	0	8.2	0	0	0	0
282	wt	R	282-00	50	3.3	23.3	20	6.7	0	0	0
282	wt	R	Deer_A_Only	145081	9.5	66.6	19	57.1	0	19	14.3
282	wt	R	SUM	164430	31.8	116.3	68.7	79.3	0	19	14.3
282	wt	SUM	002-10	9303	10.7	21.5	21.5	10.7	0	0	0
282	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
282	wt	SUM	260-10	3518	8.2	0	8.2	0	0	0	0
282	wt	SUM	282-00	50	3.3	23.3	20	6.7	0	0	0
282	wt	SUM	Deer_A_Only	169380	9.5	66.6	19	57.1	0	19	14.3
282	wt	SUM	SUM	189332	31.8	116.3	68.7	79.3	0	19	14.3
283	wt	N	002-10	500	0	8.8	0	8.8	0	0	0
283	wt	N	260-10	103	0	0	0	0	0	0	0
283	wt	N	283-00	2	0	0	0	0	0	0	0
283	wt	N	292-40/Deer_A	56	0	0	0	0	0	0	0
283	wt	N	411-00	173	0	0	0	0	0	0	0
283	wt	N	412-00	177	0	0	0	0	0	0	0
283	wt	N	448-00	31	0	0	0	0	0	0	0
283	wt	N	Deer_A_Only	24299	0	18.7	0	18.7	0	0	12.4
283	wt	N	SUM	25341	0	27.4	0	27.4	0	0	12.4
283	wt	R	002-10	8803	26.8	214.7	16.1	214.7	10.7	5.4	5.4
283	wt	R	260-10	3415	16.5	8.2	16.5	8.2	0	0	0
283	wt	R	283-00	98	0	24.5	0	24.5	0	0	0
283	wt	R	283-01	100	0	8.6	0	8.6	0	0	0
283	wt	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	4.8
283	wt	R	411-00	633	0	5.1	0	5.1	0	0	0
283	wt	R	412-00	623	0	6.4	0	6.4	0	0	0
283	wt	R	448-00	158	3.7	0	3.7	0	0	0	0
283	wt	R	Deer_A_Only	145081	19	299.7	14.3	299.7	4.8	57.1	114.2
283	wt	R	SUM	159841	66	572.1	50.5	572.1	15.5	62.4	124.4
283	wt	SUM	002-10	9303	26.8	223.5	16.1	223.5	10.7	5.4	5.4
283	wt	SUM	260-10	3518	16.5	8.2	16.5	8.2	0	0	0
283	wt	SUM	283-00	100	0	24.5	0	24.5	0	0	0
283	wt	SUM	283-01	100	0	8.6	0	8.6	0	0	0
283	wt	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	4.8
283	wt	SUM	411-00	806	0	5.1	0	5.1	0	0	0
283	wt	SUM	412-00	800	0	6.4	0	6.4	0	0	0
283	wt	SUM	448-00	189	3.7	0	3.7	0	0	0	0
283	wt	SUM	Deer_A_Only	169380	19	318.3	14.3	318.3	4.8	57.1	126.6
283	wt	SUM	SUM	185182	66	599.5	50.5	599.5	15.5	62.4	136.8
284	wt	N	002-10	500	0	0	0	0	0	0	0
284	wt	N	210-50/Deer_A	5	0	0	0	0	0	0	0
284	wt	N	281-00	6	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
284	wt	N	281-40/Deer_A	47	0	0	0	0	0	0	0
284	wt	N	284-10	1	0	0	0	0	0	0	0
284	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
284	wt	N	SUM	24858	0	0	0	0	0	0	0
284	wt	R	002-10	8803	0	0	0	0	0	0	0
284	wt	R	210-50/Deer_A	95	2.6	0	2.6	0	0	0	0
284	wt	R	281-00	94	2.2	0	2.2	0	0	0	0
284	wt	R	281-40/Deer_A	440	4.7	0	4.7	0	0	0	0
284	wt	R	284-10	92	13.1	13.1	13.1	13.1	0	0	0
284	wt	R	Deer_A_Only	145081	4.8	23.8	4.8	23.8	0	0	9.5
284	wt	R	SUM	154605	27.4	36.9	27.4	36.9	0	0	9.5
284	wt	SUM	002-10	9303	0	0	0	0	0	0	0
284	wt	SUM	210-50/Deer_A	100	2.6	0	2.6	0	0	0	0
284	wt	SUM	281-00	100	2.2	0	2.2	0	0	0	0
284	wt	SUM	281-40/Deer_A	487	4.7	0	4.7	0	0	0	0
284	wt	SUM	284-10	93	13.1	13.1	13.1	13.1	0	0	0
284	wt	SUM	Deer_A_Only	169380	4.8	23.8	4.8	23.8	0	0	9.5
284	wt	SUM	SUM	179463	27.4	36.9	27.4	36.9	0	0	9.5
285	wt	N	002-10	500	4.4	30.7	4.4	30.7	0	0	0
285	wt	N	130-00	37	0	2.8	0	2.8	0	0	0
285	wt	N	285-00	1	0	0	0	0	0	0	0
285	wt	N	285-01	1	0	1	0	1	0	0	0
285	wt	N	285-02	1	0	0	0	0	0	0	0
285	wt	N	292-40/Deer_A	56	0	0	0	0	0	0	0
285	wt	N	Deer_A_Only	24299	3.1	43.6	3.1	43.6	0	6.2	28
285	wt	N	SUM	24895	7.5	78.1	7.5	78.1	0	6.2	28
285	wt	R	002-10	8803	26.8	413.3	21.5	418.7	0	5.4	10.7
285	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
285	wt	R	130-00	614	0	0	0	0	0	0	0
285	wt	R	285-00	49	0	12.2	0	12.2	0	0	0
285	wt	R	285-01	24	0	4.5	0	4.5	0	0	0
285	wt	R	285-02	49	2.5	4.9	2.5	4.9	0	0	0
285	wt	R	292-40/Deer_A	930	4.8	0	4.8	0	0	0	0
285	wt	R	Deer_A_Only	145081	19	604.1	14.3	608.9	0	90.4	199.8
285	wt	R	SUM	162631	53.2	1043.9	43	1054.1	0	95.7	210.5
285	wt	SUM	002-10	9303	31.2	444	25.9	449.4	0	5.4	10.7
285	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
285	wt	SUM	130-00	651	0	2.8	0	2.8	0	0	0
285	wt	SUM	285-00	50	0	12.2	0	12.2	0	0	0
285	wt	SUM	285-01	25	0	5.5	0	5.5	0	0	0
285	wt	SUM	285-02	50	2.5	4.9	2.5	4.9	0	0	0
285	wt	SUM	292-40/Deer_A	986	4.8	0	4.8	0	0	0	0
285	wt	SUM	Deer_A_Only	169380	22.1	647.7	17.4	652.4	0	96.6	227.8
285	wt	SUM	SUM	187526	60.7	1122	50.5	1132.2	0	102	238.5
290	wt	N	002-10	500	0	0	0	0	0	0	0
290	wt	N	003-10	845	0	0	0	0	0	0	0
290	wt	N	130-00	37	0	0	0	0	0	0	0
290	wt	N	212-01	17	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
290	wt	N	212-10	19	0	0	0	0	0	0	0
290	wt	N	213-00	3	0	0	0	0	0	0	0
290	wt	N	281-40/Deer_A	47	0	0	0	0	0	0	0
290	wt	N	284-10	1	0	0	0	0	0	0	0
290	wt	N	285-01	1	0	0	0	0	0	0	0
290	wt	N	290-10	6	0	0	0	0	0	0	0
290	wt	N	290-20	4	0	0	0	0	0	0	0
290	wt	N	Deer_A_Only	24299	6.2	0	3.1	3.1	0	3.1	0
290	wt	N	SUM	25779	6.2	0	3.1	3.1	0	3.1	0
290	wt	R	002-10	8803	21.5	5.4	10.7	10.7	5.4	0	0
290	wt	R	003-10	7121	10	0	0	10	0	0	0
290	wt	R	004-10	7081	4.9	0	0	0	4.9	0	0
290	wt	R	130-00	614	4.1	0	0	4.1	0	0	0
290	wt	R	212-01	133	3.7	0	3.7	0	0	0	0
290	wt	R	212-10	186	14.7	0	0	9.8	4.9	0	0
290	wt	R	213-00	47	3.1	0	0	3.1	0	0	0
290	wt	R	281-40/Deer_A	440	14	0	4.7	4.7	4.7	0	4.7
290	wt	R	284-10	92	4.4	0	0	0	4.4	0	0
290	wt	R	285-01	24	1.5	0	1.5	0	0	0	0
290	wt	R	290-10	227	77.4	5.2	31	36.1	15.5	0	5.2
290	wt	R	290-20	46	12.1	0	4.8	7.3	0	0	7.3
290	wt	R	Deer_A_Only	145081	52.3	9.5	14.3	38.1	9.5	9.5	14.3
290	wt	R	SUM	169895	223.8	20	70.7	124	49.2	9.5	31.4
290	wt	SUM	002-10	9303	21.5	5.4	10.7	10.7	5.4	0	0
290	wt	SUM	003-10	7966	10	0	0	10	0	0	0
290	wt	SUM	004-10	7081	4.9	0	0	0	4.9	0	0
290	wt	SUM	130-00	651	4.1	0	0	4.1	0	0	0
290	wt	SUM	212-01	150	3.7	0	3.7	0	0	0	0
290	wt	SUM	212-10	205	14.7	0	0	9.8	4.9	0	0
290	wt	SUM	213-00	50	3.1	0	0	3.1	0	0	0
290	wt	SUM	281-40/Deer_A	487	14	0	4.7	4.7	4.7	0	4.7
290	wt	SUM	284-10	93	4.4	0	0	0	4.4	0	0
290	wt	SUM	285-01	25	1.5	0	1.5	0	0	0	0
290	wt	SUM	290-10	233	77.4	5.2	31	36.1	15.5	0	5.2
290	wt	SUM	290-20	50	12.1	0	4.8	7.3	0	0	7.3
290	wt	SUM	Deer_A_Only	169380	58.5	9.5	17.4	41.2	9.5	12.6	14.3
290	wt	SUM	SUM	195674	230	20	73.8	127.1	49.2	12.6	31.4
291	wt	N	002-10	500	0	0	0	0	0	0	0
291	wt	N	291-50/Deer_A	8	0	0	0	0	0	0	0
291	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	3.1
291	wt	N	SUM	24807	0	6.2	0	6.2	0	0	3.1
291	wt	R	002-10	8803	0	16.1	0	16.1	0	0	0
291	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
291	wt	R	291-00	98	0	2.9	0	2.9	0	2.9	0
291	wt	R	291-50/Deer_A	92	0	2.7	0	2.7	0	2.7	0
291	wt	R	Deer_A_Only	145081	0	23.8	0	23.8	0	9.5	9.5
291	wt	R	SUM	161155	0	50.3	0	50.3	0	15.1	9.5
291	wt	SUM	002-10	9303	0	16.1	0	16.1	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
291	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
291	wt	SUM	291-00	98	0	2.9	0	2.9	0	2.9	0
291	wt	SUM	291-50/Deer_A	100	0	2.7	0	2.7	0	2.7	0
291	wt	SUM	Deer_A_Only	169380	0	30	0	30	0	9.5	12.6
291	wt	SUM	SUM	185962	0	56.6	0	56.6	0	15.1	12.6
292	wt	N	002-10	500	4.4	4.4	4.4	4.4	0	0	0
292	wt	N	260-10	103	0	0	0	0	0	0	0
292	wt	N	292-00	1	0	0	0	0	0	0	0
292	wt	N	292-40/Deer_A	56	0	0	0	0	0	0	0
292	wt	N	Deer_A_Only	24299	3.1	6.2	3.1	6.2	0	0	3.1
292	wt	N	SUM	24959	7.5	10.6	7.5	10.6	0	0	3.1
292	wt	R	002-10	8803	5.4	182.5	5.4	182.5	0	5.4	5.4
292	wt	R	260-10	3415	0	8.2	0	8.2	0	8.2	0
292	wt	R	283-01	100	0	2.9	0	2.9	0	0	0
292	wt	R	292-00	49	0	17.3	0	17.3	0	2.9	2.9
292	wt	R	292-40/Deer_A	930	0	43.6	0	43.6	0	14.5	19.4
292	wt	R	Deer_A_Only	145081	4.8	223.6	4.8	223.6	0	47.6	90.4
292	wt	R	SUM	158378	10.1	478.1	10.1	478.1	0	78.6	118
292	wt	SUM	002-10	9303	9.8	186.9	9.8	186.9	0	5.4	5.4
292	wt	SUM	260-10	3518	0	8.2	0	8.2	0	8.2	0
292	wt	SUM	283-01	100	0	2.9	0	2.9	0	0	0
292	wt	SUM	292-00	50	0	17.3	0	17.3	0	2.9	2.9
292	wt	SUM	292-40/Deer_A	986	0	43.6	0	43.6	0	14.5	19.4
292	wt	SUM	Deer_A_Only	169380	7.9	229.8	7.9	229.8	0	47.6	93.5
292	wt	SUM	SUM	183337	17.6	488.7	17.6	488.7	0	78.6	121.1
293	wt	N	002-10	500	0	4.4	0	4.4	0	0	0
293	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
293	wt	N	SUM	24799	0	10.6	0	10.6	0	0	6.2
293	wt	R	002-10	8803	10.7	16.1	10.7	16.1	0	0	0
293	wt	R	293-00	50	0	14.3	0	14.3	0	0	0
293	wt	R	Deer_A_Only	145081	14.3	90.4	9.5	95.1	0	14.3	57.1
293	wt	R	SUM	153934	25	120.8	20.2	125.5	0	14.3	57.1
293	wt	SUM	002-10	9303	10.7	20.5	10.7	20.5	0	0	0
293	wt	SUM	293-00	50	0	14.3	0	14.3	0	0	0
293	wt	SUM	Deer_A_Only	169380	14.3	96.6	9.5	101.4	0	14.3	63.3
293	wt	SUM	SUM	178733	25	131.4	20.2	136.1	0	14.3	63.3
2XX	wt	N	002-10	500	0	4.4	0	4.4	0	0	0
2XX	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	0
2XX	wt	N	SUM	24799	0	7.5	0	7.5	0	0	0
2XX	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
2XX	wt	R	Deer_A_Only	145081	0	4.8	0	4.8	0	4.8	0
2XX	wt	R	SUM	153884	0	10.1	0	10.1	0	4.8	0
2XX	wt	SUM	002-10	9303	0	9.8	0	9.8	0	0	0
2XX	wt	SUM	Deer_A_Only	169380	0	7.9	0	7.9	0	4.8	0
2XX	wt	SUM	SUM	178683	0	17.6	0	17.6	0	4.8	0
300	wt	N	003-10	845	0	4.1	0	4.1	0	0	0
300	wt	N	312-00	12	0	0	0	0	0	0	0
300	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	3.1	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
300	wt	N	SUM	25156	0	7.2	0	7.2	0	3.1	0
300	wt	R	003-10	7121	0	10	0	10	0	0	0
300	wt	R	312-00	238	0	6.7	0	6.7	0	0	0
300	wt	R	Deer_A_Only	145081	4.8	42.8	0	42.8	4.8	14.3	4.8
300	wt	R	SUM	152440	4.8	59.6	0	59.6	4.8	14.3	4.8
300	wt	SUM	003-10	7966	0	14.2	0	14.2	0	0	0
300	wt	SUM	312-00	250	0	6.7	0	6.7	0	0	0
300	wt	SUM	Deer_A_Only	169380	4.8	45.9	0	45.9	4.8	17.4	4.8
300	wt	SUM	SUM	177596	4.8	66.8	0	66.8	4.8	17.4	4.8
301	wt	N	003-10	845	0	8.2	0	8.2	0	0	0
301	wt	N	301-00	2	0	1	0	1	0	0	0
301	wt	N	301-01	3	0	0	0	0	0	0	0
301	wt	N	312-00	12	0	0	0	0	0	0	0
301	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	3.1
301	wt	N	SUM	25161	0	15.5	0	15.5	0	0	3.1
301	wt	R	003-10	7121	10	15.1	10	15.1	0	0	0
301	wt	R	301-00	23	0	0	0	0	0	0	0
301	wt	R	301-01	22	0	2.4	0	2.4	0	0	0
301	wt	R	312-00	238	3.4	0	3.4	0	0	0	0
301	wt	R	Deer_A_Only	145081	19	80.9	14.3	85.6	0	9.5	57.1
301	wt	R	SUM	152485	32.4	98.4	27.7	103.1	0	9.5	57.1
301	wt	SUM	003-10	7966	10	23.3	10	23.3	0	0	0
301	wt	SUM	301-00	25	0	1	0	1	0	0	0
301	wt	SUM	301-01	25	0	2.4	0	2.4	0	0	0
301	wt	SUM	312-00	250	3.4	0	3.4	0	0	0	0
301	wt	SUM	Deer_A_Only	169380	19	87.1	14.3	91.8	0	9.5	60.2
301	wt	SUM	SUM	177646	32.4	113.8	27.7	118.6	0	9.5	60.2
302	wt	N	003-10	845	0	4.1	0	4.1	0	0	0
302	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	9.3
302	wt	N	SUM	25144	0	13.5	0	13.5	0	0	9.3
302	wt	R	003-10	7121	0	0	0	0	0	0	0
302	wt	R	Deer_A_Only	145081	0	19	0	19	0	0	19
302	wt	R	SUM	152202	0	19	0	19	0	0	19
302	wt	SUM	003-10	7966	0	4.1	0	4.1	0	0	0
302	wt	SUM	Deer_A_Only	169380	0	28.4	0	28.4	0	0	28.4
302	wt	SUM	SUM	177346	0	32.5	0	32.5	0	0	28.4
309	wt	N	003-10	845	0	0	0	0	0	0	0
309	wt	N	005-10	290	0	2.5	0	2.5	0	0	0
309	wt	N	309-10	8	0	0	0	0	0	0	0
309	wt	N	312-10	25	2.3	0	2.3	0	0	0	0
309	wt	N	315-00	15	0	0	0	0	0	0	0
309	wt	N	333-03	22	0	0	0	0	0	0	0
309	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
309	wt	N	SUM	25504	2.3	5.7	2.3	5.7	0	0	3.1
309	wt	R	003-10	7121	10	100.4	10	85.3	15.1	0	0
309	wt	R	005-10	2590	0	0	0	0	0	0	0
309	wt	R	007-11	1520	0	5.2	0	5.2	0	0	0
309	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
309	wt	R	301-01	22	0	2.4	0	2.4	0	0	0
309	wt	R	309-10	505	26.3	70.3	22	52.7	22	0	0
309	wt	R	312-10	1124	0	7.8	0	7.8	0	0	0
309	wt	R	315-00	135	3.1	3.1	3.1	3.1	0	0	0
309	wt	R	333-03	267	0	4.9	0	4.9	0	0	0
309	wt	R	Deer_A_Only	145081	28.5	166.5	28.5	157	9.5	9.5	76.1
309	wt	R	SUM	163874	68.1	365.7	63.7	323.5	46.5	9.5	76.1
309	wt	SUM	003-10	7966	10	100.4	10	85.3	15.1	0	0
309	wt	SUM	005-10	2880	0	2.5	0	2.5	0	0	0
309	wt	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
309	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
309	wt	SUM	301-01	22	0	2.4	0	2.4	0	0	0
309	wt	SUM	309-10	513	26.3	70.3	22	52.7	22	0	0
309	wt	SUM	312-10	1149	2.3	7.8	2.3	7.8	0	0	0
309	wt	SUM	315-00	150	3.1	3.1	3.1	3.1	0	0	0
309	wt	SUM	333-03	289	0	4.9	0	4.9	0	0	0
309	wt	SUM	Deer_A_Only	169380	28.5	169.6	28.5	160.1	9.5	9.5	79.2
309	wt	SUM	SUM	189378	70.3	371.3	65.9	329.2	46.5	9.5	79.2
310	wt	N	003-10	845	0	0	0	0	0	0	0
310	wt	N	309-10	8	0	0	0	0	0	0	0
310	wt	N	310-00	3	0	0	0	0	0	0	0
310	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
310	wt	N	SUM	25155	0	6.2	0	6.2	0	0	6.2
310	wt	R	003-10	7121	0	10	0	10	0	0	0
310	wt	R	309-10	505	0	4.4	0	4.4	0	0	0
310	wt	R	310-00	22	0	2.2	0	2.2	0	0	0
310	wt	R	Deer_A_Only	145081	0	19	0	19	0	0	14.3
310	wt	R	SUM	152729	0	35.7	0	35.7	0	0	14.3
310	wt	SUM	003-10	7966	0	10	0	10	0	0	0
310	wt	SUM	309-10	513	0	4.4	0	4.4	0	0	0
310	wt	SUM	310-00	25	0	2.2	0	2.2	0	0	0
310	wt	SUM	Deer_A_Only	169380	0	25.3	0	25.3	0	0	20.5
310	wt	SUM	SUM	177884	0	41.9	0	41.9	0	0	20.5
311	wt	N	002-10	500	0	0	0	0	0	0	0
311	wt	N	003-10	845	0	16.5	0	16.5	0	0	0
311	wt	N	309-10	8	0	0	0	0	0	0	0
311	wt	N	311-01	5	0	2.5	0	2.5	0	0	0
311	wt	N	311-02	13	0	0	0	0	0	0	0
311	wt	N	312-10	25	0	0	0	0	0	0	0
311	wt	N	333-10	37	0	0	0	0	0	0	0
311	wt	N	393-00	11	0	0	0	0	0	0	0
311	wt	N	Deer_A_Only	24299	0	18.7	0	18.7	0	0	15.6
311	wt	N	SUM	25743	0	37.7	0	37.7	0	0	15.6
311	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
311	wt	R	003-10	7121	10	185.7	5	190.7	0	0	5
311	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
311	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
311	wt	R	007-14	2003	0	4.8	0	4.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
311	wt	R	309-10	505	4.4	13.2	4.4	13.2	0	0	0
311	wt	R	311-01	45	2.5	20	2.5	20	0	0	0
311	wt	R	311-02	290	0	14.7	0	14.7	0	0	0
311	wt	R	312-10	1124	0	7.8	0	7.8	0	0	0
311	wt	R	333-10	933	0	7.6	0	7.6	0	0	0
311	wt	R	393-00	190	0	2.7	0	2.7	0	0	2.7
311	wt	R	699-00	3502	0	8.6	0	8.6	0	0	0
311	wt	R	Deer_A_Only	145081	14.3	394.8	14.3	394.8	0	52.3	176
311	wt	R	SUM	182187	31.2	675.1	26.2	680.1	0	52.3	183.7
311	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
311	wt	SUM	003-10	7966	10	202.2	5	207.2	0	0	5
311	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
311	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
311	wt	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
311	wt	SUM	309-10	513	4.4	13.2	4.4	13.2	0	0	0
311	wt	SUM	311-01	50	2.5	22.5	2.5	22.5	0	0	0
311	wt	SUM	311-02	303	0	14.7	0	14.7	0	0	0
311	wt	SUM	312-10	1149	0	7.8	0	7.8	0	0	0
311	wt	SUM	333-10	970	0	7.6	0	7.6	0	0	0
311	wt	SUM	393-00	201	0	2.7	0	2.7	0	0	2.7
311	wt	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
311	wt	SUM	Deer_A_Only	169380	14.3	413.5	14.3	413.5	0	52.3	191.6
311	wt	SUM	SUM	207930	31.2	712.8	26.2	717.8	0	52.3	199.3
312	wt	N	002-10	500	0	0	0	0	0	0	0
312	wt	N	003-10	845	0	8.2	0	8.2	0	0	0
312	wt	N	005-10	290	0	0	0	0	0	0	0
312	wt	N	309-10	8	0	0	0	0	0	0	0
312	wt	N	312-00	12	0	0	0	0	0	0	0
312	wt	N	312-10	25	0	6.8	0	6.8	0	0	0
312	wt	N	312-50/Deer_A	4	0	0	0	0	0	0	0
312	wt	N	Deer_A_Only	24299	0	37.3	0	34.2	3.1	0	34.2
312	wt	N	SUM	25983	0	52.4	0	49.3	3.1	0	34.2
312	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
312	wt	R	003-10	7121	30.1	130.5	25.1	130.5	5	0	5
312	wt	R	005-10	2590	0	4.8	0	4.8	0	0	0
312	wt	R	007-14	2003	0	4.8	0	4.8	0	0	0
312	wt	R	309-10	505	8.8	0	4.4	4.4	0	0	0
312	wt	R	311-00	50	2.6	2.6	2.6	2.6	0	0	0
312	wt	R	312-00	238	3.4	6.7	3.4	6.7	0	0	0
312	wt	R	312-10	1124	77.5	356.6	62	364.3	7.8	0	7.8
312	wt	R	312-50/Deer_A	121	0	2.5	0	2.5	0	0	0
312	wt	R	Deer_A_Only	145081	85.6	489.9	52.3	518.5	4.8	66.6	190.3
312	wt	R	SUM	167636	208	1003.8	149.8	1044.5	17.5	66.6	203
312	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
312	wt	SUM	003-10	7966	30.1	138.7	25.1	138.7	5	0	5
312	wt	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
312	wt	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
312	wt	SUM	309-10	513	8.8	0	4.4	4.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
312	wt	SUM	311-00	50	2.6	2.6	2.6	2.6	0	0	0
312	wt	SUM	312-00	250	3.4	6.7	3.4	6.7	0	0	0
312	wt	SUM	312-10	1149	77.5	363.4	62	371.1	7.8	0	7.8
312	wt	SUM	312-50/Deer_A	125	0	2.5	0	2.5	0	0	0
312	wt	SUM	Deer_A_Only	169380	85.6	527.3	52.3	552.7	7.9	66.6	224.5
312	wt	SUM	SUM	193619	208	1056.2	149.8	1093.8	20.6	66.6	237.3
313	wt	N	003-10	845	0	0	0	0	0	0	0
313	wt	N	393-00	11	0	0	0	0	0	0	0
313	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
313	wt	N	SUM	25155	0	3.1	0	3.1	0	0	3.1
313	wt	R	003-10	7121	0	20.1	0	20.1	0	0	0
313	wt	R	393-00	190	0	2.7	0	2.7	0	0	0
313	wt	R	Deer_A_Only	145081	0	23.8	0	23.8	0	0	4.8
313	wt	R	SUM	152392	0	46.5	0	46.5	0	0	4.8
313	wt	SUM	003-10	7966	0	20.1	0	20.1	0	0	0
313	wt	SUM	393-00	201	0	2.7	0	2.7	0	0	0
313	wt	SUM	Deer_A_Only	169380	0	26.9	0	26.9	0	0	7.9
313	wt	SUM	SUM	177547	0	49.6	0	49.6	0	0	7.9
314	wt	N	003-10	845	0	8.2	0	8.2	0	0	0
314	wt	N	314-00	18	0	1.8	0	1.8	0	0	0
314	wt	N	Deer_A_Only	24299	0	18.7	0	18.7	0	0	15.6
314	wt	N	SUM	25162	0	28.7	0	28.7	0	0	15.6
314	wt	R	003-10	7121	5	75.3	5	75.3	0	0	0
314	wt	R	314-00	207	0	3.4	0	3.4	0	0	0
314	wt	R	317-00	70	0	2.4	0	2.4	0	0	2.4
314	wt	R	Deer_A_Only	145081	0	118.9	0	118.9	0	19	19
314	wt	R	SUM	152479	5	200	5	200	0	19	21.4
314	wt	SUM	003-10	7966	5	83.5	5	83.5	0	0	0
314	wt	SUM	314-00	225	0	5.2	0	5.2	0	0	0
314	wt	SUM	317-00	70	0	2.4	0	2.4	0	0	2.4
314	wt	SUM	Deer_A_Only	169380	0	137.6	0	137.6	0	19	34.6
314	wt	SUM	SUM	177641	5	228.7	5	228.7	0	19	37
315	wt	N	003-10	845	8.2	16.5	8.2	16.5	0	0	4.1
315	wt	N	005-10	290	0	0	0	0	0	0	0
315	wt	N	309-10	8	0	0	0	0	0	0	0
315	wt	N	312-00	12	0	0	0	0	0	0	0
315	wt	N	314-00	18	0	0	0	0	0	0	0
315	wt	N	315-00	15	0	0	0	0	0	0	0
315	wt	N	315-01	57	13.6	10.9	13.6	10.9	0	0	0
315	wt	N	499-00	169	0	0	0	0	0	0	0
315	wt	N	599-00	98	0	0	0	0	0	0	0
315	wt	N	Deer_A_Only	24299	18.7	31.1	6.2	43.6	0	6.2	28
315	wt	N	SUM	25811	40.5	58.5	28	70.9	0	6.2	32.1
315	wt	R	003-10	7121	15.1	205.8	15.1	200.7	5	0	10
315	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
315	wt	R	005-10	2590	0	9.6	0	9.6	0	0	0
315	wt	R	007-11	1520	0	5.2	0	5.2	0	0	0
315	wt	R	309-10	505	0	4.4	0	4.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
315	wt	R	312-00	238	0	3.4	0	3.4	0	0	0
315	wt	R	314-00	207	0	6.8	0	6.8	0	0	0
315	wt	R	315-00	135	0	12.6	0	12.6	0	0	3.1
315	wt	R	315-01	198	6.2	58.8	6.2	58.8	0	0	3.1
315	wt	R	499-00	835	0	8.1	0	8.1	0	0	0
315	wt	R	599-00	1904	0	5.9	0	5.9	0	0	0
315	wt	R	Deer_A_Only	145081	14.3	361.5	14.3	361.5	0	28.5	123.7
315	wt	R	SUM	167415	35.5	686.8	35.5	681.7	5	28.5	139.9
315	wt	SUM	003-10	7966	23.3	222.2	23.3	217.2	5	0	14.2
315	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
315	wt	SUM	005-10	2880	0	9.6	0	9.6	0	0	0
315	wt	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
315	wt	SUM	309-10	513	0	4.4	0	4.4	0	0	0
315	wt	SUM	312-00	250	0	3.4	0	3.4	0	0	0
315	wt	SUM	314-00	225	0	6.8	0	6.8	0	0	0
315	wt	SUM	315-00	150	0	12.6	0	12.6	0	0	3.1
315	wt	SUM	315-01	255	19.8	69.6	19.8	69.6	0	0	3.1
315	wt	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
315	wt	SUM	599-00	2002	0	5.9	0	5.9	0	0	0
315	wt	SUM	Deer_A_Only	169380	32.9	392.6	20.5	405.1	0	34.8	151.7
315	wt	SUM	SUM	193226	76	745.2	63.6	752.7	5	34.8	172.1
316	wt	N	003-10	845	0	0	0	0	0	0	0
316	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
316	wt	N	SUM	25144	0	3.1	0	3.1	0	0	3.1
316	wt	R	003-10	7121	0	0	0	0	0	0	0
316	wt	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	4.8
316	wt	R	SUM	152202	0	4.8	0	4.8	0	0	4.8
316	wt	SUM	003-10	7966	0	0	0	0	0	0	0
316	wt	SUM	Deer_A_Only	169380	0	7.9	0	7.9	0	0	7.9
316	wt	SUM	SUM	177346	0	7.9	0	7.9	0	0	7.9
316	wt	N	003-10	845	0	8.2	0	8.2	0	0	4.1
317	wt	N	290-20	4	0	0	0	0	0	0	0
317	wt	N	598-00	281	0	0	0	0	0	0	0
317	wt	N	Deer_A_Only	24299	6.2	21.8	3.1	24.9	0	0	24.9
317	wt	N	SUM	25429	6.2	30	3.1	33.1	0	0	29
317	wt	R	003-10	7121	0	75.3	0	75.3	0	0	0
317	wt	R	290-20	46	0	2.4	0	2.4	0	0	2.4
317	wt	R	317-00	70	0	7.2	0	7.2	0	0	0
317	wt	R	598-00	1970	14.9	0	14.9	0	0	0	0
317	wt	R	Deer_A_Only	145081	14.3	190.3	9.5	195	0	33.3	90.4
317	wt	R	SUM	154288	29.2	275.2	24.4	280	0	33.3	92.8
317	wt	SUM	003-10	7966	0	83.5	0	83.5	0	0	4.1
317	wt	SUM	290-20	50	0	2.4	0	2.4	0	0	2.4
317	wt	SUM	317-00	70	0	7.2	0	7.2	0	0	0
317	wt	SUM	598-00	2251	14.9	0	14.9	0	0	0	0
317	wt	SUM	Deer_A_Only	169380	20.5	212.1	12.6	219.9	0	33.3	115.3
317	wt	SUM	SUM	179717	35.4	305.2	27.5	313.1	0	33.3	121.8
318	wt	N	003-10	845	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
318	wt	N	318-40/Deer_A	8	0	0	0	0	0	0	0
318	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
318	wt	N	SUM	25152	0	0	0	0	0	0	0
318	wt	R	003-10	7121	0	5	0	5	0	0	0
318	wt	R	318-40/Deer_A	204	0	3.2	0	3.2	0	0	3.2
318	wt	R	Deer_A_Only	145081	0	9.5	0	9.5	0	0	4.8
318	wt	R	SUM	152406	0	17.8	0	17.8	0	0	8
318	wt	SUM	003-10	7966	0	5	0	5	0	0	0
318	wt	SUM	318-40/Deer_A	212	0	3.2	0	3.2	0	0	3.2
318	wt	SUM	Deer_A_Only	169380	0	9.5	0	9.5	0	0	4.8
318	wt	SUM	SUM	177558	0	17.8	0	17.8	0	0	8
319	wt	N	003-10	845	0	0	0	0	0	0	0
319	wt	N	314-00	18	0	0	0	0	0	0	0
319	wt	N	319-00	11	0	0	0	0	0	0	0
319	wt	N	319-40/Deer_A	71	0	0	0	0	0	0	0
319	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
319	wt	N	SUM	25244	0	0	0	0	0	0	0
319	wt	R	003-10	7121	0	10	0	10	0	0	0
319	wt	R	007-14	2003	0	4.8	0	4.8	0	0	4.8
319	wt	R	314-00	207	0	3.4	0	3.4	0	0	3.4
319	wt	R	319-00	139	0	5.1	0	5.1	0	0	0
319	wt	R	319-40/Deer_A	219	0	2.7	0	2.7	0	0	2.7
319	wt	R	Deer_A_Only	145081	0	19	0	19	0	4.8	0
319	wt	R	SUM	154770	0	45	0	45	0	4.8	10.9
319	wt	SUM	003-10	7966	0	10	0	10	0	0	0
319	wt	SUM	007-14	2003	0	4.8	0	4.8	0	0	4.8
319	wt	SUM	314-00	225	0	3.4	0	3.4	0	0	3.4
319	wt	SUM	319-00	150	0	5.1	0	5.1	0	0	0
319	wt	SUM	319-40/Deer_A	290	0	2.7	0	2.7	0	0	2.7
319	wt	SUM	Deer_A_Only	169380	0	19	0	19	0	4.8	0
319	wt	SUM	SUM	180014	0	45	0	45	0	4.8	10.9
320	wt	N	002-10	500	0	0	0	0	0	0	0
320	wt	N	003-10	845	0	28.9	0	28.9	0	0	0
320	wt	N	132-00	3	0	0	0	0	0	0	0
320	wt	N	320-01	43	0	2.4	0	2.4	0	0	0
320	wt	N	320-10	23	0	3.3	0	3.3	0	0	0
320	wt	N	322-10	98	0	0	0	0	0	0	0
320	wt	N	326-00	89	0	2.3	0	2.3	0	0	0
320	wt	N	331-02	4	0	2	0	2	0	0	0
320	wt	N	335-40/Deer_A	9	0	0	0	0	0	0	0
320	wt	N	Deer_A_Only	24299	0	40.5	0	40.5	0	0	28
320	wt	N	SUM	25913	0	79.3	0	79.3	0	0	28
320	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
320	wt	R	003-10	7121	5	150.5	5	150.5	0	0	5
320	wt	R	007-11	1520	5.2	0	5.2	0	0	0	0
320	wt	R	132-00	297	0	3.8	0	3.8	0	0	0
320	wt	R	290-10	227	5.2	0	0	5.2	0	0	0
320	wt	R	318-00	25	0	2.8	0	2.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
320	wt	R	320-01	258	0	11.9	0	11.9	0	0	0
320	wt	R	320-10	722	38.4	161.3	23	176.7	0	0	7.7
320	wt	R	322-10	1130	0	11	0	11	0	0	11
320	wt	R	326-00	597	0	7.5	0	7.5	0	0	0
320	wt	R	331-02	21	0	0	0	0	0	0	0
320	wt	R	335-40/Deer_A	397	0	4.1	0	4.1	0	0	4.1
320	wt	R	Deer_A_Only	145081	33.3	309.2	14.3	328.2	0	38.1	137.9
320	wt	R	SUM	166199	87.1	667.5	47.5	707	0	38.1	165.8
320	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
320	wt	SUM	003-10	7966	5	179.4	5	179.4	0	0	5
320	wt	SUM	007-11	1520	5.2	0	5.2	0	0	0	0
320	wt	SUM	132-00	300	0	3.8	0	3.8	0	0	0
320	wt	SUM	290-10	227	5.2	0	0	5.2	0	0	0
320	wt	SUM	318-00	25	0	2.8	0	2.8	0	0	0
320	wt	SUM	320-01	301	0	14.3	0	14.3	0	0	0
320	wt	SUM	320-10	745	38.4	164.6	23	179.9	0	0	7.7
320	wt	SUM	322-10	1228	0	11	0	11	0	0	11
320	wt	SUM	326-00	686	0	9.7	0	9.7	0	0	0
320	wt	SUM	331-02	25	0	2	0	2	0	0	0
320	wt	SUM	335-40/Deer_A	406	0	4.1	0	4.1	0	0	4.1
320	wt	SUM	Deer_A_Only	169380	33.3	349.6	14.3	368.7	0	38.1	166
320	wt	SUM	SUM	192112	87.1	746.7	47.5	786.3	0	38.1	193.8
321	wt	N	003-10	845	0	0	0	0	0	0	0
321	wt	N	321-00	2	0	0	0	0	0	0	0
321	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	3.1
321	wt	N	SUM	25146	0	6.2	0	6.2	0	0	3.1
321	wt	R	003-10	7121	0	5	0	5	0	0	0
321	wt	R	321-00	23	0	2.3	0	2.3	0	0	0
321	wt	R	Deer_A_Only	145081	0	19	0	19	0	4.8	4.8
321	wt	R	SUM	152225	0	26.3	0	26.3	0	4.8	4.8
321	wt	SUM	003-10	7966	0	5	0	5	0	0	0
321	wt	SUM	321-00	25	0	2.3	0	2.3	0	0	0
321	wt	SUM	Deer_A_Only	169380	0	25.3	0	25.3	0	4.8	7.9
321	wt	SUM	SUM	177371	0	32.6	0	32.6	0	4.8	7.9
322	wt	N	002-10	500	0	0	0	0	0	0	0
322	wt	N	003-10	845	8.2	20.6	4.1	24.7	0	4.1	0
322	wt	N	007-10	1330	0	0	0	0	0	0	0
322	wt	N	132-00	3	0	0	0	0	0	0	0
322	wt	N	260-10	103	0	0	0	0	0	0	0
322	wt	N	292-40/Deer_A	56	0	0	0	0	0	0	0
322	wt	N	309-10	8	0	0	0	0	0	0	0
322	wt	N	318-40/Deer_A	8	0	0	0	0	0	0	0
322	wt	N	319-00	11	0	0	0	0	0	0	0
322	wt	N	320-01	43	0	0	0	0	0	0	0
322	wt	N	320-10	23	0	3.3	0	3.3	0	0	0
322	wt	N	322-00	53	2.3	4.6	0	6.9	0	0	0
322	wt	N	322-10	98	8.2	43.6	8.2	43.6	0	0	2.7
322	wt	N	411-00	173	0	2.9	0	2.9	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
322	wt	N	Deer_A_Only	24299	6.2	68.5	6.2	68.5	0	15.6	34.2
322	wt	N	SUM	27553	24.9	143.4	18.5	149.8	0	19.7	37
322	wt	R	002-10	8803	0	10.7	0	10.7	0	0	0
322	wt	R	003-10	7121	10	155.6	15.1	150.5	0	0	0
322	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
322	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
322	wt	R	007-14	2003	0	4.8	0	4.8	0	0	0
322	wt	R	132-00	297	0	3.8	0	3.8	0	0	0
322	wt	R	260-10	3415	0	8.2	0	8.2	0	0	0
322	wt	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	0
322	wt	R	309-10	505	0	8.8	0	8.8	0	0	0
322	wt	R	318-40/Deer_A	204	0	3.2	0	3.2	0	0	0
322	wt	R	319-00	139	0	2.5	0	2.5	0	0	0
322	wt	R	320-01	258	7.9	7.9	0	15.9	0	0	0
322	wt	R	320-10	722	0	30.7	0	30.7	0	0	0
322	wt	R	322-00	251	0	24.1	0	24.1	0	0	0
322	wt	R	322-10	1130	32.9	559.5	32.9	559.5	0	0	0
322	wt	R	411-00	633	0	0	0	0	0	0	0
322	wt	R	Deer_A_Only	145081	19	304.4	23.8	299.7	0	47.6	90.4
322	wt	R	SUM	180513	69.9	1139.6	71.8	1137.8	0	47.6	90.4
322	wt	SUM	002-10	9303	0	10.7	0	10.7	0	0	0
322	wt	SUM	003-10	7966	18.3	176.2	19.2	175.3	0	4.1	0
322	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
322	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
322	wt	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
322	wt	SUM	132-00	300	0	3.8	0	3.8	0	0	0
322	wt	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
322	wt	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	0
322	wt	SUM	309-10	513	0	8.8	0	8.8	0	0	0
322	wt	SUM	318-40/Deer_A	212	0	3.2	0	3.2	0	0	0
322	wt	SUM	319-00	150	0	2.5	0	2.5	0	0	0
322	wt	SUM	320-01	301	7.9	7.9	0	15.9	0	0	0
322	wt	SUM	320-10	745	0	34	0	34	0	0	0
322	wt	SUM	322-00	304	2.3	28.7	0	31	0	0	0
322	wt	SUM	322-10	1228	41.1	603.1	41.1	603.1	0	0	2.7
322	wt	SUM	411-00	806	0	2.9	0	2.9	0	0	0
322	wt	SUM	Deer_A_Only	169380	25.3	372.9	30	368.1	0	63.1	124.6
322	wt	SUM	SUM	208066	94.9	1283	90.3	1287.6	0	67.2	127.3
323	wt	N	003-10	845	0	0	0	0	0	0	0
323	wt	N	333-01	23	0	0	0	0	0	0	0
323	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
323	wt	N	SUM	25167	0	6.2	0	6.2	0	0	6.2
323	wt	R	003-10	7121	0	5	0	5	0	0	0
323	wt	R	333-01	278	0	3.7	0	3.7	0	0	0
323	wt	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	9.5
323	wt	R	SUM	152480	0	23	0	23	0	0	9.5
323	wt	SUM	003-10	7966	0	5	0	5	0	0	0
323	wt	SUM	333-01	301	0	3.7	0	3.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
323	wt	SUM	Deer_A_Only	169380	0	20.5	0	20.5	0	0	15.7
323	wt	SUM	SUM	177647	0	29.2	0	29.2	0	0	15.7
324	wt	N	003-10	845	0	8.2	0	8.2	0	0	0
324	wt	N	311-01	5	0	0	0	0	0	0	0
324	wt	N	322-10	98	0	2.7	0	2.7	0	0	0
324	wt	N	324-01	31	0	12.9	0	12.9	0	0	0
324	wt	N	330-00	54	0	0	0	0	0	0	0
324	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
324	wt	N	SUM	25332	0	27	0	27	0	0	3.1
324	wt	R	003-10	7121	0	5	0	5	0	0	0
324	wt	R	311-01	45	0	2.5	0	2.5	0	0	0
324	wt	R	322-10	1130	0	0	0	0	0	0	0
324	wt	R	324-01	85	0	17	0	17	0	0	0
324	wt	R	330-00	197	0	3.5	0	3.5	0	0	0
324	wt	R	Deer_A_Only	145081	0	23.8	0	23.8	0	4.8	9.5
324	wt	R	SUM	153659	0	51.8	0	51.8	0	4.8	9.5
324	wt	SUM	003-10	7966	0	13.3	0	13.3	0	0	0
324	wt	SUM	311-01	50	0	2.5	0	2.5	0	0	0
324	wt	SUM	322-10	1228	0	2.7	0	2.7	0	0	0
324	wt	SUM	324-01	116	0	29.9	0	29.9	0	0	0
324	wt	SUM	330-00	251	0	3.5	0	3.5	0	0	0
324	wt	SUM	Deer_A_Only	169380	0	26.9	0	26.9	0	4.8	12.6
324	wt	SUM	SUM	178991	0	78.8	0	78.8	0	4.8	12.6
325	wt	N	003-10	845	0	16.5	0	16.5	0	4.1	0
325	wt	N	005-10	290	0	2.5	0	2.5	0	0	0
325	wt	N	300-50/Deer_A	4	0	0	0	0	0	0	0
325	wt	N	322-00	53	0	0	0	0	0	0	0
325	wt	N	324-01	31	0	0	0	0	0	0	0
325	wt	N	325-00	28	0	0	0	0	0	0	0
325	wt	N	325-01	15	0	10	0	10	0	0	0
325	wt	N	Deer_A_Only	24299	3.1	9.3	3.1	9.3	0	0	9.3
325	wt	N	SUM	25565	3.1	38.4	3.1	38.4	0	4.1	9.3
325	wt	R	003-10	7121	0	40.1	0	40.1	0	0	0
325	wt	R	005-10	2590	0	0	0	0	0	0	0
325	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
325	wt	R	007-14	2003	0	4.8	0	4.8	0	0	0
325	wt	R	300-50/Deer_A	36	0	2.8	0	2.8	0	2.8	0
325	wt	R	322-00	251	0	4.8	0	4.8	0	0	0
325	wt	R	324-01	85	0	5.7	0	5.7	0	0	0
325	wt	R	325-00	422	5.1	25.7	10.3	20.6	0	0	0
325	wt	R	325-01	135	15.6	20.8	10.4	26	0	0	0
325	wt	R	Deer_A_Only	145081	14.3	133.2	4.8	142.7	0	14.3	76.1
325	wt	R	SUM	163233	35	242.9	25.4	252.5	0	17	76.1
325	wt	SUM	003-10	7966	0	56.6	0	56.6	0	4.1	0
325	wt	SUM	005-10	2880	0	2.5	0	2.5	0	0	0
325	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
325	wt	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
325	wt	SUM	300-50/Deer_A	40	0	2.8	0	2.8	0	2.8	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
325	wt	SUM	322-00	304	0	4.8	0	4.8	0	0	0
325	wt	SUM	324-01	116	0	5.7	0	5.7	0	0	0
325	wt	SUM	325-00	450	5.1	25.7	10.3	20.6	0	0	0
325	wt	SUM	325-01	150	15.6	30.8	10.4	36	0	0	0
325	wt	SUM	Deer_A_Only	169380	17.4	142.5	7.9	152	0	14.3	85.4
325	wt	SUM	SUM	188798	38.1	281.3	28.5	290.9	0	21.2	85.4
326	wt	N	003-10	845	0	4.1	0	4.1	0	0	0
326	wt	N	322-00	53	0	0	0	0	0	0	0
326	wt	N	322-10	98	0	2.7	0	2.7	0	0	0
326	wt	N	326-00	89	0	6.8	0	6.8	0	0	0
326	wt	N	326-01	16	2	0	0	2	0	0	0
326	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	3.1
326	wt	N	SUM	25400	2	19.9	0	21.9	0	0	3.1
326	wt	R	003-10	7121	0	20.1	0	20.1	0	0	0
326	wt	R	322-00	251	0	4.8	0	4.8	0	0	0
326	wt	R	322-10	1130	0	0	0	0	0	0	0
326	wt	R	326-00	597	0	44.8	0	44.8	0	0	0
326	wt	R	326-01	101	0	18	0	18	0	0	0
326	wt	R	Deer_A_Only	145081	0	47.6	0	47.6	0	4.8	19
326	wt	R	SUM	154281	0	135.3	0	135.3	0	4.8	19
326	wt	SUM	003-10	7966	0	24.2	0	24.2	0	0	0
326	wt	SUM	322-00	304	0	4.8	0	4.8	0	0	0
326	wt	SUM	322-10	1228	0	2.7	0	2.7	0	0	0
326	wt	SUM	326-00	686	0	51.6	0	51.6	0	0	0
326	wt	SUM	326-01	117	2	18	0	20	0	0	0
326	wt	SUM	Deer_A_Only	169380	0	53.8	0	53.8	0	4.8	22.1
326	wt	SUM	SUM	179681	2	155.2	0	157.2	0	4.8	22.1
327	wt	N	003-10	845	0	0	0	0	0	0	0
327	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
327	wt	N	SUM	25144	0	0	0	0	0	0	0
327	wt	R	003-10	7121	0	10	0	10	0	0	5
327	wt	R	Deer_A_Only	145081	0	28.5	0	28.5	0	14.3	4.8
327	wt	R	SUM	152202	0	38.6	0	38.6	0	14.3	9.8
327	wt	SUM	003-10	7966	0	10	0	10	0	0	5
327	wt	SUM	Deer_A_Only	169380	0	28.5	0	28.5	0	14.3	4.8
327	wt	SUM	SUM	177346	0	38.6	0	38.6	0	14.3	9.8
328	wt	N	003-10	845	0	0	0	0	0	0	0
328	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	0
328	wt	N	SUM	25144	0	3.1	0	3.1	0	0	0
328	wt	R	003-10	7121	0	5	0	5	0	0	0
328	wt	R	328-00	23	0	4.6	0	4.6	0	0	0
328	wt	R	Deer_A_Only	145081	0	19	0	19	0	0	4.8
328	wt	R	SUM	152225	0	28.6	0	28.6	0	0	4.8
328	wt	SUM	003-10	7966	0	5	0	5	0	0	0
328	wt	SUM	328-00	23	0	4.6	0	4.6	0	0	0
328	wt	SUM	Deer_A_Only	169380	0	22.1	0	22.1	0	0	4.8
328	wt	SUM	SUM	177369	0	31.8	0	31.8	0	0	4.8
329	wt	N	003-10	845	0	4.1	0	4.1	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
329	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	3.1	6.2
329	wt	N	SUM	25144	0	13.5	0	13.5	0	3.1	6.2
329	wt	R	003-10	7121	0	0	0	0	0	0	0
329	wt	R	Deer_A_Only	145081	0	23.8	0	23.8	0	0	23.8
329	wt	R	SUM	152202	0	23.8	0	23.8	0	0	23.8
329	wt	SUM	003-10	7966	0	4.1	0	4.1	0	0	0
329	wt	SUM	Deer_A_Only	169380	0	33.1	0	33.1	0	3.1	30
329	wt	SUM	SUM	177346	0	37.2	0	37.2	0	3.1	30
330	wt	N	003-10	845	0	16.5	0	16.5	0	0	0
330	wt	N	322-00	53	0	2.3	0	2.3	0	0	0
330	wt	N	326-00	89	0	2.3	0	2.3	0	0	0
330	wt	N	330-00	54	0	6.2	0	6.2	0	0	0
330	wt	N	330-01	13	0	2.6	0	2.6	0	0	0
330	wt	N	Deer_A_Only	24299	0	37.3	0	37.3	0	3.1	24.9
330	wt	N	SUM	25353	0	67.2	0	67.2	0	3.1	24.9
330	wt	R	003-10	7121	5	35.1	5	35.1	0	0	0
330	wt	R	322-00	251	0	0	0	0	0	0	0
330	wt	R	326-00	597	0	0	0	0	0	0	0
330	wt	R	330-00	197	0	13.8	0	13.8	0	0	0
330	wt	R	330-01	88	0	37.1	0	37.1	0	0	0
330	wt	R	Deer_A_Only	145081	0	95.1	0	95.1	0	9.5	47.6
330	wt	R	SUM	153335	5	181.1	5	181.1	0	9.5	47.6
330	wt	SUM	003-10	7966	5	51.6	5	51.6	0	0	0
330	wt	SUM	322-00	304	0	2.3	0	2.3	0	0	0
330	wt	SUM	326-00	686	0	2.3	0	2.3	0	0	0
330	wt	SUM	330-00	251	0	20.1	0	20.1	0	0	0
330	wt	SUM	330-01	101	0	39.7	0	39.7	0	0	0
330	wt	SUM	Deer_A_Only	169380	0	132.5	0	132.5	0	12.6	72.5
330	wt	SUM	SUM	178688	5	248.4	5	248.4	0	12.6	72.5
331	wt	N	002-10	500	0	0	0	0	0	0	0
331	wt	N	003-10	845	0	4.1	0	4.1	0	0	0
331	wt	N	260-10	103	0	0	0	0	0	0	0
331	wt	N	325-00	28	0	0	0	0	0	0	0
331	wt	N	326-00	89	0	0	0	0	0	0	0
331	wt	N	330-01	13	0	0	0	0	0	0	0
331	wt	N	331-01	21	0	0	0	0	0	0	0
331	wt	N	331-02	4	0	0	0	0	0	0	0
331	wt	N	Deer_A_Only	24299	0	15.6	0	15.6	0	3.1	6.2
331	wt	N	SUM	25902	0	19.7	0	19.7	0	3.1	6.2
331	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
331	wt	R	003-10	7121	10	45.2	5	40.1	10	0	5
331	wt	R	007-11	1520	0	5.2	0	5.2	0	0	0
331	wt	R	260-10	3415	0	8.2	0	8.2	0	0	0
331	wt	R	325-00	422	0	10.3	0	10.3	0	0	0
331	wt	R	326-00	597	0	7.5	0	7.5	0	0	0
331	wt	R	330-01	88	0	9.3	0	9.3	0	0	0
331	wt	R	331-01	229	0	5.9	0	5.9	0	0	0
331	wt	R	331-02	21	0	4.7	0	4.7	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
331	wt	R	Deer_A_Only	145081	14.3	80.9	9.5	76.1	9.5	0	38.1
331	wt	R	SUM	167297	24.3	182.4	14.5	172.6	19.6	0	43.1
331	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
331	wt	SUM	003-10	7966	10	49.3	5	44.3	10	0	5
331	wt	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
331	wt	SUM	260-10	3518	0	8.2	0	8.2	0	0	0
331	wt	SUM	325-00	450	0	10.3	0	10.3	0	0	0
331	wt	SUM	326-00	686	0	7.5	0	7.5	0	0	0
331	wt	SUM	330-01	101	0	9.3	0	9.3	0	0	0
331	wt	SUM	331-01	250	0	5.9	0	5.9	0	0	0
331	wt	SUM	331-02	25	0	4.7	0	4.7	0	0	0
331	wt	SUM	Deer_A_Only	169380	14.3	96.4	9.5	91.7	9.5	3.1	44.3
331	wt	SUM	SUM	193199	24.3	202.1	14.5	192.3	19.6	3.1	49.3
332	wt	N	003-10	845	0	0	0	0	0	0	0
332	wt	N	332-00	6	0	2	0	2	0	0	0
332	wt	N	Deer_A_Only	24299	0	3.1	3.1	0	0	3.1	0
332	wt	N	SUM	25150	0	5.1	3.1	2	0	3.1	0
332	wt	R	003-10	7121	0	0	0	0	0	0	0
332	wt	R	332-00	44	0	0	0	0	0	0	0
332	wt	R	Deer_A_Only	145081	0	14.3	0	14.3	0	4.8	9.5
332	wt	R	SUM	152246	0	14.3	0	14.3	0	4.8	9.5
332	wt	SUM	003-10	7966	0	0	0	0	0	0	0
332	wt	SUM	332-00	50	0	2	0	2	0	0	0
332	wt	SUM	Deer_A_Only	169380	0	17.4	3.1	14.3	0	7.9	9.5
332	wt	SUM	SUM	177396	0	19.4	3.1	16.3	0	7.9	9.5
333	wt	N	002-10	500	0	0	0	0	0	0	0
333	wt	N	003-10	845	4.1	12.4	4.1	12.4	0	0	0
333	wt	N	210-00	10	0	0	0	0	0	0	0
333	wt	N	311-02	13	0	0	0	0	0	0	0
333	wt	N	312-10	25	0	0	0	0	0	0	0
333	wt	N	315-01	57	0	0	0	0	0	0	0
333	wt	N	319-40/Deer_A	71	0	0	0	0	0	0	0
333	wt	N	320-10	23	0	0	0	0	0	0	0
333	wt	N	331-01	21	0	0	0	0	0	0	0
333	wt	N	333-01	23	0	6.6	0	3.3	3.3	0	0
333	wt	N	333-03	22	0	2.2	0	2.2	0	0	0
333	wt	N	333-10	37	0	20.6	0	20.6	0	0	0
333	wt	N	Deer_A_Only	24299	0	28	0	24.9	3.1	0	24.9
333	wt	N	SUM	25946	4.1	69.7	4.1	63.3	6.4	0	24.9
333	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
333	wt	R	003-10	7121	5	200.7	5	195.7	5	0	10
333	wt	R	210-00	190	0	2.9	0	2.9	0	0	0
333	wt	R	309-00	25	2.5	0	2.5	0	0	0	0
333	wt	R	311-02	290	4.9	0	4.9	0	0	0	0
333	wt	R	312-10	1124	0	15.5	0	15.5	0	0	0
333	wt	R	315-01	198	0	3.1	0	3.1	0	0	0
333	wt	R	319-40/Deer_A	219	0	5.5	0	5.5	0	0	5.5
333	wt	R	320-10	722	15.4	23	15.4	23	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
333	wt	R	331-01	229	0	2.9	0	2.9	0	0	0
333	wt	R	333-01	278	3.7	7.4	3.7	7.4	0	0	0
333	wt	R	333-03	267	0	14.8	0	14.8	0	0	0
333	wt	R	333-10	933	38.2	405.3	30.6	405.3	7.6	0	0
333	wt	R	Deer_A_Only	145081	38.1	509	33.3	513.7	0	57.1	185.5
333	wt	R	SUM	165480	107.8	1195.6	95.4	1195.4	12.7	57.1	201
333	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
333	wt	SUM	003-10	7966	9.1	213.1	9.1	208.1	5	0	10
333	wt	SUM	210-00	200	0	2.9	0	2.9	0	0	0
333	wt	SUM	309-00	25	2.5	0	2.5	0	0	0	0
333	wt	SUM	311-02	303	4.9	0	4.9	0	0	0	0
333	wt	SUM	312-10	1149	0	15.5	0	15.5	0	0	0
333	wt	SUM	315-01	255	0	3.1	0	3.1	0	0	0
333	wt	SUM	319-40/Deer_A	290	0	5.5	0	5.5	0	0	5.5
333	wt	SUM	320-10	745	15.4	23	15.4	23	0	0	0
333	wt	SUM	331-01	250	0	2.9	0	2.9	0	0	0
333	wt	SUM	333-01	301	3.7	14	3.7	10.7	3.3	0	0
333	wt	SUM	333-03	289	0	17	0	17	0	0	0
333	wt	SUM	333-10	970	38.2	425.9	30.6	425.9	7.6	0	0
333	wt	SUM	Deer_A_Only	169380	38.1	537	33.3	538.6	3.1	57.1	210.4
333	wt	SUM	SUM	191426	111.9	1265.3	99.5	1258.7	19.1	57.1	225.9
335	wt	N	003-10	845	0	0	0	0	0	0	0
335	wt	N	007-10	1330	0	0	0	0	0	0	0
335	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
335	wt	N	SUM	26474	0	0	0	0	0	0	0
335	wt	R	003-10	7121	0	0	0	0	0	0	0
335	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
335	wt	R	Deer_A_Only	145081	0	14.3	0	14.3	0	4.8	4.8
335	wt	R	SUM	155714	0	19.5	0	19.5	0	4.8	4.8
335	wt	SUM	003-10	7966	0	0	0	0	0	0	0
335	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
335	wt	SUM	Deer_A_Only	169380	0	14.3	0	14.3	0	4.8	4.8
335	wt	SUM	SUM	182188	0	19.5	0	19.5	0	4.8	4.8
339	wt	N	003-10	845	0	0	0	0	0	0	0
339	wt	N	315-01	57	0	0	0	0	0	0	0
339	wt	N	335-40/Deer_A	9	0	0	0	0	0	0	0
339	wt	N	339-40/Deer_A	12	0	0	0	0	0	0	0
339	wt	N	388-10	15	0	0	0	0	0	0	0
339	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
339	wt	N	SUM	25237	0	3.1	0	3.1	0	0	3.1
339	wt	R	003-10	7121	5	20.1	5	20.1	0	5	0
339	wt	R	315-01	198	0	3.1	0	3.1	0	0	0
339	wt	R	335-40/Deer_A	397	0	4.1	0	4.1	0	0	4.1
339	wt	R	339-00	348	0	9.5	0	9.5	0	0	9.5
339	wt	R	339-40/Deer_A	391	0	9.2	0	9.2	0	0	9.2
339	wt	R	388-10	434	0	4	0	4	0	0	0
339	wt	R	Deer_A_Only	145081	4.8	42.8	4.8	42.8	0	0	14.3
339	wt	R	SUM	153970	9.8	92.9	9.8	92.9	0	5	37.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
339	wt	SUM	003-10	7966	5	20.1	5	20.1	0	5	0
339	wt	SUM	315-01	255	0	3.1	0	3.1	0	0	0
339	wt	SUM	335-40/Deer_A	406	0	4.1	0	4.1	0	0	4.1
339	wt	SUM	339-00	348	0	9.5	0	9.5	0	0	9.5
339	wt	SUM	339-40/Deer_A	403	0	9.2	0	9.2	0	0	9.2
339	wt	SUM	388-10	449	0	4	0	4	0	0	0
339	wt	SUM	Deer_A_Only	169380	4.8	45.9	4.8	45.9	0	0	17.4
339	wt	SUM	SUM	179207	9.8	96	9.8	96	0	5	40.3
340	wt	N	003-10	845	4.1	37.1	4.1	37.1	0	0	0
340	wt	N	201-00	10	0	0	0	0	0	0	0
340	wt	N	320-10	23	0	0	0	0	0	0	0
340	wt	N	322-00	53	0	0	0	0	0	0	0
340	wt	N	322-10	98	0	0	0	0	0	0	0
340	wt	N	325-01	15	0	0	0	0	0	0	0
340	wt	N	326-01	16	0	0	0	0	0	0	0
340	wt	N	331-01	21	0	0	0	0	0	0	0
340	wt	N	333-10	37	0	2.1	0	2.1	0	0	0
340	wt	N	340-00	8	0	0	0	0	0	0	0
340	wt	N	340-10	37	9.2	4.6	9.2	4.6	0	0	0
340	wt	N	Deer_A_Only	24299	3.1	52.9	3.1	52.9	0	12.4	34.2
340	wt	N	SUM	25462	16.5	96.7	16.5	96.7	0	12.4	34.2
340	wt	R	003-10	7121	0	125.5	10	115.4	0	5	10
340	wt	R	201-00	340	0	3.9	0	3.9	0	0	0
340	wt	R	320-10	722	0	15.4	0	15.4	0	0	0
340	wt	R	322-00	251	0	9.7	0	9.7	0	0	0
340	wt	R	322-10	1130	0	21.9	0	21.9	0	0	0
340	wt	R	325-01	135	5.2	10.4	5.2	10.4	0	0	0
340	wt	R	326-01	101	0	3.6	0	3.6	0	0	0
340	wt	R	331-01	229	0	2.9	2.9	0	0	2.9	0
340	wt	R	333-10	933	0	7.6	0	7.6	0	0	0
340	wt	R	340-00	142	0	5.1	0	5.1	0	0	0
340	wt	R	340-10	866	27.6	304	64.5	267.2	0	9.2	9.2
340	wt	R	Deer_A_Only	145081	14.3	366.3	33.3	347.2	0	52.3	133.2
340	wt	R	SUM	157051	47.1	876.3	116	807.4	0	69.5	152.4
340	wt	SUM	003-10	7966	4.1	162.6	14.2	152.5	0	5	10
340	wt	SUM	201-00	350	0	3.9	0	3.9	0	0	0
340	wt	SUM	320-10	745	0	15.4	0	15.4	0	0	0
340	wt	SUM	322-00	304	0	9.7	0	9.7	0	0	0
340	wt	SUM	322-10	1228	0	21.9	0	21.9	0	0	0
340	wt	SUM	325-01	150	5.2	10.4	5.2	10.4	0	0	0
340	wt	SUM	326-01	117	0	3.6	0	3.6	0	0	0
340	wt	SUM	331-01	250	0	2.9	2.9	0	0	2.9	0
340	wt	SUM	333-10	970	0	9.7	0	9.7	0	0	0
340	wt	SUM	340-00	150	0	5.1	0	5.1	0	0	0
340	wt	SUM	340-10	903	36.9	308.6	73.7	271.8	0	9.2	9.2
340	wt	SUM	Deer_A_Only	169380	17.4	419.2	36.4	400.1	0	64.8	167.4
340	wt	SUM	SUM	182513	63.6	972.9	132.4	904.1	0	81.9	186.7
341	wt	N	003-10	845	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
341	wt	N	340-10	37	0	0	0	0	0	0	0
341	wt	N	341-00	2	0	0	0	0	0	0	0
341	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
341	wt	N	SUM	25183	0	0	0	0	0	0	0
341	wt	R	003-10	7121	0	5	0	5	0	0	0
341	wt	R	340-10	866	0	18.4	0	18.4	0	0	0
341	wt	R	341-00	73	0	0	0	0	0	0	0
341	wt	R	Deer_A_Only	145081	0	28.5	0	28.5	0	0	4.8
341	wt	R	SUM	153141	0	52	0	52	0	0	4.8
341	wt	SUM	003-10	7966	0	5	0	5	0	0	0
341	wt	SUM	340-10	903	0	18.4	0	18.4	0	0	0
341	wt	SUM	341-00	75	0	0	0	0	0	0	0
341	wt	SUM	Deer_A_Only	169380	0	28.5	0	28.5	0	0	4.8
341	wt	SUM	SUM	178324	0	52	0	52	0	0	4.8
343	wt	N	003-10	845	0	0	0	0	0	0	0
343	wt	N	343-00	6	0	0	0	0	0	0	0
343	wt	N	343-40/Deer_A	20	0	0	0	0	0	0	0
343	wt	N	392-40/Deer_A	79	0	0	0	0	0	0	0
343	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
343	wt	N	SUM	25249	0	3.1	0	3.1	0	0	3.1
343	wt	R	003-10	7121	0	10	0	10	0	0	5
343	wt	R	343-00	294	0	3.5	0	3.5	0	0	3.5
343	wt	R	343-40/Deer_A	467	0	11.6	0	11.6	0	0	11.6
343	wt	R	392-40/Deer_A	719	0	4.1	0	4.1	0	0	0
343	wt	R	Deer_A_Only	145081	0	33.3	0	33.3	0	4.8	9.5
343	wt	R	SUM	153682	0	62.6	0	62.6	0	4.8	29.7
343	wt	SUM	003-10	7966	0	10	0	10	0	0	5
343	wt	SUM	343-00	300	0	3.5	0	3.5	0	0	3.5
343	wt	SUM	343-40/Deer_A	487	0	11.6	0	11.6	0	0	11.6
343	wt	SUM	392-40/Deer_A	798	0	4.1	0	4.1	0	0	0
343	wt	SUM	Deer_A_Only	169380	0	36.4	0	36.4	0	4.8	12.6
343	wt	SUM	SUM	178931	0	65.7	0	65.7	0	4.8	32.8
350	wt	N	003-10	845	0	0	0	0	0	0	0
350	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
350	wt	N	SUM	25144	0	3.1	0	3.1	0	0	3.1
350	wt	R	003-10	7121	0	5	0	5	0	0	0
350	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
350	wt	R	Deer_A_Only	145081	0	28.5	0	28.5	0	4.8	19
350	wt	R	SUM	159283	0	38.4	0	38.4	0	4.8	19
350	wt	SUM	003-10	7966	0	5	0	5	0	0	0
350	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
350	wt	SUM	Deer_A_Only	169380	0	31.7	0	31.7	0	4.8	22.1
350	wt	SUM	SUM	184427	0	41.5	0	41.5	0	4.8	22.1
360	wt	N	002-10	500	0	0	0	0	0	0	0
360	wt	N	003-10	845	4.1	57.7	4.1	57.7	0	0	0
360	wt	N	309-10	8	0	0	0	0	0	0	0
360	wt	N	312-00	12	0	0	0	0	0	0	0
360	wt	N	320-10	23	0	0	0	0	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
360	wt	N	330-00	54	0	0	0	0	0	0	0
360	wt	N	333-01	23	0	0	0	0	0	0	0
360	wt	N	333-10	37	0	2.1	0	2.1	0	0	0
360	wt	N	360-00	10	0	0	0	0	0	0	0
360	wt	N	360-01	23	4.2	6.3	4.2	6.3	0	0	0
360	wt	N	Deer_A_Only	24299	0	31.1	0	31.1	0	0	24.9
360	wt	N	SUM	25834	8.3	97.2	8.3	97.2	0	0	24.9
360	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
360	wt	R	003-10	7121	15.1	75.3	15.1	75.3	0	0	0
360	wt	R	007-11	1520	0	5.2	0	5.2	0	0	0
360	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
360	wt	R	309-10	505	0	4.4	0	4.4	0	0	0
360	wt	R	312-00	238	0	3.4	0	3.4	0	0	0
360	wt	R	320-10	722	0	7.7	0	7.7	0	0	0
360	wt	R	330-00	197	3.5	13.8	3.5	13.8	0	0	0
360	wt	R	333-01	278	0	3.7	0	3.7	0	0	0
360	wt	R	333-10	933	0	15.3	0	15.3	0	0	0
360	wt	R	360-00	65	0	3.4	0	3.4	0	0	0
360	wt	R	360-01	177	26.2	39.3	26.2	39.3	0	0	0
360	wt	R	Deer_A_Only	145081	9.5	123.7	9.5	123.7	0	0	42.8
360	wt	R	SUM	171149	54.2	305.6	54.2	305.6	0	0	42.8
360	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
360	wt	SUM	003-10	7966	19.2	133	19.2	133	0	0	0
360	wt	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
360	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
360	wt	SUM	309-10	513	0	4.4	0	4.4	0	0	0
360	wt	SUM	312-00	250	0	3.4	0	3.4	0	0	0
360	wt	SUM	320-10	745	0	7.7	0	7.7	0	0	0
360	wt	SUM	330-00	251	3.5	13.8	3.5	13.8	0	0	0
360	wt	SUM	333-01	301	0	3.7	0	3.7	0	0	0
360	wt	SUM	333-10	970	0	17.4	0	17.4	0	0	0
360	wt	SUM	360-00	75	0	3.4	0	3.4	0	0	0
360	wt	SUM	360-01	200	30.4	45.6	30.4	45.6	0	0	0
360	wt	SUM	Deer_A_Only	169380	9.5	154.8	9.5	154.8	0	0	67.7
360	wt	SUM	SUM	196983	62.6	402.7	62.6	402.7	0	0	67.7
362	wt	N	003-10	845	0	0	0	0	0	0	0
362	wt	N	362-00	2	0	0	0	0	0	0	0
362	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
362	wt	N	SUM	25146	0	6.2	0	6.2	0	3.1	3.1
362	wt	R	003-10	7121	0	10	0	10	0	0	0
362	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
362	wt	R	362-00	23	0	1.9	0	1.9	0	0	0
362	wt	R	Deer_A_Only	145081	4.8	14.3	4.8	14.3	0	9.5	0
362	wt	R	SUM	157734	4.8	31.3	4.8	31.3	0	9.5	0
362	wt	SUM	003-10	7966	0	10	0	10	0	0	0
362	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
362	wt	SUM	362-00	25	0	1.9	0	1.9	0	0	0
362	wt	SUM	Deer_A_Only	169380	4.8	20.5	4.8	20.5	0	12.6	3.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
362	wt	SUM	SUM	182880	4.8	37.5	4.8	37.5	0	12.6	3.1
370	wt	N	003-10	845	0	0	0	0	0	0	0
370	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
370	wt	N	SUM	25144	0	0	0	0	0	0	0
370	wt	R	003-10	7121	0	30.1	0	30.1	0	0	0
370	wt	R	370-00	50	0	3.4	0	3.4	0	0	0
370	wt	R	Deer_A_Only	145081	4.8	47.6	4.8	47.6	0	9.5	23.8
370	wt	R	SUM	152252	4.8	81.1	4.8	81.1	0	9.5	23.8
370	wt	SUM	003-10	7966	0	30.1	0	30.1	0	0	0
370	wt	SUM	370-00	50	0	3.4	0	3.4	0	0	0
370	wt	SUM	Deer_A_Only	169380	4.8	47.6	4.8	47.6	0	9.5	23.8
370	wt	SUM	SUM	177396	4.8	81.1	4.8	81.1	0	9.5	23.8
380	wt	N	003-10	845	0	0	0	0	0	0	0
380	wt	N	005-10	290	0	0	0	0	0	0	0
380	wt	N	312-10	25	0	0	0	0	0	0	0
380	wt	N	380-00	6	0	0	0	0	0	0	0
380	wt	N	380-01	2	0	0	0	0	0	0	0
380	wt	N	380-40/Deer_A	49	2.5	0	2.5	0	0	0	2.5
380	wt	N	392-40/Deer_A	79	0	2.3	0	2.3	0	0	2.3
380	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
380	wt	N	SUM	25595	2.5	8.5	2.5	8.5	0	0	10.9
380	wt	R	003-10	7121	10	135.5	5	135.5	5	5	5
380	wt	R	005-10	2590	0	4.8	0	4.8	0	0	0
380	wt	R	312-10	1124	0	7.8	0	7.8	0	0	0
380	wt	R	380-00	194	0	3.1	0	3.1	0	0	3.1
380	wt	R	380-01	98	2.7	16.3	2.7	16.3	0	0	0
380	wt	R	380-40/Deer_A	1253	0	40.8	0	40.8	0	4.1	24.5
380	wt	R	392-40/Deer_A	719	0	0	0	0	0	0	0
380	wt	R	Deer_A_Only	145081	9.5	247.4	9.5	242.6	4.8	38.1	80.9
380	wt	R	SUM	158180	22.3	455.7	17.3	450.9	9.8	47.2	113.5
380	wt	SUM	003-10	7966	10	135.5	5	135.5	5	5	5
380	wt	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
380	wt	SUM	312-10	1149	0	7.8	0	7.8	0	0	0
380	wt	SUM	380-00	200	0	3.1	0	3.1	0	0	3.1
380	wt	SUM	380-01	100	2.7	16.3	2.7	16.3	0	0	0
380	wt	SUM	380-40/Deer_A	1302	2.5	40.8	2.5	40.8	0	4.1	26.9
380	wt	SUM	392-40/Deer_A	798	0	2.3	0	2.3	0	0	2.3
380	wt	SUM	Deer_A_Only	169380	9.5	253.6	9.5	248.8	4.8	38.1	87.1
380	wt	SUM	SUM	183775	24.7	464.1	19.7	459.4	9.8	47.2	124.4
388	wt	N	003-10	845	0	0	0	0	0	0	0
388	wt	N	339-40/Deer_A	12	0	0	0	0	0	0	0
388	wt	N	388-10	15	0	0	0	0	0	0	0
388	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
388	wt	N	SUM	25171	0	0	0	0	0	0	0
388	wt	R	003-10	7121	10	55.2	25.1	40.1	0	0	0
388	wt	R	339-00	348	0	4.8	0	4.8	0	0	0
388	wt	R	339-40/Deer_A	391	0	4.6	0	4.6	0	0	0
388	wt	R	388-10	434	0	16.1	0	16.1	0	0	4

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
388	wt	R	Deer_A_Only	145081	0	66.6	9.5	57.1	0	4.8	9.5
388	wt	R	SUM	153375	10	147.2	34.6	122.7	0	4.8	13.5
388	wt	SUM	003-10	7966	10	55.2	25.1	40.1	0	0	0
388	wt	SUM	339-00	348	0	4.8	0	4.8	0	0	0
388	wt	SUM	339-40/Deer_A	403	0	4.6	0	4.6	0	0	0
388	wt	SUM	388-10	449	0	16.1	0	16.1	0	0	4
388	wt	SUM	Deer_A_Only	169380	0	66.6	9.5	57.1	0	4.8	9.5
388	wt	SUM	SUM	178546	10	147.2	34.6	122.7	0	4.8	13.5
390	wt	N	003-10	845	0	0	0	0	0	0	0
390	wt	N	390-40/Deer_A	29	0	3.6	0	3.6	0	0	3.6
390	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	3.1	6.2
390	wt	N	SUM	25173	0	13	0	13	0	3.1	9.8
390	wt	R	003-10	7121	0	15.1	0	15.1	0	0	0
390	wt	R	390-40/Deer_A	77	0	3.2	0	3.2	0	0	3.2
390	wt	R	Deer_A_Only	145081	4.8	33.3	0	38.1	0	19	14.3
390	wt	R	SUM	152279	4.8	51.6	0	56.3	0	19	17.5
390	wt	SUM	003-10	7966	0	15.1	0	15.1	0	0	0
390	wt	SUM	390-40/Deer_A	106	0	6.8	0	6.8	0	0	6.8
390	wt	SUM	Deer_A_Only	169380	4.8	42.6	0	47.4	0	22.1	20.5
390	wt	SUM	SUM	177452	4.8	64.5	0	69.3	0	22.1	27.3
391	wt	N	003-10	845	4.1	0	4.1	0	0	0	0
391	wt	N	380-01	2	0	0	0	0	0	0	0
391	wt	N	391-40/Deer_A	70	0	6.2	0	6.2	0	2.1	4.1
391	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
391	wt	N	SUM	25216	4.1	12.4	4.1	12.4	0	5.2	7.2
391	wt	R	003-10	7121	0	10	0	10	0	0	0
391	wt	R	004-10	7081	0	9.7	0	9.7	0	0	0
391	wt	R	380-01	98	2.7	0	2.7	0	0	0	0
391	wt	R	391-40/Deer_A	369	0	8.8	0	8.8	0	0	8.8
391	wt	R	Deer_A_Only	145081	0	71.4	0	66.6	4.8	14.3	33.3
391	wt	R	SUM	159750	2.7	99.9	2.7	95.1	4.8	14.3	42.1
391	wt	SUM	003-10	7966	4.1	10	4.1	10	0	0	0
391	wt	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
391	wt	SUM	380-01	100	2.7	0	2.7	0	0	0	0
391	wt	SUM	391-40/Deer_A	439	0	15	0	15	0	2.1	12.9
391	wt	SUM	Deer_A_Only	169380	0	77.6	0	72.8	4.8	17.4	36.4
391	wt	SUM	SUM	184966	6.8	112.3	6.8	107.5	4.8	19.4	49.3
392	wt	N	003-10	845	0	4.1	0	4.1	0	0	0
392	wt	N	392-40/Deer_A	79	2.3	4.5	2.3	2.3	2.3	0	4.5
392	wt	N	598-00	281	0	0	0	0	0	0	0
392	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	3.1
392	wt	N	SUM	25504	2.3	14.9	2.3	12.6	2.3	0	7.6
392	wt	R	003-10	7121	0	25.1	0	25.1	0	0	0
392	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
392	wt	R	392-40/Deer_A	719	0	16.4	0	16.4	0	8.2	0
392	wt	R	598-00	1970	0	7.5	0	7.5	0	0	0
392	wt	R	Deer_A_Only	145081	0	47.6	0	47.6	0	4.8	19
392	wt	R	SUM	160400	0	101.6	0	101.6	0	13	19

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
392	wt	SUM	003-10	7966	0	29.2	0	29.2	0	0	0
392	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
392	wt	SUM	392-40/Deer_A	798	2.3	20.9	2.3	18.7	2.3	8.2	4.5
392	wt	SUM	598-00	2251	0	7.5	0	7.5	0	0	0
392	wt	SUM	Deer_A_Only	169380	0	53.8	0	53.8	0	4.8	22.1
392	wt	SUM	SUM	185904	2.3	116.5	2.3	114.2	2.3	13	26.7
393	wt	N	003-10	845	4.1	16.5	4.1	16.5	0	0	0
393	wt	N	315-00	15	0	1.9	0	1.9	0	0	0
393	wt	N	393-00	11	0	0	0	0	0	0	0
393	wt	N	Deer_A_Only	24299	3.1	28	0	31.1	0	3.1	24.9
393	wt	N	SUM	25170	7.2	46.4	4.1	49.5	0	3.1	24.9
393	wt	R	003-10	7121	10	40.1	10	40.1	0	0	5
393	wt	R	315-00	135	0	0	0	0	0	0	0
393	wt	R	393-00	190	0	2.7	0	2.7	0	0	0
393	wt	R	Deer_A_Only	145081	0	123.7	0	123.7	0	14.3	71.4
393	wt	R	SUM	152527	10	166.5	10	166.5	0	14.3	76.4
393	wt	SUM	003-10	7966	14.2	56.6	14.2	56.6	0	0	5
393	wt	SUM	315-00	150	0	1.9	0	1.9	0	0	0
393	wt	SUM	393-00	201	0	2.7	0	2.7	0	0	0
393	wt	SUM	Deer_A_Only	169380	3.1	151.7	0	154.8	0	17.4	96.2
393	wt	SUM	SUM	177697	17.3	212.9	14.2	216	0	17.4	101.3
3XX	wt	N	003-10	845	0	16.5	0	16.5	0	0	0
3XX	wt	N	322-10	98	0	2.7	0	2.7	0	0	0
3XX	wt	N	326-00	89	0	2.3	0	2.3	0	0	0
3XX	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
3XX	wt	N	SUM	25331	0	27.7	0	27.7	0	0	6.2
3XX	wt	R	003-10	7121	0	5	0	5	0	0	0
3XX	wt	R	Deer_A_Only	145081	0	9.5	0	9.5	0	0	4.8
3XX	wt	R	SUM	152202	0	14.5	0	14.5	0	0	4.8
3XX	wt	SUM	003-10	7966	0	21.5	0	21.5	0	0	0
3XX	wt	SUM	322-10	98	0	2.7	0	2.7	0	0	0
3XX	wt	SUM	326-00	89	0	2.3	0	2.3	0	0	0
3XX	wt	SUM	Deer_A_Only	169380	0	15.7	0	15.7	0	0	11
3XX	wt	SUM	SUM	177533	0	42.2	0	42.2	0	0	11
400	wt	N	400-00	64	0	3.6	0	3.6	0	0	0
400	wt	N	498-00	301	0	3.2	0	3.2	0	0	0
400	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	3.1
400	wt	N	SUM	24664	0	16.1	0	16.1	0	0	3.1
400	wt	R	004-10	7081	14.6	97.2	14.6	97.2	0	0	0
400	wt	R	400-00	839	17.7	0	17.7	0	0	0	0
400	wt	R	Deer_A_Only	145081	14.3	237.8	14.3	237.8	0	33.3	123.7
400	wt	R	SUM	153001	46.5	335	46.5	335	0	33.3	123.7
400	wt	SUM	004-10	7081	14.6	97.2	14.6	97.2	0	0	0
400	wt	SUM	400-00	903	17.7	3.6	17.7	3.6	0	0	0
400	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0
400	wt	SUM	Deer_A_Only	169380	14.3	247.2	14.3	247.2	0	33.3	126.8
400	wt	SUM	SUM	177665	46.5	351.1	46.5	351.1	0	33.3	126.8
401	wt	N	002-10	500	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
401	wt	N	170-10	57	0	0	0	0	0	0	0
401	wt	N	401-00	55	0	2.2	0	2.2	0	0	0
401	wt	N	406-00	47	0	0	0	0	0	0	0
401	wt	N	413-00	42	0	0	0	0	0	0	0
401	wt	N	441-50/Deer_A	1	0	0	0	0	0	0	0
401	wt	N	498-00	301	0	6.3	0	6.3	0	0	0
401	wt	N	499-00	169	0	0	0	0	0	0	0
401	wt	N	Deer_A_Only	24299	0	24.9	0	24.9	0	6.2	18.7
401	wt	N	SUM	25471	0	33.4	0	33.4	0	6.2	18.7
401	wt	R	002-10	8803	0	5.4	0	5.4	0	0	5.4
401	wt	R	004-10	7081	0	111.8	0	111.8	0	0	4.9
401	wt	R	006-10	1778	0	4.9	0	4.9	0	0	0
401	wt	R	109-00	398	0	5.1	0	5.1	0	0	0
401	wt	R	170-10	2114	0	5.3	0	5.3	0	0	0
401	wt	R	401-00	545	0	45.4	0	45.4	0	4.5	9.1
401	wt	R	406-00	504	0	4.8	0	4.8	0	0	0
401	wt	R	413-00	558	5.8	0	0	5.8	0	0	0
401	wt	R	441-50/Deer_A	49	0	2.9	0	2.9	0	0	2.9
401	wt	R	499-00	835	0	8.1	0	8.1	0	0	0
401	wt	R	Deer_A_Only	145081	0	266.4	0	266.4	0	28.5	123.7
401	wt	R	SUM	167746	5.8	460	0	465.8	0	33.1	145.9
401	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	5.4
401	wt	SUM	004-10	7081	0	111.8	0	111.8	0	0	4.9
401	wt	SUM	006-10	1778	0	4.9	0	4.9	0	0	0
401	wt	SUM	109-00	398	0	5.1	0	5.1	0	0	0
401	wt	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
401	wt	SUM	401-00	600	0	47.6	0	47.6	0	4.5	9.1
401	wt	SUM	406-00	551	0	4.8	0	4.8	0	0	0
401	wt	SUM	413-00	600	5.8	0	0	5.8	0	0	0
401	wt	SUM	441-50/Deer_A	50	0	2.9	0	2.9	0	0	2.9
401	wt	SUM	498-00	301	0	6.3	0	6.3	0	0	0
401	wt	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
401	wt	SUM	Deer_A_Only	169380	0	291.3	0	291.3	0	34.8	142.3
401	wt	SUM	SUM	193217	5.8	493.5	0	499.3	0	39.3	164.5
403	wt	N	498-00	301	0	0	0	0	0	0	0
403	wt	N	530-00	85	0	0	0	0	0	0	0
403	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
403	wt	N	SUM	24685	0	0	0	0	0	0	0
403	wt	R	004-10	7081	0	0	0	0	0	0	0
403	wt	R	530-00	416	0	4.7	0	4.7	0	0	4.7
403	wt	R	Deer_A_Only	145081	0	47.6	0	47.6	0	4.8	33.3
403	wt	R	SUM	152578	0	52.3	0	52.3	0	4.8	38
403	wt	SUM	004-10	7081	0	0	0	0	0	0	0
403	wt	SUM	498-00	301	0	0	0	0	0	0	0
403	wt	SUM	530-00	501	0	4.7	0	4.7	0	0	4.7
403	wt	SUM	Deer_A_Only	169380	0	47.6	0	47.6	0	4.8	33.3
403	wt	SUM	SUM	177263	0	52.3	0	52.3	0	4.8	38
404	wt	N	002-10	500	0	4.4	0	4.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
404	wt	N	284-10	1	0	0	0	0	0	0	0
404	wt	N	400-00	64	0	0	0	0	0	0	0
404	wt	N	404-00	56	0	2.5	0	2.5	0	0	0
404	wt	N	444-00	42	0	0	0	0	0	0	0
404	wt	N	447-00	79	0	0	0	0	0	0	0
404	wt	N	498-00	301	0	19	0	19	0	0	0
404	wt	N	499-00	169	0	0	0	0	0	0	0
404	wt	N	Deer_A_Only	24299	3.1	28	0	31.1	0	0	31.1
404	wt	N	SUM	25511	3.1	54	0	57.1	0	0	31.1
404	wt	R	002-10	8803	0	0	0	0	0	0	0
404	wt	R	004-10	7081	19.4	281.9	9.7	291.6	0	0	0
404	wt	R	284-10	92	0	4.4	0	4.4	0	0	0
404	wt	R	400-00	839	0	8.8	0	8.8	0	0	8.8
404	wt	R	404-00	1152	6.9	82.8	6.9	82.8	0	0	6.9
404	wt	R	444-00	360	0	7.1	0	7.1	0	0	0
404	wt	R	447-00	621	0	6.8	0	6.8	0	0	0
404	wt	R	499-00	835	0	24.3	0	24.3	0	0	0
404	wt	R	Deer_A_Only	145081	28.5	551.8	23.8	556.5	0	52.3	237.8
404	wt	R	SUM	164864	54.9	967.9	40.4	982.3	0	52.3	253.6
404	wt	SUM	002-10	9303	0	4.4	0	4.4	0	0	0
404	wt	SUM	004-10	7081	19.4	281.9	9.7	291.6	0	0	0
404	wt	SUM	284-10	93	0	4.4	0	4.4	0	0	0
404	wt	SUM	400-00	903	0	8.8	0	8.8	0	0	8.8
404	wt	SUM	404-00	1208	6.9	85.3	6.9	85.3	0	0	6.9
404	wt	SUM	444-00	402	0	7.1	0	7.1	0	0	0
404	wt	SUM	447-00	700	0	6.8	0	6.8	0	0	0
404	wt	SUM	498-00	301	0	19	0	19	0	0	0
404	wt	SUM	499-00	1004	0	24.3	0	24.3	0	0	0
404	wt	SUM	Deer_A_Only	169380	31.7	579.8	23.8	587.7	0	52.3	269
404	wt	SUM	SUM	190375	58	1021.8	40.4	1039.4	0	52.3	284.7
405	wt	N	498-00	301	0	0	0	0	0	0	0
405	wt	N	Deer_A_Only	24299	0	15.6	0	15.6	0	0	15.6
405	wt	N	SUM	24600	0	15.6	0	15.6	0	0	15.6
405	wt	R	004-10	7081	4.9	29.2	4.9	29.2	0	0	0
405	wt	R	Deer_A_Only	145081	0	99.9	0	99.9	0	23.8	47.6
405	wt	R	SUM	152162	4.9	129.1	4.9	129.1	0	23.8	47.6
405	wt	SUM	004-10	7081	4.9	29.2	4.9	29.2	0	0	0
405	wt	SUM	498-00	301	0	0	0	0	0	0	0
405	wt	SUM	Deer_A_Only	169380	0	115.5	0	115.5	0	23.8	63.1
405	wt	SUM	SUM	176762	4.9	144.6	4.9	144.6	0	23.8	63.1
406	wt	N	401-00	55	0	0	0	0	0	0	0
406	wt	N	406-00	47	0	0	0	0	0	0	0
406	wt	N	498-00	301	0	0	0	0	0	0	0
406	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
406	wt	N	SUM	24702	0	6.2	0	6.2	0	0	6.2
406	wt	R	004-10	7081	0	53.5	0	53.5	0	0	4.9
406	wt	R	401-00	545	0	4.5	0	4.5	0	0	0
406	wt	R	406-00	504	0	24	0	24	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
406	wt	R	Deer_A_Only	145081	4.8	137.9	4.8	137.9	0	9.5	80.9
406	wt	R	SUM	153211	4.8	219.9	4.8	219.9	0	9.5	85.7
406	wt	SUM	004-10	7081	0	53.5	0	53.5	0	0	4.9
406	wt	SUM	401-00	600	0	4.5	0	4.5	0	0	0
406	wt	SUM	406-00	551	0	24	0	24	0	0	0
406	wt	SUM	498-00	301	0	0	0	0	0	0	0
406	wt	SUM	Deer_A_Only	169380	4.8	144.2	4.8	144.2	0	9.5	87.1
406	wt	SUM	SUM	177913	4.8	226.2	4.8	226.2	0	9.5	91.9
410	wt	N	498-00	301	0	0	0	0	0	0	0
410	wt	N	499-00	169	0	0	0	0	0	0	0
410	wt	N	599-00	98	0	0	0	0	0	0	0
410	wt	N	Deer_A_Only	24299	0	24.9	0	24.9	0	3.1	18.7
410	wt	N	SUM	24867	0	24.9	0	24.9	0	3.1	18.7
410	wt	R	004-10	7081	9.7	24.3	9.7	24.3	0	0	0
410	wt	R	499-00	835	0	8.1	0	8.1	0	0	0
410	wt	R	599-00	1904	5.9	0	5.9	0	0	5.9	0
410	wt	R	Deer_A_Only	145081	9.5	99.9	9.5	99.9	0	19	47.6
410	wt	R	SUM	154901	25.1	132.3	25.1	132.3	0	24.9	47.6
410	wt	SUM	004-10	7081	9.7	24.3	9.7	24.3	0	0	0
410	wt	SUM	498-00	301	0	0	0	0	0	0	0
410	wt	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
410	wt	SUM	599-00	2002	5.9	0	5.9	0	0	5.9	0
410	wt	SUM	Deer_A_Only	169380	9.5	124.8	9.5	124.8	0	22.1	66.2
410	wt	SUM	SUM	179768	25.1	157.2	25.1	157.2	0	28	66.2
411	wt	N	005-10	290	0	2.5	0	2.5	0	0	0
411	wt	N	314-00	18	0	0	0	0	0	0	0
411	wt	N	315-01	57	0	0	0	0	0	0	0
411	wt	N	411-00	173	2.9	11.5	0	14.4	0	0	5.8
411	wt	N	418-00	33	0	0	0	0	0	0	0
411	wt	N	426-00	94	0	0	0	0	0	0	0
411	wt	N	471-00	40	0	1.9	0	1.9	0	0	0
411	wt	N	498-00	301	0	34.9	0	34.9	0	0	0
411	wt	N	499-00	169	0	37.9	0	37.9	0	3.4	0
411	wt	N	Deer_A_Only	24299	9.3	62.2	6.2	65.4	0	15.6	49.8
411	wt	N	SUM	25474	12.2	151	6.2	157	0	19	55.6
411	wt	R	004-10	7081	19.4	272.2	9.7	281.9	0	0	9.7
411	wt	R	005-10	2590	0	0	0	0	0	0	0
411	wt	R	314-00	207	3.4	0	0	3.4	0	0	0
411	wt	R	315-01	198	3.1	0	0	3.1	0	0	0
411	wt	R	411-00	633	10.2	30.6	0	40.8	0	0	0
411	wt	R	418-00	67	0	2.9	0	2.9	0	0	0
411	wt	R	426-00	456	0	5.4	0	5.4	0	0	0
411	wt	R	471-00	260	0	0	0	0	0	0	0
411	wt	R	499-00	835	16.2	97.3	8.1	105.4	0	8.1	0
411	wt	R	Deer_A_Only	145081	23.8	694.5	14.3	704	0	61.8	423.4
411	wt	R	SUM	157408	76.1	1102.8	32.1	1146.9	0	69.9	433.1
411	wt	SUM	004-10	7081	19.4	272.2	9.7	281.9	0	0	9.7
411	wt	SUM	005-10	2880	0	2.5	0	2.5	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
411	wt	SUM	314-00	225	3.4	0	0	3.4	0	0	0
411	wt	SUM	315-01	255	3.1	0	0	3.1	0	0	0
411	wt	SUM	411-00	806	13.1	42.2	0	55.3	0	0	5.8
411	wt	SUM	418-00	100	0	2.9	0	2.9	0	0	0
411	wt	SUM	426-00	550	0	5.4	0	5.4	0	0	0
411	wt	SUM	471-00	300	0	1.9	0	1.9	0	0	0
411	wt	SUM	498-00	301	0	34.9	0	34.9	0	0	0
411	wt	SUM	499-00	1004	16.2	135.2	8.1	143.3	0	11.6	0
411	wt	SUM	Deer_A_Only	169380	33.1	756.7	20.5	769.4	0	77.4	473.1
411	wt	SUM	SUM	182882	88.4	1253.8	38.3	1303.9	0	89	488.6
412	wt	N	003-10	845	0	0	0	0	0	0	0
412	wt	N	405-00	28	0	0	0	0	0	0	0
412	wt	N	410-00	112	0	4.7	0	4.7	0	0	0
412	wt	N	412-00	177	0	19.9	0	19.9	0	0	0
412	wt	N	419-00	54	0	2.3	0	2.3	0	0	0
412	wt	N	426-00	94	0	0	0	0	0	0	0
412	wt	N	498-00	301	3.2	15.8	3.2	15.8	0	0	0
412	wt	N	499-00	169	0	20.7	0	20.7	0	0	0
412	wt	N	Deer_A_Only	24299	3.1	49.8	3.1	49.8	0	6.2	34.2
412	wt	N	SUM	26079	6.3	113.3	6.3	113.3	0	6.2	34.2
412	wt	R	003-10	7121	0	5	0	5	0	0	0
412	wt	R	004-10	7081	0	126.4	0	121.5	4.9	0	4.9
412	wt	R	405-00	477	0	4.3	0	4.3	0	0	0
412	wt	R	410-00	488	0	0	0	0	0	0	0
412	wt	R	412-00	623	0	45	0	45	0	0	6.4
412	wt	R	419-00	248	0	0	0	0	0	0	0
412	wt	R	426-00	456	0	10.7	0	10.7	0	0	0
412	wt	R	499-00	835	8.1	89.2	8.1	81.1	8.1	0	8.1
412	wt	R	Deer_A_Only	145081	14.3	271.1	9.5	271.1	4.8	14.3	123.7
412	wt	R	SUM	162410	22.4	551.7	17.6	538.7	17.7	14.3	143.1
412	wt	SUM	003-10	7966	0	5	0	5	0	0	0
412	wt	SUM	004-10	7081	0	126.4	0	121.5	4.9	0	4.9
412	wt	SUM	405-00	505	0	4.3	0	4.3	0	0	0
412	wt	SUM	410-00	600	0	4.7	0	4.7	0	0	0
412	wt	SUM	412-00	800	0	64.9	0	64.9	0	0	6.4
412	wt	SUM	419-00	302	0	2.3	0	2.3	0	0	0
412	wt	SUM	426-00	550	0	10.7	0	10.7	0	0	0
412	wt	SUM	498-00	301	3.2	15.8	3.2	15.8	0	0	0
412	wt	SUM	499-00	1004	8.1	109.9	8.1	101.8	8.1	0	8.1
412	wt	SUM	Deer_A_Only	169380	17.4	320.9	12.6	320.9	4.8	20.5	157.9
412	wt	SUM	SUM	188489	28.7	665	23.9	652	17.7	20.5	177.3
413	wt	N	216-00	1	0	0	0	0	0	0	0
413	wt	N	404-00	56	0	0	0	0	0	0	0
413	wt	N	413-00	42	0	3.7	0	3.7	0	0	0
413	wt	N	432-00	28	0	1.8	0	1.8	0	0	0
413	wt	N	445-00	58	0	0	0	0	0	0	0
413	wt	N	498-00	301	0	6.3	0	6.3	0	0	0
413	wt	N	499-00	169	0	3.4	0	3.4	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
413	wt	N	Deer_A_Only	24299	0	21.8	0	21.8	0	0	21.8
413	wt	N	SUM	24954	0	37	0	37	0	0	21.8
413	wt	R	004-10	7081	14.6	179.8	14.6	179.8	0	4.9	0
413	wt	R	216-00	19	0	2.1	0	2.1	0	0	0
413	wt	R	404-00	1152	0	6.9	0	6.9	0	0	0
413	wt	R	413-00	558	0	11.6	0	11.6	0	0	0
413	wt	R	432-00	372	0	0	0	0	0	0	0
413	wt	R	445-00	542	0	4.2	0	4.2	0	0	4.2
413	wt	R	499-00	835	0	0	0	0	0	0	0
413	wt	R	Deer_A_Only	145081	19	318.7	14.3	323.5	0	52.3	128.4
413	wt	R	SUM	155640	33.6	523.4	28.9	528.1	0	57.2	132.6
413	wt	SUM	004-10	7081	14.6	179.8	14.6	179.8	0	4.9	0
413	wt	SUM	216-00	20	0	2.1	0	2.1	0	0	0
413	wt	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
413	wt	SUM	413-00	600	0	15.3	0	15.3	0	0	0
413	wt	SUM	432-00	400	0	1.8	0	1.8	0	0	0
413	wt	SUM	445-00	600	0	4.2	0	4.2	0	0	4.2
413	wt	SUM	498-00	301	0	6.3	0	6.3	0	0	0
413	wt	SUM	499-00	1004	0	3.4	0	3.4	0	0	0
413	wt	SUM	Deer_A_Only	169380	19	340.5	14.3	345.2	0	52.3	150.2
413	wt	SUM	SUM	180594	33.6	560.3	28.9	565.1	0	57.2	154.4
415	wt	N	498-00	301	0	0	0	0	0	0	0
415	wt	N	598-00	281	0	3	0	3	0	0	0
415	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
415	wt	N	SUM	24881	0	6.1	0	6.1	0	0	3.1
415	wt	R	004-10	7081	0	0	0	0	0	0	0
415	wt	R	598-00	1970	0	0	0	0	0	0	0
415	wt	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	14.3
415	wt	R	SUM	154132	0	14.3	0	14.3	0	0	14.3
415	wt	SUM	004-10	7081	0	0	0	0	0	0	0
415	wt	SUM	498-00	301	0	0	0	0	0	0	0
415	wt	SUM	598-00	2251	0	3	0	3	0	0	0
415	wt	SUM	Deer_A_Only	169380	0	17.4	0	17.4	0	0	17.4
415	wt	SUM	SUM	179013	0	20.4	0	20.4	0	0	17.4
416	wt	N	003-10	845	0	4.1	0	4.1	0	0	4.1
416	wt	N	498-00	301	0	0	0	0	0	0	0
416	wt	N	499-00	169	0	0	0	0	0	0	0
416	wt	N	Deer_A_Only	24299	3.1	12.4	3.1	12.4	0	3.1	12.4
416	wt	N	SUM	25614	3.1	16.6	3.1	16.6	0	3.1	16.6
416	wt	R	003-10	7121	0	0	0	0	0	0	0
416	wt	R	004-10	7081	9.7	24.3	9.7	24.3	0	0	0
416	wt	R	416-00	14	0	2.3	0	2.3	0	0	0
416	wt	R	499-00	835	0	8.1	0	8.1	0	0	0
416	wt	R	Deer_A_Only	145081	14.3	71.4	14.3	71.4	0	19	42.8
416	wt	R	SUM	160132	24	106.1	24	106.1	0	19	42.8
416	wt	SUM	003-10	7966	0	4.1	0	4.1	0	0	4.1
416	wt	SUM	004-10	7081	9.7	24.3	9.7	24.3	0	0	0
416	wt	SUM	416-00	14	0	2.3	0	2.3	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
416	wt	SUM	498-00	301	0	0	0	0	0	0	0
416	wt	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
416	wt	SUM	Deer_A_Only	169380	17.4	83.8	17.4	83.8	0	22.1	55.3
416	wt	SUM	SUM	185746	27.1	122.7	27.1	122.7	0	22.1	59.4
417	wt	N	003-10	845	0	0	0	0	0	0	0
417	wt	N	007-10	1330	0	9.5	0	9.5	0	0	3.2
417	wt	N	417-00	76	0	1.9	0	1.9	0	0	1.9
417	wt	N	498-00	301	0	3.2	0	3.2	0	0	0
417	wt	N	Deer_A_Only	24299	0	18.7	0	18.7	0	0	15.6
417	wt	N	SUM	26851	0	33.3	0	33.3	0	0	20.7
417	wt	R	003-10	7121	0	5	0	5	0	0	0
417	wt	R	004-10	7081	0	14.6	0	14.6	0	0	4.9
417	wt	R	007-10	3512	0	0	0	0	0	0	0
417	wt	R	417-00	325	0	12.3	0	12.3	0	0	4.1
417	wt	R	Deer_A_Only	145081	0	80.9	0	80.9	0	4.8	42.8
417	wt	R	SUM	163120	0	112.8	0	112.8	0	4.8	51.8
417	wt	SUM	003-10	7966	0	5	0	5	0	0	0
417	wt	SUM	004-10	7081	0	14.6	0	14.6	0	0	4.9
417	wt	SUM	007-10	4842	0	9.5	0	9.5	0	0	3.2
417	wt	SUM	417-00	401	0	14.3	0	14.3	0	0	6.1
417	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0
417	wt	SUM	Deer_A_Only	169380	0	99.5	0	99.5	0	4.8	58.4
417	wt	SUM	SUM	189971	0	146.1	0	146.1	0	4.8	72.5
418	wt	N	418-00	33	0	7.3	0	7.3	0	0	0
418	wt	N	498-00	301	3.2	9.5	3.2	9.5	0	0	0
418	wt	N	499-00	169	0	10.3	0	10.3	0	0	0
418	wt	N	Deer_A_Only	24299	3.1	15.6	3.1	15.6	0	0	9.3
418	wt	N	SUM	24802	6.3	42.7	6.3	42.7	0	0	9.3
418	wt	R	004-10	7081	0	58.3	0	58.3	0	0	4.9
418	wt	R	007-13	5509	5.1	0	5.1	0	0	0	0
418	wt	R	283-00	98	0	4.1	0	4.1	0	0	0
418	wt	R	418-00	67	0	11.7	0	11.7	0	0	0
418	wt	R	499-00	835	8.1	32.4	8.1	32.4	0	0	0
418	wt	R	Deer_A_Only	145081	0	128.4	0	123.7	4.8	19	66.6
418	wt	R	SUM	158671	13.2	234.9	13.2	230.2	4.8	19	71.5
418	wt	SUM	004-10	7081	0	58.3	0	58.3	0	0	4.9
418	wt	SUM	007-13	5509	5.1	0	5.1	0	0	0	0
418	wt	SUM	283-00	98	0	4.1	0	4.1	0	0	0
418	wt	SUM	418-00	100	0	19	0	19	0	0	0
418	wt	SUM	498-00	301	3.2	9.5	3.2	9.5	0	0	0
418	wt	SUM	499-00	1004	8.1	42.8	8.1	42.8	0	0	0
418	wt	SUM	Deer_A_Only	169380	3.1	144	3.1	139.2	4.8	19	75.9
418	wt	SUM	SUM	183473	19.5	277.7	19.5	272.9	4.8	19	80.8
419	wt	N	417-00	76	0	1.9	0	1.9	0	0	0
419	wt	N	419-00	54	0	4.7	0	4.7	0	0	0
419	wt	N	498-00	301	0	3.2	0	3.2	0	0	0
419	wt	N	499-00	169	0	3.4	0	3.4	0	0	0
419	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
419	wt	N	SUM	24899	0	16.4	0	16.4	0	0	3.1
419	wt	R	004-10	7081	4.9	38.9	4.9	38.9	0	0	0
419	wt	R	417-00	325	0	0	0	0	0	0	0
419	wt	R	419-00	248	0	11.3	0	11.3	0	0	0
419	wt	R	499-00	835	0	16.2	0	16.2	0	0	0
419	wt	R	Deer_A_Only	145081	0	90.4	0	90.4	0	14.3	23.8
419	wt	R	SUM	153570	4.9	156.7	4.9	156.7	0	14.3	23.8
419	wt	SUM	004-10	7081	4.9	38.9	4.9	38.9	0	0	0
419	wt	SUM	417-00	401	0	1.9	0	1.9	0	0	0
419	wt	SUM	419-00	302	0	16	0	16	0	0	0
419	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0
419	wt	SUM	499-00	1004	0	19.7	0	19.7	0	0	0
419	wt	SUM	Deer_A_Only	169380	0	93.5	0	93.5	0	14.3	26.9
419	wt	SUM	SUM	178469	4.9	173.1	4.9	173.1	0	14.3	26.9
420	wt	N	498-00	301	0	0	0	0	0	0	0
420	wt	N	499-00	169	0	3.4	0	3.4	0	0	0
420	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
420	wt	N	SUM	24769	0	3.4	0	3.4	0	0	0
420	wt	R	004-10	7081	0	19.4	0	14.6	4.9	0	0
420	wt	R	499-00	835	0	0	0	0	0	0	0
420	wt	R	Deer_A_Only	145081	4.8	19	0	23.8	0	0	14.3
420	wt	R	SUM	152997	4.8	38.5	0	38.4	4.9	0	14.3
420	wt	SUM	004-10	7081	0	19.4	0	14.6	4.9	0	0
420	wt	SUM	498-00	301	0	0	0	0	0	0	0
420	wt	SUM	499-00	1004	0	3.4	0	3.4	0	0	0
420	wt	SUM	Deer_A_Only	169380	4.8	19	0	23.8	0	0	14.3
420	wt	SUM	SUM	177766	4.8	41.9	0	41.8	4.9	0	14.3
421	wt	N	421-00	16	0	0	0	0	0	0	0
421	wt	N	498-00	301	0	0	0	0	0	0	0
421	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	3.1
421	wt	N	SUM	24616	0	6.2	0	6.2	0	0	3.1
421	wt	R	004-10	7081	4.9	24.3	4.9	24.3	0	0	0
421	wt	R	421-00	234	0	4	0	4	0	0	0
421	wt	R	Deer_A_Only	145081	9.5	38.1	9.5	38.1	0	4.8	23.8
421	wt	R	SUM	152396	14.4	66.4	14.4	66.4	0	4.8	23.8
421	wt	SUM	004-10	7081	4.9	24.3	4.9	24.3	0	0	0
421	wt	SUM	421-00	250	0	4	0	4	0	0	0
421	wt	SUM	498-00	301	0	0	0	0	0	0	0
421	wt	SUM	Deer_A_Only	169380	9.5	44.3	9.5	44.3	0	4.8	26.9
421	wt	SUM	SUM	177012	14.4	72.6	14.4	72.6	0	4.8	26.9
422	wt	N	498-00	301	0	3.2	0	3.2	0	0	0
422	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
422	wt	N	SUM	24600	0	9.4	0	9.4	0	0	6.2
422	wt	R	004-10	7081	0	19.4	0	19.4	0	0	0
422	wt	R	Deer_A_Only	145081	4.8	33.3	4.8	33.3	0	4.8	19
422	wt	R	SUM	152162	4.8	52.7	4.8	52.7	0	4.8	19
422	wt	SUM	004-10	7081	0	19.4	0	19.4	0	0	0
422	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
422	wt	SUM	Deer_A_Only	169380	4.8	39.5	4.8	39.5	0	4.8	25.3
422	wt	SUM	SUM	176762	4.8	62.1	4.8	62.1	0	4.8	25.3
423	wt	N	498-00	301	0	3.2	0	3.2	0	0	0
423	wt	N	499-00	169	0	3.4	0	3.4	0	0	0
423	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	6.2
423	wt	N	SUM	24769	0	16	0	16	0	0	6.2
423	wt	R	004-10	7081	4.9	14.6	4.9	14.6	0	0	0
423	wt	R	499-00	835	0	0	0	0	0	0	0
423	wt	R	Deer_A_Only	145081	4.8	28.5	4.8	28.5	0	0	19
423	wt	R	SUM	152997	9.6	43.1	9.6	43.1	0	0	19
423	wt	SUM	004-10	7081	4.9	14.6	4.9	14.6	0	0	0
423	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0
423	wt	SUM	499-00	1004	0	3.4	0	3.4	0	0	0
423	wt	SUM	Deer_A_Only	169380	4.8	37.9	4.8	37.9	0	0	25.3
423	wt	SUM	SUM	177766	9.6	59.1	9.6	59.1	0	0	25.3
424	wt	N	421-00	16	0	0	0	0	0	0	0
424	wt	N	498-00	301	3.2	0	3.2	0	0	0	0
424	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	9.3
424	wt	N	SUM	24616	3.2	9.3	3.2	9.3	0	0	9.3
424	wt	R	004-10	7081	0	19.4	0	19.4	0	0	0
424	wt	R	421-00	234	0	4	0	4	0	0	0
424	wt	R	Deer_A_Only	145081	0	28.5	0	28.5	0	4.8	9.5
424	wt	R	SUM	152396	0	52	0	52	0	4.8	9.5
424	wt	SUM	004-10	7081	0	19.4	0	19.4	0	0	0
424	wt	SUM	421-00	250	0	4	0	4	0	0	0
424	wt	SUM	498-00	301	3.2	0	3.2	0	0	0	0
424	wt	SUM	Deer_A_Only	169380	0	37.9	0	37.9	0	4.8	18.8
424	wt	SUM	SUM	177012	3.2	61.4	3.2	61.4	0	4.8	18.8
425	wt	N	498-00	301	0	3.2	0	3.2	0	0	0
425	wt	N	Deer_A_Only	24299	3.1	9.3	3.1	9.3	0	0	12.4
425	wt	N	SUM	24600	3.1	12.5	3.1	12.5	0	0	12.4
425	wt	R	004-10	7081	4.9	14.6	4.9	14.6	0	0	4.9
425	wt	R	Deer_A_Only	145081	4.8	9.5	4.8	9.5	0	0	4.8
425	wt	R	SUM	152162	9.6	24.1	9.6	24.1	0	0	9.6
425	wt	SUM	004-10	7081	4.9	14.6	4.9	14.6	0	0	4.9
425	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0
425	wt	SUM	Deer_A_Only	169380	7.9	18.8	7.9	18.8	0	0	17.2
425	wt	SUM	SUM	176762	12.7	36.6	12.7	36.6	0	0	22.1
426	wt	N	426-00	94	0	2.3	0	2.3	0	0	0
426	wt	N	498-00	301	0	3.2	0	3.2	0	0	0
426	wt	N	499-00	169	0	3.4	0	3.4	0	0	0
426	wt	N	Deer_A_Only	24299	0	18.7	0	18.7	0	0	15.6
426	wt	N	SUM	24863	0	27.6	0	27.6	0	0	15.6
426	wt	R	004-10	7081	0	24.3	0	24.3	0	0	0
426	wt	R	426-00	456	0	10.7	0	10.7	0	0	0
426	wt	R	499-00	835	0	0	0	0	0	0	0
426	wt	R	Deer_A_Only	145081	0	52.3	0	52.3	0	0	38.1
426	wt	R	SUM	153453	0	87.4	0	87.4	0	0	38.1

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
426	wt	SUM	004-10	7081	0	24.3	0	24.3	0	0	0
426	wt	SUM	426-00	550	0	13	0	13	0	0	0
426	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0
426	wt	SUM	499-00	1004	0	3.4	0	3.4	0	0	0
426	wt	SUM	Deer_A_Only	169380	0	71	0	71	0	0	53.6
426	wt	SUM	SUM	178316	0	114.9	0	114.9	0	0	53.6
432	wt	N	432-00	28	0	0	0	0	0	0	0
432	wt	N	498-00	301	0	0	0	0	0	0	0
432	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
432	wt	N	SUM	24628	0	0	0	0	0	0	0
432	wt	R	004-10	7081	0	24.3	0	24.3	0	0	0
432	wt	R	432-00	372	4.5	0	4.5	0	0	0	0
432	wt	R	Deer_A_Only	145081	4.8	71.4	4.8	71.4	0	14.3	28.5
432	wt	R	SUM	152534	9.3	95.7	9.3	95.7	0	14.3	28.5
432	wt	SUM	004-10	7081	0	24.3	0	24.3	0	0	0
432	wt	SUM	432-00	400	4.5	0	4.5	0	0	0	0
432	wt	SUM	498-00	301	0	0	0	0	0	0	0
432	wt	SUM	Deer_A_Only	169380	4.8	71.4	4.8	71.4	0	14.3	28.5
432	wt	SUM	SUM	177162	9.3	95.7	9.3	95.7	0	14.3	28.5
441	wt	N	404-00	56	0	0	0	0	0	0	0
441	wt	N	441-00	26	0	2.6	0	2.6	0	0	0
441	wt	N	498-00	301	0	0	0	0	0	0	0
441	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	9.3
441	wt	N	SUM	24682	0	11.9	0	11.9	0	0	9.3
441	wt	R	004-10	7081	0	53.5	0	48.6	4.9	4.9	4.9
441	wt	R	404-00	1152	0	6.9	0	6.9	0	0	0
441	wt	R	441-00	348	0	14.5	0	14.5	0	0	4.8
441	wt	R	Deer_A_Only	145081	0	95.1	0	95.1	0	9.5	52.3
441	wt	R	SUM	153662	0	170	0	165.1	4.9	14.4	62
441	wt	SUM	004-10	7081	0	53.5	0	48.6	4.9	4.9	4.9
441	wt	SUM	404-00	1208	0	6.9	0	6.9	0	0	0
441	wt	SUM	441-00	374	0	17.1	0	17.1	0	0	4.8
441	wt	SUM	498-00	301	0	0	0	0	0	0	0
441	wt	SUM	Deer_A_Only	169380	0	104.5	0	104.5	0	9.5	61.7
441	wt	SUM	SUM	178344	0	181.9	0	177.1	4.9	14.4	71.4
442	wt	N	498-00	301	0	0	0	0	0	0	0
442	wt	N	Deer_A_Only	24299	0	18.7	0	18.7	0	0	18.7
442	wt	N	SUM	24600	0	18.7	0	18.7	0	0	18.7
442	wt	R	004-10	7081	4.9	24.3	4.9	24.3	0	0	0
442	wt	R	Deer_A_Only	145081	4.8	57.1	4.8	57.1	0	9.5	28.5
442	wt	R	SUM	152162	9.6	81.4	9.6	81.4	0	9.5	28.5
442	wt	SUM	004-10	7081	4.9	24.3	4.9	24.3	0	0	0
442	wt	SUM	498-00	301	0	0	0	0	0	0	0
442	wt	SUM	Deer_A_Only	169380	4.8	75.8	4.8	75.8	0	9.5	47.2
442	wt	SUM	SUM	176762	9.6	100.1	9.6	100.1	0	9.5	47.2
444	wt	N	002-10	500	0	0	0	0	0	0	0
444	wt	N	444-00	42	0	0	0	0	0	0	0
444	wt	N	498-00	301	0	3.2	0	3.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
444	wt	N	Deer_A_Only	24299	12.4	18.7	9.3	21.8	0	3.1	28
444	wt	N	SUM	25142	12.4	21.8	9.3	25	0	3.1	28
444	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
444	wt	R	004-10	7081	4.9	92.3	0	97.2	0	0	0
444	wt	R	444-00	360	0	7.1	0	7.1	0	0	0
444	wt	R	699-00	3502	0	8.6	0	8.6	0	0	0
444	wt	R	Deer_A_Only	145081	9.5	204.5	0	214.1	0	19	114.2
444	wt	R	SUM	164827	14.4	317.9	0	332.3	0	19	114.2
444	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
444	wt	SUM	004-10	7081	4.9	92.3	0	97.2	0	0	0
444	wt	SUM	444-00	402	0	7.1	0	7.1	0	0	0
444	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0
444	wt	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
444	wt	SUM	Deer_A_Only	169380	22	223.2	9.3	235.8	0	22.1	142.2
444	wt	SUM	SUM	189969	26.8	339.7	9.3	357.2	0	22.1	142.2
445	wt	N	400-00	64	0	3.6	0	3.6	0	0	0
445	wt	N	413-00	42	0	1.8	0	1.8	0	0	0
445	wt	N	432-00	28	0	0	0	0	0	0	0
445	wt	N	444-00	42	0	0	0	0	0	0	0
445	wt	N	445-00	58	0	8.7	0	8.7	0	0	0
445	wt	N	498-00	301	6.3	15.8	0	22.2	0	0	0
445	wt	N	Deer_A_Only	24299	6.2	24.9	0	31.1	0	0	21.8
445	wt	N	SUM	24834	12.6	54.8	0	67.4	0	0	21.8
445	wt	R	004-10	7081	14.6	204.1	9.7	204.1	4.9	0	0
445	wt	R	400-00	839	0	0	0	0	0	0	0
445	wt	R	413-00	558	0	0	0	0	0	0	0
445	wt	R	432-00	372	0	4.5	0	4.5	0	0	0
445	wt	R	444-00	360	0	14.1	0	0	14.1	0	0
445	wt	R	445-00	542	0	16.8	0	16.8	0	0	0
445	wt	R	Deer_A_Only	145081	14.3	361.5	14.3	356.8	4.8	28.5	171.2
445	wt	R	SUM	154833	28.9	601.1	24	582.2	23.7	28.5	171.2
445	wt	SUM	004-10	7081	14.6	204.1	9.7	204.1	4.9	0	0
445	wt	SUM	400-00	903	0	3.6	0	3.6	0	0	0
445	wt	SUM	413-00	600	0	1.8	0	1.8	0	0	0
445	wt	SUM	432-00	400	0	4.5	0	4.5	0	0	0
445	wt	SUM	444-00	402	0	14.1	0	0	14.1	0	0
445	wt	SUM	445-00	600	0	25.5	0	25.5	0	0	0
445	wt	SUM	498-00	301	6.3	15.8	0	22.2	0	0	0
445	wt	SUM	Deer_A_Only	169380	20.5	386.4	14.3	387.9	4.8	28.5	193
445	wt	SUM	SUM	179667	41.4	655.9	24	649.6	23.7	28.5	193
446	wt	N	002-10	500	0	0	0	0	0	0	0
446	wt	N	292-40/Deer_A	56	0	0	0	0	0	0	0
446	wt	N	391-40/Deer_A	70	0	2.1	0	2.1	0	0	2.1
446	wt	N	498-00	301	0	6.3	0	6.3	0	0	0
446	wt	N	Deer_A_Only	24299	0	18.7	0	18.7	0	0	18.7
446	wt	N	SUM	25226	0	27.1	0	27.1	0	0	20.7
446	wt	R	002-10	8803	0	5.4	0	5.4	0	0	5.4
446	wt	R	004-10	7081	0	38.9	0	34	4.9	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
446	wt	R	292-40/Deer_A	930	0	4.8	0	4.8	0	0	4.8
446	wt	R	391-40/Deer_A	369	0	0	0	0	0	0	0
446	wt	R	Deer_A_Only	145081	0	114.2	0	109.4	4.8	23.8	61.8
446	wt	R	SUM	162264	0	163.3	0	153.6	9.6	23.8	72
446	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	5.4
446	wt	SUM	004-10	7081	0	38.9	0	34	4.9	0	0
446	wt	SUM	292-40/Deer_A	986	0	4.8	0	4.8	0	0	4.8
446	wt	SUM	391-40/Deer_A	439	0	2.1	0	2.1	0	0	2.1
446	wt	SUM	498-00	301	0	6.3	0	6.3	0	0	0
446	wt	SUM	Deer_A_Only	169380	0	132.8	0	128.1	4.8	23.8	80.5
446	wt	SUM	SUM	187490	0	190.3	0	180.7	9.6	23.8	92.8
447	wt	N	405-00	28	0	0	0	0	0	0	0
447	wt	N	447-00	79	0	0	0	0	0	0	0
447	wt	N	498-00	301	0	6.3	0	6.3	0	0	0
447	wt	N	Deer_A_Only	24299	0	21.8	0	21.8	0	3.1	12.4
447	wt	N	SUM	24707	0	28.1	0	28.1	0	3.1	12.4
447	wt	R	004-10	7081	9.7	82.6	4.9	87.5	0	0	0
447	wt	R	405-00	477	8.6	0	0	8.6	0	0	0
447	wt	R	447-00	621	6.8	0	0	6.8	0	0	0
447	wt	R	Deer_A_Only	145081	28.5	261.6	19	271.1	0	23.8	180.8
447	wt	R	SUM	153260	53.7	344.2	23.9	374	0	23.8	180.8
447	wt	SUM	004-10	7081	9.7	82.6	4.9	87.5	0	0	0
447	wt	SUM	405-00	505	8.6	0	0	8.6	0	0	0
447	wt	SUM	447-00	700	6.8	0	0	6.8	0	0	0
447	wt	SUM	498-00	301	0	6.3	0	6.3	0	0	0
447	wt	SUM	Deer_A_Only	169380	28.5	283.4	19	292.9	0	26.9	193.2
447	wt	SUM	SUM	177967	53.7	372.4	23.9	402.2	0	26.9	193.2
448	wt	N	498-00	301	0	6.3	0	6.3	0	0	0
448	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
448	wt	N	SUM	24600	0	6.3	0	6.3	0	0	0
448	wt	R	004-10	7081	0	24.3	0	24.3	0	0	0
448	wt	R	Deer_A_Only	145081	0	52.3	0	52.3	0	9.5	23.8
448	wt	R	SUM	152162	0	76.6	0	76.6	0	9.5	23.8
448	wt	SUM	004-10	7081	0	24.3	0	24.3	0	0	0
448	wt	SUM	498-00	301	0	6.3	0	6.3	0	0	0
448	wt	SUM	Deer_A_Only	169380	0	52.3	0	52.3	0	9.5	23.8
448	wt	SUM	SUM	176762	0	83	0	83	0	9.5	23.8
449	wt	N	498-00	301	0	3.2	0	3.2	0	0	0
449	wt	N	Deer_A_Only	24299	0	15.6	0	15.6	0	3.1	9.3
449	wt	N	SUM	24600	0	18.7	0	18.7	0	3.1	9.3
449	wt	R	004-10	7081	0	14.6	0	14.6	0	0	4.9
449	wt	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	9.5
449	wt	R	SUM	152162	0	28.9	0	28.9	0	0	14.4
449	wt	SUM	004-10	7081	0	14.6	0	14.6	0	0	4.9
449	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0
449	wt	SUM	Deer_A_Only	169380	0	29.8	0	29.8	0	3.1	18.8
449	wt	SUM	SUM	176762	0	47.6	0	47.6	0	3.1	23.7
450	wt	N	450-00	9	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
450	wt	N	498-00	301	0	3.2	0	3.2	0	0	0
450	wt	N	530-50/Deer_A	89	0	0	0	0	0	0	0
450	wt	N	598-00	281	0	0	0	0	0	0	0
450	wt	N	Deer_A_Only	24299	0	12.4	0	12.4	0	6.2	6.2
450	wt	N	SUM	24979	0	15.6	0	15.6	0	6.2	6.2
450	wt	R	004-10	7081	0	68	0	68	0	4.9	4.9
450	wt	R	450-00	141	0	8.8	0	8.8	0	0	0
450	wt	R	530-50/Deer_A	614	0	4.2	0	4.2	0	0	4.2
450	wt	R	598-00	1970	0	7.5	0	7.5	0	0	0
450	wt	R	Deer_A_Only	145081	0	85.6	0	85.6	0	4.8	47.6
450	wt	R	SUM	154887	0	174.2	0	174.2	0	9.6	56.7
450	wt	SUM	004-10	7081	0	68	0	68	0	4.9	4.9
450	wt	SUM	450-00	150	0	8.8	0	8.8	0	0	0
450	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0
450	wt	SUM	530-50/Deer_A	703	0	4.2	0	4.2	0	0	4.2
450	wt	SUM	598-00	2251	0	7.5	0	7.5	0	0	0
450	wt	SUM	Deer_A_Only	169380	0	98.1	0	98.1	0	11	53.8
450	wt	SUM	SUM	179866	0	189.8	0	189.8	0	15.8	62.9
452	wt	N	498-00	301	0	0	0	0	0	0	0
452	wt	N	Deer_A_Only	24299	0	18.7	0	18.7	0	3.1	15.6
452	wt	N	SUM	24600	0	18.7	0	18.7	0	3.1	15.6
452	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
452	wt	R	Deer_A_Only	145081	0	14.3	0	14.3	0	4.8	9.5
452	wt	R	SUM	152162	0	19.1	0	19.1	0	4.8	9.5
452	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
452	wt	SUM	498-00	301	0	0	0	0	0	0	0
452	wt	SUM	Deer_A_Only	169380	0	32.9	0	32.9	0	7.9	25.1
452	wt	SUM	SUM	176762	0	37.8	0	37.8	0	7.9	25.1
454	wt	N	498-00	301	0	0	0	0	0	0	0
454	wt	N	580-00	64	0	1.8	0	1.8	0	0	0
454	wt	N	598-00	281	0	3	0	3	0	0	0
454	wt	N	Deer_A_Only	24299	0	12.4	0	12.4	0	0	9.3
454	wt	N	SUM	24945	0	17.3	0	17.3	0	0	9.3
454	wt	R	004-10	7081	0	19.4	0	19.4	0	0	0
454	wt	R	580-00	186	0	0	0	0	0	0	0
454	wt	R	598-00	1970	0	0	0	0	0	0	0
454	wt	R	Deer_A_Only	145081	0	42.8	0	42.8	0	4.8	19
454	wt	R	SUM	154318	0	62.3	0	62.3	0	4.8	19
454	wt	SUM	004-10	7081	0	19.4	0	19.4	0	0	0
454	wt	SUM	498-00	301	0	0	0	0	0	0	0
454	wt	SUM	580-00	250	0	1.8	0	1.8	0	0	0
454	wt	SUM	598-00	2251	0	3	0	3	0	0	0
454	wt	SUM	Deer_A_Only	169380	0	55.3	0	55.3	0	4.8	28.4
454	wt	SUM	SUM	179263	0	79.5	0	79.5	0	4.8	28.4
455	wt	N	447-00	79	0	0	0	0	0	0	0
455	wt	N	455-70/Deer_A	3	0	0	0	0	0	0	0
455	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
455	wt	N	SUM	24381	0	0	0	0	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
455	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
455	wt	R	447-00	621	0	6.8	0	6.8	0	0	6.8
455	wt	R	455-70/Deer_A	47	0	13.8	0	13.8	0	2.8	11.1
455	wt	R	Deer_A_Only	145081	0	14.3	0	14.3	0	9.5	0
455	wt	R	SUM	152830	0	39.8	0	39.8	0	12.3	17.9
455	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
455	wt	SUM	447-00	700	0	6.8	0	6.8	0	0	6.8
455	wt	SUM	455-70/Deer_A	50	0	13.8	0	13.8	0	2.8	11.1
455	wt	SUM	Deer_A_Only	169380	0	14.3	0	14.3	0	9.5	0
455	wt	SUM	SUM	177211	0	39.8	0	39.8	0	12.3	17.9
471	wt	N	471-00	40	0	1.9	0	1.9	0	0	0
471	wt	N	498-00	301	0	0	0	0	0	0	0
471	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	3.1	3.1
471	wt	N	SUM	24640	0	8.1	0	8.1	0	3.1	3.1
471	wt	R	004-10	7081	0	19.4	0	19.4	0	0	0
471	wt	R	471-00	260	0	0	0	0	0	0	0
471	wt	R	Deer_A_Only	145081	0	66.6	0	66.6	0	0	42.8
471	wt	R	SUM	152422	0	86	0	86	0	0	42.8
471	wt	SUM	004-10	7081	0	19.4	0	19.4	0	0	0
471	wt	SUM	471-00	300	0	1.9	0	1.9	0	0	0
471	wt	SUM	498-00	301	0	0	0	0	0	0	0
471	wt	SUM	Deer_A_Only	169380	0	72.8	0	72.8	0	3.1	45.9
471	wt	SUM	SUM	177062	0	94.2	0	94.2	0	3.1	45.9
4XX	wt	N	498-00	301	0	3.2	0	3.2	0	0	0
4XX	wt	N	499-00	169	0	3.4	0	3.4	0	0	0
4XX	wt	N	Deer_A_Only	24299	3.1	9.3	3.1	9.3	0	3.1	9.3
4XX	wt	N	SUM	24769	3.1	16	3.1	16	0	3.1	9.3
4XX	wt	R	004-10	7081	0	9.7	0	9.7	0	4.9	0
4XX	wt	R	499-00	835	0	8.1	0	8.1	0	0	0
4XX	wt	R	Deer_A_Only	145081	0	28.5	0	28.5	0	14.3	4.8
4XX	wt	R	SUM	152997	0	46.4	0	46.4	0	19.1	4.8
4XX	wt	SUM	004-10	7081	0	9.7	0	9.7	0	4.9	0
4XX	wt	SUM	498-00	301	0	3.2	0	3.2	0	0	0
4XX	wt	SUM	499-00	1004	0	11.6	0	11.6	0	0	0
4XX	wt	SUM	Deer_A_Only	169380	3.1	37.9	3.1	37.9	0	17.4	14.1
4XX	wt	SUM	SUM	177766	3.1	62.3	3.1	62.3	0	22.2	14.1
500	wt	N	003-10	845	0	0	0	0	0	0	0
500	wt	N	005-10	290	0	5.1	0	5.1	0	0	0
500	wt	N	007-10	1330	0	0	0	0	0	0	0
500	wt	N	309-10	8	0	0	0	0	0	0	0
500	wt	N	419-00	54	0	0	0	0	0	0	0
500	wt	N	500-00	7	0	0	0	0	0	0	0
500	wt	N	511-00	27	0	4.5	0	4.5	0	0	0
500	wt	N	520-00	39	0	0	0	0	0	0	0
500	wt	N	530-01	35	0	2.2	0	2.2	0	0	0
500	wt	N	575-00	63	0	0	0	0	0	0	0
500	wt	N	597-00	28	0	2.5	0	2.5	0	0	0
500	wt	N	599-00	98	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
500	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
500	wt	N	SUM	27123	0	20.5	0	20.5	0	0	6.2
500	wt	R	003-10	7121	0	5	0	5	0	0	5
500	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
500	wt	R	005-10	2590	0	57.4	0	52.7	4.8	0	0
500	wt	R	007-10	3512	5.3	0	5.3	0	0	0	0
500	wt	R	007-11	1520	5.2	0	5.2	0	0	0	0
500	wt	R	007-13	5509	5.1	0	5.1	0	0	0	0
500	wt	R	309-10	505	0	4.4	0	4.4	0	0	4.4
500	wt	R	419-00	248	0	5.6	0	5.6	0	0	0
500	wt	R	500-00	93	0	8.2	0	8.2	0	2.7	5.5
500	wt	R	511-00	123	0	0	0	0	0	0	0
500	wt	R	520-00	261	0	3.6	0	3.6	0	0	0
500	wt	R	530-01	218	0	0	0	0	0	0	0
500	wt	R	575-00	687	5.3	0	5.3	0	0	0	0
500	wt	R	597-00	575	0	37.4	0	37.4	0	0	0
500	wt	R	599-00	1904	5.9	17.6	5.9	17.6	0	0	0
500	wt	R	Deer_A_Only	145081	0	137.9	0	133.2	4.8	14.3	47.6
500	wt	R	SUM	177028	26.7	282.1	26.7	272.6	9.5	17	62.4
500	wt	SUM	003-10	7966	0	5	0	5	0	0	5
500	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
500	wt	SUM	005-10	2880	0	62.5	0	57.7	4.8	0	0
500	wt	SUM	007-10	4842	5.3	0	5.3	0	0	0	0
500	wt	SUM	007-11	1520	5.2	0	5.2	0	0	0	0
500	wt	SUM	007-13	5509	5.1	0	5.1	0	0	0	0
500	wt	SUM	309-10	513	0	4.4	0	4.4	0	0	4.4
500	wt	SUM	419-00	302	0	5.6	0	5.6	0	0	0
500	wt	SUM	500-00	100	0	8.2	0	8.2	0	2.7	5.5
500	wt	SUM	511-00	150	0	4.5	0	4.5	0	0	0
500	wt	SUM	520-00	300	0	3.6	0	3.6	0	0	0
500	wt	SUM	530-01	253	0	2.2	0	2.2	0	0	0
500	wt	SUM	575-00	750	5.3	0	5.3	0	0	0	0
500	wt	SUM	597-00	603	0	39.9	0	39.9	0	0	0
500	wt	SUM	599-00	2002	5.9	17.6	5.9	17.6	0	0	0
500	wt	SUM	Deer_A_Only	169380	0	144.2	0	139.4	4.8	14.3	53.8
500	wt	SUM	SUM	204151	26.7	302.7	26.7	293.1	9.5	17	68.7
502	wt	N	005-10	290	2.5	2.5	0	5.1	0	0	0
502	wt	N	599-00	98	0	8.2	0	8.2	0	0	0
502	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
502	wt	N	SUM	24687	2.5	10.7	0	13.3	0	0	0
502	wt	R	005-10	2590	4.8	86.2	0	86.2	4.8	0	0
502	wt	R	502-00	198	3.7	3.7	3.7	3.7	0	0	0
502	wt	R	599-00	1904	23.5	64.6	17.6	64.6	5.9	0	0
502	wt	R	Deer_A_Only	145081	28.5	309.2	19	309.2	9.5	57.1	99.9
502	wt	R	SUM	149773	60.5	463.7	40.3	463.7	20.2	57.1	99.9
502	wt	SUM	005-10	2880	7.3	88.7	0	91.3	4.8	0	0
502	wt	SUM	502-00	198	3.7	3.7	3.7	3.7	0	0	0
502	wt	SUM	599-00	2002	23.5	72.8	17.6	72.8	5.9	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
502	wt	SUM	Deer_A_Only	169380	28.5	309.2	19	309.2	9.5	57.1	99.9
502	wt	SUM	SUM	174460	63	474.4	40.3	476.9	20.2	57.1	99.9
510	wt	N	005-10	290	0	0	0	0	0	0	0
510	wt	N	510-00	9	0	0	0	0	0	0	0
510	wt	N	510-40/Deer_A	18	0	1.8	0	1.8	0	0	0
510	wt	N	598-00	281	0	0	0	0	0	0	0
510	wt	N	599-00	98	0	2.7	0	2.7	0	0	0
510	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
510	wt	N	SUM	24995	0	7.6	0	7.6	0	0	3.1
510	wt	R	005-10	2590	0	4.8	0	4.8	0	0	0
510	wt	R	510-00	142	0	4.4	0	4.4	0	0	0
510	wt	R	510-40/Deer_A	317	0	7.2	0	7.2	0	0	0
510	wt	R	598-00	1970	0	29.8	0	29.8	0	0	0
510	wt	R	599-00	1904	0	17.6	0	17.6	0	0	0
510	wt	R	Deer_A_Only	145081	0	23.8	0	23.8	0	4.8	9.5
510	wt	R	SUM	152004	0	87.7	0	87.7	0	4.8	9.5
510	wt	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
510	wt	SUM	510-00	151	0	4.4	0	4.4	0	0	0
510	wt	SUM	510-40/Deer_A	335	0	9	0	9	0	0	0
510	wt	SUM	598-00	2251	0	29.8	0	29.8	0	0	0
510	wt	SUM	599-00	2002	0	20.4	0	20.4	0	0	0
510	wt	SUM	Deer_A_Only	169380	0	26.9	0	26.9	0	4.8	12.6
510	wt	SUM	SUM	176999	0	95.3	0	95.3	0	4.8	12.6
511	wt	N	003-10	845	0	0	0	0	0	0	0
511	wt	N	005-10	290	0	5.1	0	5.1	0	0	0
511	wt	N	007-10	1330	0	3.2	0	3.2	0	0	0
511	wt	N	130-00	37	0	0	0	0	0	0	0
511	wt	N	309-10	8	0	0	0	0	0	0	0
511	wt	N	312-10	25	0	0	0	0	0	0	0
511	wt	N	445-00	58	0	0	0	0	0	0	0
511	wt	N	511-00	27	0	0	0	0	0	0	0
511	wt	N	530-50/Deer_A	89	0	1.9	0	1.9	0	0	0
511	wt	N	598-00	281	6	20.9	3	23.9	0	0	0
511	wt	N	599-00	98	0	0	0	0	0	0	0
511	wt	N	698-00	851	0	3.8	0	3.8	0	0	0
511	wt	N	Deer_A_Only	24299	3.1	31.1	3.1	31.1	0	0	15.6
511	wt	N	SUM	28238	9.1	66	6.1	69	0	0	15.6
511	wt	R	003-10	7121	0	5	0	5	0	0	0
511	wt	R	005-10	2590	0	33.5	0	33.5	0	0	0
511	wt	R	007-10	3512	0	0	0	0	0	0	0
511	wt	R	007-11	1520	0	5.2	0	5.2	0	0	0
511	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
511	wt	R	130-00	614	0	4.1	0	4.1	0	0	0
511	wt	R	309-10	505	0	4.4	0	4.4	0	0	0
511	wt	R	312-10	1124	7.8	0	7.8	0	0	0	0
511	wt	R	445-00	542	0	4.2	0	4.2	0	0	0
511	wt	R	502-00	198	0	3.7	0	3.7	0	0	3.7
511	wt	R	511-00	123	0	7.2	0	7.2	0	3.6	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
511	wt	R	530-50/Deer_A	614	0	4.2	0	4.2	0	0	0
511	wt	R	598-00	1970	14.9	82.1	14.9	82.1	0	0	14.9
511	wt	R	599-00	1904	0	5.9	0	5.9	0	0	5.9
511	wt	R	Deer_A_Only	145081	0	157	0	157	0	9.5	71.4
511	wt	R	SUM	172927	22.7	321.6	22.7	321.6	0	13.1	95.8
511	wt	SUM	003-10	7966	0	5	0	5	0	0	0
511	wt	SUM	005-10	2880	0	38.6	0	38.6	0	0	0
511	wt	SUM	007-10	4842	0	3.2	0	3.2	0	0	0
511	wt	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
511	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
511	wt	SUM	130-00	651	0	4.1	0	4.1	0	0	0
511	wt	SUM	309-10	513	0	4.4	0	4.4	0	0	0
511	wt	SUM	312-10	1149	7.8	0	7.8	0	0	0	0
511	wt	SUM	445-00	600	0	4.2	0	4.2	0	0	0
511	wt	SUM	502-00	198	0	3.7	0	3.7	0	0	3.7
511	wt	SUM	511-00	150	0	7.2	0	7.2	0	3.6	0
511	wt	SUM	530-50/Deer_A	703	0	6.2	0	6.2	0	0	0
511	wt	SUM	598-00	2251	20.9	103	17.9	106	0	0	14.9
511	wt	SUM	599-00	2002	0	5.9	0	5.9	0	0	5.9
511	wt	SUM	698-00	851	0	3.8	0	3.8	0	0	0
511	wt	SUM	Deer_A_Only	169380	3.1	188.1	3.1	188.1	0	9.5	86.9
511	wt	SUM	SUM	201165	31.8	387.7	28.8	390.6	0	13.1	111.4
520	wt	N	002-10	500	0	0	0	0	0	0	0
520	wt	N	005-10	290	0	12.7	0	12.7	0	0	0
520	wt	N	281-00	6	0	0	0	0	0	0	0
520	wt	N	510-00	9	0	1.5	0	1.5	0	0	0
520	wt	N	510-40/Deer_A	18	0	0	0	0	0	0	0
520	wt	N	520-00	39	0	2.8	0	2.8	0	0	0
520	wt	N	570-00	51	0	0	0	0	0	0	0
520	wt	N	575-00	63	0	0	0	0	0	0	0
520	wt	N	598-00	281	0	0	0	0	0	0	0
520	wt	N	599-00	98	0	8.2	0	8.2	0	0	0
520	wt	N	Deer_A_Only	24299	0	28	0	28	0	0	21.8
520	wt	N	SUM	25654	0	53.2	0	53.2	0	0	21.8
520	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
520	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
520	wt	R	005-10	2590	4.8	67	4.8	67	0	0	0
520	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
520	wt	R	281-00	94	0	2.2	0	2.2	0	0	0
520	wt	R	510-00	142	0	0	0	0	0	0	0
520	wt	R	510-40/Deer_A	317	0	3.6	0	3.6	0	0	0
520	wt	R	520-00	261	3.6	14.3	3.6	14.3	0	0	0
520	wt	R	570-00	249	0	4.2	0	4.2	0	4.2	0
520	wt	R	575-00	687	10.6	15.9	10.6	15.9	0	0	0
520	wt	R	598-00	1970	0	7.5	0	7.5	0	7.5	0
520	wt	R	599-00	1904	29.4	193.9	29.4	193.9	0	5.9	0
520	wt	R	Deer_A_Only	145081	28.5	342.5	28.5	337.7	4.8	33.3	166.5
520	wt	R	SUM	174688	76.9	666.3	76.9	661.5	4.8	50.8	166.5

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
520	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
520	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
520	wt	SUM	005-10	2880	4.8	79.7	4.8	79.7	0	0	0
520	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
520	wt	SUM	281-00	100	0	2.2	0	2.2	0	0	0
520	wt	SUM	510-00	151	0	1.5	0	1.5	0	0	0
520	wt	SUM	510-40/Deer_A	335	0	3.6	0	3.6	0	0	0
520	wt	SUM	520-00	300	3.6	17.1	3.6	17.1	0	0	0
520	wt	SUM	570-00	300	0	4.2	0	4.2	0	4.2	0
520	wt	SUM	575-00	750	10.6	15.9	10.6	15.9	0	0	0
520	wt	SUM	598-00	2251	0	7.5	0	7.5	0	7.5	0
520	wt	SUM	599-00	2002	29.4	202.1	29.4	202.1	0	5.9	0
520	wt	SUM	Deer_A_Only	169380	28.5	370.5	28.5	365.7	4.8	33.3	188.3
520	wt	SUM	SUM	200342	76.9	719.5	76.9	714.7	4.8	50.8	188.3
530	wt	N	005-10	290	0	12.7	0	12.7	0	0	0
530	wt	N	007-10	1330	0	0	0	0	0	0	0
530	wt	N	388-10	15	0	0	0	0	0	0	0
530	wt	N	410-00	112	0	0	0	0	0	0	0
530	wt	N	530-00	85	0	6.5	0	6.5	0	2.2	0
530	wt	N	530-01	35	0	2.2	0	2.2	0	0	0
530	wt	N	530-50/Deer_A	89	0	7.7	0	7.7	0	0	5.8
530	wt	N	597-00	28	0	2.5	0	2.5	0	0	0
530	wt	N	598-00	281	0	3	0	3	0	0	0
530	wt	N	599-00	98	0	0	0	0	0	0	0
530	wt	N	600-00	47	0	0	0	0	0	0	0
530	wt	N	Deer_A_Only	24299	3.1	56	3.1	56	0	0	56
530	wt	N	SUM	26709	3.1	90.7	3.1	90.7	0	2.2	61.8
530	wt	R	005-10	2590	0	71.8	0	71.8	0	0	0
530	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
530	wt	R	007-11	1520	0	5.2	0	5.2	0	0	0
530	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
530	wt	R	388-10	434	0	4	0	4	0	0	0
530	wt	R	410-00	488	0	4.9	0	4.9	0	0	0
530	wt	R	530-00	416	0	18.9	0	18.9	0	0	0
530	wt	R	530-01	218	0	7.1	0	7.1	0	0	0
530	wt	R	530-50/Deer_A	614	0	21.2	0	21.2	0	4.2	12.7
530	wt	R	597-00	575	0	18.7	0	18.7	0	0	0
530	wt	R	598-00	1970	0	14.9	0	14.9	0	0	0
530	wt	R	599-00	1904	0	5.9	0	5.9	0	0	0
530	wt	R	600-00	453	0	5.7	0	5.7	0	0	0
530	wt	R	699-00	3502	0	8.6	0	8.6	0	0	0
530	wt	R	Deer_A_Only	145081	0	190.3	0	190.3	0	4.8	61.8
530	wt	R	SUM	168786	0	387.6	0	387.6	0	9	74.5
530	wt	SUM	005-10	2880	0	84.5	0	84.5	0	0	0
530	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
530	wt	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
530	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
530	wt	SUM	388-10	449	0	4	0	4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
530	wt	SUM	410-00	600	0	4.9	0	4.9	0	0	0
530	wt	SUM	530-00	501	0	25.4	0	25.4	0	2.2	0
530	wt	SUM	530-01	253	0	9.3	0	9.3	0	0	0
530	wt	SUM	530-50/Deer_A	703	0	28.9	0	28.9	0	4.2	18.5
530	wt	SUM	597-00	603	0	21.2	0	21.2	0	0	0
530	wt	SUM	598-00	2251	0	17.9	0	17.9	0	0	0
530	wt	SUM	599-00	2002	0	5.9	0	5.9	0	0	0
530	wt	SUM	600-00	500	0	5.7	0	5.7	0	0	0
530	wt	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
530	wt	SUM	Deer_A_Only	169380	3.1	246.3	3.1	246.3	0	4.8	117.9
530	wt	SUM	SUM	195495	3.1	478.3	3.1	478.3	0	11.2	136.4
540	wt	N	003-10	845	0	0	0	0	0	0	0
540	wt	N	005-10	290	0	5.1	0	5.1	0	0	0
540	wt	N	380-00	6	0	0	0	0	0	0	0
540	wt	N	598-00	281	3	17.9	0	20.9	0	0	0
540	wt	N	Deer_A_Only	24299	0	12.4	0	12.4	0	3.1	6.2
540	wt	N	SUM	25721	3	35.5	0	38.5	0	3.1	6.2
540	wt	R	003-10	7121	0	10	0	10	0	0	0
540	wt	R	004-10	7081	0	9.7	0	9.7	0	0	0
540	wt	R	005-10	2590	0	23.9	0	23.9	0	0	0
540	wt	R	380-00	194	0	3.1	0	3.1	0	0	0
540	wt	R	598-00	1970	0	37.3	0	37.3	0	0	0
540	wt	R	Deer_A_Only	145081	0	76.1	0	76.1	0	9.5	19
540	wt	R	SUM	164037	0	160.2	0	160.2	0	9.5	19
540	wt	SUM	003-10	7966	0	10	0	10	0	0	0
540	wt	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
540	wt	SUM	005-10	2880	0	29	0	29	0	0	0
540	wt	SUM	380-00	200	0	3.1	0	3.1	0	0	0
540	wt	SUM	598-00	2251	3	55.2	0	58.2	0	0	0
540	wt	SUM	Deer_A_Only	169380	0	88.6	0	88.6	0	12.6	25.3
540	wt	SUM	SUM	189758	3	195.7	0	198.7	0	12.6	25.3
560	wt	N	003-10	845	0	0	0	0	0	0	0
560	wt	N	005-10	290	2.5	5.1	2.5	5.1	0	0	0
560	wt	N	560-00	49	0	6.7	0	6.7	0	0	0
560	wt	N	598-00	281	3	6	6	3	0	0	0
560	wt	N	599-00	98	0	10.9	2.7	8.2	0	0	0
560	wt	N	Deer_A_Only	24299	0	31.1	3.1	28	0	3.1	15.6
560	wt	N	SUM	25862	5.5	59.8	14.4	50.9	0	3.1	15.6
560	wt	R	003-10	7121	0	10	0	10	0	0	5
560	wt	R	004-10	7081	0	4.9	0	4.9	0	0	0
560	wt	R	005-10	2590	0	71.8	0	71.8	0	0	9.6
560	wt	R	007-11	1520	0	5.2	0	5.2	0	0	0
560	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
560	wt	R	560-00	301	4.6	0	4.6	0	0	0	0
560	wt	R	598-00	1970	0	29.8	0	29.8	0	7.5	0
560	wt	R	599-00	1904	0	35.3	0	35.3	0	0	0
560	wt	R	Deer_A_Only	145081	14.3	218.8	14.3	218.8	0	38.1	95.1
560	wt	R	SUM	173077	18.9	380.9	18.9	380.9	0	45.5	109.7

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
560	wt	SUM	003-10	7966	0	10	0	10	0	0	5
560	wt	SUM	004-10	7081	0	4.9	0	4.9	0	0	0
560	wt	SUM	005-10	2880	2.5	76.9	2.5	76.9	0	0	9.6
560	wt	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
560	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
560	wt	SUM	560-00	350	4.6	6.7	4.6	6.7	0	0	0
560	wt	SUM	598-00	2251	3	35.8	6	32.8	0	7.5	0
560	wt	SUM	599-00	2002	0	46.1	2.7	43.4	0	0	0
560	wt	SUM	Deer_A_Only	169380	14.3	249.9	17.4	246.8	0	41.2	110.7
560	wt	SUM	SUM	198939	24.4	440.7	33.3	431.8	0	48.6	125.3
570	wt	N	003-10	845	0	0	0	0	0	0	0
570	wt	N	005-10	290	0	12.7	0	12.7	0	0	0
570	wt	N	007-10	1330	0	0	0	0	0	0	0
570	wt	N	170-10	57	0	0	0	0	0	0	0
570	wt	N	335-40/Deer_A	9	0	0	0	0	0	0	0
570	wt	N	520-00	39	0	0	0	0	0	0	0
570	wt	N	560-00	49	0	0	0	0	0	0	0
570	wt	N	570-00	51	0	4.1	2	2	0	0	0
570	wt	N	580-00	64	0	0	0	0	0	0	0
570	wt	N	598-00	281	12	47.8	6	53.8	0	0	0
570	wt	N	599-00	98	0	0	0	0	0	0	0
570	wt	N	Deer_A_Only	24299	3.1	34.2	6.2	31.1	0	0	28
570	wt	N	SUM	27412	15.1	98.9	14.2	99.7	0	0	28
570	wt	R	003-10	7121	0	20.1	0	20.1	0	0	0
570	wt	R	005-10	2590	0	100.5	4.8	95.7	0	0	9.6
570	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
570	wt	R	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
570	wt	R	007-14	2003	4.8	0	4.8	0	0	0	0
570	wt	R	170-10	2114	0	5.3	0	5.3	0	0	0
570	wt	R	291-51/Deer_A	25	0	2.8	0	2.8	0	0	0
570	wt	R	335-40/Deer_A	397	4.1	0	4.1	0	0	0	4.1
570	wt	R	520-00	261	0	3.6	0	3.6	0	0	0
570	wt	R	560-00	301	0	9.3	0	9.3	0	0	0
570	wt	R	570-00	249	4.2	20.8	0	24.9	0	0	8.3
570	wt	R	580-00	186	0	3.3	0	3.3	0	0	0
570	wt	R	598-00	1970	7.5	156.7	0	164.2	0	7.5	0
570	wt	R	599-00	1904	0	11.8	0	11.8	0	0	0
570	wt	R	Deer_A_Only	145081	9.5	323.5	9.5	323.5	0	47.6	114.2
570	wt	R	SUM	173223	35.1	667.8	28.3	674.7	0	55	136.2
570	wt	SUM	003-10	7966	0	20.1	0	20.1	0	0	0
570	wt	SUM	005-10	2880	0	113.3	4.8	108.5	0	0	9.6
570	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
570	wt	SUM	007-13	5509	5.1	5.1	5.1	5.1	0	0	0
570	wt	SUM	007-14	2003	4.8	0	4.8	0	0	0	0
570	wt	SUM	170-10	2171	0	5.3	0	5.3	0	0	0
570	wt	SUM	291-51/Deer_A	25	0	2.8	0	2.8	0	0	0
570	wt	SUM	335-40/Deer_A	406	4.1	0	4.1	0	0	0	4.1
570	wt	SUM	520-00	300	0	3.6	0	3.6	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
570	wt	SUM	560-00	350	0	9.3	0	9.3	0	0	0
570	wt	SUM	570-00	300	4.2	24.8	2	26.9	0	0	8.3
570	wt	SUM	580-00	250	0	3.3	0	3.3	0	0	0
570	wt	SUM	598-00	2251	19.4	204.5	6	218	0	7.5	0
570	wt	SUM	599-00	2002	0	11.8	0	11.8	0	0	0
570	wt	SUM	Deer_A_Only	169380	12.6	357.7	15.7	354.6	0	47.6	142.2
570	wt	SUM	SUM	200635	50.2	766.7	42.5	774.3	0	55	164.2
575	wt	N	003-10	845	0	0	0	0	0	0	0
575	wt	N	005-10	290	0	15.3	2.5	12.7	0	0	0
575	wt	N	411-00	173	0	0	0	0	0	0	0
575	wt	N	510-40/Deer_A	18	0	0	0	0	0	0	0
575	wt	N	520-00	39	0	5.6	0	5.6	0	0	0
575	wt	N	560-00	49	0	0	0	0	0	0	0
575	wt	N	575-00	63	0	0	0	0	0	0	0
575	wt	N	580-00	64	0	1.8	0	1.8	0	0	0
575	wt	N	597-00	28	0	0	0	0	0	0	0
575	wt	N	598-00	281	0	0	0	0	0	0	0
575	wt	N	599-00	98	2.7	19.1	5.4	16.3	0	0	0
575	wt	N	620-00	110	0	0	0	0	0	0	0
575	wt	N	Deer_A_Only	24299	0	12.4	0	12.4	0	3.1	9.3
575	wt	N	SUM	26357	2.7	54.2	8	48.9	0	3.1	9.3
575	wt	R	003-10	7121	0	5	0	5	0	0	0
575	wt	R	005-10	2590	9.6	181.9	4.8	186.7	0	4.8	0
575	wt	R	007-13	5509	0	20.3	0	20.3	0	0	0
575	wt	R	007-14	2003	0	14.3	0	14.3	0	0	0
575	wt	R	411-00	633	0	5.1	0	5.1	0	0	0
575	wt	R	502-00	198	0	3.7	0	3.7	0	0	0
575	wt	R	510-40/Deer_A	317	0	3.6	0	3.6	0	0	0
575	wt	R	520-00	261	0	7.2	0	7.2	0	0	0
575	wt	R	560-00	301	0	4.6	0	4.6	0	0	0
575	wt	R	575-00	687	10.6	42.3	10.6	42.3	0	0	10.6
575	wt	R	580-00	186	0	3.3	0	3.3	0	0	0
575	wt	R	597-00	575	0	4.7	0	4.7	0	0	0
575	wt	R	598-00	1970	0	37.3	0	37.3	0	0	0
575	wt	R	599-00	1904	41.1	340.8	23.5	358.5	0	0	11.8
575	wt	R	620-00	490	0	4.4	0	4.4	0	0	0
575	wt	R	699-00	3502	0	8.6	0	8.6	0	0	0
575	wt	R	Deer_A_Only	145081	38.1	651.7	23.8	665.9	0	80.9	218.8
575	wt	R	SUM	173328	99.3	1338.7	62.6	1375.4	0	85.7	241.1
575	wt	SUM	003-10	7966	0	5	0	5	0	0	0
575	wt	SUM	005-10	2880	9.6	197.2	7.3	199.4	0	4.8	0
575	wt	SUM	007-13	5509	0	20.3	0	20.3	0	0	0
575	wt	SUM	007-14	2003	0	14.3	0	14.3	0	0	0
575	wt	SUM	411-00	806	0	5.1	0	5.1	0	0	0
575	wt	SUM	502-00	198	0	3.7	0	3.7	0	0	0
575	wt	SUM	510-40/Deer_A	335	0	3.6	0	3.6	0	0	0
575	wt	SUM	520-00	300	0	12.7	0	12.7	0	0	0
575	wt	SUM	560-00	350	0	4.6	0	4.6	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
575	wt	SUM	575-00	750	10.6	42.3	10.6	42.3	0	0	10.6
575	wt	SUM	580-00	250	0	5.2	0	5.2	0	0	0
575	wt	SUM	597-00	603	0	4.7	0	4.7	0	0	0
575	wt	SUM	598-00	2251	0	37.3	0	37.3	0	0	0
575	wt	SUM	599-00	2002	43.9	359.9	29	374.8	0	0	11.8
575	wt	SUM	620-00	600	0	4.4	0	4.4	0	0	0
575	wt	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
575	wt	SUM	Deer_A_Only	169380	38.1	664.1	23.8	678.4	0	84	228.1
575	wt	SUM	SUM	199685	102.1	1392.9	70.6	1424.3	0	88.8	250.5
580	wt	N	002-10	500	0	0	0	0	0	0	0
580	wt	N	003-10	845	0	0	0	0	0	0	0
580	wt	N	005-10	290	0	15.3	0	15.3	0	0	0
580	wt	N	007-10	1330	0	0	0	0	0	0	0
580	wt	N	310-00	3	0	0	0	0	0	0	0
580	wt	N	315-01	57	0	0	0	0	0	0	0
580	wt	N	318-40/Deer_A	8	0	0	0	0	0	0	0
580	wt	N	380-40/Deer_A	49	0	0	0	0	0	0	0
580	wt	N	388-10	15	0	0	0	0	0	0	0
580	wt	N	391-00	2	0	0	0	0	0	0	0
580	wt	N	412-00	177	0	0	0	0	0	0	0
580	wt	N	471-00	40	0	0	0	0	0	0	0
580	wt	N	510-00	9	0	0	0	0	0	0	0
580	wt	N	510-40/Deer_A	18	0	0	0	0	0	0	0
580	wt	N	560-00	49	0	0	0	0	0	0	0
580	wt	N	580-00	64	0	12.8	0	12.8	0	0	0
580	wt	N	598-00	281	17.9	56.8	12	62.8	0	0	0
580	wt	N	599-00	98	0	2.7	0	2.7	0	0	0
580	wt	N	Deer_A_Only	24299	12.4	115.1	6.2	121.4	0	12.4	74.7
580	wt	N	SUM	28134	30.4	202.7	18.2	214.9	0	12.4	74.7
580	wt	R	002-10	8803	0	10.7	0	10.7	0	0	0
580	wt	R	003-10	7121	0	15.1	0	15.1	0	0	0
580	wt	R	004-10	7081	0	9.7	0	9.7	0	0	0
580	wt	R	005-10	2590	0	67	0	67	0	0	0
580	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
580	wt	R	007-11	1520	0	5.2	0	5.2	0	0	0
580	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
580	wt	R	310-00	22	0	4.4	0	4.4	0	0	0
580	wt	R	315-01	198	0	3.1	0	3.1	0	0	0
580	wt	R	318-40/Deer_A	204	0	3.2	0	3.2	0	0	0
580	wt	R	380-40/Deer_A	1253	0	4.1	0	4.1	0	0	0
580	wt	R	388-10	434	0	4	0	4	0	0	0
580	wt	R	391-00	98	0	3.5	0	3.5	0	0	0
580	wt	R	412-00	623	0	6.4	0	6.4	0	0	0
580	wt	R	471-00	260	0	5.1	0	5.1	0	0	0
580	wt	R	510-00	142	8.9	0	8.9	0	0	0	0
580	wt	R	510-40/Deer_A	317	3.6	0	3.6	0	0	0	0
580	wt	R	560-00	301	0	4.6	0	4.6	0	0	0
580	wt	R	580-00	186	0	26.6	0	26.6	0	3.3	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
580	wt	R	598-00	1970	14.9	358.2	14.9	350.7	7.5	0	0
580	wt	R	599-00	1904	0	5.9	0	5.9	0	0	0
580	wt	R	Deer_A_Only	145081	4.8	375.8	0	380.5	0	47.6	109.4
580	wt	R	SUM	189129	32.2	923	27.4	920.3	7.5	50.9	109.4
580	wt	SUM	002-10	9303	0	10.7	0	10.7	0	0	0
580	wt	SUM	003-10	7966	0	15.1	0	15.1	0	0	0
580	wt	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
580	wt	SUM	005-10	2880	0	82.3	0	82.3	0	0	0
580	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
580	wt	SUM	007-11	1520	0	5.2	0	5.2	0	0	0
580	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
580	wt	SUM	310-00	25	0	4.4	0	4.4	0	0	0
580	wt	SUM	315-01	255	0	3.1	0	3.1	0	0	0
580	wt	SUM	318-40/Deer_A	212	0	3.2	0	3.2	0	0	0
580	wt	SUM	380-40/Deer_A	1302	0	4.1	0	4.1	0	0	0
580	wt	SUM	388-10	449	0	4	0	4	0	0	0
580	wt	SUM	391-00	100	0	3.5	0	3.5	0	0	0
580	wt	SUM	412-00	800	0	6.4	0	6.4	0	0	0
580	wt	SUM	471-00	300	0	5.1	0	5.1	0	0	0
580	wt	SUM	510-00	151	8.9	0	8.9	0	0	0	0
580	wt	SUM	510-40/Deer_A	335	3.6	0	3.6	0	0	0	0
580	wt	SUM	560-00	350	0	4.6	0	4.6	0	0	0
580	wt	SUM	580-00	250	0	39.4	0	39.4	0	3.3	0
580	wt	SUM	598-00	2251	32.9	415	26.9	413.5	7.5	0	0
580	wt	SUM	599-00	2002	0	8.6	0	8.6	0	0	0
580	wt	SUM	Deer_A_Only	169380	17.2	490.9	6.2	501.9	0	60	184.1
580	wt	SUM	SUM	217263	62.5	1125.7	45.6	1135.2	7.5	63.3	184.1
590	wt	N	005-10	290	0	20.4	0	20.4	0	2.5	0
590	wt	N	007-10	1330	0	3.2	0	3.2	0	0	0
590	wt	N	318-40/Deer_A	8	0	0	0	0	0	0	0
590	wt	N	530-01	35	0	2.2	0	2.2	0	2.2	0
590	wt	N	530-50/Deer_A	89	0	1.9	0	1.9	0	1.9	0
590	wt	N	570-00	51	0	0	0	0	0	0	0
590	wt	N	590-00	35	0	2.2	0	2.2	0	0	0
590	wt	N	597-00	28	0	7.6	0	7.6	0	0	0
590	wt	N	598-00	281	3	9	3	9	0	0	0
590	wt	N	599-00	98	0	0	0	0	0	0	0
590	wt	N	Deer_A_Only	24299	9.3	24.9	12.4	21.8	0	3.1	24.9
590	wt	N	SUM	26544	12.3	71.3	15.4	68.2	0	9.8	24.9
590	wt	R	005-10	2590	4.8	67	4.8	62.2	4.8	0	0
590	wt	R	007-10	3512	0	0	0	0	0	0	0
590	wt	R	318-40/Deer_A	204	0	3.2	0	3.2	0	0	0
590	wt	R	530-01	218	0	0	0	0	0	0	0
590	wt	R	530-50/Deer_A	614	0	0	0	0	0	0	0
590	wt	R	570-00	249	0	4.2	0	4.2	0	0	0
590	wt	R	590-00	315	3.5	14.2	3.5	14.2	0	0	0
590	wt	R	597-00	575	4.7	70.1	4.7	70.1	0	0	0
590	wt	R	598-00	1970	22.4	44.8	14.9	52.2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
590	wt	R	599-00	1904	5.9	29.4	5.9	29.4	0	0	0
590	wt	R	699-00	3502	0	8.6	0	8.6	0	0	0
590	wt	R	Deer_A_Only	145081	38.1	380.5	42.8	371	4.8	57.1	161.7
590	wt	R	SUM	160734	79.3	622	76.6	615.1	9.5	57.1	161.7
590	wt	SUM	005-10	2880	4.8	87.4	4.8	82.6	4.8	2.5	0
590	wt	SUM	007-10	4842	0	3.2	0	3.2	0	0	0
590	wt	SUM	318-40/Deer_A	212	0	3.2	0	3.2	0	0	0
590	wt	SUM	530-01	253	0	2.2	0	2.2	0	2.2	0
590	wt	SUM	530-50/Deer_A	703	0	1.9	0	1.9	0	1.9	0
590	wt	SUM	570-00	300	0	4.2	0	4.2	0	0	0
590	wt	SUM	590-00	350	3.5	16.3	3.5	16.3	0	0	0
590	wt	SUM	597-00	603	4.7	77.8	4.7	77.8	0	0	0
590	wt	SUM	598-00	2251	25.4	53.7	17.9	61.2	0	0	0
590	wt	SUM	599-00	2002	5.9	29.4	5.9	29.4	0	0	0
590	wt	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
590	wt	SUM	Deer_A_Only	169380	47.4	405.4	55.3	392.8	4.8	60.2	186.6
590	wt	SUM	SUM	187278	91.6	693.3	92.1	683.4	9.5	66.9	186.6
5XX	wt	N	Deer_A_Only	24299	3.1	6.2	3.1	6.2	0	3.1	6.2
5XX	wt	N	SUM	24299	3.1	6.2	3.1	6.2	0	3.1	6.2
5XX	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
5XX	wt	R	007-13	5509	0	5.1	0	5.1	0	0	0
5XX	wt	R	007-14	2003	0	4.8	0	4.8	0	0	0
5XX	wt	R	599-00	1904	0	23.5	0	23.5	0	0	0
5XX	wt	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	4.8
5XX	wt	R	SUM	158009	0	52.9	0	52.9	0	0	4.8
5XX	wt	SUM	007-10	3512	0	5.3	0	5.3	0	0	0
5XX	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	0
5XX	wt	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
5XX	wt	SUM	599-00	1904	0	23.5	0	23.5	0	0	0
5XX	wt	SUM	Deer_A_Only	169380	3.1	20.5	3.1	20.5	0	3.1	11
5XX	wt	SUM	SUM	182308	3.1	59.1	3.1	59.1	0	3.1	11
600	wt	N	600-00	47	0	2.6	0	2.6	0	0	0
600	wt	N	698-00	851	0	3.8	0	3.8	0	0	0
600	wt	N	Deer_A_Only	24299	0	18.7	0	18.7	0	0	18.7
600	wt	N	SUM	25197	0	25.1	0	25.1	0	0	18.7
600	wt	R	006-10	1778	0	24.6	0	24.6	0	0	0
600	wt	R	600-00	453	5.7	34.4	0	40.1	0	0	0
600	wt	R	699-00	3502	8.6	240.3	0	248.9	0	0	0
600	wt	R	Deer_A_Only	145081	4.8	247.4	0	247.4	4.8	14.3	118.9
600	wt	R	SUM	150814	19.1	546.6	0	561	4.8	14.3	118.9
600	wt	SUM	006-10	1778	0	24.6	0	24.6	0	0	0
600	wt	SUM	600-00	500	5.7	37	0	42.8	0	0	0
600	wt	SUM	698-00	851	0	3.8	0	3.8	0	0	0
600	wt	SUM	699-00	3502	8.6	240.3	0	248.9	0	0	0
600	wt	SUM	Deer_A_Only	169380	4.8	266	0	266	4.8	14.3	137.6
600	wt	SUM	SUM	176011	19.1	571.7	0	586	4.8	14.3	137.6
610	wt	N	610-00	2	0	0	0	0	0	0	0
610	wt	N	690-00	47	0	1.8	0	1.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
610	wt	N	698-00	851	0	0	0	0	0	0	0
610	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	9.3
610	wt	N	SUM	25199	0	11.1	0	11.1	0	0	9.3
610	wt	R	006-10	1778	0	9.8	0	9.8	0	0	0
610	wt	R	610-00	48	0	2.4	0	2.4	0	0	2.4
610	wt	R	690-00	453	0	0	0	0	0	0	0
610	wt	R	699-00	3502	0	8.6	0	8.6	0	0	0
610	wt	R	Deer_A_Only	145081	0	114.2	0	114.2	0	14.3	85.6
610	wt	R	SUM	150862	0	135	0	135	0	14.3	88
610	wt	SUM	006-10	1778	0	9.8	0	9.8	0	0	0
610	wt	SUM	610-00	50	0	2.4	0	2.4	0	0	2.4
610	wt	SUM	690-00	500	0	1.8	0	1.8	0	0	0
610	wt	SUM	698-00	851	0	0	0	0	0	0	0
610	wt	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
610	wt	SUM	Deer_A_Only	169380	0	123.5	0	123.5	0	14.3	95
610	wt	SUM	SUM	176061	0	146.1	0	146.1	0	14.3	97.4
611	wt	N	611-00	67	0	3.4	0	3.4	0	0	0
611	wt	N	620-00	110	0	0	0	0	0	0	0
611	wt	N	698-00	851	0	15.2	0	15.2	0	0	0
611	wt	N	Deer_A_Only	24299	0	9.3	0	9.3	0	0	9.3
611	wt	N	SUM	25327	0	27.9	0	27.9	0	0	9.3
611	wt	R	006-10	1778	0	14.7	0	14.7	0	0	0
611	wt	R	611-00	398	5	29.9	0	34.8	0	0	0
611	wt	R	620-00	490	0	4.4	0	4.4	0	0	0
611	wt	R	699-00	3502	0	25.8	0	25.8	0	0	0
611	wt	R	Deer_A_Only	145081	4.8	128.4	0	133.2	0	4.8	80.9
611	wt	R	SUM	151249	9.7	203.1	0	212.9	0	4.8	80.9
611	wt	SUM	006-10	1778	0	14.7	0	14.7	0	0	0
611	wt	SUM	611-00	465	5	33.2	0	38.2	0	0	0
611	wt	SUM	620-00	600	0	4.4	0	4.4	0	0	0
611	wt	SUM	698-00	851	0	15.2	0	15.2	0	0	0
611	wt	SUM	699-00	3502	0	25.8	0	25.8	0	0	0
611	wt	SUM	Deer_A_Only	169380	4.8	137.8	0	142.5	0	4.8	90.2
611	wt	SUM	SUM	176576	9.7	231	0	240.8	0	4.8	90.2
620	wt	N	003-10	845	0	0	0	0	0	0	0
620	wt	N	611-00	67	0	6.7	0	6.7	0	0	0
620	wt	N	620-00	110	0	0	0	0	0	0	0
620	wt	N	698-00	851	0	11.4	0	7.6	3.8	0	0
620	wt	N	Deer_A_Only	24299	3.1	28	3.1	28	0	0	28
620	wt	N	SUM	26172	3.1	46.1	3.1	42.3	3.8	0	28
620	wt	R	003-10	7121	0	5	0	5	0	0	0
620	wt	R	006-10	1778	4.9	49.1	0	54	0	0	4.9
620	wt	R	611-00	398	0	0	0	0	0	0	0
620	wt	R	620-00	490	0	13.1	0	13.1	0	0	0
620	wt	R	699-00	3502	8.6	42.9	0	51.5	0	0	0
620	wt	R	Deer_A_Only	145081	9.5	137.9	4.8	142.7	0	14.3	76.1
620	wt	R	SUM	158370	23	248.1	4.8	266.4	0	14.3	81
620	wt	SUM	003-10	7966	0	5	0	5	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
620	wt	SUM	006-10	1778	4.9	49.1	0	54	0	0	4.9
620	wt	SUM	611-00	465	0	6.7	0	6.7	0	0	0
620	wt	SUM	620-00	600	0	13.1	0	13.1	0	0	0
620	wt	SUM	698-00	851	0	11.4	0	7.6	3.8	0	0
620	wt	SUM	699-00	3502	8.6	42.9	0	51.5	0	0	0
620	wt	SUM	Deer_A_Only	169380	12.6	166	7.9	170.7	0	14.3	104.1
620	wt	SUM	SUM	184542	26.1	294.2	7.9	308.7	3.8	14.3	109
621	wt	N	007-10	1330	0	0	0	0	0	0	0
621	wt	N	698-00	851	3.8	3.8	3.8	3.8	0	0	0
621	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	0
621	wt	N	SUM	26480	3.8	6.9	3.8	6.9	0	0	0
621	wt	R	006-10	1778	0	4.9	0	4.9	0	0	4.9
621	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
621	wt	R	699-00	3502	0	8.6	0	8.6	0	0	0
621	wt	R	Deer_A_Only	145081	0	28.5	0	28.5	0	0	23.8
621	wt	R	SUM	153873	0	47.3	0	47.3	0	0	28.7
621	wt	SUM	006-10	1778	0	4.9	0	4.9	0	0	4.9
621	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	0
621	wt	SUM	698-00	851	3.8	3.8	3.8	3.8	0	0	0
621	wt	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
621	wt	SUM	Deer_A_Only	169380	0	31.7	0	31.7	0	0	23.8
621	wt	SUM	SUM	180353	3.8	54.2	3.8	54.2	0	0	28.7
622	wt	N	570-00	51	0	0	0	0	0	0	0
622	wt	N	599-00	98	0	0	0	0	0	0	0
622	wt	N	620-00	110	0	0	0	0	0	0	0
622	wt	N	698-00	851	0	0	0	0	0	0	0
622	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
622	wt	N	SUM	25409	0	0	0	0	0	0	0
622	wt	R	006-10	1778	0	0	0	0	0	0	0
622	wt	R	570-00	249	0	4.2	0	4.2	0	0	0
622	wt	R	599-00	1904	0	11.8	0	11.8	0	0	0
622	wt	R	620-00	490	0	4.4	0	4.4	0	0	0
622	wt	R	699-00	3502	0	0	0	0	0	0	0
622	wt	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	0
622	wt	R	SUM	153004	0	25	0	25	0	0	0
622	wt	SUM	006-10	1778	0	0	0	0	0	0	0
622	wt	SUM	570-00	300	0	4.2	0	4.2	0	0	0
622	wt	SUM	599-00	2002	0	11.8	0	11.8	0	0	0
622	wt	SUM	620-00	600	0	4.4	0	4.4	0	0	0
622	wt	SUM	698-00	851	0	0	0	0	0	0	0
622	wt	SUM	699-00	3502	0	0	0	0	0	0	0
622	wt	SUM	Deer_A_Only	169380	0	4.8	0	4.8	0	0	0
622	wt	SUM	SUM	178413	0	25	0	25	0	0	0
630	wt	N	002-10	500	0	4.4	0	4.4	0	0	4.4
630	wt	N	007-10	1330	0	0	0	0	0	0	0
630	wt	N	170-10	57	0	0	0	0	0	0	0
630	wt	N	260-10	103	0	0	0	0	0	0	0
630	wt	N	388-10	15	0	0	0	0	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
630	wt	N	426-00	94	0	0	0	0	0	0	0
630	wt	N	499-00	169	0	0	0	0	0	0	0
630	wt	N	510-00	9	0	0	0	0	0	0	0
630	wt	N	600-00	47	0	0	0	0	0	0	0
630	wt	N	620-00	110	0	0	0	0	0	0	0
630	wt	N	630-00	204	0	12.8	0	12.8	0	0	0
630	wt	N	630-01	3	0	0	0	0	0	0	0
630	wt	N	630-20	2	0	2	0	2	0	0	0
630	wt	N	650-00	56	0	0	0	0	0	0	0
630	wt	N	652-00	25	0	0	0	0	0	0	0
630	wt	N	652-50/Deer_A	10	0	0	0	0	0	0	0
630	wt	N	670-00	232	0	5.5	0	5.5	0	0	0
630	wt	N	698-00	851	7.6	114	3.8	117.8	0	0	3.8
630	wt	N	Deer_A_Only	24299	31.1	87.1	21.8	96.5	0	0	105.8
630	wt	N	SUM	28116	38.7	225.8	25.6	238.9	0	0	114
630	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
630	wt	R	004-10	7081	0	9.7	0	9.7	0	0	0
630	wt	R	006-10	1778	4.9	83.5	4.9	83.5	0	0	4.9
630	wt	R	007-10	3512	0	5.3	0	5.3	0	0	5.3
630	wt	R	007-13	5509	0	5.1	0	5.1	0	0	5.1
630	wt	R	110-00	49	2.6	0	2.6	0	0	0	0
630	wt	R	170-10	2114	0	5.3	0	5.3	0	0	5.3
630	wt	R	260-10	3415	8.2	0	0	8.2	0	0	0
630	wt	R	388-10	434	0	4	0	4	0	0	0
630	wt	R	426-00	456	5.4	0	5.4	0	0	0	0
630	wt	R	499-00	835	0	8.1	0	8.1	0	0	0
630	wt	R	510-00	142	0	4.4	0	4.4	0	0	0
630	wt	R	600-00	453	0	5.7	0	5.7	0	0	0
630	wt	R	620-00	490	0	8.8	0	8.8	0	0	0
630	wt	R	630-00	497	9.7	78	4.9	78	4.9	0	0
630	wt	R	630-01	20	3.3	6.7	0	6.7	3.3	0	0
630	wt	R	630-20	8	0	2.7	0	2.7	0	0	2.7
630	wt	R	650-00	144	0	3.3	0	3.3	0	0	0
630	wt	R	652-00	75	0	5.4	0	5.4	0	0	0
630	wt	R	652-50/Deer_A	90	0	5.8	0	5.8	0	0	0
630	wt	R	670-00	559	0	6.3	0	6.3	0	0	0
630	wt	R	699-00	3502	77.2	274.7	60.1	283.2	8.6	8.6	8.6
630	wt	R	Deer_A_Only	145081	42.8	294.9	28.5	299.7	9.5	42.8	118.9
630	wt	R	SUM	185047	154.2	822.8	106.4	844.4	26.3	51.4	150.7
630	wt	SUM	002-10	9303	0	9.8	0	9.8	0	0	4.4
630	wt	SUM	004-10	7081	0	9.7	0	9.7	0	0	0
630	wt	SUM	006-10	1778	4.9	83.5	4.9	83.5	0	0	4.9
630	wt	SUM	007-10	4842	0	5.3	0	5.3	0	0	5.3
630	wt	SUM	007-13	5509	0	5.1	0	5.1	0	0	5.1
630	wt	SUM	110-00	49	2.6	0	2.6	0	0	0	0
630	wt	SUM	170-10	2171	0	5.3	0	5.3	0	0	5.3
630	wt	SUM	260-10	3518	8.2	0	0	8.2	0	0	0
630	wt	SUM	388-10	449	0	4	0	4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
630	wt	SUM	426-00	550	5.4	0	5.4	0	0	0	0
630	wt	SUM	499-00	1004	0	8.1	0	8.1	0	0	0
630	wt	SUM	510-00	151	0	4.4	0	4.4	0	0	0
630	wt	SUM	600-00	500	0	5.7	0	5.7	0	0	0
630	wt	SUM	620-00	600	0	8.8	0	8.8	0	0	0
630	wt	SUM	630-00	701	9.7	90.7	4.9	90.7	4.9	0	0
630	wt	SUM	630-01	23	3.3	6.7	0	6.7	3.3	0	0
630	wt	SUM	630-20	10	0	4.7	0	4.7	0	0	2.7
630	wt	SUM	650-00	200	0	3.3	0	3.3	0	0	0
630	wt	SUM	652-00	100	0	5.4	0	5.4	0	0	0
630	wt	SUM	652-50/Deer_A	100	0	5.8	0	5.8	0	0	0
630	wt	SUM	670-00	791	0	11.8	0	11.8	0	0	0
630	wt	SUM	698-00	851	7.6	114	3.8	117.8	0	0	3.8
630	wt	SUM	699-00	3502	77.2	274.7	60.1	283.2	8.6	8.6	8.6
630	wt	SUM	Deer_A_Only	169380	73.9	382.1	50.3	396.1	9.5	42.8	224.7
630	wt	SUM	SUM	213163	193	1048.6	131.9	1083.3	26.3	51.4	264.7
631	wt	N	630-00	204	0	0	0	0	0	0	0
631	wt	N	698-00	851	0	0	0	0	0	0	0
631	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
631	wt	N	SUM	25354	0	3.1	0	3.1	0	0	3.1
631	wt	R	006-10	1778	0	0	0	0	0	0	0
631	wt	R	630-00	497	4.9	0	4.9	0	0	0	0
631	wt	R	699-00	3502	0	0	0	0	0	0	0
631	wt	R	Deer_A_Only	145081	0	0	0	0	0	0	0
631	wt	R	SUM	150858	4.9	0	4.9	0	0	0	0
631	wt	SUM	006-10	1778	0	0	0	0	0	0	0
631	wt	SUM	630-00	701	4.9	0	4.9	0	0	0	0
631	wt	SUM	698-00	851	0	0	0	0	0	0	0
631	wt	SUM	699-00	3502	0	0	0	0	0	0	0
631	wt	SUM	Deer_A_Only	169380	0	3.1	0	3.1	0	0	3.1
631	wt	SUM	SUM	176212	4.9	3.1	4.9	3.1	0	0	3.1
632	wt	N	698-00	851	0	0	0	0	0	0	0
632	wt	N	Deer_A_Only	24299	0	6.2	0	6.2	0	0	6.2
632	wt	N	SUM	25150	0	6.2	0	6.2	0	0	6.2
632	wt	R	006-10	1778	0	4.9	0	4.9	0	0	0
632	wt	R	699-00	3502	0	0	0	0	0	0	0
632	wt	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	4.8
632	wt	R	SUM	150361	0	9.7	0	9.7	0	0	4.8
632	wt	SUM	006-10	1778	0	4.9	0	4.9	0	0	0
632	wt	SUM	698-00	851	0	0	0	0	0	0	0
632	wt	SUM	699-00	3502	0	0	0	0	0	0	0
632	wt	SUM	Deer_A_Only	169380	0	11	0	11	0	0	11
632	wt	SUM	SUM	175511	0	15.9	0	15.9	0	0	11
640	wt	N	005-10	290	0	0	0	0	0	0	0
640	wt	N	640-00	85	0	6.4	0	6.4	0	0	0
640	wt	N	698-00	851	0	26.6	0	26.6	0	0	0
640	wt	N	Deer_A_Only	24299	0	43.6	0	43.6	0	3.1	37.3
640	wt	N	SUM	25525	0	76.5	0	76.5	0	3.1	37.3

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
640	wt	R	005-10	2590	0	4.8	0	4.8	0	0	0
640	wt	R	006-10	1778	0	54	0	44.2	9.8	0	0
640	wt	R	640-00	315	0	65.2	0	65.2	0	0	0
640	wt	R	699-00	3502	0	103	0	103	0	0	0
640	wt	R	Deer_A_Only	145081	4.8	294.9	0	294.9	4.8	19	171.2
640	wt	R	SUM	153266	4.8	521.9	0	512.1	14.6	19	171.2
640	wt	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
640	wt	SUM	006-10	1778	0	54	0	44.2	9.8	0	0
640	wt	SUM	640-00	400	0	71.5	0	71.5	0	0	0
640	wt	SUM	698-00	851	0	26.6	0	26.6	0	0	0
640	wt	SUM	699-00	3502	0	103	0	103	0	0	0
640	wt	SUM	Deer_A_Only	169380	4.8	338.5	0	338.5	4.8	22.1	208.6
640	wt	SUM	SUM	178791	4.8	598.4	0	588.6	14.6	22.1	208.6
641	wt	N	007-10	1330	0	3.2	0	3.2	0	0	0
641	wt	N	599-00	98	0	0	0	0	0	0	0
641	wt	N	698-00	851	0	22.8	0	22.8	0	0	0
641	wt	N	Deer_A_Only	24299	6.2	68.5	3.1	68.5	3.1	0	74.7
641	wt	N	SUM	26578	6.2	94.4	3.1	94.4	3.1	0	74.7
641	wt	R	006-10	1778	0	34.4	0	34.4	0	0	0
641	wt	R	007-10	3512	0	5.3	0	5.3	0	0	0
641	wt	R	599-00	1904	0	5.9	0	5.9	0	0	0
641	wt	R	699-00	3502	0	60.1	0	60.1	0	0	0
641	wt	R	Deer_A_Only	145081	0	147.5	0	147.5	0	14.3	90.4
641	wt	R	SUM	155777	0	253.1	0	253.1	0	14.3	90.4
641	wt	SUM	006-10	1778	0	34.4	0	34.4	0	0	0
641	wt	SUM	007-10	4842	0	8.4	0	8.4	0	0	0
641	wt	SUM	599-00	2002	0	5.9	0	5.9	0	0	0
641	wt	SUM	698-00	851	0	22.8	0	22.8	0	0	0
641	wt	SUM	699-00	3502	0	60.1	0	60.1	0	0	0
641	wt	SUM	Deer_A_Only	169380	6.2	215.9	3.1	215.9	3.1	14.3	165.1
641	wt	SUM	SUM	182355	6.2	347.5	3.1	347.5	3.1	14.3	165.1
650	wt	N	007-10	1330	0	3.2	0	3.2	0	0	0
650	wt	N	650-00	56	0	2.3	0	2.3	0	0	0
650	wt	N	651-00	78	0	2	0	2	0	0	0
650	wt	N	698-00	851	3.8	38	3.8	34.2	3.8	0	0
650	wt	N	Deer_A_Only	24299	3.1	28	6.2	24.9	0	0	28
650	wt	N	SUM	26614	6.9	73.5	10	66.6	3.8	0	28
650	wt	R	006-10	1778	0	49.1	0	49.1	0	0	0
650	wt	R	007-10	3512	0	10.5	0	10.5	0	0	0
650	wt	R	650-00	144	0	0	0	0	0	0	0
650	wt	R	651-00	131	0	0	0	0	0	0	0
650	wt	R	699-00	3502	8.6	60.1	8.6	60.1	0	0	0
650	wt	R	Deer_A_Only	145081	0	218.8	0	214.1	4.8	14.3	128.4
650	wt	R	SUM	154148	8.6	338.5	8.6	333.8	4.8	14.3	128.4
650	wt	SUM	006-10	1778	0	49.1	0	49.1	0	0	0
650	wt	SUM	007-10	4842	0	13.7	0	13.7	0	0	0
650	wt	SUM	650-00	200	0	2.3	0	2.3	0	0	0
650	wt	SUM	651-00	209	0	2	0	2	0	0	0



Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
650	wt	SUM	698-00	851	3.8	38	3.8	34.2	3.8	0	0
650	wt	SUM	699-00	3502	8.6	60.1	8.6	60.1	0	0	0
650	wt	SUM	Deer_A_Only	169380	3.1	246.8	6.2	239	4.8	14.3	156.4
650	wt	SUM	SUM	180762	15.5	412.1	18.6	400.4	8.6	14.3	156.4
651	wt	N	007-10	1330	0	0	0	0	0	0	0
651	wt	N	651-00	78	0	14	0	14	0	0	0
651	wt	N	698-00	851	22.8	38	15.2	45.6	0	0	7.6
651	wt	N	Deer_A_Only	24299	12.4	96.5	9.3	99.6	0	6.2	87.1
651	wt	N	SUM	26558	35.2	148.5	24.5	159.2	0	6.2	94.7
651	wt	R	006-10	1778	4.9	54	0	58.9	0	0	0
651	wt	R	007-10	3512	0	10.5	0	10.5	0	0	0
651	wt	R	007-11	1520	0	10.4	0	10.4	0	0	0
651	wt	R	007-13	5509	0	10.1	0	10.1	0	0	0
651	wt	R	007-14	2003	0	9.5	0	9.5	0	0	0
651	wt	R	651-00	131	3.3	16.4	3.3	16.4	0	0	0
651	wt	R	699-00	3502	0	42.9	0	42.9	0	0	0
651	wt	R	Deer_A_Only	145081	9.5	214.1	9.5	214.1	0	19	123.7
651	wt	R	SUM	163036	17.7	368	12.8	372.9	0	19	123.7
651	wt	SUM	006-10	1778	4.9	54	0	58.9	0	0	0
651	wt	SUM	007-10	4842	0	10.5	0	10.5	0	0	0
651	wt	SUM	007-11	1520	0	10.4	0	10.4	0	0	0
651	wt	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
651	wt	SUM	007-14	2003	0	9.5	0	9.5	0	0	0
651	wt	SUM	651-00	209	3.3	30.4	3.3	30.4	0	0	0
651	wt	SUM	698-00	851	22.8	38	15.2	45.6	0	0	7.6
651	wt	SUM	699-00	3502	0	42.9	0	42.9	0	0	0
651	wt	SUM	Deer_A_Only	169380	22	310.5	18.8	313.6	0	25.3	210.8
651	wt	SUM	SUM	189594	52.9	516.4	37.3	532.1	0	25.3	218.4
652	wt	N	652-50/Deer_A	10	0	1.2	0	1.2	0	0	1.2
652	wt	N	698-00	851	0	0	0	0	0	0	0
652	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
652	wt	N	SUM	25160	0	1.2	0	1.2	0	0	1.2
652	wt	R	006-10	1778	0	4.9	0	4.9	0	0	0
652	wt	R	652-50/Deer_A	90	0	0	0	0	0	0	0
652	wt	R	699-00	3502	0	0	0	0	0	0	0
652	wt	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	4.8
652	wt	R	SUM	150451	0	9.7	0	9.7	0	0	4.8
652	wt	SUM	006-10	1778	0	4.9	0	4.9	0	0	0
652	wt	SUM	652-50/Deer_A	100	0	1.2	0	1.2	0	0	1.2
652	wt	SUM	698-00	851	0	0	0	0	0	0	0
652	wt	SUM	699-00	3502	0	0	0	0	0	0	0
652	wt	SUM	Deer_A_Only	169380	0	4.8	0	4.8	0	0	4.8
652	wt	SUM	SUM	175611	0	10.9	0	10.9	0	0	6
670	wt	N	003-10	845	0	0	0	0	0	0	0
670	wt	N	007-10	1330	0	3.2	0	3.2	0	0	0
670	wt	N	611-00	67	0	0	0	0	0	0	0
670	wt	N	630-00	204	0	4.2	0	4.2	0	0	0
670	wt	N	651-00	78	2	0	0	2	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
670	wt	N	670-00	232	2.8	33.1	0	35.9	0	0	0
670	wt	N	680-00	88	0	2.2	0	2.2	0	0	0
670	wt	N	698-00	851	7.6	83.6	7.6	83.6	0	0	0
670	wt	N	Deer_A_Only	24299	0	80.9	0	80.9	0	3.1	65.4
670	wt	N	SUM	27994	12.4	207.3	7.6	212	0	3.1	65.4
670	wt	R	003-10	7121	5	0	0	5	0	0	5
670	wt	R	006-10	1778	4.9	34.4	4.9	34.4	0	4.9	0
670	wt	R	007-10	3512	0	0	0	0	0	0	0
670	wt	R	611-00	398	0	5	0	5	0	0	5
670	wt	R	630-00	497	0	0	0	0	0	0	0
670	wt	R	651-00	131	0	0	0	0	0	0	0
670	wt	R	670-00	559	6.3	44	0	50.2	0	6.3	6.3
670	wt	R	680-00	412	0	0	0	0	0	0	0
670	wt	R	699-00	3502	8.6	77.2	8.6	77.2	0	0	0
670	wt	R	Deer_A_Only	145081	19	199.8	14.3	204.5	0	4.8	157
670	wt	R	SUM	162991	43.8	360.4	27.8	376.4	0	15.9	173.2
670	wt	SUM	003-10	7966	5	0	0	5	0	0	5
670	wt	SUM	006-10	1778	4.9	34.4	4.9	34.4	0	4.9	0
670	wt	SUM	007-10	4842	0	3.2	0	3.2	0	0	0
670	wt	SUM	611-00	465	0	5	0	5	0	0	5
670	wt	SUM	630-00	701	0	4.2	0	4.2	0	0	0
670	wt	SUM	651-00	209	2	0	0	2	0	0	0
670	wt	SUM	670-00	791	9	77.1	0	86.2	0	6.3	6.3
670	wt	SUM	680-00	500	0	2.2	0	2.2	0	0	0
670	wt	SUM	698-00	851	7.6	83.6	7.6	83.6	0	0	0
670	wt	SUM	699-00	3502	8.6	77.2	8.6	77.2	0	0	0
670	wt	SUM	Deer_A_Only	169380	19	280.7	14.3	285.5	0	7.9	222.3
670	wt	SUM	SUM	190985	56.2	567.6	35.4	588.4	0	19.1	238.6
680	wt	N	392-40/Deer_A	79	0	0	0	0	0	0	0
680	wt	N	598-00	281	0	0	0	0	0	0	0
680	wt	N	680-00	88	0	2.2	0	2.2	0	0	0
680	wt	N	698-00	851	0	0	0	0	0	0	0
680	wt	N	Deer_A_Only	24299	0	0	0	0	0	0	0
680	wt	N	SUM	25598	0	2.2	0	2.2	0	0	0
680	wt	R	006-10	1778	0	0	0	0	0	0	0
680	wt	R	392-40/Deer_A	719	0	4.1	0	4.1	0	0	0
680	wt	R	598-00	1970	0	7.5	0	7.5	0	0	0
680	wt	R	680-00	412	0	21.4	0	21.4	0	0	0
680	wt	R	699-00	3502	0	8.6	0	8.6	0	0	0
680	wt	R	Deer_A_Only	145081	0	4.8	0	4.8	0	0	0
680	wt	R	SUM	153462	0	46.3	0	46.3	0	0	0
680	wt	SUM	006-10	1778	0	0	0	0	0	0	0
680	wt	SUM	392-40/Deer_A	798	0	4.1	0	4.1	0	0	0
680	wt	SUM	598-00	2251	0	7.5	0	7.5	0	0	0
680	wt	SUM	680-00	500	0	23.6	0	23.6	0	0	0
680	wt	SUM	698-00	851	0	0	0	0	0	0	0
680	wt	SUM	699-00	3502	0	8.6	0	8.6	0	0	0
680	wt	SUM	Deer_A_Only	169380	0	4.8	0	4.8	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
680	wt	SUM	SUM	179060	0	48.5	0	48.5	0	0	0
690	wt	N	600-00	47	0	0	0	0	0	0	0
690	wt	N	690-00	47	0	7.2	0	7.2	0	0	1.8
690	wt	N	698-00	851	0	34.2	0	34.2	0	0	0
690	wt	N	Deer_A_Only	24299	0	18.7	0	18.7	0	0	18.7
690	wt	N	SUM	25244	0	60.1	0	60.1	0	0	20.5
690	wt	R	004-10	7081	0	9.7	0	9.7	0	0	4.9
690	wt	R	006-10	1778	0	39.3	0	39.3	0	0	0
690	wt	R	600-00	453	11.5	0	5.7	5.7	0	0	0
690	wt	R	690-00	453	5.3	21.3	0	26.6	0	0	10.7
690	wt	R	699-00	3502	17.2	137.3	8.6	145.9	0	0	0
690	wt	R	Deer_A_Only	145081	14.3	195	9.5	199.8	0	23.8	99.9
690	wt	R	SUM	158348	48.2	402.7	23.8	427.1	0	23.8	115.4
690	wt	SUM	004-10	7081	0	9.7	0	9.7	0	0	4.9
690	wt	SUM	006-10	1778	0	39.3	0	39.3	0	0	0
690	wt	SUM	600-00	500	11.5	0	5.7	5.7	0	0	0
690	wt	SUM	690-00	500	5.3	28.5	0	33.9	0	0	12.5
690	wt	SUM	698-00	851	0	34.2	0	34.2	0	0	0
690	wt	SUM	699-00	3502	17.2	137.3	8.6	145.9	0	0	0
690	wt	SUM	Deer_A_Only	169380	14.3	213.7	9.5	218.5	0	23.8	118.6
690	wt	SUM	SUM	183592	48.2	462.8	23.8	487.2	0	23.8	135.9
6XX	wt	N	698-00	851	0	7.6	0	7.6	0	0	0
6XX	wt	N	Deer_A_Only	24299	0	3.1	0	3.1	0	0	3.1
6XX	wt	N	SUM	25150	0	10.7	0	10.7	0	0	3.1
6XX	wt	R	699-00	3502	0	17.2	0	17.2	0	0	0
6XX	wt	R	Deer_A_Only	145081	0	14.3	0	14.3	0	0	9.5
6XX	wt	R	SUM	148583	0	31.4	0	31.4	0	0	9.5
6XX	wt	SUM	698-00	851	0	7.6	0	7.6	0	0	0
6XX	wt	SUM	699-00	3502	0	17.2	0	17.2	0	0	0
6XX	wt	SUM	Deer_A_Only	169380	0	17.4	0	17.4	0	0	12.6
6XX	wt	SUM	SUM	173733	0	42.1	0	42.1	0	0	12.6
700	wt	N	002-10	500	0	0	0	0	0	0	0
700	wt	N	007-10	1330	0	41.4	0	41.4	0	0	0
700	wt	N	411-00	173	0	0	0	0	0	0	0
700	wt	N	698-00	851	0	3.8	0	3.8	0	0	0
700	wt	N	797-00	3018	0	22.7	0	22.7	0	0	3.2
700	wt	N	Deer_A_Only	24299	0	49.8	0	49.8	0	6.2	31.1
700	wt	N	SUM	30171	0	117.6	0	117.6	0	6.2	34.4
700	wt	R	002-10	8803	5.4	5.4	0	10.7	0	0	0
700	wt	R	007-10	3512	0	63.2	0	63.2	0	0	0
700	wt	R	007-11	1520	10.4	52.1	0	62.5	0	0	0
700	wt	R	007-13	5509	5.1	10.1	0	15.2	0	0	0
700	wt	R	007-14	2003	4.8	9.5	0	14.3	0	0	0
700	wt	R	411-00	633	0	5.1	0	5.1	0	0	0
700	wt	R	Deer_A_Only	145081	14.3	199.8	9.5	199.8	4.8	4.8	147.5
700	wt	R	SUM	167061	39.9	345.2	9.5	370.8	4.8	4.8	147.5
700	wt	SUM	002-10	9303	5.4	5.4	0	10.7	0	0	0
700	wt	SUM	007-10	4842	0	104.5	0	104.5	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
700	wt	SUM	007-11	1520	10.4	52.1	0	62.5	0	0	0
700	wt	SUM	007-13	5509	5.1	10.1	0	15.2	0	0	0
700	wt	SUM	007-14	2003	4.8	9.5	0	14.3	0	0	0
700	wt	SUM	411-00	806	0	5.1	0	5.1	0	0	0
700	wt	SUM	698-00	851	0	3.8	0	3.8	0	0	0
700	wt	SUM	797-00	3018	0	22.7	0	22.7	0	0	3.2
700	wt	SUM	Deer_A_Only	169380	14.3	249.6	9.5	249.6	4.8	11	178.6
700	wt	SUM	SUM	197232	39.9	462.8	9.5	488.4	4.8	11	181.8
701	wt	N	005-10	290	0	0	0	0	0	0	0
701	wt	N	007-10	1330	3.2	63.6	3.2	63.6	0	0	3.2
701	wt	N	560-00	49	2.2	0	2.2	0	0	0	0
701	wt	N	597-00	28	0	0	0	0	0	0	0
701	wt	N	797-00	3018	3.2	25.9	3.2	25.9	0	0	0
701	wt	N	Deer_A_Only	24299	6.2	90.2	6.2	90.2	0	6.2	71.6
701	wt	N	SUM	29014	14.9	179.8	14.9	179.8	0	6.2	74.8
701	wt	R	005-10	2590	0	4.8	0	4.8	0	4.8	0
701	wt	R	007-10	3512	21.1	63.2	15.8	68.4	0	0	0
701	wt	R	007-11	1520	5.2	36.4	5.2	36.4	0	0	0
701	wt	R	007-13	5509	5.1	20.3	5.1	20.3	0	0	0
701	wt	R	007-14	2003	4.8	0	4.8	0	0	0	0
701	wt	R	560-00	301	0	0	0	0	0	0	0
701	wt	R	597-00	575	0	4.7	0	4.7	0	0	0
701	wt	R	Deer_A_Only	145081	19	261.6	14.3	261.6	4.8	28.5	176
701	wt	R	SUM	161091	55.1	391	45.1	396.2	4.8	33.3	176
701	wt	SUM	005-10	2880	0	4.8	0	4.8	0	4.8	0
701	wt	SUM	007-10	4842	24.2	126.8	19	132.1	0	0	3.2
701	wt	SUM	007-11	1520	5.2	36.4	5.2	36.4	0	0	0
701	wt	SUM	007-13	5509	5.1	20.3	5.1	20.3	0	0	0
701	wt	SUM	007-14	2003	4.8	0	4.8	0	0	0	0
701	wt	SUM	560-00	350	2.2	0	2.2	0	0	0	0
701	wt	SUM	597-00	603	0	4.7	0	4.7	0	0	0
701	wt	SUM	797-00	3018	3.2	25.9	3.2	25.9	0	0	0
701	wt	SUM	Deer_A_Only	169380	25.3	351.9	20.5	351.9	4.8	34.8	247.6
701	wt	SUM	SUM	190105	70	570.8	60	576	4.8	39.6	250.8
702	wt	N	007-10	1330	0	19.1	0	19.1	0	0	0
702	wt	N	250-40/Deer_A	258	0	3.1	0	3.1	0	0	0
702	wt	N	380-40/Deer_A	49	0	0	0	0	0	0	0
702	wt	N	797-00	3018	0	6.5	0	6.5	0	0	0
702	wt	N	Deer_A_Only	24299	3.1	21.8	3.1	21.8	0	0	21.8
702	wt	N	SUM	28954	3.1	50.4	3.1	50.4	0	0	21.8
702	wt	R	007-10	3512	0	21.1	0	21.1	0	0	10.5
702	wt	R	007-11	1520	0	10.4	0	10.4	0	0	0
702	wt	R	250-40/Deer_A	730	0	0	0	0	0	0	0
702	wt	R	380-40/Deer_A	1253	0	4.1	0	4.1	0	0	4.1
702	wt	R	Deer_A_Only	145081	4.8	85.6	4.8	85.6	0	4.8	66.6
702	wt	R	SUM	152096	4.8	121.2	4.8	121.2	0	4.8	81.2
702	wt	SUM	007-10	4842	0	40.2	0	40.2	0	0	10.5
702	wt	SUM	007-11	1520	0	10.4	0	10.4	0	0	0

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
702	wt	SUM	250-40/Deer_A	988	0	3.1	0	3.1	0	0	0
702	wt	SUM	380-40/Deer_A	1302	0	4.1	0	4.1	0	0	4.1
702	wt	SUM	797-00	3018	0	6.5	0	6.5	0	0	0
702	wt	SUM	Deer_A_Only	169380	7.9	107.4	7.9	107.4	0	4.8	88.4
702	wt	SUM	SUM	181050	7.9	171.6	7.9	171.6	0	4.8	103
703	wt	N	007-10	1330	0	197.3	0	197.3	0	0	0
703	wt	N	797-00	3018	0	25.9	0	22.7	3.2	0	0
703	wt	N	Deer_A_Only	24299	15.6	140	3.1	152.5	0	12.4	127.6
703	wt	N	SUM	28647	15.6	363.2	3.1	372.4	3.2	12.4	127.6
703	wt	R	006-10	1778	0	14.7	0	14.7	0	0	0
703	wt	R	007-10	3512	26.3	205.3	15.8	210.6	5.3	0	0
703	wt	R	007-11	1520	5.2	83.3	5.2	83.3	0	0	5.2
703	wt	R	007-13	5509	0	35.4	0	30.4	5.1	0	5.1
703	wt	R	Deer_A_Only	145081	23.8	561.3	14.3	570.8	0	28.5	361.5
703	wt	R	SUM	157400	55.3	900.1	35.3	909.8	10.3	28.5	371.8
703	wt	SUM	006-10	1778	0	14.7	0	14.7	0	0	0
703	wt	SUM	007-10	4842	26.3	402.6	15.8	407.9	5.3	0	0
703	wt	SUM	007-11	1520	5.2	83.3	5.2	83.3	0	0	5.2
703	wt	SUM	007-13	5509	0	35.4	0	30.4	5.1	0	5.1
703	wt	SUM	797-00	3018	0	25.9	0	22.7	3.2	0	0
703	wt	SUM	Deer_A_Only	169380	39.3	701.3	17.4	723.3	0	41	489.1
703	wt	SUM	SUM	186047	70.9	1263.3	38.4	1282.3	13.6	41	499.4
704	wt	N	002-10	500	0	0	0	0	0	0	0
704	wt	N	005-10	290	0	0	0	0	0	0	0
704	wt	N	007-10	1330	0	38.2	3.2	35	0	0	0
704	wt	N	322-00	53	0	0	0	0	0	0	0
704	wt	N	797-00	3018	0	19.4	0	19.4	0	0	0
704	wt	N	Deer_A_Only	24299	9.3	133.8	12.4	130.7	0	6.2	115.1
704	wt	N	SUM	29490	9.3	191.4	15.6	185.1	0	6.2	115.1
704	wt	R	002-10	8803	0	5.4	0	5.4	0	0	0
704	wt	R	005-10	2590	0	4.8	0	4.8	0	0	0
704	wt	R	007-10	3512	0	84.2	0	79	5.3	0	0
704	wt	R	007-11	1520	0	15.6	0	15.6	0	0	0
704	wt	R	007-13	5509	0	10.1	0	10.1	0	0	0
704	wt	R	007-14	2003	0	4.8	0	4.8	0	0	0
704	wt	R	322-00	251	0	4.8	0	4.8	0	0	0
704	wt	R	Deer_A_Only	145081	0	190.3	0	185.5	4.8	23.8	95.1
704	wt	R	SUM	169269	0	320	0	310	10	23.8	95.1
704	wt	SUM	002-10	9303	0	5.4	0	5.4	0	0	0
704	wt	SUM	005-10	2880	0	4.8	0	4.8	0	0	0
704	wt	SUM	007-10	4842	0	122.4	3.2	114	5.3	0	0
704	wt	SUM	007-11	1520	0	15.6	0	15.6	0	0	0
704	wt	SUM	007-13	5509	0	10.1	0	10.1	0	0	0
704	wt	SUM	007-14	2003	0	4.8	0	4.8	0	0	0
704	wt	SUM	322-00	304	0	4.8	0	4.8	0	0	0
704	wt	SUM	797-00	3018	0	19.4	0	19.4	0	0	0
704	wt	SUM	Deer_A_Only	169380	9.3	324.1	12.4	316.2	4.8	30	210.3
704	wt	SUM	SUM	198759	9.3	511.4	15.6	495.1	10	30	210.3

Table 4. Deer harvest by method and time period, and buck deer harvest by antler point class estimates, license year 2007.

district	species	Res	LPT	number_issued	bow	rifle	<Oct21	Oct21-Nov25	>Nov25	max_antl_pt_<4	max_antl_pt_>=4
705	wt	N	007-10	1330	0	273.6	0	273.6	0	0	0
705	wt	N	797-00	3018	0	42.1	0	42.1	0	0	0
705	wt	N	Deer_A_Only	24299	37.3	314.3	37.3	314.3	0	3.1	292.5
705	wt	N	SUM	28647	37.3	630.1	37.3	630.1	0	3.1	292.5
705	wt	R	007-10	3512	5.3	94.8	5.3	94.8	0	0	5.3
705	wt	R	007-11	1520	0	31.2	0	31.2	0	0	0
705	wt	R	007-13	5509	0	30.4	0	30.4	0	0	5.1
705	wt	R	Deer_A_Only	145081	4.8	333	0	337.7	0	38.1	223.6
705	wt	R	SUM	155622	10	489.4	5.3	494.1	0	38.1	233.9
705	wt	SUM	007-10	4842	5.3	368.4	5.3	368.4	0	0	5.3
705	wt	SUM	007-11	1520	0	31.2	0	31.2	0	0	0
705	wt	SUM	007-13	5509	0	30.4	0	30.4	0	0	5.1
705	wt	SUM	797-00	3018	0	42.1	0	42.1	0	0	0
705	wt	SUM	Deer_A_Only	169380	42.1	647.3	37.3	652	0	41.2	516.1
705	wt	SUM	SUM	184269	47.4	1119.4	42.6	1124.2	0	41.2	526.4
7XX	wt	N	007-10	1330	3.2	12.7	3.2	12.7	0	0	0
7XX	wt	N	Deer_A_Only	24299	3.1	0	3.1	0	0	0	0
7XX	wt	N	SUM	25629	6.3	12.7	6.3	12.7	0	0	0
7XX	wt	SUM	007-10	1330	3.2	12.7	3.2	12.7	0	0	0
7XX	wt	SUM	Deer_A_Only	24299	3.1	0	3.1	0	0	0	0
7XX	wt	SUM	SUM	25629	6.3	12.7	6.3	12.7	0	0	0
XXX	wt	N	598-00	281	0	3	0	3	0	0	0
XXX	wt	N	Deer_A_Only	24299	3.1	9.3	3.1	9.3	0	0	12.4
XXX	wt	N	SUM	24580	3.1	12.3	3.1	12.3	0	0	12.4
XXX	wt	R	Deer_A_Only	145081	0	19	0	19	0	0	4.8
XXX	wt	R	SUM	145081	0	19	0	19	0	0	4.8
XXX	wt	SUM	598-00	281	0	3	0	3	0	0	0
XXX	wt	SUM	Deer_A_Only	169380	3.1	28.4	3.1	28.4	0	0	17.2
XXX	wt	SUM	SUM	169661	3.1	31.4	3.1	31.4	0	0	17.2