



## SPA 124 PERMIT DECISION NOTICE

Johnson Creek Culvert Replacement; Deer Lodge, MT  
6/26/2024

### ACTION

Decision Notice (DN). Montana Fish, Wildlife & Parks (FWP) shall prepare a DN for the proposed action. The DN must identify the agency decision, the reasons for the decision, and any special conditions surrounding the decision or its implementation.

With this action, FWP hereby adopts the Draft Environmental Assessment or Draft EA prepared for the proposed action as final, and approves Alternative 2, the proposed action.

### AUTHORITY: MONTANA ENVIRONMENTAL POLICY ACT

According to the applicable requirements of the Montana Environmental Policy Act or MEPA and its implementing rules and regulations, before a proposed action may be approved, environmental review must be conducted to identify, consider, and disclose any potential impacts of the proposed action on the affected human environment. The level of environmental review will vary with the complexity and seriousness of environmental issues associated with a proposed action. The level of public interest will also vary. The agency is responsible for adjusting public review to match these factors. *Title 75, Chapter 1, Parts 1 through 3, Montana Code Annotated (MCA)*. Based on these factors, FWP determined a Checklist EA (Draft EA) constitutes the appropriate level of review for the proposed action. Therefore, to assess and disclose potential impacts of the proposed action, FWP prepared a Draft EA.

### PUBLIC PARTICIPATION PROCESS

Under usual circumstances, FWP makes the Draft EA available for public review and comment. However, in this circumstance, MEPA's required public process for projects of this nature is impacted by a competing statutory deadline. MEPA requires FWP to comply with its terms "*to the fullest extent possible*." To fulfill the stated policy of MEPA, the agency shall conform to the applicable rules prior to reaching a final decision on proposed actions covered by MEPA. *ARM 12.2.428, Policy Statement Concerning MEPA Rules*. More specifically, § 87-5-504, MCA, states:

*"Within 30 days after the receipt of such plans [for a project subject to SPA 124 permitting], the department shall notify the applicant whether or not such construction project or hydraulic project will adversely affect any fish or game habitat. If the department notifies the applicant that such construction will adversely affect any fish or game habitat, it shall accompany such notice with recommendations or alternative plans which will eliminate or diminish such adverse effect."*

Effectively, within 30 days after receipt of an application [for an SPA 124 Permit], FWP must make a final decision on the proposed action/project. Within the applicable 30-day timeframe, the MEPA practitioner or author of the Draft EA must conduct a rigorous process, making it difficult or impossible for FWP to accommodate a public comment period for the Draft EA within the required 30-day time-period. § 87-5-504, MCA.

Therefore, for the purposes of achieving compliance with MEPA, *"to the fullest extent possible,"* FWP prepares a Draft EA for file, sans public comment, and issues a DN identifying the agency decision, reasons for the decision, and any special conditions surrounding the decision or its implementation. Conditions applicable to the approved action, including recommendations or alternative plans to eliminate or diminish any adverse effects, are contained in the approved SPA 124 Permit (see attached).

### **DESCRIPTION OF PROPOSED ACTION**

This project intends to remove a damaged 24" culvert on lower Johnson Creek on National Park Service Grant-Kohrs National Historic Site property and upgrade it to a 48" culvert. The 24" culvert has partially failed and is causing flooding and rendering a road impassable.

### **PURPOSE AND NEED**

This project intends to replace a partially failed and damaged 24" culvert with a 48" culvert. The culvert conveys Johnson Creek under a road used by park staff and visitors.

### **ALTERNATIVES ANALYZED**

#### **Alternative 1: No Action**

In addition to the proposed action, and as required by MEPA, FWP analyzes the "No-Action" alternative in the EA. Under the No-Action alternative, the proposed action would not occur. Therefore, no additional impacts to the human environment would occur. The No Action alternative forms the baseline from which the potential impacts of the proposed action may be measured.

Under the No Action alternative FWP would not issue an SPA 124 permit and the National Park Service would not be permitted the damaged culvert and their road would remain damaged.

#### **Alternative 2: Proposed Action**

Under the Proposed Action, FWP would issue an SPA 124 permit and the Johnson Creek culvert Replacement would be completed as proposed following conditions provided in the SPA 124 permit and the following Special Conditions:

1. Project shall be completed using a 48" culvert or 48" equivalent squash pipe.
2. Any area disturbed during construction shall be revegetated using an appropriate riparian seed mix.
3. Angular rip-rap shall be limited to the extent discussed during site visit on the upstream and downstream side of the pipe.
4. Project shall be completed in conditions as close to dry as possible using a combination of coffer dams and pumps to divert flows.
5. No in-channel construction may take place between 10/15 and 3/15.

## **DECISION**

Based on the environmental review provided in the Draft EA, and, to the greatest extent possible, in accordance with all applicable laws, rules, regulations, and policies, FWP determined the proposed action (Alternative 2), will not have significant adverse impacts on the human environment associated with the proposed action and constitutes a reasonable and appropriate strategy to achieve identified objectives. Therefore, preparation of an environmental impact statement or EIS is unnecessary. The project will allow the National Park Service to replace and upgrade their culvert crossing on Johnson Creek.

FWP hereby adopts the Draft EA as final and approves Alternative 2, the Proposed Action.

Sincerely,

A handwritten signature in blue ink that reads "Kendra McKlosky". The signature is written in a cursive, flowing style. The first name "Kendra" is written with a large, stylized 'K' and 'H' that are connected. The last name "McKlosky" is written in a similar cursive style. The signature is positioned above the printed name and title.

Kendra McKlosky  
Regional Supervisor  
Montana Fish, Wildlife & Parks